

CLAIM OF BENEFICIAL USE for Transfer New or Additional POA Only



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$230 must accompany this form for any Transfer final orders including a water right with a priority date of July 9, 1987, or later. Example – A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

SECTION 1 GENERAL INFORMATION

Type of Authorized Change

This Claim is being submitted for a transfer where the only authorized change was a change in point(s) of appropriation or additional point(s) of appropriation, or a combination of both. **YES** **NO**
If additional changes were authorized, you will need to select a different form.

1. File Information

APPLICATION # T-12820

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME Lamb Weston, Inc.		PHONE NO. 541-303-2493	ADDITIONAL CONTACT NO.	
ADDRESS 78153 Westland Rd.				
CITY Hermiston	STATE OREGON	ZIP 97838	E-MAIL Marc.mccoy@lambweston.com	

4. Date of Site Inspection: **February 24th, 2023**

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Kayla Boylan	2/24/2023	Environmental Manager

6. County **Umatilla**

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)): **None**

RECEIVED
MAR 09 2023
OWRD
SALEM, OREGON

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Paul Wattenburger		PHONE No. 541-567-0252	ADDITIONAL CONTACT No. 541-571-1112
ADDRESS IRZ Consulting, 500 North 1st Street			
CITY Hermiston	STATE OR	ZIP 97838	E-MAIL paul@irz.com

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Marc McCoy	Plant Manager	3-6-23

RECEIVED
MAR 09 2023
OWRD
SALEM, OREGON

SECTION 3
CLAIM DESCRIPTION

Note: The Claim only needs to describe the new or additional point(s) of appropriation. This Claim does not need to provide information for the original point(s) of appropriation unless the original point of appropriation is either a new or additional point of appropriation on another right involved in this transfer.

1. New or additional point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)	SOURCE (IF LISTED IN TRANSFER FINAL ORDER)
Well #2	UMAT 2402		Martin Well No. 1 within the UMATILLA RIVER BASIN
Well #2 (Deepened)	UMAT 2401		
Well #3	UMAT 2601		

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings) *If well logs are available, items A and B below can be deleted*

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final? YES NO

If yes, describe below.

(e.g. "The order allowed three new/additional points of appropriation. The water user only developed one of the points.")

3. Claim Summary:

NEW OR ADDITIONAL POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
	2.66 CFS		
Well #2		3.09 CFS	2.90 CFS
Well #3		2.67 CFS	2.99 CFS

RECEIVED

MAR 09 2023

**OWHD
SALEM, OREGON**

SECTION 4 SYSTEM DESCRIPTION

Are there multiple new or additional Points of Appropriation (POA)?
If "YES" you will need to copy and complete a separate Section 4.

YES **NO**

POA Name or Number this section describes (only needed if there is more than one):

Well #2

A. POA System Information

Provide the following information concerning the point of appropriation. Information provided must describe the equipment used to appropriate water from the point of appropriation.

1. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Fairbanks-Morse	11H	82180027	Turbine		

2. Motor Information

MANUFACTURER	HORSEPOWER
	60

3. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If a well, the water level during pumping	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
60	20	85		3.09 CFS

4. Provide pump calculations:

BHP = 60hp. Using a pump efficiency of 80%; WHP = BHP x Eff_{pump} = 60 x .80 = 48 hp TDH = (psi x 2.31) + Lift + Friction Losses = (20 psi x 2.31) + 85 + 6 = 137 ft. WHP = [Q(gpm) * TDH(ft)/3960, or , Q(gpm) = WHP x 3960 /TDH(ft) Q(gpm) = 48 hp x 3960 / 137 feet = 1,387 gpm = 3.09 cfs.
--

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
			1,302 GPM = 2.90 CFS

Reminder: For pump calculations use the reference information at the end of this document.

B. Groundwater Source Information (Well and Sump)

YES **NO**

RECEIVED

MAR 09 2023

OWRD
SALEM, OREGON

POA Name or Number this section describes (only needed if there is more than one):

Well #3

A. POA System Information

Provide the following information concerning the point of appropriation. Information provided must describe the equipment used to appropriate water from the point of appropriation.

1. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Worthington	12H	VTP-37043	Turbine		

2. Motor Information

MANUFACTURER	HORSEPOWER
U.S.	50

3. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If a well, the water level during pumping	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
50	29	61		2.67 CFS

4. Provide pump calculations:

BHP = 50hp. Using a pump efficiency of 80%; WHP = BHP x Eff_{pump} = 50 x .80 = 40 hp
TDH = (psi x 2.31) + Lift + Friction Losses = (29 psi x 2.31) + 61 + 4 = 132 ft.
WHP = [Q(gpm) * TDH(ft)/3960, or , Q(gpm) = WHP x 3960 /TDH(ft)
Q(gpm) = 40 hp x 3960 / 132 feet = 1,200 gpm = 2.67 cfs.

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
			1,342 GPM = 2.99 CFS

Reminder: For pump calculations use the reference information at the end of this document.

B. Groundwater Source Information (Well and Sump)

YES NO

C. Additional notes or comments related to the system:

Under this transfer (T-12820) the maximum combined total instantaneous rate for the three wells is 2.66 cfs. Under a separate transfer (T-12871) the maximum combined total instantaneous rate for the three wells is 3.02 cfs. Therefore, the maximum combined total instantaneous rate for the three wells is 5.68 cfs for the two transfers together.

The Measured Water Amount for Well #2 was the maximum flow meter reading on the second date of inspection (2/24/2023) and for Well #3 is a flow meter reading on the first date of inspection (7/19/2019) at open discharge. Well #3 was not running on the second date of inspection.

RECEIVED
MAR 09 2023
OWRD
SALEM, OREGON

RECEIVED

MAR 09 2023

OWRD
SALEM, OREGON

SECTION 5
CONDITIONS

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE NEW AND/OR ADDITIONAL POA(S) WERE READY FOR USE *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	May 28, 2019	
COMPLETENESS DATE FROM ORDER (C)	October 1, 2020	May 28, 2019 (System was fully in place on the date of issuance.)

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)?

YES NO

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device?

YES NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of appropriation.

b. Has a meter been installed?

YES NO

c. Meter Information

POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Well #2	Edress+Hauser	T801C416000	New/Working		June 2022
Well #3	Sparling		Works – Well Off	59670500	

If a meter has been installed, items d through f relating to this section may be deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

YES NO

If "NO", item b relating to this section may be deleted.

5. Other conditions required by the transfer final order or extension final order:

a. Were there special well construction standards?

YES NO

b. Was submittal of a ground water monitoring plan required?

YES NO

c. Other conditions?

YES NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

Condition: "The quantity of water diverted at the new additional points of appropriation, together with that diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation."

The flow meters are read daily and a running total of water usage is tracked.

Discharge is controlled by throttling at well heads.

SECTION 6 ATTACHMENTS

RECEIVED

MAR 09 2023

OWRD
SALEM, OREGON

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
COBU Map	Map showing the locations of the wells and connection pipelines.
UMAT 2402	Well Log for Well #2
UMAT 2401	Well Log for Well #2 Deepening
UMAT 2601	Well Log for Well #3

SECTION 7 CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for additional points of appropriation, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The base map was prepared using geo-referenced, high-resolution aerial imagery from USDA-NAIP (2016 & 2020) and Section Lines from the Bureau of Land Management database. Reference as confirmed using a GPS and distances were checked against the Umatilla County tax lot maps.

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.) ***Not required for this type of Claim of Beneficial Use**
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

RECEIVED
MAR 09 2023
OWRD
SALEM, OREGON

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

UMAT 2402

RECEIVED FEB 14 1972

STATE OF OREGON WATER WELL REPORT UMAT 2402

State Well No. HN/285-19ca

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from date of well completion.

STATE ENGINEER SALEM, OREGON

(Please type or print)

(Do not write above this line)

State Permit No. G-5720

(1) OWNER:

Name Lamb-Nestor Inc
Address John Grange manager. Post of 2 Matilla. Mc Nary Ore

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
2" Diam. from 0 ft. to 19 ft. Gage 2.50
18" Diam. from 0 ft. to 135.10 ft. Gage 3.75

PERFORATIONS:

Perforated? Yes No.
Type of perforator used Mills knife
Size of perforations 1/2 in. by 3 in.
360 perforations from 80 ft. to 95 ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? Lane Pump
Yield: 1500 gal./min. with 25 ft. drawdown after 24 hrs.

Ballor test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Bentonite
Well sealed from land surface to 2.0 ft.
Diameter of well bore to bottom of seal 2.2 in.
Diameter of well bore below seal 18 in.
Number of sacks of cement used in well seal _____ sacks
Number of sacks of bentonite used in well seal 6 sacks
Brand name of bentonite National
Number of pounds of bentonite per 100 gallons of water 2.5 lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Wasco Driller's well number _____
1/4 Section 19 T. 4N R. 28E W.M.
Bearing and distance from section or subdivision corner

T.O. Martin no 2

(11) WATER LEVEL: Completed well.

Depth at which water was first found 72 ft.
Static level 62 ft. below land surface. Date 2-7-72
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 15 1/2
Depth drilled 137 ft. Depth of completed well 137 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Surface sand brown	0	5	
Cement gravel + boulders	5	72	
gravel	72	95	62
clay + sand yellow	95	100	62
sand + gravel	100	103	62
sand black	103	121	62
rock black broken	121	122	62
sand fine gravel	122	126	62
broken rock + clay	126	135	62
rock grey hard	135	137	62

RECEIVED

MAR 09 2023

OWHD SALEM, OREGON

Work started 1-14 19 72 Completed 2-7 19 72
Date well drilling machine moved off of well 2-8 19 72

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] R. E. Allison Date 2-10, 19 72
(Drilling Machine Operator)
Drilling Machine Operator's License No. 300

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Allison Drilling Co.
(Person, firm or corporation) (Type or print)
Address R2 Box 309-C Hamiston
[Signed] R. E. Allison
(Water Well Contractor)
Contractor's License No. 419 Date 2-10, 19 72

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

UMAT
2601

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

APR 10 1973

STATE ENGINEER
SALEM, OREGON

State Permit No.

4N/28E-30

6-6869

(1) OWNER:

Name Lamb - Newton, Inc.
Address Box 705 Hermiston, Ore.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

18" Diam. from 0 ft. to 84 1/2 ft. Gage 37.5"
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No.

Type of perforator used mills, knife
Size of perforations 1/2 in. by 3 in.
231 perforations from 4.5 ft. to 5.5 ft.
341 perforations from 6.0 ft. to 7.5 ft.
perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? Jane
: 1200 gal./min. with 17 ft. drawdown after one hr.

Ball test 700 gal./min. with 0 ft. drawdown after 16 hrs.

Artesian flow _____ g.p.m.

(9) CONSTRUCTION:

Well seal—Material used cement
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 22 in.
Diameter of well bore below seal 18 in.
Number of sacks of cement used in well seal 10 sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Wasco Driller's well number _____
1/4 Section 30 T. 4N R. 28E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found from 43 to 55 ft.
Static level 40 ft. below land surface. Date 3-23-73
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 16

Depth drilled 98 ft. Depth of completed well 98 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Surface sand brown	0	2	
Reddish grey	2	26	
Cement gravel	26	43	
gravel	43	55	40
clay medium	55	60	"
grit sand + gravel	60	68	"
gravel	68	74	"
black sand + gravel	74	83	"
rock black broken	83	96	"
rock grey hard	96	98	"

RECEIVED
MAR 09 2023
OWRD
SALEM, OREGON

Work started 3-9 19 73 Completed 3-23 19 73

Date well drilling machine moved off of well 3-26 19 73

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] K. B. Allison Date 4-4 19 73
(Drilling Machine Operator)

Drilling Machine Operator's License No. 300

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Allison Drilling Co.
(Person, firm or corporation) (Type or print)

Address R2 Box 309-C Hermiston Ore

[Signed] K. B. Allison
(Water Well Contractor)

Contractor's License No. 419 Date 4-4 19 73



March 6, 2023

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

RE: Lamb Weston Hermiston Claim of Beneficial Use Transfer 12820 and 12871

To whom it may concern:

Lamb Weston Hermiston is filing two Claims of Beneficial Use (COBU) for the Transfer Applications T-12820 and T-12871.

The site was inspected by Mr. Paul Wattenburger, Certified Water Rights Examiner #57194WRE, on July 19, 2019 and February 24, 2023.

A polyester film COBU map and well logs for UMAT 2403 (Well 1), UMAT 2402 (Well 2), UMAT 2401 (Well 2 Deepening), and UMAT 2601 (Well 3) are included as attachments.

If you have any questions, please contact Kayla Boylan, Environmental Manager at 541-303-2711 or via email at kayla.boylan@lambweston.com.

Sincerely,



Marc McCoy
Plant Manager

Attachments: As noted

Ecc: Kayla Boylan

RECEIVED
MAR 09 2023
OWRD
SALEM, OREGON