


**CLAIM OF
BENEFICIAL USE
for Surface Water Permits
claiming 0.1 cfs or less**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

MAY 30 2023

OWRD

**A fee of \$230 must accompany this form for permits
with priority dates of July 9, 1987, or later.**

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

1. File Information:

APPLICATION #	PERMIT # (IF APPLICABLE)	PERMIT AMENDMENT # (IF APPLICABLE)
S-71211	S-52451	

2. Property Owner (current owner information):

Owners of map taxlots 08S44E03100 and 09S44E00300 (includes Spring #3, Spring #15, and Spring #16.

APPLICANT/BUSINESS NAME Philips Cattle Company/ Jeff and Paulette Phillips		PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS 42109 Miles Bridge Road			
CITY Baker City	STATE OR	ZIP 97814	E-MAIL jeffandpaulette@gmail.com

Owners of map taxlots 08S44E07000, 08S45E03200, and 08S44E08200 (includes Spring #8, Spring #12, and Spring #13.

APPLICANT/BUSINESS NAME Philips Ranch Inc./ Fred Phillips		PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS 27764 Hwy 86			
CITY Baker City	STATE OR	ZIP 97814	E-MAIL phillipsranch3@gmail.com

3. Permit holders of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD NW Farm Credit Services FLCA			RECEIVED MAY 30 2023 OWRD
ADDRESS 3370 10 th St. Ste. B			
CITY Baker City	STATE OR	ZIP 97814	

ADDITIONAL PERMIT HOLDER OF RECORD Phillips Ranch Inc./Fred Phillips		
ADDRESS 541-518-2222		
CITY Baker City	STATE OR	ZIP 97814

4. Date of Site Inspection:

5/18/2023 and 5/25/2023

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Fred Phillips	5/18/2023	Permit holder

6. County:

Baker

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

4/26/2023



1705 Main St. Ste. 101
Baker City, OR 97814
503-347-7188
Garvin.hydrogeo@gmail.com

RECEIVED

MAY 30 2023

OWRD

Bill To:
Brett Rudd
62913 Wallsinger Rd.
Cove, OR 97824
ruddfarms@gmail.com
(541) 910-1812

Hi Brett,

This invoice covers water rights consulting services rendered from 3/3/2023 through 4/26/2023. Tasks include client communications, measuring and submitting Permit G-17020 static water levels, Field reconnaissance and work related to the Permit G-17020 claim of beneficial use, and support for T-10428 request for assignment. The Garvin HydroGeo 2023 consulting rates are \$105 per hour for consulting services and \$0.75/mile for travel.

CONSULTING SERVICES DESCRIPTION	HOURS	AMOUNT
Client communications including telephone, email, and in-person	1.4	\$147.00
Measuring and submitting Permit G-17020 static water levels	2.4	\$252.00
Field reconnaissance (4/4/2023) and work on the Permit G-17020 claim of beneficial use	3.3	\$346.50
T-10428 request for assignment support	1.5	\$157.50
Round trip travel office to Site on 4/4/2023 (97 miles)	NA	72.75
CONSULTING SERVICES TOTAL	8.6	\$975.75

Please address consulting services payments to Garvin HydroGeo, LLC. Contact me with any questions or comments.

I appreciate the work,

Paul F. Garvin, RG, CWRE | Garvin HydroGeo, LLC

OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

RECEIVED

MAY 30 2023

OWRD

4/26/2023



1705 Main St. Ste. 101
Baker City, OR 97814
503-347-7188
Garvin.hydrogeo@gmail.com

RECEIVED

MAY 30 2023

OWRD

Bill To:
Brett Rudd
62913 Wallsinger Rd.
Cove, OR 97824
ruddfarms@gmail.com
(541) 910-1812

Hi Brett,

This invoice covers water rights consulting services rendered from 3/3/2023 through 4/26/2023. Tasks include client communications, measuring and submitting Permit G-17020 static water levels, Field reconnaissance and work related to the Permit G-17020 claim of beneficial use, and support for T-10428 request for assignment. The Garvin HydroGeo 2023 consulting rates are \$105 per hour for consulting services and \$0.75/mile for travel.

CONSULTING SERVICES DESCRIPTION	HOURS	AMOUNT
Client communications including telephone, email, and in-person	1.4	\$147.00
Measuring and submitting Permit G-17020 static water levels	2.4	\$252.00
Field reconnaissance (4/4/2023) and work on the Permit G-17020 claim of beneficial use	3.3	\$346.50
T-10428 request for assignment support	1.5	\$157.50
Round trip travel office to Site on 4/4/2023 (97 miles)	NA	72.75
CONSULTING SERVICES TOTAL	8.6	\$975.75

Please address consulting services payments to Garvin HydroGeo, LLC. Contact me with any questions or comments.

I appreciate the work,


Paul F. Garvin, RG, CWRE | Garvin HydroGeo, LLC

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.

Seal and Signature



RECEIVED

MAY 30 2023

OWRD

CWRE NAME Paul Garvin/ Garvin HydroGeo LLC		PHONE NO. 503-347-7188	ADDITIONAL CONTACT NO.
ADDRESS 1705 Main St. Ste. 101			
CITY Baker City	STATE OR	ZIP 97814	E-MAIL Garvin.hydrogeo@gmail.com

Permit Holder's of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Fred Phillips	PERMIT Holder	5/18/23
	MARK R COOMER NORTHWEST FARM CREDIT SERVICES FLCA	PERMIT HOLDER	5/18/23

SECTION 3 CLAIM DESCRIPTION

1. POD source and, if from surface water, the tributary:

POD NAME OR NUMBER	SOURCE	TRIBUTARY
Spring #3	Powder River	Maiden Gulch
Spring #8	Powder River	Maiden Gulch
Spring #12	Powder River	Maiden Gulch
Spring #13	Powder River	Maiden Gulch
Spring #15	Powder River	unnamed
Spring #16	Powder River	unnamed

2. Developed use(s), period of use, and rate for each use:

POD NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
Spring #3	Livestock Watering	NA	Year Round	0.005 cfs (est.)
Spring #8	Livestock Watering	NA	Year Round	0.005 cfs (est.)
Spring #12	Livestock Watering	NA	Year Round	0.005 cfs (est.)
Spring #13	Livestock Watering	NA	Year Round	0.005 cfs (est.)
Spring #15	Livestock Watering	NA	Year Round	0.005 cfs (est.)
Spring #16	Livestock Watering	NA	Year Round	0.005 cfs (est.)
Total Quantity of Water Used				0.03 cfs (est.)

3. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of diversion to the place of use:

Spring #3 consists of a shallow swale dug into the hillside that collects spring water for the cattle. Located approximately 1,000 ft SE of the permitted POD location.

Spring #8 consists of a pipe discharging to a 12' x 2' metal trough.

Spring #12 consists of pipe discharging to a 6' x 2' metal trough.

Spring #13 consists of a pipe discharging to a round 6 ft diameter round concrete stock tank.

Spring #15 consists of a pipe discharging to a square 64 square foot area square metal stock tank.

Spring #16 consists of a pipe discharging to a 12' x 2' metal trough.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLOT), and Quarter-Quarters (QQ).

4. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below.

☒ YES ☐ NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

Spring #2 was not developed by the permit holder since it lies on other property owners' property
Spring #14 was not developed by the permit holder due to low water production
Spring #3 is located approximately 1,000 ft SE of permitted location.
Spring #8 is located approximately 270 ft ESE of permitted location
Spring # 12 is located approximately 500 ft SE of permitted location
Spring #13 is located approximately 40 ft NE of permitted location
Spring #15 is located approximately 250 ft NNE of permitted location
Spring #16 is located approximately 220 ft E of permitted location

5. Claim Summary:

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
Spring #3	0.005 cfs	NA	NA	Livestock watering	NA	NA
Spring #8	0.005 cfs	NA	NA	Livestock watering	NA	NA
Spring #12	0.005 cfs	NA	NA	Livestock watering	NA	NA
Spring #13	0.005 cfs	NA	NA	Livestock watering	NA	NA
Spring #15	0.005 cfs	NA	NA	Livestock watering	NA	NA
Spring #16	0.005 cfs	NA	NA	Livestock watering	NA	NA

RECEIVED

MAY 30 2023

OWRD

SECTION 4 (1 of 6)
SYSTEM DESCRIPTION

Are there multiple POAs?

☒ YES ☐ NO

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Spring #3

RECEIVED

MAY 30 2023

OWRD

A. Place of Use

Attach Claim of Beneficial Use map.

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES ☒ NO

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)?

YES ☒ NO

D. Appropriation and Delivery System Information

Provide the following information concerning the appropriation and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES ☒ NO

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)?

☒ YES ☐ NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

YES ☒ NO ☒
YES ☒ NO ☒

Complete appropriate table(s), unused table may be deleted.

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
Spring #3	2 ft	0.03

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES

☒ NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES

☒ NO

H. Additional notes or comments related to the system:

Spring #3 is located approximately 1,000 ft SE of permitted location.

RECEIVED

MAY 30 2023

OWRD

SECTION 4 (2 of 6)

SYSTEM DESCRIPTION

Are there multiple POAs?

YES NO

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Spring #8

A. Place of Use

Attach Claim of Beneficial Use map.

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

RECEIVED

YES NO

C. Groundwater Source Information (Sump)

MAY 30 2023

1. Is the appropriation from a dug well (sump)?

OWRD

YES NO

D. Appropriation and Delivery System Information

Provide the following information concerning the appropriation and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES NO

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)?

YES NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

YES NO
YES NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
metal	400	above

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES ☒ NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES ☒ NO

H. Additional notes or comments related to the system:

Spring #8 is located approximately 270 ft ESE of permitted location

RECEIVED

MAY 30 2023

OWRD

SECTION 4 (3 of 6) SYSTEM DESCRIPTION

Are there multiple POAs?

☒ YES ☐ NO

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Spring #12

A. Place of Use

Attach Claim of Beneficial Use map.

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES ☒ NO

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)?

YES ☒ NO

D. Appropriation and Delivery System Information

Provide the following information concerning the appropriation and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES ☒ NO

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)?

☒ YES ☐ NO

RECEIVED

If "NO", item 2 and 3 relating to this section may be deleted.

MAY 30 2023

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

☒ YES ☐ NO
☒ YES ☒ NO

OWRD

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
metal	200	above

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES ☒ NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES ☒ NO

H. Additional notes or comments related to the system:

Spring # 12 is located approximately 500 ft SE of permitted location

SECTION 4 (4 of 6)

SYSTEM DESCRIPTION

Are there multiple POAs?

☒ YES ☐ NO

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Spring #13

A. Place of Use

Attach Claim of Beneficial Use map.

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

RECEIVED

YES ☐ NO ☒

C. Groundwater Source Information (Sump)

MAY 30 2023

1. Is the appropriation from a dug well (sump)?

OWRD

YES ☐ NO ☒

D. Appropriation and Delivery System Information

Provide the following information concerning the appropriation and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES ☐ NO ☒

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)?

☒ YES ☐ NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

☒ YES ☐ NO
☒ YES ☐ NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
Concrete	400	above

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES ☐ NO ☒

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES ☐ NO ☒

H. Additional notes or comments related to the system:

Spring #13 is located approximately 100 ft E of the permitted location. Both the actual and permitted location for Spring #13 appear to lie on land owned by the Bureau of Land Management (BLM) (maptaxlot 08S44E08100). According to the BLM, this tax lot is part of the Maiden Gulch Grazing allotment (Allotment # 02112)

SECTION 4 (5 of 6)

SYSTEM DESCRIPTION

Are there multiple POAs?

☒ YES ☐ NO

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Spring #15

A. Place of Use

Attach Claim of Beneficial Use map.

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Groundwater Source Information (Well)

RECEIVED

1. Is the appropriation from a well?

MAY 30 2023

YES ☒ NO

C. Groundwater Source Information (Sump)

OWRD

1. Is the appropriation from a dug well (sump)?

YES ☒ NO

D. Appropriation and Delivery System Information

Provide the following information concerning the appropriation and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES ☒ NO

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)?

☒ YES NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

☒ YES NO
YES ☒ NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
Metal	1,000	above

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES ☒ NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES ☒ NO

H. Additional notes or comments related to the system:

Spring #15 is located approximately 250 ft NNE of permitted location

RECEIVED

MAY 30 2023

OWRD

SECTION 4 (6 of 6) SYSTEM DESCRIPTION

Are there multiple POAs?

☒ YES ☐ NO

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Spring #16

A. Place of Use

Attach Claim of Beneficial Use map.

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES ☒ NO

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)?

YES ☒ NO

D. Appropriation and Delivery System Information

Provide the following information concerning the appropriation and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES ☒ NO

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)?

☒ YES ☐ NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

Complete appropriate table(s), unused table may be deleted.

RECEIVED

MAY 30 2023

OWRD

☒ YES ☐ NO

☒ YES ☐ NO

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
Metal	400	above

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES ☒ NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES ☒ NO

H. Additional notes or comments related to the system:

Spring #16 is located approximately 220 ft E of permitted location

SECTION 5 CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or extension final order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	7/8/1996		
BEGIN CONSTRUCTION (A)	7/8/1997	5/1997	Improvements to springs started
COMPLETE CONSTRUCTION (B)	10/1/1998	8/1998	Construction complete
COMPLETE APPLICATION OF WATER (C)	10/1/1999	8/1998	Stock made use of water

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES ☒ NO

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

YES ☒ NO

4. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department?

YES ☒ NO

5. Fish Screening:

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

YES ☒ NO

RECEIVED

MAY 30 2023

OWRD

d. If the diversion **involves a pump** and the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs):

- Has the self-certification form previously been submitted to the Department? ☒ NA ☐ YES ☐ NO

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not involve a pump** or the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? ☒ NA ☐ YES ☐ NO

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices:

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion?

YES ☐ NO ☒

RECEIVED
MAY 30 2023
OWRD

7. Other conditions required by permit, permit amendment final order, or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? YES ☒ NO
- b. Other conditions? YES ☒ NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

--

SECTION 6
ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
request for Assignment	Request for assignment
Map Scale waiver request	Approved map scale waiver request

RECEIVED

MAY 30 2023

OWRD

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

Aerial imagery, publicly available GIS data, handheld GPS, and ground truthing

Map Checklist

RECEIVED

Please be sure that the map you submit includes ALL the items listed below.

MAY 30 2023

(Reminder: Incomplete maps and/or claims may be returned.)

OWRD

- ☒ Map on polyester film.
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map) **Map scale Waiver attached for scale 1 inch = 0.5 mile.**
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- ☐ If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters **NA**
- ☐ Locations of fish screens and/or fish by-pass devices in relationship to point of diversion **NA**
- ☐ Locations of meters and/or measuring devices in relationship to point of diversion **NA**
- ☒ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers
- ☒ Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number
- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature



Paul Garvin <garvin.hydrogeo@gmail.com>

Map Sale Waiver request - Permits S-52451 and S-52470

CLARK Gerald E * WRD <Gerald.E.CLARK@water.oregon.gov>

Wed, May 24, 2023 at 6:54 AM

To: Paul Garvin <garvin.hydrogeo@gmail.com>

Cc: HOLMES Codi N * WRD <Codi.N.HOLMES@water.oregon.gov>

Paul,

Thanks for the discussion this morning regarding your map scale waiver request.

As we discussed, 1" = 1 mile is a bit small for us. I am granting a waiver for a map scale of 1" = one half mile.

Please attach this waiver approval to the Claim form as an attachment.

Should you have any additional questions, please feel free to contact me.

Have a great day!

Gerry

-

Gerry Clark

He/Him/His

Oregon Water Resources Department

Program Analyst, Certificate Section, Water Right Services Division

725 Summer Street NE, Suite A Salem, OR 97301 | Phone 503-979-9103

[Quoted text hidden]

RECEIVED

MAY 30 2023

OWRD