

CLAIM OF BENEFICIAL USE for Surface Water Permits claiming more than 0.1 cfs



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

A fee of \$230 must accompany this form for permits
with priority dates of July 9, 1987, or later.

JUL 10 2023

OWRD

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Go to “Resources for Water Right Examiners (CWRE)” Page

<https://www.oregon.gov/OWRD/programs/WaterRights/COBU/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert “NA.” **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

“Section 8” of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

1. File Information:

APPLICATION # S-88131	PERMIT # S-55145	PERMIT AMENDMENT # T-
---------------------------------	----------------------------	---------------------------------

JUL 10 2023

OWRD

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME LESLIE AND RACHAEL MARTIN		PHONE NO. 541.778.3982	ADDITIONAL CONTACT NO.
ADDRESS 11777 HWY 238			
CITY JACKSONVILLE	STATE OR	ZIP 97530	E-MAIL LES@REDLILYVINEYARDS.COM

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each permit holder of record must sign this form.***

3. Permit or holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD SAME AS ABOVE		
ADDRESS		
CITY	STATE	ZIP

ADDITIONAL PERMIT HOLDER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection:

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
LESLIE MARTIN	5/7/2023	PERMIT HOLDER
RACHAEL MARTIN	6/12/2023	PERMIT HOLDER

6. County:

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP


Add additional tables for owners of record as needed

RECEIVED
 JUL 10 2023
 OWRD

SECTION 2
 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME RICK PARSONS		PHONE NO. 541.499.0257	ADDITIONAL CONTACT NO. 303.667.5067 (cell)	
ADDRESS 1619 MINEAR RD				
CITY MEDFORD	STATE OR	ZIP 97501	CITY MEDFORD	

Permit Holder of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
<i>Leslie Martin</i>	LESLIE MARTIN	PERMIT HOLDER	6-21-23
<i>Rachael A Martin</i>	RACHAEL MARTIN	PERMIT HOLDER	6-29-23

**SECTION 3
CLAIM DESCRIPTION**

1. Point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)
RED LILY POD

2. Point of diversion source and tributary:

POD NAME OR NUMBER	SOURCE	TRIBUTARY
RED LILY POD	APPLEGATE RESERVOIR	APPLEGATE RIVER

3. Developed use(s), period of use, and rate for each use:

POD NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
RED LILY POD	IRRIGATION	PASTURE, HAY, LANDSCAPING	APR - OCT	35 AFY
Total Quantity of Water Used				35 AFY

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion to the place of use:

A 30 HP PUMP DIVERTS WATER FROM THE RIVER THROUGH A 10" DIAMETER SCREENED INTAKE STRUCTURE. WATER IS LIFTED ~65' FROM THE RIVER TO A 10 HP BOOSTER PUMP LOCATED ON THE SOUTH SIDE OF THE FOWLER OFFENBACHER DITCH THAT BISECTS THE PROPERTY. THIS LATTER PUMP LIFTS THE WATER ANOTHER 180' TO A POND AT THE TOP END OF THE DELIVERY SYSTEM. WATER IS DELIVERED TO THE S-55145 POU VIA A LATERAL FROM THE MAINLINE BETWEEN THE RIVER PUMP AND THE BOOSTER PUMP. THE LATERAL FEEDS INTO A SPRINKLER IRRIGATION SYSTEM. THE POND CAN DELIVER WATER TO THE POU DOWN THE MAINLINE VIA GRAVITY IF THE PUMP AT THE RIVER IS NOT ACTIVE.

5. Variations:

Was the use developed differently from what was authorized by the permit, or permit amendment final order? If yes, describe below.

YES **NO**

--

6. Claim Summary:

POD NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
RED LILY POD	35 AFY	600 GPM	N/A	IRRIGATION	8.7	8.7

SECTION 4

SYSTEM DESCRIPTION

Are there multiple PODs?

YES **NO**

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

[Empty text box]

A. Place of Use

1. Is the right for municipal use?

YES **NO**

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
38S	4W	WM	25	SE NE		6	IRRIG	7.9	
				SW NE				0.8	
Total Acres Irrigated								8.7	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Glot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Glot, and QQ.

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
BERKELEY	B3ZPL	M.19467	CENTRIFUGAL	10"	6"

3. Motor Information:

MANUFACTURER	HORSEPOWER
BALDOR ELECTRIC CO.	30 HP

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
30	3000 PSI MAX	10 FT	65 FT	3.21

5. Provide pump calculations:

$(HP)(EFFICIENCY) / TOTAL DYNAMIC HEAD = (30 * 8.02) / [LIFT (10) + HEAD ((25.6/0.433) * 1.1) = 3.21 CFS / 1439.7 GPM$
7.89 EFFICIENCY BASED ON NEMA NOM. EFF. = 91

6. Measured Pump Capacity (using meter if meter was present and system was operating): N/A

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

If "NO" items 8 through item 13 may be deleted.

RECEIVED

YES NO

JUL 10 2023

OWRD

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
6"	3000 FT	STEEL TO BOOSTER PUMP AND PVC TO POND	UNDERGROUND
LATERAL TO S-55145 POU AT ABOUT 250 FT ALONG MAINLINE; PRIOR TO BOOSTER PUMP			

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	700 FT	PVC	UNDERGROUND

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
15/64	45	10	60	60	1.34

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information: N/A

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)

12. Drip Tape Information: N/A

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION

13. Pivot Information: N/A

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

RECEIVED

JUL 10 2023

C. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES NO
WRD

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

YES NO
YES NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
P-81442 POND	EXCAVATED	3.0

D. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe? NOT SEPARATE FROM MAINLINE

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

E. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

F. Additional notes or comments related to the system:

**SECTION 5
CONDITIONS**

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension of time:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	7/2/2018		
BEGIN CONSTRUCTION (A)	7/2/2023	2018	ENTIRE SYSTEM INSTALLED AND BENEFICIALLY USED IN LATE-SUMMER 2018 AND USED ANNUALLY SINCE THEN
COMPLETE CONSTRUCTION (B)	7/2/2023	2018	
COMPLETE APPLICATION OF WATER (C)	7/2/2023	2018	

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES NO

If "NO", items a and b relating to this section may be deleted.

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

YES NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed?

YES NO

c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
RED LILY POD	McCROMETER	13-04215-06	WORKING	14989 CUBIC FEET	2018

If a meter has been installed, items d through f relating to this section may be deleted.

4. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department?

YES NO

If "NO", item b relating to this section may be deleted.

5. Fish Screening:

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? YES NO

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

RECEIVED

JUL 10 2023

OWRD

b. Has the fish screening been installed? YES NO

c. When was the fish screening installed?

DATE	BY WHOM
2020	VALLEY IRRIGATION AND DITCH WORKS

Reminder: If the permit was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

d. If the diversion involves a pump and the total diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:

- Has the self-certification form previously been submitted to the Department? NA YES NO

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx> complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not** involve a pump or the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? NA YES NO

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices:

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? YES NO

If "NO", items b and c relating to this section may be deleted.

7. Other conditions required by permit, permit amendment final order, or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? YES **NO**
- b. Was a fishway required? YES **NO**
- c. Was submittal of a water management and conservation plan required? YES **NO**
- d. Other conditions? YES **NO**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

WATER USE SUBJECT TO CONDITIONS OF RECLAMATION CONTRACT THAT HAS BEEN MAINTAINED AND VALID SINCE EXECUTED IN 2018. SPRINKLER IRRIGATION OF WATER PUMPED FROM THE RIVER HAS ENSURED WATER HAS BEEN USED WITHOUT WASTE.

RECEIVED

JUL 10 2023

OWRD

**SECTION 6
ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
ODFW LETTER	CONFIRMS ADEQUACY OF FISH SCREEN ON PUMP

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

GPS CONFIRMED BY REVIEW OF VARIOUS AERIAL PHOTOS

Map Checklist

RECEIVED

JUL 10 2023

OWRD

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film.
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion or appropriation.
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature



Oregon

Tina Kotek, Governor

Department of Fish and Wildlife

Rogue Watershed District Office

1495 East Gregory Rd.

Central Point, OR 97502

Phone: 541-826-8774

Fax: 541-826-8776

www.odfw.com

RECEIVED

JUL 10 2023

OWRD

June 21, 2023

Leslie and Rachael Martin
11777 Hwy 238
Jacksonville, OR 97530

Dear Leslie and Rachael,

Regarding Oregon Water Resources Department water right permit S-55145 and S-55202, ODFW has determined the fish screen at the point-of-diversion located at 42.23949, -123.11659 meets current fish protection criteria and fish bypass devices are not necessary. Thank you.

Sincerely,

Josh Kelsey
SW Screens & Passage Coordinator
Fish Screening and Passage Program
(541) 857-2424