



Oregon

Tina Kotek, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503)986-0900
Fax (503) 986-0904

August 08, 2023

GW

WI-NE-MA CHRISTIAN CAMP
5195 WINEMA RD
CLOVERDALE, OR 97112

The Department has reviewed the status of your pump test and any requests for extension(s) or exemption(s) for the following permitted well(s). The results are summarized in the following table:

Application	Water Right	Permitted Well	Pumped Well	Test Date	Request Status	Exemption	Well Name
G 12867	Permit: G 13669 *	TILL0000991	TILL0000991	03/14/1991	APPROVED	Unreas Burden	WELL 1
G 12867	Permit: G 13669 *	TILL0000991	TILL0000991	04/21/2017	APPROVED	Unreas Burden	WELL 1
G 12867	Permit: G 13669 *	TILL0000989	TILL0000989	04/21/2017	APPROVED	Unreas Burden	WELL 2
G 12867	Permit: G 13669 *	TILL0000165	TILL0000165	04/22/2017	APPROVED	Unreas Burden	WELL 3

Pump tests are intended to provide aquifer and well information for ground water resource characterization and to help solve well problems (OAR 690-217-0015(9)). A review of the test results indicates that there are one or more deficiencies (listed below) related to the requirements for pump tests outlined in OAR 690-217, however; it is likely that any re-testing would constitute an unreasonable burden on the permittee and would provide data of only marginal value in satisfying the intent of the rules.

- o pump test produced insufficient drawdown curve

Although this test is being approved for this well on the above listed permit(s), it is unlikely that the approval will carry forward onto any new permits or multiple-well exemption requests. If a new permit is issued for this particular well that requires a pump test or if you wish to request a multiple-well exemption on any other wells using this approved test, you may be denied and will need to perform a new test.

Please contact me if you have any questions.

Sincerely,

Gabi Ferreira
971-301-3088
Groundwater Section

cc: GW Pump Test File
cc: Certificates Section/Application File

