

**CLAIM OF
BENEFICIAL USE
for Transfer with Multiple
Changes – Surface Water**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$230 must accompany this form for any Transfer final orders including a water right with a priority date of July 9, 1987, or later.

Example – A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

Type of Authorized Change

This Claim is being submitted for a transfer involving multiple changes.

YES

Mark all that apply:

- | | |
|--|--|
| 1. <input checked="" type="checkbox"/> Change in POD(s) or Additional POD(s) | 2. <input checked="" type="checkbox"/> Change in Place of Use |
| 3. <input type="checkbox"/> Change in Character of Use | 4. <input type="checkbox"/> Change in Character of Use – Reservoir |

A separate section will be completed for each type of change authorized in the transfer final order.

1. File Information

| |
|---------------------------------|
| APPLICATION # T-13591 |
|---------------------------------|

2. Property Owner (current owner information)

| | | | |
|---|--------------------|----------------------------------|---------------------------------------|
| APPLICANT/BUSINESS NAME Youth Stimulus Package LLC (Randall Harvey) | | PHONE NO. 509-546-7357 | ADDITIONAL CONTACT NO. |
| ADDRESS 3825 West Court Street | | | |
| CITY Pasco | STATE WA | ZIP 99301 | E-MAIL golf251952@yahoo.com |

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. **Each** transfer holder of record must sign this form.

3. Transfer holder of record (this may, or may not, be the current property owner)

| | | |
|---|-------|-----|
| TRANSFER HOLDER OF RECORD Same as above | | |
| ADDRESS | | |
| CITY | STATE | ZIP |

4. Date of Site Inspection:

| |
|----------------------|
| July 13, 2023 |
|----------------------|

5. Person(s) interviewed and description of their association with the project:

| NAME | DATE | ASSOCIATION WITH THE PROJECT |
|-----------------------|------------------|------------------------------|
| Randall Harvey | 7/13/2023 | Owner |
| | | |

6. County:

| |
|-----------------|
| Umatilla |
|-----------------|

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

| | | |
|--|-------|-----|
| OWNER OF RECORD Non-Applicable | | |
| ADDRESS | | |
| CITY | STATE | ZIP |

Add additional tables for owners of record as needed

RECEIVED
AUG 10 2023

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



| | | | |
|---|-------------|----------------------------------|------------------------------------|
| CWRE NAME Jonathon Travis | | PHONE NO. (509) 979-0332 Cell | ADDITIONAL CONTACT NO. |
| ADDRESS 8019 W. Quinault Avenue, Suite 201 | | | |
| CITY Kennewick | STATE WA | ZIP 99336 | E-MAIL jtravis@geoengineers.com |

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

| SIGNATURE | PRINT OR TYPE NAME | TITLE | DATE |
|-----------|--------------------|-----------------|----------|
| | Randall Harvey | Managing Member | 8-3-2023 |
| | | | |
| | | | |

RECEIVED
AUG 10 2023
OWRD

SECTION 3
Changes Made

Note: The Claim only needs to describe the changes that were authorized in the transfer final order.

Change #1

New or Additional Point of Diversion

Change in POD(s) or Additional POD(s)

Did the transfer order authorize a change in the points of diversion or additional points of diversion? **YES**

If "NO", this Section can be deleted.

1. New or additional point of diversion name or number:

| POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP) | SOURCE |
|---|--------------------------|
| POD #2 | Walla Walla River |
| | |

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final? **NO**

If yes, describe below.

(e.g. "The order allowed three new/additional points of diversion. The water user only developed one of the points.")

3. Claim Summary:

| NEW OR ADDITIONAL POD NAME OR # | MAXIMUM RATE AUTHORIZED IN ORDER | CALCULATED THEORETICAL RATE BASED ON SYSTEM | AMOUNT OF WATER MEASURED |
|--|--|---|--------------------------------|
| POD #2 | 0.52 cfs | 0.56 cfs | 0.44 cfs |
| | | | |

System Description

Are there multiple new or additional Points of Diversion (POD)? **NO**

If "YES" you will need to copy and complete Sections A, B, or C in this Section for each POD.

POD Name or Number this section describes (only needed if there is more than one):

RECEIVED
AUG 10 2023
OWRD

A. POD System Information

Provide the following information concerning the point of diversion. Information provided must describe the equipment used to appropriate water from the point of diversion.

1. Pump Information

| MANUFACTURER | MODEL | SERIAL NUMBER | TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE) | INTAKE SIZE | DISCHARGE SIZE |
|--------------|---------|---------------|--|-------------|----------------|
| Berkley | BE-JZNW | 8222048 | Centrifugal | 6" | 4" |

2. Motor Information

| MANUFACTURER | HORSEPOWER |
|--------------|------------|
| Baldor | 15 HP |

3. Theoretical Pump Capacity

| HORSEPOWER | OPERATING PSI | LIFT FROM SOURCE TO PUMP | LIFT FROM PUMP TO PLACE OF USE | TOTAL PUMP OUTPUT (IN CFS) |
|------------|---------------|--------------------------|--------------------------------|----------------------------|
| 15 HP | 60 psi | 15 ft | 10 ft | 0.56 cfs |

4. Provide pump calculations:

| | |
|---------------------------|-----------------------------------|
| HP = | 15 |
| Efficiency | 6.61 |
| Lift = | 25 |
| PSI = | 60 |
| Results Calculated | |
| (hp)(efficiency) = | 99.15 |
| Head based on psi = | 152.4 |
| Total dynamic head | |
| = | 177.4 |
| (head + lift) | |
| Pump Capacity = | 0.56 cubic feet per second |

5. Measured Pump Capacity (using meter if meter was present and system was operating)

| INITIAL METER READING | ENDING METER READING | DURATION OF TIME OBSERVED | TOTAL PUMP OUTPUT (IN CFS) |
|-----------------------|----------------------|---------------------------|----------------------------|
| 93100.4 | 93102.6 | 10 min | 0.44 cfs |

Reminder: For pump calculations use the reference information at the end of this document.

RECEIVED
AUG 10 2023

6. Additional notes or comments related to the system:

209 gpm instantaneous. Water is pumped from the POD by pump to 4 inch buried PVC mainline; one valve controls water to center of pivot, while other valve controls water to the rest of the irrigated area and across the road. Drip sprinklers are attached to fence line across the road for watering trees, while K-line is used in patch on other side of driveway. Other areas are irrigated by big underground sprinklers.

B. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the diversion involve a gravity flow pipe? **NO**

C. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Does the diversion involve a gravity flow ditch or canal? **NO**



Change #2
Change in Place of Use

Did the transfer order authorize a change in the place of use? **YES**

If "NO", this Section can be deleted.

1. Claim Summary – Authorized Use:

If Irrigation or Nursery Use:

| THE # OF ACRES ALLOWED | THE # OF ACRES DEVELOPED |
|------------------------|--------------------------|
| 14 | 14 |
| | |

2. Variations:

Was the use developed differently from what was authorized by the transfer final order? **NO**

If yes, describe below.

(e.g. "The order authorized a change in place of use for 40 acres. The water user only developed 38 acres.")

RECEIVED

AUG 10 2023

OWRD

SECTION 4 CONDITIONS

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

| | DATE FROM TRANSFER | DATE THE AUTHORIZED CHANGES WERE COMPLETED *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE" |
|----------------------------------|--------------------|---|
| ISSUANCE DATE | September 28, 2022 | |
| COMPLETENESS DATE FROM ORDER (C) | October 31, 2023 | May 31, 2023 |

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)?

NO

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device? **YES**

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed? **YES**

YES

c. Meter Information

| POD NAME OR # | MANUFACTURER | SERIAL # | CONDITION (WORKING OR NOT) | CURRENT METER READING | DATE INSTALLED |
|---------------|--------------|----------------|----------------------------|-----------------------|----------------|
| POD #2 | GrowSmart | GT19040 781 | working | 93098.4x1000 gal | 4/2020 |
| | | | | | |

If a meter has been installed, items d through f relating to this section may be deleted.

d. If a meter has not been installed, has a suitable measuring device been installed and approved by the Department? **N/A**

N/A

e. If "YES", provide a copy of the letter approving the device, if available. If the letter is not available provide the name and title of the Water Resources Department employee approving the measuring device, and the approximate date of the approval:

| NAME | TITLE | APPROXIMATE DATE |
|------|-------|------------------|
| | | |

RECEIVED

AUG 10 2023

OWRD

f. Measurement Device Description

| DEVICE DESCRIPTION | CONDITION (WORKING OR NOT) | DATE INSTALLED |
|--------------------|-------------------------------|----------------|
| | | |

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department? **NO**

If "NO", item b relating to this section may be deleted.

5. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? **YES**

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed? **YES**

c. When was the fish screening installed?

| DATE | BY WHOM |
|---------------|----------------|
| March 1, 2022 | Randall Harvey |

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

d. If the diversion involves a pump and the total diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:

- Has the self-certification form previously been submitted to the Department? **NO**

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>, complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not** involve a pump or the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? **ODFW Certification Approval is attached**

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

RECEIVED

6. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **NO**

If "NO", items b and c relating to this section may be deleted.

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

| DESCRIPTION (E.G. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM. | IF INSTALLED (DATE) | IF INSTALLED, BY WHOM |
|--|---------------------|-----------------------|
| | | |

7. Other conditions required by the transfer final order or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? **NO**
- b. Was a fishway required? **NO**
- c. Other conditions? **NO**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

**SECTION 5
ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

| ATTACHMENT NAME | DESCRIPTION |
|-----------------|---|
| Attachment #1 | Final Proof Survey Map |
| Attachment #2 | ODFW Screen Certification Approval Letter |
| | |

RECEIVED
AUG 10 2023
OWRD

**SECTION 6
CLAIM OF BENEFICIAL USE MAP**

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for

additional points of diversion, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The authorized point of appropriation and visible system components were visited during the site inspection. The location of the point of appropriation and the extent of the place of use were located in a field survey completed during the site inspection. The map was created using Geographic Information System (GIS) software and spatial datasets from ESRI and Oregon Water Resources Department, and Google Earth (aerial June 13, 2019). Additional data and information specific to the water right holder's use of water und the water right described in this Claim of Beneficial Use Report were obtained from the water right holder.

RECEIVED
AUG 10 2023
OWRD

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

RECEIVED
AUG 10 2023
OWRD

Attachment #1
Final Proof Survey Map
Transfer T-13591

RECEIVED

AUG 10 2023

OWRD



Attachment #2
Fish Screen Certification Letter from ODFW
Transfer T-13591

RECEIVED
AUG 10 2023
OWRD



Oregon

Department of Fish and Wildlife

John Day Fish Screening and Passage

357 Patterson Bridge Rd.

P.O. Box 515

John Day, OR 97845

Voice: 541-575-0561

FAX (541) 575-0868

www.dfw.state.or.us/

November 3, 2022

Youth Stimulus Package
Randall Harvey – Managing Member
3825 West Court Street
Pasco, WA 99301



Dear Mr. Harvey,

Your fish screen was inspected on 10/27/2022. In reference to water right transfer file number T-13591 this letter confirms that a National Marine Fisheries Service criteria fish screen as approved by ODFW is located on the property near GPS coordinates: 44.883594, -118.274375.

In regards to the inspection of the fish screen located on South Fork Walla Walla River, the following has been determined:

1. The screen located at coordinates 44.883594, -118.274375 a Clemons Clearwater CW600 pump screen.
2. This screen is approved for water use up to 775 GPM or 1.73 CFS.
3. All screen and pump configurations meet National Marine Fisheries Service criteria at the time of inspection, any changes or modifications to the configurations will not be covered by this certification letter.
4. This screen is an end of pipe screen; therefore, no by-pass is required.

Please contact me if you have any questions regarding this letter.

Sincerely,

Nathaniel Ashley
Fish Screening and Passage Coordinator

CC: Oregon Water Resources Department

RECEIVED

AUG 10 2023

OWRD