### **RECEIVED**

NOV 22 2023

# Application for a Permit to Use

## **Surface Water**

For Department Use: App. Number:

**OWRD** 



**Oregon Water Resources Department** 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 503-986-0900 www.oregon.gov/OWRD

				The second secon
NAME MARK DEGNER TRUST	7 to 1 2 to			PHONE (HM)
PHONE (WK) 541.618.0693		CELL 541.944.839	5	FAX
ADDRESS 3369 CRATER LAKE HIGHWAY				
CITY	STA	TE ZIP	E-MAIL *	
MEDFORD	OR	9750	DEGNERM@YAHOO.	СОМ
ganization				
NAME			PHONE	FAX
ADDRESS				CELL
CITY	STAT	TE ZIP	E-MAIL *	
Market Street				
ent - The agent is authorized	d to represent the a	pplicant in al	matters relating to this a	pplication.
AGENT / BUSINESS NAME RICK PARSONS / PARSONSWA			PHONE 541.499.0257	FAX
ADDRESS 1619 MINEAR ROAD				CELL 303.667.5067
				303.007.3007
CITY MEDFORD  te: Attach multiple copies		9750	-	SONSWATER.COM
MEDFORD  te: Attach multiple copies by providing an e-mail addi electronically. (Paper copie  my signature below I con  I am asking to use wate Evaluation of this appli I cannot legally use wate The Department encou	as needed ress, consent is gives of the proposed firm that I underse er specifically as desication will be based ter until the Water in ages all applicants	yen to receive and final or stand: scribed in this on informating to wait for a	e all correspondence fr der documents will also application. on provided in the applica- partment issues a permit.	com the Department o be mailed.)  ation.
MEDFORD  te: Attach multiple copies by providing an e-mail addicelectronically. (Paper copies  my signature below I con  I am asking to use wate  Evaluation of this appli  I cannot legally use wate  The Department encouproposed diversion. Ace  If I begin construction in  If I receive a permit, I in	as needed ress, consent is given as of the proposed firm that I underse ar specifically as destation will be based the until the Water is rages all applicants ceptance of this apprior to the issuance must not waste water use is not according to the contract of the contr	yen to receive and final or stand: scribed in this coninformation does to wait for a polication does to fa permit, er.	e all correspondence from the der documents will also application.  In provided in the application appropriate to be issued before not guarantee a permit will assume all risks associations.	conswater.com  rom the Department to be mailed.)  ation.  e beginning construction of any will be issued. ed with my actions.
MEDFORD  te: Attach multiple copies y providing an e-mail addedectronically. (Paper copies  my signature below I con  I am asking to use wate Evaluation of this appli I cannot legally use wate The Department encouproposed diversion. Ace If I begin construction in If I receive a permit, I in If development of the value in the water use must be	as needed ress, consent is given as of the proposed of the proposed of the proposed of the specifically as described on the water of the issuance of this apprior to the issuance of the specifical to the specifica	yen to receive and final or stand: scribed in this coninformation does to wait for a polication does to fa permit, er. ording to the cal compreheral	e all correspondence from the application. The application of the application of provided in the application of the application of the application of guarantee a permit of the application of guarantee apermit of the permit of the permit of the permit, the positive land use plans.	conswater.com  rom the Department to be mailed.)  ation.  e beginning construction of any will be issued. ed with my actions.
te: Attach multiple copies by providing an e-mail addi- electronically. (Paper copies my signature below I con I am asking to use wate Evaluation of this appli I cannot legally use wate The Department encouproposed diversion. Act If I begin construction if If receive a permit, I in If development of the value if the Water use must be Even if the Department receive water to which	as needed ress, consent is gives of the proposed firm that I underse ar specifically as dester until the Water brages all applicants ceptance of this apprior to the issuance must not waste water use is not accompatible with local issues a permit, I in they are entitled.	yen to receive and final or stand: scribed in this coninformation does to wait for a polication does to fa permit, er. ording to the cal comprehenay have to standard to stand	e all correspondence from the der documents will also application.  In provided in the application appropriate to be issued before not guarantee a permit of assume all risks associations of the permit, the provided in the permit of the perm	com the Department of be mailed.)  ation.  e beginning construction of any will be issued.  ed with my actions.  bermit can be cancelled.
MEDFORD  Ite: Attach multiple copies By providing an e-mail addition electronically. (Paper copies  my signature below I con  I am asking to use wate  Evaluation of this appli  I cannot legally use wate  The Department encouproposed diversion. Act  If I begin construction if  If I receive a permit, I in  If development of the water use must be  Even if the Department	as needed ress, consent is given as of the proposed of the proposed of the proposed of the specifically as described as all applicants of the issuance of this apprior to the issuance of this apprint the issuance of this apprint the issuance of this appri	yen to receive and final or stand: cribed in this cribed in this con information does to wait for a collication does to fa permit, er. cording to the cal comprehenay have to stand in this app	e all correspondence from the der documents will also application.  In provided in the application appropriate to be issued before not guarantee a permit of assume all risks associations of the permit, the provided in the permit of the perm	conswater.com  rom the Department to be mailed.)  ation.  e beginning construction of any will be issued. ed with my actions.  bermit can be cancelled.  enior water right holders to

#### **SECTION 2: PROPERTY OWNERSHIP**

OWRD

Please indicate if you own all the lands associated with the project from which the water is to be diverted, conveyed, and used.

YES, there are no encumbrances. YES, the land is encumbered by easements, rights of way, roads or other encumbrances.
NO, I have a recorded easement or written authorization permitting access.  NO, I do not currently have written authorization or easement permitting access.
NO, written authorization or an easement is not necessary, because the only affected lands I do not own are state-owned submersible lands, and this application is for irrigation and/or domestic use only (ORS 274.040) NO, because water is to be diverted, conveyed, and/or used only on federal lands.

Affected Landowners: List the names and mailing addresses of all owners of any lands that are not owned by the applicant and that are crossed by the proposed ditch, canal or other work, even if the applicant has obtained written authorization or an easement from the owner. (Attach additional sheets if necessary).

**Legal Description:** You must provide the legal description of: 1. The property from which the water is to be diverted, 2. Any property crossed by the proposed ditch, canal or other work, and 3. Any property on which the water is to be used as depicted on the map.

#### **SECTION 3: SOURCE OF WATER**

#### A. Proposed Source of Water

Provide the commonly used name of the water body from which water will be diverted, and the name of the stream or lake it flows into (if unnamed, say so), and the locations of the point of diversion (POD):

Source 1: MILL CK VIA NYE DITCH	Tributary to: ROGUE RIVER		
TRSQQ of POD: SE NE SECTION 9 TOWNSHIP 33S RANGE 2E			
Source 2: Tributary to:			
TRSQQ of POD:			

If any source listed above is stored water that is authorized under a water right permit, certificate, or decree, attach a copy of the document or list the document number (for decrees, list the volume, page and/or decree name).

B. Applications to Use Stored Water
Do you, or will you, own the reservoir(s) described in Section 3A above?
Yes. No. (Enclose a copy of your written notification to the operator of the reservoir of your intent to file this application, which should have been mailed or delivered to the operator.)
If <i>all</i> sources listed in Section 3A are stored water, the Department will review your application using the expedited process provided in ORS 537.147, unless you check the box below. Please see the instruction booklet for more information.
By checking this box, you are requesting that the Department process your application under the standard process outlined in ORS 537.150 and 537.153, rather than the expedited process provided by ORS 537.147. To file an application under the standard process, you must enclose the following:
A copy of a signed non-expired contract or other agreement with the owner of the reservoir (if not you) to impound the volume of water you propose to use in this application.
<ul> <li>A copy of your written agreement with the party (if any) delivering the water from the reservoir to you.</li> </ul>
SECTION 4: SENSITIVE, THREATENED OR ENDANGERED FISH SPECIES PUBLIC INTEREST INFORMATION
This information must be provided for your application to be accepted as complete. The Water Resources Department will determine whether the proposed use will impair or be detrimental to the public interest with regard to sensitive, threatened or endangered fish species.
To answer the following questions, use the map provided in <a href="Attachment 3">Attachment 3</a> or the link below to determine whether the proposed point of diversion (POD) is located in an area where the Upper Columbia, the Lower Columbia, and/or the Statewide public interest rules apply.
For more detailed information, click on the following link and enter the T,R,S,QQ or the Lat/Long of a POD and click on "Submit" to retrieve a report that will show which section, if any, of the rules apply: <a href="https://apps.wrd.state.or.us/apps/misc/lkp">https://apps.wrd.state.or.us/apps/misc/lkp</a> trsqq features/
If you need help to determine in which area the proposed POD is located, please call the customer service desk at (503) 986-0900.


### Upper Columbia - OAR 690-033-0115 thru -0130

Is the P	OD	located	in an	area	where	the	Upper	Columbia	Rules	apply
	-									

Yes No

If yes, you are notified that the Water Resources Department will consult with numerous federal, state, local and tribal governmental entities so it may determine whether the proposed use is consistent with the "Columbia River Basin Fish and Wildlife Program" adopted by the Northwest Power Planning Council in 1994 for the protection and recovery of listed fish species. The application may be denied, heavily conditioned, or if appropriate, mitigation for impacts may be needed to obtain approval for the proposed use.







#### If yes,

the species.

For Department Use: App. Number:

- I understand that the proposed use does <u>not</u> involve appropriation of direct streamflow during the time period April 15 to September 30, <u>except as provided in OAR 690-033-0140</u>.
- I understand that I will install, operate and maintain a fish screen and fish passage as listed in ORS
  498.301 through 498.346, and 509.580 through 509.910, to the specifications and extent required by
  Oregon Department of Fish and Wildlife, prior to diversion of water under any permit issued pursuant to
  this application.
- I understand that the Oregon Department of Environmental Quality will review my application to determine if the proposed use complies with existing state and federal water quality standards.
- I understand that I will install and maintain water use measurement and recording devices as required by the Water Resources Department, and comply with recording and reporting permit condition requirements.

requirements.
<u>Lower Columbia - OAR 690-033-0220 thru -0230</u> Is the POD located in an area where the Lower Columbia rules apply?
☐ Yes XNo
If yes, you are notified that that the Water Resources Department will determine, by reviewing recovery plans, the Columbia River Basin Fish and Wildlife Program, and regional restoration programs applicable to threatened or endangered fish species, in coordination with state and federal agencies, as appropriate, whether the proposed use is detrimental to the protection or recovery of a threatened or endangered fish species and whether the use can be conditioned or mitigated to avoid the detriment.
If a permit is issued, it will likely contain conditions to ensure the water use complies with existing state and federal water quality standards; and water use measurement, recording and reporting required by the Water Resources Department. The application may be denied, or if appropriate, mitigation for impacts may be needed to obtain approval of the proposed use.
If yes, provide the following information (the information must be provided with the application to be considered complete).
Yes No The proposed use is for more than <b>one</b> cubic foot per second (448.8 gpm) and is not subject to the requirements of OAR 690, Division 86 (Water Management and Conservation Plans).
If yes, provide a description of the measures to be taken to assure reasonably efficient water use:
Statewide - OAR 690-033-0330 thru -0340
Is the POD located in an area where the Statewide rules apply?  Yes  No
If yes, the Water Resources Department will determine whether the proposed use will occur in an area where endangered, threatened or sensitive fish species are located. If so, the Water Resources Department, Department of Fish and Wildlife, Department of Environmental Quality, and the Department of Agriculture will recommend conditions required to achieve "no loss of essential habitat of threatened and endangered (T&E)

fish species," or "no net loss of essential habitat of sensitive (S) fish species." If conditions cannot be identified that meet the standards of no loss of essential T & E fish habitat or no net loss of essential S fish habitat, the agencies will recommend denial of the application unless they conclude that the proposed use would not harm

OWDD

NOV 22 2625

RECE



#### **SECTION 5: WATER USE**

Provide the amount of water you propose to use from each source, for each use, in cubic feet-per-second (cfs) or gallons-per-minute (gpm). If the proposed use is from storage, provide the amount in acre-feet (af):

(1 cfs equals 448.8 gpm. 1 acre-foot equals 325,851 gallons or 43,560 cubic feet)

SOURCE	USE	PERIOD OF USE	AMOUNT
ROGUE RIVER	HUMAN CONSUMPTION	JAN 1 – DEC 31	500
			cfs gpm af
			cfs gpm af

Please indicate the number of primary, supplemental and/or nursery acres to be irrigated.				
Primary: <u>0</u> Acres	Supplemental: <u>0</u> Acres	Nursery Use: <u>0</u> Acres		
If supplemental acres are listed, provide the Permit or Certificate number of the underlying primary water				
right(s):				
Indicate the maximum total number of acre-feet you expect to use in an irrigation season:				

- If the use is municipal or quasi-municipal, attach Form M
- If the use is domestic, indicate the number of households: 1
- If the use is mining, describe what is being mined and the method(s) of extraction:

#### **SECTION 6: WATER MANAGEMENT**

A.	Diversion	and	Conveyance	
----	-----------	-----	------------	--

What equipment will you use to pump water from your source?

	Pump (give horsepower and type):	
X	Pump (give horsepower and type): Other means (describe): GRAVITY INTO EXISTING UNDERGROUND 3" PVC I	PIPE

Provide a description of the proposed means of diversion, construction, and operation of the diversion works and conveyance of water.

1" VALVE TO BE INSTALLED OFF OF 3" LINE ONCE IT REACHES SUBJECT PROPERTY TO FEED PRESSURE TANK FOR SUBSEQUENT USE IN RESIDENCE (LOCATION TBD WITHIN SESE SECTION 9)

#### B. Application Method

What equipment and method of application will be used? (e.g., drip, wheel line, high-pressure sprinkler) NO IRRIGATION

#### C. Conservation

Please describe why the amount of water requested is needed and measures you propose to: prevent waste; measure the amount of water diverted; prevent damage to public uses of affected surface waters.

RECEIVED

ENTIRE SYSTEM IS PIPED AND LIMITED TO 500 GPD

For Department Use: App. Number:

NOV 22 2023

**OWRD** 



Rev. 07/21

#### **SECTION 5: WATER USE**

Provide the amount of water you propose to use from each source, for each use, in cubic feet-per-second (cfs) or gallons-per-minute (gpm). If the proposed use is from storage, provide the amount in acre-feet (af):

(1 cfs equals 448.8 gpm. 1 acre-foot equals 325,851 gallons or 43,560 cubic feet)

SOURCE	USE	PERIOD OF USE	AMOUNT
ROGUE RIVER	HUMAN CONSUMPTION	JAN 1 – DEC 31	500
			0.005 cfs gpm af
7 T 9 7			cfs gpm af

Please indicate the number of primary, supplemental and/or nursery acres to be irrigated.				
Primary: <u>0</u> Acres Supplemental: <u>0</u> Acres Nursery Use: <u>0</u> Acres				
If supplemental acres are listed, provide the Permit or Certificate number of the underlying primary water				
right(s):				
Indicate the maximum total number of acre-feet you expect to use in an irrigation season:				

- If the use is municipal or quasi-municipal, attach Form M
- If the use is domestic, indicate the number of households: 1
- If the use is mining, describe what is being mined and the method(s) of extraction:

#### **SECTION 6: WATER MANAGEMENT**

Α.	Divers	ion and	Convey	/ance
----	--------	---------	--------	-------

What equipment will	you use to pump w	ater from your source?
---------------------	-------------------	------------------------

$\Gamma$	] ו	Pump (give horsepower and type):	
	<b>(</b>	Pump (give horsepower and type): Other means (describe): GRAVITY INTO EXISTING UNDERGROUND 3"	PVC PIPE

Provide a description of the proposed means of diversion, construction, and operation of the diversion works and conveyance of water.

1" VALVE TO BE INSTALLED OFF OF 3" LINE ONCE IT REACHES SUBJECT PROPERTY TO FEED PRESSURE TANK FOR SUBSEQUENT USE IN RESIDENCE (LOCATION TBD WITHIN SESE SECTION 9)

#### B. Application Method

What equipment and method of application will be used? (e.g., drip, wheel line, high-pressure sprinkler) NO IRRIGATION

#### C. Conservation

Please describe why the amount of water requested is needed and measures you propose to: prevent waste; measure the amount of water diverted; prevent damage to public uses of affected surface waters.

ENTIRE SYSTEM IS PIPED AND LIMITED TO 500 GPD

NOV 22 2023 Surface Water — Page 5

Rev. 07/21

For Department Use: App. Number: \_\_\_\_\_

#### **SECTION 7: RESOURCE PROTECTION**

In granting permission to use water from a stream or lake, the state encourages, and in some instances requires, careful control of activities that may affect the waterway or streamside area. See instruction guide for a list of possible permit requirements from other agencies. Please indicate any of the practices you plan to undertake to protect water resources:

Diversion will be screened per ODFW specifications in ORS 498.301 through 498.346 to prevent uptake of fish and other aquatic life.

Describe planned actions: ODFW-APPROVED SCREEN WILL BE ADDED, AS NECESSARY

Excavation or clearing of banks will be kept to a minimum to protect riparian or streamside areas. Note: If disturbed area is more than one acre, applicant should contact the Department of Environmental Quality to determine if a 1200C permit is required.

Describe planned actions and additional permits required for project implementation: NO WORK TO TAKE PLACE WITHIN RIPARIAN AREAS

Operating equipment in a water body will be managed and timed to prevent damage to aquatic life. Describe planned actions and additional permits required for project implementation: SEE ABOVE

Water quality will be protected by preventing erosion and run-off of waste or chemical products. Describe planned actions: WORK WILL INVOLVE ADDING PIPE TO RESIDENCE FROM EXISTING IRRIGATION PIPE

List other federal and state permits or contracts to be obtained, if a water right permit is granted.

#### **SECTION 8: PROJECT SCHEDULE**

- a) Date construction will begin: WITHIN 5 YEARS OF PERMIT ISSUANCE
- b) Date construction will be completed: WITHIN 5 YEARS OF PERMIT ISSUANCE
- c) Date beneficial water use will begin: WITHIN 5 YEARS OF PERMIT ISSUANCE

#### **SECTION 9: WITHIN A DISTRICT**

Check here if the point of diversion or place of use are located within or are served by an irrigation or other water district.

Irrigation District Name	Address	
NYE DITCH USERS IMPROVEMENT DISTRICT	772 MATHER RD	
City	State	Zip
PROSPECT	OR	97536

#### **SECTION 10: REMARKS**

Use this space to clarify any information you have provided in the application. (Attach additional sheets if necessary).

RECEIVED

NOV 22 2023

Surface Water — Page 6



## **Minimum Requirements Checklist**

Minimum Requirements (OAR 690-310-0040, OAR 690-310-0050 & ORS 537.140)

## Include this checklist with the application

Check that each of the following items is included. The application will be returned if all required items are not included. If you have questions, please call the Water Rights Customer Service Group at (503) 986-0900.

Please submit the original application and signatures to the Water Resources Department. Applicants are encouraged to keep a copy of the completed application.

X	SECTION 1:	Applicant Information and Signature
R	SECTION 2:	Property Ownership
abla	SECTION 3:	Source of Water
X	SECTION 4:	Sensitive, Threatened or Endangered Fish Species Public Interest Information
X	SECTION 5:	Water Use
X	SECTION 6:	Water Management
X	SECTION 7:	Resource Protection
$oldsymbol{Z}$	SECTION 8:	Project Schedule
X	SECTION 9:	Within a District
X	SECTION 10:	Remarks
		wing additional items:
	Land Use Info	ormation Form with approval and signature of local planning department (must be an original)
	or signed rec	eipt.
X	Provide the le	egal description of: (1) the property from which the water is to be diverted, (2) any property
	crossed by th	e proposed ditch, canal or other work, and (3) any property on which the water is to be used as
	depicted on t	the map.
X	Fees - Amour	nt enclosed: \$1500
	See the Depa	rtment's Fee Schedule at www.oregon.gov/owrd or call (503) 986-0900.
X	Map that incl	ludes the following items:
	X Per	rmanent quality and drawn in ink
	X Eve	en map scale not less than 4" = 1 mile (example: 1" = 400 ft, 1" = 1320 ft, etc.)
	<b>⋈</b> No	rth Directional Symbol
	X No	wnship, Range, Section, Quarter/Quarter, Tax Lots
		ference corner on map
		cation of each diversion, by reference to a recognized public land survey corner (distances rth/south and east/west)
	🔀 Ind	licate the area of use by Quarter/Quarter and tax lot identified clearly.
		mber of acres per Quarter/Quarter and hatching to indicate area of use if for primary irrigation, oplemental irrigation, or nursery
	X Loc	cation of main canals, ditches, pipelines or flumes (if well is outside of the area of use)

RECEIVED

Surface Water - Page 7



		File	#:	
ter	Resources	Department		

O Yes © No



1.

## Oregon Wa

### **Application Supplement for Human Consumption & Livestock Uses**

For water use permit applications within or above scenic waterways, or from streams for which water is not available due to required instream flows, the Department may issue limited permits for human consumption and livestock uses. Human consumption is limited to indoor use for drinking, cooking, and sanitation and is limited to 500 gallons per day. It does not include outdoor uses such as lawn watering, garden watering or other similar uses.

In order to issue a permit to you for human consumption or livestock use, the Department must find that you cannot reasonably obtain water from any other source. For human consumption, an additional finding must be made that denial of the water right would result in loss of reasonable expectations for use of your property. For livestock use, additional findings must be made that issuance of a permit is necessary to prevent the livestock from watering in or along the stream bed and that you have excluded livestock from the stream and the adjacent riparian zone.

Please answer the following questions, and sign and return this form to Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266.

Can you reasonably obtain water from any other source?

lf not	, please describe why each of the following options are not reasonable:
a.	Groundwater, such as a well on yours or a neighbor's property. (If expense is the reason groundwater is not reasonable, please provide two estimates of the cost.)
	NONE NEAR SUBJECT PROPERTY. MANY NEARBY WELLS ARE LOW PRODUCING AND SOME CONTAIN ARSENIC MAKING THIS OPTION NOT SO PROMISING
b.	Securing stored water from upstream reservoirs.
	NONE AVAILABLE

Trucking water. (If expense is the reason this option is not reasonable, please c. provide a copy of an estimate of the cost of trucking water.)

PROHIBITIVELY EXPENSIVE SINCE CLOSEST SUPPLIERS ARE MORE THAN 20 MILES AWAY FROM SUBJECT PROPERTY

> RECEIVED NOV 22 2023

	a.	Community of municipal water suppliers.
		IMEDIATE NEIGHBORS RECEIVE WATER FROM NYE DITCH USERS IMPROVEMENT DISTRICT AND THIS APPROACH IS USED HERE
	e.	Tying in to a neighboring property's spring.  NONE AVAILABLE
		NONE AVAILABLE
	f.	Transferring existing water rights to your proposed use(s).
		NOT NECESSARY SINCE HUMAN CONSUMPTION PERMITS AVAILABLE WITHIN LIMITS ESTABLISHED BY STATUTE
	Pleas not fe	e identify any other alternate water sources you have considered, and why they are easible:
		NO OTHER SOURCES AVAILABLE
2.	• Y	are seeking a permit for human consumption use, would denial of your application in loss of reasonable expectations for use of your property?  es C No C NotApplicable
	If so,	please describe how:
		PERMIT FOR RESIDENCE WILL NOT BE ISSUED BY JACKSON COUNTY WITHOUT PROOF OF RESIDENTIAL WATER SUPPLY
3.	If you liveste	are seeking a permit for livestock use, is the proposed use necessary to prevent the ock from watering in or along the stream bed?
	C Ye	es C No © Not Applicable
4.	If you and th	are seeking a permit for livestock use, have you excluded livestock from the stream e adjacent riparian zone?
	CY	es C No 6 Not Applicable
	Applic	cant Signature: Mark Degre Date: 10/28/23
	Applic	eant Signature: Date:



## **Land Use Information Form**



#### **Oregon Water Resources Department**

725 Summer Street NE, Suite A Salem, Oregon 97301-1266 503-986-0900 www.oregon.gov/OWRD

A	n	n	li	r	a	n	t
	ν		ш	u	а	.,	

Resources Department.

MARK DEGNER TRUST PHONE (WK) 541.618.0693  ADDRESS 3369 CRATER LAKE HIGHWAY  CITY MEDFORD  STATE OR 97504  DENGERM@YAHOO.COM  A. Land and Location  Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may ubstitute existing and proposed service-area boundaries for the tax-lot information requested below.  Township Range Section  X X Tax Lot # Plan Designation (e.g., Rural Residential/RR-5)  Water to be: Propose Land Use  333  2E  9  SESE 1000 WR  Diverted Conveyed Used	plicant											
CELL   FAX	NAME					3			. P	HONE	(HM)	
S41.944.8395	MARK DE	GNER TRU	IST	415.								
AL Land and Location    Commercial   Conveyed   Conveye	PHONE (WK	(1)			(	CELL			F	AX		
STATE   ZIP   E-MAIL*	541.618.0	693				541.944.8395	5		22		0 1	
A Land and Location    Clease include the following information for all tax lots where water will be diverted (taken from its source), conveyed transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may ubstitute existing and proposed service-area boundaries for the tax-lot information requested below.    Township   Range   Section	ADDRESS 3369 CRA	TER LAKE	HIGHWAY									
A. Land and Location  Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may ubstitute existing and proposed service-area boundaries for the tax-lot information requested below.  Township Range Section	CITY	)	1.8		100000000000000000000000000000000000000				COM			-
transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may ubstitute existing and proposed service-area boundaries for the tax-lot information requested below.  Township Range Section			ion			37301	DENGE	e iriiloe	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Township   Range   Section   X X   Tax Lot # Rural Residential/RR-5)   Water to be:   Land Use   Land Use   Diverted   Conveyed   Used   DOMEST	(transport	ed), and/	or used or o	developed.	Applican	ts for munici	pal use, o	rirrigation us	es within	irriga	tion dist	
Diverted   Conveyed   Used   Diverted   Diverted   Diverted   Conveyed   Used   Diverted   D	Township	Range	Section	1/4 1/4	Tax Lot	#			Water to	be:		Proposed Land Use:
ist all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:  ACKSON  B. Description of Proposed Use  Yope of application to be filed with the Water Resources Department:  Permit to Use or Store Water   Water Right Transfer   Permit Amendment or Groundwater Registration Modification of Conserved Water   Exchange of Water  Ource of water:   Reservoir/Pond   Groundwater   Surface Water (name) ROGUE RIVER VIA NYE DITCH  stimated quantity of water needed:   cubic feet per second   gallons per minute   acrestated during the properties of the pr	335	2E	17 0		1000	WR	5	☐ Diverted 1	Conveyed	d Zu	sed	DOMESTIC
ist all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:  ACKSON  B. Description of Proposed Use  Yee of application to be filed with the Water Resources Department:  Permit to Use or Store Water   Water Right Transfer   Permit Amendment or Groundwater Registration Modificial   Exchange of Water    Limited Water Use License   Allocation of Conserved Water   Exchange of Water    Ource of water:   Reservoir/Pond   Groundwater   Surface Water (name) ROGUE RIVER VIA NYE DITCH    stimated quantity of water needed:   Cubic feet per second   gallons per minute   acre-  ntended use of water:   Irrigation   Commercial   Industrial   Domestic for 1 household(s)    writefly describe:    OMESTIC SUPPLY FOR ONE RESIDENCE, LIMITED TO 500 GAL/DY						-		Diverted	Conve	yed	5000	
ACKSON  B. Description of Proposed Use  Type of application to be filed with the Water Resources Department:  Permit to Use or Store Water   Water Right Transfer   Permit Amendment or Groundwater Registration Modification of Conserved Water   Exchange of Water  Ource of water:   Reservoir/Pond   Groundwater   Surface Water (name) ROGUE RIVER VIA NYE DITCH  Stimated quantity of water needed:   Cubic feet per second   gallons per minute   acrestated use of water:   Irrigation   Commercial   Industrial   Domestic for 1 household(s)  Winding describe:  DOMESTIC SUPPLY FOR ONE RESIDENCE, LIMITED TO 500 GAL/DY	· w							Diverted	Conve	yed		Y 5
ype of application to be filed with the Water Resources Department:    Permit to Use or Store Water   Water Right Transfer   Permit Amendment or Groundwater Registration Modification of Conserved Water   Exchange of Water	JACKSON				proposed	d to be divert	ed, conve	yed, and/or u	ised or de	velop	oed:	
cubic feet per second  gallons per minute  acre- ntended use of water:  Irrigation  Quasi-Municipal  Industrial  Other  priefly describe:  OMESTIC SUPPLY FOR ONE RESIDENCE, LIMITED TO 500 GAL/DY	Type of ap	plication to Use or St	to be filed to	with the Wa	Right Tra	insfer	Peri			ndwat	er Registr	ation Modificat
Intended use of water:   Irrigation   Commercial   Industrial   Domestic for 1 household(s)   Municipal   Quasi-Municipal   Instream   Other    OMESTIC SUPPLY FOR ONE RESIDENCE, LIMITED TO 500 GAL/DY	Source of	water:	Reservoir/I	Pond	Groundy	water 🕽	Surface \	Water (name) <u>I</u>	ROGUE RIVE	R VIA I	NYE DITCH	
Municipal Quasi-Municipal Instream Other  DOMESTIC SUPPLY FOR ONE RESIDENCE, LIMITED TO 500 GAL/DY	stimated	quantity	of water ne	eded:			cubic fee	t per second	gallons	s per r	ninute	acre-fee
OOMESTIC SUPPLY FOR ONE RESIDENCE, LIMITED TO 500 GAL/DY	ntended ι	ise of wat	= '				=	X	Domestic Other	for <u>1</u>	househo	ld(s)
	Briefly des	cribe:										
	OOMESTIC	SUPPLY F	OR ONE R	ESIDENCE, L	IMITED	TO 500 GAL/I	DY					
7												2
lote to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government											7	100

NOV 22 2023

RECEIVED

representative sign the receipt at the bottom of the next page and include it with the application filed with the Water



## For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land use plan. Do not include approval for activities such as building or grading permits.

and uses to be served by the proposed we provals as listed in the table below. (Ple ready been obtained. Record of Action/lave been obtained but all appeal period  Type of Land Use Approval Needed	ase attach documentation of applicable land use decision and accompanying finding have not ended, check "Being pursued	and use appr	ovals which have
(e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Lar	nd Use Approval:
Homes. Le approval	1004.3-1	☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
	. 100	Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
			3
Trancisco Hern	ande 2	TITLE:	Janne III
-	PHONE:	DATE:	Corner III
trancisco Herno	PHONE:	DATE:	23.2023
Janeisco Herra	PHONE:  541-774-690  ase complete this form or sign the receip om the Water Resources Department's n	DATE:	return it to the appli

## CERTIFICATE OF SALE Pursuant to ORS 275,150

I, Nate Sickler, Sheriff of Jackson County, Oregon, acting pursuant to ORS 275.110 and in accordance with Order Number 151-23 of the Jackson County Board of Commissioners, hereby certify that I offered for sale at the time and place specified in said order, all the right, title, and interest, if any, of Jackson County, Oregon, in and to the following described real property (the "Property"):

Real Property Sale Number: JCFPA2023P12

Tax Account Number: 10514841

Assessor's Map Description: 332E09100

I further certify the following:

The highest bidder (the "Bidder") for the property was:

Name: MARK DEGNER TRUST

Address: 3369 CRATER LAKE HWY MEDFORD OR 97504

The full purchase price bid by the Bidder was \$150,000. The amount paid at the time of sale was \$30,000.

The amount paid on 7/31/2023 was \$30,000.

This sale is absolute and final, no refund will be made.

#### Cash Sale

This certificate shall be of no force or effect unless the full purchase price bid is paid and received in Room 111 of the Jackson County Courthouse, 10 South Oakdale Avenue, Medford, Oregon, by 4:00 p.m. on .

The sale of the Property is subject to the right of any municipal corporation in which the Property is situated to purchase the property as provided by law. If a municipal corporation purchases the property, the full purchase price and recording fee will be refunded to the Bidder.

BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON TRANSFERRING FEE TITLE SHOULD INQUIRE ABOUT THE PERSON'S RIGHTS, IF ANY, UNDER ORS 195.300, 195.301 AND 195.305 TO 195.336 AND SECTIONS 5 TO 11, CHAPTER 424, OREGON LAWS 2007, SECTIONS 2 TO 9 AND 17, CHAPTER 855, OREGON LAWS 2009, AND SECTIONS 2 TO 7, CHAPTER 8, OREGON LAWS 2010. THIS INSTRUMENT DOES NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING FEE TITLE TO THE PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY THAT THE UNIT OF LAND BEING TRANSFERRED IS A LAWFULLY ESTABLISHED LOT OR PARCEL, AS DEFINED IN ORS 92.010 OR 215.010, TO VERIFY THE APPROVED USES OF THE LOT OR PARCEL, TO DETERMINE ANY LIMITS ON LAWSUITS AGAINST FARMING OR FOREST PRACTICES, AS DEFINED IN ORS 30.930, AND TO INQUIRE ABOUT THE RIGHTS OF NEIGHBORING PROPERTY OWNERS, IF ANY, UNDER ORS 195.300, 195.301 AND 195.305 TO 195.336 AND SECTIONS 5 TO 11, CHAPTER 424, OREGON LAWS 2007, SECTIONSSHE 2 TO 9 AND 17, CHAPTER 855, OREGON LAWS 2009, AND SECTIONS 2 TO 7, CHAPTER 8, OREGON LAWS 2010

Dated 6/28/2023 Nate Sickler, Sheriff of Jackson County

By:S:\Susan Gilliame

RECEIVED NOV 22 2023

**OWRD** 

## CERTIFICATE OF SALE Pursuant to ORS 275,150 \*\*\*PROVISIONAL\*\*\*

I. Nate Sickler, Sheriff of Jackson County, Oregon, acting pursuant to ORS 275.110 and in accordance with Order Number 151-23 of the Jackson County Board of Commissioners, hereby certify that I offered for sale at the time and place specified in said order, all the right, title, and interest, if any, of Jackson County, Oregon, in and to the following described real property (the "Property"):

Real Property Sale Number: JCFPA2023P12

Tax Account Number: 10514841

Assessor's Map Description: Improvement on located on the following described tract lying in Township 33, Range 2 East, Section 09:

Beginning at the Southeast corner of Section 9 in Township 33 South, Range 2 East of the Willamette Meridian in Jackson County, Oregon; thence West along the South line of said Section 1254.0 feet, to the Southeast corner of tract described in Volume 256, page 414 of the Deed Records of Jackson County, Oregon; thence North 0°19' East along the East line of said tract, to the Southerly line of the Crater Lake Highway; thence Northeasterly along the Southerly line of said Highway, to its intersection with the East line of said Section 9; thence South along said East line to the true point of beginning.

EXCEPTING THEREFROM: Beginning at a 2" brass capped iron pipe set for the East sixteenth corner common to Sections 9 and 16 in Township 33 South, Range 2 East of the Willamette Meridian in Jackson County, Oregon; thence South 86° 02'55" East, along the Southerly boundary of Section 9, said Township and Range, 182.48 feet to a 1/4" pin; thence North 1° 23'55" West 754.16 feet to a 1-1/4" iron pipe intended to be on the Southerly boundary of Mill Creek Drive; thence North 7° 25' East, along said Southerly boundary, 30.58 feet to a 5/8" iron pin; thence leaving said Southerly boundary, South 1° 23'55" East 692.19 feet to a 5/8" iron pin; thence, along the arc of a 91.84 foot radius curve to the right, the long chord of which bears South 46° 16'35" West 135.80 feet, a distance of 152.84 feet to a 5/8" iron pin; thence North 86° 02'55" West 112.52 to a 5/8" iron pin intended to be on the Westerly boundary of the Northeast Quarter of the Northeast Quarter of Section 16, said Township and Range; thence North 0° 01'45" East, along said Westerly boundary, 30.07 feet to the true point of beginning.

ALSO EXCEPTING THEREFROM: Commencing at the corner common to Sections 9, 10, 15 and 16, Township 33 South, Range 2 East of the Willamette Meridian in Jackson County, Oregon; thence North 86° 04'14" West, along the Southerly boundary of said Section 9, 1139.27 feet to a found ¼" rebar; thence continuing along said section boundary, North 86° 04'14" West, 67.91 feet (record North 86° 02'55" West, 67.90 feet) to a 5/8" rebar with plastic cap set for the most Westerly corner of the second tract described in Instrument No. 94-44670 of the Official Records of said county for the true point of beginning; thence continuing along the South boundary of said Section 9, North 86° 04'14" West, 53.57 feet to the Southeast corner of tract described in Volume 256, page 414 of the Deed Records of Jackson County, Oregon; thence along the Easterly boundary of said tract, North 0° 19'00" East, 723.42 feet to a point intended to be on the Southerly right of way line of Mill Creek Drive (formerly Crater Lake Highway); thence along said right of way line, North 77° 23'08" East, 100.82 feet to a found 1-1/4" iron pipe located at the Northwest corner of the third tract described in said Instrument No. 94-44670; thence along the Westerly boundary of said third tract described in Instrument No. 94-44670, South 1° 25'47" East (record South 1° 23'55' East), 686.07 feet to a 5/8" rebar with plastic cap set for the most Northerly corner of said second tract described in Instrument No. 94-44670; thence along the Westerly boundary of said second tract, 102.922 feet along the arc of a 61.84-foot radius curve right (the long chord bears South 46° 15'00" West, 91.448 feet) to the true point of beginning.

(Map No. 332809, Tax Lot 1000, Account No. 1-051484-1, Code 59-01) - 10514841

I further certify the following:

The highest bidder (the "Bidder") for the property was:

Name: MARK DEGNER TRUST

Address: 3369 CRATER LAKE HWY MEDFORD OR 97504

The full purchase price bid by the Bidder was \$150,000. The amount paid at the time of sale was \$30,000.

The amount paid on 7/31/2023 was \$30,000, the remaining balance is \$120,000.

This sale is absolute and final, no refund will be made.

#### Cash Sale

This certificate shall be of no force or effect unless the full purchase price bid is paid and received in Room 111 of the Jackson County Courthouse, 10 South Oakdale Avenue, Medford, Oregon, by 4:00 p.m. on 8/7/2023.

The sale of the Property is subject to the right of any municipal corporation in which the Property is situated to purchase the property as provided by law. If a municipal corporation purchases the property, the full purchase price and recording fee will be refunded to the Bidder.

BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON TRANSFERRING FEE TITLE SHOULD INQUIRE ABOUT THE PERSON'S RIGHTS, IF ANY, UNDER ORS 195.300, 195.301 AND 195.305 TO 195.336 AND SECTIONS 5 TO 11, CHAPTER 424, OREGON LAWS 2007, SECTIONS 2 TO 9 AND 17, CHAPTER 855, OREGON LAWS 2009, AND SECTIONS 2 TO 7, CHAPTER 8, OREGON LAWS 2010. THIS INSTRUMENT DOES NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING FEE TITLE TO THE PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY THAT THE UNIT OF LAND BEING TRANSFERRED IS A LAWFULLY ESTABLISHED LOT OR PARCEL, AS DEFINED IN ORS 92.010 OR 215.010, TO VERIFY THE

NOV 22 2023
OWRD

APPROVED USES OF THE LOT OR PARCEL, TO DETERMINE ANY LIMITS ON LAWSUITS AGAINST FARMING OR FOREST PRACTICES, AS DEFINED IN ORS 30.930, AND TO INQUIRE ABOUT THE RIGHTS OF NEIGHBORING PROPERTY OWNERS, IF ANY, UNDER ORS 195.300, 195.301 AND 195.305 TO 195.336 AND SECTIONS 5 TO 11, CHAPTER 424, OREGON LAWS 2007, SECTIONSSHE 2 TO 9 AND 17, CHAPTER 855, OREGON LAWS 2009, AND SECTIONS 2 TO 7, CHAPTER 8, OREGON LAWS 2010

Dated 6/28/2023 Nate Sickler, Sheriff of Jackson County

By:S:\Susan Gilliame

m. Ment 7 7 10 123

NOV 22 2023
OWRD

### **LOVRIEN Corie L \* WRD**

Corie Lovrien

**Customer Service Representative** 

To:  LOVRIEN Corie L * WRD  Re: Human Consumption permit  Degner Application for a Permit to Use Surface Water.pdf  Corie -  Please go with 0.005 cfs, as noted in the attached.  In general, I would argue the rate is immaterial since the volume limit is established.  Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).	From:	Rick Parsons < rick.parsons@		
Subject: Re: Human Consumption permit Degner Application for a Permit to Use Surface Water.pdf  Corie -  Please go with 0.005 cfs, as noted in the attached.  In general, I would argue the rate is immaterial since the volume limit is established.  Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC http://parsonswater.com rick.parsons@parsonswater.com rick.parsons@parsonswater.com 541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.	Sent:		9:06 AM	
Attachments: Degner Application for a Permit to Use Surface Water.pdf  Corie -  Please go with 0.005 cfs, as noted in the attached.  In general, I would argue the rate is immaterial since the volume limit is established.  Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com  541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov> wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.				
Please go with 0.005 cfs, as noted in the attached.  In general, I would argue the rate is immaterial since the volume limit is established.  Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com rick.parsons@parsonswater.com rick.parsons@parsonswater.com S41.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov> wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.	and the second s			
Please go with 0.005 cfs, as noted in the attached.  In general, I would argue the rate is immaterial since the volume limit is established.  Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com  ick parsons@parsonswater.com  541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.	Attachments:	Degner Application for a Peri	mit to Use Surface Water.pdf	
Please go with 0.005 cfs, as noted in the attached.  In general, I would argue the rate is immaterial since the volume limit is established.  Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com  ick parsons@parsonswater.com  541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.				
Please go with 0.005 cfs, as noted in the attached.  In general, I would argue the rate is immaterial since the volume limit is established.  Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com  ick parsons@parsonswater.com  541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.	Corio			
In general, I would argue the rate is immaterial since the volume limit is established.  Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com rick.parsonswater.com 541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.	corie -			
Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com rick.parsonswater.com 541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.	Please go with 0.0	05 cfs, as noted in the attached.		
Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com rick.parsonswater.com 541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.				
690-310-0260-2(d) or ORS 390.835(6).  Rick  ParsonsWater Consulting LLC  http://parsonswater.com ick.parsons@parsonswater.com  541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,	In general, I would	d argue the rate is immaterial since the	volume limit is established.	
ParsonsWater Consulting LLC  http://parsonswater.com  fick.parsons@parsonswater.com  641.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,			ay we will go with the 0.005 cfs est	ablished in OAR
ParsonsWater Consulting LLC  http://parsonswater.com  fick.parsons@parsonswater.com  641.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,				
http://parsonswater.com/rick.parsonswater.com/541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,	Rick			
http://parsonswater.com/rick.parsonswater.com/541.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,				
fick_parsons@parsonswater.com 641.499.0257 303.667.5067 (mobile)  On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,				
On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,				
On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L * WRD < corie.l.lovrien@water.oregon.gov > wrote:  Hi Rick,  Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,			and the second s	
Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,	541.499.0257	J3.667.5067 (MODIIE)		
Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,				
Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,	On Tue Nov 7 2023	R at 8:19 AM LOVRIEN Corie L * WRD corie	Llovrien@water oregon gov> wrote:	
Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,	On rue, Nov 7, 202.	at 6.13 AM LOVINE V COME L WIND COME	ovnen@water.oregon.gov wrote.	
Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,	Hi Rick			
consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,	TH RICK,			
consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,	1			
consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate you'd like and add it to that page of the application? Then I can provide an accurate fee quote when I send you your temporary number.  Thanks,				
	consumption is .00 rate you'd like and	5 cfs. When I do the math on 500 gpd, I be add it to that page of the application? The	lieve the cfs equals .00077. Can you p	lease advise which
		A		
	Thomas			
Corie	rnanks,			
Corie	Caria			
	corie			

Water Right Services Division

725 Summer Street NE Ste A

Salem, Oregon 97301

(503) 986-0801



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

**NOTE:** The Salem office is now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8 a.m. - 5 p.m. every day. The Salem office of OWRD is closed for customer service drop-ins from Noon – 1pm. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: Rick Parsons < rick.parsons@parsonswater.com>

Sent: Monday, November 6, 2023 12:05 PM

To: WRD\_DL\_customerservice < WRD\_DL\_customerservice@water.oregon.gov>

**Cc:** Mark Degner < <u>degnerm@yahoo.com</u>> **Subject:** Human Consumption permit

Please see attached the following HC Permit submitted on behalf of Mark Degner.

**Rick Parsons** 

ParsonsWater Consulting LLC <a href="http://parsonswater.com">http://parsonswater.com</a> rick.parsons@parsonswater.com

541.499.0257 303.667.5067 (mobile)

NOV 22 2023
OWRD

#### Fwd: Human Consumption permit

From: Rick Parsons (rick.parsons@parsonswater.com)

To: degnerm@yahoo.com

Date: Tuesday, November 7, 2023 at 09:30 AM PST

----- Forwarded message ------

From: LOVRIEN Corie L \* WRD < corie.l.lovrien@water.oregon.gov >

Date: Tue, Nov 7, 2023 at 9:24 AM Subject: RE: Human Consumption permit

To: Rick Parsons < rick.parsons@parsonswater.com >

11/20/23

Hello,

OWRD has received and accepted the Surface Water e-application for <u>Mark Degner Trust</u>. The temporary application number is: <u>CL-30</u>.

Please print this email and include a copy of it when mailing in the payment. The fees due for this application are: \$1,500.00 (If opting to include recording fee: \$2,110.00)

A copy of the fee calculator is included for your reference:

Base Application Fee.		\$1,090.00
Number of proposed cubic feet per second (cfs) to be diverted. (1 cfs = 448.83 gallons per minute)	.005	\$410.00
Number of proposed Use's for the appropriated water. (i.e. Irrigation, Supplemental Irrigation, Pond Maintenance, Industrial, Commercial, etc) *	1	
Number of proposed Surface Water points of diversions. **	1	
Number of Acre Feet to be diverted from Stored Water. if the application is appropriating water from a pond/reservoir)	0	
Subto		\$1,500.00
Permit Recording Fee. ***		\$610.00
* the 1st Water Use is included in the base cost.  ** the 1st Surface Water point of diversion is included in the base cost.  *** the Permit Recording Fee is not required when the application is submitted but, must be paid before a permit will be issued. It is fully refundable if a permit is not issued. If the recording fee is not paid prior to issuance of the Final Order, permit issuance will be delayed.	Recalculate	
Estimated cost of Permit Application		\$2,110.00

Take care,

Corie

Corie Lovrien

Customer Service Representative

Water Right Services Division

725 Summer Street NE Ste A

NOV 2,2 2023





Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

**NOTE:** The Salem office is now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8 a.m. - 5 p.m. every day. The Salem office of OWRD is closed for customer service drop-ins from Noon – 1pm. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: Rick Parsons < rick.parsons@parsonswater.com >

Sent: Tuesday, November 7, 2023 9:06 AM

To: LOVRIEN Corie L \* WRD < corie.l.lovrien@water.oregon.gov>

Subject: Re: Human Consumption permit

Corie -

Please go with 0.005 cfs, as noted in the attached.

In general, I would argue the rate is immaterial since the volume limit is established.

Nonetheless, since we are located above a Scenic Waterway we will go with the 0.005 cfs established in OAR 690-310-0260-2(d) or ORS 390.835(6).

Rick

ParsonsWater Consulting LLC <a href="http://parsonswater.com">http://parsonswater.com</a> <a href="mailto:rick.parsons@parsonswater.com">rick.parsons@parsonswater.com</a>

541.499.0257

303.667.5067 (mobile)

NOV 2 2 2023

On Tue, Nov 7, 2023 at 8:19 AM LOVRIEN Corie L \* WRD <corie.l.lovrien@water.oregon.gov> wrote:

Hi Rick,

Thanks for your email submission. I see you've limited this application to 500 gallons/day. Our standard rate for human consumption is .005 cfs. When I do the math on 500 gpd, I believe the cfs equals .00077. Can you please advise which rate