


**CLAIM OF
BENEFICIAL USE
for Transfer New or Additional
POD Only**

OREGON Oregon Water Resources Department
 725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD
WATER RESOURCES
DEPARTMENT

A fee of \$230 must accompany this form for any Transfer final orders including a water right with a priority date of July 9, 1987, or later.

Example – A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

RECEIVED

FEB 02 2024

OWRD

SECTION 1

GENERAL INFORMATION

Type of Authorized Change

This Claim is being submitted for a transfer where the only authorized change was a change in either point(s) of diversion or additional point(s) of diversion, or a combination of both. **YES**

If additional changes were authorized, you will need to select a different form.

1. File Information

APPLICATION #

T-13707

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME MARIAN M. OWENS IRREVOCABLE TRUST		PHONE NO. 541-218-0417	ADDITIONAL CONTACT NO. 541-832-2183
ADDRESS 6523 AZALEA GLEN ROAD			
CITY GLENDALE	STATE OREGON	ZIP 97442	E-MAIL NA

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. ***Each transfer holder of record must sign this form.***

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD MARIAN M. OWENS IRREVOCABLE TRUST			
ADDRESS 6523 AZALEA GLEN ROAD			
CITY GLENDALE	STATE OREGON	ZIP 97442	

4. Date of Site Inspection:

DEC. 21, 2023

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
ANDREW OWENS	DEC. 21, 2023	FARMER

6. County:

DOUGLAS

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD NA			
ADDRESS NA			
CITY NA	STATE NA	ZIP NA	

Add additional tables for owners of record as needed

RECEIVED

FEB 02 2024

OWRD

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



EXP. 12/31/2023

CWRE NAME RAYMOND F. BROWN		PHONE NO. 541-839-6185	ADDITIONAL CONTACT NO. 541-680-8950
ADDRESS P.O. BOX 539			
CITY CANYONVILLE	STATE OREGON	ZIP 97417	E-MAIL survey97417@gmail.com

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
<i>Marian M. Ownes</i>	MARIAN M. OWNES	TRUSTEE	<i>12-31-23</i>

RECEIVED

FEB 02 2024

OWRD

**SECTION 3
CLAIM DESCRIPTION**

Note: The Claim only needs to describe the new or additional point(s) of diversion. This Claim does not need to provide information for the original point(s) of diversion unless the original point of diversion is either a new or additional point of diversion on another right involved in this transfer.

1. New or additional point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)	SOURCE
POD 2	COW CREEK

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, **NO**
or extension final? If yes, describe below.

(e.g. "The order allowed three new/additional points of diversion. The water user only developed one of the points.")

3. Claim Summary:

NEW OR ADDITIONAL POD NAME OR #	MAXIMUM RATE AUTHORIZED IN ORDER	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
POD 2	1/70 CFS/ACRE	1.06 CFS	1.06 CFS

**RECEIVED
FEB 02 2024
OWRD**

SECTION 4
SYSTEM DESCRIPTION

Are there multiple new or additional Points of Diversion (POD)s? **NO**

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

A. POD System Information

Provide the following information concerning the point of diversion. Information provided must describe the equipment used to appropriate water from the point of diversion.

1. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
BERKELEY	B4JPBH	M19376	CENTRIFUGAL	6"	5"
BERKELEY	B4JPBH	M15089	CENTRIFUGAL	6"	5"

2. Motor Information

MANUFACTURER	HORSEPOWER
BALDOR-RELIANCE	50 H.P.
BALDOR INDUSTRIAL	50 H.P.

3. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
50	62	11.6'	3.0'	1.92 CFS

4. Provide pump calculations:

$(50\text{HP}) \times (6.61 \text{ CENT. FACTOR}) = 330.5$
$(14.6' \text{ LIFT}) \times (62 \text{ PRESS IN FT}) = 172.08$
$\frac{330.5}{172.08} = 1.92 \text{ CFS}$

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
NA	NA	NA	1.92 CFS

Reminder: For pump calculations use the reference information at the end of this document.

B. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the diversion involve a gravity flow pipe?

If "NO", items 2 through 4 relating to this section may be deleted.

RECEIVED

FEB 02 2024

NO

OWRD

C. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING’S FORMULA FOR CANALS AND DITCHES)

1. Does the diversion involve a gravity flow ditch or canal? **NO**

If “NO”, items 2 through 4 relating to this section may be deleted.

D. Additional notes or comments related to the system:

At POD 2, the system is two 50 H.P. pumps, used one at a time, 10 inch intake each, which rises 11.6 feet from the water’s edge to the pump. One pump has an 8 inch diameter discharge and the second pump has a 10 inch discharge, which are manifolded together to a 10 inch mainline sized down to a 8 inch mainline sized down to a 6 inch mainline to a 5 inch wheel line which is applied by rainbirds to the fields.

**SECTION 5
CONDITIONS**

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE NEW AND/OR ADDITIONAL POD(S) WERE READY FOR USE *THIS DATE MUST FALL BETWEEN THE “ISSUANCE DATE” AND THE “COMPLETENESS DATE”
ISSUANCE DATE	DEC. 05, 2023	
COMPLETENESS DATE FROM ORDER (C)	OCT. 01, 2025	DEC. 21, 2023

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)? **NO**

If “NO”, you may delete the following table.

If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device? **YES**

If “NO”, items b through f relating to this section may be deleted.

RECEIVED

FEB 02 2024

OWRD

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

- b. Has a meter been installed? YES
- c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POD 2	McCrowmeter	14-09562-10	Working	358336	08/01/2014
POD 2	McCrowmeter	14-09542-10	Working	702347	01/2022 (replaced)

If a meter has been installed, items d through f relating to this section may be deleted.

4. Recording and reporting conditions

- a. Is the water user required to report the water use to the Department? NO

If "NO", item b relating to this section may be deleted.

5. Fish Screening

- a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? YES

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

- b. Has the fish screening been installed? YES NO
- c. When was the fish screening installed?

DATE	BY WHOM
Oct. 01, 2011	Andrew Owens

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

- d. If the diversion **involves a pump and the total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:
- Has the self-certification form previously been submitted to the Department? **NA**

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>, complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

RECEIVED

FEB 02 2024

OWRD

e. If the diversion does **not involve a pump** *or* the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? NA

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices

- a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? YES

If "NO", items b and c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

- b. Have by-pass devices been installed? YES

- c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

DESCRIPTION (E.G. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM
ODFW HAS APPROVED THE BY-PASS DEVICE	10/01/2011	Andrew Owens

7. Other conditions required by the transfer final order or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? NO
- b. Was a fishway required? NO
- c. Other conditions? NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

RECEIVED

FEB 02 2024

OWRD

SECTION 6
ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
ATTACHMENT 1	FINAL PROOF MAP
ODFW CERTIFICATION	FISH SCREENING AND BY-PASS APPROVAL DATED 12/28/2023
ODFW CERTIFICATION	FISH SCREENING AND BY-PASS APPROVAL DATED 09/24/2013

SECTION 7
CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for additional points of diversion, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

**POD 2 WAS SURVEYED IN USING A TOTAL STATION. POD 2 IS AN EXISTING PUMP STATION TO BE USED INSTEAD OF THE OLD EXISTING DITCH.
CENTER OF PUMP PAD WITH METERS BEARS SOUTH 13° 32' EAST 32.0 FEET FROM POD 2.**

RECEIVED

FEB 02 2024

OWRD

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- X Map on polyester film
- X Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- X Township, Range, Section, Donation Land Claims, and Government Lots
- X If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- X Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- X Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- NA Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.) ***Not required for this type of Claim of Beneficial Use**
- X Point(s) of diversion or appropriation (illustrated and coordinates)
- X Tax lot boundaries and numbers
- X Source illustrated if surface water
- X Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- X Application and permit number or transfer number
- X North arrow
- X Legend
- X CWRE stamp and signature

RECEIVED

FEB 02 2024

OWRD



Oregon

Tina Kotek, Governor

Department of Fish and Wildlife

Rogue Watershed District Office

1495 East Gregory Rd.

Central Point, OR 97502

Phone: 541-826-8774

Fax: 541-826-8776

www.odfw.com



December 28, 2023

Marian Owens Irrevocable Trust
6523 Azalea-Glen R
Glendale, OR 97442

Dear Andy,

Regarding OWRD Transfer #13707, ODFW has determined the fish screen at the additional point-of-diversion (POD #2) meets current fish protection criteria, and fish bypass devices are not necessary. If pump rate increases more than capacity of the Clemons CW600 screen, than a larger screen will be required. Thank you.

Sincerely,

Josh Kelsey
Senior Fish Screen Technician
Fish Screening and Passage Program
(541) 857-2424

RECEIVED

FEB 02 2024

OWRD



Oregon

John A. Kitzhaber, MD, Governor

Department of Fish and Wildlife
Rogue Watershed District Office
1495 East Gregory Road
Central Point OR 97502
(541) 826-8774
(541) 826-8776
dfw.state.or.us



September 24, 2013

Andy Owens
6523 Azalea-Glen Rd.
Glendale, OR 97442

Dear Andy,

Regarding OWRD water right permits S-54436 & S-54668, ODFW is satisfied that the conditions for fish screening and bypass at the point-of-diversion have been met.

Sincerely,

Rich Kilbane
SW Field Coordinator
Fish Screening and Passage Program

(541) 826-8774 ext. 243

Cc: Raymond Brown, CWRE

RECEIVED
FEB 02 2024

OWRD