

CLAIM OF BENEFICIAL USE for Surface Water Permits claiming more than 0.1 cfs



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

**A fee of \$230 must accompany this form for permits
with priority dates of July 9, 1987, or later.**

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Go to “Resources for Water Right Examiners (CWRE)” Page
<https://www.oregon.gov/OWRD/programs/WaterRights/COBU/Pages/default.aspx>
The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert “NA.” **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

“Section 8” of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see
<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

Received by OWRD
APR 22 2024
Salem, OR

SECTION 1 GENERAL INFORMATION

1. File Information:

APPLICATION # S-74044	PERMIT # S-52426	PERMIT AMENDMENT # T-
---------------------------------	----------------------------	---------------------------------

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME Brownsville Canal Co		PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS 36255 Northern Dr			
CITY Brownsville	STATE OR	ZIP 97327	E-MAIL

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each permit holder of record must sign this form.***

3. Permit or holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD City of Brownsville		
ADDRESS PO Box 188		
CITY Brownsville	STATE OR	ZIP 97327

ADDITIONAL PERMIT HOLDER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection:

8/16/23

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Karl Frink	8/16/23	City of Brownsville, Public Works Superintendent

6. County:

Linn

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A		
ADDRESS NA		
CITY NA	STATE NA	ZIP NA

Add additional tables for owners of record as needed

Received by OWRD

APR 22 2024

Salem, OR

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Angela Mosieur		PHONE NO. 541-269-0732	ADDITIONAL CONTACT NO.	
ADDRESS 1330 Teakwood Ave				
CITY Coos Bay	STATE OR	ZIP 97420	E-MAIL amosieur@gmail.com	

Permit Holder of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	S. Scott McDowell	City Administrator	4-10-2024

**SECTION 3
CLAIM DESCRIPTION**

1. Point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)
POD

2. Point of diversion source and tributary:

POD NAME OR NUMBER	SOURCE	TRIBUTARY
POD	Calapooia River	Willamette River

3. Developed use(s), period of use, and rate for each use:

POD NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
POD	Aesthetics	NA	May 15 through Oct 15	2.232 CFS
Total Quantity of Water Used				2.232 CFS

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion to the place of use:

Water is pumped from the Calapooia River by use of a pump station at the POD and is directed to a canal called the Mill Race Ditch. The canal than travels from the POD to the City of Brownsville by use of an open channel and several culverts. Along the path from the POD to the City the water in the canal is rediverted by other water users with water rights. The canal outlets back to the Calapooia River at the Main st bridge.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

5. Variations:

Was the use developed differently from what was authorized by the permit, or permit amendment final order? If yes, describe below.

YES NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

Received by OWRD

APR 22 2024

Salem, OR

6. Claim Summary:

POD NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
POD	2.232 cfs	2.232 cfs	NA	Aesthetics	NA	NA

Received by OWRD
 APR 22 2024
 Salem, OR

APR 22 2024

Salem, OR

YES NO

SECTION 4 SYSTEM DESCRIPTION

Are there multiple PODs?

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

A. Place of Use

1. Is the right for municipal use?

YES NO

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Gould	11CHC	422707-005	Turbine	8"	8"
Gould	11CHC	422707-008	Turbine	8"	8"

3. Motor Information:

MANUFACTURER	HORSEPOWER
Emerson Motor Company	20 hp
Emerson Motor Company	20 hp

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
42 hp	52	8 ft	-2 ft	2.204

5. Provide pump calculations:

$(hp)(\text{efficiency}) / (\text{Lift} + \text{psi head}) = \text{cfs per pump. } (48 \times 7.04) / (8 + (-2) + 147.3) = 2.204 \text{ cfs per pump}$

2 pumps in the system. Thus capacity is 4.404 cfs

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
NA	NA	NA	NA

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped? Partially,

YES NO

If "NO" items 8 through item 13 may be deleted.

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
16"	12 feet	PVC	Buried, from intake to pumps
8"	180 feet	PVC	Buried, from pumps to ditch

C. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES NO

If "NO", item 2 and 3 relating to this section may be deleted.

D. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

E. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)
Varies	Varies	Varies	Varies	Varies	Varies	Varies	Varies	Varies

3. Provide calculations:

The canal is approximately 3 miles long from the POD to where it discharges back to the Calapooia River. The width, bottom material and depth varies along its path. The canal diversion dates back to the late 1850's when it was dug to bring water to various mills in the City of Brownsville.

4. If an actual measurement was taken, provide the following: N/A no water flowing at time of site visit

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)
NA	NA	NA	NA

Attach measurement notes.

F. Additional notes or comments related to the system:

There was no water flowing through the canal during the site visit due to water use restrictions. The flow meter was not in working order during the site visit. The City is in the process of replacing the flow meter.

The use of the water and volume was thus shown thru the reported water usage and thermotical pump capacity.

Received by OWRD

APR 22 2024

Salem, OR

**SECTION 5
CONDITIONS**

Salem, OR

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension of time:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	6/19/1996		
BEGIN CONSTRUCTION (A)	6/19/1997	9/8/2008	Filed for extension of time
COMPLETE CONSTRUCTION (B)	10/1/2012	10/4/2008	Construction completed. System tested on 11/11/2008
COMPLETE APPLICATION OF WATER (C)	10/1/2012	5/1/2008	Water usage reported for the month on 5/2010 following the completion of the construction, water diverted to the mill race ditch. Progress Report received 9/20/2010

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES NO

If "NO", items a and b relating to this section may be deleted.

a. Did the Extension Final Order require the submittal of Progress Reports?

YES NO

If "NO", item b relating to this section may be deleted.

b. Were the Progress Reports submitted?

YES NO

If the reports have not been submitted, attach a copy of the reports if available.

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

YES NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed?

YES NO

c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POD#1	McCrometer	Unknown	Not working, City working on replacement	NA	11/11/2008

4. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department? YES NO

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted? YES NO

If the reports have not been submitted, attach a copy of the reports if available.

5. Fish Screening:

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? YES NO

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed? YES NO

c. When was the fish screening installed?

DATE	BY WHOM
10/4/2008	Cascade Earth Sciences

Reminder: If the permit was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

Received by OWRD
APR 22 2024
Salem, OR

d. If the diversion **involves a pump** and the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:

- Has the self-certification form previously been submitted to the Department? NA YES NO

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx> complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not involve a pump** or the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? NA YES NO

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices:

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? YES NO

If "NO", items b and c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

Received by OWRD
APR 22 2024
Salem, OR

7. Other conditions required by permit, permit amendment final order, or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? YES NO
- b. Was a fishway required? YES NO
- c. Was submittal of a water management and conservation plan required? YES NO
- d. Other conditions? YES NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

NA

**SECTION 6
ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
A	Facility Water Use Report print out of the water usage reporting completed by the City
B	Water Right Permit
C	Progress Report

Received by OWRD

APR 22 2024

Salem, OR

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

A survey was conducted to collect the coordinates of the point of diversion and the found DLC corner. NAD 83 datum.

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers (Not Applicable to the Scale)
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

Received by OWRD
APR 22 2024
Salem, OR

Water Use Report Based on Water Right



Permit: S 52426 *

CITY OF BROWNSVILLE PO BOX 188 BROWNSVILLE, OR 97327

Records per page: 15 [View All](#)

Acre-feet (AF) of Water Used

Water Year*	Report ID	Facility	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total Water Used	Irrigated Acres
2023	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	92.37	121.53	19.30	0.00	233.21	
2022	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	58.31	140.99	141.91	59.32	400.52	
2021	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	131.34	244.02	87.50	0.00	462.86	
2020	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	68.06	150.70	53.47	0.00	272.22	
2019	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	136.11	143.40	92.36	0.00	371.88	
2018	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	29.17	121.53	68.06	0.00	218.75	
2015	32354	MILL RACE	48.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	63.19	150.70	87.50	0.00	350.00	
2014	32354	MILL RACE	53.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	68.06	126.39	143.40	103.07	494.39	
2013	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	60.32	111.36	134.57	139.21	445.46	
2012	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	114.90	128.16	92.87	335.92	
2011	32354	MILL RACE	68.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	46.40	143.85	140.97	140.42	539.98	
2010	32354	MILL RACE	63.19	0.00	0.00	0.00	0.00	0.00	0.00	58.33	131.25	140.97	126.39	72.92	593.06	
2001	32354	MILL RACE	64.19	0.00	0.00	0.00	0.00	0.00	0.00	55.34	132.80	137.23	132.80	132.80	655.17	
2000	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1999	32354	MILL RACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

*The water year is named for the calendar year in which it ends. Example: the 2018 water year begins Oct. 1, 2017 and ends Sep. 30, 2018.

- The Water Resources Department makes reasonable efforts to screen the data for quality control; however, the Department cannot accept responsibility for errors, omissions, or accuracy of the information. Notification of any errors is appreciated. Send notifications to owrd.waterusereporting@water.oregon.gov or call 971-345-7489.
- Water use is reported by point of diversion (POD), rather than by water right.
- If a POD is shared with multiple water rights, it is not feasible to separate out the amount used under the water right being queried from water used by other rights using this same POD.
- Monthly amounts indicate:
 - For diverted rights, the total amount diverted during the month;
 - For storage rights, the amount generally stored in the reservoir/pond during the month, as represented by the volume of water impounded on approximately the same day each month.
- Water use amounts have all been converted to "acre-feet" (AF), regardless of the original measurement unit reported. One AF is the volume of water that will cover an acre of ground one foot deep = 325,850 gallons.
- Zeroes indicate that a report was received stating that no water was used during those months; if a year is not listed, no report of water use was received for that year.

Received by OWRD
APR 22 2024
Salem, OR

ATTACHMENT A

NW 1/4 NE 1/4

NE 1/4 NW 1/4

SECTION 4

TOWNSHIP 14 SOUTH, RANGE 2 WEST, W.M.

Received by OWRD

APR 22 2024

Measurement, recording and reporting conditions:

Salem, OR

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The permittee shall install, maintain, and operate fish screening and by-pass devices as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the proposed diversion.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Application S-74044 Water Resources Department

PERMIT 52426

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued this date, June 19, 1996

Martha O. Pagel
for Water Resources Department
Martha O. Pagel
Director

Received by OWRD
APR 22 2024
Salem, OR

STATE OF OREGON

COUNTY OF LINN

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF BROWNSVILLE;
DIANE RINKS; CITY MANAGER
PO BOX 188
BROWNSVILLE, OREGON 97327

(503) 466-5880

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-74044

SOURCE OF WATER: CALAPOOIA RIVER, A TRIBUTARY OF WILLAMETTE RIVER

PURPOSE OR USE: AESTHETICS (NON-CONSUMPTIVE USE TO PROVIDE FLOW THROUGH CANAL)

RATE OF USE: 2.232 CFS

PERIOD OF ALLOWED USE: MAY 15 THROUGH OCTOBER 15

DATE OF PRIORITY: MAY 11, 1994

POINT OF DIVERSION LOCATION: NW 1/4 NE 1/4, SECTION 4, T14S, R2W, W.M.;
500 FEET SOUTH AND 2000 FEET WEST OF THE NE CORNER OF SECTION 4

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 SW 1/4
NW 1/4 SW 1/4
SW 1/4 SW 1/4
SE 1/4 SW 1/4
NE 1/4 SE 1/4
NW 1/4 SE 1/4
SECTION 31

NE 1/4 SW 1/4
NW 1/4 SW 1/4
SE 1/4 SW 1/4
SW 1/4 SE 1/4
SE 1/4 SE 1/4
SECTION 32


SW 1/4 SW 1/4
SE 1/4 SW 1/4
SECTION 33

TOWNSHIP 13 SOUTH, RANGE 2 WEST, W.M.

Received by QWRD

APR 22 2024

Salem, OR



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

**Extension of Time
 Progress Report Form
 For Checkpoints**

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: CITY OF BROWNSVILLE

Application S-74044
 Permit S-51426 received by OWRD

Report Due no later than October 1, 2010

APR 22 2024

Progress Report Form for 2010

Salem, OR

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and perfection of Permit G-51426

INSERT DATES	LIST ALL WORK ACCOMPLISHED and FINANCIAL INVESTMENTS For the period of time between October 1, 1998 and October 1, 2010	FINANCIAL INVESTMENT
July 2007	DAM REMOVAL	400,000 ⁰⁰
Sept 2008	Pump STATION Installation	600,000 ⁰⁰

2. Compliance with terms and conditions of the permit and/or previous extension.

A pump station installation was required due to the removal of the Brownsville Dam.
 PER THE CONDITIONS OF THE EXTENSION, THIS PROGRESS REPORT COMPLIES WITH THE REQUIREMENT OF THE EXTENSION.

3. Total number of acres irrigated to date = N/A (if applicable)

4. Provide the maximum rate, or duty if applicable, of water diverted for beneficial use under this permit, if any, made to date.

Maximum rate used to date = 2.232 cfs (cubic feet per second)

Maximum rate used to date = _____ gpm (gallons per minute)

Acre-feet stored to date = _____ AF

Report the rate in the same units of measurement as specified in the permit, being cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). Do not provide daily, monthly or annual water volume totals.

Signature SM City Administrator

Date 09.16.2010

For OWRD use only

Diligence Shown Yes No

Date Public Noticed: 6-14-2011

Reviewed by: AUR

Date: 7-29-2011

RECEIVED

SEP 20 2010

WATER RESOURCES DEPT
 SALEM, OREGON

Route Slip.....Extension of Time Progress Report

1. Extension Specialist: Progress Report Review

Date Report Received: 9/20/10

Report Complete: YES

2. Jonnine: Publish on the Department's Public Notice

315 OAR Division under which Progress Report was required

- Publish on Public Notice Date: 6/14/11
- Update workflow in WRIS (Fill in Extension Checkpoint 'Completed Date' in appropriate work flow record) 2010
- Return to Extension Specialist

3. Extension Specialist: Prepare Progress Report Confirmation Letter

See progress report procedures.doc

(date / mail out after 30 day comment period)

Date Confirmation Letter Needed:

- Update Progress Report Worksheet.xls
- Send to permit holder + anyone who made comments after 30 day public notice
CC: Watermaster _____

File _____

4. Return file to cabinet

PUBLIC NOTICE INFORMATION

Permit Holder's Name: CITY OF BROWNSVILLE

Application: S-74044

Permit: S-52426

County: Linn

Source: Calapooia River, a Tributary of the Willamette River

Use: Aesthetics

Received by OWRD

APR 22 2024

Salem, OR



THE DYER PARTNERSHIP
ENGINEERS & PLANNERS, INC.

1330 Teakwood Avenue
Coos Bay, Oregon 97420
Ph: (541) 269-0732
www.dyerpart.com

T R A N S M I T T A L

DATE April 19, 2024
TO Oregon Water Resources Department COPY TO
725 Summer Street NE, Suite A
Salem, OR 97301-1266

FROM Angela Mosieur, PE, CWRE
PROJECT NAME City of Brownsville Water Rights
PROJECT NO. 201.00


INCLUDED Agreement Product submittal Specifications
 Copy of letter Submittals CD / Flash Drive
 Plans / Drawings Report Other

COPIES	DATE	DESCRIPTION
1	APRIL 2023	CITY OF BROWNSVILLE WATER RIGHTS MAP
1	APRIL 2024	CLAIM OF BENEFICIAL USE

TRANSMITTED For your signature For your use For review and comment
 For approval As requested Checked as noted
 One copy retained For bids due See comments below

COMMENTS

Received by OWRD
APR 22 2024
Salem, OR



Received by OWRD

APR 22 2024

Salem, OR

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Brownsville Canal CO 36255 Northern Dr.
Brownsville, OR 97327

Transaction Type: CBU

Fees Received: \$ 230⁰⁰

Cash Check: Check No. 027379

Name(s) on Check: Dyer Partnership Engineering & Planner

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,
OWRD Customer Service Staff

Submission received by: Nick Reed
(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (application/other document) in the top drawer of filing cabinet.