



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301  
 (503) 986-0900  
 www.wrd.state.or.us

# Ownership Update For Certificated Rights Only

## NO FEES ARE REQUIRED TO SUBMIT THIS FORM

**NOTICE:** A certificate of water right typically stays with the land. In order to track water right ownership, the Department requests that this form be submitted to the Department. **To update multiple rights, a separate form is required for each right.**

If you have any questions about this form, please contact your local watermaster, or call the Water Resources Department at (503) 986-0900.

This form is not for Applications, Permits, Transfers, Groundwater Registrations, or Limited Licenses. To notify the Department of changes in ownership to these types of authorizations, an Assignment is required.

### Current Landowner Information

Name: Oregon Parks & Recreation Dept  
 Mailing Address: 725 Summer St NE Ste C Salem  
 City: Salem State: OR Zip: 97301  
 Phone (Home): \_\_\_\_\_ Work: \_\_\_\_\_ Other: 800-551-6949

### Property Description

County: Marion Township: 4S Range: 2W Section: 1

Taxlot Number(s): \_\_\_\_\_

Street Address of water right property: 8239 Champog Rd NE, St Paul OR 97137

Water Right Information: Application: G - 6999 Permit: G - 6689 Certificate #: 47848

Are all the lands associated with this water right owned by the requester? Yes \_\_\_\_\_ No \_\_\_\_\_ If No, include a map showing the portion of the right involved.

Name of individual completing this form: Katie Kroenlein Hubler Phone: 9717186681

Signature of requestor: Katie K. Hull Date: 3-14-2024

The Department does not change names on certificates. This form will be placed in the file for future reference only. The Department does not provide acknowledgement that this form has been received.

RECEIVED

MAR 27 2024

OWRD

RECEIVED

JUN 20 1975

STATE ENGINEER  
SALEM, OREGON

Permit No. G- **G 6689**

APPLICATION FOR A PERMIT

CERTIFICATE NO. **47848**

# To Appropriate the Ground Waters of the State of Oregon

I, Oregon State Parks and Recreation Branch  
(Name of applicant)  
of 300 State Highway Building Salem, county of Marion,  
(Postoffice Address)  
state of Oregon 97310, do hereby make application for a permit to appropriate the  
following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
situated Champoeg Creek  
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.018 cubic  
feet per second or \_\_\_\_\_ gallons per minute.

3. The use to which the water is to be applied is General Park Use

4. The well or other source is located 765 ft. N and 2,430 ft. E from the SW  
(N. or S.) (E. or W.)  
corner of Section 1  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SW 1/4 of Sec. 1, Twp. 4S, R. 2W,  
W. M., in the county of Marion

5. The pipeline to be 0.57 miles  
(Canal or pipe line)  
in length, terminating in the NW 1/4 of SW 1/4 of Sec. 1, Twp. 4S,  
(Smallest legal subdivision)  
R. 2W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Champoeg Park Well #3

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
supply when not in use must be described.

8. The development will consist of one well having a  
(Give number of wells, tunnels, etc.)  
diameter of 6 inches and an estimated depth of 183 feet. It is estimated that 183  
feet of the well will require Steel casing. Depth to water table is estimated 22  
(Kind) (Feet)

RECEIVED

MAR 27 2024

OWRD

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 3,000 ft.; size at intake 4 in.; in size at 3,000 ft. from intake 4 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 42 ft. Is grade uniform? Yes Estimated capacity, 0.018 sec. ft.

10. If pumps are to be used, give size and type 4 inch submersible pump

Give horsepower and type of motor or engine to be used 2HP, 220 volt, 3 phase

Electric Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is 550' east of Champoeg Creek, and approximately 50' above the creek bed.

12. Location of ~~canal~~ place of use Champoeg State Park

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres
4S	2W	2	NE 1/4, SE 1/4	
4S	2W	1	SW 1/4, NW 1/4	
4S	2W	1	NW 1/4, SW 1/4	
4S	2W	1	NE 1/4, SW 1/4	
4S	2W	1	SE 1/4, SW 1/4	

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

RECEIVED

MAR 27 2024

OWRD


MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$28,000 .....
- 15. Construction work will begin on or before ..... completed .....
- 16. Construction work will be completed on or before ..... completed .....
- 17. The water will be completely applied to the proposed use on or before ..... completed .....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

  
 Assistant State  
 Parks Superintendent  
(Signature of applicant)

Remarks: Operating pressure is obtained by booster pumps driven by 3 HP, 220 volt, 3 phase electric motors.

The water applied for will be used for potable and sanitary purposes in an overnight camp and a picnic area.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

RECEIVED  
MAR 27 2024  
OWRD

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.018 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Champoeg Park Well No. 3

The use to which this water is to be applied is General Park use

If for irrigation, this appropriation shall be limited to ..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 20, 1975

Actual construction work shall begin on or before May 17, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 17th day of May, 1976

*James E. Seay*  
WATER RESOURCES DIRECTOR

Application No. G- 6999  
Permit No. G- G 6689

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON


This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of June, 1975, at 8:00 o'clock A. M.

Returned to applicant: \_\_\_\_\_  
Approved: \_\_\_\_\_  
Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_  
Ground Water Permits on page G 6689  
STATE ENGINEER  
Drainage Basin No. 2 page 143

RECEIVED  
MAR 27 2024  
OWRD

Application No. ~~6499~~  
Permit No. G 6689

T.4 S., R.2 W., W.M.



OREGON STATE HIGHWAY DIVISION  
PARKS & RECREATION BRANCH  
CHAMPOEG STATE PARK  
WATER RIGHT APPLICATION SEC. 1 & 2, T.4 S., R.2 W., W.M.  
MARION COUNTY JUNE 11, 1975

RECEIVED  
MAR 27 2024  
OWRD

STATE OF OREGON

COUNTY OF MARION

CERTIFICATE OF WATER RIGHT

This Is to Certify, That OREGON STATE PARKS & RECREATION BRANCH

of 300 State Highway Bldg., Salem, State of Oregon, 97310, has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of Champeog Park Well No. 3

a tributary of Willamette River for the purpose of general park use

under Permit No. G-6689 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from June 20, 1975 that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.018 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the well. The well is located in the SE 1/4 SW 1/4, as projected within R. Newell DLC 43, Section 1, T. 4 S., R. 2 W., W. M., 765 feet North and 2430 feet East from the SW Corner, Section 1

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to----- of one cubic foot per second per acre,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

NE 1/4 SE 1/4
Section 2
SW 1/4 NW 1/4
NE 1/4 SW 1/4
NW 1/4 SW 1/4
SE 1/4 SW 1/4
Section 1

All as projected within R. Newell DLC 43 T. 4 S., R. 2 W., W. M.

RECEIVED

MAR 27 2024

OWRD

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the Water Resources Director, affixed

this date. April 23, 1979

James E. Selman
Water Resources Director

No Final Proof Map Available  
See Permit Map  
through  
OWRD WrisQuery page

*All Scanned Documents*

RECEIVED

MAR 27 2024

OWRD