



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301
 (503) 986-0900
 www.wrd.state.or.us

Ownership Update For Certificated Rights Only

NO FEES ARE REQUIRED TO SUBMIT THIS FORM

NOTICE: A certificate of water right typically stays with the land. In order to track water right ownership, the Department requests that this form be submitted to the Department. **To update multiple rights, a separate form is required for each right.**

If you have any questions about this form, please contact your local watermaster, or call the Water Resources Department at (503) 986-0900.

This form is not for Applications, Permits, Transfers, Groundwater Registrations, or Limited Licenses. To notify the Department of changes in ownership to these types of authorizations, an Assignment is required.

Current Landowner Information

Name: Oregon Parks & Recreation Dept
 Mailing Address: 725 Summer St NE Suite C Salem OR 97301
 City: Salem State: OR Zip: 97301
 Phone (Home): _____ Work: _____ Other: 800-551-6949

Property Description

County: Umatilla Township: 5N Range: 29E Section: 15

Taxlot Number(s): _____

Street Address of water right property: Hat Rock Rd, Hermiston OR 97838

Water Right Information: Application: G - 1982 Permit: 6 - 1824 Certificate #: 31210

Are all the lands associated with this water right owned by the requester? Yes _____ No _____ If No, include a map showing the portion of the right involved.

Name of individual completing this form: Katie Kroenlein Hubler Phone: 971-718-6681

Signature of requestor: Katie K. Hull Date: 3-14-2024

The Department does not change names on certificates. This form will be placed in the file for future reference only. The Department does not provide acknowledgement that this form has been received.

51210

RECEIVED
STATE ENGINEER

Permit No. G-1524

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, State Parks and Recreation Division of the Oregon State Highway Department
of the Oregon State Highway Commission
(Name of applicant)
of Salem, county of Marion
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
Columbia River (McNary Pool)
(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 0.26 cubic feet per second or gallons per minute, being 0.16 cfs for irrigation & 0.1 cfs for park use

3. The use to which the water is to be applied is irrigation and public park use

4. The well or other source is located 298 ft. S and 100 ft. E from the center
(N or S) (E or W)
corner of Section 15 T5N., R29E,
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary.)
being within the NW 1/4 SE 1/4 of Sec. 15, Twp. 5N, R. 29E
W. M., in the county of Umatilla

5. The portable for irrigation to be miles
(Canal or pipe line)
in length, terminating in the of Sec. Twp.
(Smallest legal subdivision)

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Hat Rock State Park

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

RECEIVED

MAR 27 2024

OWRD

8. The development will consist of 1 well having a diameter of inches and an estimated depth of 17 feet. It is estimated that feet of the well will require concrete tile casing. Depth to water table is estimated feet.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 7 1/2 h.p. Jacuzzi centrifugal
3" x 2" Model D

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
00	29E	15	SW 1/4 NE 1/4	1.0 and park use
			SE 1/4 NE 1/4	3.0 and park use
			NE 1/4 SW 1/4	park use
			NE 1/4 SE 1/4	0.2 and park use
			NW 1/4 SE 1/4	0.2 and park use

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

RECEIVED
 MAR 27 2024
 OWRD

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before
- 17. The water will be completely applied to the proposed use on or before
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Mark A. Astrop
(Signature of applicant)
State Parks Superintendent

Remarks:

irrigation of 9.0 acres is supplemental to Permit #22776

RECEIVED

MAR 27 2024

OWRD

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19

STATE ENGINEER

By ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.26 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Hat Rock State Park well.

The use to which this water is to be applied is irrigation, supplemental irrigation and park use, being 0.16 c.f.s. for irrigation and 0.10 c.f.s. for park use.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 11, 1961

Actual construction work shall begin on or before June 26, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 26th day of June 1961

LEWIS A. STANLEY STATE ENGINEER

Application No. G-1982 Permit No. G-1824

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of April 1961, at 3:30 o'clock P. M.

Returned to applicant:

Approved: June 26, 1961 Recorded in book No. 7 of Ground Water Permits on page 51

LEWIS A. STANLEY STATE ENGINEER Drainage Basin No. 7 page 51

State Printing

RECEIVED MAR 27 2024

STATE OF OREGON
COUNTY OF UMATILLA
CERTIFICATE OF WATER RIGHT

This Is to Certify, That STATE PARKS and RECREATION DIVISION
of the OREGON STATE HIGHWAY DEPARTMENT
of the OREGON STATE HIGHWAY COMMISSION
of Highway Building, Salem, State of Oregon, has made proof
to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of
Hat Rock State Park Well

a tributary of Columbia River (McNary Pool) for the purpose of
park use

under Permit No. G-1821 of the State Engineer, and that said right to the use of said waters
has been perfected in accordance with the laws of Oregon; that the priority of the right hereby
confirmed dates from April 11, 1961,

that the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed

0.03 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream.
The point of diversion is located in the NW 1/4 SE 1/4, Section 15, T. 5 N., R. 29 E., W. M.
Well located 3 3/4 chains South and 3 1/4 chains East from the center, Sec. 15.

The amount of water used for irrigation, together with the amount secured under any other
right existing for the same lands, shall be limited to - - - - - of one cubic foot per second
per acre,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is
appurtenant, is as follows:

Park Use
SW 1/4 NE 1/4
SE 1/4 NW 1/4
NE 1/4 SW 1/4
NW 1/4 SE 1/4
Section 15
T. 5 N., R. 29 E., W. M.

RECEIVED
MAR 27 2024
OWRD

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of
use herein described.


WITNESS the signature of the State Engineer, affixed

this date. AUGUST 19 1963

CHRIS L. WHEELER

State Engineer

T.5N.R.29E.W.M.



FINAL PROOF SURVEY UNDER

Application No. G-1982 Permit No. G-1824
IN NAME OF

OREGON STATE HIGHWAY COMMISSION

Surveyed June 7, 1962, by *A. Jackson*

RECEIVED

MAR 27 2024

OWRD