

Approved:



MEMO

To: Kristopher Byrd, Well Construction and Compliance Section Manager
From: Travis Kelly, Well Construction Compliance Coordinator
Subject: Review of Water Right Application G-19191
Date: February 4, 2022

The attached application was forwarded to the Well Construction and Compliance Section by the Groundwater Section. Phil Marcy reviewed the application. Please see Phil's Groundwater Review.

Applicant's Well #1 (Proposed Well): Applicant's Well #1 is a proposed well, therefore it cannot be reviewed for construction. Construction of this proposed well shall be completed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240. During construction of this well, specific attention should be paid to ensure sealing requirements are met and that the well does not commingle aquifers.

The construction of applicant's proposed Well #1 may not satisfy hydraulic connection issues.

Groundwater Application Review Summary Form

Application # G- 19191

GW Reviewer Phillip I. Marcy Date Review Completed: 11/22/2021

Summary of GW Availability and Injury Review:

Groundwater for the proposed use is either over appropriated, will not likely be available in the amounts requested without injury to prior water rights, OR will not likely be available within the capacity of the groundwater resource per Section B of the attached review form.

Summary of Potential for Substantial Interference Review:

There is the potential for substantial interference per Section C of the attached review form.

Summary of Well Construction Assessment:

The well does not appear to meet current well construction standards per Section D of the attached review form. Route through Well Construction and Compliance Section.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations and for conditions that may be necessary for a permit (if one is issued).

WATER RESOURCES DEPARTMENT

MEMO

11/22/2021

TO: Application G- 19191

FROM: GW: Phillip I. Marcy
(Reviewer's Name)

SUBJECT: Scenic Waterway Interference Evaluation

YES The source of appropriation is hydraulically connected to a State Scenic Waterway or its tributaries

NO

YES Use the Scenic Waterway Condition (Condition 7J)

NO

Per ORS 390.835, the Groundwater Section is **able** to calculate ground water interference with surface water that contributes to a Scenic Waterway. The calculated interference is distributed below

Per ORS 390.835, the Groundwater Section is **unable** to calculate ground water interference with surface water that contributes to a scenic waterway; **therefore, the Department is unable to find that there is a preponderance of evidence that the proposed use will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway**

DISTRIBUTION OF INTERFERENCE

Calculate the percentage of consumptive use by month and fill in the table below. If interference cannot be calculated, per criteria in 390.835, do not fill in the table but check the "unable" option above, thus informing Water Rights that the Department is unable to make a Preponderance of Evidence finding.

Exercise of this permit is calculated to reduce monthly flows in [Enter] Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1. **Based upon available data**, I have determined that groundwater* for the proposed use:

- a. is over appropriated, is not over appropriated, or **cannot be determined to be** over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b. **will not** or **will** likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
- c. **will not** or **will** likely to be available within the capacity of the groundwater resource; or
- d. **will, if properly conditioned**, avoid injury to existing groundwater rights or to the groundwater resource:
 - i. The permit should contain condition #(s) 7N; Water Use Reporting;
 - ii. The permit should be conditioned as indicated in item 2 below.
 - iii. The permit should contain special condition(s) as indicated in item 3 below;

- B2. a. **Condition** to allow groundwater production from no deeper than _____ ft. below land surface;
- b. **Condition** to allow groundwater production from no shallower than _____ ft. below land surface;
- c. **Condition** to allow groundwater production only from the _____ groundwater reservoir between approximately _____ ft. and _____ ft. below land surface;
- d. **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): _____

B3. **Groundwater availability remarks:** Available data do not suggest notable declines in the area near the proposed POA, though no long-term continuous record exists (see attached hydrograph). Available data suggest the unconfined alluvial aquifer here is an area of discharge below the range front, where shallow groundwater proceeds to move through the relatively coarse-grained materials toward local surface water bodies to the west, including Baldock Slough and the Powder River. Considering this, the rate of recharge and the elevations of surface water drains are anticipated to be the key controlling factors of water levels in the shallow alluvial aquifer here. The nearest POA well is greater than ½ mile from the proposed well location. In addition, the storativity and conductivity of the unconfined aquifer here is expected to minimize induced drawdown at nearby well locations.

C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040 (1):** Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Alluvium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>

Basis for aquifer confinement evaluation: Nearby well reports do not report static water levels that rise well above the respective water-bearing zones within boreholes of similar depth to the proposed POA well.

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected?			Potential for Subst. Interfer. Assumed?	
						YES	NO	ASSUMED	YES	NO
1	1	Baldock Slough	~3355	3349-3365*	2900	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Basis for aquifer hydraulic connection evaluation: There is not sufficient evidence to determine there are any significant barriers to vertical migration of groundwater within the local sedimentary sequence. This conceptual framework is supported by the lack of confinement exhibited in nearby alluvial wells.

*Elevations within one mile of proposed POA.

Water Availability Basin the well(s) are located within: BALDOCK SL > POWDER R - AT MOUTH

C3a. **690-09-040 (4):** Evaluation of stream impacts for each well that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water (SW) source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that SW source, not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1	<input type="checkbox"/>	<input type="checkbox"/>	NA	NA	<input type="checkbox"/>	0.06	<input checked="" type="checkbox"/>	<<25%	<input checked="" type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>

C4b. **690-09-040 (5) (b)** The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section.

- C5. **If properly conditioned**, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water:
 - i. The permit should contain condition #(s) _____;
 - ii. The permit should contain special condition(s) as indicated in "Remarks" below;

C6. **SW / GW Remarks and Conditions:** The proposed use has triggered PSI under Division 9 rules (OAR 690-09-040(4)(c)), due to the proposed pumping rate being greater than 1% of the 80% exceedance rate for Baldock Slough (0.06 cfs). If supplemental irrigation water is sought to make up a deficiency in surface water received under primary right Certificate 82727, there may be other avenues to pursue, such as a surface water to groundwater transfer or attempting to develop the underlying bedrock aquifer, which at this location is encountered at an unknown depth.

In respect to consideration of Baldock Slough as a natural and perennial stream, the language in Division 9 (OAR 690-09-040(4)(c)) requires that the Department consider interference with **surface water sources** within one mile of the proposed POA well. Considering the function of the slough as a conveyance of water to and from the Powder River, it is logical to conclude that this is a surface water source to those rights that depend on this conveyance. In addition, our conceptual understanding of groundwater in this area includes the movement of groundwater in the Baldock Slough WAB to support flows in downstream reaches of the Powder River. It has been acknowledged by the local Watermaster (personal communication 10/13/2021) that diminished flows in the Powder River have led to it being regulated more often and earlier in the season in recent years. Continued allocation of hydraulically connected groundwater from the valley-fill alluvium in the Baker Valley is anticipated to further exacerbate this trend.

References Used: _____

Brooks, H.C., McIntyre, J.R., Walker, G.W., 1976. Geology of the Oregon Part of the Baker 1⁰ by 2⁰ Quadrangle. Oregon Department of Geology and Mineral Industries Geological Map Series 7.

OWRD Ground Water Report #6.

Hunt, B., 1999, Unsteady stream depletion from ground water pumping: Ground Water, v. 37, no. 1, p. 98-102.

Nearby well logs, pump test data, and application reviews.

D. WELL CONSTRUCTION, OAR 690-200

D1. Well #: _____ Logid: _____

D2. **THE WELL does not appear to meet current well construction standards based upon:**

- a. review of the well log;
- b. field inspection by _____;
- c. report of CWRE _____;
- d. other: (specify) _____


D3. **THE WELL construction deficiency or other comment is described as follows:** _____

D4. **Route to the Well Construction and Compliance Section for a review of existing well construction.**

Water Availability Tables

DETAILED REPORT ON THE WATER AVAILABILITY CALCULATION						
Watershed ID #: 30920330		BALDOCK SL > POWDER R - AT MOUTH			Exceedance Level: 80	
Time: 6:54 PM		Basin: POWDER			Date: 11/18/2021	
Month	Natural Stream Flow	Consumptive Use and Storage	Expected Stream Flow	Reserved Stream Flow	Instream Requirements	Net Water Available
Monthly values are in cfs. Storage is the annual amount at 50% exceedance in ac-ft.						
JAN	0.58	0.24	0.34	0.00	0.00	0.34
FEB	2.18	0.24	1.94	0.00	0.00	1.94
MAR	4.32	0.28	4.04	0.00	0.00	4.04
APR	10.90	3.12	7.78	0.00	0.00	7.78
MAY	3.49	4.70	-1.21	0.00	0.00	-1.21
JUN	0.75	5.31	-4.56	0.00	0.00	-4.56
JUL	0.17	3.02	-2.85	0.00	0.00	-2.85
AUG	0.07	1.30	-1.23	0.00	0.00	-1.23
SEP	0.06	0.83	-0.77	0.00	0.00	-0.77
OCT	0.06	0.49	-0.43	0.00	0.00	-0.43
NOV	0.17	0.24	-0.07	0.00	0.00	-0.07
DEC	0.35	0.24	0.11	0.00	0.00	0.11
ANN	3,770	1,210	3,090	0	0	3,090

Well Location Map



Water-Level Measurements in Nearby Wells

