

Water Right Application S-89239 in the)
name of DEANA SCOTT) FINAL ORDER
)

Authority

The Department's main page is: www.oregon.gov/OWRD

This Final Order is issued pursuant to ORS 537.170(6) to (9) and OAR 690-310-0170 to 0190.

FINDINGS OF FACT

1. On June 8, 2022, Deana Scott submitted an application to the Department for a water use permit.
2. On March 26, 2024, the Department issued a Proposed Final Order recommending approval of the application. The protest period closed May 10, 2024, and no protest was filed.
3. The findings of fact in the Proposed Final Order are incorporated herein.

CONCLUSIONS OF LAW

1. The conclusions of law in the Proposed Final Order are incorporated herein.
2. The proposed use, as conditioned, would not impair or be detrimental to the public interest.

NOTE: When issuing permits, ORS 537.170(6) authorizes the Department to include provisions or restrictions concerning the use, control and management of the water to be appropriated for the project.

This is a Final Order in other than contested case. This order is subject to judicial review under ORS 536.075 and ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to OAR 137-004-0080, you may petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

ORDER

Application S-89239 is approved and Permit S-55523 is issued.

DATED June 7, 2024



Katherine Ratcliffe
Water Rights Section Manager, for
Douglas E. Woodcock, Acting Director
Oregon Water Resources Department

-
- If you have any questions about statements contained in this document, please contact Lucinda Vranizan at Lucinda.R.Vranizan@water.oregon.gov or 971-375-2256.
 - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0900.
-