

**CLAIM OF
BENEFICIAL USE
for Transfer with Multiple
Changes - Groundwater**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$230 must accompany this form for any Transfer final orders including a water right with a priority date of July 9, 1987, or later.
All priority dates concerning this transfer are prior to July 9, 1987

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 7" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

Received

JUL 11 2024

OWRD

SECTION 1

GENERAL INFORMATION

Type of Authorized Change

This Claim is being submitted for a transfer involving multiple changes.

YES

Mark all that apply:

1. Change in POA(s) or Additional POA(s) 2. Change in Place of Use
3. Change in Character of Use

A separate section will be completed for each type of change authorized in the transfer final order.

1. File Information

APPLICATION #
T-11617

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME City of Wood Village		PHONE NO. 503-489-6859	ADDITIONAL CONTACT NO. 917-533-6062
ADDRESS 24200 NE Halsey Street			
CITY Wood Village	STATE OR	ZIP 97060	E-MAIL erikan@woodvillageor.gov

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. ***Each transfer holder of record must sign this form.***

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD City of Wood Village		
ADDRESS 24200 NE Halsey Street		
CITY Wood Village	STATE OR	ZIP 97060

4. Date of Site Inspection:

January 3, 2024

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Erika Normine	1/3/2024	City of Wood Village Public Works Supervisor

6. County:

Multnomah

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

Received
JUL 11 2024
OWRD

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



Received
JUL 11 2024
OWRD

CWRE NAME Robyn Cook, GSI Water Solutions, Inc.		PHONE No. 971-200-8505	ADDITIONAL CONTACT No.
ADDRESS 650 NE Holliday Street, Suite 900			
CITY Portland	STATE OR	ZIP 97232	E-MAIL rcook@gsiws.com

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Greg Dirks	City Manager	5/29/2024

SECTION 3
Changes Made

Note: The Claim only needs to describe the changes that were authorized in the transfer final order.

Change #1

Change in POA(s) or Additional POA(s)

Did the transfer order authorize a change in the points of appropriation or additional points of appropriation? YES

If "NO", this Section can be deleted.

1. New or additional point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)	SOURCE (IF LISTED IN TRANSFER FINAL ORDER)
Well 2	MULT-1431	N/A	Well 2, a tributary to the Sandy River
Well 3	MULT-2418	N/A	Well 3, a tributary to the Columbia River Basin

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepening)

If well logs are available, items A and B below can be deleted. *Items A and B were deleted.*

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final? YES

If yes, describe below.

(e.g. "The order allowed three new/additional points of appropriation. The water user only developed one of the points.")

Well 1 was authorized as additional POA for Certificates 41557, 56629, and 68268 on the transfer final order for T-11617. However, Well 1 is not included in this claim of beneficial use report.

Received
JUL 11 2024
OWRD

3. Claim Summary: Certificate 41557

NEW OR ADDITIONAL POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
Well 3	0.75 cfs	2.84 cfs	1.16 cfs

Claim Summary: Certificate 56629

NEW OR ADDITIONAL POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
Well 2	1.114 cfs	0.94 cfs	N/A

Claim Summary: Certificate 68268

NEW OR ADDITIONAL POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
Well 2	300 gpm (0.67 cfs)	0.94 cfs	N/A

System Description

Are there multiple new or additional Points of Appropriation (POA)? YES

If "YES" you will need to copy and complete either Section A or B in this Section for each POA.

POA Name or Number this section describes (only needed if there is more than one):

The information in this section pertains to both POAs, except where explicitly made to a specific POA.

Received
JUL 11 2024
OWRD

A. POA System Information

Provide the following information concerning the point of appropriation. Information provided must describe the equipment used to appropriate water from the point of appropriation.

1. Pump Information

POA/LOG ID	MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Well 2	Byron Jackson		R2052499	Turbine	6-in	12-in
Well 3	Pioneer		39228	Turbine	10-in	12-in

2. Motor Information

POA/LOG ID	MANUFACTURER	HORSEPOWER
Well 2	HIGH THRUST U.S. Electric Motors	40
Well 3	HIGH THRUST U.S. Electric Motors	100

3. Theoretical Pump Capacity

POA/LOG ID	HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
Well 2	40	25	237	N/A	0.94
Well 3	100	30	172	N/A	2.84

4. Provide pump calculations:

Well 2	$(\text{Hp})(\text{Efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$ $(40 \text{ Hp} ((7.04 \text{ ft}^4 / \text{sec} / \text{Hp})) / (237 \text{ feet} + (25 \text{ psi} / 0.433)*1.1) = 0.94 \text{ ft}^3/\text{sec}$
Well 3	$(\text{Hp})(\text{Efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$ $(100 \text{ Hp} ((7.04 \text{ ft}^4 / \text{sec} / \text{Hp})) / (172 \text{ feet} + (30\text{psi} / 0.433)*1.1) = 2.84 \text{ ft}^3/\text{sec}$

5. Measured Pump Capacity (using meter if meter was present and system was operating)

POA/LOG ID	INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
Well 2	N/A			
Well 3	71514450 ft ³	71531100 ft ³	14400 secs	1.16

Reminder: For pump calculations use the reference information at the end of this document.

6. Additional notes or comments related to the system:

B. Groundwater Source Information (Well and Sump)

1. Is the appropriation from a dug well (sump)?

NO

If "NO", items 2 through 4 relating to this section may be deleted. Items 2 through 4 were deleted.

Received
JUL 11 2024
OWRD

Change #2
Change in Place of Use

Did the transfer order authorize a change in the place of use? YES

If "NO", this Section can be deleted.

1. Claim Summary – Authorized Use:

If Irrigation or Nursery Use: **Not applicable**

THE # OF ACRES ALLOWED	THE # OF ACRES DEVELOPED
N/A	

If the new use(s) was not irrigation or nursery:

NEW USE(S)	WAS THE NEW PLACE OF USE DEVELOPED TO THE FULL EXTENT AUTHORIZED UNDER THE ORDER? (INCLUDE THE LOCATION OF THE DEVELOPED PLACE USE ON THE CLAIM MAP)
Municipal	YES

2. Variations:

Was the use developed differently from what was authorized by the transfer final order? NO

If yes, describe below.

(e.g. "The order authorized a change in place of use for 40 acres. The water user only developed 38 acres.")

Received
11 2024
OWRD

Received
JUL 11 2024
OWRD

Received
11 2024
OWRD

Change #3

Change in Character of Use

Did the transfer order authorize a change in character of use?

NO

If "NO", this Section can be deleted.

Entire Section was deleted.

Received
JUL 11 2024
OWRD

Received
 JUL 11 2024
 OWRD

**SECTION 4
 CONDITIONS**

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE AUTHORIZED CHANGES WERE COMPLETED *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	May 30, 2014	
COMPLETENESS DATE FROM ORDER (C)	October 1, 2024	March 1, 2024

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)? YES NO
 If "NO", you may delete the following table.

Entire Table was deleted.

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device? YES NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of appropriation.

b. Has a meter been installed? YES NO

c. Meter Information

POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Well 2	McCrometer (MW506)	04-09712	Working	897,333 gal x100	5/23/2012
Well 3	McCrometer (L0235-10)	99-00870	Working	720,067 ft ³ x100	5/23/2012

If a meter has been installed, items d through f relating to this section may be deleted.

Items d through f have been deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department? YES NO

If "NO", item b relating to this section may be deleted. As a municipality, the water right holder reports water use.

5. Other conditions required by the transfer final order or extension final order:

a. Were there special well construction standards? YES NO

b. Was submittal of a ground water monitoring plan required? YES NO

c. Other conditions? YES NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

**SECTION 5
ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Attachment A	Transfer T-11617 Final Order
Attachment B	Well Logs MULT-1431 (Well 2) and MULT-2418 (Well 3)
Attachment C	Map

Received
JUL 11 2024
OWRD

SECTION 6

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

The changes that were authorized under the transfer final order must be mapped based on the developed locations; new or additional points of appropriation and place of use.

In cases where the order involved additional points of appropriation, the additional points should be mapped based on their developed locations. The original points of appropriation should be mapped based on the original right of record at the time the transfer final order was issued.

In cases where the order involved changing the place of use for a portion of a water right, the portion of the place of use being changed should be mapped based on the developed location. If the transfer also included portions of the place of use that were not being modified, but were receiving a new or additional point of appropriation, the place of use for those lands should be mapped based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The City of Wood Village is municipal water supplier with a good understanding of their system components and component locations. The location of the additional points of appropriation are based on Geographic Information System (GIS) coordinates. The Claim of Beneficial Use map was developed using GIS software and spatial datasets obtained from the City of Wood Village, Oregon Water Resources Department (OWRD), the United States Bureau of Land Management (US BLM), the US Geological Survey (USGS), and Environmental Systems Research Institute, Inc. (ESRI). Additional data and information specific to the water right holder's use of water under the water right described in this Claim of Beneficial Use report were obtained from the water right holder.

Received
JUL 11 2024
OWRD

Received
JUL 11 2024

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- N/A If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- N/A Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- N/A Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

Section 7 was deleted.

Received
JUL 11 2024
OWRD

Received
JUL 11 2024
OWRD

Attachment A

Transfer T-11617 Final Order

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application) FINAL ORDER APPROVING
T-11617, Multnomah County) ADDITIONAL POINTS OF
) APPROPRIATION AND A CHANGE IN
) PLACE OF USE

Authority

ORS 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF WOOD VILLAGE
2055 NE 238TH DR
WOOD VILLAGE, OR 97060

Received
JUL 11 2024

Findings of Fact

OWRD

1. On June 13, 2013, the CITY OF WOOD VILLAGE filed an application for additional points of appropriation and to change the place of use under Certificates 41557, 56629, and 68268. The Department assigned the application number T-11617.
2. Notice of the application for transfer was published on June 25, 2013, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. On February 18, 2014, the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-11617 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 18, 2014, for the applicant to respond.
4. On March 3, 2014, the Department received a letter from the applicant requesting that the completion date be changed from "October 1, 2019" to "October 1, 2024", requesting that the Department proceed with issuance of a Preliminary Determination and providing the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

5. On April 10, 2014, the Department issued a Preliminary Determination proposing to approve Transfer Application T-11617 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on April 15, 2014, and in the Oregonian newspaper on April 12 and 19, 2014, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
6. The first right to be transferred is as follows:

Certificate: 41557 in the name of CITY OF WOOD VILLAGE (perfected under Permit G-4172)
Use: MUNICIPAL
Priority Date: JUNE 3, 1968
Rate: 0.75 CUBIC FOOT PER SECOND
Source: WELL No. 2, a tributary of SANDY RIVER

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
1 N	3 E	WM	35	SE NW	50 FEET SOUTH AND 440 FEET EAST FROM THE SE CORNER OF DUNBAR DLC 41

Authorized Place of Use:

MUNICIPAL USES				
Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	26	NW SW
1 N	3 E	WM	26	SW SW
1 N	3 E	WM	27	SW NE
1 N	3 E	WM	27	SE NE
1 N	3 E	WM	27	SE NW
1 N	3 E	WM	27	SW SW
1 N	3 E	WM	27	SE SW
1 N	3 E	WM	27	NE SE
1 N	3 E	WM	27	NW SE
1 N	3 E	WM	27	SW SE
1 N	3 E	WM	27	SE SE
1 N	3 E	WM	34	NE NE
1 N	3 E	WM	34	NW NE
1 N	3 E	WM	34	SW NE
1 N	3 E	WM	34	SE NE
1 N	3 E	WM	34	NE NW
1 N	3 E	WM	34	NW NW
1 N	3 E	WM	35	NW NW
1 N	3 E	WM	35	SW NW

Received
 JUL 11 2024
 OWRD

7. Transfer Application T-11617 proposes additional points of appropriation approximately ¼ to ½ mile from the existing point of appropriation in Certificate 41557 to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
1 N	3 E	WM	27	NE SE	WELL 3: 1510 FEET NORTH AND 1290 FEET WEST FROM THE SE CORNER OF SECTION 27

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
1 N	3 E	WM	34	NE NE	WELL 1: 1225 FEET WEST AND 580 FEET SOUTH FROM THE NE CORNER OF SECTION 34

8. The second right to be transferred is as follows:

Certificate: 56629 in the name of CITY OF WOOD VILLAGE (perfected under Permit G-8938)
Use: MUNICIPAL USES
Priority Date: DECEMBER 10, 1979
Rate: 1.114 CUBIC FOOT PER SECOND
Source: WELL #3 in the COLUMBIA RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	3 E	WM	27	NE SE	41	1510 FEET NORTH AND 1290 FEET WEST FROM THE SE CORNER OF SECTION 27

Authorized Place of Use:

MUNICIPAL USES				
Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	26	SW NW
1 N	3 E	WM	26	NW SW
1 N	3 E	WM	27	SW NE
1 N	3 E	WM	27	SE NE
1 N	3 E	WM	27	SE NW
1 N	3 E	WM	27	NE SW
1 N	3 E	WM	27	SW SW
1 N	3 E	WM	27	SE SW
1 N	3 E	WM	27	NE SE
1 N	3 E	WM	27	NW SE
1 N	3 E	WM	27	SW SE
1 N	3 E	WM	27	SE SE
1 N	3 E	WM	34	NE NE
1 N	3 E	WM	34	NW NE
1 N	3 E	WM	34	SW NE
1 N	3 E	WM	34	SE NE
1 N	3 E	WM	34	NE NW
1 N	3 E	WM	34	NW NW
1 N	3 E	WM	34	SE NW
1 N	3 E	WM	35	NW NW
1 N	3 E	WM	35	SW NW

Received
JUL 11 2024
OWRD

21
21
21

9. Transfer Application T-11617 proposes additional points of appropriation approximately ¼ to ½ mile from the existing point of appropriation in Certificate 56629 to:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	3 E	WM	34	NE NE		WELL 1: 1225 FEET WEST AND 580 FEET SOUTH FROM THE NE CORNER OF SECTION 34
1 N	3 E	WM	35	SE NW	41	WELL 2: 50 FEET SOUTH AND 440 FEET EAST FROM THE SE CORNER OF DUNBAR DLC 41

10. The third right to be transferred is as follows:

Certificate: 68268 in the name of CITY OF WOOD VILLAGE (perfected under Permit G-10271)
Use: MUNICIPAL USE
Priority Date: OCTOBER 13, 1983
Rate: 300 GALLONS PER MINUTE or its equivalent in case of rotation, measured at the well.
Source: WELL THREE in the COLUMBIA RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	3 E	WM	27	NE SE	41	1510 FEET NORTH AND 1290 FEET WEST FROM THE SE CORNER OF SECTION 27

Authorized Place of Use:

MUNICIPAL USE				
WITHIN WOOD VILLAGE SERVICE BOUNDARY				
Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	26	SW NW
1 N	3 E	WM	26	NW SW
1 N	3 E	WM	26	SW SW
1 N	3 E	WM	27	SW NE
1 N	3 E	WM	27	SE NE
1 N	3 E	WM	27	SE NW
1 N	3 E	WM	27	NE SW
1 N	3 E	WM	27	SW SW
1 N	3 E	WM	27	SE SW
1 N	3 E	WM	27	NE SE
1 N	3 E	WM	27	NW SE
1 N	3 E	WM	27	SW SE
1 N	3 E	WM	27	SE SE
1 N	3 E	WM	34	NE NE
1 N	3 E	WM	34	NW NE
1 N	3 E	WM	34	SW NE
1 N	3 E	WM	34	SE NE
1 N	3 E	WM	34	NE NW
1 N	3 E	WM	34	NW NW
1 N	3 E	WM	34	SW NW
1 N	3 E	WM	34	SE NW

Received

JUL 11 2024

OWRD

MUNICIPAL USE				
WITHIN WOOD VILLAGE SERVICE BOUNDARY				
Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	35	NW NW
1 N	3 E	WM	35	SW NW

11. Transfer Application T-11617 proposes additional points of appropriation approximately ¼ to ½ mile from the existing point of appropriation in Certificate 68268 to:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	3 E	WM	34	NE NE		WELL 1: 1225 FEET WEST AND 580 FEET SOUTH FROM THE NE CORNER OF SECTION 34
1 N	3 E	WM	35	SE NW	41	WELL 2: 50 FEET SOUTH AND 440 FEET EAST FROM THE SE CORNER OF DUNBAR DLC 41

12. Transfer Application T-11617 also proposes to change the place of use of the right to:
WITHIN THE SERVICE BOUNDARIES OF THE CITY OF WOOD VILLAGE.

Transfer Review Criteria (OAR 690-380-4010)

13. Water has been used within the last five years according to the terms and conditions of the rights. There is no information in the record that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
14. A pump, pipeline, and delivery system sufficient to use the full amount of water allowed under the existing rights were present within the five-year period prior to submittal of Transfer Application T-11617.
15. The proposed changes would not result in enlargement of the rights.
16. The proposed changes would not result in injury to other water rights.
17. All other application requirements are met.

Received
JUL 11 2024

Conclusions of Law

The additional points of appropriation and change in place of use proposed in Transfer Application T-11617 are consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.

OWRD

Now, therefore, it is ORDERED:

1. The additional points of appropriation and change in place of use proposed in Transfer Application T-11617 are approved.
2. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificates 41557, 56629, and 68268 and any related decree.

3. Water right certificates 41557, 56629, and 68268 are cancelled.
4. The quantity of water diverted at the additional points of appropriation, together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.
5. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
6. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2024**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
7. After satisfactory proof of beneficial use is received, new certificates confirming the rights transferred will be issued.

Dated at Salem, Oregon this 30 day of May, 2014.



Dwight French, Water Right Services Administrator, for
PHILLIP C. WARD, DIRECTOR

Mailing Date: JUN 06 2014

Received
JUL 11 2024
OWRD

Received
JUL 11 2024
OWRD

Attachment B

COBU for T-11617 – Well Logs

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED WATER WELL REPORT

MULT 001431

1N/3-356d

STATE ENGINEER, SALEM, OREGON 97310

STATE OF OREGON (Please type or print)

State Well No.

within 30 days from the date of well completion.

STATE ENGINEER SALEM, OREGON

State Permit No.

(1) OWNER:

Name CITY OF WOOD VILLAGE
Address 2055 NE 238TH DR, TROUTDALE, ORE.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

12" Diam. from 0 ft. to 458 ft. Gage 330
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.
of perforator used STAR
Size of perforations 3/8 in. by 1/4 in.
400 perforations from 439 ft. to 449 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name Model No.
Type Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 250 ft. below land surface Date 12/29/69
ian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? STRASSER
Yield: 313 gal./min. with 83 ft. drawdown after 24 hrs.
200 " 57 " 25 "
490 " 166 " 8 "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water 54° Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used CEMENT GROUT
Depth of seal FROM SURFACE TO 61 ft.
Diameter of well bore to bottom of seal 16 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County MULT. Driller's well number 5731
SE 1/4 NW 1/4 Section 35 T. 1N. R. 3E. W.M.

Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 546 ft. Depth of completed well 458 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
GRAVEL AND BOULDERS	0	51	
GRAVEL AND BROWN CLAY	51	78	
BROWN SAND AND CLAY	78	128	
GRAVEL AND CLAY	128	146	
CEMENTED GRAVEL	146	258	
GRAVEL, SOME BINDER	258	270	
CEMENTED GRAVEL	270	279	
LARGE GRAVEL	279	291	
CEMENTED GRAVEL	291	438	
BROWN SAND AND GRAVEL	438	440	
WATER BEARING GRAVEL	440	450	
GREY SHALE	450	546	

Received

JUL 11 2024

OWRD

Work started SEPT 18 1969 Completed FEB 2 1970

Date well drilling machine moved off of well FEB 3 1970

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Donald Johnson Date FEB 4, 1970
(Drilling Machine Operator)

Drilling Machine Operator's License No. 56

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME R. STRASSER DRILLING CO
(Person, firm or corporation) (Type or print)

Address 8110 SE SUNSET LANE PORTLAND ORE

[Signed] Robert L. Strasser
(Water Well Contractor)

Contractor's License No. 10 Date FEB 4 1970

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion

APR 8 1980

STATE OF OREGON
(Please type or print)

MULT 002418

State Well No. 1s/3E - 27 da

State Permit No.

WATER RESOURCES DEPT (Do not write above this line)

SALEM, OREGON

(1) OWNER:

Name City of Wood Village
Address Multnomah County, Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

12 " Diam. from 0 ft. to 200 ft. Threaded Welded
" Diam. from _____ ft. to _____ ft. Gage 375
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____

Size of perforations in. by in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name Johnson
Type stainless steel
Diam. 10P Slot size .250 Set from 200 ft. to 230 ft. Model No.
Diam. 10P Slot size .250 Set from 245 ft. to 255 ft.
10P .250 270 280

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? Aqua Pump

d: 250 gal./min. with 20 ft. drawdown after 1/2 hrs.
350 " 26 " 1/2 "
500 " 57 " 24 hrs.

Baller test gal./min. with _____ ft. drawdown after _____ hrs.

sian flow g.p.m. _____

perature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used cement
Well sealed from land surface to 22 inch 25 feet ft.
Diameter of well bore to bottom of seal 16 inch 25 feet ft.
Diameter of well bore below seal 12 in. & 16 in.
Number of sacks of cement used in well seal 58 sacks
How was cement grout placed? pressure pumped

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.

Did any strata contain unusable water? Yes No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? Yes No Size of gravel: _____

Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Multnomah Driller's well number D 280-80
N E 1/4 S E 1/4 Section 27 T. 1S R. 3E W.M.

Bearing and distance from section or subdivision corner
1510 feet N. 1290 feet W of SE corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 15 ft.
Static level 98 ft. below land surface. Date 4/8/80
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 12

Depth drilled 300 ft. Depth of completed well 300 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
topsoil	0	2	
clay brown & sandy	2	14	
gravel water bearing	14	16	
gravel cemented	16	28	
gravel, sand boulders	28	60	
gravel & sand cemented	60	110	
sand & gravel	110	135	
gravel & sand water/b	135	230	
sand brown water bearing	230	245	
gravel & sand water/b	245	257	
sand brown fine	257	270	
claystone gray water/b	270	285	
clay gray	285	300	

Received

JUL 11 2024

OWB

Work started 1/3/80 19 Completed 3/28/80 19

Date well drilling machine moved off of well 4/8/80 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] *Ivan Grassen* Date 4/8/80, 19____
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1306

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name S & M Drilling & Supply Inc.
(Person, firm or corporation) (Type or print)

Address 399 S E Walnut Canby, Ore 97013

[Signed] *Walter Mac*
(Water Well Contractor)

Contractor's License No. 497 Date 4/8/80, 19____

Received
JUL 11 2024
OWRD

Attachment C

COBU for T-11617 – Map



July 9, 2024

Oregon Water Resources Department
ATTN: Mr. Gerry Clark
725 Summer Street NE, Suite A
Salem, OR 97301

Subject: Claim of Beneficial Use for T-11617
City of Wood Village

Dear Gerry:

This Claim of Beneficial Use (COBU) is submitted on behalf of the City of Wood Village for Transfer T-11617. The transfer authorized additional points of appropriation and a change in the place of use for three water rights. Although the transfer authorized Well 1 as an additional point of appropriation for all three rights, this COBU does not include the addition of that well. Rather, this COBU documents the addition of Well 3 to the water right formerly evidenced by Certificate 41557, and the addition of Well 2 to the water rights formerly evidenced by Certificate 56629 and 68268.

Please also note that the address for the water right holder has been changed, and the COBU reflects the current mailing address.

If you have any questions regarding the enclosed COBU, please call me at (503) 239-8799 ext. 130. Thank you for your assistance and I look forward to hearing from you soon.

Sincerely,

A handwritten signature in blue ink that reads "Robyn Cook".

Robyn Cook, RG, CWRE
GSI Water Solutions, Inc.

Enclosures: Claim of Beneficial Use for T-11617

CC: Erika Normine, City of Wood Village

Received
JUL 11 2024
OWRD