

Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

Water Right Application Initial Review

August 23, 2024

OREGON DEPARTMENT OF FISH AND WILDLIFE ATTN: SPENCER SAWASKE 4034 FAIRVIEW INDUSTRIAL DR SE SALEM OR 97302

Reference: Application IS-89577

This document is to inform you of the preliminary analysis of the instream water right application and to describe your options. In determining whether an application may be approved, the Water Resources Department (Department) must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information supplied, the Department has made the following preliminary determinations:

Preliminary Determinations under Oregon Administrative Rule (OAR) 690-077-0029:

1. The application proposes the instream protection of water in Sierkes Creek (Deep Creek), from river mile 0.5 to mouth river mile 0.0, tributary to North Scappoose Creek, for the following public use: conservation, maintenance and enhancement of aquatic and fish life, wildlife, and fish and wildlife habitat (Oregon Revised Statute (ORS) 537.332(5)). The requested rate in cubic feet per second (CFS) by month (or half-month) is shown below.

Amount of water requested for instream use (CFS):

| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|-----|-----|-----|-----|-----|---------|-----|-----|-----|-----|-----|-----|
| 7.0 | 7.0 | 7.0 | 7.0 | 3.9 | 1.7/0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 5.1 | 7.0 |

- 2. The proposed use is not prohibited by law or rule except where otherwise noted below.
- 3. The proposed reach for this instream water right application is in the Columbia Subbasin of the Willamette Basin.
- 4. Instream use is allowed under the Willamette Basin Program (OAR 690-502-0150(4)).
- 5. Water available for instream use is limited to the estimated average natural flow. OAR 690-077-0015(4).

6. An assessment of water availability at 50% exceedance probability, and the estimated average natural flow, for the proposed use was completed using the Department's Water Availability Reporting System. A copy of this assessment is in the application file. This review was completed consistent with OAR 690-077-0029(1)(b). The assessment established, during the period of use requested, the estimated average natural flow shown below.

Estimated Average Natural Flow (CFS):

| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC |
|------|------|------|------|------|------|------|------|------|------|------|------|
| 6.79 | 8.81 | 6.41 | 3.83 | 2.07 | 1.21 | 0.46 | 0.23 | 0.19 | 0.23 | 0.89 | 6.11 |

7. The proposed use is not located within or above any state scenic waterway.

Summary of Preliminary Determinations

The instream protection of water in Sierkes Creek (Deep Creek), from river mile 0.5 to mouth river mile 0.0, tributary to North Scappoose Creek, for the conservation, maintenance and enhancement of aquatic and fish life, wildlife, and fish and wildlife habitat is allowable; however, it is limited to the lesser of the requested rate or the estimated average natural flow, as shown below.

Amount allowable by month (or half-month) for instream use (CFS):

| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC |
|------|-----|------|------|------|----------|------|------|------|------|------|------|
| 6.79 | 7.0 | 6.41 | 3.83 | 2.07 | 1.21/0.5 | 0.46 | 0.23 | 0.19 | 0.23 | 0.89 | 6.11 |

Public Comment & Further Review:

Public interest issues and/or public comments will be addressed as the Department prepares a Proposed Final Order. If significant public interest issues are identified, they could have an impact on the eventual outcome of the application.

At this time, you must decide whether to proceed or to withdraw the application.

- <u>To Proceed</u> If you choose to proceed with the application, you do not have to notify the Department. The application will be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a Proposed Final Order.
- <u>To Withdraw</u> You may withdraw the application. You must notify the Department **in writing** by sending a hard copy letter or an email to the assigned caseworker. The Department will not further process the application until the Stop Processing Deadline Date shown in the attached Application Fact Sheet. This 14-day window allows the applicant time to withdraw the application before the Department takes further action. The applicant still has the opportunity to request to withdraw the application after this deadline.

If a certificate is issued, it will likely include the following conditions:

- 1. For purposes of water distribution, this instream right shall not have priority over human or livestock consumption.
- 2. The instream flow allocated pursuant to this water right is not in addition to other instream flows created by a prior water right or designated minimum perennial stream flow.
- 3. The flows are to be measured at the lower end of the stream reach to protect necessary flows throughout the reach.

For Further Information:

Feel free to contact me at Lucinda.R.Vranizan@water.oregon.gov or 971-375-2256 if you have any questions regarding the contents of this letter or the application. Please include the application number in all correspondence. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0900. When corresponding by mail, please use this address: Lucinda Vranizan, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,

Lucinda Uranizan

Lucinda Vranizan
Water Right Application Specialist
Oregon Water Resources Department

Enclosures: Application Fact Sheet

IS-89577

Proposed to Approve

APPLICATION FACT SHEET

Application File Number: IS-89577

Applicant: OREGON DEPARTMENT OF FISH AND WILDLIFE

County: COLUMBIA

Watermaster: JAKE CONSTANS, #18, NWR

Priority Date: JULY 10, 2024

Source: SIERKES CREEK (DEEP CREEK), FROM RIVER MILE 0.5 TO MOUTH RIVER MILE 0.0, TRIBUTARY

TO NORTH SCAPPOOSE CREEK

Purpose or Use: INSTREAM USE

Period of Use and Rate (CFS):

| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|-----|-----|-----|-----|-----|---------|-----|-----|-----|-----|-----|-----|
| 7.0 | 7.0 | 7.0 | 7.0 | 3.9 | 1.7/0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 5.1 | 7.0 |

Basin Name & Number: WILLAMETTE, #2

WAB: SIERKES CR (DEEP CR) > N SCAPPOOSE CR - AT MOUTH

PUBLIC NOTICE DATE: August 27, 2024

14 DAY STOP PROCESSING DEADLINE DATE: September 6, 2024

30 DAY COMMENT DEADLINE DATE: September 26, 2024

Application Fact Sheet