

**CLAIM OF
BENEFICIAL USE
for Reservoir Permits by
CWRE's (not self-certified)**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Received
AUG 28 2024
OWRD

**A fee of \$230 must accompany this form for permits
with priority dates of July 9, 1987, or later.**
Claims received without the correct fee of \$200 will be returned.

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

1. File Information

APPLICATION # R-72130	PERMIT # (IF APPLICABLE) R-11625	PERMIT AMENDMENT # (IF APPLICABLE)
---------------------------------	--	------------------------------------

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME STEVE GANT		PHONE NO. 541-404-3113	ADDITIONAL CONTACT NO. 541-404-6385
ADDRESS P.O. Box 1587			
CITY Bandon	STATE OR	ZIP 97411	E-MAIL cindygant@msn.com

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. **Each** permit holder of record must sign this form.

3. Permit holder of record (this may, or may not, be the current property owner)

PERMIT HOLDER OF RECORD Same		
ADDRESS		
CITY	STATE	ZIP

ADDITIONAL PERMIT HOLDER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection:

5/29/2024

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Steve Gant	5/29/2024	Owner / Permittee
Norm Daft	7/24/2024	Water Rights Consultant

6. County

Coos


7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature



Renewal Date: June 30, 2026

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.


CWRE NAME Gary D. Wicks		PHONE NO. Office: 541-479-3436	ADDITIONAL CONTACT NO. Cell: 541-660-9912
ADDRESS 311 NE "D" Street			
CITY Grants Pass	STATE Oregon	ZIP 97526	E-MAIL gdwicks@gmail.com

Permit Holder's of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.

I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Steve Gant	Owner/Permittee	8/16/24

SECTION 3
CLAIM DESCRIPTION

1. Reservoir source and, if from surface water, the tributary:

RESERVOIR NAME OR NUMBER	SOURCE	TRIBUTARY
Unnamed Reservoir	Unnamed Stream	Johnson Creek

2. Developed use(s), period of use, and acre foot (af) for each use:

RESERVOIR NAME OR NUMBER	USES	SEASON OR MONTHS WHEN WATER WAS APPROPRIATED FOR STORAGE	VOLUME STORED (AF)
Unnamed Reservoir	Storage for Irrigation	12/1 through 3/31	3.0
Total Quantity of Water Stored			3.0

3. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion to the reservoir:

The point of diversion is the dam

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

4. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below. YES

(e.g. "The permit allowed the development of three reservoirs. The permit holder only developed one of the reservoirs." or "The permit allowed for the storage of 9 acre feet of water. The reservoir was developed to hold 5.2 acre feet.")

The permit allowed for 9.1 acre-feet of water to be stored in the reservoir. The stored water and water from an unnamed stream, as appropriated per Permit No. S-51905, were allowed to be used for 8.0 acres of cranberry operations. The cranberry use was not developed. Only 3.0 acre-feet of reservoir storage was developed and the stored water is used for the irrigation of 0.30 acres of garden, lawn and landscaping as allowed by Permit No. S-51905

5. Claim Summary:

RESERVOIR NAME OR #	MAXIMUM STORAGE AUTHORIZED BY PERMIT (AF)	MAXIMUM STORAGE DEVELOPED (AF)
Unnamed Reservoir	9.1	3.0

SECTION 4
SYSTEM DESCRIPTION

Are there multiple reservoirs?

NO

If "YES" you will need to copy and complete Sections A through E for each reservoir.

Reservoir Name or Number this section describes (only needed if there is more than one):

Unnamed

A. Reservoir Location

1. Is the reservoir on-channel?

YES

2. Provide dam outlet location and/or point of diversion(s).

TWP	RNG	MER	SEC	QQ	GLOT	DLC	MEASURED DISTANCES
29S	14W	WM	5	SWSW	NA	NA	445 feet North & 900 feet East from the SW corner of Section 5

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLOT), and Quarter-Quarters (QQ).

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport the water from the point(s) of diversion to the reservoir.

1. Is a pump used?

NO

If "NO" items 2 through item 5 may be deleted.

6. Additional notes or comments related to the system:

C. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

D. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

E. Reservoir

1. Does the reservoir require the submittal of as-built plans and specifications?

NO

If "YES", answer item 2; items 3 through 8 relating to this section may be deleted.

If "NO", skip items 2; answer items 3 through 8.

2. Complete the table:

HAVE THE DOCUMENTS BEEN SUBMITTED? YES OR NO	WHEN WERE THE DOCUMENTS SUBMITTED?	HAVE THEY BEEN APPROVED BY THE DEPARTMENT?	NUMBER OF ACRE FEET STORED
NA			

3. If the reservoir stores less than 9.2 acre-feet of water or if the dam is less than 10 feet in height, and as-built plans and specifications are not required, complete the table and items 4 through 8.

MAXIMUM DEPTH	AVERAGE DEPTH	SURFACE AREA (IN ACRES)	VOLUME (IN ACRE FEET)
11 feet	5.3 feet	0.57	3.02


4. Provide reservoir volume calculations:

$$\text{Volume} = \text{Area (acres)} \times \text{Ave. Depth (feet)} = (0.57)5.3 = 3.02 \text{ acre-feet}$$

5. Provide the following information concerning the physical characteristics of the dam:

CREST WIDTH (W)	DAM HEIGHT AT CENTERLINE (H)	DISTANCE FROM DOWNSTREAM TOP OF DAM TO DOWNSTREAM TOE (L)	DISTANCE FROM UPSTREAM TOP OF DAM TO UPSTREAM TOE (U)	WATER LEVEL AT INSPECTION	DOWN-STREAM SLOPE	UP-STREAM SLOPE
15 ft	14.9 ft	26.4 ft	20 ft	7 ft	4H:3V (75%)	2H:1.1V (55%)

6. Provide a drawing showing the cross section of the dam at the maximum section indicating details and dimensions. The drawing should be drawn at a standard even scale.



7. Describe the outlet works (size and type of the outlet conduit and location):

The outlet is a 17 inch by 21 inch rectangular stand-pipe with removable flash boards connected to an 8 inch outlet pipe.

8. Describe the emergency spillway (dimensions and location):

BOTTOM WIDTH (W)	TOP WIDTH (L)	SPILLWAY DEPTH (H)
NONE		

SECTION 5

CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates; the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or extension final order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	5/14/1996		
BEGIN CONSTRUCTION (A)	5/14/1997	5/28/1993 1995	Used backhoe to begin construction of reservoir, backed up water Remove trees/brush at north end of reservoir. Move dam farther south
COMPLETE CONSTRUCTION (B)	10/1/2003 per Permit Extension	Summer 2003	Complete construction of reservoir Installed staff gage
COMPLETE APPLICATION OF WATER (C)	10/1/2003 per Permit Extension	Summer 2003	Stored 3 AF of water and used for irrigation

* must be within period between permit or any extension final order issuance and the date to completely apply water

2. Is there an extension final order(s)?

YES

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

YES

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed?

NO

c. Meter Information

POD NUMBER	MANUFACTURER	SERIAL NO.	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
NA	See attached waiver email				

If a meter has been installed, items d through f relating to this section may be deleted.

d. If a meter has not been installed, has a suitable measuring device been installed and approved by the Department?

YES

e. If "YES", provide a copy of the letter approving the device, if available. If the letter is not available provide the name and title of the Water Resources Department employee approving the measuring device, and the approximate date of the approval:

NAME	TITLE	APPROXIMATE DATE
Susan Douthit	Watermaster	7/3/2024

f. Measurement Device Description

DEVICE DESCRIPTION	CONDITION (WORKING OR NOT)	DATE INSTALLED
Staff gage in reservoir	readable	Summer 2003

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department? **NO**

If "NO", item b relating to this section may be deleted.

5. Outlet Pipe

a. Is the water user required to install a minimum 8" outlet pipe/conduit? **YES**

If "NO", items b through c relating to this section may be deleted.

b. Has the outlet pipe been installed? **YES**

If "YES", items c relating to this section may be deleted.

6. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? **NO**

If "NO", items b through e relating to this section may be deleted.

7. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **NO**

If "NO", items b and c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

8. Other conditions required by permit, permit amendment final order, or extension final order

a. Was the water user required to restore the riparian area if it was disturbed? **NO**

b. Was a fishway required? **NO**

c. Was submittal of a letter from an engineer required prior to storage of water? **NO**

d. Was submittal of a water management and conservation plan required? **NO**

e. Other conditions? **YES**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

Measurement recording and reporting condition "A" states that a meter MAY be required, then later states a totalizing meter must be installed. The dam is the diversion, therefore there is no way to install a meter. There is a meter on the pump for irrigation per Parmit No. S-51905. (See Watermaster attachment)

Regulating device per ORS 540-310. This statute is for ditches and canals. There are no ditches or canals. There is however, an outlet with removable flashboards.

Staff gage is installed (USGS-type)

Weirs above and below reservoir - this condition has been waived by the Watermaster – (see attachment)

SECTION 6

ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Watermaster attachment	E-mail from Watermaster waiving weir and meter requirements
COBU map	COBU map
Extension	3/30/1999 Final Order approving time extension to 10/1/2003

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

5/9/19 Google and current ORmap images were overlaid county GIS tax lots and adjusted to property surveys filed in 1977 and 1979 for best fit.

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- ☒ Map on polyester film.
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- ☒ If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- ☐ **NA** Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- ☒ Locations of meters and/or measuring devices in relationship to point of diversion
- ☒ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers
- ☒ Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number
- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature

Received

AUG 28 2024

OWRD

normthewaterguy@charter.net

From: DOUTHIT Susan M * WRD <Susan.M.DOUTHIT@water.oregon.gov>
Sent: Wednesday, July 3, 2024 9:21 AM
To: CLARK Gerald E * WRD; Norm Daft
Cc: Norm Daft
Subject: Re: Permit R-11625 - Steve Gant

No. Not necessary

From: CLARK Gerald E * WRD <Gerald.E.CLARK@water.oregon.gov>
Sent: Wednesday, July 3, 2024 9:20:01 AM
To: DOUTHIT Susan M * WRD <Susan.M.DOUTHIT@water.oregon.gov>; Norm Daft <normthewaterguy@charter.net>
Cc: Norm Daft <normthewaterguy@charter.net>
Subject: RE: Permit R-11625 - Steve Gant

Susan,

Are weirs above and below the reservoir necessary?

Gerry

Gerry Clark

He/Him/His

Program Analyst, Certificate Section, Water Right Services Division | Phone 503-979-9103

From: DOUTHIT Susan M * WRD <Susan.M.DOUTHIT@water.oregon.gov>
Sent: Wednesday, July 3, 2024 9:18 AM
To: CLARK Gerald E * WRD <Gerald.E.CLARK@water.oregon.gov>; Norm Daft <normthewaterguy@charter.net>
Cc: Norm Daft <normthewaterguy@charter.net>
Subject: Re: Permit R-11625 - Steve Gant

Thanks Gerry

@Norm Daft. Please forward my previous email to Gerry and include in the claim.

~S

From: CLARK Gerald E * WRD <Gerald.E.CLARK@water.oregon.gov>
Sent: Wednesday, July 3, 2024 9:11:34 AM
To: DOUTHIT Susan M * WRD <Susan.M.DOUTHIT@water.oregon.gov>
Cc: Norm Daft <normthewaterguy@charter.net>
Subject: RE: Permit R-11625 - Steve Gant

Susan,

We do not have a form that can be used for this type of a waiver. An email is sufficient to document that a totalizing flow meter is not required. In addition, an email can be used to indicate that the weirs would serve no public interest and are not required.

Please let me know if you have any additional questions.

Have a great day and a Happy Fourth!

Gerry

Gerry Clark

He/Him/His

Oregon Water Resources Department

Program Analyst, Certificate Section, Water Right Services Division

725 Summer Street NE, Suite A Salem, OR 97301 | Phone 503-979-9103

From: DOUTHIT Susan M * WRD <Susan.M.DOOUTHIT@water.oregon.gov>

Sent: Monday, July 1, 2024 3:10 PM

To: CLARK Gerald E * WRD <Gerald.E.CLARK@water.oregon.gov>

Cc: Norm Daft <normthewaterguy@charter.net>

Subject: FW: Permit R-11625 - Steve Gant

Please see below.

A totalizing flow meter won't work for this wr. A staff plate is sufficient

Can you point me to the template I can use for this?

~S

From: normthewaterguy@charter.net <normthewaterguy@charter.net>

Sent: Monday, July 1, 2024 3:08 PM

To: DOUTHIT Susan M * WRD <Susan.M.DOOUTHIT@water.oregon.gov>

Subject: Permit R-11625 - Steve Gant

Susan,

As you may recall, you visited the Gant's a short time ago.

You sent me an E-mail indicating weirs are not required at this time.

The permit first indicates a measuring device may be required then later states a totalizing meter is required.

I ran this by Gerry Clark and he indicated the most restrictive condition would be applied.


Since the dam is the diversion, there is no way to install a totalizing meter. Gerry indicated that we would need something from the Watermaster stating a totalizing meter is not feasible.

There is a totalizing meter installed for the use of the stored water (S-51905). I found about 0.3 acres being irrigated.

The permit requires a staff gage which was installed in a timely manner.

So, we would like something from you to submit with the COBU indicating a totalizing meter is not feasible for this permit and that the staff gage will suffice.

Thanks.



Norm

Norm Daft

(541) 761-1057

Received

AUG 28 2024

OWRD

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number R-72130

Final Order
Extension of Time for Permit Number R-11625

Application History


On September 2, 1998, Steve Gant submitted an application to the Department for an extension of time for permit number R-11625. The Department issued Permit number R-11625 on May 14, 1996. The permit called for completion of construction of the water development project by October 1, 1998 and complete application of water to the full beneficial use by October 1, 1999. In accordance with OAR 690-320-0010(8), on January 12, 1999, the Department issued a Proposed Final Order proposing to extend the time to complete development of the water development project to October 1, 2003, and the time to fully apply water to beneficial use to October 1, 2003. The protest period closed February 26, 1999. No protest was filed.


The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.230, 537.630 and 539.010(5).

Order

The extension of time for Application R-72130, Permit Number R-11625, therefore, is approved. The deadline for completing construction is extended to October 1, 2003. The deadline for applying water to full beneficial use is extended to October 1, 2003.

DATED March 30, 1999


Martha C. Pagel, Director



Appeal Rights

Under the provisions of ORS 536.075, the applicant may appeal this order by filing a petition for review in the Circuit Court for Marion County or the circuit court for the county in which the applicant resides or has a principal business office. The petition for review must be filed within 60 days after the date this order is served. ORS 183.484.

Received
AUG 28 2024
OWRD



Superior Water Right Consulting, LLC

NORM DAFT
"The Water Guy"

245 Glenoak Lane
Grants Pass, OR 97526

Phone (Cell): 541 761-1057
normthewaterguy@charter.net

August 26, 2024

**Oregon Water Resources Department
725 Summer Street, NE, Suite A
Salem, OR 97301-1266**

Certificates Section,

Please find the enclosed documents:

- 1. Claim of Beneficial Use Report for Permit R-11625, with attachments.**
- 2. E-mail from Watermaster approving staff gage and stating meter not possible for storage permit. Also stating weirs above and below reservoir not required.**
- 3. Claim of Beneficial Use for Permit S-51905, with attachments.**
- 4. Pump performance chart**
- 5. Letter from ODF&W indicating no screen or passage necessary as no fish are present.**
- 6. Claim of Beneficial Use Map for both permits. Two maps, One on mylar as required.**
- 7. 2 Checks for \$230.00. One for each permit.**

Thank you.

Norman E. Daft

Received
AUG 28 2024
OWRD