

**CLAIM OF
BENEFICIAL USE
for Groundwater Permits
claiming more than 0.1 cfs**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

**A fee of \$230 must accompany this form for permits
with priority dates of July 9, 1987, or later.**
The \$230 fee is included with this application.

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see
<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

Received by OWRD
NOV 04 2024
Salem, OR

**SECTION 1
GENERAL INFORMATION**

1. File Information:

APPLICATION # G-18712	PERMIT # (IF APPLICABLE) G-18744	PERMIT AMENDMENT # (IF APPLICABLE) T-13594
---------------------------------	--	--

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME SARBANAND ENTERPRISES LLC		PHONE NO. 661-565-6421	ADDITIONAL CONTACT NO.
ADDRESS 786 RD 188			
CITY DELANO	STATE CA	ZIP 93215	E-MAIL Matt.Hoezee@mungerfarms.com

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each permit holder of record must sign this form.***

3. Permit holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD SARBANAND ENTERPRISES LLC		
ADDRESS 786 RD 188		
CITY DELANO	STATE CA	ZIP 93215

ADDITIONAL PERMIT HOLDER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection:

September 11, 2024

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Matt Hoezee	9/11/24	Regional Ranch Manager

6. County:

Yamhill

7. If any property described in the place of use of the permit is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

Received by OWRD


NOV 04 2024

Salem, OR

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Robyn Cook, GSI Water Solutions, Inc.		PHONE NO. 971-200-8505	ADDITIONAL CONTACT NO.
ADDRESS 650 NE Holladay Street; Ste 900			
CITY Portland	STATE OR	ZIP 97232	E-MAIL rcook@gsiws.com

Permit Holder of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Matt Hoezee	Regional Ranch Manager	10-22-24

Received by OWRD
NOV 04 2024
Salem, OR

SECTION 3
CLAIM DESCRIPTION

1. Point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
East Airport Well 2 (123.119665, 45.19579)	YAMH 6833 (new); YAMH 50997 (repair)	L-151816

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of appropriation source, if indicated on permit:

POA NAME OR NUMBER	SOURCE BASIN LOCATED WITHIN	TRIBUTARY
East Airport Well 2	West Fork Palmer Creek	Yamhill River

3. Developed use(s), period of use, and rate for each use:

POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
East Airport Well 2	Irrigation	Hazelnuts	April 1 – September 30	0.25 cfs
Total Quantity of Water Used				0.25 cfs

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of appropriation to the place of use:

Water is pumped from East Airport Well 2 using a submersible pump, conveyed to the place of use via PVC mainline, and applied for irrigation with drip emitters.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

5. Variations:

Was the use developed differently from what was authorized by the permit, YES NO
permit amendment final order, or extension final order? If yes, describe below.

(e.g. "The permit allowed three points of appropriation. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

-The permit allowed two points of appropriation. The water user only developed one of the points.
-The permit allowed 0.31 cfs. The water user only developed 0.25 cfs.
-This COBU report more accurately describes the location of East Airport Well 2 (YAMH 50997) than the location description in the Permit.

6. Claim Summary:

POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
East Airport Well 2	0.31 cfs	0.25 cfs	0.25 cfs	Irrigation	254.8	254.8

Received by OWRD

**SECTION 4
SYSTEM DESCRIPTION**

Are there multiple POAs?

YES **NO**

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

East Airport Well 2

A. Place of Use

1. Is the right for municipal use?

YES **NO**

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
4S	3W	W.M.	30	NWNW		58	Irrigation	14.8	
4S	4W	W.M.	25	NENE		61	Irrigation	25.1	
4S	4W	W.M.	25	NWNE		61	Irrigation	2.2	
4S	4W	W.M.	25	NWNE		84	Irrigation	6.9	
4S	4W	W.M.	25	NENW		84	Irrigation	13.6	
4S	4W	W.M.	25	SENW		84	Irrigation	36.5	
4S	4W	W.M.	25	SWNE		84	Irrigation	35.0	
4S	4W	W.M.	25	SENE		61	Irrigation	10.4	
4S	3W	W.M.	30	SWNW		58	Irrigation	11.0	
4S	4W	W.M.	25	NWSE		84	Irrigation	33.9	
4S	4W	W.M.	25	NESW		84	Irrigation	40.2	
4S	4W	W.M.	25	NWSW		84	Irrigation	0.8	
4S	4W	W.M.	25	SWSW		84	Irrigation	1.1	
4S	4W	W.M.	25	SESW		84	Irrigation	12.9	
4S	4W	W.M.	25	SWSE		84	Irrigation	10.4	
Total Acres Irrigated								254.8	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLOT), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLOT, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES **NO**

If "NO", items 2 through 4 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

East Airport Well 2 Vent hole on north side of well cap.

Received by OWRD

3. If well logs are not available, provide as much of the following information as possible:

WELL NAME	CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY
East Airport Well 2	6in	+2-126ft	126ft	9/30/87	4/23/98	John Stoller	David Paysinger

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

Well logs are provided in Attachment C.

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)? YES NO

If "NO", items 2 through 4 relating to this section may be deleted. Items 2 through 4 were deleted.

D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used? YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

WELL NAME	MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
East Airport Well 2	Unknown*	Unknown*	Unknown*	Submersible	3in	3in

***The submersible pump used to pump water from East Airport Well 2 was installed in the Well and was inaccessible during the site inspection.**

3. Motor Information:

WELL NAME	MANUFACTURER	HORSEPOWER
East Airport Well 2	Unknown*	5 HP

***The submersible pump used to pump water from East Airport Well 2 was installed in the Well and was inaccessible during the site inspection.** Received by OWRD

4. Theoretical Pump Capacity:

WELL NAME	HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
East Airport Well 2	5 HP	17	100 ft	Component of operating pressure	0.25 cfs

5. Provide pump calculations:

See pump calculations in Attachment D.

6. Measured Pump Capacity (using meter if meter was present and system was operating):

WELL NAME	INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
East Airport Well 2	071871712	071871933	2 min	0.25 cfs

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 13 may be deleted.

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
6 in	11,430 ft	PVC	Buried
4 in	6,270 ft	PVC	Buried
2.5 in	4,830 ft	PVC	Buried

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
20 mm	6,280	Soft hose	Above ground

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
N/A					

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
Unknown	35 PSI	0.007 gpm	163,800	16,000	0.25 cfs

Received by OWRD

NOV 04 2024

WR

Salem, OR

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
N/A					

13. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
N/A				

E. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES NO

If "NO", item 2 and 3 relating to this section may be deleted. Items 2 and 3 were deleted.

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted. Items 2-4 were deleted.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted. Items 2-4 were deleted.

H. Additional notes or comments related to the system:

None.

Received by OWRD

NOV 04 2024

Salem, OR

SECTION 5 CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	10/1/2019		
BEGIN CONSTRUCTION (A)	10/1/2024	9/30/87	East Airport Well 2 was constructed prior to permit issuance.
COMPLETE CONSTRUCTION (B)	Not listed on permit.	Summer 2020	Irrigation equipment installed.
COMPLETE APPLICATION OF WATER (C)	10/1/2024	Summer 2021	Irrigated entire place of use.

* MUST BE WITHIN PERIOD BETWEEN PERMIT, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)? YES NO

If "NO", items a and b relating to this section may be deleted. Items a and b were deleted.

3. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement? YES NO

If "NO", items b through d relating to this section may be deleted.

b. What month was the initial measurement to be taken in?

March

c. Was the measurement submitted to the Department? YES NO

d. If the initial measurement was not submitted, provide that measurement now, if available:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT
Initial measurement was submitted.			

See Attachment E – Static Water Level Measurements

4. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements? YES NO

If "NO", items b through e relating to this section may be deleted.

Received by OWRD

NOV 04 2024

WR

Salem, OR

b. Provide the month, or months, the static water level measurement(s) were to be made:

March

c. Were the static water level measurements taken in the month(s) required? **YES** **NO**

d. If "YES", were those measurements submitted to the Department? **YES** **NO**

e. If the annual measurements were not submitted, provide the measurements now:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT
Annual measurements were submitted.			

See Attachment E – Static Water Level Measurements

5. Pump Test:

a. Did the permit require the submittal of a pump test? **YES** **NO**

Ground water permits with priority dates on or after **December 20, 1988**, require the submittal of a pump test prior to issuance of a certificate. In some cases, the permit holder may qualify for a multiple well exemption or an unreasonable burden exemption.

For additional information regarding pump tests see:

<https://www.oregon.gov/OWRD/programs/GWWL/GW/Pages/PumpTestProgram.aspx>

If "NO", items b through e relating to this section may be deleted.

b. Has the pump test been previously submitted to the Department? **YES** **NO**

c. Is the pump test attached to this claim? **YES** **NO**

d. Has the pump test been approved by the Department? **YES** **NO**

e. Has a pump test exemption been approved by the Department? **YES** **NO** **N/A**

See Attachment F – Pump Test

**** Claims will not be reviewed until a pump test or exemption has been approved by the Department**

6. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device? **YES** **NO**

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed? **YES** **NO**

c. Meter Information

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
East Airport Well 2	Netafim	180205719	Working	071871712	Summer 2020

If a meter has been installed, items d through f relating to this section may be deleted. Items d through f were deleted.

7. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department? **YES** **NO**

If "NO", item b relating to this section may be deleted.

Received by OWRD

NOV 04 2024

Salem, OR

b. Have the reports been submitted? YES NO

If the reports have not been submitted, attach a copy of the reports if available. See Attachment G – Water Use Reports

8. Other conditions required by permit, permit amendment final order, or extension final order:

- a. Were there special well construction standards? YES NO
- b. Was submittal of a ground water monitoring plan required? YES NO
- c. Was submittal of a water management and conservation plan required? YES NO
- d. Was a Well Identification Number (Well ID tag) assigned and attached to the well? YES NO

WELL NAME	WELL ID #	DATE ATTACHED TO WELL
East Airport Well 2	L-151816	September 13, 2024

e. Other conditions? YES NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

- 8d: A Well ID tag was attached to East Airport Well 2 on September 13, 2024.
- 8e: Water is appropriated from the same aquifer as the original points of appropriation.
- 8e: Groundwater is only appropriated from the alluvial aquifer.

Received by OWRD
NOV 04 2024
Salem, OR

SECTION 6
ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Attachment A	Permit G-18744 and Permit Amendment T-13594 Final Order
Attachment B	COBU Map
Attachment C	Well Logs
Attachment D	Pump Calculations
Attachment E	Static Water Level Measurements
Attachment F	Pump Test
Attachment G	Water Use Reports

Received by OWRD
NOV 04 2024
Salem, OR

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The place of use was visited during the site inspection. The extent of the place of use and irrigation system was located using aerial imagery (Google Earth, April 2023), a handheld GPS, and a field survey completed during the site inspection. The map was created using Geographic Information System (GIS) software and spatial datasets obtained from Bureau of Land Management (BLM), Environmental Systems Research Institute (ESRI), Oregon Water Resources Department (OWRD), and United States Geological Survey (USGS). Additional data and information specific to the use of water under the water right described in this Claim of Beneficial Use report were obtained from the water right holder.

Received by OWRL

NOV 04 2023

Salem, OR

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- N/A Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- N/A Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

Received by OWRD

NOV 04 2024

Salem, OR

Received by OWRD

NOV 04 2024

Salem, OR

Attachment A

Permit G-18744 and Permit Amendment T-13594 Final Order
Claim of Beneficial Use Report – SARBANAND ENTERPRISES LLC

STATE OF OREGON

COUNTY OF YAMHILL

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

SARBANAND ENTERPRISES LLC
786 RD 188
DELANO, CA 93215

This superseding permit is issued to describe an amendment for an additional point of appropriation proposed under Permit Amendment Application T-13594 and approved by Special Order Vol. 125, Page 106, entered May 19, 2022. This permit supersedes Permit G-18272.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-18712

SOURCE OF WATER: EAST AIRPORT WELL (YAMH 54493/L82396) AND EAST AIRPORT WELL 2 (YAMH 6833/50997) IN WEST FORK PALMER CREEK BASIN

PURPOSE OR USE: IRRIGATION OF 254.8 ACRES

Received by OWRD

MAXIMUM RATE: 0.31 CUBIC FOOT PER SECOND

NOV 04 2024

PERIOD OF USE: APRIL 1 THROUGH SEPTEMBER 30

Salem, OR

DATE OF PRIORITY: JULY 9, 2018

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
4 S	3 W	WM	30	SW NW	EAST AIRPORT WELL - 1864 FEET SOUTH AND 621 FEET EAST FROM THE NW CORNER OF SECTION 30
4 S	4 W	WM	25	SE NE	EAST AIRPORT WELL 2 - 1620 FEET SOUTH AND 850 FEET WEST FROM THE NE CORNER OF SECTION 25

The amount of water used for irrigation use under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
4 S	3 W	WM	30	NW NW	14.8
4 S	3 W	WM	30	SW NW	11.0
4 S	4 W	WM	25	NE NE	25.1
4 S	4 W	WM	25	NW NE	9.1
4 S	4 W	WM	25	SW NE	35.0
4 S	4 W	WM	25	SE NE	10.4
4 S	4 W	WM	25	NE NW	13.6
4 S	4 W	WM	25	SE NW	36.5
4 S	4 W	WM	25	NE SW	40.2
4 S	4 W	WM	25	NW SW	0.8
4 S	4 W	WM	25	SW SW	1.1
4 S	4 W	WM	25	SE SW	12.9
4 S	4 W	WM	25	NW SE	33.9
4 S	4 W	WM	25	SW SE	10.4
Total					254.8

Received by OWRD
 NOV 04 2024
 Salem, OR

Permit Amendment T-13594 Conditions:

The combined quantity of water diverted at the new additional point of appropriation (East Airport Well 2), together with that diverted at the old point of appropriation (East Airport Well), shall not exceed the quantity of water lawfully available at the original point of appropriation (East Airport Well).

Water shall be acquired from the same aquifer as the original points of appropriation.

Existing Permit Conditions:

1. Water Use Measurement, Recording and Reporting Conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water used each month, and shall submit an annual report which includes the recorded water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the water user to report general water use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

2. Static Water Level Conditions

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to obtain, from a qualified individual (see below), and report annual static water-level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Received by OWRD

Measurements must be made according to the following schedule:

NOV 04 2024

Before Use of Water Takes Place

Salem, OR

Initial and Annual Static Water Level Measurements

The Department requires the permittee to report an initial water-level measurement in the month specified above once well construction is complete, and annually thereafter until use of water begins; and

After Use of Water has Begun

Seven Consecutive Annual Static Water Level Measurements

Following the first year of water use, the user shall report seven consecutive annual static water-level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require the user to obtain and report additional annual static water-level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- A. Identify each well with its associated measurement; and
- B. Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method used to obtain each well measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer

than five consecutive years; or

- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non-use or restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

3. Groundwater production shall only be from the alluvial groundwater reservoir.

Received by OWRD

NOV 04 2024

4. Well Identification Tag Condition:

Salem, OR

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.


STANDARD CONDITIONS

1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
2. If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.
3. If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.
4. The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.
5. Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.


6. Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.
7. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
8. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.
9. The original permit was issued October 1, 2019. Construction of the well shall begin on or before October 1, 2024. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the construction deadline to begin is missed.
10. The original permit was issued October 1, 2019. Complete application of the water shall be made on or before October 1, 2024. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.
11. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

MAY 19 2022

Signed _____



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department



Received by OWRD

NOV 04 2024

Salem, OR

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment)
T-13594, Yamhill County)
) FINAL ORDER
) APPROVING AN ADDITIONAL POINT OF
) APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

SARBANAND ENTERPRISES, LLC
786 RD 188
DELANO, CA 93215

Findings of Fact

1. On January 11, 2021, SARBANAND ENTERPRISES, LLC filed an application for an additional point of appropriation under Permit G-18272. The Department assigned the application number T-13594.
2. Notice of the application for the permit amendment was published in the Department's weekly notice on January 26, 2021, and in the News Register newspaper on March 25 and April 1, 2022, pursuant to ORS 540.520(5). No comments were filed in response to the notices.
3. Permit Amendment Application T-13594 proposes an additional point of appropriation approximately 0.3 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
4 S	4 W	WM	25	SE NE	EAST AIRPORT WELL 2 - 1620 FEET SOUTH AND 850 FEET WEST FROM THE NE CORNER OF SECTION 25

Received by OWRD

NOV 04 2024

Salem, OR

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 and OAR 690-01-0005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Permit Amendment Review Criteria

4. The change would not result in injury to other water rights.
5. The change does not enlarge the permit.
6. The change does not alter any other terms of the permit.


Conclusions of Law

The additional point of appropriation proposed by Permit Amendment Application T-13594 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

1. The additional point of appropriation proposed by Permit Amendment Application T-13594 is approved.
2. Permit G-18744, in the name of SARBANAND ENTERPRISES, LLC, is issued to replace Permit G-18272, and incorporates the amendments approved by this order. Permit G-18272, in the name of SARBANAND ENTERPRISES LLC, is no longer of any force or effect.
3. The combined quantity of water diverted at the new additional point of appropriation (East Airport Well 2), together with that diverted at the old point of appropriation (East Airport Well), shall not exceed the quantity of water lawfully available at the original point of appropriation (East Airport Well).
4. Water shall be acquired from the same aquifer as the original point of appropriation.
5. All other terms and conditions of Permit G-18744 remain the same.

Dated in Salem, Oregon on **MAY 19 2022**


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing Date: **MAY 20 2022**

Received by OWRD
NOV 04 2024
Salem, OR

Received by OWRD

NOV 04 2024

Salem, OR

Attachment B

COBU Map

Claim of Beneficial Use Report – SARBANAND ENTERPRISES LLC

Received by OWRD

NOV 04 2024

Salem, OR

Attachment C

Well Logs

Claim of Beneficial Use Report – SARBANAND ENTERPRISES LLC

RECEIVED

YAMH
6833

4S 4W 25 SE NE

~~5S 4W 25 NE~~

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

OCT - 5 1987

(1) OWNER: JOHN STOLLER
Address: 15041 STOLLER RD NE
City: DAYTON State: OR Zip: 97114

(2) TYPE OF WORK:
 New Well Deepen Recondition Abandon

(3) DRILL METHOD:
 Rotary Air Rotary Mud Cable
 Other

(4) PROPOSED USE:
 Domestic Community Industrial Irrigation
 Thermal Injection Other: FARM USE

(5) BORE HOLE CONSTRUCTION:
al Construction approval Yes No
Explosives used Yes No Type Amount

HOLE SEAL table with columns: Diameter, From, To, Material, From, To, Amount

How was seal placed: Method A B C D E

Backfill placed from 19 ft. to 126 ft. Material 3/8" P

(6) CASING/LINER table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded

Final location of shoe(s)

PERFORATIONS/SCREENS:

Perforations Method SKIL SAW
 Screens Type Material

Table for Perforations/Screens with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner

(8) WELL TESTS: Minimum testing time is 1 hour

Table for Well Tests with columns: Yield gal/min, Drawdown, Drill stem at, Time

Temperature of water Depth Artesian Flow Found
Was a water analysis done? Yes By whom
Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other
Depth of strata:

(9) LOCATION OF WELL by legal description:
County YAMHILL Latitude Longitude
Township 5 N (S) Range 4 E of W, WM.
Section 2 NE 1/4 SW 1/4
Tax Lot Lot Block Subdivision
Street Address of Well (or nearest address)

(10) STATIC WATER LEVEL:
31 ft. below land surface. Date 9/30/87
Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES:
Depth at which water was first found 75

Table for Water Bearing Zones with columns: From, To, Estimated Flow Rate, SWL

(12) WELL LOG: Ground elevation

Table for Well Log with columns: Material, From, To, SWL

Received by OWRD

NOV 04 2024

Salem, OR

Date started 10/28/87 Completed 9/30/87

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed David G. Payringer WWC Number 1438 Date 10/1/87

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

Signed Robert J. Halburn WWC Number 417 Date 10-1-87

NOV 04 2024



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.oregon.gov/owrd

Application for
Well ID Number

Salem, OR

RECEIVED

JUN 16 2023

OWRD

Do not complete if the well already has a Well Identification Number.

I. OWNER INFORMATION

Current Owner Name (please print): Sarbanand Enterprises, LLC
Mailing Address: 786 RD 188
City, State, Zip: Delano, CA, 93215
Mail Well ID to: [] SAME AS ABOVE [X] In Care Of (C/O)
Name & Address: GSI Water Solutions, Inc. 1600 SW Western Boulevard, Suite 240
City, State, Zip: Corvallis, OR 97333

II. WELL LOCATION INFORMATION (Please fill out as completely as possible)

Township: 4 S (North / South) Range: 4 W (East / West) Section: 25 SE 1/4 of the NE 1/4
Tax Lot (usually last 3-5 numbers of Tax Map #): 100 County Yamhill
GPS Coordinates: 45° 11' 45.98" N 123° 7' 5.35" W
Street Address of Well, City: 11480 SE Cruickshank RD Dayton, OR
If the property had a different street address in the past:

III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report, if available)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): Irrigation
Date Well Constructed (or property built): 9-30-87 Total Well Depth: 124' Casing Diameter: 8"
Owner at time the well was constructed (if known): John Stoller Well Report # (if known): YAMH 6833 & 50997
Other Information: Well POD 2, water right permit G-18744. Driller misfiled original log in 5S 4W 2; corrected above.

SUBMITTED BY (please print): GSI Water Solutions, Inc. ATTN: Zach Pike-Urlacher * previously attached well ID # L-19471 LOST!
PHONE: 360-739-2303 EMAIL &/or FAX: zpikeurlacher@gsiws.com

To send the completed application, you may MAIL it to: Oregon Water Resources Dept. 725 Summer St NE, Suite A, Salem, Oregon 97301. Or EMAIL the completed PDF form to: Ladeena.K.Ashley@water.oregon.gov, or FAX it to: (503) 986-0902.

* Replacement *

For Official Use Only by the Oregon Water Resources Department:
Received Date: 6-16-2023
Well Report Number: YAMH 6833 (orig) YAMH 50997 (altered)
Well Identification #: L-151816

Yamh
50997

Replacement L 151816

RECEIVED

APR 27 1998

WATER RESOURCES DEPT.
SALEM, OREGON

State of Oregon
WATER WELL REPORT (as required by ORS 537.765)

Page 1 of 1

State Well ID L19471 LOST!
Start Card # 114720

(1) OWNER: Well No. 1745
Name EVERGREEN VENTURES
Address PO BOX 661
City MCMINNVILLE St OR Zip 97128

(2) TYPE OF WORK: Repair

(3) DRILL METHOD: NA

(4) PROPOSED USE: DOMESTIC

(5) BORE HOLE CONSTRUCTION:
Special Construction Approval NO Depth of Compl. Well NA ft
Explosives used NO Type Amount
HOLE SEAL
Diam. From To Material From To Amount
BENTONITE 0 4 1 SACK

Seal placement method POURED/TAMPED
Backfill: from ___ ft to ___ ft Material
Gravel: from ___ ft to ___ ft Size

(6) CASING/LINER:
Casing 6 Diam. From To Gauge Material Connection
+2 3 SDR26 PLASTIC WELDED
Liner
Final Location of shoe(s)

(7) PERFORATIONS/SCREENS:
[] Perf. Method
[] Screens Type Material
Slot Tele/pipe
From To Size Number Diam. Size Casing/liner

(8) WELL TESTS: Minimum testing time is 1 hour
Test type
Yield GPM Draw-down Drill stem at Time 1 hr.

Temperature of water Depth Artesian Flow Found
Was water analysis done? NO By whom
Reason for water not suitable for use
Depth of strata

(9) LOCATION OF WELL by legal description:
County YAMHILL Lat. Long.
Township 4 S Range 4 W WM.
Section 25 NW 1/4 NE 1/4
Tax Lot 200 Lot Block Subdivision
Street Address of Well (or nearest Address)
11480 SE CRUICKSHANK RD DAYTON, OR

(10) STATIC WATER LEVEL:
___ ft. below land surface. Date
Artesian pressure ___ lb per square in. Date

(11) WATER BEARING ZONES:
Depth at which water was first found
From To Est Flow Rate SWL

(12) WELL LOG:
Ground elevation 160
Material From To SWL
REPAIR OF EXISTING 6" PVC CASING WELL.
REPAIR CONSISTED OF REMOVE AND REPLACE
BROKEN PVC CASING. DAMAGE WAS ABOUT 2'
BELOW SURFACE GRADE.
NEW PVC EXTENDS TO 30" ABOVE SURFACE.
ALSO INSTALLED 8" STEEL CASING AROUND
PVC. STEEL CASING IS 4' INTO GROUND TO
6" ABOVE TOP OF PVC CASING.
BENTONITE SEAL INSTALLED BETWEEN PVC AND
STEEL CASING.
NEW WELL ID BADGE ATTACHED TO 8" CASING.
BADGE #L19471.
DAVE PAYSINGER, BLUE WATER DRILLING CO.
503-868-7878

Date started 04/23/98 Completed 04/23/98

(unbonded) Water Well Constructor Certification: I certify that
the work I performed on the construction, alteration, or abandon-
ment of this well is in compliance with Oregon water supply
well construction standards. Materials used and information
reported above are true to my best knowledge and belief.
Signed _____ WWC Number _____
Date _____

(bonded) Water Well Constructor Certification: I accept respon-
sibility for the construction, alteration, or abandonment work
performed on this well during the construction dates reported
above. All work performed during this time is in compliance
with Oregon water supply well construction standards. This
report is true to the best of my knowledge and belief.
Signed David A. Paysinger WWC Number 1438
Date 04/23/98

Received by OWRD
NOV 04 2024
Salem, OR

NOV 04 2024

Salem, OR



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.oregon.gov/owrd

Application for
Well ID Number

RECEIVED

JUN 16 2023

OWRD

Do not complete if the well already has a Well Identification Number.

I. OWNER INFORMATION

Current Owner Name (please print): Sarbanand Enterprises, LLC
Mailing Address: 786 RD 188
City, State, Zip: Delano, CA, 93215
Mail Well ID to: [] SAME AS ABOVE [X] In Care Of (C/O)
Name & Address: GSI Water Solutions, Inc. 1600 SW Western Boulevard, Suite 240
City, State, Zip: Corvallis, OR 97333

II. WELL LOCATION INFORMATION (Please fill out as completely as possible)

Township: 4 S (North / South) Range: 4 W (East / West) Section: 25 SE 1/4 of the NE 1/4
Tax Lot (usually last 3-5 numbers of Tax Map #): 100 County Yamhill
GPS Coordinates: 45° 11' 45.98" N 123° 7' 5.35" W
Street Address of Well, City: 11480 SE Cruickshank RD Dayton, OR
If the property had a different street address in the past:

III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report, if available)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): Irrigation
Date Well Constructed (or property built): 9-30-87 Total Well Depth: 124' Casing Diameter: 8"
Owner at time the well was constructed (if known): John Stoller Well Report # (if known): YAMH 6833 & 50997
Other Information: Well POD 2, water right permit G-18744. Driller misfiled original log in 5S 4W 2; corrected above.

SUBMITTED BY (please print): GSI Water Solutions, Inc. ATTN: Zach Pike-Urlacher * previously attached well ID # L-19471 LOST!
PHONE: 360-739-2303 EMAIL &/or FAX: zpikurlacher@gsiws.com

To send the completed application, you may MAIL it to: Oregon Water Resources Dept. 725 Summer St NE, Suite A, Salem, Oregon 97301.
Or EMAIL the completed PDF form to: Ladeena.K.Ashley@water.oregon.gov, or FAX it to: (503) 986-0902.

* Replacement *

For Official Use Only by the Oregon Water Resources Department:

Received Date: 6-16-2023
Well Report Number: YAMH 6833 (orig)
Well Identification #: L-151816
YAMH 50997 (altered)

Received by OWRD

NOV 04 2024

Salem, OR

Attachment D

Pump Calculations

Claim of Beneficial Use Report - SARBANAND ENTERPRISES LLC

East Airport Well 2 Pump Capacity

Pump Capacity Calculation Sheet

using Department designed formula:

$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 5
Efficiency = 7.04
Lift = 100
PSI = 17

Results Calculated

$(hp)(\text{efficiency}) = 35.2$
Head based on psi = 43.2
Total dynamic head = 143.2
(head + lift)

Pump Capacity = 0.25 cubic feet per second

Received by OWRD

NOV 04 2024

Salem, OR

Received by OWRD

NOV 04 2024

Salem, OR

Attachment E

Static Water Level Measurements

Claim of Beneficial Use Report – SARBANAND ENTERPRISES LLC

Measured Water Levels:

<u>Date</u>	<u>Time</u>	<u>Water Level (BLSD)</u>	<u>WL Elev (ft AMSL)</u>	<u>Organization</u>	<u>OWRD</u>	<u>Method</u>	<u>Status</u>	<u>MP Height</u>
4/8/2024		25.74	132.26	CWRE	PERMIT CONDITION PROGRAM	ETAPE	STATIC	2.42
3/4/2024		30.30	127.70	CWRE	PERMIT CONDITION PROGRAM	ETAPE	STATIC	0.90
3/16/2022		30.00	128.00	CWRE	PERMIT CONDITION PROGRAM	ETAPE	STATIC	0.90
3/13/2022		30.00	128.00	CWRE	PERMIT CONDITION PROGRAM	ETAPE	STATIC	0.90
3/12/2021		31.10	126.90	PROFESSIONAL ENGINEER	PERMIT CONDITION PROGRAM	ETAPE	STATIC	0.90
3/17/2020		36.20	121.80	PROFESSIONAL ENGINEER	PERMIT CONDITION PROGRAM	ETAPE	STATIC	0.90
10/29/1989		25.00	133.00	DRILLER	WELL LOG	REPORTED	UNKNOWN	

Received by OWRD

NOV 04 2024

Salem, OR

Received by OWRD

NOV 04 2024

Salem, OR

Attachment F

Pump Test

Claim of Beneficial Use Report – SARBANAND ENTERPRISES LLC



2133 DOUGLAS ST
 FOREST GROVE, OR 97116
 (503)-357-2222 (503)-657-8000
www.clearwaterpumpservices.com
clearwaterpump@hotmail.com

Date Completed: 6/17/2020

Job Site Address: CRUICSHANK RD
 Customer Name: MUNGER

<u>Time</u>	<u>Flow Rate in Gallons Per Minute</u>	<u>Pumping Level (ft')</u>	<u>Discharge PSI</u>
12PM	40	100	0
12:20PM	40	115	0
12:40PM	30	115	0
1PM	30	115	0
1:20PM	30	115	0
1:40PM	30	115	0
2PM	30	115	0
2:20PM	30	115	0
2:40PM	30	115	0
3PM	30	115	0
3:20PM	30	115	0
3:40PM	30	115	0
4PM	30	115	0

Static Water Level: 41'

Well Depth: 125'

Pump Type: N/A

Pressure Tank: N/A

Air Pressure: N/A

Pressure Settings: N/A

Water Filtration Equipment: NONE

Drop Pipe: N/A

Plumbing Size: N/A

Plumbing Type: N/A

Wire Size: N/A

Pitless: N/A

Well Seal: N/A

Mineral Test Raw: N/A

Hardness:

Iron:

PH:

TDS:

Mineral Test Treated: N/A

Hardness:

Iron:

PH:

TDS:

Received by OWRD

NOV 04 2024

Salem, OR

VERY SANDY AND HAS SMALL GRAVEL.

Received by OWRD

NOV 04 2024

Salem, OR

Attachment G

Water Use Reports

Claim of Beneficial Use Report – SARBANAND ENTERPRISES LLC

Water Use Report Based on Water Right



Permit: G 18744 *

SARBANAND ENTERPRISES LLC 786 RD 188 DELANO, CA 93215

Records per page: 10 [View All](#)

Acre-feet (AF) of Water Used

Water Year*	Report ID	Facility	Acre-feet (AF) of Water Used												Total Water Used	Irrigated Acres		
			Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep				
2023	68228	EAST AIRPORT WELL (YAMH 5459 & 54493/L82396)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2023	68844	EAST AIRPORT WELL 2 (YAMH 6833/L-50997)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.32	0.32	0.00	0.00	0.00	0.00	0.95	
2022	68228	EAST AIRPORT WELL (YAMH 5459 & 54493/L82396)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.21	
2022	68844	EAST AIRPORT WELL 2 (YAMH 6833/L-50997)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2021	68228	EAST AIRPORT WELL (YAMH 5459 & 54493/L82396)							0.03	0.27	0.34	0.33	0.34	0.29			1.61	208.00
2020	68228	EAST AIRPORT WELL (YAMH 5459 & 54493/L82396)								0.19	0.11	0.15	0.31	0.00			0.77	190.00
2019	68228	EAST AIRPORT WELL (YAMH 5459 & 54493/L82396)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00


*The water year is named for the calendar year in which it ends. Example: the 2018 water year begins Oct. 1, 2017 and ends Sep. 30, 2018.

- The Water Resources Department makes reasonable efforts to screen the data for quality control; however, the Department cannot accept responsibility for errors, omissions, or accuracy of the information. Notification of any errors is appreciated. Send notifications to owrd_waterusereporting@water.oregon.gov or call 971-345-7489.
- Water use is reported by point of diversion (POD), rather than by water right.
- If a POD is shared with multiple water rights, it is not feasible to separate out the amount used under the water right being queried from water used by other rights using this same POD.
- Monthly amounts indicate:
 - For diverted rights, the total amount diverted during the month;
 - For storage rights, the amount generally stored in the reservoir/pond during the month, as represented by the volume of water impounded on approximately the same day each month.
- Water use amounts have all been converted to "acre-feet" (AF), regardless of the original measurement unit reported. One AF is the volume of water that will cover an acre of ground one foot deep = 325,850 gallons.
- Zeroes indicate that a report was received stating that no water was used during those months; if a year is not listed, no report of water use was received for that year.

Received by OWRD

NOV 04 2024

Salem, OR



Received by OWRD
NOV 04 2024
Salem, OR

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Sarbanand Enterprises LLC
786 Rd 188 Delano CA 93215

Transaction Type: CBU

Fees Received: \$ 230

Cash Check: Check No. 09670

Name(s) on Check: Same as Above

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,
OWRD Customer Service Staff

Submission received by: Nick Reece
(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (application/other document) in the top drawer of filing cabinet.



10-29-2024

Gerry Clark
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271

RE: Claim of Beneficial Use for Permit G-18744 (Application G-18712)

Gerry:

On behalf of Sarbanand Enterprises LLC, please find enclosed a Claim of Beneficial Use report for Permit G-18744.

Please do not hesitate to contact me at 541-753-0933 with questions about the enclosed COBU.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher".

Zach Pike-Urlacher
Water Resources Consultant

A handwritten signature in blue ink that reads "Robyn Cook".

Robyn Cook, RG, PG, CWRE
Principal Hydrologist

Enclosures:
Claim of Beneficial Use for Permit G-17963 and \$230 fee

Received by OWRD

NOV 04 2024

Salem, OR