Oregon DEQ Division 33 Review Summary Sheet



Application Information

Applicant Name:	Robinson Farm LLC	Application Number:	G-19253	
			0.23 CFS, further limited	
Basin & Sub-basin:	Willamette, Middle	Requested Water Amount:	to 45.5 AF of water	
basin & sup-pasin:	Willamette	Requested Water Amount.	annually, from Well 3	
			(YAMH 453) and Well 4	
Nearest Surface	Salt Creek	Nearest Receiving	South Yamhill River	
Water:	Sait Creek	Waterbody:		
Proposed Use:	Nursonyuso	Requested Period of Use:	November 1 through	
Proposed Ose:	Nursery use	Requested Period of Ose.	February 28/29	

•	,	•		February 28/29
Division 33 Geographic	Area			
$oxtimes$ Lower Columbia $\ \Box$	Upper Columbia ⊠ Statewide			
completed below, doe	umbia Basins only: Based upon the esthe proposed use comply with estandards or may conditions be app	xisting state and	□No	⊠ Yes ☐ Insufficient data
cause either "loss" or or endangered (ST&E)	roposed use result in water quality "net loss" of essential habitat of se) fish species? (Note: the presence l by Oregon Department of Fish and	ensitive threatened of ST&E fish	□No	
Recommended Pre-Pro	oposed Final Order Actions			

Recommended Permit Conditions

by DEQ prior to issuance of a proposed final order.

- 1. Water Quality: All water use under this permit shall comply with state and federal water quality laws. The permittee shall not violate any state and federal water quality standards, shall not cause pollution of any waters of the state, and shall not place or cause to be placed any wastes in a location where such wastes are likely to escape or be carried into the waters of the state by any means. The use may be restricted if the quality of source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards. Permittee is responsible for obtaining any necessary state and federal permits.
- 2. Agricultural Water Quality Management Area Rules: The permittee shall comply with basin-specific Agricultural Water Quality Management Area Rules described in Oregon Administrative Rule Chapter 603-095. The permittee shall protect riparian areas, including through irrigation practices and the management of any livestock, allowing site capable vegetation to establish and grow along streams, while providing the

following functions: shade (on perennial and some intermittent streams), bank stability, and infiltration or filtration of overland runoff.

- **3. Flow Restrictor:** The permittee shall install a flow control valve on the diversion system to limit use to the permitted rate. The valve shall be in place, functional, and verified by the Certified Water Rights Examiner before a certificate is issued. The valve or a suitable replacement shall remain in place for the life of the water right.
- 4. Limit Period of Use: Water use shall be limited to the period: December 1 through February 28/29

Seasonal Limitations

Reason for limitation	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TMDL: Critical period Temp							\boxtimes	\boxtimes	\boxtimes			
WAB: 20% flow threshold exceeded						\boxtimes	\boxtimes	\boxtimes	\boxtimes			
Other: Instream Right or Bio-logically								\boxtimes			\boxtimes	
necessary flows												
Other:												

Additional	l Reviewer	comments	□ No	☑ Yes	s
------------	------------	----------	------	-------	---

[Use this space to describe any of the following: reasoning to substantiate permit conditions; examples of additional information that may allow or disallow the use; and why any variations to the standard Division 33 review process were necessary. Designate conditions related to Division 310 with an asterisk.]

OWRD IR: The Department has determined that the proposed groundwater use will have the potential for substantial interference (PSI) with Salt Creek and South Yamhill River.

OWRD GW review found that the proposed groundwater use will have the potential for substantial interference with Salt Creek (a tributary to the South Yamhill River). The review found that PSI with Salt Creek WAB is the limiting factor. Both wells were evaluated against the Salt Creek WAB, rather than the nearby S Yamhill River WAB due to Salt Creek exhibiting higher sensitivity in relation to much lower summer flows.

DEQ recommends the conditions on this review form including limit the period of use to December 1 through February 28/29 to support both biologically necessary flow and limit further degradation of water quality.

Interagency consultation: [Describe any substantial interagency consultation. Who was contacted and what was discussed?]

DEQ review prepared by: Steven Parrett | **Date complete:** 11/22/2024

Antidegradation Policy:

The purpose of DEQ's Antidegradation Policy (OAR 340-041-0004(1)) is to guide decisions that affect water quality to prevent unnecessary further degradation from new or increased point and nonpoint sources of pollution, and to protect, maintain, and enhance existing surface water quality to ensure the full protection of all existing beneficial uses. Oregon's Antidegradation Policy allows exemptions and conditions for new or increased water use.

1. Temporary Use or Net Benefit

Does the applicant propose a temporary use in response to an emergency, a restoration activity that the DEQ has determined provides a net ecological benefit, or a temporary (lasting less than six months) use to protect

	human health and welfare, for which the applicant has demon	strated that th	ney will minimize adverse effects
	to threatened and endangered species?	3 No	☐ Yes
	If yes, recommend approval of the application and identify corthe habitat of ST&E fish species. You may skip to Question 7.	nditions necess	sary to protect water quality for
2.	2. Outstanding Resource Water		
	Does the applicant propose withdrawing directly from an Outs	standing Resou	urce Water with critical habitat
	for ST&E fish species?	☑ No	☐ Yes
	If yes, then prior to permit issuance, the applicant must provid	le suitable flow	v mitigation. You may skip to
	question 7.		
3.	3. Water Quality Limited		
	Is this source Water Quality Limited or a tributary to a water of		•
	downstream review to 6 th field HUC for parameters that dimin	ished flow can	affect (temperature, dissolved
	oxygen, pH, etc.). \Box] No	⊠ Yes
	Integrated Report 303(d) List Summary Table		

Assessment Unit Name	Assessment Unit Description	Parameter	Status*	Beneficial Uses
		Dissolved Oxygen spawn	Category 5	Fish and Aquatic Life
South Yamhill	North Yamhill River	Temperature year_round	Category 5	Fish and Aquatic Life
River	to Salt Creek	Iron	Category 5	Fish and Aquatic Life
		Phosphorus	Category 4A	Fish and Aquatic Life
	Ash Swale to confluence with	Fecal Coliform	Category 5	
		Dissolved Oxygen spawn	Category 5	Fish and Aquatic Life
Salt Creek		Dissolved Oxygen year_round	Category 5	Fish and Aquatic Life
	South Yamhill River	Temperature year_round	Category5	Fish and Aquatic Life
		Phosphorus	Category 4A	Fish and Aquatic Life

^{*}Integrated Report Category

Category 4 - Data indicate that at least one designated use is not supported, but a TMDL is not needed to address the pollutant

Category 4A - Clean-up plans (also called TMDLs) that will result in the waterbody meeting water quality standards and supporting its beneficial uses have been approved

Category 4B - Other pollution control requirements are expected to address pollutant of concern and will result in attainment of water quality standards

Category 4C - The impairment is caused by pollution, not a pollutant. For example, flow, or lack of flow, are not considered pollutants, but may be affecting the waterbody's beneficial uses

Category 5 - Data indicate a designated use is not supported or a water quality standard is not attained and a TMDL is needed. This category constitutes the Section 303(d) list that EPA will approve or disapprove under the Clean Water Act

Analysis: [If the answer to question 3 is yes, then describe how the use does or does not comply with existing state and federal water quality standards, and how the use may affect ST&E fish species habitat.]

Dissolved Oxygen

Decreased dissolved oxygen levels adversely impact sensitive, threatened, and endangered fish. Oregon's dissolved oxygen limits are based on the most sensitive species and the life history stage of those species at the location and season of concern. South Yamhill River does not meet Oregon's spawning dissolved oxygen standards. Reduced flows may increase water temperature and reduce surface area and turbulence, which can decrease dissolved oxygen. Therefore, reducing flow in waterbodies that are connected to downstream dissolved oxygen-impaired waterbodies, such as Salt Creek, could result in lower stream dissolved oxygen levels and stressed conditions for aquatic life, particularly during the summer months when stream flow is

lowest. If year-round standard triggered: The critical warm period when stream conditions are most likely to exceed the year-round dissolved oxygen standards is July 1 – September 30.

Temperature

Increases in temperature adversely impact sensitive, threatened, and endangered fish. Fish require different temperature based on species and life history stage. Oregon's temperature limits are based on the most sensitive species and the life history stage of those species at the location and season of concern. South Yamhill River does not meet Oregon's year-round stream temperature standards. Generally, water temperatures increase as flow decreases. Therefore, reducing flow in waterbodies that are connected to downstream temperature-impaired waterbodies, such as Salt Creek, could result in higher stream temperatures and stressed conditions for aquatic life, particularly during the summer months when stream flow is lowest. If year-round standard triggered: The critical warm period when stream conditions are most likely to exceed the year-round temperature standards is July 1 – September 30.

Iron

Iron is common in many rocks and is an important component of many soils. Iron is an essential trace element required by both plants and animals. Ferrous (Fe2+) and ferric (Fe3+) irons are the primary forms of concern in the aquatic environment. Ferrous iron is colorless (clear) while ferric iron will show up as a rust-colored stain in the water. Iron bacteria may also be present in streams associated with mining waste or ground water recharge. A rust-colored slime often forms rocks and other surfaces when iron bacteria are present. Iron and manganese often occur together. High concentrations of these metals can result in discolored water. Where water supplies are used for domestic purposes, elevated iron and manganese concentrations can result in stained plumbing fixtures and an unpleasant metallic taste to the water. Iron deposits can buildup in pressure tanks, storage tanks, water heaters, and pipelines, decreasing capacity, reducing pressure, and increasing maintenance. Iron and manganese concentrations of concern are generally established based on aesthetic and economic considerations (unpleasant tastes and coloration) rather than toxicity. A reduction in streamflow will lead to an increased concentration of iron and manganese in the water column. This may result in increased bacterial growth and an increase in aesthetic, recreational and domestic water system impacts.

Phosphorus/Phosphate

Phosphorus is an essential plant nutrient, but an excess of phosphorus can be detrimental to aquatic life. High phosphorus concentrations can lead to eutrophication, a situation where aquatic plants grow so rapidly that dissolved oxygen concentrations drop below the levels needed to sustain fish and other aquatic life. Phosphate (also referred to as orthophosphate) is a chemical form of phosphorus that is very soluble and readily available for plant uptake, leading to rapid growth and, in the case of algae, rapid expansion of algal blooms. Salt Creek and South Yamhill River are already known to have an excess of phosphorus. A reduction in streamflow will increase phosphorus concentrations. This would cause longer or more severe instances of oxygen depletion, resulting in a diminution of water quality for the habitat of sensitive, threatened, or endangered fish species.

Fecal Coliform / Bacteria

Fecal indicator bacteria are used as a surrogate for potential fecal pathogen contamination in waterbodies. In Oregon freshwaters, the primary fecal indicator bacteria is Escherichia coli (E. coli). DEQ established the following numeric criteria to be protective of human contact recreation in freshwaters: A) the 90-day geometric mean (of 5 or more samples) of 126 E. coli organisms per 100 mL, and B) No single sample may exceed 406 E. coli organisms per 100 mL.

Fecal contamination of waterbodies originates from both point and nonpoint sources containing feces from humans and other warm-blooded animals, including wildlife, pets, and livestock. Examples of point sources include wastewater treatment plants (WWTPs), stormwater conveyance systems, and combined sewer

overflows. Nonpoint sources of fecal contamination include direct deposition of fecal matter into waterbodies, transport of fecal material in runoff from the watershed, and leaching from failing on-site septic systems.
Recommended Conditions: [Consider if water quality can be protected by limiting the rate and quantity of water used, period of use, or by including other permit conditions.]
Water Quality, Agricultural Water Quality Management Area Rules, Flow Restrictor
Total Maximum Daily Load Summary Are there TMDLs established for parameters identified as being affected by flow modification? □ No ☒ Yes
Analysis: [List TMDL, identify the load allocation, and if flow modification is a contributing factor. Describe how the use does or does not comply with existing state and federal water quality standards and how the use may affect ST&E fish species habitat.]
Middle Willamette The Willamette Basin has an approved TMDL for stream temperature (DEQ, 2006). DEQ is currently under court order to replace the temperature TMDL. The current Willamette Basin TMDL is in effect until the new one is approved. The Willamette Basin temperature TMDL for the Middle Willamette Basin applies to all perennial and/or fish bearing streams in the Middle Willamette Subbasin – including Chehalem Creek. Salmonid fish spawning and rearing, anadromous fish passage, resident fish and aquatic life are the most sensitive beneficial uses in the Middle Willamette Subbasin. Land use activities including riparian condition, channel morphology, and hydrology can influence stream temperature in the Middle Willamette Subbasin. Land use activities that divert flows from natural channels during low flow periods may substantially diminish the thermal loading capacity of the stream while also increasing solar loading to the stream because of lower velocities and greater travel times through exposed reaches. The critical condition for stream temperature and heat loading is the seasonal period of maximum stream temperatures and lowest stream flows. Maximum stream temperatures are a function of combining the effects of atmospheric inputs (solar radiation) and low stream flows that usually occur during the summer period. In the Middle Willamette Subbasin, this usually occurs in late summer to early fall. Therefore, the proposed withdrawal has the potential to impair ST&E fish species habitat during the critical period (mid-July through mid-August).
Recommended Conditions: [Consider if water quality can be protected by limiting the rate and quantity of water used, period of use, or by including other permit conditions.] Water Quality, Agricultural Water Quality Management Area Rules, Flow Restrictor
Cumulative Withdrawals Effects Is it likely that the proposed activity, together with existing withdrawals in the OWRD's Water Availability Basin (WAB), will lower water quality and impair aquatic life? ☐ No ☐ Yes
Water Availability and Cumulative Impacts Summary Table Percent of natural flow = (consumptive use/natural stream flow)*100. See Appendix for additional instructions. S YAMHILL R > YAMHILL R - AB COZINE CR: SALT CR > S YAMHILL R - AT MOUTH

4.

5.

Watershed ID	Exceedance Level	Month	Natural Stream Flow	Consumptive Use	Expected Stream Flow	Reserved Stream Flows	Instream Requirement	Net Water Available	Percent of Flow
162	50	JAN	2980	32.2	2950	0	200	2750	1.080537
162	50	FEB	2800	30.2	2770	0	200	2570	1.078571
162	50	MAR	2140	22.8	2120	0	200	1920	1.065421
162	50	APR	1200	17.2	1180	0	200	983	1.433333
162	50	MAY	580	25.3	555	0	200	355	4.362069
162	50	JUN	252	44.8	207	0	150	57.2	17.77778
162	50	JUL	115	67.5	47.5	0	60	-12.5	58.69565
162	50	AUG	64.3	56.5	7.83	0	35	-27.2	87.86936
162	50	SEP	60.8	34.7	26.1	0	35	-8.87	57.07237
162	50	OCT	112	9.61	102	0	112	-9.61	8.580357
162	50	NOV	1080	15.7	1060	0	200	864	1.453704
162	50	DEC	2730	30.1	2700	0	200	2500	1.102564
162	50	ANN	847000	23400	824000	0	108000	720000	2.762692

Monthly flow in Cubic Feet per Second (CFS). Annual flow in Acre Feet (AF)). Highlight months that exceed 20% of percent of flow

Watershed ID	Exceedance Level	Month	Natural Stream Flow	Consumptive Use	Expected Stream Flow	Reserved Stream Flows	Instream Requirement	Net Water Available	Percent of Flow
73562	50	JAN	345	18.8	326	0	0.4	326	5.449275
73562	50	FEB	295	16.4	279	0	0.4	278	5.559322
73562	50	MAR	239	13.6	225	0	0.4	225	5.690377
73562	50	APR	142	5.82	136	0	0.4	136	4.098592
73562	50	MAY	59.6	7.3	52.3	0	0.4	51.9	12.24832
73562	50	JUN	29.5	14.9	14.7	0	0.4	14.3	50.50847
73562	50	JUL	22.3	18.4	3.95	0	0.4	3.55	82.51121
73562	50	AUG	11.9	14.7	-2.8	0	0.4	-3.2	123.5294
73562	50	SEP	11.8	7.39	4.4	0	0.4	4	62.62712
73562	50	OCT	16.1	1.19	14.9	0	0.4	14.5	7.391304
73562	50	NOV	58.1	4.48	53.6	0	0.4	53.2	7.710843
73562	50	DEC	314	17.3	297	0	0.4	296	5.509554
73562	50	ANN	92900	8470	84600	0	290	84300	9.11733

Monthly flow in Cubic Feet per Second (CFS). Annual flow in Acre Feet (AF)). Highlight months that exceed 20% of percent of flow

6. Flow Modification Compliance with State and Federal Water Quality Standards

Based on responses to questions 3, 4, and 5, is the use in compliance with state and federal water quality standards or can compliance with state and federal water quality standards be assured, and ST&E habitat loss prevented through flow mitigation and/or by imposing permit condition(s)?

Recommended Conditions: [If water quality can be protected by modifying or limiting the amount diverted, period of use, or other permit conditions, then select appropriate condition from the conditions list.]

Flow restrictor, Limit Period of Use

□ No

7. Compliance with other State and Federal Water Quality Standards

ORS 468B.025 prohibits pollution of waters of the state. Are there additional water quality impairments that
would result from this proposed used by degrading surface water or groundwater quality?

∇	No	Yes
\triangle	INO	162

the standardized menu of conditions.
Recommended conditions: [List conditions]

If water quality can be protected by applying permit conditions, then select all appropriate conditions from

PRE-PROPOSED FINAL ORDER ACTIONS

DEQ recommends that the applicant provide suitable replacement water as mitigation for anticipated impacts to water quality and more specifically the habitat of sensitive, threatened, and endangered fish species. Additional mitigation may be required from other Interagency Review Team members (for example: OWRD may require mitigation for periods when water is not available). Surface water flow mitigation is unlikely to provide the same benefit that groundwater can provide to gaining stream reaches. However, if groundwater mitigation is unavailable within the same aquifer, surface water mitigation may provide suitable mitigation.

Flow Mitigation Obligation:

Prior to issuance of a Proposed Final Order, the applicant shall submit a mitigation proposal that is of no less volume and rate than the permitted use. The proposal shall include water that is sourced upstream of the point of diversion or appropriation, or the uppermost point on the stream at which the potential for surface water interference occurs. If a surface water right is used for mitigation, it shall be instream for the *month - month time* period and of similar water quality. The applicant should contact their OWRD caseworker to discuss flow mitigation options.

Riparian: If the riparian area is disturbed in the process of developing, modifying or repairing a point of diversion under this water use permit, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with the Oregon Department of Fish and Wildlife's Habitat Mitigation Policy described in Oregon Administrative Rule OAR Chapter 635-415. Prior to development, modification or repairs at the point of diversion, the permittee shall submit, to the Oregon Water Resources Department, either a Riparian Mitigation Plan approved in writing by Oregon Department of Fish and Wildlife (ODFW) or a written declaration from ODFW that riparian mitigation is not necessary. The permittee shall maintain the riparian area for the life of the permit and subsequent certificate per the approved Riparian Mitigation Plan. The permittee is hereby directed to contact the local Oregon Department of Fish and Wildlife Fish Biologist prior to development of the point of diversion.

Water Storage Construction: The applicant shall locate the reservoir outside of the stream's natural channel. identify waterbody and set back to prevent stream capture and justification for distance selected.

(Note to reviewer: The 1200C permit requires a 50-foot setback, which is cited from the National General Construction Permit OAR-660-023-0090(5). Requiring the storage reservoir to be outside of the mapped 100 year floodway may also be a protective buffer.)

Construction Activities: 1200-C NPDES Stormwater Construction permit coverage is required from DEQ or Agent for construction activities (clearing, grading, excavation, grubbing, stumping, demolition, staging, stockpiling and other land disturbing activities) that will disturb one or more acres, or that will disturb less than one acre of land but is part of a common plan of development or sale that will ultimately disturb one or more acres of land and have the potential to discharge to surface waters or to a conveyance system that leads to surface waters of the state.

In-Water or Riparian Construction: For in-water or riparian construction, permittee may be required to obtain additional permits from the Oregon Department of State Lands, the U.S. Army Corps of Engineers, and the DEQ Section 401 certification program prior to construction. The applicant must contact these agencies to confirm requirements.

Herbicide Applications: When herbicide application is within three feet of water, the permittee is responsible for ensuring that herbicide application laws are met, and that they obtain from DEQ any necessary pesticide application permits, including the 2300-A Pesticide General Permit or the 2000-J NPDES General Permit. Polluted return flows are not allowed to enter waters of the state per ORS 468B.025(1).

STANDARIZED MENU OF CONDITIONS

Water Quality: All water use under this permit shall comply with state and federal water quality laws. The permittee shall not violate any state and federal water quality standards, shall not cause pollution of any waters of the state, and shall not place or cause to be placed any wastes in a location where such wastes are likely to escape or be carried into the waters of the state by any means. The use may be restricted if the quality of source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards. Permittee is responsible for obtaining any necessary state and federal permits.

Agricultural Water Quality Management Area Rules: The permittee shall comply with basin-specific Agricultural Water Quality Management Area Rules described in Oregon Administrative Rule Chapter 603-095. The permittee shall protect riparian areas, including through irrigation practices and the management of any livestock, allowing site capable vegetation to establish and grow along streams, while providing the following functions: shade (on perennial and some intermittent streams), bank stability, and infiltration or filtration of overland runoff.

Flow Restrictor: The permittee shall install a flow control valve on the diversion system to limit use to the permitted rate. The valve shall be in place, functional, and verified by the Certified Water Rights Examiner before a certificate is issued. The valve or a suitable replacement shall remain in place for the life of the water right.

Limit Rate: Water withdrawal shall be limited to *Enter CFS or AF for the defined period, or a month by month rate or volume*.

Limit Period of Use: Water use shall be limited to the period: *start date through end date*.

(Note to reviewer: Do not split the irrigation season. Require mitigation if water is not available during the requested time period.)

Limit Diversion: The permittee shall not divert water under this water use permit unless streamflow in the waterbody name is at or above CFS cubic foot per second, as determined at Gaging Station ID .

Off-Channel Stored Water Releases: The permittee shall not release polluted water from this off-channel reservoir into waters of the state except when the release is directed by the State Engineer to prevent dam failure.

On-Channel Reservoir: The permittee shall design and operate the water storage facility such that all waters within and below the reservoir meet water quality criteria. The permittee shall develop a reservoir operations plan that details how water quality criteria and standards will be met. A Certified Water Rights Examiner shall verify that the reservoir operations are consistent with the plan before a certificate is issued. The reservoir operator shall maintain a copy of the plan and make it available for review upon request.

Restrict Reservoir Release: To prevent pollution downstream, the permittee shall not release water from the reservoir when the flow at Gaging Station ID (gage name) is below the Mean Daily Discharge of *CFS* (discharge which was equaled or exceeded for 90% percent of the time) except when the release is directed by the State Engineer to prevent dam failure.

Live Flow: Once the allocated volume has been stored, permittee shall pass all live flow downstream at a rate equal to inflow, using methods that protect instream water quality.

Lining: The permittee shall line the reservoir with *include material or allowable infiltration rate* to minimize seepage and protect groundwater quality per Oregon Administrative Rule 340-040. The liner is to be in place,

inspected, and approved by the Certified Water Rights examiner prior to storage of water. *If the liner fails, the water user shall replace it within one calendar year. **Site-Specific Condition**: The permittee shall

^{*} OAR 690-410-0010(2)(a), OAR 690-310-0120, OAR 690-310-0140

Appendix: General Overview, Instructions for Water Availability Analysis, and Process Flow Chart

General Overview

The purpose of OAR Chapter 690, Division 33 is to aid the Oregon Water Resources Department (OWRD) in determining whether a proposed use will impair or be detrimental to the public interest with regard to listed sensitive, threatened, or endangered (ST&E) fish species. Oregon's stream temperature, dissolved oxygen (DO), pH and several other water quality standards are based on the life cycle needs of salmonids and other resident fish and aquatic life. Exceeding the standards can disrupt the life cycle of a ST&E fish species and may cause death. In addition, OWRD must consider water quality impacts as part of a public interest review, OAR 690-310-0120. Water quality impacts and conditions unrelated to ST&E species should be noted as "Division 310" in the recommendations to OWRD. The DEQ's Water Right Application Review Procedures document contains a full description of the review process.

The two main categories of Division 33 reviews are based on the geographic distribution of ST&E fish species:

- o **For Proposed Uses in the Columbia River Basin,** reviews must determine whether a proposed use complies with existing state and federal water quality standards. Upper Columbia applications specifically require applicants to provide evidence that the proposed use complies with existing state and federal water quality standards. <u>Geographic scope</u>: Columbia River Basin (includes all waters that ultimately drain into the Columbia River).
- o **For Proposed Uses Statewide,** review is conducted under the "Statewide review" procedure. Statewide reviews must determine whether a proposed use may affect ST&E fish species habitat. The statewide review procedure is intended to identify permit conditions that can prevent the "loss" or "net loss" of essential habitat of ST&E fish species. When permit conditions cannot be identified that meet this standard, then the DEQ recommends denial of the permit. <u>Geographic scope</u>: all areas outside the Columbia River Basin where OWRD determines ST&E fish species are present.

Instructions for Populating the Water Availability Summary Table using data from OWRD's WAB (Section 5)

- Open OWRD's Water Availability Reporting System.
- Search for the water availability basin of interest. Select 50% exceedance. The 50% exceedance stream flow is the stream flow that occurs at least half of the time.
- The water availability analysis will display a nested list of watersheds that contain the POD. Select the highest nesting order WAB that contains the POD.
- Download to an Excel spreadsheet. Percent of flow is calculated using this equation:

$$Percent of Flow = \frac{Consumptive Use}{Natural Stream Flow} * 100$$

You may choose to add the proposed rate (or storage amount) to the consumptive use.

Instructions for Water Availability Analysis

To complete Section 6, review and consider the cumulative impact of consumptive withdrawals using the OWRD WAB. All water withdrawals and the following factors should be considered when conducting a water availability analysis.

- Instream Flow: Consider the percent of natural flow removed from the stream in each month (see right-most column in Water Availability and Cumulative Impacts Summary Table). Based on best professional judgment, evaluate if the cumulative withdrawal is likely to cause impairment to aquatic life or water quality. Water quality standards are established to protect aquatic life. In scientific literature, researchers have identified ecological harm occurring when flows are reduced by >6-35% of daily flow¹. Consider the seasonality of any listings and season of withdrawal to determine impact for each month of the year.
- Antidegradation: Rule 340-041-0004 applies: withdrawals cannot cumulatively increase a waterbody's temperature by more than 0.5 degrees Fahrenheit or cause a 0.1 mg/l decrease in dissolved oxygen from the upstream end of a stream reach to the downstream end of the reach so long as it has no adverse effects on threatened and endangered species. See OAR 340-041-0004(3)-(5) for a description in rule of activities that do not result in lowering of water quality.
- Flow modification: Consider if cumulative withdrawals are contributing to flow modification and a likely limiting factor in the waterbody at certain times of the year. Temperature and dissolved oxygen are flow-related parameters. When streamflow is reduced, assimilative capacity is reduced. As a waterbody heats up, dissolved oxygen concentrations decline. Reduced stream flows (including groundwater inputs to streamflow), exacerbate temperature and/or dissolved oxygen impairments.
- Temperature: Increases in temperature or a reduction in dissolved oxygen adversely impacts ST&E fish. Fish
 require different temperature and concentrations of dissolved oxygen based on species and life history stage.
 Oregon's temperature and dissolved oxygen limits are based on the most sensitive species and the life history
 stage of those species at the location and season of concern. Additional heat or reduction in dissolved oxygen
 concentrations will further impact these species habitat. Reduced flows can also increase the concentrations
 of phosphorous, bacteria, pesticides and metals.

Instructions for Calculating "Limit Diversion" Rate

This condition is selected to limit withdrawals once the cumulative withdrawals in the watershed have exceeded the protective threshold of 20 percent and/or the ISWR is not fully protective of aquatic life. A different value can be selected, but the reviewer should state why a particular percent was selected.

"Natural stream flow" is obtained from OWRD's Water Availability Reporting System. The condition is applied on a monthly timeframe based on OWRD's data.

"Natural stream flow" - (percent of flow * "natural stream flow") = Expected Stream Flow

The applicant would have to stop using when instream flows drop below the Expected Stream Flow.

Example:

Natural stream flow for a particular month = 1200 CFS

1200 CFS - (.2 * 1200 CFS) = 960 CFS

¹ Richter BD, Davis MM, Apse C, Konrad C. 2011. Short Communication, A Presumptive Standard For Environmental Flow Protection. River Research and Applications. Published online in Wiley Online Library (wileyonlinelibrary.com), DOI: 10.002/rra.1551

DEQ Water Right Review Flow Chart

