CLAIM OF BENEFICIAL USE for Transfer New or Additional **POD Only**



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266

www.oregon.gov/OWRD

A fee of \$230 must accompany this form for any Transfer final orders including a water right with a priority date of July 9, 1987, or later.

> Example - A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

A separate form shall be completed for each transfer.

This form is subject to revision. Begin each new claim by checking for a new version of this form at: https://www.oregon.gov/OWRD/Forms/Pages/default.aspx

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. Every item must have a response. If any requested information does not apply to the claim, insert "NA." Do not delete or alter any section of this form unless directed by the form. The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx

SECTION 1

GENERAL INFORMATION

Type of Authorized Change

This Claim is being submitted for a transfer where the only authorized change was a change in either point(s) of diversion or additional point(s) of diversion, or a combination of both. NO YES) If additional changes were authorized, you will need to select a different form.

1.	File Information
AP	PLICATION #
T-	14160

Received

DEC 13 2024

APPLICANT/BUSINESS NAME		PHONE NO.		ADDITIONAL CONTACT No.
Diana Adams		907-304-1435		
Address				
PO Box 675				
CITY	STATE	ZIP	E-MAIL	
HALFWAY	OR	97834	DADAMS 762@ Y	аноо.сом

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. **Each** transfer holder of record must sign this form.

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD				
Diana Adams				
Address				
PO Box 675				
CITY	STATE	ZIP		
HALFWAY	OR	97834		

4. Date of Site Inspection:

11/21/2024

5. Person(s) interviewed and description of their association with the project:

Diana Adams	11/21/2024	Property owner/ irrigator
NAME	DATE	ASSOCIATION WITH THE PROJECT

6. County:

	~	

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

racintly the owner of record for the	at property (one st	37.230(3)).
Owner of Record		
Address		
Сіту	STATE	ZIP

Add additional tables for owners of record as needed


Received

DEC 13 2024

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Paul Garvin		PHONE NO 503-347-7		Additional Contact No.
ADDRESS 1705 Main St. Ste. 101				
CITY	STATE	ZIP	E-MAIL	
Baker City	OR	97814	Garvin.hydrog	geo@gmail.com

Transfer Holder of Record Signature or Acknowledgement

<u>Each</u> transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
Pleana & Alams	Diana Adams	Owner	11/21/24

Received

DEC 13 2024

SECTION 3

CLAIM DESCRIPTION

Note: The Claim <u>only</u> needs to describe the new or additional point(s) of diversion. This Claim does not need to provide information for the original point(s) of diversion unless the original point of diversion is either a new or additional point of diversion on another right involved in this transfer.

1. New or additional point of diversion name or number:

POINT OF DIVERSION	Source
(POD) NAME OR NUMBER	
(CORRESPOND TO MAP)	
POD 1	Pine Creek

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, YES	
or extension final? If yes, describe below.	

(e.g.	"The order allowed to	hree new/additional points	of diversion. The wo	ater user only developed on	e of the points.")

3. Claim Summary:

NEW OR ADDITIONAL POD NAME OR #	MAXIMUM RATE AUTHORIZED IN ORDER	MAXIMUM CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
POD 1	9.1 gpm	18 gpm	-

Received
DEC 1 3 2024
OWRD

SECTION 4

SYSTEM DESCRIPTION

Are there multiple new or additional Po	oints of Diversion (P	?OD)s
---	-----------------------	-------

YES



If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

A. POD System Information

Provide the following information concerning the point of diversion. Information provided must describe the equipment used to appropriate water from the point of diversion.

1. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Munro	LP075B	319011	Centrifugal	2"	1.5"

2. Motor Information

Manufacturer	Horsepower
Munro	0.75

3. Theoretical Pump Capacity

Horsepower	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
0.75	45	6	4	0.04

4. Provide pump calculations:

Q Pump cfs = (0.75)(6.61)/(10+114.3) = total maximum theoretical rate = 0.04 cfs = 18 gpm

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME	TOTAL PUMP OUTPUT
		OBSERVED	(IN CFS)

Reminder: For pump calculations use the reference information at the end of this document.

B. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the diversion involve a gravity flow pipe?

VEC



C. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Does the diversion involve a gravity flow ditch or canal?

Received

ner 13 2024

VEC



D. Additional notes or comments related to the system:

Water user is able to use a valve to restrict flow from the pump to reach the desired rate of 9 gpm.

SECTION 5

CONDITIONS

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE NEW AND/OR ADDITIONAL POD(s) WERE READY FOR USE *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	10/31/2023	
COMPLETENESS DATE FROM ORDER (C)	10/1/2025	6/15/2024

^{*} MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)? If "NO", you may delete the following table.



- 3. Measurement Conditions:
- a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device? NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed?

NO

c. Meter Information

POD NAME OR #	Manufacturer	SERIAL#	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POD 1	ARAD	22-50007444	Working	0.8 AF	6/15/2024

Transfer POD Only - Page 6 of 9

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

YES



WR

If the reports have not been submitted, attach a copy of the reports if available Received

- 5. Fish Screening
- a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

 (YES) NO

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed?

YES

NO

c. When was the fish screening installed?

DATE	Ву Wном
6/20/2024	Property owner

Reminder: If the permit or transfer final order was issued <u>on or after February 1, 2011</u>, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

- d. If the diversion **involves a pump** <u>and</u> the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:
 - Has the self-certification form previously been submitted to the Department? NA YES NO

If not, go to https://www.oregon.gov/OWRD/Forms/Pages/default.aspx, complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

- e. If the diversion does **not involve a pump** <u>or</u> the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:
 - Has the ODFW approval been previously submitted?

NA YES

NO

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at: https://www.oregon.gov/OWRD/Forms/Pages/default.aspx

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

Note: Fish screening approval letter from ODFW dated November 6, 2024 is attached.

- 6. By-pass Devices
- a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion?

YES



- 7. Other conditions required by the transfer final order or extension final order:
 - a. Was the water user required to restore the riparian area if it was disturbed?

YES

(NO)

b. Was a fishway required?

Received

YES

NO

-
?
ı



comply with the condition(s):	

If "VES" to any of the above identify the condition and describe the water user's actions to

SECTION 6

ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Fish Screen Approval letter	Letter from ODFW indicating approval for the fish screen

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1'' = 1320 feet, 1'' = 400 feet, or the original full-size scale of the county assessor map for the location.

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for <u>additional</u> points of diversion, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

Map was created using publicly available GIS data, GIS software handheld GPS, aerial imagery dated 10/28/2024, and ground truthing.

Received

DEC 13 2024

Map Checklist

(Reminder: Incomplete maps and/or claims may be returned.) \boxtimes Map on polyester film Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county X assessor map) \boxtimes Township, Range, Section, Donation Land Claims, and Government Lots X If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters \boxtimes Locations of fish screens and/or fish by-pass devices in relationship to point of diversion \boxtimes Locations of meters and/or measuring devices in relationship to point of diversion or appropriation Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.) *Not required for this type of Claim of Beneficial Use \bowtie Point(s) of diversion or appropriation (illustrated and coordinates) \boxtimes Tax lot boundaries and numbers \boxtimes Source illustrated if surface water \boxtimes Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines") \bowtie Application and permit number or transfer number X North arrow

Please be sure that the map you submit includes ALL the items listed below.

Received

DEC 13 2024

X

 \boxtimes

Legend

CWRE stamp and signature



Department of Fish and Wildlife

Fish Division
4034 Fairview Industrial Drive SE
Salem, OR 97302
(503) 947-6201
FAX (503) 947-6202
www.dfw.state.or.us/

November 6, 2024

Diana Adams PO Box 675 Halfway, OR 97814

Dear Ms. Adams,

Your fish screen was inspected on 11/6/2024. In reference to water right transfer file number T-14160 this letter confirms that a National Marine Fisheries Service criteria fish screen as approved by ODFW is located on the property near GPS coordinates: 44.879861, -117.104180.

In regard to the inspection of the fish screen located on Pine Creek the following has been determined:

- 1. The screen located at coordinates 44.879861, -117.104180 is 7"x10" homemade screen using 3/332nd inch perforated plate.
- 2. This screen setup is approved for water use up to 184 gpm or .41 cfs.
- 3. All screen and pump configurations meet ODFW criteria at the time of inspection, any changes or modifications to the configurations will not be covered by this certification letter.
- 4. This screen is an end of pipe screen; therefore, no by-pass is required.
- 5. Approval is contingent on the applicant performing adequate maintenance as necessary to keep the screens in working order, including periodic inspections and repairs to maintain proper function.

Please contact me if you have any questions regarding this letter at 541-575-0561.

Sincerely,

Nathaniel Ashley

Nathirl Ashly

Fish Screening and Passage Coordinator

CC: Oregon Water Resources Department

Received

Dec 3 2024