Oregon DEQ Division 33 Review Summary Sheet



Application Information

Applicant Name:	Su Vang and Tong Moua	Application Number:	G-19161
Basin & Sub-basin:	Willamette, Middle Willamette	Requested Water Amount:	0.119 CFS, further limited to 23.75 AF annually, from two wells in Henry Creek Basin for irrigation of 9.5 acres
Nearest Surface Water:	Henry Creek	Creek Nearest Receiving Waterbody:	
Proposed Use:	Irrigation	Requested Period of Use:	March 1 through October 31

Division 33 Geographic Area

🖾 Lower Columbia 🛛 Upper Columbia 🖾 Statewide		
Upper and Lower Columbia Basins only : Based upon the review completed below, does the proposed use comply with existing state and federal water quality standards or may conditions be applied to bring the use into compliance?	🗆 No	🛛 Yes 🛛 Insufficient data
Statewide: Will the proposed use result in water quality impacts that will cause either "loss" or "net loss" of essential habitat of sensitive threatened or endangered (ST&E) fish species? (Note: the presence of ST&E fish species is determined by Oregon Department of Fish and Wildlife.)	□ No	🛛 Yes 🛛 Insufficient data

Recommended Pre-Proposed Final Order Actions

Mitigation ObligationImage: NoImage: YesPrior to issuance of a Proposed Final Order, the applicant shall submit a mitigation proposal that is of no less
volume and rate than the permitted use. The proposal shall include water that is sourced upstream of the point
of diversion or appropriation, or the uppermost point on the stream at which the potential for surface water
interference occurs. If a surface water right is used for mitigation, it shall be transferred instream for the
[month-month] time period and of similar water quality. The applicant should contact their OWRD caseworker
to discuss flow mitigation options. Flow mitigation is site-specific, therefore DEQ recommends written approval
of the mitigation proposal by DEQ prior to issuance of a proposed final order.

Recommended Permit Conditions

- 1. Water Quality: All water use under this permit shall comply with state and federal water quality laws. The permittee shall not violate any state and federal water quality standards, shall not cause pollution of any waters of the state, and shall not place or cause to be placed any wastes in a location where such wastes are likely to escape or be carried into the waters of the state by any means. The use may be restricted if the quality of source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards. Permittee is responsible for obtaining any necessary state and federal permits.
- 2. Agricultural Water Quality Management Area Rules: The permittee shall comply with basin-specific Agricultural Water Quality Management Area Rules described in Oregon Administrative Rule Chapter 603-095. The permittee shall protect riparian areas, including through irrigation practices and the management of any livestock, allowing site capable vegetation to establish and grow along streams, while providing the following functions: shade (on perennial and some intermittent streams), bank stability, and infiltration or filtration of overland runoff.

- **3.** Flow Restrictor: The permittee shall install a flow control valve on the diversion system to limit use to the permitted rate. The valve shall be in place, functional, and verified by the Certified Water Rights Examiner before a certificate is issued. The valve or a suitable replacement shall remain in place for the life of the water right.
- 4. Limit Period of Use: Water use shall be limited to the period: March 1 through April 30
- 5. Limit Rate: Water withdrawal shall be limited to 1.0 AF/acre

Seasonal Limitations

Reason for limitation		Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TMDL: Critical period					\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes		
WAB: 20% flow threshold exceeded					\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes			
Other: Instream requirement not met							\boxtimes	\boxtimes	\boxtimes			

Additional Reviewer comments \Box No \boxtimes Yes

OWRD has determined groundwater is NOT available for the proposed use since insufficient information is available to indicate whether the groundwater resource is over-appropriated. But in the event groundwater is determined to be available, DEQ recommends the conditions in this review be added to any permit to prevent further degradation of water quality and impacts to STE species.

Interagency consultation: [Describe any substantial interagency consultation. Who was contacted and what was discussed?]

DEQ review prepared by:Steve ParrettDate complete: 2/7/2025

Antidegradation Policy:

The purpose of DEQ's Antidegradation Policy (OAR 340-041-0004(1)) is to guide decisions that affect water quality to prevent unnecessary further degradation from new or increased point and nonpoint sources of pollution, and to protect, maintain, and enhance existing surface water quality to ensure the full protection of all existing beneficial uses. Oregon's Antidegradation Policy allows exemptions and conditions for new or increased water use.

1. Temporary Use or Net Benefit

Does the applicant propose a temporary use in response to	an emergency, a	restoration activity that the DEQ
has determined provides a net ecological benefit, or a temp	orary (lasting les	s than six months) use to protect
human health and welfare, for which the applicant has dem	onstrated that t	ney will minimize adverse effects
to threatened and endangered species?	🖂 No	🗆 Yes

If yes, recommend approval of the application and identify conditions necessary to protect water quality for the habitat of ST&E fish species. You may skip to Question 7.

2. Outstanding Resource Water

Does the applicant propose withdrawing directly from an C	Outstanding Reso	urce Water with critical habitat
for ST&E fish species?	🖂 No	🗆 Yes

If yes, then prior to permit issuance, the applicant must provide suitable flow mitigation. You may skip to question 7.

3. Water Quality Limited

Is this source **Water Quality Limited** or a tributary to a water quality limited water body? Note: limit downstream review to 6th field HUC for parameters that diminished flow can affect (temperature, dissolved oxygen, pH, etc.).

Assessment Unit Name	Assessment Unit Description	Parameter	Status*	Beneficial Uses
		Fecal Coliform	Category 5	Fish and Aquatic Life
Yamhill River	Confluence of	Dissolved Oxygen spawn	Category 5	Fish and Aquatic Life
	North Yamhill River and South Yamhill	Biological Criteria	Category 5	Fish and Aquatic Life
	River to confluence	Temperature year-round	Category 5	Fish and Aquatic Life
	with Willamette	Iron (total)	Category 5	Fish and Aquatic Life
	River	Phosphorus	Category 4A	Fish and Aquatic Life
		Methylmercury	Category 4A	Fishing
	Willamette Slough to Chehalem Creek	Dissolved Oxygen spawn	Category 5	Fish and Aquatic Life
		Biological Criteria	Category 5	Fish and Aquatic Life
Millow othe		Temperature year-round	Category 5	Fish and Aquatic Life
Willamette River		Temperature spawn	Category 5	Fish and Aquatic Life
River		DDT 4,4'	Category 5	Fish and Aquatic Life
		Dieldrin	Category 5	Fish and Aquatic Life
		Methylmercury	Category 4A	Fishing

Integrated Report 303(d) List Summary Table

*Integrated Report Category

Category 4 - Data indicate that at least one designated use is not supported, but a TMDL is not needed to address the pollutant Category 4A - Clean-up plans (also called TMDLs) that will result in the waterbody meeting water quality standards and supporting its beneficial uses have been approved

Category 4B - Other pollution control requirements are expected to address pollutant of concern and will result in attainment of water quality standards

Category 4C - The impairment is caused by pollution, not a pollutant. For example, flow, or lack of flow, are not considered pollutants, but may be affecting the waterbody's beneficial uses

Category 5 - Data indicate a designated use is not supported or a water quality standard is not attained and a TMDL is needed. This category constitutes the Section 303(d) list that EPA will approve or disapprove under the Clean Water Act

Analysis:

The following parameters can be affected by additional water withdrawals:

Phosphorus/Phosphate

Phosphorus is an essential plant nutrient, but an excess of phosphorus can be detrimental to aquatic life. High phosphorus concentrations can lead to eutrophication, a situation where aquatic plants grow so rapidly that dissolved oxygen concentrations drop below the levels needed to sustain fish and other aquatic life. Phosphate (also referred to as orthophosphate) is a chemical form of phosphorus that is very soluble and readily available for plant uptake, leading to rapid growth and, in the case of algae, rapid expansion of algal blooms. Yamhill River is already known to have an excess of phosphorus. A reduction in streamflow will increase phosphorus concentrations. This would cause longer or more severe instances of oxygen depletion, resulting in a diminution of water quality for the habitat of sensitive, threatened, or endangered fish species.

Fecal Coliform / Bacteria

Fecal indicator bacteria are used as a surrogate for potential fecal pathogen contamination in waterbodies. In Oregon freshwaters, the primary fecal indicator bacteria is Escherichia coli (E. coli). DEQ established the following numeric criteria to be protective of human contact recreation in freshwaters: A) the 90-day

geometric mean (of 5 or more samples) of 126 E. coli organisms per 100 mL, and B) No single sample may exceed 406 E. coli organisms per 100 mL.

Fecal contamination of waterbodies originates from both point and nonpoint sources containing feces from humans and other warm-blooded animals, including wildlife, pets, and livestock. Examples of point sources include wastewater treatment plants (WWTPs), stormwater conveyance systems, and combined sewer overflows. Nonpoint sources of fecal contamination include direct deposition of fecal matter into waterbodies, transport of fecal material in runoff from the watershed, and leaching from failing on-site septic systems.

Dissolved Oxygen

Decreased dissolved oxygen levels adversely impact sensitive, threatened, and endangered fish. Oregon's dissolved oxygen limits are based on the most sensitive species and the life history stage of those species at the location and season of concern. Willamette River does not meet Oregon's spawning dissolved oxygen standards. Reduced flows may increase water temperature and reduce surface area and turbulence, which can decrease dissolved oxygen. Therefore, reducing flow in waterbodies that are connected to downstream dissolved oxygen-impaired waterbodies, such as Yamhill River, could result in lower stream dissolved oxygen levels and stressed conditions for aquatic life, particularly during the summer months when stream flow is lowest.

Biological Criteria

Waters of the State must be of sufficient quality to support aquatic species without detrimental changes in the resident biological communities. Oregon's biological criteria narrative standard is based on EPA guidance recommending using biological community assessments as an indicator for aquatic life beneficial use support. Resident biological communities are the local food webs that support fish and other aquatic life. Reduced flows, habitat loss, and increased in pollutant loads or concentrations may degrade the biological community onsite or downstream, and therefore result in the diminution of habitat for ST&E species.

Temperature

Increases in temperature adversely impact sensitive, threatened, and endangered fish. Fish require different temperature based on species and life history stage. Oregon's temperature limits are based on the most sensitive species and the life history stage of those species at the location and season of concern. The Yamhill River does not meet Oregon's year-round and/or spawning stream temperature standards. Generally, water temperatures increase as flow decreases. Therefore, reducing flow in waterbodies that are connected to downstream temperature-impaired waterbodies, such as Henry Creek, could result in higher stream temperatures and stressed conditions for aquatic life, particularly during the summer months when stream flow is lowest. The critical warm period when stream conditions are most likely to exceed the year-round temperature standards is July 1 – September 30.

Mercury

Multiple water bodies across Oregon are impaired due to high levels of mercury. Methylmercury is the most toxic form of mercury and biomagnifies in aquatic systems, increasing in concentration at higher trophic levels within a food web. DEQ has established the methylmercury fish/shellfish tissue criterion of 0.040 mg/kg to protect human health and support fishing as a beneficial use of many surface waters. This criterion is set at a fish/shellfish tissue concentration of methylmercury that allows people to safely consume up to 175 grams of fish per day (or about 23 8-oz fish meals a month) over their lifetime.

The Oregon Health Advisory issued fish consumption advisories for bass in all Oregon waters due to methylmercury levels. Methylmercury is produced under anoxic conditions that can occur within a river or watershed. Reduced flows can significantly influence anoxic conditions. Methylmercury production in rivers mostly occurs within the sediment, with quiescent backwater channels often exhibiting higher rates of

methylation. Water impoundments, such as reservoirs, may also have elevated fish methylmercury levels relative to natural lakes and free-flowing rivers.

Toxics (DDT 4,4; Dieldrin)

Water quality criteria for toxic pollutants have been established to protect aquatic life. These criteria are developed to protect aquatic species such as fish, shellfish and aquatic insects. The aquatic life toxics criteria for each pollutant are typically comprised of four values: acute and chronic values for freshwater, and acute and chronic values for saltwater protection. A reduction in streamflow will lead to an increased rate of evaporation in warm weather, resulting in increased concentration of toxic pollutants in the stream. This would result in the diminution of water quality for the habitat of sensitive, threatened, or endangered fish species.

Recommended Conditions:

Water Quality, Agricultural Water Quality Management Area Rules, Flow Restrictor, Limit Period of Use, Limit Rate

4. Total Maximum Daily Load Summary

Are there TMDLs established for parameters identified as being affected by flow modification? \Box No \boxtimes Yes

Analysis:

Yamhill

The Yamhill River has a TMDL for phosphorus (DEQ, 1992). To improve water quality in the Yamhill River to meet water quality standards, the TMDL states that no activities shall be allowed that cause the monthly median concentration of total phosphorus to exceed 70 μ g/L as measured during the low flow period between May 1 and October 31. The 2024 Willamette Subbasins Temperature TMDL does not apply to the Yamhill Subbasin. OWRD holds a year-round instream water right for pollution abatement (certificate number 72968) in the Yamhill River between river miles 0.0 and 5.0.

Recommended Conditions:

Water Quality, Agricultural Water Quality Management Area Rules, Flow Restrictor, Limit Period of Use, Limit Rate

5. Cumulative Withdrawals Effects

Is it likely that the proposed activity, together with existing	g withdrawa	Is in the OWRD's Wat	er Availability Basin
(WAB), will lower water quality and impair aquatic life?	🗆 No	🛛 Yes	

Water Availability and Cumulative Impacts Summary Table

Percent of natural flow = (consumptive use/natural stream flow)*100. See Appendix for additional instructions.

Watershed ID	Exceedance Level	Month	Natural Stream Flow	Consumptive Use	Expected Stream Flow	Reserved Stream Flows	Instream Requirement	Net Water Available	Percent of Flow	
188	50	JAN	4070	64.8	4010	0	90	3920	1.592138	
188	50	FEB	3820	62.5	3760	0	90	3670	1.636126	
188	50	MAR	2880	40	2840	0	90	2750	1.388889	

YAMHILL R > WILLAMETTE R - AB PALMER CR

188	50	ANN	1150000	41200	1100000	0	53800	1050000	3.582609
188	50	DEC	3720	58.7	3660	0	90	3570	1.577957
188	50	NOV	1380	31.7	1350	0	90	1260	2.297101
188	50	OCT	147	15.1	132	0	60	71.9	10.27211
188	50	SEP	82.5	54	28.5	0	31	-2.53	65.45455
188	50	AUG	86.7	84.7	2.02	0	31	-29	97.69319
188	50	JUL	153	95.6	57.4	0	60	-2.59	62.48366
188	50	JUN	332	75.3	257	0	80	177	22.68072
188	50	MAY	783	56.4	727	0	90	637	7.203065
188	50	APR	1620	44.1	1580	0	90	1490	2.722222

Monthly flow in Cubic Feet per Second (CFS). Annual flow in Acre Feet (AF)). Highlight months that exceed 20% of percent of flow.

6. Flow Modification Compliance with State and Federal Water Quality Standards

Based on responses to questions 3, 4, and 5, is the use in compliance with state and federal water quality standards or can compliance with state and federal water quality standards be assured, and ST&E habitat loss prevented through flow mitigation and/or by imposing permit condition(s)? 🗌 No

🖾 Yes

Recommended Conditions: Flow Restrictor, Limit Period of Use, Limit Rate

7. Compliance with other State and Federal Water Quality Standards

ORS 468B.025 prohibits pollution of waters of the state. Are there additional water quality impairments that would result from this proposed used by degrading surface water or groundwater quality? 🖂 No □ Yes

If water quality can be protected by applying permit conditions, then select all appropriate conditions from the standardized menu of conditions.

Recommended conditions: [List conditions]

DEQ recommends that the applicant provide suitable replacement water as mitigation for anticipated impacts to water quality and more specifically the habitat of sensitive, threatened, and endangered fish species. Additional mitigation may be required from other Interagency Review Team members (for example: OWRD may require mitigation for periods when water is not available). Surface water flow mitigation is unlikely to provide the same benefit that groundwater can provide to gaining stream reaches. However, if groundwater mitigation is unavailable within the same aquifer, surface water mitigation may provide suitable mitigation.

Flow Mitigation Obligation:

Prior to issuance of a Proposed Final Order, the applicant shall submit a mitigation proposal that is of no less volume and rate than the permitted use. The proposal shall include water that is sourced upstream of the point of diversion or appropriation, or the uppermost point on the stream at which the potential for surface water interference occurs. If a surface water right is used for mitigation, it shall be instream for the *month - month time period* and of similar water quality. The applicant should contact their OWRD caseworker to discuss flow mitigation options.

Riparian: If the riparian area is disturbed in the process of developing, modifying or repairing a point of diversion under this water use permit, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with the Oregon Department of Fish and Wildlife's Habitat Mitigation Policy described in Oregon Administrative Rule OAR Chapter 635-415. Prior to development, modification or repairs at the point of diversion, the permittee shall submit, to the Oregon Water Resources Department, either a Riparian Mitigation Plan approved in writing by Oregon Department of Fish and Wildlife (ODFW) or a written declaration from ODFW that riparian mitigation is not necessary. The permittee shall maintain the riparian area for the life of the permit and subsequent certificate per the approved Riparian Mitigation Plan. The permittee is hereby directed to contact the local Oregon Department of Fish Biologist prior to development of the point of diversion.

Water Storage Construction: The applicant shall locate the reservoir outside of the stream's natural channel.

identify waterbody and set back to prevent stream capture and justification for distance selected. (Note to reviewer: The 1200C permit requires a 50-foot setback, which is cited from the National General Construction Permit OAR-660-023-0090(5). Requiring the storage reservoir to be outside of the mapped 100 year floodway may also be a protective buffer.)

Construction Activities: 1200-C NPDES Stormwater Construction permit coverage is required from DEQ or Agent for construction activities (clearing, grading, excavation, grubbing, stumping, demolition, staging, stockpiling and other land disturbing activities) that will disturb one or more acres, or that will disturb less than one acre of land but is part of a common plan of development or sale that will ultimately disturb one or more acres of land and have the potential to discharge to surface waters or to a conveyance system that leads to surface waters of the state.

In-Water or Riparian Construction: For in-water or riparian construction, permittee may be required to obtain additional permits from the Oregon Department of State Lands, the U.S. Army Corps of Engineers, and the DEQ Section 401 certification program prior to construction. The applicant must contact these agencies to confirm requirements.

Herbicide Applications: When herbicide application is within three feet of water, the permittee is responsible for ensuring that herbicide application laws are met, and that they obtain from DEQ any necessary pesticide application permits, including the 2300-A Pesticide General Permit or the 2000-J NPDES General Permit. Polluted return flows are not allowed to enter waters of the state per ORS 468B.025(1).

STANDARIZED MENU OF CONDITIONS

Water Quality: All water use under this permit shall comply with state and federal water quality laws. The permittee shall not violate any state and federal water quality standards, shall not cause pollution of any waters of the state, and shall not place or cause to be placed any wastes in a location where such wastes are likely to escape or be carried into the waters of the state by any means. The use may be restricted if the quality of source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards. Permittee is responsible for obtaining any necessary state and federal permits.

Agricultural Water Quality Management Area Rules: The permittee shall comply with basin-specific Agricultural Water Quality Management Area Rules described in Oregon Administrative Rule Chapter 603-095. The permittee shall protect riparian areas, including through irrigation practices and the management of any livestock, allowing site capable vegetation to establish and grow along streams, while providing the following functions: shade (on perennial and some intermittent streams), bank stability, and infiltration or filtration of overland runoff.

Flow Restrictor: The permittee shall install a flow control valve on the diversion system to limit use to the permitted rate. The valve shall be in place, functional, and verified by the Certified Water Rights Examiner before a certificate is issued. The valve or a suitable replacement shall remain in place for the life of the water right.

Limit Rate: Water withdrawal shall be limited to *Enter CFS* or *AF* for the defined period, or a month by month rate or volume.

Limit Period of Use: Water use shall be limited to the period: *start date through end date*.

(Note to reviewer: Do not split the irrigation season. Require mitigation if water is not available during the requested time period.)

Limit Diversion: The permittee shall not divert water under this water use permit unless streamflow in the *waterbody name* is at or above *CFS* cubic foot per second, as determined at Gaging Station ID

Off-Channel Stored Water Releases: The permittee shall not release polluted water from this off-channel reservoir into waters of the state except when the release is directed by the State Engineer to prevent dam failure.

On-Channel Reservoir: The permittee shall design and operate the water storage facility such that all waters within and below the reservoir meet water quality criteria. The permittee shall develop a reservoir operations plan that details how water quality criteria and standards will be met. A Certified Water Rights Examiner shall verify that the reservoir operations are consistent with the plan before a certificate is issued. The reservoir operator shall maintain a copy of the plan and make it available for review upon request.

Restrict Reservoir Release: To prevent pollution downstream, the permittee shall not release water from the reservoir when the flow at Gaging Station ID (*gage name*) is below the Mean Daily Discharge of *CFS* (discharge which was equaled or exceeded for 90% percent of the time) except when the release is directed by the State Engineer to prevent dam failure.

Live Flow: Once the allocated volume has been stored, permittee shall pass all live flow downstream at a rate equal to inflow, using methods that protect instream water quality.

Lining: The permittee shall line the reservoir with *include material or allowable infiltration rate* to minimize seepage and protect groundwater quality per Oregon Administrative Rule 340-040. The liner is to be in place,

inspected, and approved by the Certified Water Rights examiner prior to storage of water.^{*}If the liner fails, the water user shall replace it within one calendar year.

Site-Specific Condition: The permittee shall

^{*} OAR 690-410-0010(2)(a), OAR 690-310-0120, OAR 690-310-0140

Appendix: General Overview, Instructions for Water Availability Analysis, and Process Flow Chart

General Overview

The purpose of OAR Chapter 690, Division 33 is to aid the Oregon Water Resources Department (OWRD) in determining whether a proposed use will impair or be detrimental to the public interest with regard to listed sensitive, threatened, or endangered (ST&E) fish species. Oregon's stream temperature, dissolved oxygen (DO), pH and several other water quality standards are based on the life cycle needs of salmonids and other resident fish and aquatic life. Exceeding the standards can disrupt the life cycle of a ST&E fish species and may cause death. In addition, OWRD must consider water quality impacts as part of a public interest review, OAR 690-310-0120. Water quality impacts and conditions unrelated to ST&E species should be noted as "Division 310" in the recommendations to OWRD. The DEQ's Water Right Application Review Procedures document contains a full description of the review process.

The two main categories of Division 33 reviews are based on the geographic distribution of ST&E fish species:

- For Proposed Uses in the Columbia River Basin, reviews must determine whether a proposed use complies with existing state and federal water quality standards. Upper Columbia applications specifically require applicants to provide evidence that the proposed use complies with existing state and federal water quality standards. <u>Geographic scope</u>: Columbia River Basin (includes all waters that ultimately drain into the Columbia River).
- **For Proposed Uses Statewide**, review is conducted under the "Statewide review" procedure. Statewide reviews must determine whether a proposed use may affect ST&E fish species habitat. The statewide review procedure is intended to identify permit conditions that can prevent the "loss" or "net loss" of essential habitat of ST&E fish species. When permit conditions cannot be identified that meet this standard, then the DEQ recommends denial of the permit. <u>Geographic scope</u>: all areas outside the Columbia River Basin where OWRD determines ST&E fish species are present.

Instructions for Populating the Water Availability Summary Table using data from OWRD's WAB (Section 5)

- Open OWRD's Water Availability Reporting System.
- Search for the water availability basin of interest. Select 50% exceedance. The 50% exceedance stream flow is the stream flow that occurs at least half of the time.
- The water availability analysis will display a nested list of watersheds that contain the POD. Select the highest nesting order WAB that contains the POD.
- Download to an Excel spreadsheet. Percent of flow is calculated using this equation:

Percent of $Flow = \frac{\text{Consumptive Use}}{\text{Natural Stream Flow}} * 100$

You may choose to add the proposed rate (or storage amount) to the consumptive use.

Instructions for Water Availability Analysis

To complete Section 6, review and consider the cumulative impact of consumptive withdrawals using the OWRD WAB. All water withdrawals and the following factors should be considered when conducting a water availability analysis.

- Instream Flow: Consider the percent of natural flow removed from the stream in each month (see right-most column in Water Availability and Cumulative Impacts Summary Table). Based on best professional judgment, evaluate if the cumulative withdrawal is likely to cause impairment to aquatic life or water quality. Water quality standards are established to protect aquatic life. In scientific literature, researchers have identified ecological harm occurring when flows are reduced by >6-35% of daily flow¹. Consider the seasonality of any listings and season of withdrawal to determine impact for each month of the year.
- Antidegradation: Rule 340-041-0004 applies: withdrawals cannot cumulatively increase a waterbody's temperature by more than 0.5 degrees Fahrenheit or cause a 0.1 mg/l decrease in dissolved oxygen from the upstream end of a stream reach to the downstream end of the reach so long as it has no adverse effects on threatened and endangered species. See OAR 340-041-0004(3)-(5) for a description in rule of activities that do not result in lowering of water quality.
- Flow modification: Consider if cumulative withdrawals are contributing to flow modification and a likely limiting factor in the waterbody at certain times of the year. Temperature and dissolved oxygen are flow-related parameters. When streamflow is reduced, assimilative capacity is reduced. As a waterbody heats up, dissolved oxygen concentrations decline. Reduced stream flows (including groundwater inputs to streamflow), exacerbate temperature and/or dissolved oxygen impairments.
- **Temperature**: Increases in temperature or a reduction in dissolved oxygen adversely impacts ST&E fish. Fish require different temperature and concentrations of dissolved oxygen based on species and life history stage. Oregon's temperature and dissolved oxygen limits are based on the most sensitive species and the life history stage of those species at the location and season of concern. Additional heat or reduction in dissolved oxygen concentrations will further impact these species habitat. Reduced flows can also increase the concentrations of phosphorous, bacteria, pesticides and metals.

Instructions for Calculating "Limit Diversion" Rate

This condition is selected to limit withdrawals once the cumulative withdrawals in the watershed have exceeded the protective threshold of 20 percent and/or the ISWR is not fully protective of aquatic life. A different value can be selected, but the reviewer should state why a particular percent was selected.

"Natural stream flow" is obtained from OWRD's Water Availability Reporting System. The condition is applied on a monthly timeframe based on OWRD's data.

"Natural stream flow" – (percent of flow * "natural stream flow") = Expected Stream Flow

The applicant would have to stop using when instream flows drop below the Expected Stream Flow.


Example:

Natural stream flow for a particular month = 1200 CFS

1200 CFS - (.2 * 1200 CFS) = 960 CFS

¹ Richter BD, Davis MM, Apse C, Konrad C. 2011. *Short Communication, A Presumptive Standard For Environmental Flow Protection*. River Research and Applications. Published online in Wiley Online Library (wileyonlinelibrary.com), DOI: 10.002/rra.1551

DEQ Water Right Review Flow Chart



Note: Review based on DEQ's anti-degradation rule (340-041-0004).

Best Professional Judgment