

#1 41/13W-9Q

Name E. L. Rigdon  
By \_\_\_\_\_  
Address Box 310  
Harbor, Oregon  
\_\_\_\_\_  
\_\_\_\_\_  
Date filed August 4, 1958 8<sup>00</sup> AM  
Tentative priority June 1954  
Action suspended until \_\_\_\_\_  
Well log filed \_\_\_\_\_

Application No. GR 4108  
Certificate No. GR 3694

Stream Index, Page No. 15-93 ✓

T-4517 A POA  
MODIFIED see Decree V18 P236 Cert. No. 49754

FEES PAID

Date	Amount	Receipt No.
8/4/58	15.00	19629

FEES REFUNDED

Date	Amount	Check No.

ASSIGNMENTS

Date	To Whom	Address	Volume	Page

CONSTRUCTION

Date for completion \_\_\_\_\_  
Extended to \_\_\_\_\_  
Date for application of water \_\_\_\_\_  
Extended to \_\_\_\_\_

PROSECUTION OF WORK

Form "B" filed \_\_\_\_\_  
Form "C" filed \_\_\_\_\_

REMARKS

A well irrigates 6<sup>2</sup> acres near Pacific Ocean - Curry County

STATE OF OREGON

COUNTY OF

CURRY

CERTIFICATE OF WATER RIGHT

This Is to Certify, That GERALD E. & JUNE PENTER

of Rt. 1, Box 52-B, Brookings, State of Oregon 97415, has  
a right to the use of the waters of Harbor Ground Water Reservoir through a well

a tributary of -----  
irrigation of 6.0 acres for the purpose of

and that said right has been confirmed by decree of the Circuit Court of the State of Oregon for  
Curry County, and the said decree entered of record at Salem, in the Order Record of  
the WATER RESOURCES DIRECTOR, in Volume 18, at page 264; that the priority of the right  
thereby confirmed dates from July 1954

that the amount of water to which such right is entitled, for the purposes aforesaid, is limited to an  
amount actually beneficially used for said purposes, and shall not exceed 0.075 cubic foot per  
second.

The point of diversion is located in the SW $\frac{1}{4}$  SE $\frac{1}{4}$ , as projected within T. Sharp DLC 41,  
Section 9, T. 41 S., R. 13 W., W.M. Well located 650 feet South and 80 feet  
West from the SE corner J. Taggart DLC 40.

A description of the place of use under the right, and to which such right is appurtenant, is as  
follows:

3.2 acres SE $\frac{1}{4}$  SW $\frac{1}{4}$   
2.8 acres SW $\frac{1}{4}$  SE $\frac{1}{4}$   
both as projected within T. Sharp DLC 41  
Section 9  
T. 41 S., R. 13 W., W. M.

This certificate also confirms a change in point of appropriation approved by  
Special Order of the Water Resources Director entered June 20, 1980.

And said right shall be subject to all other conditions and limitations contained in said decree.  
The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein  
described.

WITNESS the signature of the Water Resources Director, affixed

this date November 25, 1980

  
Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 43, page 49754

Name and Postoffice Address of Appropriator	Date of Relative Priority	Amount Cubic Feet Per Second	Number Acres	Use	Name of Ditch	Stream	Description of Land or Place of Use
<sup>151</sup> ANDERSON, V. E. P. O. Box 2033 Harbor, Oregon 97415 (Proof No. 1) (See Finding 15)	July 1951	0.13 (58 gpm)	10.4	Irrigation	Well and pump	Harbor Ground Water Reservoir	10.4 acres NW $\frac{1}{4}$ SE $\frac{1}{4}$ as projected within E. O'Laughlin DLC 42 Section 9 T. 41 S., R. 13 W., W.M.
<sup>152</sup> HASTINGS BULB GROWERS, INC. by President Robert K. Hastings P. O. Box 2155 Harbor, Oregon 97415 (Proof No. 2) (See Finding 16)	July, 1955	0.178 (80 gpm)	23.1	Irrigation	Well and pump	Harbor Ground Water Reservoir	0.2 acre NW $\frac{1}{4}$ NW $\frac{1}{4}$ 19.7 acres SW $\frac{1}{4}$ NW $\frac{1}{4}$ 0.8 acre SE $\frac{1}{4}$ NW $\frac{1}{4}$ 2.4 acres NW $\frac{1}{4}$ SW $\frac{1}{4}$ all as projected within R. Johnson DLC 43 Section 15 T. 41 S., R. 13 W., W.M.
<sup>153</sup> LINDEBORG, Genevra E. Rt.1, Box 31 Brookings, Oregon 97415 (Proof No. 3) (See Finding 17)	1952	0.075 (34 gpm)	6.0	Irrigation	Well and pump (dug 5 feet deep 40x50 feet)	Harbor Ground Water Reservoir	6.0 acres NW $\frac{1}{4}$ SW $\frac{1}{4}$ as projected within J. Taggart DLC 40 Section 9 T. 41 S., R. 13 W., W.M.
<sup>154</sup> PENTER, Gerald E. and June Rt.1, Box 52-B Brookings, Oregon 97415 (Proof No. 4) (See Finding 18)	July 1954 T-4517	0.075 (34 gpm) P.O.A.	6.0	Irrigation	Well and pump	Harbor Ground Water Reservoir	3.2 acres SE $\frac{1}{4}$ SW $\frac{1}{4}$ 2.8 acres SW $\frac{1}{4}$ SE $\frac{1}{4}$ both as projected within T. Sharp DLC 41 Section 9 T. 41 S., R. 13 W., W.M.
<sup>155</sup> RIGDON, Isabelle P.O. Box 2436 Harbor, Oregon 97415 (Proof No. 5) (See Finding 19)	October 1951	0.111 (50 gpm)	11.3	Irrigation	Well and pump	Harbor Ground Water Reservoir	5.8 acres SW $\frac{1}{4}$ NW $\frac{1}{4}$ as projected within R. Johnson DLC 43 Section 15 5.5 acres Lot 3 (SE $\frac{1}{4}$ NE $\frac{1}{4}$ ) Section 16 T. 41 S., R. 13 W., W.M.
<sup>156</sup> ROSE, Antone G. and Joan M. P.O. Box 2043 Hwy. 101-S Harbor, Oregon 97415 (Proof No. 6) (See Finding 20)	1944	0.171 (77 gpm)	13.7	Irrigation	Well and pump (dug 26 feet deep 5x6 feet)	Harbor Ground Water Reservoir	0.4 acre SW $\frac{1}{4}$ SE $\frac{1}{4}$ 9.8 acres SE $\frac{1}{4}$ SE $\frac{1}{4}$ both as projected within T. Sharp DLC 41 Section 9 3.5 acres Lot 4 (NW $\frac{1}{4}$ NE $\frac{1}{4}$ ) Section 16 T. 41 S., R. 13 W., W.M.
<sup>157</sup> STRAHM, Harve Joel P.O. Box 2216 Harbor, Oregon 97415 (Proof No. 7) (See Finding 21)	Aug. 10, 1952	0.121 (54 gpm)	9.7	Irrigation	Well and pump (dug 23 feet deep 20 x 30 feet)	Harbor Ground Water Reservoir	2.8 acres Lot 2 (SW $\frac{1}{4}$ SW $\frac{1}{4}$ ) 1.5 acres Lot 2 (SE $\frac{1}{4}$ SW $\frac{1}{4}$ ) 5.4 acres SE $\frac{1}{4}$ SW $\frac{1}{4}$ as projected within T. Sharp DLC 41 Section 9 T. 41 S., R. 13 W., W.M.
<sup>158</sup> WATT, Cecil 707 Wedgewood Lane Rt. 1 Brookings, Oregon 97415 (Proof No. 8) (See Finding 22)	May, 1948	0.148 (66 gpm)	11.8	Irrigation	Well and pump	Harbor Ground Water Reservoir	1.8 acres SW $\frac{1}{4}$ SW $\frac{1}{4}$ as projected within T. Sharp DLC 41 1.8 acres SW $\frac{1}{4}$ SW $\frac{1}{4}$ as projected within E. O'Laughlin DLC 42 Section 10 6.3 acres NW $\frac{1}{4}$ NW $\frac{1}{4}$ as projected within E. O'Laughlin DLC 42 1.9 acres NW $\frac{1}{4}$ NW $\frac{1}{4}$ as projected within R. Johnson DLC 43 Section 15 T. 41 S., R. 13 W., W.M.

Genevra E. Lindeborg of Route 1, Box 31, Brookings, Oregon submitted proof No.3, claiming a right to the use of the ground waters of Harbor Reservoir under an initiation date of 1952 for 120 gallons per minute through a dug sump well 50 feet long, 40 feet wide, and 5 feet deep, located within the NW $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 9, Township 41 South, Range 13 West, W. M. The use claimed is for irrigation of 6 acres of lily bulb crops, strawberries, potatoes, and corn, located in the NW $\frac{1}{4}$  SW $\frac{1}{4}$  of the said section. The claimant lists the well capacity as 450 gallons per minute.

The Water Resources Department classified 6 acres of lily bulbs as irrigated within the NW $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 9, Township 41 South, Range 13 West, W. M. Water is diverted from a dug sump well 50 feet long and 40 feet wide and 5 feet deep with an electric 3 horsepower 2 X 2 $\frac{1}{2}$  inch centrifugal pump. The sump well is located 440 feet north and 1980 feet west from the SE corner, J. Taggart D.L.C. 40, being within the NW $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 9, Township 41 South, Range 13 West, W. M. Water is pumped through 750 feet of 3 inch diameter aluminum pipe, 780 feet of 2 inch diameter aluminum pipe, and 14 Rainbird No. 30 sprinklers with 5/32 X 3/32 inch nozzles. All 14 sprinklers are operated at one time. The ground elevation at the well site is 81.12 feet. One-half of the 6 acres is said to be the average acreage irrigated in any one irrigation season.

It appears this claimed right should be limited to a rate of diversion of not to exceed 0.075 cubic foot per second (34 gallons per minute) of ground water for irrigation of 6 acres with a date of priority of 1952. Claimant's rights are more particularly set out and described in the tabulation of water rights under finding 36 herein.

-18-

#### GERALD E. & JUNE PENTER

The Registration Statement was filed under Registration No. GR-4108 in the name of E. L. Rigdon, claiming an appropriation of 90 gallons per minute for the irrigation of 6 acres, being 2 acres in the SE $\frac{1}{4}$  SW $\frac{1}{4}$ , 4 acres in the SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 9, Township 41 South, Range 13 West, W. M. for which Certificate of Registration No. GR-3694 was issued. Construction work is claimed to have begun in June 1954. The use of water is described as being from a drilled well 69 feet deep, 8 inches in diameter, located 40 feet southwest from D.L.C. 40 being within SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 9, Township 41 South, Range 13 West, W. M. The well casing is described in the Registration Statement as being perforated from 40 feet to 69 feet.

Gerald E. & June Penter of Route 1, Box 52-B, Brookings, Oregon submitted proof No. 4 claiming a right to the use of the ground waters of Harbor Reservoir under an

initiation date of July, 1954 for 50 gallons per minute through an 8 inch diameter drilled well, 69 feet deep, located within the SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 9, Township 41 South, Range 13 West, W. M. The use claimed is for irrigation of 6 acres of lily bulb crops located in the SE $\frac{1}{4}$  SW $\frac{1}{4}$  and the SW $\frac{1}{4}$  SE $\frac{1}{4}$  of the said section. The claimant lists the pump rating as 50 gallons per minute.

The Water Resources Department classified 6 acres of lily bulbs as irrigated, being 3.2 acres in the SE $\frac{1}{4}$  SW $\frac{1}{4}$  and 2.8 acres in the SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 9, Township 41 South, Range 13 West, W. M. Water is diverted from an 8 inch diameter drilled well with a Jacuzzi 4 inch discharge turbine pump, powered with a 5 horsepower electric motor. The well is located 30 feet south and 30 feet west from the SE corner J. Taggart D.L.C. 40, being within the SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 9, Township 41 South, Range 13 West, W. M. Water is pumped through 1040 feet of 2 inch diameter aluminum pipe, and 15 Rainbird No. 30 sprinklers with 3/32 X 5/32 inch nozzles. A maximum of 8 sprinklers are operated at one time. The ground elevation at the well site is 117.28 feet.

It appears this claimed right should be limited to a rate of diversion of not to exceed 0.075 cubic foot per second (34 gallons per minute) of ground water for irrigation of 6 acres with a date of priority of July 1954. Claimants rights are more particularly set out and described in the tabulation of water rights under finding 36 herein.

-19-

#### ISABELLE RIGDON

The Registration Statement was filed under Registration No. GR-4109 in the name of E. L. Rigdon, claiming an appropriation of 65 gallons per minute for the irrigation of 11.81 acres, being 6.81 acres in the SE $\frac{1}{4}$  NE $\frac{1}{4}$ , Section 15, 5 acres in the SW $\frac{1}{4}$  NW $\frac{1}{4}$ , Section 16, Township 41 South, Range 13 West, W. M. for which Certificate of Registration No. GR-3931 was issued. Construction work is claimed to have begun in October, 1951. The use of water is described as being from a drilled well 40 feet deep, 8 inches in diameter, located 575 feet north and 50 feet east from the west  $\frac{1}{4}$  corner, Section 15, being within the SW $\frac{1}{4}$  NW $\frac{1}{4}$ , Section 15, Township 41 South, Range 13 West, W. M. The well casing is described in the Registration Statement as being perforated from 20 feet to 40 feet.

Isabell Rigdon of P.O. Box 2436, Harbor, Oregon submitted proof No. 5 claiming a right to the use of the ground waters of Harbor Reservoir under an initiation date of October, 1951 for 100 gallons per minute through a six inch diameter drilled well, 62 feet deep located within the SW $\frac{1}{4}$  NW $\frac{1}{4}$ , Section 15, Township 41 South, Range 13 West, W. M. This

RECEIVED  
AUG 4 1958  
STATE ENGINEER  
SALEM, OREGON

# Registration Statement

Registration No. GR-4108  
Certificate No. GR-3694

CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, E. L. Rydon  
of Harbor Box 310 County of Curry  
(Mailing address)

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 2 miles South Harbor Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 40 ft South West D.L.C. 40  
(Give distance and bearing to corner of section or other legal subdivision)  
being within SW 1/4 of SE 1/4 of Sec. 9, Twp. 4 S, Rge. 13 W  
(Smallest legal subdivision) (N. or S.) (E. or W.)

(b) within limits of recorded platted property, town or city:  
in Lot \_\_\_\_\_ Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

(If within city or town, give name) County of \_\_\_\_\_

3. Construction Work was begun on June 1954, was completed on July 1954  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on Aug 1954  
(Date)

since which time the water has been used Intermittently  
(Continuously or intermittently)

from June to Aug  
(Date) (Date)

4. Quantity of water claimed and used is 90 gallons per minute; 1 acre  
feet per year.

5. Purpose or Purposes for which water is used Irrigation  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 69 feet. Type Drilled  
(Dug or drilled)  
diameter 8 inches. Elevation of ground at well site 150 ft feet, mean sea level  
(As near as known)  
Depth to water table 40 feet.

7. Capacity of Well: \_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.  
\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test \_\_\_\_\_

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

8 inch diameter from 0 to 69 feet  
 inch diameter from to feet  
 inch diameter from to feet  
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

Perforation from 6.9 to 4.9  
(Number per foot and size of perforations, or describe screen).

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.) :

[illegible]

If log of well is not available, give name and address of driller. Leo Schenckman

Liarts Pass Oregon

11. Infiltration Trench: Covered or open \_\_\_\_\_

Dimensions: Length \_\_\_\_\_ ft. Minimum depth \_\_\_\_\_ ft. Maximum depth \_\_\_\_\_ ft.

Bottom width \_\_\_\_\_ ft. Discharge \_\_\_\_\_ g.p.m. Date of test \_\_\_\_\_

12. Tunnel: Type of lining

Dimensions: \_\_\_\_\_  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

- ### 13. Pumping Equipment:

(a) Pump Electric 3 in Capacity 90 g.p.m.  
(Make, type and size)

(b) Motor 5 H. P. Electric Jac  
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

[illegible]

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 41 S Range 13 W, W.M.

North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Curry } ss.

I, E. L. Rigdon, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

E. L. Rigdon  
(Signature of Registrant)

Subscribed and sworn to before me this 31 day of July, 19 58

My commission expires My Commission Expires July 2, 1962

R. E. Anderson  
(Notary Public)

(SEAL)

### CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 4 day of August, 19 58, at 8:00 o'clock A. M. and has been duly recorded in said office in Book No. 15 of Registration Statements on page 3694

Witness my hand this 20<sup>th</sup> day of October, 19 59

Lewis A. Stanley  
(State Engineer)

By

(Deputy)

GR 3694

4-108

E. L. RIGDON

*Lily Bulbs*

HARBOR, OREGON

RECEIVED  
AUG 4 1958  
STATE ENGINEER  
SALEM, OREGON

A tract of land lying in the Thos. Sharp Donation Land Claim No. 41 and being in the South half ( $S\frac{1}{2}$ ) of the South half ( $S\frac{1}{2}$ ) of Section Nine (9) Township Forty-one (41) South, Range Thirteen (13) West, Willamette Meridian, Curry County, Oregon: Beginning at an iron pipe marking the Southeast corner of 1 the James W. Taggart Donation Land Claim No. 40: thence South 396.60 feet; thence West 658.9 feet; thence North 396.6 feet; thence East 658.9 feet to the point of beginning.

Well  
40 ft from Corn  
30" LINE

SEC 01 James W Taggart  
DLC no 40

1573A

400

West

658.7

330.0

660

1F

330.0

826

6.0A

658.7

5.0A

5.0A

(7)

6.0A

653

6610

4.0A

GR 4108  
NORTH  
0199

(23)

4.0A

RECEIVED  
AUG 1 1918  
STATE ENGINEER  
SALEM, OREGON

N

330

JP

830

IP

IP

220

IP

220

NORTH West

(17)

3.0A

658.7

West

(18)

9.21A

NORTH

(19)

2.96A

(20)

2.96A

(21)

2.96A

4432

1A

2200

IP

220

IP

220

IP

220

sec 9

sec 16

9

16

PORTION OF SECS  
R13 W N CANY CO ORE  
Scale 1" = 200 FT

GR-4108

E. L. Rigdon  
Box 310  
Harbor, Oregon

Dear Sir:

GR-4108  
GR-3694

GR 4108  
GR 4109

August 13, 1958

Mr. E. L. Rigdon  
Box 310  
Harbor, Oregon

Dear Mr. Rigdon:

2

30

19629 and 19630

GR 4108 and GR 4109