

ASSIGNED

Name Eugene M Maddox
 By Maddox, Lois J
 Address 741 Gross Lane 5047 Oak Hill Rd
Oakland OR 97462 Roseburg OR 97470-
9657

Application No. S76171Permit No. S52921Certificate No. 92212

Stream Index, Page No. _____

Date filed _____

Priority _____

Action suspended until A 97

Return to applicant _____

Date of approval _____

CONSTRUCTION

Date for beginning 10-31-97Date for completion 10-1-98Extended to 10-1-12Date for application of water 10-1-99Extended to 10-1-12

PROSECUTION OF WORK

Form "A" filed _____

Form "B" filed _____

Form "C" filed _____

FINAL PROOF

Blank mailed _____

Proof received COBU 3/22/2017Date Certificate issued 3

1182153

FEES PAID

Date	Amount	Receipt No.
12-28-94	\$200.00	18402
10/23/96	\$100.00	7837
5-17-11	\$575.00	102913
3-19-12	150.00	105243

Cert. Fee _____

FEES REFUNDED

Date	Amount	Check No.

ASSIGNMENTS

Date	To Whom	Address	Volume	Page
5/17/2011	CORVIN L or DEBRA A MADDOX	741 GROSS LANE		
	OAKLAND OR 97462			

REMARKS

See R76172

COBU MAP # 0678

**CLAIM OF
BENEFICIAL USE
for Permits claiming more
than 0.1 cfs and All Transfers**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

A fee of \$150 must accompany this form to be accepted for permits
with a priority date of July 9, 1987, or later. (ORS 536.050(1))

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
http://www.wrd.state.or.us/OWRD/WR/cwre_info.shtml#.

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml.

SECTION 1

GENERAL INFORMATION

1. File Information

APPLICATION # (G, R, S or T) <u>5-76171</u>	PERMIT # (IF APPLICABLE) <u>5-52921</u>	PERMIT AMENDMENT # (IF APPLICABLE)
--	--	------------------------------------

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME <u>Corrin or Debbie Maddox</u>		PHONE NO. <u>541 784 7636</u>	ADDITIONAL CONTACT NO.
ADDRESS <u>741 Gross Ln</u>			
CITY <u>OAKland</u>	STATE <u>OR</u>	ZIP <u>97474</u>	E-MAIL

If the current property owner is not the permit or transfer holder of record, it is recommended that an assignment be filed with the Department. The COBU must be signed by the permit or transfer holder of record.

RECEIVED

MAR 19 2012

**WATER RESOURCES DEPT
SALEM, OREGON**

3. Is the Property Owner the permit or transfer holder of record?

YES NO

If "YES" the remainder of this item may be deleted.

Permit or transfer holder of record (this may, or may not, be the current property owner)

PERMIT OR TRANSFER HOLDER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

Are there additional permit or transfer holders of record?

YES NO

If "NO" the following box may be deleted.

ADDITIONAL PERMIT OR TRANSFER HOLDER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection: 4-21-2011

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Corvin Medtox	4-21-2011	owner

6. County: Douglas

7. If any property described in the place of use of the permit or transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(4)):

**Mark "NA" if there are no owners of property not included in this claim

OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

Are there additional Owners of Record?

YES NO

If "NO" the following box may be deleted.

ADDITIONAL OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

Reservoir No 1

SECTION 2

SYSTEM DESCRIPTION

A. Points of Diversion/Appropriation

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
Pond No 1	N/A	N/A

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
Pond No 1	Pond No 1	Chakapooya Cr.

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
Pond No 1	Irrigation	Field & Lawn Garden	3-1 thru 10-31	12.8 AF
Total Quantity of Water Used				12.8 AF

4. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of diversion or appropriation to the place of use:

1" 1/2" PVC pipe from Reservoir No 1, 2, 3 and unnamed stream

2" PVC pipe from Reservoir 1 to pump
then 2" PVC pipe to 1 1/2 HP pump.
Then 1" PVC pipe to 1" metal pipe
for irrigation.

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

SECTION 2 SYSTEM DESCRIPTION

Reservoir No 2

A. Points of Diversion/Appropriation

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
Pond No 2	N/A	N/A

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
Pond No 2	Pond No 1	Luhapoo/A Cr

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
Pond No 2	Irrigation	Field & honey & garden	3-1 thru 10-31-	4.5 AF
Total Quantity of Water Used				4.5 AF

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion or appropriation to the place of use:

1" PVC pipe from Reservoir NO 2 (Buried) To A 2" PVC pipe below Reservoir NO 1

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

SECTION 2 SYSTEM DESCRIPTION

*Reservoir
No 3*

A. Points of Diversion/Appropriation

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
<i>Pond No 3</i>	<i>N/A</i>	<i>N/A</i>

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
<i>Pond No 3</i>	<i>Pond No 3</i>	<i>Cahapooya cr</i>

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
<i>Pond No 3</i>	<i>Irrigation</i>	<i>Field & lawn & garden</i>	<i>3-1 thru 10-31</i>	<i>8.0 AF</i>
Total Quantity of Water Used				<i>8.0 AF</i>

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion or appropriation to the place of use:

<i>1" PVC above ground pipe from Reservoir No 3 To pump then 2" PVC pipe To 2" metal pipe for Irrigation</i>
--

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

SECTION 2

SYSTEM DESCRIPTION

A. Points of Diversion/Appropriation

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
unnamed stream	N/A	N/A

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
unnamed stream	unnamed stream	Calapooya cr

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
unnamed stream	Irrigation	Field & lawn garden	3-1 thru 9-30	0.125 CFS
Total Quantity of Water Used				0.125 CFS

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion or appropriation to the place of use:

unnamed stream flows into Reservoir No 1 then 2" pvc pipe to pump then buried 2" pvc pipe to other pump - then 2" pvc pipe to 2" metal pipe for Irrigation

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

Reservoir No 3

SECTION 2

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

Reservoir No 3

B. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
25S	6W	WM	26	NW/4			irrigation	4.0	
								"	
Total Acres Irrigated								4.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
B&B	5HP	N/A	centrifugal	2"	2"

3. Motor Information

MANUFACTURER	HORSEPOWER
B&B	5

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
5	45	0	0	0.2892 cfs

RECEIVED

RECEIVED

MAY 03 2011

Reservoir No 2

SECTION 2

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

Reservoir No 2

B. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
259	6W	NM	23	SW SW			irrigated	3.0	
							"		
Total Acres Irrigated								3.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
water Ace	R152	N/A	centrifugal	1"	2"

3. Motor Information

MANUFACTURER	HORSEPOWER
water Ace	1 1/2

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If a WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
1 1/2	45	0	0	0.0867 CFS

RECEIVED

MAR 22 2012

Page 4 of 21
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

Reservoir No 3

SECTION 2

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

Reservoir No 1

B. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
254	6W	WM	22	SE SE			irrigation	2.0	
Total Acres Irrigated								2.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Water Ace	R157	N/A	centrifugal	2"	2"

3. Motor Information

MANUFACTURER	HORSEPOWER
Water Ace	1 1/2

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If a well, the water level during pumping	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (in cfs)
1 1/2	45	0	0	0.0867 cfs

RECEIVED

RECEIVED

MAR 22 2012

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGONWATER RESOURCES DEPT
SALEM, OREGON

WR

SECTION 2

unnamed stream

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

unnamed stream

B. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
255	6W	WM	27	NENE			irrigation	1.0	
							"		
Total Acres Irrigated								1.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
B&S	5HP	N/A	Centrifugal	2"	2"

3. Motor Information

MANUFACTURER	HORSEPOWER
B&S	5

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
5	45	0	0	0.2892 CFS

RECEIVED

MAR 22 2012

Page 4 of 21

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

5A

1.5 HP pump

5. Provide pump calculations:

Q pump 45 PSI

$$\frac{1.5 \times 6.61}{(14.3 + 0)} = 0.0867 \text{ cfs}$$

6. Measured Pump Capacity (using meter if meter was present and system was operating)

N/A

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A			

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
3"	1600'	PVC	Buried
2"	2700'	PVC	Buried
1"	2000'	PVC	above ground

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	1200'	metal	above ground

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
9/64	45	3.7	16	16	0.1319 cfs

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

N/A

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

12. Additional notes or comments related to the system:

D. Groundwater Source Information (Well and Sump)

1. Is the appropriation from ground water (well or sump)?

YES NO

RECEIVED

Page 5 of 21
MAR 22 2012WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

5B

5 HP pump

5. Provide pump calculations:

Q Pump 45 PSI $\frac{5 \times 6.61}{114.370} = 0.2892 \text{ cfs}$

6. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A			

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	1600'	PVC	Buried
1"	2700'	PVC	Buried
1"	2000'	PVC	Above ground

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	1400'	metal	above ground

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
9/64	45	3.7	16	16	0.1319 cfs

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

12. Additional notes or comments related to the system:

--

RECEIVED

MAR 22 2012

D. Groundwater Source Information (Well and Sump)

1. Is the appropriation from ground water (well or sump)?

YES NO

WATER RESOURCES DEPT
SALEM, OREGON
RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

If "NO", items 2 through 8 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

5. Is the appropriation from a dug well (sump)?

YES ☒ NO

If "NO", items 6 through 8 relating to this section may be deleted.

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

6. If the appropriation involves a **SUMP**, provide the following information for each **SUMP**:

LENGTH	WIDTH	AVERAGE DIAMETER	MAXIMUM DEPTH	SURFACE AREA (IN ACRES)	VOLUME IN CUBIC FEET OR ACRE FEET

7. If the sump is curbed constructed with watertight surface curbing, describe the curbing:

CURBING MATERIAL (CONCRETE, CONCRETE TILES, OR STEEL)	IF CONCRETE, PROVIDE THE THICKNESS OF THE WALL

8. Provide sump volume calculations:

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)

YES ☒ NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a:

Storage Tank

YES NO

Bulge in System / Reservoir

YES NO

Complete appropriate table(s) below, unused table may be deleted.

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

Reservoir No 1

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
N/A		

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
N/A		

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

PIPE SIZE	PIPE TYPE	"C" FACTOR	AMOUNT OF FALL	LENGTH OF PIPE	SLOPE	COMPUTED RATE OF WATER FLOW (IN CFS)
2"	PVC	150	50'	1600'	3.1%	0.090 cfs

3. Provide calculations:

velocity 4.108588 ft/sec

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)

Attach measurement notes.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)

RECEIVED

RECEIVED

MAY 03 2011

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

Reservoir NO2

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
N/A		

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
N/A		

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

PIPE SIZE	PIPE TYPE	"C" FACTOR	AMOUNT OF FALL	LENGTH OF PIPE	SLOPE	COMPUTED RATE OF WATER FLOW (IN CFS)
1"	PVC	150	155'	2700	5.770	0.0782 cfs

3. Provide calculations:

$V = 3.686951 \text{ ft/sec}$

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)

Attach measurement notes.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL/ DITCH	SLOPE	COMPUTED RATE (IN CFS)

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
Page 7 of 21
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

Reservoir No 3

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
N/A		

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
N/A		

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

PIPE SIZE	PIPE TYPE	"C" FACTOR	AMOUNT OF FALL	LENGTH OF PIPE	SLOPE	COMPUTED RATE OF WATER FLOW (IN CFS)
1"	PVC	150	4.5'	2000'	2.39%	0.012 CFS

3. Provide calculations:

velocity = 2.72327 ft/sec

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)

Attach measurement notes.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

3. Provide calculations:

N/A

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)

Attach measurement notes.

H. Reservoir

1. Does the claim involve a reservoir modified through a transfer?

YES ☒ NO

Reminder: This section should only be completed if the reservoir right has been modified through the transfer process. If the claim is for a permitted reservoir use the Claim of Beneficial Use form for reservoirs.

If "NO", items 2 through 9 relating to this section may be deleted.

2. Does the reservoir require the submittal of as-built plans and specifications?

YES ☒ NO

If "YES", answer items 3; items 4 through 9 relating to this section may be deleted.

If "NO", skip items 3; answer items 4 through 9.

3. Complete the table:

HAVE THE DOCUMENTS BEEN SUBMITTED? YES OR NO	WHEN WERE THE DOCUMENTS SUBMITTED?	HAVE THEY BEEN APPROVED BY THE DEPARTMENT?	NUMBER OF ACRE FEET STORED

4. If the reservoir stores less than 9.2 acre-feet of water or if the dam is less than 10 feet in height, and as-built plans and specifications are not required, complete the table and items 5 through 9.

MAXIMUM DEPTH	AVERAGE DEPTH	SURFACE AREA (IN ACRES)	VOLUME (IN ACRE FEET)

5. Provide reservoir volume calculations:

6. Provide the following information concerning the physical characteristics of the dam:

CREST WIDTH (W)	DAM HEIGHT AT CENTERLINE (H)	DISTANCE FROM DOWNSTREAM TOP OF DAM TO DOWNSTREAM TOE (L)	DISTANCE FROM UPSTREAM TOP OF DAM TO UPSTREAM TOE (U)	WATER LEVEL AT INSPECTION	DOWN-STREAM SLOPE	UP-STREAM SLOPE

RECEIVED

MAR 22 2012


WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

Example Dam Profile *This box may be deleted from the form*




7. Provide a drawing showing the cross section of the dam at the maximum section indicating details and dimensions. The drawing should be drawn at a standard even scale.

8. Describe the outlet works (size and type of the outlet conduit and location):

9. Describe the emergency spillway (dimensions and location):

BOTTOM WIDTH (W)	TOP WIDTH (L)	SPILLWAY DEPTH (H)



RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

SECTION 3 CONDITIONS

Please pay special attention to this section. All conditions contained in the permit, permit amendment, transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits, transfer final orders, and any extension final orders contain any or all of the following dates; the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use is to be completed by. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit, extension or transfer final order:

	DATE FROM PERMIT OR TRANSFER	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	10-31-1996		
BEGIN CONSTRUCTION (A)	10-31-1997	6-1-1997	
COMPLETE CONSTRUCTION (B)	10-1-1998	9-1-1998	
COMPLETE APPLICATION OF WATER (C)	10-1-1999	9-1-1999	Extension Final Order 2012

* MUST BE WITHIN PERIOD BETWEEN PERMIT, TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES ☒ NO

If "NO", you may delete item 3 in this section.

3. If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO

4. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement?

YES ☒ NO

If "NO", items 4b through 4d relating to this section may be deleted.

b. What month was the initial measurement to be taken in?

c. Was the measurement submitted to the Department?

YES ☒ NO

d. If the initial measurement was not submitted, provide that measurement now, if available:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT

RECEIVED

MAR 19 2012

WR

**WATER RESOURCES DEPT
SALEM, OREGON**

5. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements?

YES ☒ NO

If "NO", items 5b through 5e relating to this section may be deleted.

b. Provide the month in which the static water level measurement was to be made:

c. Were the static water level measurements taken in the month required?

YES ☒ NO

d. If "YES", were those measurements submitted to the Department?

YES ☒ NO

e. If the annual measurements were not submitted, provide the measurements now:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT

6. Pump Test (Required for most ground water permits prior to issuance of a certificate)

a. Did the permit require the submittal of a pump test?

YES ☒ NO

If "NO", items 6b through 6d relating to this section may be deleted.

b. Has the pump test been previously submitted to the Department?

YES ☒ NO

c. Is the pump test attached to this claim?

YES ☒ NO

d. Has the pump test been approved by the Department?

YES ☒ NO

7. Measurement Conditions:

a. Does the permit, permit amendment, transfer final order, or any extension final order require the installation of a meter or approved measuring device?

☒ YES ☐ NO

If "NO", items 7b through 7f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed?

☒ YES ☐ NO

c. Meter Information *Electric meter installed 9-1-1998*

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
<i>None</i>	<i>Neptune</i>	<i>N/A</i>	<i>Working</i>	<i>0692680</i>	<i>2007</i>

d. If a meter has not been installed, has a suitable measuring device been installed and approved by the Department?

YES ☐ NO

If a meter has been installed, items 7e through 7g relating to this section may be deleted.

e. If "YES", provide a copy of the letter approving the device, if available. If the letter is not available provide the name and title of the Water Resources Department employee approving the measuring device, and the approximate date of the approval:

NAME	TITLE	APPROXIMATE DATE

f. Measurement Device Description

DEVICE DESCRIPTION	CONDITION (WORKING OR NOT)	DATE INSTALLED

8. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

YES **NO***If "NO", item 8b relating to this section may be deleted.*

b. Have the reports been submitted?

YES NO

METHOD OF SUBMITTING REPORT (PAPER OR ELECTRONIC)	WATER USER REPORTING ID

If the reports have not been submitted, attach a copy of the reports if available.

9. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

YES **NO***If "NO", items 9b through 9e relating to this section may be deleted.***Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.**

b. Has the fish screening been installed?

YES **NO**

c. When was the fish screening installed?

DATE	BY WHOM

d. If the diversion involves a pump and the total diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs):

- Has the self-certification form previously been submitted to the Department? **NA** YES NO
- If not, go to <http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml>, complete and attach a copy of the self-certification form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.e. If the diversion does **not** involve a pump or the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? **NA** YES NO
- If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at <http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

RECEIVED

RECEIVED

MAR 22 2011

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGONWATER RESOURCES DEPT
SALEM, OREGON

10. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion?

YES ☒ NO

If "NO", items 10b and 10c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the by-pass device been installed?

YES ☒ NO

c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

DESCRIPTION (I.E. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM

11. Other conditions required by permit, permit amendment final order, extension final order, or transfer final order

a. Were there special well construction standards?

YES ☒ NO

b. Was submittal of a ground water monitoring plan required?

YES ☒ NO

c. Was the water user required to restore the riparian area if it was disturbed?

YES ☒ NO

d. Was a fishway required?

YES ☒ NO

e. Was submittal of a letter from an engineer required prior to storage of water?

YES ☒ NO

f. Was submittal of a water management and conservation plan required?

YES ☒ NO

g. Other conditions?

YES ☒ NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

SECTION 4 VARIATIONS

Include a description of variations from the permit, permit amendment final order, extension final order, or transfer final order. (i.e. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

SECTION 5 ATTACHMENTS

If you are attaching any documents to this report, provide a list:

ATTACHMENT NAME	DESCRIPTION

SECTION 6 CLAIM SUMMARY

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
Stream	0.125 cfs	0.2892 cfs	N/A	irrigation	10.0	10.0
Pond 1	25.3 AF	0.0867 cfs	N/A			

Pond 2
Pond 3

5 HP Pump
1 1/2 HP Pump

SECTION 7


CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

GPS For Elevations
traverse to property corner

RECEIVED



Large & Transfer - March 1, 2010

RECEIVED

Page 14 of 21

MAR 22 2010

WATER RESOURCES DEPT
SALEM, OREGON

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- ☒ Map on polyester film.
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- ☒ If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- ☒ Locations of fish screens, fish by-pass devices, meters and measuring devices in relationship to point of diversion or appropriation.
- ☒ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers
- ☒ Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number
- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

SECTION 8 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Duane W. Kirby	PHONE NO. 541 679 4692	ADDITIONAL CONTACT NO.
ADDRESS 8087 Lookingglass Rd		
CITY Roseburg	STATE OR	ZIP 97471
E-MAIL 		

Permit or Transfer Holder's of Record Signature or Acknowledgement

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	DATE
	Corwin W. Maddox	March 1, 12
	Debra Maddox	March 1, 12

RECEIVED

MAR 19 2012

WR


WATER RESOURCES DEPT
SALEM, OREGON

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY.

SEC.23 T.25S. R.6W. W.M.
DOUGLAS COUNTY


REVISED ON
8-27-08

25 6 23



CANCELLED NOS
101 202 103

RECEIVED
MAR 19 2012
DAVID W. KIRBY
DAVID W. KIRBY
DAVID W. KIRBY



THE PURPOSE OF THIS MAP IS TO
IDENTIFY THE LOCATION OF THE
WATER RIGHT. IT IS NOT INTENDED
TO PROVIDE INFORMATION RELATIVE
TO THE LOCATION OF PROPERTY
OWNERSHIP BOUNDARY LINES.

678
2 of 2

25 6 23


THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY.

SEC.26 T.25S. R.6W. W.M.
DOUGLAS COUNTY
1" = 400'

REVISED ON
2-25-08

25 6 26

SEE MAP 25 6 23



CLAIM OF BENEFICIAL USE
FOR CORVIN OR DEBBIE MADDOX
BY DUANE W. KIRBY
T25S, R6W, W.M.
SECTIONS 22,23,26,27
APPLICATION NO S-76171
PERMIT NO S-52921
METER IS LOCATED 300' S & 250' E
FROM NW COR 26

RESERVOIR NO 1 SW 1/4 NW 1/4 12.8 AF
RESERVOIR NO 2 NE 1/4 SW 1/4 4.5 AF
RESERVOIR NO 3 NE 1/4 NW 1/4 8.0 AF
ALL FROM THE NW COR SEC. 26

RESERVOIR NO 1 SW 1/4 NW 1/4 12.8 AF
RESERVOIR NO 2 NE 1/4 SW 1/4 4.5 AF
RESERVOIR NO 3 NE 1/4 NW 1/4 8.0 AF



THE PURPOSE OF THIS MAP IS TO
IDENTIFY THE LOCATION OF THE
WATER RIGHT. IT IS NOT INTENDED
TO PROVIDE INFORMATION RELATIVE
TO THE LOCATION OF PROPERTY
OWNERSHIP BOUNDARY LINES.

MAP # 678
1 of 2

25 6 26

Mailing List for Certificate

Application: S-76171

Permit: S-52921

Certificate: 92212

Permit/Certificate Holder:

✓
CORVIN L. MADDOX
DEBRA A. MADDOX
741 GROSS LANE
OAKLAND OR 97462

Copies of Final Certificate to be sent to:

- ✓ 1. Watermaster District #: 15
- ✓ 2. ~~Data Center (include copy of map)~~
- ✓ 3. Water Availability
- ✓ 4. Vault
- ✓ 5. File

Other persons to receive copies: (include map):

- 1.

Copies Mailed	
by: <u>LB</u>	(STAFF)
on: <u>2/3/17</u>	(DATE)

STATE OF OREGON
COUNTY OF DOUGLAS
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

CORVIN L. MADDOX
DEBRA A. MADDOX
741 GROSS LANE
OAKLAND OR 97462

confirms the right to the use of water perfected under the terms of Permit S-52921. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-76171

SOURCE OF WATER: AN UNNAMED STREAM AND THREE RESERVOIRS PROCESSED UNDER APPLICATION R-76172, HB 2153, TRIBUTARIES OF CALAPOOYA CREEK

PURPOSE OR USE: IRRIGATION OF 10.0 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 0.125 CUBIC FOOT PER SECOND FROM NATURAL FLOW AND 25.3 ACRE-Feet (AF) PER YEAR FROM STORED WATER, BEING 12.8 AF IN RESERVOIR 1, 4.5 AF IN RESERVOIR 2, AND 8.0 AF IN RESERVOIR 3.

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30 FROM NATURAL FLOW; MARCH 1 THROUGH OCTOBER 31 FROM STORED WATER ONLY

DATE OF PRIORITY: DECEMBER 28, 1994

The points of diversion are located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC
25 S	6 W	WM	26	NE NW	57
25 S	6 W	WM	26	SW NW	57
25 S	6 W	WM	26	NE SW	57

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Acres
25 S	6 W	WM	22	SE SE	57	2.0
25 S	6 W	WM	23	SW SW	57	3.0
25 S	6 W	WM	26	NW NW	57	4.0
25 S	6 W	WM	27	NE NE	57	1.0

Measurement, recording and reporting conditions:

- A. The water user shall maintain the meter or other suitable measuring device as approved by the Director in good working order.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

FEB 03 2017

Issued _____



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

STATE OF OREGON
COUNTY OF DOUGLAS
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

CORVIN L. MADDOX
DEBRA A. MADDOX
741 GROSS LANE
OAKLAND OR 97462

confirms the right to the use of water perfected under the terms of Permit S-52921. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-76171

SOURCE OF WATER: AN UNNAMED STREAM AND THREE RESERVOIRS PROCESSED UNDER APPLICATION R-76172, HB 2153, TRIBUTARIES OF CALAPOOYA CREEK

PURPOSE OR USE: IRRIGATION OF 10.0 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 0.125 CUBIC FOOT PER SECOND FROM NATURAL FLOW AND 25.3 ACRE-FEET (AF) PER YEAR FROM STORED WATER, BEING 12.8 AF IN RESERVOIR 1, 4.5 AF IN RESERVOIR 2, AND 8.0 AF IN RESERVOIR 3.

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30 FROM NATURAL FLOW; MARCH 1 THROUGH OCTOBER 31 FROM STORED WATER ONLY

DATE OF PRIORITY: DECEMBER 28, 1994

The points of diversion are located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC
25 S	6 W	WM	26	NE NW	57
25 S	6 W	WM	26	SW NW	57
25 S	6 W	WM	26	NE SW	57

1 Cert
2 MAPS

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Acres
25 S	6 W	WM	22	SE SE	57	2.0
25 S	6 W	WM	23	SW SW	57	3.0
25 S	6 W	WM	26	NW NW	57	4.0
25 S	6 W	WM	27	NE NE	57	1.0

Measurement, recording and reporting conditions:

- A. The water user shall maintain the meter or other suitable measuring device as approved by the Director in good working order.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued _____.

Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

MEMO -Proof to Satisfaction (March 17, 2014)

Application # <u>5-76171</u>	Permit # <u>5-52921</u>	Transfer #
WRD Reviewer <u>Mary Bjor-5</u>	Date <u>12-28-16</u>	
WRD Peer Reviewer <u>J. Joye</u>	Date <u>12-28-16</u>	

Research

- ☒ Organize file in chronological order
- ☒ Pull CBU Report & Map(s), Application Map, relevant Permit, Certificate, or Transfer Order, most recent Assignments, Extension Orders, SWL Measurements, Fish Screen Certification Documents, Water Use Reports & Pump Tests
- ☒ Search for Water Right Location using Interactive Mapper. Identify Tax Lots & check for Area of Interest (AOI)
- ☒ Water Organization identified using AOI? ☒ No ☐ Yes
If "Yes" cc: _____ & Add to Mailing List
- ☒ Print Tax Lot Map from ormap.net for the original Place of Use, and confirm Current Ownership & Address with County Assessor TL5 300/600 Maddox
If there is a new owner, Add to Mailing List, including the owner(s) name & tax lot number
- ☒ Print Platcard & check for Place of Use Conflict? ☒ No ☐ Yes
If "Yes", provide copy of certificate & relevant map
- ☒ Print BLM Cadastral Survey
- ☒ Does Claim Map identify correct DLC, Gov't Lots, QQ's? ☐ No ☒ Yes DLC 57
If "No", either _____ WRD amend map OR _____ prepare Order of Certification

Reviewing Claim

Have conditions on relevant permit, certificate, or transfer order been complied with? Yes, No, OR N/A

N/A Fish Conditions

YES Meter/measuring device shall - Elec Meter installed 9-1-98

N/A Water Use Reporting may

✓ Pump Test (post December 19, 1988)

✓ Other Conditions _____

✓ SWL

YES C-Date 10-1-99 - Accomplished 9-1-99 - Extension → 10-1-12

perm. 10-31-96 CURE - Not Current / Revised CCBU rec'd 3-19-12 (5-3-11)

☒ Run Capacity Calculator and Print Findings (for pump, sprinklers, pipes, ditches, as appropriate)

NOTES:

Unn Str & 3 Res for 1R 10.0 AC @ 0.125 cfs +

25.3 gpm → fully developed

System capable of authorized rate/vol

Confirmed the following w/ AC - Don't Capture Res Names
or Measured Dis in POD table, no POU/POD tie in
POU table, & capture individual vol. for each Res.

Determination

☒ I've determined that the permit/transfer was fully developed as authorized and that a **FINAL** Certificate should be issued.

fully developed

☐ I've determined that the permit/transfer was not fully developed as authorized and that a **PROPOSED** Certificate should be issued. A proposed Certificate should be issued for the following reason(s):

☐ I've determined that beneficial use was NOT made within the terms and conditions and that a **Proposed Order of Certification** (denial) should be issued. A proposed Order of Certification should be issued for the following reason(s):

Processing

☐ Stamp PROPOSED or Assign CERT# _____ or ORDER OF CERTIFICATION (circle one)

☐ Draft Certificates or Proposed Order of Certifications are available in the Application directory.

☐ Prepare Mailing List. Include Applicant(s); Receiving Landowner(s); Current Owner(s); Water Organizations; CWRE. Indicate records to be marked.


☐ Record marking:	App _____	Permit _____	Cert _____
	App _____	Permit _____	Cert _____
	App _____	Permit _____	Cert _____
	App _____	Permit _____	Cert _____

NOTES:



County:	Douglas
Taxlot:	25062300600
Owner1:	Maddox, Eugene M Estate &
Owner2:	Null
Owner Address:	Maddox Lois J Trs Etal & Maddox, Corvin L Oakland,OR 97462
Site Address:	Null
Acres:	Null
TRSQQ:	XXX0.00X0.00X0XXXX
Effective Date:	June 1, 2013

County:	Douglas
Taxlot:	25062600300
Owner1:	Maddox, Eugene M Estate &
Owner2:	Null
Owner Address:	Maddox Lois J Trs Etal & Maddox, Corvin L Oakland,OR 97462
Site Address:	Null
Acres:	Null
TRSQQ:	XXX0.00X0.00X0XXXX
Effective Date:	June 1, 2013

$1^{\circ} = 400'$ 


THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY.

SEC.23 T.25S. R.6W. W.M.
DOUGLAS COUNTY

1" = 400'

REVISED ON
8-1-14

25 6 23
SUTHERLIN



CANCELLED NOS
101 202 103
104 105

SEE MAP 25 6 24

636,000

25 6 23
SUTHERLIN


SEE MAP 25 6 26

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY.

SEC. 26 T. 25S. R. 6W. W.M.
DOUGLAS COUNTY
1" = 400'

REVISED ON
2-25-08

25 6 26




THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY.

SEC. 27 T. 25S. R. 6W. W.M.
DOUGLAS COUNTY
1" = 400'

REVISED ON
4-9-09

25 6 27



CANCELLED NOS
801 904 900
901 907 908
909 910 911
912 905 915
916 917 919
920 921 922
923 924 906
925 927 928
929 926

SEE MAP 25 6 26

SEE MAP 25 6 34

630,000

25 6 27

Property Details for Property ID: R27824**Owner Information :**

Owner Name: MADDOX, EUGENE M ESTATE &
Owner Address #1: MADDOX LOIS J TRS ETAL &
Owner Address #2: MADDOX, CORVIN L
Owner Address # 3: 741 GROSS LANE
Owner City/State/Zip: OAKLAND, OR 97462
Alternate Account #: 6045.00
Account Status: A

Property Information :

Township: 25	Situs Address: 0 GROSS LN OAKLAND, OR 97462
Range: 06W	Map ID: 25062600300
Section: 26	County Property Class: 502IS
Quarter:	Legal Acreage: 189.44
Sixteenth:	Code Area: 00100
Maintenance Area: 2	Neighborhood Code: SH
Year Built:	Living Area:
Bedrooms:	Baths:
Exemption Code:	Exemption Desc.:
MFD Home ID:	

Value Information : 2016-2017 Certified Values and Tax Information

Improvement Appr. Value: \$1,740.00	Total Appr. Value: \$58,062.00
Land Appr. Value: \$56,322.00	Exemption Value: \$0.00
Land Market Value: \$604,718.00	Total Assessed Value: \$46,764.00
Total Real Market Value: \$606,458.00	Taxes Imposed: \$472.30

Sales Information :

Deed No: 2012-10868
Sale Price: \$0.00
Sale Date: 6/25/2012

DISCLAIMER

The information provided here is for convenience ONLY. For All Commercial, Industrial, and Multi-Family Properties visit the Douglas County Assessor's Office. The records located at the Douglas County Assessor's office are the one and only legal instruments for Assessment purposes. Although reasonable attempts are made to maintain this information as accurate as possible, these documents are being provided as an informational convenience ONLY. Douglas County in no way will be liable for any inaccuracies, inconsistencies, errors, omissions, or other deviations in these documents from the original copies maintained and filed at the Douglas County Assessor's Office.

Property Details for Property ID: R27656**Owner Information :**

Owner Name: MADDOX, EUGENE M ESTATE &
Owner Address #1: MADDOX LOIS J TRS ETAL &
Owner Address #2: MADDOX, CORVIN L
Owner Address # 3: 741 GROSS LANE
Owner City/State/Zip: OAKLAND, OR 97462
Alternate Account #: 6030.00
Account Status: A

Property Information :

Township: 25
Range: 06W
Section: 23
Quarter:
Sixteenth:
Maintenance Area: 2
Year Built:
Bedrooms:
Exemption Code:
MFD Home ID:
Situs Address: 0 GROSS LN OAKLAND, OR 97462
Map ID: 25062300600
County Property Class: 502IS
Legal Acreage: 120.70
Code Area: 00100
Neighborhood Code: SH
Living Area:
Baths:
Exemption Desc.:

Value Information : 2016-2017 Certified Values and Tax Information

Improvement Appr. Value: \$11,751.00
Land Appr. Value: \$65,178.00
Land Market Value: \$470,730.00
Total Real Market Value: \$482,481.00
Total Appr. Value: \$76,929.00
Exemption Value: \$0.00
Total Assessed Value: \$67,819.00
Taxes Imposed: \$485.93

Sales Information :

Deed No: 2012-10868
Sale Price: \$0.00
Sale Date: 6/25/2012

DISCLAIMER

The information provided here is for convenience ONLY. For All Commercial, Industrial, and Multi-Family Properties visit the Douglas County Assessor's Office. The records located at the Douglas County Assessor's office are the one and only legal instruments for Assessment purposes. Although reasonable attempts are made to maintain this information as accurate as possible, these documents are being provided as an informational convenience ONLY. Douglas County in no way will be liable for any inaccuracies, inconsistencies, errors, omissions, or other deviations in these documents from the original copies maintained and filed at the Douglas County Assessor's Office.

Property Details for Property ID: R27664**Owner Information :**

Owner Name: MADDOX, EUGENE M ESTATE &
Owner Address #1: MADDOX LOIS J TRS ETAL &
Owner Address #2: MADDOX, CORVIN L
Owner Address # 3: 741 GROSS LANE Alternate Account #: 6030.01
Owner City/State/Zip: OAKLAND, OR 97462 Account Status: A

Property Information :

Township: 25	Situs Address: 741 GROSS LN OAKLAND, OR 97462
Range: 06W	Map ID: 25062300600
Section: 23	County Property Class: 502IS
Quarter:	Legal Acreage: 5.00
Sixteenth:	Code Area: 00105
Maintenance Area: 2	Neighborhood Code: SH
Year Built: 1898	Living Area: 2076
Bedrooms: 2	Baths: BATH1
Exemption Code:	Exemption Desc.:
MFD Home ID:	

Value Information : 2016-2017 Certified Values and Tax Information

Improvement Appr. Value: \$91,867.00	Total Appr. Value: \$99,027.00
Land Appr. Value: \$7,160.00	Exemption Value: \$0.00
Land Market Value: \$100,600.00	Total Assessed Value: \$91,376.00
Total Real Market Value: \$192,467.00	Taxes Imposed: \$885.10

Sales Information :

Deed No: 2012-10868
Sale Price: \$0.00 Sale Date: 6/25/2012

DISCLAIMER

The information provided here is for convenience ONLY. For All Commercial, Industrial, and Multi-Family Properties visit the Douglas County Assessor's Office. The records located at the Douglas County Assessor's office are the one and only legal instruments for Assessment purposes. Although reasonable attempts are made to maintain this information as accurate as possible, these documents are being provided as an informational convenience ONLY. Douglas County in no way will be liable for any inaccuracies, inconsistencies, errors, omissions, or other deviations in these documents from the original copies maintained and filed at the Douglas County Assessor's Office.

N/C



Oregon Water Resources Department
Water Rights Platcard Report

[Main](#) [Help](#)
[Return](#) [Contact Us](#)

Search Criteria

Meridian: Willamette Township: 25 South Range: 6 West Section: 22

Records per Page: 100

[Search](#)

[Platcards Maps!](#)
[Learn about](#) [View Map](#)

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Govt Lot	Q(40):	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Unknown
Select Permit: S 52921 *		12/28/1994	IRRIGATION																									2
Additional Info: CORVIN MADDOX App: S76171 Permit: S52921 <i>RofR.</i>																												
Select Cert:88441 CF *		2/20/1925	INDUSTRIAL/MANUFACTURING USES					*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Additional Info: TOM MICHAELS App: S10008 Permit: S6668 Cert: 88441 <i>N/C</i>																												
Select Cert:20981 OR CN		1/26/1948	IRRIGATION	CN	44											-1-	-2-	-27.8-	-14.4-									
Additional Info: HAROLD CROUCH App: S23009 Permit: S18106 Cert: 20981																												
Select Cert:22667 OR CN	T6982	4/5/1950	IRRIGATION	CN	56					-10.4-						-2.2-	-0.29-											
Additional Info: A MOORE App: S24580 Permit: S19325 Cert: 22667																												
Select Cert:22680 OR CN		9/21/1950	IRRIGATION	CN	50					-2.8-			-1.2-															
Additional Info: WALTER A DAVIS App: S25088 Permit: S19747 Cert: 22680																												
Select Cert:49250 OR *	T11822	3/29/1973	IRRIGATION		50					2.6			6.2															
Additional Info: PAUL T/KARLEN MUELLER App: S50222 Permit: S37704 Cert: 49250																												
Select Cert:49439 RR *	IL491, IL1336	1/26/1948	IRRIGATION		44											1	2	27.8	14.4									
Additional Info: HAROLD CROUCH App: S23009 Permit: S18106 Cert: 49439																												

Select Cert:75475 RR *	4/5/1950	IRRIGATION	56			10.4					2.2	0.29				2.8	
<u>Additional Info:</u> A MOORE App: S24580 Permit: S19325 Cert: 75475																	
Select App: LL 1014 WD	9/5/2006	ROAD CONSTRUCTION	WD			-											
<u>Additional Info:</u> HOLM II INC App: LL1014																	
Select Cert:88002 CF *	4/5/1950	IRRIGATION	50		0.7	2.3											
<u>Additional Info:</u> THE NICHOLS FAMILY LIMITED PARTNERSHIP App: S24580 Permit: S19325 Cert: 88002																	

Acreage Legend: 12.25 Regular acreage -12.25- Acreage is on a canceled right (12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate) [12.25] Acreage has been suspended * Acreage is not specified



Oregon Water Resources Department
Water Rights Platcard Report

[Main](#) [Help](#)
[Return](#) [Contact Us](#)

N/C

Search Criteria

Meridian: Willamette Township: 25 South Range: 6 West Section: 23 Records per Page: 100 [Search](#)

Platcards Maps!
[Learn about](#) [View Map](#)

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	ac(40): ac(160):	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Unkown QQ
Select Permit: S 52921 *		12/28/1994	IRRIGATION																					
Additional Info: CORVIN MADDOX App: S76171 Permit: S52921																								
<i>R. of R.</i>																								
Select Cert: 88441 CF *		2/20/1925	INDUSTRIAL/MANUFACTURING USES					*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Additional Info: TOM MICHAELS App: S10008 Permit: S6668 Cert: 88441																								
Select App: P 78121 *		12/20/1994	LIVESTOCK					*				*	*											
Additional Info: SCOTT WOODRUFF App: P78121																								
Select Cert: 70629 OR *		1/1/1993	LIVESTOCK																					*
Additional Info: SCOTT WOODRUFF App: R76706 Cert: 70629																								
Select Permit: S 54810 *		1/7/2013	IRRIGATION					1.1	38.1	19.7	1.5	39.3	5.3	7.5	26.8									
Additional Info: POPEYE'S GIRLFRIEND LLC App: S87856 Permit: S54810																								
Select Cert: 90763 OR *		7/20/1992	IRRIGATION			45		2			4													
Additional Info: DALE WOODRUFF App: S72567 Permit: S52161 Cert: 90763																								

Acreage Legend: 12.25 Regular
acreage

-12.25- Acreage is on a canceled
right

(12.25) Acreage is part of a transfer and has not been proven up on yet
(inchoate)

[12.25] Acreage has been
suspended

* Acreage is not
specified



Oregon Water Resources Department
Water Rights Platcard Report

[Main](#)
[Help](#)

[Return](#)
[Contact Us](#)

N/C

Search Criteria

Meridian: Willamette
 Township: 25
South
 Range: 6
West
 Section: 26
 Records per Page: 100
 Search

Platcards Maps!

[Learn about](#)
[View Map](#)

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	qq(40):	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Unknown
Q(160):	NE	NE	NE	NE	NW	NW	NW	SW	SW	SW	SW	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	QQ
Select Permit: S 52921 *		12/28/1994	IRRIGATION											4										
Additional Info: CORVIN MADDOX App: S76171 Permit: S52921 <i>R of R.</i>																								
Select Cert: 88441 CF *		2/20/1925	INDUSTRIAL/MANUFACTURING USES					*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Additional Info: TOM MICHAELS App: S10008 Permit: S6668 Cert: 88441 <i>N/C</i>																								
Select App: P 82472 *		1/28/1997	LIVESTOCK																*		*			
Additional Info: VICTOR BRINT App: P82472																								
Select Cert: 70711 OR *		1/1/1993	LIVESTOCK																					*
Additional Info: LINDA L BENSON App: R76792 Cert: 70711																								
Select Cert: 70711 OR *		1/1/1993	WILDLIFE																					*
Additional Info: LINDA L BENSON App: R76792 Cert: 70711																								
Select Permit: R 13842 *		9/18/2003	MULTIPLE PURPOSE															*						
Additional Info: ELMER HOCKMAN App: R85803 Permit: R13842																								
Select Cert: 81014 OR *		1/1/1993	LIVESTOCK			3												*						

<u>Additional Info:</u> EUGENE MADDOX App: R76172 Cert: 81014																				
<u>Select</u>	Cert:81014 OR *	1/1/1993	LIVESTOCK	57					*	*										
<u>Additional Info:</u> EUGENE MADDOX App: R76172 Cert: 81014																				
<u>Select</u>	Cert:81014 OR *	1/1/1993	STORAGE	3								*								
<u>Additional Info:</u> EUGENE MADDOX App: R76172 Cert: 81014																				
<u>Select</u>	Cert:81014 OR *	1/1/1993	STORAGE	57					*	*										
<u>Additional Info:</u> EUGENE MADDOX App: R76172 Cert: 81014																				

Acreage Legend: 12.25 Regular
acreage

~~12-25~~ Acreage is on a canceled right

(12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate)

[12.25] Acreage has been suspended

- * Acreage is not specified



Oregon Water Resources Department
Water Rights Platcard Report

[Main](#)
[Help](#)
[Return](#)
[Contact Us](#)

n/c

Search Criteria

Meridian: Township: Range: Section: Records per Page:

Platcards Maps!
[Learn about](#) • [View Map](#)

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	Q(40): Q(160):	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Unknown
NE <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td> <td>NE</td>							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW	NW
SW							SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
SE							SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE
NE							NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NW							NW	NW	NW	NW	NW																	

Acreage Legend:	12.25 Regular acreage	-12.25 Acreage is on a canceled right	(12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate)	[12.25] Acreage has been suspended	* Acreage is not specified
-----------------	-----------------------	---------------------------------------	--	------------------------------------	----------------------------

[illegible]

The above one of the survey of Thomas in Leningrad 1937, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 26

(Signed) _____ A. T. Chagrin
 Deputy General Counsel

of the 1st of
1888

STATE OF OREGON
COUNTY OF DOUGLAS

PLACED IN U.S. MAIL

NOV 15 1996

PERMIT TO APPROPRIATE THE PUBLIC WATERS

OREGON WATER RESOURCES DEPT

THIS PERMIT IS HEREBY ISSUED TO

EUGENE M AND LOIS J MADDOX
5047 OAK HILL RD
ROSEBURG, OREGON 97470-9657

Assigned to Corvin L
or
Debra J Maddox

(541) 459-3917

The specific limits for the use are listed below along with conditions of use.

741 Gross Lane
Oakland OR 97462

APPLICATION FILE NUMBER: S-76171

SOURCE OF WATER: AN UNNAMED STREAM AND THREE RESERVOIRS PROCESSED UNDER APPLICATION R-76172, HB 2153, TRIBUTARIES OF CALAPOOYA CREEK

PURPOSE OR USE: IRRIGATION OF 10.0 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 0.125 CUBIC FOOT PER SECOND FROM NATURAL FLOW AND 25.3 ACRE-FEET PER YEAR FROM STORED WATER
R1 12.8 AF
"2 4.5 " = 25.3 AF
"3 8.0 "

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30 FROM NATURAL FLOW; MARCH 1 THROUGH OCTOBER 31 FROM STORED WATER ONLY

DATE OF PRIORITY: DECEMBER 28, 1994

POINT OF DIVERSION LOCATION: NE 1/4 NW 1/4, NW 1/4 NW 1/4, SW 1/4 NW 1/4, NE 1/4 SW 1/4, SECTION 26, T25S, R6W, W.M.; POND #1 - 350 FEET SOUTH AND 2200 FEET EAST. POND #2 - 1970 FEET SOUTH AND 250 FEET EAST, POND #3 - 3800 FEET SOUTH AND 2200 FEET EAST, ALL FROM THE NW CORNER OF SECTION 26

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

RCS 1 SWNW
" 2 NESW Sec 26
" 3 NENE

SE 1/4 SE 1/4 2.0 ACRES
SECTION 22

SW 1/4 SW 1/4 3.0 ACRES
SECTION 23

NW 1/4 NW 1/4 4.0 ACRES
SECTION 26

NE 1/4 NE 1/4 1.0 ACRE

TOWNSHIP 25 SOUTH, RANGE 6 WEST, W.M.

Application S-76171 Water Resources Department

PERMIT 52921

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued October 31, 1996



Martha O. Pagel, Director
Water Resources Department

STATE OF OREGON

COUNTY OF DOUGLAS

CERTIFICATE OF WATER RIGHT (HB - 2153)

THIS CERTIFICATE ISSUED TO

EUGENE MADDOX
LOIS MADDOX
741 GROSS LANE
OAKLAND, OR 97462

confirms the right to store the waters of AN UNNAMED STREAM IN RESERVOIR 1, AND RUNOFF IN RESERVOIRS 2 AND 3 ALL TRIBUTARIES TO CALAPOOYA CREEK for LIVESTOCK AND IRRIGATION.

The right to store and use these waters was perfected under Reservoir Application R-76172. The date of priority is January 1, 1993. The amount of water entitled to be stored and used each year under this right is not more than 25.3 ACRE-FEET (AF); BEING 12.8 AF IN RESERVOIR 1, 4.5 AF IN RESERVOIR 2, AND 8.0 AF IN RESERVOIR 3.

Located as follows:

SW 1/4 NW 1/4 RESERVOIR 1
NE 1/4 NW 1/4 RESERVOIR 3
BOTH AS PROJECTED WITHIN JASPER N. SMITH DLC 57
LOT 3 (NE 1/4 SW 1/4) RESERVOIR 2
SECTION 26
TOWNSHIP 25 SOUTH, RANGE 6 WEST, W.M.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, with a minimum diameter of 8", or the provision of other means to evacuate water when determined necessary for public safety or to satisfy prior downstream rights as determined by the Water Resources Director.


This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review of the order must be filed within the 60 days of the date of service.

R-76172.GC

Certificate Number 81014

The right to store and use the water for the above purpose is restricted to beneficial use at the place of use listed above.

Issued December 16, 2004.



Phillip C. Ward, Director
Water Resources Department



Recorded in State Record of Water Right Certificates Number 81014.

R-76172

SEE MAP 25 6 23



SEE MAP 25 6 35

T 25S R 6W
1" = 400'

CLAIM OF BENEFICIAL USE for Permits claiming more than 0.1 cfs and All Transfers



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

A fee of \$150 must accompany this form to be accepted for permits
with a priority date of July 9, 1987, or later. (ORS 536.050(1))

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
http://www.wrd.state.or.us/OWRD/WR/cwre_info.shtml#.

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml.

SECTION 1

GENERAL INFORMATION

1. File Information

APPLICATION # (G, R, S or T) 5-76171	PERMIT # (IF APPLICABLE) 5-52921	PERMIT AMENDMENT # (IF APPLICABLE)
---	-------------------------------------	------------------------------------

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME Corrin or Debbie Maddox		PHONE NO. 541 784 7636	ADDITIONAL CONTACT NO.
ADDRESS 741 Gross Ln			
CITY Oakland	STATE OR	ZIP 97474	E-MAIL

If the current property owner is not the permit or transfer holder of record, it is recommended that an assignment be filed with the Department. **The COBU must be signed by the permit or transfer holder of record.**

RECEIVED

MAR 19 2012

WATER RESOURCES DEPT
SALEM OREGON

3. Is the Property Owner the permit or transfer holder of record?

YES NO

If "YES" the remainder of this item may be deleted.

Permit or transfer holder of record (this may, or may not, be the current property owner)

PERMIT OR TRANSFER HOLDER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

Are there additional permit or transfer holders of record?

YES NO

If "NO" the following box may be deleted.

ADDITIONAL PERMIT OR TRANSFER HOLDER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection: 4-21-2011

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Corvin Medtox	4-21-2011	owner

6. County: Douglas

7. If any property described in the place of use of the permit or transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(4)):

**Mark "NA" if there are no owners of property not included in this claim

OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

Are there additional Owners of Record?

YES NO

If "NO" the following box may be deleted.

ADDITIONAL OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

Reservoir No 1

SECTION 2

SYSTEM DESCRIPTION

A. Points of Diversion/Appropriation

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
Pond No 1	N/A	N/A

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
Pond No 1	Pond No 1	Cakapooya Cr.

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
Pond No 1	Irrigation	Field & Lawn Garden	3-1 thru 10-31	12.8 AF
Total Quantity of Water Used				12.8 AF

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion or appropriation to the place of use:

1" $\frac{1}{2}$ " PVC pipe from Reservoir No 1, 2, 3 and unnamed stream

2" PVC pipe from Reservoir 1 TO pump
then 2" PVC pipe TO 1 1/2 HP pump.
Then 1" PVC pipe TO 1" metal pipe
for irrigation.

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON
WR

SECTION 2 SYSTEM DESCRIPTION

Reservoir No 2

A. Points of Diversion/Appropriation

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
Pond No 2	N/A	N/A

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
Pond No 2	Pond No 1	Luhapoo/A CV

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
Pond No 2	Irrigation	Field & honey berries	3-1 thru 10-31-	4.5 AF
Total Quantity of Water Used				4.5 AF

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion or appropriation to the place of use:

1" PVC pipe from Reservoir NO 2 (Buried) To A 2" PVC pipe below Reservoir NO 1

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

SECTION 2 SYSTEM DESCRIPTION

*Reservoir
No 3*

A. Points of Diversion/Appropriation

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
<i>Pond No 3</i>	<i>N/A</i>	<i>N/A</i>

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
<i>Pond No 3</i>	<i>Pond No 3</i>	<i>Cahapooya cr</i>

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
<i>Pond No 3</i>	<i>Irrigation</i>	<i>Field & lawn & garden</i>	<i>3-1 thru 10-31</i>	<i>8.0 AF</i>
Total Quantity of Water Used				<i>8.0 AF</i>

4. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of diversion or appropriation to the place of use:

<i>1" PVC above ground pipe from Reservoir No 3 To pump then 2" PVC pipe To 2" metal pipe for Irrigation</i>
--

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

SECTION 2

SYSTEM DESCRIPTION

A. Points of Diversion/Appropriation

unnamed stream

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
<i>unnamed stream</i>	<i>N/A</i>	<i>N/A</i>

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
<i>unnamed stream</i>	<i>unnamed stream</i>	<i>Calapooya cr</i>

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
<i>unnamed stream</i>	<i>Irrigation</i>	<i>Field & lawn & garden</i>	<i>3-1 thru 9-30</i>	<i>0.125 CFS</i>
Total Quantity of Water Used				<i>0.125 CFS</i>

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion or appropriation to the place of use:

unnamed stream flows into Reservoir No 1 then 2" pvc pipe to pump then buried 2" pvc pipe to other pump - then 2" pvc pipe to 2" metal pipe for Irrigation

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

Reservoir No 3

SECTION 2

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

Reservoir No 3

B. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
25S	6W	WM	26	NW NW			irrigation	4.0	
								"	
Total Acres Irrigated								4.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
B & S	5 HP	N/A	centrifugal	2"	2"

3. Motor Information

MANUFACTURER	HORSEPOWER
B & S	5

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If a well, the water level DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
5	45	0	0	0.2892 cfs

RECEIVED

RECEIVED

MAY 03 2011

Reservoir No 2

SECTION 2

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

Reservoir No 2

B. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
259	6W	14N	23	1/4 1/4			irrigation	3.0	
								"	
Total Acres Irrigated								3.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
water A/C	R132	N/A	centrifugal	1"	2"

3. Motor Information

MANUFACTURER	HORSEPOWER
water A/C	1 1/2

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If a well, the water level during pumping	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
1 1/2	45	0	0	0.8867 CFS

RECEIVED

MAR 22 2012

COBU Form Large & Transfer - March 1, 2010

Page 4 of 21
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

Reservoir No 3

SECTION 2

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

Reservoir No 1

B. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
254	6W	W14	22	SE 1E			irrigation	2.0	
Total Acres Irrigated								2.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Water Ace	R157	N/A	centrifugal	2"	2"

3. Motor Information

MANUFACTURER	HORSEPOWER
Water Ace	1 1/2

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If a well, the water level DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
1 1/2	45	0	0	0.0867 CFS

RECEIVED

RECEIVED

MAR 22 2012

MAY 03 2011

SECTION 2

unnamed stream

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

unnamed stream

B. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
255	66	WM	27	IVENE			irrigation	1.0	
								"	
Total Acres Irrigated								1.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
B&S	5HP	N/A	centrifugal	2"	2"

3. Motor Information

MANUFACTURER	HORSEPOWER
B&S	5

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
5	45	0	0	0.2852 cfs

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

5A

1.5 HP pump

5. Provide pump calculations:

Q pump 45 PSI

$$\frac{1.5 \times 6.61}{(14.3 + 0)} = 0.0867 \text{ cfs}$$

6. Measured Pump Capacity (using meter if meter was present and system was operating)

N/A

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A			

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	1600'	PVC	Buried
1"	2100'	PVC	Buried
1"	2000'	PVC	above ground

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	1200'	metal	above ground

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
9/64	45	3.7	16	16	6.1319 cfs

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

N/A

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

12. Additional notes or comments related to the system:

D. Groundwater Source Information (Well and Sump)

1. Is the appropriation from ground water (well or sump)?

YES NO

RECEIVED

Page 5 of 21
MAR 22 2012

RECEIVED

MAY 03 2011

WR

5B

5 HP pump

5. Provide pump calculations:

Q pump 45 PSI $\frac{5 \times 6.61}{114.376} = 0.2892 \text{ cfs}$

6. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A			

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	1600'	PVC	Buried
1"	2700'	PVC	Buried
1"	2000'	PVC	Above ground

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	1450'	metal	above ground

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
9/64	45	3.7	16	16	0.1319 cfs

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

12. Additional notes or comments related to the system:

--

RECEIVED

MAR 22 2012

D. Groundwater Source Information (Well and Sump)

1. Is the appropriation from ground water (well or sump)?

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

YES NO

Reservoir No 1

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
N/A		

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
N/A		

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

PIPE SIZE	PIPE TYPE	"C" FACTOR	AMOUNT OF FALL	LENGTH OF PIPE	SLOPE	COMPUTED RATE OF WATER FLOW (IN CFS)
2"	PVC	150	50'	1600'	3.1%	6.090 cfs

3. Provide calculations:

velocity 4.108588 ft/sec

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)

Attach measurement notes.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)

RECEIVED

RECEIVED

MAY 03 2011

MAR 22 2012

If "NO", items 2 through 8 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

5. Is the appropriation from a dug well (sump)?

YES ☒ NO

If "NO", items 6 through 8 relating to this section may be deleted.

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

6. If the appropriation involves a SUMP, provide the following information for each SUMP:

LENGTH	WIDTH	AVERAGE DIAMETER	MAXIMUM DEPTH	SURFACE AREA (IN ACRES)	VOLUME IN CUBIC FEET OR ACRE FEET

7. If the sump is curbed constructed with watertight surface curbing, describe the curbing:

CURBING MATERIAL (CONCRETE, CONCRETE TILES, OR STEEL)	IF CONCRETE, PROVIDE THE THICKNESS OF THE WALL

8. Provide sump volume calculations:

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)

YES ☒ NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank

YES NO

Bulge in System / Reservoir

YES NO

Complete appropriate table(s) below, unused table may be deleted.

RECEIVED

MAR 22 2012

RECEIVED

MAY 03 2011

Reservoir NO2

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
N/A		

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
N/A		

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

PIPE SIZE	PIPE TYPE	"C" FACTOR	AMOUNT OF FALL	LENGTH OF PIPE	SLOPE	COMPUTED RATE OF WATER FLOW (IN CFS)
1"	PVC	150	155'	2700	5.770	0.0782 cfs

3. Provide calculations:

$V = 3.686951 \text{ ft/sec}$

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)

Attach measurement notes.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

Reservoir No 3

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
N/A		

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
N/A		

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

PIPE SIZE	PIPE TYPE	"C" FACTOR	AMOUNT OF FALL	LENGTH OF PIPE	SLOPE	COMPUTED RATE OF WATER FLOW (IN CFS)
1"	PVC	150	45'	2000'	2.3%	0.012 CFS

3. Provide calculations:

velocity = 2.023327 ft/sec

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)

Attach measurement notes.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

3. Provide calculations:

N/A

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)

Attach measurement notes.

H. Reservoir

1. Does the claim involve a reservoir modified through a transfer?

YES ☒ NO

Reminder: This section should only be completed if the reservoir right has been modified through the transfer process. If the claim is for a permitted reservoir use the Claim of Beneficial Use form for reservoirs.

If "NO", items 2 through 9 relating to this section may be deleted.

2. Does the reservoir require the submittal of as-built plans and specifications?

YES ☒ NO

If "YES", answer items 3; items 4 through 9 relating to this section may be deleted.

If "NO", skip items 3; answer items 4 through 9.

3. Complete the table:

HAVE THE DOCUMENTS BEEN SUBMITTED? YES OR NO	WHEN WERE THE DOCUMENTS SUBMITTED?	HAVE THEY BEEN APPROVED BY THE DEPARTMENT?	NUMBER OF ACRE FEET STORED

4. If the reservoir stores less than 9.2 acre-feet of water or if the dam is less than 10 feet in height, and as-built plans and specifications are not required, complete the table and items 5 through 9.

MAXIMUM DEPTH	AVERAGE DEPTH	SURFACE AREA (IN ACRES)	VOLUME (IN ACRE FEET)

5. Provide reservoir volume calculations:

6. Provide the following information concerning the physical characteristics of the dam:

CREST WIDTH (W)	DAM HEIGHT AT CENTERLINE (H)	DISTANCE FROM DOWNSTREAM TOP OF DAM TO DOWNSTREAM TOE (L)	DISTANCE FROM UPSTREAM TOP OF DAM TO UPSTREAM TOE (U)	WATER LEVEL AT INSPECTION	DOWN-STREAM SLOPE	UP-STREAM SLOPE

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON


RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

Example Dam Profile *This box may be deleted from the form*




7. Provide a drawing showing the cross section of the dam at the maximum section indicating details and dimensions. The drawing should be drawn at a standard even scale.

8. Describe the outlet works (size and type of the outlet conduit and location):

9. Describe the emergency spillway (dimensions and location):

BOTTOM WIDTH (W)	TOP WIDTH (L)	SPILLWAY DEPTH (H)



RECEIVED

MAR 22 2012

WATER RESOURCES DEPT

SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

SECTION 3 CONDITIONS

Please pay special attention to this section. All conditions contained in the permit, permit amendment, transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits, transfer final orders, and any extension final orders contain any or all of the following dates; the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use is to be completed by. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit, extension or transfer final order:

	DATE FROM PERMIT OR TRANSFER	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	10-31-1996		
BEGIN CONSTRUCTION (A)	10-31-1997	6-1-1997	
COMPLETE CONSTRUCTION (B)	10-1-1998	9-1-1998	
COMPLETE APPLICATION OF WATER (C)	10-1-1999	9-1-1999	Extension Final Order 2012

* MUST BE WITHIN PERIOD BETWEEN PERMIT, TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES ☒ NO

If "NO", you may delete item 3 in this section.

3. If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO

4. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement?

YES ☒ NO

If "NO", items 4b through 4d relating to this section may be deleted.

b. What month was the initial measurement to be taken in?

c. Was the measurement submitted to the Department?

YES ☒ NO

d. If the initial measurement was not submitted, provide that measurement now, if available:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT

RECEIVED

MAR 19 2012

WR

WATER RESOURCES DEPT
SALEM, OREGON

5. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements?

YES ☒ NO

If "NO", items 5b through 5e relating to this section may be deleted.

b. Provide the month in which the static water level measurement was to be made:

c. Were the static water level measurements taken in the month required?

YES ☒ NO

d. If "YES", were those measurements submitted to the Department?

YES ☒ NO

e. If the annual measurements were not submitted, provide the measurements now:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT

6. Pump Test (Required for most ground water permits prior to issuance of a certificate)

a. Did the permit require the submittal of a pump test?

YES ☒ NO

If "NO", items 6b through 6d relating to this section may be deleted.

b. Has the pump test been previously submitted to the Department?

YES ☒ NO

c. Is the pump test attached to this claim?

YES ☒ NO

d. Has the pump test been approved by the Department?

YES ☒ NO

7. Measurement Conditions:

a. Does the permit, permit amendment, transfer final order, or any extension final order require the installation of a meter or approved measuring device?

YES ☒ NO

If "NO", items 7b through 7f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed?

YES ☒ NO

c. Meter Information

Electric meter installed 9-1-1998

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
<i>No</i>	<i>Neptune</i>	<i>N/A</i>	<i>working</i>	<i>0692680</i>	<i>2007</i>

d. If a meter has not been installed, has a suitable measuring device been installed and approved by the Department?

YES ☒ NO

If a meter has been installed, items 7e through 7g relating to this section may be deleted.

e. If "YES", provide a copy of the letter approving the device, if available. If the letter is not available provide the name and title of the Water Resources Department employee approving the measuring device, and the approximate date of the approval:

NAME	TITLE	APPROXIMATE DATE

f. Measurement Device Description

DEVICE DESCRIPTION	CONDITION (WORKING OR NOT)	DATE INSTALLED

8. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

YES ☒ NO

If "NO", item 8b relating to this section may be deleted.

b. Have the reports been submitted?

YES NO

METHOD OF SUBMITTING REPORT (PAPER OR ELECTRONIC)	WATER USER REPORTING ID

If the reports have not been submitted, attach a copy of the reports if available.

9. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

YES ☒ NO

If "NO", items 9b through 9e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed?

YES ☒ NO

c. When was the fish screening installed?

DATE	BY WHOM

d. If the diversion involves a pump and the total diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs):

- Has the self-certification form previously been submitted to the Department? ☒ NA YES NO
- If not, go to <http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml>, complete and attach a copy of the self-certification form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does not involve a pump or the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? ☒ NA YES NO
- If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at <http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

RECEIVED

RECEIVED

MAR 22 2011

MAY 03 2011 WATER RESOURCES DEPT

WATER RESOURCES DEPT SALEM, OREGON

SALEM, OREGON

10. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion?

YES

NO

If "NO", items 10b and 10c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the by-pass device been installed?

YES

NO

c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

DESCRIPTION (I.E. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM

11. Other conditions required by permit, permit amendment final order, extension final order, or transfer final order

a. Were there special well construction standards?

YES

NO

b. Was submittal of a ground water monitoring plan required?

YES

NO

c. Was the water user required to restore the riparian area if it was disturbed?

YES

NO

d. Was a fishway required?

YES

NO

e. Was submittal of a letter from an engineer required prior to storage of water?

YES

NO

f. Was submittal of a water management and conservation plan required?

YES

NO

g. Other conditions?

YES

NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

SECTION 4 VARIATIONS

Include a description of variations from the permit, permit amendment final order, extension final order, or transfer final order. (i.e. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

SECTION 5 ATTACHMENTS

If you are attaching any documents to this report, provide a list:

ATTACHMENT NAME	DESCRIPTION

SECTION 6 CLAIM SUMMARY

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
Stream	0.125 cfs	0.12892 cfs	N/A	irrigation	10.0	10.0
Pond 1	25.3 AF	0.0867 cfs	N/A			
Pond 2		5 HP Pump				
Pond 3		1 1/2 HP Pump				

SECTION 7 CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

GPS For Elevations
Traverse to Property corner

RECEIVED



Large & Transfer - March 1, 2010

RECEIVED

Page 14 of 21

MAR 22 2010

WATER RESOURCES DEPT

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- ☒ Map on polyester film.
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- ☒ If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- ☒ Locations of fish screens, fish by-pass devices, meters and measuring devices in relationship to point of diversion or appropriation.
- ☒ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers
- ☒ Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number
- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

WR

SECTION 8 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME <i>Duane W. Kirby</i>	PHONE NO. <i>541 679 4692</i>	ADDITIONAL CONTACT NO.
ADDRESS <i>8087 Lookingglass Rd</i>		
CITY <i>Roseburg</i>	STATE <i>OR</i>	ZIP <i>97471</i>
E-MAIL		

Permit or Transfer Holder's of Record Signature or Acknowledgement

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	DATE
<i>Corrin Maddox</i>	Corrin W Maddox	March 1, 12
<i>Debra Maddox</i>	Debra Maddox	March 1, 12

RECEIVED

Data Entry (fill in underlined blanks)

Sprinkler group 3 Nozzle size = _____ inch (type an apostrophe before the size)
(if applicable) Pressure = _____ PSI
Number of heads = _____

(Source: rainbird.com)

Rainbird Nozzle Size Reference

<u>Nozzle #</u>	<u>Size (in)</u>
4	1/16
5	5/64
6	3/32
7	7/64
8	1/8
9	9/64
10	5/32
11	11/64
12	3/16
13	13/64
14	7/32
15	15/64
16	1/4
17	17/64
18	9/32
20	5/16
22	11/32
24	3/8
26	13/32
28	7/16
30	15/32
32	1/2
34	17/32
36	9/16
40	5/8
44	11/16

Pump Capacity Calculator

using Department designed formula:

$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 5
Efficiency = 6.61
Lift = 0
PSI = 45

Results Calculated

$(hp)(\text{efficiency}) = 33.05$
Head based on psi = 114.3
Total dynamic head = 114.3
(head + lift)

Pump Capacity = 0.289 cubic feet per second

Pump Capacity Calculator
using Department designed formula:

$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 1.5
Efficiency = 6.61
Lift = 0
PSI = 45

Results Calculated

$(hp)(\text{efficiency}) = 9.915$
Head based on psi = 114.3
Total dynamic head = 114.3
(head + lift)

Pump Capacity = 0.087 cubic feet per second

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY.

REVISED ON
10-18-95

SEE MAP 25 6 23

CANCELLED NO
500 M2
600 M2
401

RECEIVED

AUG 23 1996


WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED

SEP - 4 1996

WATER RESOURCES DEPT.
SALEM, OREGON

SEE MAP 25 6 25



SECTION 23 T.25S. R.6W. W.M.
DOUGLAS COUNTY

REVISED ON
4-20-94

25 6 23

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY.

1"-400'

SEE MAP 25 6 14

SSW COR JOSEPH CLYNE
DLC NO 49

42.20 CH.

NE COR.
A. MCGEE
DLC NO. 45

FORDS

POND

1-00

QLO 899°25'W 79.68 CH.

RECEIVED

AUG 23 1996

WATER RESOURCES DEPT.
SALEM, OREGON

1-05

RECEIVED

SEP - 4 1996

WATER RESOURCES DEPT.
SALEM, OREGON

NE COR DAVID HURST
DLC NO 56

CALAPOOIA

WALNUT
FARM

SEE MAP 25 6 22

SEE MAP 25 6 24

1-00

20
SESE
SEC 22

THIS AREA INCLUDES
VARIOUS BUILDINGS
BARNYARD ETC.

SWSW

1-00

SEE MAP 25 6 26

25 6 23



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301
(503) 986-0900
www.wrd.state.or.us

Request for Assignment

RECEIVED

MAY 17 2011

If for multiple rights, a separate form and fee for each right will be required.

WATER RESOURCES DEPT
SALEM, OREGON

I, Lois J. & Eugene M. Maddox
(Name of Applicant / Permit / Transfer Holder / License Holder / GR Certificate of Registration)
5047 Oak Hill Rd OR 97471 541-459-3917
(Mailing Address) (City) (State) (Zip) (Phone #)

- ☒ hereby assign all my interest in and to application/permit/transfer/license/GR Certificate of Registration;
- ☐ hereby assign all my interest in and to a portion of application/permit/transfer/license/GR Certificate of Registration; (You must include a map showing the portion of the application/permit/transfer/license/GR Certificate of Registration to be assigned.)
- ☐ hereby assign a portion of my interest in and to the entire application/permit/transfer/license/GR Certificate of Registration:

Application # S-76171; Permit # S52921; Transfer # _____
-OR-
License # _____; GR Statement # _____; GR Certificate of Registration # _____

As filed in the office of the Water Resources Director, to:

Corvin L. or Debra A. Maddox
(Name of New Owner)
7741 Gross Lane OR 97462 541-459-4249
(Mailing Address) (City) (State) (Zip) (Phone #)

Note: If there are other owners of the property described in the Application, Permit, Transfer, License, or GR Certificate of Registration, you must provide a list of all other owners' names and mailing addresses and attach it to this form.

I hereby certify that I have notified all other owners of the property described in this Application, Permit, Transfer, License, or GR Certificate of Registration of this Request for Assignment

Witness my hand this 15th day of May, 20 11.

Applicant/Permit Holder Lois J. Maddox

Applicant/Permit Holder _____

JERRY SAUTER
5/17/11

DO NOT WRITE IN THIS BOX

- This certifies assignment and record change at Oregon Water Resources Department effective 8:00a.m. on date of receipt at Salem, Oregon.
- Fee receipt # 02913
- For Director by Jerry Sauter, Program Analyst in Water Rights Division

The completed "Request for Assignment" form *must* be submitted to the Department along with the recording fee of \$75.



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department
North Mall Office Building
725 Summer St. NE, Suite A
Salem, OR 97301
Phone 503-986-0900
FAX 503-986-0904

May 17, 2011

L.J. Maddox, TTE – Maddox Loving Trust
5047 Oak Hill Rd.
Roseburg, Oregon 97471

Reference: Application S-76171, Permit S-52921

The assignment from Eugene M. and Lois J. Maddox to Corvin L. or Debra A. Maddox has been recorded in the records of the Water Resources Department.

Our records have been changed accordingly and the original request is enclosed. Receipt number 102913 covering the recording fee of \$75 for assignment and \$500 for Extension of Time is also enclosed.

Sincerely,

Jerry Sauter
Water Rights Program Analyst
Water Right Services Division

Enclosure: Receipt 102913

cc: Watermaster 15
Corvin L. or Debra A. Maddox
Data Center, OWRD (Complete Copy of Assignment Request)
Hydrographics
File



Completion Checklist for CWRE Claims of Beneficial Use

Application # S-76171



Date Received 3/22/2012

CWRE Name Duane Kirby

Claim Logged yes

File Marked yes

Oversized Map # 678

Read the file and attach a copy of the permit or transfer final order. _____

Map Review:

- ☒ Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b))
- ☒ Application & permit #, or transfer # (OAR 690-014-0100(1))
- ☒ Disclaimer (OAR 690-014-0170(5))
- ☒ North arrow (OAR 690-310-0050(2)(c))
- ☒ CWRE stamp and signature (OAR 690-014 & 310-0050)
- ☒ Appropriate scale (1" = 1320', 1" = 400', or the original full-size scale of the county assessor map) (014 & 310)
- ☒ Township, range, section, and tax lot numbers (OAR 690-310-0050(4))
- ☐ Source illustrated if surface water (OAR 690-014-0170(3))
- ☐ Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050)
- ☐ Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050)
- ☐ Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050)
- ☐ Description of the location, in relation to the point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices required (OAR 690-014(4))
- ☐ Place of use (1/4 1/4, or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dwelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010)

Report Review:

- ☒ On form or format provided by the Department (OAR 690-014-0100(1))
- ☒ Application & permit #, or transfer # (OAR 690-014)
- ☒ Ownership information (OAR 690-014)
- ☒ Date of survey (OAR 690-014)
- ☒ Person interviewed (OAR 690-014)
- ☒ County (OAR 690-014)
- ☒ Tax lot information (OAR 690-014)
- ☐ Description of conveyances system (from POD to POU) (OAR 690-014-0100)
- ☐ Source(s) of water (OAR 690-014-0100)
- ☐ Point of diversion/appropriation location (OAR 690-014-0100)
- ☐ Use, period of use, and rate for use (OAR 690-014-0100)
- ☐ Place of use location (OAR 690-014-0100)
- ☐ Type of use (OAR 690-014-0100)
- ☐ Extent of use (OAR 690-014-0100)
- ☐ Rate and Duty (OAR 690-014-0100)
- ☐ Diversion rate for each use (OAR 690-014-0100)
- ☐ Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100)
- ☐ System capacity (OAR 690-014-0100)
 - ☐ Calculated capacity of system (required)
 - ☐ Measured amount of use (optional)
- ☐ Permit/Transfer Final Order Conditions (OAR 690-014-0100)
 - ☐ Time limits
 - ☐ Initial water level measurements
 - ☐ Annual static water level measurements
 - ☐ Measurement, recording, and reporting
 - ☐ Meter/measuring device
 - ☐ Water use reporting
 - ☐ Fish screening and/or by-pass
 - ☐ Pump test (ground water)
 - ☐ Other conditions
- ☒ CWRE stamp and signature (OAR 690-014-0100)
- ☒ Signature(s) of permittee of transfer holder (OAR 690-014-0100)

DEF = deficient

N/A = Not Applicable

Certificate Issuance Processing Checklist

_____ Map and COBU reviewed
_____ Conflict check (include copy of plat card printout) Any Conflicts? _____
_____ Check for ownership

Staff Recommendations:

_____ Proof to the Satisfaction has been established to the full extent as described in the permit or transfer order.
_____ Proof to the Satisfaction has been not been established to the full extent as described in the permit or transfer order and the right should be limited as follows: _____
_____ Proof to the Satisfaction has not been established for the following reasons: _____
Proposed Actions:
Send letter requesting the following items/information: _____
Send letter recommending extension to cure deficiencies: _____

Can certificate be processed further?

_____ Yes

If "Yes":

_____ Proposed
_____ Final

Certificate # _____

Mailing list:

Proposed:

Final:

Superseded
3/26/2012

**CLAIM OF
BENEFICIAL USE
for Permits claiming more
than 0.1 cfs and All Transfers**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

A fee of \$150 must accompany this form to be accepted for permits
with a priority date of July 9, 1987, or later. (ORS 536.050(1))

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
http://www.wrd.state.or.us/OWRD/WR/cwre_info.shtml#.

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml.

SECTION 1

GENERAL INFORMATION

1. File Information

APPLICATION # (G, R, S or T) 5-76171	PERMIT # (IF APPLICABLE) 552921	PERMIT AMENDMENT # (IF APPLICABLE)
--	---	------------------------------------

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME 2015 J Maddox		PHONE NO. 784 7636	ADDITIONAL CONTACT NO.
ADDRESS 5047 OAK HILL RD			
CITY Roseburg	STATE OR	ZIP 97471	E-MAIL

If the current property owner is not the permit or transfer holder of record, it is recommended that an assignment be filed with the Department. The COBU must be signed by the permit or transfer holder of record.

RECEIVED

MAR 22 2012
Page 1 of 21
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011
WATER RESOURCES DEPT
SALEM, OREGON

SECTION 3 CONDITIONS

*Superseded
3/26/2012*

Please pay special attention to this section. All conditions contained in the permit, permit amendment, transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits, transfer final orders, and any extension final orders contain any or all of the following dates; the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use is to be completed by. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit, extension or transfer final order:

	DATE FROM PERMIT OR TRANSFER	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	10-31-1996		
BEGIN CONSTRUCTION (A)	10-31-1997	6-1-1997	
COMPLETE CONSTRUCTION (B)	10-1-1998	9-1-1998	
COMPLETE APPLICATION OF WATER (C)	10-1-1999	9-1-1999	

* MUST BE WITHIN PERIOD BETWEEN PERMIT, TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES ☒ NO

If "NO", you may delete item 3 in this section.

3. If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO

4. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement?

YES ☒ NO

If "NO", items 4b through 4d relating to this section may be deleted.

b. What month was the initial measurement to be taken in?

c. Was the measurement submitted to the Department?

YES ☒ NO

d. If the initial measurement was not submitted, provide that measurement now, if available:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT

RECEIVED

MAR 22 2012

Page 10 of 21
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

Superseded
3/26/2012

5. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements?

YES ☒ NO

If "NO", items 5b through 5e relating to this section may be deleted.

b. Provide the month in which the static water level measurement was to be made:

c. Were the static water level measurements taken in the month required?

YES ☒ NO

d. If "YES", were those measurements submitted to the Department?

YES ☒ NO

e. If the annual measurements were not submitted, provide the measurements now:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT

6. Pump Test (Required for most ground water permits prior to issuance of a certificate)

a. Did the permit require the submittal of a pump test?

YES ☒ NO

If "NO", items 6b through 6d relating to this section may be deleted.

b. Has the pump test been previously submitted to the Department?

YES ☒ NO

c. Is the pump test attached to this claim?

YES ☒ NO

d. Has the pump test been approved by the Department?

YES ☒ NO

7. Measurement Conditions:

a. Does the permit, permit amendment, transfer final order, or any extension final order require the installation of a meter or approved measuring device?

☒ YES ☐ NO

If "NO", items 7b through 7f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed?

☒ YES ☐ NO

c. Meter Information

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Note	Neptune	N/A	working	0692680	2007

d. If a meter has not been installed, has a suitable measuring device been installed and approved by the Department?

YES ☐ NO

If a meter has been installed, items 7e through 7g relating to this section may be deleted.

e. If "YES", provide a copy of the letter approving the device, if available. If the letter is not available provide the name and title of the Water Resources Department employee approving the measuring device, and the approximate date of the approval:

NAME	TITLE	APPROXIMATE DATE

RECEIVED

RECEIVED

Superseded
3/26/2012

SECTION 8 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.

Seal and Signature



RECEIVED

MAY 03 2011

WATER RESOURCES DEPT
SALEM, OREGON

CWRE NAME Duane W. Kirby		PHONE NO. 501 674 4692	ADDITIONAL CONTACT NO.
ADDRESS 8087 hookinglass Rd			
CITY Roseburg	STATE OR	ZIP 97471	E-MAIL

Permit or Transfer Holder's of Record Signature or Acknowledgement

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	DATE
	Lois J. Maddox	5/2/11

RECEIVED

MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

March 23, 2011

Eugene M. Maddox
Lois J. Maddox
5047 Oak Hill Rd
Roseburg, OR 97470

ck # 1225
Voided
3/14/12

RE: Application File S-76171, Permit S-52921

Dear Mr. & Mrs. Maddox,

On May 3, 2011, the Department received your Claim of Beneficial Use for the above referenced file and permit. The Claim and your check for \$150.00 are being returned to you for the follow reasons:

1. The permit also contained a condition that required that a meter or other suitable measuring device be installed prior to use of water. The permit also contained timelines for both the completion of the construction of the system (October 1, 1998) and the date by which complete application of water to the use was required to occur by (October 1, 1999). On page 11 of the Claim, it indicates that the meter was installed in 2007. The Claim indicates that the meter was installed approximately 9 years after it was required to be in place. For the Department to make a determination that beneficial use has been made, use of the water must occur with all the conditions included in the permit being complied with. Use of water without the meter in place does not equate to beneficial use. If a meter or suitable measuring device was not in place by the timelines required in the permit, you will need to file for an extension of time in order to come into compliance with this condition.
2. The Claim and, if necessary, a request for an extension of time, are required to be signed all of the permit holders of record. The Claim was only signed by Lois J. Maddox. If Eugene M. Maddox is not available to sign the Claim, you will need to have the file assigned to you. If you have any questions about the Assignment process, please contact Jerry Sauter at 503-986-0817.
3. The maps submitted with the Claim do not appear to be on polyester film as required by OAR 690-014-0170(1).

RECEIVED


MAR 22 2012

WATER RESOURCES DEPT
SALEM, OREGON

The Department has not retained a copy of Claim.

If you have any additional questions, please feel free to contact me at 503-986-0811.

Sincerely,

A handwritten signature in blue ink, appearing to read "Gerry Clark", with a stylized flourish at the end.

Gerry Clark
Water Right Specialist
Certificates

Cc: file
Duane Kirby, CWRE

RECEIVED

RECEIVED
JAN 10 2011



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

March 27, 2012

Corvin and Debra Maddox
741 Gross Lane
Oakland OR 97462

On March 22, 2012 the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file(s):

Application S-76171 Permit S-52921

The COBU included a report and map. In the future the Department will review your submittal. At that time we will review these items and provide a final certificate, proposed certificate, or a request for additional information.

If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml

Customer Service phone: (503) 986-0801

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Your receipt and a copy of the claim of beneficial use report you submitted is enclosed.

Cc: file

Mailing List for Extension FO Copies

Note: Include a copy of the "Important Notice" document along with the original copy of the Final Order being sent to the permit holder.

FO Date: February 3, 2012

Copies Mailed

Application S-76171

By: lim

Permit S-52921

On: 2-3-12

Original mailed to permit holder

Corvin L. or Debra A. Maddox
741 Gross Lane
Oakland, OR 97462

Copies sent to:

1. WRD - App. File S-76171/ Permit S-52921
2. WRD - Watermaster District 15, Dave Williams

Fee paid as specified under ORS 536.050 to receive copy:

3. None

Receiving via e-mail (10 AM day of signature date)

(DONE BY EXTENSION SPECIALIST)

4. None

CASEWORKER: jwg

Oregon Water Resources Department
Water Right Services Division

Water Rights Application
Number S-76171

Final Order
Extension of Time for Permit Number S-52921
Permit Holder: Corvin L. or Debra A. Maddox

Appeal Rights

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. A request for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either file for judicial review, or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit S-52921 was issued by the Department on October 31, 1996. The permit called for completion of construction by October 1, 1998 and complete application of water to beneficial use by October 1, 1999. On May 17, 2011, Corvin L. or Debra A. Maddox submitted to the Department an Application for Extension of Time for Permit S-52921. In accordance with OAR 690-315-0050(2), on September 20, 2011, the Department issued a Proposed Final Order proposing to extend the time to complete construction to October 1, 2012 and the time to apply water to full beneficial use to October 1, 2012. The protest period closed November 4, 2011, in accordance with OAR 690-315-0060(1). No protest was filed.

The Department adopts and incorporates by reference the Proposed Final Order dated September 20, 2011.


At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, the permit may be extended subject to no additional conditions.

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.230, 539.010(5) and OAR 690-315-0040(2).

Order

The extension of time for Application S-76171, Permit S-52921, therefore, is approved. The deadline for completing construction is extended from October 1, 1998 to October 1, 2012. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 1999 to October 1, 2012.

DATED: February 3, 2012



Dwight French
Water Right Services Division Administrator, *for*
PHILIP C. WARD, DIRECTOR

- If you have any questions about statements contained in this document, please contact Jerry Gainey at (503) 986-0812.
- If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900.

Oregon Water Resources Department
Water Right Services Division

Application for Extension of Time

In the Matter of the Application for an Extension of Time)
for Permit S-52921, Water Right Application S-76171)
in the name of Corvin L. or Debra A. Maddox.) **PROPOSED FINAL ORDER**

Permit Information

Application File S-76171 Permit S-52921

Basin: 16 – Umpqua / Watermaster District 15

Date of Priority: December 28, 1994

Authorized Use of Water

Source of Water: An unnamed stream and 3 reservoirs constructed under
 Certificate 81014, tributaries of Calapooya Creek
Purpose of Use: Irrigation of 10 Acres
Maximum Rate: 0.125 Cubic Foot per Second (cfs)

**This Extension of Time request is being processed in accordance with Oregon
Administrative Rule Chapter 690, Division 315**

Please read this Proposed Final Order in its entirety.

This Proposed Final Order applies only to Permit S-52921, water right Application S-76171.
A copy of Permit S-52921 is enclosed as Attachment 1.

Summary of Proposed Final Order for Extension of Time

The Department proposes to:

- Grant an extension of time for complete construction of the water system from October 1, October 1, 1998 to October 1, 2012.
- Grant an extension of time to apply water to full beneficial use from October 1, 1999 to October 1, 2012.

ACRONYM QUICK REFERENCE

Department – Oregon Water Resources Department

PFO – Proposed Final Order

Units of Measure

cfs – cubic feet per second

gpm – gallons per minute

AF – acre-feet

AUTHORITY

Generally, see ORS 537.230 and OAR Chapter 690 Division 315.

ORS 537.230(3) provide in pertinent part that the Oregon Water Resources Department (Department) may, for good cause shown, order an extension of time within which irrigation or other works shall be completed or the right perfected. In determining the extension, the Department shall give due weight to the considerations described under ORS 539.010(5) and to whether other governmental requirements relating to the project have significantly delayed completion of construction or perfection of the right.

ORS 539.010(5) provides in pertinent part that the Water Resources Director, for good cause shown, may extend the time within which the full amount of the water appropriated shall be applied to a beneficial use. This statute instructs the Director to consider: the cost of the appropriation and application of the water to a beneficial purpose; the good faith of the appropriator; the market for water or power to be supplied; the present demands therefore; and the income or use that may be required to provide fair and reasonable returns upon the investment.

OAR 690-315-0040 provides in pertinent part that the Water Resources Department shall make findings to determine if an extension of time may be approved to complete construction and/or apply water to full beneficial use.

FINDINGS OF FACT

Background

1. Permit S-52921 was granted by the Department on October 31, 1996, to Eugene M. Maddox. The permit authorizes the use of up to 0.125 cfs of water from an unnamed stream and 3 reservoirs constructed under Certificate 81014, tributaries of Calapooya Creek, for irrigation of 10 acres. The permit specified construction of the water system was to be completed by October 1, 1998, and complete application of water was to be made on or before October 1, 1999. On May 17, 2011, the permit was assigned to Corvin L. or Debra A. Maddox.
2. The permit holders submitted an "Application for Extension of Time" to the Department on May 17, 2011 requesting the time to complete construction of the water system extended from October 1, 1998 to October 1, 2012 and the time to apply water to full beneficial use under the terms of Permit S-52921 be extended from October 1, 1999 to October 1, 2012. This is the first permit extension requested for Permit S-52921.
3. Notification of the Application for Extension of Time for Permit S-52921 was published in the Department's Public Notice dated May 24, 2011. No public comments were received regarding the extension application.

Review Criteria [OAR 690-315-0040]

The time limits to complete construction and/or apply water to full beneficial use may be extended if the Department finds that the permit holder has met the requirements set forth under OAR 690-315-0040. This determination shall consider the applicable requirements of ORS 537.230¹, 537.248² and/or 539.010(5)³.

Complete Extension of Time Application [OAR 690-315-0040(1)(a)]

4. On May 17, 2011, the Department received a completed Application for Extension of Time and the fee specified in ORS 536.050 from the permit holder.

Start of Construction [OAR 690-315-0040(1)(b) and 690-315-0040(5)]

5. Actual construction of the water system began prior to the October 31, 1997 deadline specified in the permit

Duration of Extension [OAR 690-315-0040(1)(c)]

Under OAR 690-315-0040(1)(c), in order to approve an extension of time for water use permits the Department must find that the time requested is reasonable and the applicant can complete the project within the time requested.

¹ORS 537.230 applies to surface water permits only.

²ORS 537.248 applies to reservoir permits only.

³ORS 539.010(5) applies to surface water and ground water permits.

6. As of May 17, 2011, the remaining work to be completed consists of completing construction of the water system and applying water to full beneficial use.
7. Given the amount of development left to occur, the Department has determined that the permit holder's request to have until October 1, 2012, to complete construction of the water system and to accomplish the application of water to beneficial use under the terms and conditions of Permit S-52921 is both reasonable and necessary.

Good Cause [OAR 690-315-0040(1)(d)]

The Department's determination of good cause shall consider the requirements set forth under OAR 690-315-0040(2).

Reasonable Diligence of the Appropriator [OAR 690-315-0040(2)(a)]

The Department's determination of reasonable diligence shall consider the requirements set forth under OAR 690-315-0040(3)(a-d). In accordance with OAR 690-315-0040(3), the Department shall consider, but is not limited to, the following factors when determining whether the applicant has demonstrated reasonable diligence in previous performance under the permit:

Amount of Construction [OAR 690-315-0040(3)(a)]

8. Work was accomplished within the time allowed in the permit or previous extension as follows:
 - a. Construction of the water system began prior to the October 31, 1997 deadline specified in the permit.
 - b. Work was completed (specified in the Application for an Extension of Time) during the original development time frame under Permit S-52921.
 - c. Since October 1, 1999, the permit holders have installed a water meter as required under S-52921.

Beneficial Use of Water [OAR 690-315-0040(3)(b)]

9. The following beneficial use was made of the water during the permit or previous extension time limits:
 - a. Since the issuance of Permit S-52921 on October 31, 1996, the permit holders have used 0.10 cfs of water diverted from the an unnamed stream and 3 reservoirs constructed under Certificate 81014, tributaries of Calapooya Creek for irrigation of 10 acres.

Compliance with Conditions [OAR 690-315-0040(3)(c)]

10. The water right permit holders' conformance with the permit or previous extension conditions.

- a. The Department has considered the permit holders' compliance with conditions, and did not identify any concerns.

Financial Investments [OAR 690-315-0040(3)(d)]

11. Financial investments made toward developing the beneficial water use.

- a. As of May 17, 2011, the permit holders have invested approximately \$6,000, which is approximately 75 percent of the total projected cost for complete development of this project. The permit holders anticipate an additional \$2,000 investment is needed for the completion of this project.

Cost to Appropriate and Apply Water to a Beneficial Purpose [OAR 690-315-0040(2)(b)]

12. As of May 17, 2011, the permit holders have invested approximately \$6,000 which is approximately 75 percent of the total projected cost for complete development of this project. The permit holders anticipate an additional \$2,000 investment is needed for the completion of this project.

Good Faith of the Appropriator [OAR 690-315-0040(2)(c)]

13. The Department has found good faith of the appropriator under Permit S-52921.

The Market and Present Demands for Water [OAR 690-315-0040(2)(d-e)]

The Department's determinations of market and present demand for water or power to be supplied shall consider the requirements set forth under OAR 690-315-0040(4)(a-f). In accordance with OAR 690-315-0040(4), the Department shall consider, but is not limited to, the following factors when determining the market and the present demand for water or power to be supplied:

14. The amount of water available to satisfy other affected water rights and scenic waterway flows; special water use designations established since permit issuance, including but not limited to state scenic waterways, federal wild and scenic rivers, serious water management problem areas or water quality limited sources established under 33 U.S.C. 1313(d); or the habitat needs of sensitive, threatened or endangered species, in consultation with the Oregon Department of Fish and Wildlife [OAR 690-315-0040(4)(a-c)].
 - a. The amount of water available to satisfy other affected water rights and scenic waterway flows was determined at the time of issuance of Permit S-52921; furthermore, water availability for other affected water rights and scenic waterway flows after the permit was issued is determined at such time that such application for a new water right is submitted. The points of diversion are located on An unnamed stream and 3 reservoirs constructed under Certificate 81014, tributaries of Calapooya Creek, and are not located within a Withdrawn Area. An unnamed stream and 3 reservoirs constructed under Certificate 81014, tributaries of Calapooya Creek are not located within or above any state or federal scenic waterway, however they are located within an area ranked "high"

for stream flow restoration needs as determined by the Department in consultation with the Oregon Department of Fish and Wildlife, and are located within a Sensitive, Threatened or Endangered Fish Species Area as identified by the Department in consultation with Oregon Department of Fish and Wildlife. An unnamed stream and 3 reservoirs constructed under Certificate 81014, tributaries of Calapooya Creek are listed by the Department of Environmental Quality as a water quality limited stream.

15. Economic investment in the project to date [OAR 690-315-0040(4)(d)].
 - a. As of May 17, 2011, the permit holder has invested approximately \$6000.
16. Other economic interests dependent on completion of the project [OAR 690-315-0040(4)(e)].
 - a. None have been identified.
17. Other factors relevant to the determination of the market and present demand for water and power [OAR 690-315-0040(4)(f)].
 - a. None have been identified.

Fair Return Upon Investment [OAR 690-315-0040(2)(f)]

18. Use and income from the permitted water development results in reasonable returns upon the investment made to date.

Other Governmental Requirements [OAR 690-315-0040(2)(g)]

19. Delay in the development of this project was not caused by any other governmental requirements.

Unforeseen Events [OAR 690-315-0040(2)(h)]

20. None have been identified.

CONCLUSIONS OF LAW

1. The applicants are entitled to apply for an extension of time to complete construction and/or completely apply water to the full beneficial use pursuant to ORS 537.230(3).
2. The applicants have submitted a complete extension application form and the fee specified in ORS 536.050, as required by OAR 690-315-0040(1)(a).
3. The applicants complied with begin actual construction timeline requirements pursuant to ORS 537.230 as required by OAR 690-315-0040(1)(b) and OAR 690-315-0040(5).

4. Completion of construction and full application of water to beneficial use can be accomplished by October 1, 2012⁴, as required by OAR 690-315-0040(1)(c).
5. The Department has considered the reasonable diligence and good faith of the appropriators, the cost to appropriate and apply water to a beneficial purpose, the market and present demands for water to be supplied, the financial investment made and fair and reasonable return upon the investment, the requirements of other governmental agencies, and unforeseen events over which the permit holder had no control, whether denial of the extension will result in undue hardship to the applicant and whether there are no other reasonable alternatives for meeting water use needs, any other factors relevant to a determination of good cause, and has determined that the applicant has shown that good cause exists for an extension of time to apply water to full beneficial use pursuant to OAR 690-315-0040(1)(d).


Proposed Order

Based upon the foregoing Findings of Fact and Conclusions of Law, the Department proposes to issue an order to:

Extend the time for complete construction of the water system under Permit S-52921 from October 1, 1998 to October 1, 2012.

Extend the time to apply water to beneficial use under Permit S-52921 from October 1, 1999 to October 1, 2012.

DATED: September 20, 2011


Dwight French, Water Right Services Administrator

*If you have any questions,
please check the information
box on the last page for the
appropriate names and
phone numbers.*

Proposed Final Order Hearing Rights

1. Under the provisions of OAR 690-315-0100(1) and 690-315-0060, the applicant or any other person adversely affected or aggrieved by the proposed final order may submit a written protest to the proposed final order. The written protest must be received by the

⁴Pursuant to ORS 537.230(3), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and a new or revised claim of beneficial use as deemed appropriate by the Department.

2. A written protest protest shall include:
 - a. The name, address and telephone number of the petitioner;
 - b. A description of the petitioner's interest in the proposed final order and if the protestant claims to represent the public interest, a precise statement of the public interest represented;
 - c. A detailed description of how the action proposed in the proposed final order would adversely affect or aggrieve the petitioner's interest;
 - d. A detailed description of how the proposed final order is in error or deficient and how to correct the alleged error or deficiency;
 - e. Any citation of legal authority supporting the petitioner, if known;
 - f. Proof of service of the protest upon the water right permit holder, if petitioner is other than the water right permit holder; and
 - g. The applicant or non-applicant protest fee required under ORS 536.050.
3. Within 60 days after the close of the period for requesting a contested case hearing, the Director shall:
 - a. Issue a final order on the extension request; or
 - b. Schedule a contested case hearing if a protest has been submitted, and:
 - 1) Upon review of the issues, the Director finds there are significant disputes related to the proposed agency action; or
 - 2) The applicant submits a written request for a contested case hearing within 30 days after the close of the period for submitting protests.

- Page 8 of 8

Mailing List for Extension PFO Copies

PFO Date: September 20, 2011

Copies Mailed

**Application S-76171
Permit S-52921**

By: Ja
On: 9/20/11

Original mailed to Applicant:

✓ Corvin L. or Debra A. Maddox
741 Gross Lane
Oakland, OR 97462

Copies sent to:

- ✓ 1. WRD - App. File S-76171/ Permit S-52921
- ✓ 2. WRD - Watermaster District 15, Dave Williams

Fee paid as specified under ORS 536.050 to receive copy:

3. None

Receiving via e-mail (10 AM Tuesday of signature date)
(DONE BY EXTENSION SPECIALIST)

4. None

CASEWORKER: jwg

Extension PFO Checklist for
Other than Muni or Quasi-Municipal

Water Use Permits
(OAR 690-315-0010 through OAR 690-315-0060)

Application: S- 71671 Permit: S- 52921 Permit Amendment? No ☒ Yes ☐ T- ☐ pending ☐ approved

Permit Holder's Name: Corvin L or Debra A Maddox

Permit Holder's Mailing Address: 741 Gross Lane, Oakland OR 97462 email na

Phone Number: 541-459-4249

POD Location: Township 25 S Range 6 W Section 22, 23, 26 & 27 $\frac{1}{4}$ SEE NOTES

Drainage Basin: 16 County: dOUGLAS Watermaster District: 15 Watermaster: David Williams

Date Permit was issued: 10/31/1996

Priority Date: 12/28/1994

Date of PN: 5/24/2011

Source: An unnamed stream and 3 reservoirs consturcted under Certificate 81014, tributaries of Calapooya Creek

Use: Irrigation of 10.0 acres

"Q": 0.125 cubic foot per second from natural flow and 25.3 acre-feet per year from stored water

Orig "A" Date: 10/1/1997

Orig "B" Date: 10/1/1998

Orig "C" Date: 10/1/1999

Extension
request rec'd: 5/17/2011

Last Authorized
"B" Date: 10/1/

Last Authorized
"C" Date: 10/1/

Request Number (1, 2, 3...): 1

Proposed
"B" Date: 10/1/2012

Proposed
C Date: 10/1/2012

Conditions of Permit:

Condition Met?	Condition Not Met?	Permit Condition
☐	☒	Meter not installed until 2007
☐	☐	
☐	☐	
☐	☐	
☐	☐	

Factors to consider in determining "Reasonable Diligence" [OAR 690-315-0040(3)]:

Yes No

- ☐ ☒ Work was accomplished within the time allowed in the permit or previous extension
- ☐ ☒ Water right permit holder conformed with the permit or previous extension conditions
- ☒ ☐ Financial investments were made toward developing the beneficial water use.

• Amount Invested to date: \$0 Estimated Remaining Cost: \$2,000

- ☒ ☐ Beneficial use made of the water during the permit or previous extension time limits

• Permit holder has beneficially used 0.10 ☒ cfs ☐ gpm ☐ af of the total permitted quantity of water on 10 acres

GW REVIEW: Y N ☐

MITIGATION REVIEW: Y N ☐

Has the applicant pursued perfection of the right in good faith and with reasonable diligence? Yes ☒ No ☐

Determination of the market and the present demand for water or power to be supplied:

Identify the closest surface water or localized water basin. Calapooya Creek

Ground Water Permits: Is the POA located...

Surface Water Permits: Is the POD located...

Yes No

- ☐ ☒ above a state scenic waterway? Name _____ Source: OWRD "Areas Above State Scenic Waterways" Map
- ☐ ☒ within a stream segment designated as a federal wild and scenic river? Source: www.rivers.gov/wildriverslist.html
- ☒ ☐ within a sensitive, threatened or endangered species area Source: "/gisdata/dev/projects/salmon/div33map.aml"
- ☐ ☒ within a critical or limited Ground Water Area? Name of area _____
- ☐ ☒ within a Withdrawn Area? Name of area _____
- ☒ ☐ in a waterbody listed on the DEQ Section 303(d) List of Water Quality Limited Areas? Date added to list _____
- ☒ ☐ within an area ranking ☐ low / ☐ moderate / ☒ high / ☐ highest for stream flow restoration needs Source: OWRD "Streamflow Restoration Needs" Maps (by region)

Based on the written record, can the Department make a finding of "Good Cause" to approve the extension request?

Yes... "Good Cause" can be found. ☒ Approval of Extension Request

No ... "Good Cause" cannot be found. ☐ Denial of Extension Request

Conditions to be included in Extension PFO (if applicable)? Yes ☐ No ☒

(NOTE: Check the file record for documentation to add a condition(s) at the extension stage.)

☐ 5-year Progress Report Checkpoints (Years: _____)

☐ Other: _____

Footnote regarding Claim of Beneficial Use. Choose the appropriate language below and insert as a footnote in the PFO:

☐ **COBU Requirement - Surface/Ground Water - on or prior to July 9, 1987**

"For permits applied for or received on or before July 9, 1987, upon complete development of the permit, you must notify the Department that the work has been completed and either: (1) Hire a water right examiner certified under ORS 537.798 to conduct a survey, the original to be submitted as required by the Water Resources Department, for issuance of a water right certificate; or (2) Continue to appropriate water under the water right permit until the Water Resources Department conducts a survey and issues a water right certificate under ORS 537.250 or 537.625."

☐ **COBU Requirement - Surface Water - post July 9, 1987**

"Pursuant to ORS 537.230(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use."

☐ **COBU Requirement - Ground Water - post July 9, 1987**

"Pursuant to ORS 537.630(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use."

NOTES:

1/4 1/4s SECTION 22-SE SE; SECTION 23-SW SW; SECTION 26-NW NW; SECTION 27-NE NE

Extension "PFO" Dates

Mailing / Issuance Date: _____ Protest Deadline Date: _____

Reviewer's Name: _____ Date: _____



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.wrd.state.or.us

Application for
Extension of Time
for a Water Right Permit
(Non-Municipal / Non-Quasi-municipal Water Use)

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

*A separate extension application must be submitted for each permit as per
OAR 690-315-0020(2).*

*This application and a summary of review criteria and procedures that are generally applicable to this
application are available at <http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml>.*

I, Louis J. Maddox & Eugene M. Maddox
NAME OF PERMIT HOLDER [OAR 690-315-0020(1) and (3)(a)]

5047 Oak Hill Rd., Roseburg

ADDRESS

CITY

STATE

OR

ZIP

541-459-3917
PHONE

E-MAIL ADDRESS

the permit holder of:

Application Number -576171

Permit Number -552921
[OAR 690-315-0020(3)(b)]

RECEIVED

MAY 17 2011

**WATER RESOURCES DEPT
SALEM, OREGON**

do hereby request that the time in which to:

- ☐ complete construction (of diversion/appropriation works and/or purchase and installation of the equipment necessary to the use of water), which time now expires on October 1, 98, be extended to October 1, 2012
- ☐ N/A (Check this box if the permit does not specify a date by when construction must be completed.)

and/or the time in which to:

- ☐ apply water to full beneficial use under the terms and conditions of the permit, which time now expires on October 1, 2012 be extended to October 1, 2012

Before submitting your Application for Extension of Time, make sure the following items are included:

- This completed Application for Extension of Time.
- Statutory fee of \$500.
- Signature page (last page of this Application for Extension of Time).
- All supporting documentation and/or evidence referenced in the Application for Extension of Time.

MAIL COMPLETED APPLICATION

along with the

\$500 STATUTORY FEE TO:

**Water Resources Department
Attn: Water Right Permit Extensions
725 Summer Street NE, Suite A
Salem, Oregon 97301**

RECEIVED

MAY 17 2011

**WATER RESOURCES DEPT
SALEM, OREGON**



GENERAL TIPS:

- Permit holders of municipal or quasi-municipal water use permits DO NOT use this form. The correct form is *Application for Extension of Time for Municipal and Quasi-Municipal Water Use Permits*, available at the following link:
<http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml#other>
- Request the reasonable amount of time necessary to fully complete the water construction project and/or to fully use the permitted quantity of water under the terms and conditions of your permit. Should this request be approved, it will be OWRD's expectation that you will complete your project within the new time period allowed. Future extensions may not be granted.
- A separate Application for Extension of Time must be submitted for each permit. OAR 690-315-0020(2).
- An instruction sheet (Instructions for Filling Out Extension of Time Application for Permits) provides details that will help you answer each question on the application. Permit extensions are evaluated under OAR Chapter 690, Division 315. These rules may be viewed at:
<http://www.wrd.state.or.us/OWRD/LAW/index.shtml>.

- You may provide OWRD with any additional information or evidence that will aid us in making our decision. Please note that OWRD may require other information that is necessary to evaluate the application. OAR 315-0020(3)(n).
- After careful review of the Application for Extension of Time, you may contact OWRD at (503) 986-0900, to ask questions and request assistance from a Permit Extensions Specialist in the Water Rights and Adjudications Division.
- Once an Application for Extension of Time is received by OWRD, it will be reviewed for completeness. OWRD will return any incomplete or deficient applications to the applicant. OAR 690-315-0040(1)(a).

Reference Materials Needed to Complete this Application:

- The water right permit. If needed, a copy of the water right permit can be downloaded from the Department's Website at <http://www.wrd.state.or.us> (find the link to the Water Rights Information System (WRIS). Or, a copy of the permit (or other documents) may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).
- Documentation which demonstrates compliance with permit conditions (for example, well construction logs; static water level measurement reports; annual water use reports; ODFW fish screen certification; a plan to monitor the effect of water use on ground water aquifers utilized under the permit; etc.).

Answer the Following Questions to Complete this Application for Extension of Time

[OAR 690-315-0020(3)(d)]

1. Did the actual construction of the water system/well drilling begin within the time specified in the permit? ☐ Yes ☐ No



TIP: Not all permits specify a date by which construction was to begin.

Date construction began is: 10-31-1997

Details of construction: pump installed to

Place of use

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

2. Permits typically contain standard or special conditions that must be satisfied to lawfully develop and use permitted water. In the development of this water right, have you satisfied the conditions contained in your permit? ☒ Yes ☐ No

2-A) Describe how you have complied with each condition contained in the original permit [and, if applicable, each condition contained in any order approving a permit amendment and/or a final order approving a prior extension of time]. Include the date when the condition was satisfied.



TIP: The instruction sheet for the Application for Extension of Time provides an explanation of the typical conditions that must be addressed in this question.

COPY permit CHART-A

Condition No.**	Date Satisfied	Describe How Permit Condition Has Been Satisfied
1	2007	meter instal

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

** Condition No: Hand-number each condition on a copy of your permit (and, if applicable, permit amendment and prior extension).

- 2-B) If you have NOT complied with all applicable conditions, explain the reasons why and indicate with a date certain (in the near future) when compliance will occur.

CHART-B

Condition No.**	Date Will Comply	Explain Why Each Permit Condition Has NOT Been Satisfied
1	2007	

** Condition No: Hand-number each condition on a copy of your permit (and, if applicable, permit amendment and prior extension).

CHART-C

WATER RESOURCES DEPT
SALEM, OREGON

WORK ACCOMPLISHED AFTER "C-DATE"		COST*
DATE	<u>COMPLETE ONLY IF THIS IS YOUR 1st APPLICATION FOR EXTENSION OF TIME:</u> List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.	
June 2007		\$ 2000.00
Total Cost for Chart-C		2000.00

WRAD

- 3-B) If this is not your 1st Application for Extension of Time request, fill out CHART-D below (in addition to CHART-C above). Use chronological order.

CHART-D

DATE	WORK ACCOMPLISHED DURING THE LAST EXTENSION PERIOD <i>List all work done during the last authorized extension period.</i>	COST*
10/1/	"Extended From" date for complete application of water used in the 1 st (or the most recent) Application for Extension of Time.	
10/1/	"Extended To" date for complete application of water resulting from the 1 st (or the most recent) Application for Extension of Time.	

CHART-D (Continued)

DATE	WORK ACCOMPLISHED AFTER THE LAST EXTENSION PERIOD EXPIRED <i>List all work done after the last authorized date for complete application of water up to the date of this Application for Extension of Time.</i>	COST*
Total Cost of Chart-D		

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

* If exact cost is not known, you must provide your best estimate.

[OAR 690-315-0020(3)(f)]

4. Cost of project to date: 6,000.00
(The total combined cost from CHART-C and CHART-D)

[OAR 690-315-0020(3)(e)(B)]

5. Provide evidence of the maximum rate (or duty, if applicable) of water diverted for beneficial use under this permit and/or prior extensions of time (if any) made to date.



TIP: Report the rate used to date. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.

5-A) For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):



TIP: Report the rate in the same units of measurement as specified in the permit.

Maximum rate used to date = 0.12 cfs (cubic feet per second) or,

Maximum rate used to date = _____ gpm (gallons per minute) or,

Acre-feet stored to date = _____ AF

5-B) For Ground Water Permit Extensions (e.g. G-XXXX):



TIP: Include information from ALL wells that pertain to this permit including drilled wells not currently used.

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

CHART-E

Well # as identified on Permit	Water User's Well #	Has this well been drilled?	IF DRILLED					If yes, provide the Permit, Certificate, or Transfer No.
			Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	Is the actual drilled location authorized on this permit or on a permit amendment? (See 5-C below)	Maximum instantaneous rate used from this well -- under this permit only (CFS or GPM)	Is this well authorized or utilized under additional water rights?	
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
Total instantaneous rate from all wells utilized under this permit								

- 5-C) If the drilled location of a well is not authorized on this permit, please specify its location below, or provide a map showing its location. Has or will a permit amendment application been/be filed? Yes ☐ No ☐

If a Permit Amendment Application has been filed: Transfer No. T-_____

Well #_____: Actual location: _____

Well #_____: Actual location: _____

[OAR 690-315-0020(3)(e)(C)]

6. Provide the total number of acres irrigated to date under this permit (if applicable).

Total acres irrigated to date: 10 acres

Ground Water Permits: Please specify which wells are being utilized for this irrigation.

Well # _____ Acres _____ Well # _____ Acres _____

Well # _____ Acres _____ Well # _____ Acres _____

[OAR 690-315-0020(3)(j)]

7. Provide a summary of your future plans and schedule to complete the construction of the water system, and/or apply water to full beneficial use under the terms and conditions of the permit.

CHART-F

APPROXIMATE DATE RANGE (projected)	WORK OR ACTION TO BE ACCOMPLISHED (projected)	ESTIMATED COST (projected)
10/1/2012	Comp with meter condition and Sub. Drilling use.	
		RECEIVED
		MAY 17 2011
		WATER RESOURCES DEPT SALEM, OREGON
Year:	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
Total Cost		1000.00

[OAR 690-315-0020(3)(g)]

8. Estimated remaining cost to complete the project: _____
(The total cost from CHART-F)

[OAR 690-315-0020(3)(h)]

9. List the reasons why the project was not constructed, and/or water was not beneficially used within permit time limits. Provide supporting information for the reason(s) that best fits your circumstances (A, B, C or D).

9-A) The project is of a size and scope that was originally planned to be phased in over a time frame longer than the one allowed in the permit.

- 9-B) The financial resources needed to develop the project precluded completion of the project within authorized time frames.

- 9-C) Good faith attempts to comply with permit conditions and/or acquire permits from other agencies, or otherwise comply with government regulations, delayed completion of the project.

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

- 9-D) Acts of God or other unforeseen events delayed full development of the water system and use of water within the authorized time frames.

[OAR 690-315-0020(3)(k)]

10. Justify the time requested to complete the project and/or apply the water to full beneficial use. Your justification should combine information from your answers from Questions 2-B, 7, 8, and 9 of this Application for Extension of Time, and should also include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested.

11. Provide any other information you wish OWRD to consider while evaluating your Extension of Time Application.

____ See attached

I am the permit holder, or have authorization from the permit holder, to apply for an extension of time under this permit. I understand that false or misleading statements in this extension application are grounds for OWRD to suspend processing of the request and/or reason to deny the extension.

Signature

Coir Meddel

Date

May 16 2011

5047 Oak Hill Rd
Roseburg, OR 97471
May 4, 2011

Water Resources Dept.
725 Summer St. N.E. Suite A
Salem, OR 97301-1271

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

Attention:

As I stated in our conversation this morning, Eugene Maddox died in 2006 and we thought our ponds were in compliance until Douglas County Water Master said our method of measuring water was unacceptable. This was the first time we had been contacted. The notice came in May of 2007 and a water meter was installed immediately.

We have required and report of beneficial use, but were told we could not send them until time extension was approved.

Enclosed is a check for
\$575 to cover request for assignment
and extension of time water right.

Also enclosed is a copy of
Eugene M. Maddox's death certificate
and a copy of original permit

Corrin Maddox

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

STATE OF OREGON

COUNTY OF DOUGLAS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

PLACED IN U.S. MAIL

NOV 15 1996

OREGON WATER RESOURCES DEPT

THIS PERMIT IS HEREBY ISSUED TO

EUGENE M AND LOIS J MADDOX
5047 OAK HILL RD
ROSEBURG, OREGON 97470-9657

(541) 459-3917

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-76171

SOURCE OF WATER: AN UNNAMED STREAM AND THREE RESERVOIRS PROCESSED UNDER APPLICATION R-76172, HB 2153, TRIBUTARIES OF CALAPOOYA CREEK

PURPOSE OR USE: IRRIGATION OF 10.0 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 0.125 CUBIC FOOT PER SECOND FROM NATURAL FLOW AND 25.3 ACRE-FEET PER YEAR FROM STORED WATER

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30 FROM NATURAL FLOW; MARCH 1 THROUGH OCTOBER 31 FROM STORED WATER ONLY

DATE OF PRIORITY: DECEMBER 28, 1994

POINT OF DIVERSION LOCATION: NE 1/4 NW 1/4, NW 1/4 NW 1/4, SW 1/4 NW 1/4, NE 1/4 SW 1/4, SECTION 26, T25S, R6W, W.M.; POND #1 - 350 FEET SOUTH AND 2200 FEET EAST. POND #2 - 1970 FEET SOUTH AND 250 FEET EAST, POND #3 - 3800 FEET SOUTH AND 2200 FEET EAST, ALL FROM THE NW CORNER OF SECTION 26

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SE 1/4 SE 1/4 2.0 ACRES
SECTION 22
SW 1/4 SW 1/4 3.0 ACRES
SECTION 23
NW 1/4 NW 1/4 4.0 ACRES
SECTION 26
NE 1/4 NE 1/4 1.0 ACRE
TOWNSHIP 25 SOUTH, RANGE 6 WEST, W.M.

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

Application S-76171 Water Resources Department

PERMIT 52921

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

RECEIVED

MAY 17 2011


WATER RESOURCES DEPT
SALEM, OREGON

Application S-76171 Water Resources Department

PERMIT 52921

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued October 31, 1996


Martha O. Pagel, Director
Water Resources Department

RECEIVED

MAY 17 2011

WATER RESOURCES DEPT
SALEM, OREGON

Application S-76171 Water Resources Department
Basin 16 Volume 1B, CALAPOOYA CREEK & MISC.

PERMIT 52921
District 15

Application # 76171

Permit # 52921

Public Notice Route Slip ... New Application Extension of Time
per Division 315 Rules... (Extensions received on July 1, 2001 or after)

♦ **WRIG...**

Money Received on: 5-17-11

♦ **Extension Specialist...**

☒ Added to tracking spreadsheet

After fee is receipted and app is added to spreadsheet, route to...

♦ **Jonine Skaug...**

☒ Publish on Public Notice (initial 30-day comment): Date of notice 5/24/11

☒ Update WRIS Database

☒ In the "PNotice Date" field... Enter the date the Extension Application was published on the Public Notice.

☒ In the "Ext Filed" field... Enter the date the Extension Application was received.



Yes or No:

Return file to Extension Specialist after PN



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

May 24, 2011

REFERENCE: Application for Extension of Time

Dear Extension of Time Applicant:

The Water Rights Section has received your application for an extension of time for **APPLICATION FILE#: S-76171 (PERMIT#: S-52921)**. Your application will be reviewed in the near future. Following the review, you will receive a Proposed Final Order either approving or rejecting the extension of time request. A 45-day protest period begins upon issuance of the Proposed Final Order. After the protest period closes, a Final Order is issued.

If you have questions concerning your extension of time application, please contact Jerry Gainey at (503) 986-0812. For general information about the Water Resources Department, you may contact the Water Resources' Customer Service Group at (503) 986-0801 or you may access the Department's Internet home page at: "www.wrd.state.or.us".

Records have been redacted or withheld pursuant to the exemption for vital records specified in ORS 432.350.



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

March 23, 2011

Eugene M. Maddox
Lois J. Maddox
5047 Oak Hill Rd
Roseburg, OR 97470

RE: Application File S-761

Dear Mr. & Mrs. Maddox,

On May 3, 2011, the Department permit. The Claim and your cl

1. The permit also can be installed prior to construction of the s, the use was required meter was installed in after it was required t has been made, use of complied with. Use of or suitable measuring c to file for an extension

2. The Claim and, if necessary, a request for an extension of time, are required to be signed all of the permit holders of record. The Claim was only signed by Lois J. Maddox. If Eugene M. Maddox is not available to sign the Claim, you will need to have the file assigned to you. If you have any questions about the Assignment process, please contact Jerry Sauter at 503-986-0817.
3. The maps submitted with the Claim do not appear to be on polyester film as required by OAR 690-014-0170(1).

- S-76171 -

NOV. 15, 1986

*COPYING
Blawie
IS FILING EXT. - HAS BEEN - WILL REW-UP
APPEL EXT. - (GOD) ARE HEREIN TILL EXT. ARRIVES
ASSIGNMENT - COMPLETED WITH EXT.*

5/16/2011

How - Action.

ed file and

asuring device
mpletion of the
tion of water to
ates that the
nately 9 years
eneficial use
nit being
e. If a meter

permit, you will need

compliance with this condition.



John A.

March 23, 2011


Eugene M. Maddox
Lois J. Maddox
5047 Oak Hill Rd
Roseburg, OR 97470

RE: Application File S-76171, Permit S-52921

Dear Mr. & Mrs. Maddox,

On May 3, 2011, the Department received your Claim of Beneficial Use for the above referenced file and permit. The Claim and your check for \$150.00 are being returned to you for the follow reasons:

1. The permit also contained a condition that required that a meter or other suitable measuring device be installed prior to use of water. The permit also contained timelines for both the completion of the construction of the system (October 1, 1998) and the date by which complete application of water to the use was required to occur by (October 1, 1999). On page 11 of the Claim, it indicates that the meter was installed in 2007. The Claim indicates that the meter was installed approximately 9 years after it was required to be in place. For the Department to make a determination that beneficial use has been made, use of the water must occur with all the conditions included in the permit being complied with. Use of water without the meter in place does not equate to beneficial use. If a meter or suitable measuring device was not in place by the timelines required in the permit, you will need to file for an extension of time in order to come into compliance with this condition.
2. The Claim and, if necessary, a request for an extension of time, are required to be signed all of the permit holders of record. The Claim was only signed by Lois J. Maddox. If Eugene M. Maddox is not available to sign the Claim, you will need to have the file assigned to you. If you have any questions about the Assignment process, please contact Jerry Sauter at 503-986-0817.
3. The maps submitted with the Claim do not appear to be on polyester film as required by OAR 690-014-0170(1).




Resources Department
North Mall Office Building
5 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

The Department has not retained a copy of Claim.

If you have any additional questions, please feel free to contact me at 503-986-0811.

Sincerely,

A handwritten signature in black ink, appearing to read "Gerry Clark", written over the printed name.

Gerry Clark
Water Right Specialist
Certificates

Cc: file
Duane Kirby, CWRE

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

S-76171 jks
EUGENE M MADDUX
LOIS MADDUX
5047 OAK HILL RD
ROSEBURG OR 97470

2. Article Number

(Transfer from service label)

0243 9241 WR

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

Lois Maddux

☐ Agent

☐ Addressee

B. Received by (Printed Name)

Lois Maddux

C. Date of Delivery

4/2/11

D. Is delivery address different from item 1?

☐ Yes

If YES, enter delivery address below:

☐ No

3. Service Type

☒ Certified Mail

☐ Express Mail

☐ Registered

☐ Return Receipt for Merchandise

☐ Insured Mail

☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

UNITED STATES POSTAL SERVICE

EUGENE OR 97401

02 APR 2011 PM 2 1

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10


- Sender: Please print your name, address, and ZIP+4 in this box •

RECEIVED

APR 04 2011

WATER RESOURCES DEPT
SALEM, OREGON

Oregon Department of Water Resources
725 Summer St NE Ste A
Salem, OR 97301-1266





Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

*NOTE: For water rights information and useful forms, please see our web site at
www.oregon.gov/OWRD*

April 1, 2011

Certified mail number 0243 9241
Return receipt requested

EUGENE M MADDOX
LOIS MADDOX
5047 OAK HILL RD
ROSEBURG OR 97470

Reference: Application S-76171, Permit S-52921

Dear Permit Holder:

This letter is in regard to your water use permit as referenced above. Your permit required you to complete the development of your water use by 10/1/1999.

In order for the Department to consider issuance of a certificate of water right, you are required by law to hire a certified water right examiner to prepare and submit a claim of beneficial use that includes a final proof survey map of the development. The map and claim of beneficial use were to have been submitted to our Department within one year of 10/1/1999. The fee for submitting a claim of beneficial use is \$150.00. A list of certified water right examiners is enclosed for your use.

If you are not finished with the development of your permit, you need to file an application for an extension of time to complete your development. The fee for filing an extension of time is \$500.00. An extension form is also enclosed with this letter.

In the event that you are no longer using water as allowed by this permit, you should cancel it so that we may clear our records. A cancellation form is enclosed, if you are interested in this option.

If you have not submitted either a Claim of Beneficial Use or a request for an extension of time for your permit within 60 days of the date of this letter (May 31, 2011) the Department may issue a Final Order to cancel your permit without further notice. If the Department issues a Final Order to cancel your permit, and you request reconsideration of the final order and reinstatement of your permit, there is a \$400.00 reinstatement fee that is charged in addition to the claim of beneficial use or extension of time fee.

Should you have any questions, you may contact me at the address above or by telephone at 503-986-0817.

Sincerely,

Jerry Sauter
Water Rights Program Analyst

Enclosures (3)

cc: File S-76171
OWRD Watermaster District 15

*File MADDOX (Sauter)
CALLED
511.784.7636
WILL GET A CANCELLATION*

*How Action
JHS*

Mailing List for 60-Day Compliance Letter Copies

Application # S-76171 Permit # S-52921 Letter Date: 4/1/2011

Original mailed to: EUGENE M MADDOX
LOIS MADDOX
5047 OAK HILL RD
ROSEBURG, OR, 97470

☒ Certified Mail ☐ Return Receipt Received (date) _____

Copies Mailed	
By:	<u>MS</u> (support staff)
On:	<u>4/1/11</u> (date)

Copies sent to:

1. WRD – File # S-76171
2. WRD – Watermaster # 15

Copies sent to Other Interested Persons (CWRE, Agent, Well Driller, Commenter, etc.)

PERMIT STATUS REVIEW BY JS DATE 3/23/2011 FILE # 9-76171

1. Per Dwight French, do not send "C" DATE NOTICE PACKET if: update appropriate db

NO Extension pending _____

NO Assignment is pending _____

NO Cancellation has been requested _____

NO Dept. has already sent a certified 60-Day Compliance letter (date _____, # _____)

Was 60 days notice allowed? Y N If No, How Much Time ? _____

Was mail deliverable as addressed? Y N date _____

If mail returned, online/www check ? Y N date _____ successful ? Y N

Re-send Cert. Letter ? Y N date _____

Send cancellation order Y N

NO Claim of beneficial use and final proof map (COBU) have been received by Department

Date information received _____

2. IF NONE OF THE ABOVE APPLY

YES Send certified "C" date notice packet to permit holder.

"C" DATE 10-1-1999 BASIN NUMBER 16 WM # 15

CWRE or AGENT _____

STATE OF OREGON
COUNTY OF DOUGLAS

PLACED IN U.S. MAIL

NOV 15 1996

PERMIT TO APPROPRIATE THE PUBLIC WATERS
OREGON WATER RESOURCES DEPT.

THIS PERMIT IS HEREBY ISSUED TO

EUGENE M AND LOIS J MADDOX
5047 OAK HILL RD
ROSEBURG, OREGON 97470-9657

(541) 459-3917

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-76171

SOURCE OF WATER: AN UNNAMED STREAM AND THREE RESERVOIRS PROCESSED UNDER APPLICATION R-76172, HB 2153, TRIBUTARIES OF CALAPOOYA CREEK

PURPOSE OR USE: IRRIGATION OF 10.0 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 0.125 CUBIC FOOT PER SECOND FROM NATURAL FLOW AND 25.3 ACRE-FEET PER YEAR FROM STORED WATER

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30 FROM NATURAL FLOW; MARCH 1 THROUGH OCTOBER 31 FROM STORED WATER ONLY

DATE OF PRIORITY: DECEMBER 28, 1994

POINT OF DIVERSION LOCATION: NE 1/4 NW 1/4, NW 1/4 NW 1/4, SW 1/4 NW 1/4, NE 1/4 SW 1/4, SECTION 26, T25S, R6W, W.M.; POND #1 - 350 FEET SOUTH AND 2200 FEET EAST. POND #2 - 1970 FEET SOUTH AND 250 FEET EAST, POND #3 - 3800 FEET SOUTH AND 2200 FEET EAST, ALL FROM THE NW CORNER OF SECTION 26

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SE 1/4 SE 1/4 2.0 ACRES
SECTION 22
SW 1/4 SW 1/4 3.0 ACRES
SECTION 23
NW 1/4 NW /4 4.0 ACRES
SECTION 26
NE 1/4 NE 1/4 1.0 ACRE
TOWNSHIP 25 SOUTH, RANGE 6 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued October 31, 1996



Martha O. Pagel, Director
Water Resources Department

STATE OF OREGON
COUNTY OF DOUGLAS

PLACED IN U.S. MAIL

NOV 15 1996

PERMIT TO APPROPRIATE THE PUBLIC WATERS

OREGON WATER RESOURCES DEPT.

THIS PERMIT IS HEREBY ISSUED TO

EUGENE M AND LOIS J MADDOX
5047 OAK HILL RD
ROSEBURG, OREGON 97470-9657

(541) 459-3917

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-76171

SOURCE OF WATER: AN UNNAMED STREAM AND THREE RESERVOIRS PROCESSED UNDER APPLICATION R-76172, HB 2153, TRIBUTARIES OF CALAPOOYA CREEK

PURPOSE OR USE: IRRIGATION OF 10.0 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 0.125 CUBIC FOOT PER SECOND FROM NATURAL FLOW AND 25.3 ACRE-FEET PER YEAR FROM STORED WATER

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30 FROM NATURAL FLOW; MARCH 1 THROUGH OCTOBER 31 FROM STORED WATER ONLY

DATE OF PRIORITY: DECEMBER 28, 1994

POINT OF DIVERSION LOCATION: NE 1/4 NW 1/4, NW 1/4 NW 1/4, SW 1/4 NW 1/4, NE 1/4 SW 1/4, SECTION 26, T25S, R6W, W.M.; POND #1 - 350 FEET SOUTH AND 2200 FEET EAST. POND #2 - 1970 FEET SOUTH AND 250 FEET EAST, POND #3 - 3800 FEET SOUTH AND 2200 FEET EAST, ALL FROM THE NW CORNER OF SECTION 26

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SE 1/4 SE 1/4 2.0 ACRES
SECTION 22
SW 1/4 SW 1/4 3.0 ACRES
SECTION 23
NW 1/4 NW 1/4 4.0 ACRES
SECTION 26
NE 1/4 NE 1/4 1.0 ACRE
TOWNSHIP 25 SOUTH, RANGE 6 WEST, W.M.

SECTION 27

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued October 31, 1996



Martha O. Pagel, Director
Water Resources Department

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number S-76171

Final Order

Application History

On December 28, 1994, EUGENE M AND LOIS J MADDOX submitted an application to the Department for a water use permit.. The Department issued a Proposed Final Order on July 16, 1996. The protest period closed August 30, 1996, and no protest was filed.


The proposed use would not impair or be detrimental to the public interest.

Order

Upon payment of outstanding permit recording fees, Application S-76171 shall be approved as proposed by the Proposed Final Order and as provided on the attached draft permit.

Permit recording fees are required in the amount of \$100.00. Said fees are due and payable no later than 60 days from the date of this Final Order. Failure to pay the required permit recording fees within 60 days from the date of this Final Order will result in the proposed rejection of Application S-76171.

DATED September 30, 1996


Martha O. Pagel
Director

Appeal Rights

Under the provisions of ORS 183.484, the applicant may appeal this order by filing a petition for review in the Circuit Court for Marion County or the circuit court for the county in which the applicant resides or has a principal business office. The petition for review must be filed within 60 days after the date this order is served.

STATE OF OREGON

COUNTY OF DOUGLAS

DRAFT PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS DRAFT PERMIT IS HEREBY ISSUED TO

EUGENE M AND LOIS J MADDOX
5047 OAK HILL RD
ROSEBURG, OREGON 97470-9657

(541) 459-3917

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-76171

SOURCE OF WATER: AN UNNAMED STREAM AND THREE RESERVOIRS PROCESSED UNDER APPLICATION R-76172, TRIBUTARIES OF CALAPOOYA CREEK

PURPOSE OR USE: IRRIGATION OF 10.0 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 0.125 CUBIC FOOT PER SECOND FROM NATURAL FLOW AND 25.3 ACRE-FEET PER YEAR FROM STORED WATER

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30 FROM NATURAL FLOW; MARCH 1 THROUGH OCTOBER 31 FROM STORED WATER ONLY

DATE OF PRIORITY: DECEMBER 28, 1994

POINT OF DIVERSION LOCATION: NE 1/4 NW 1/4, NW 1/4 NW 1/4, SW 1/4 NW 1/4, NE 1/4 SW 1/4, SECTION 26, T25S, R6W, W.M.; POND #1 - 350 FEET SOUTH AND 2200 FEET EAST. POND #2 - 1970 FEET SOUTH AND 250 FEET EAST, POND #3 - 3800 FEET SOUTH AND 2200 FEET EAST, ALL FROM THE NW CORNER OF SECTION 26

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SE 1/4 SE 1/4 2.0 ACRES
SECTION 22
SW 1/4 SW 1/4 3.0 ACRES
SECTION 23
NW 1/4 NW /4 4.0 ACRES
SECTION 26
NE 1/4 NE 1/4 1.0 ACRE
TOWNSHIP 25 SOUTH, RANGE 6 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

{DATE}

DRAFT

Martha O. Pagel, Director
Water Resources Department

Fish District: Umpqua

WAB #

Application #

5-76171

Applicant Name

E. Maddox

Date: March 19, 1996

AREA

☐ Source Watershed☐ Senior instream water right application to junior out-of-stream application☐ No water availability information

INFORMATION/CONDITIONS

1. Are there water quality concerns related to salmon/steelhead/trout? Y ☒ N

Should the application be denied? Y N

Should the application be restricted? Y N

Jan	Feb	Mar	Apr	May	Jun 1-15	June 16-30	Jul	Aug	Sep 1-15	Sep 16-30	Oct	Nov	Dec

2. Are there adequate flows to protect salmon/steelhead/trout? Y ☒ NShould the application be denied? Y ☒ NShould the application be restricted? Y ☒ N☒ Based on water availability

Jan	Feb	Mar	Apr	May	Jun 1-15	June 16-30	Jul	Aug	Sep 1-15	Sep 16-30	Oct	Nov	Dec

3. Domestic

Should domestic use be conditioned to human consumption? Y N ☐ Based on water availability

4. Fish Screening and Passage

- ☐ A. Requires fish screening and passage, with ODFW certification (applications > 0.5 cfs).
☐ B. Requires fish screening and passage, without ODFW certification (applications < 0.5 cfs).
☐ C. No dam or obstruction without a fishway.

* No Screening

5. Miscellaneous

- ☐ A. Reservoir Filling
☐ B. Water Quality Permits
☐ C. Return Flow
☐ D. Time Limited Water Right
☐ E. Other

6. Measurement and Reporting

- ☐ A. Small diversions (<0.1 cfs or <9.2 ac/ft. may/may)
☐ B. Medium diversions (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may)
☐ C. Large diversions (1.5 cfs or >100 ac/ft. shall/shall)

FINDINGS

☐ Permit is proposed for denial prior to interagency team review for fishery concerns.☐ Deny permit due to fishery concerns, except for

- ☐ A. Domestic (which may be limited to human consumption, see above)
☐ B. Livestock
☐ C. Unless water is from storage

☐ Do not condition further due to fishery concerns.☒ Condition permit due to fishery concerns listed above.

FILE # S 76171**FO CHECKLIST**REVIEW DATE: 9/5/96WEEK # 51

PFO TO FO CONVERSION

INITIALS: jug

In preparing the FO, you should check the following:

1. Y / N Were comments or protests received in response to the PFO?
2. If #1 = "Y", from whom were the comments received and when?
3. / Verify names and addresses on the PFO CC list. **ALL** commentors (regardless of comment date), **affected landowners (were they notified?)**, and those who paid the \$10 fee should be listed.
4. \$ 100 Verify payment of recording fees (circle the appropriate option)
(1) Issue FO w/permit if fees are paid -- Prepare refund request for excess fees, including standing fees if no protest is filed and no modifications are being made to the PFO
(2) Issue FO w/o permit if fees are lacking
5. Y / N Is the file lacking a signed oath of accuracy for the application?
6. Y / N Has ODFW asked for self certification on screening condition?
7. Y / N Is water use prohibited for one or more months of the normal use period?
8. Y / N If # 7 = "Y", is short season letter on file? Note: If short season letter is lacking prepare FO with Draft permit giving applicant 60 days to submit letter.
9. Y / N Is further processing possible? If not state reason:
10. Notify applicant of additional information or fees required prior to permit issuance (**SEND CERTIFIED LETTER** & use standard wording from M:\T\FO\TOOLS if possible)
11. Assign permit numbers to files with oath, fees, and no protests or other issues

DENIAL	<u>FO w/o PERMIT</u>	Route to: (circle one)	
LARRY	JERRY	FO & PERMIT	COMMENTS
		JEREMY	DOUG

Initials jug

Modify FO as needed to:

12. jug Respond to significant comments, issues, or disputes related to the proposed use of water (see notes, if any, listed above)
13. Include or exclude permit conditions and management codes
14. Correct PFO errors (such as POD or POU location (verify from map), Permit format)

Once FO document is completed:

15. jug Save WordPerfect document in M:\T\FO\WEEK 51 & delete duplicates
16. Print final draft of document and submit to team leader for review
17. Y / N Team leader review completed

FT

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number S-76171

Proposed Final Order

Summary of Recommendation: The Department recommends that the attached draft permit be issued with conditions.

Additional Information: A satisfactory map showing the place of use; where you are applying the water to the nearest $\frac{1}{4}$, $\frac{1}{4}$ of a section; giving the number of acres to be irrigated in each 40 acre legal subdivision ($\frac{1}{4}$ $\frac{1}{4}$). Also, the location of your point of diversion by reference to a recognized public land survey corner. The locations may be shown by distance and bearing or by coordinates (distance in feet north or south and distance in feet east or west from a recognized public land survey corner).

Application History

On December 28, 1994, EUGENE M MADDOX AND LOIS J MADDOX submitted an application to the Department for the following water use permit:

- Amount of Water: 0.25 cubic foot per second and 25.3 acre-feet
- Use of Water: Irrigation of 10.0 acres
- Source of Water: An Unnamed Stream and stored water under application R-76172, tributaries of Calapooya Creek
- Area of Proposed Use: Douglas County within
 - SW $\frac{1}{4}$ NW $\frac{1}{4}$
 - NE $\frac{1}{4}$ NW $\frac{1}{4}$
 - NE $\frac{1}{4}$ SW $\frac{1}{4}$
 - SECTION 26

 - NE $\frac{1}{4}$ SE $\frac{1}{4}$
 - SECTION 23
 - TOWNSHIP 25 SOUTH, RANGE 6 WEST, W.M.
- Water Delivery System: A 1 $\frac{1}{2}$ horsepower pump conveys water through 2 inch PVC pipe to sprinklers.

On DECEMBER 26, 1995, the Department mailed the applicant notice of its Initial Review, determining that water is available from March 1 through September 30 from natural flow and March 1 through October 31 from stored water only. The applicant did not notify the Department to stop processing the application within 14 days of that date.

On JANUARY 9, 1996, the Department gave public notice of the application in its weekly notice. The public notice included a request for comments, and information for interested persons about both obtaining future notices and a copy of the proposed final order.

No written comments were received within 30 days.

In reviewing applications, the Department may consider any relevant sources of information, including the following:

- comments by or consultation with another state agency
- any applicable basin program
- any applicable comprehensive plan or zoning ordinance
- the amount of water available
- the rate and duty for the proposed use
- pending senior applications and existing water rights of record
- the Scenic Waterway requirements of ORS 390.835
- applicable statutes, administrative rules, and case law
- any comments received

Findings of Fact

The Umpqua Basin Program allows the following use: Irrigation

Senior water rights exist on an Unnamed stream or on downstream waters but none exist on stored water.

The unnamed stream and reservoirs are not within or above a State Scenic Waterway.

Water is available for further appropriation (at an 80 percent exceedance probability) for the period March 1 through September 30 from natural flow and March 1 through October 31 from stored water only for irrigation use.

The Department finds that no more than 0.125 cfs and 25.3 acre-feet would be necessary for the proposed use. The amount of water requested, 0.25 cfs, shall be restricted to 0.125 cfs from natural flow and 25.3 acre-feet of stored water.

There is no evidence in the record of the presence of game fish at the described point of diversion.

An interagency team reviewed this proposed use for potential adverse impacts on declining fish populations. This team consisted of representatives from the Oregon Departments of Water Resources (WRD), Environmental Quality, Fish and Wildlife (DFW), and Agriculture. WRD and DFW representatives included both technical and field staff. The interagency team did not recommend that any additional conditions of use be imposed on this application.

Conclusions of Law

Under the provisions of ORS 537.153, the Department must presume that a

proposed use will not impair or be detrimental to the public interest if the proposed use is allowed in the applicable basin program established pursuant to ORS 536.300 and 536.340 or given a preference under ORS 536.310(12), if water is available, if the proposed use will not injure other water rights and if the proposed use complies with rules of the Water Resources Commission.

The proposed use requested in this application is allowed in the Umpqua Basin Plan.

No preference for this use is granted under the provisions of ORS 536.310(12).

Water is available for the proposed use.

The proposed use will not injure other water rights.

The proposed use complies with rules of the Water Resources Commission.

The proposed use complies with the State Agency Agreement for land use.

For these reasons, the required presumption has been established.

Once the required presumption has been established, under the provisions of ORS 537.153(2) it may be overcome by a preponderance of evidence that either:

- (a) One or more of the criteria for establishing the presumption are not satisfied; or
- (b) The proposed use will impair or be detrimental to the public interest as demonstrated in comments, in a protest . . . or in a finding of the department that shows:
 - (A) The specific public interest under ORS 537.170(8) that would be impaired or detrimentally affected; and
 - (B) Specifically how the identified public interest would be impaired or detrimentally affected.


In this application, all criteria for establishing the presumption have been satisfied, as noted above. The presumption has not been overcome by a preponderance of evidence that the proposed use will impair or be detrimental to the public interest.

The Department therefore concludes that water is available in the amount necessary for the proposed use; the proposed use will not result in injury to existing water rights; and the proposed use will not impair or be detrimental to the public interest as provided in ORS 537.170.

Recommendation

The Department recommends that the attached draft permit be issued with conditions.

DATED July 16, 1996



Steven P. Applegate
Administrator
Water Rights Division

Protest Rights

Under the provisions of ORS 537.153(6) or 537.621(7), you have the right to submit a protest against this proposed final order. Your protest must be in writing, and must include the following:

- Your name, address, and telephone number;
- A description of your interest in the proposed final order, and, if you claim to represent the public interest, a precise statement of the public interest represented;
- A detailed description of how the action proposed in this proposed final order would impair or be detrimental to your interest;
- A detailed description of how the proposed final order is in error or deficient, and how to correct the alleged error or deficiency;
- Any citation of legal authority to support your protest, if known; and
- If you are not the applicant, the \$200 protest fee required by ORS 536.050.
- If you are the applicant, a statement of whether or not you are requesting that a contested case hearing be held. If you do not request a hearing, the Department will presume that you do not wish for a hearing to be held.

Your protest must be received in the Water Resources Department no later than August 30, 1996.

After the protest period has ended, the Director will either issue a final order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been submitted and if

- upon review of the issues the director finds that there are significant disputes related to the proposed use of water, or
- the applicant requests a contested case hearing within 30 days after the close of the protest period.

GH

DRAFT

This is not a permit!!!

DRAFT

STATE OF OREGON

COUNTY OF Douglas

DRAFT PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS DRAFT PERMIT IS HEREBY ISSUED TO

EUGENE M MADDOX
LOIS J MADDOX
741 GRASS LANE
OAKLAND, OREGON 97462

(541) 459-3917

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-76171

SOURCE OF WATER: AN UNNAMED STREAM AND STORED WATER PROCESSED UNDER HB 2153, APPLICATION R-76172, TRIBUTARIES OF CALAPOOYA CREEK

PURPOSE OR USE: IRRIGATION OF 10.0 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 0.125 CUBIC FOOT PER SECOND FROM NATURAL FLOW AND 25.3 ACRE-FEET OF STORED WATER

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30 FROM NATURAL FLOW AND MARCH 1 THROUGH OCTOBER 31 FROM STORED WATER

DATE OF PRIORITY: DECEMBER 28, 1994

POINT OF DIVERSION LOCATION: SW 1/4 NW 1/4, NE 1/4 NW 1/4, NE 1/4 SW 1/4, SECTION 26, T25S, R6W, W.M.;.....

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

	PRIMARY
SW 1/4 NW 1/4	10.0 ACRES
SECTION 26	
TOWNSHIP 25 SOUTH, RANGE 6 WEST, W.M.	

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Application S-76171

application of the water to the use shall be made on or before October 1, 1999.

Issued _____, 199_

DRAFT - THIS IS NOT A PERMIT

Water Resources Department
Director

Application S-76171 Water Resources Department
Basin 16 Volume 1B CALAPOOYA CREEK AND MISC.
GH MGMT.CODE

PERMIT DRAFT
District 15

RECEIVED

AUG 23 1996

WATER RESOURCES DEPT.
SALEM, OREGON

July 16, 1996

EUGENE M MADDOX
LOIS J MADDOX
741 GRASS LANE
OAKLAND, OR. 97

CERTIFIED MAIL

Return Receipt Requested

MADD741* 974620005 1596 07/18/96
NOTIFY SENDER OF NEW ADDRESS
MADDOX, EUGENE M
5047 OAK HILL RD
ROSEBURG OR 97470-9657

WATER

RESOURCES

DEPARTMENT

RE: Application File # S-76171

Dear Applicant:

On JULY 16, 1996, a Proposed Final Order was sent from the Department requesting additional information necessary to complete your application for water use. As of today, these items have not been received:

- ▶ A satisfactory map showing the place of use; where you are applying the water to the nearest $\frac{1}{4}$, $\frac{1}{4}$ of a section; giving the number of acres to be irrigated in each 40 acre legal subdivision ($\frac{1}{4}$ $\frac{1}{4}$).
- ▶ The location of your point of diversion by reference to a recognized public land survey corner. The locations may be shown by distance and bearing or by coordinates (distance in feet north or south and distance in feet east or west from a recognized public land survey corner).

Please submit these items by **AUGUST 30, 1996**. If we do not receive the items requested above by this time, we may reject your application consistent with ORS 537.153. If your application is rejected, any fees submitted in excess of the examination fee will be refunded; however, the examination fee is non-refundable and will not be returned. In addition, the priority date associated with your application will be lost.

Should you have any questions regarding your application or the required materials listed above, or if you need to request an extension of time, please call me personally at 1-800-624-3199, extension 454.

Sincerely,

Gary Holliday
Gary Holliday
Water Right Specialist

RECEIVED

SEP - 4 1996

WATER RESOURCES DEPT.
SALEM, OREGON



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

February 9, 1995

EUGENE M MADDOX
MADDOX, LOIS J
741 GRASS LANE
OAKLAND, OR 97462

REFERENCE: File(s) S-76171

We have received your application(s) for a water use permit along with your supporting data, documentation, and fees. A receipt is enclosed here unless you were previously issued one. Your application has been assigned the above referenced file number. Please refer to this number whenever you contact us about your application.

Even though your application has been received, filed and assigned an application reference number, no authorization has been granted to develop your water use. The filing of an application does not create a water right. Water may not be used until a water right permit has been issued by the Department.

After an application has been made, followed by a public notification period, public notification of the application is made, followed by a public notification period. Thereafter, applications can be considered for a permit.

At present, there is a backlog of several thousand applications for water use permits. In general, applications are received on a first-come, first-served basis often completing work on applications in the next basin.

The process for issuing a water right permit will be a technical review and analysis called a technical review and analysis. However, Department staff often completing work on applications in the next basin.

The Water Resources Department is considering the adoption of rules to protect stream fish species. This action is being contemplated in response to current and future Endangered Species Act fish listings, including many runs of salmon, steelhead and resident fish throughout the state.



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

February 9, 1995

EUGENE M MADDOX
MADDOX, LOIS J
741 GRASS LANE
OAKLAND, OR 97462

REFERENCE: File(s) S-76171

We have received your application(s) for a water use permit along with your supporting data, documentation, and fees. A receipt is enclosed here unless you were previously issued one. Your application has been assigned the above referenced file number. Please refer to this number whenever you contact us about your application.

Even though your application has been received, filed and assigned an application reference number, no authorization has been granted to develop your water use. The filing of an application does not create a water right. Water may not be used until a water right permit has been issued by the Department.

After an application has been accepted for filing, public notification of the application is made, followed by the mandatory 30-day comment period. Thereafter, applications can be considered for processing as time allows.

At present the Water Resources Department has a backlog of several thousand applications for water use permits which has delayed our application processing time. In general, applications are processed in the order in which they are received. However, Department staff work through Oregon's 18 river basins on a rotation basis often completing work on all applications within a single basin, then proceeding to the next basin.

The processing of an application does not guarantee that a water right permit will be issued. Each application must undergo specialized analysis called a technical review and a public interest review. Until your application is reviewed, it is not possible to determine whether your particular proposed water use will be recommended for a permit.

The Water Resources Commission is considering the adoption of rules to protect stream flows for fish species. This action is being contemplated in response to current and future Endangered Species Act fish listings, including many runs of salmon, steelhead and resident fish throughout the state.



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

REFERENCE: File(s) - S-76171

The proposed rules, if adopted, could limit the issuance of new water right permits in certain areas of the state. If and when the Commission adopts these rules, new criteria or restrictions may be imposed on water use applications received after:

July 17, 1992, for use of water in the Upper Columbia/Snake Basin (above Bonneville Dam), including the mainstem Columbia and Snake Rivers and the Hood, Deschutes, John Day, Umatilla, Grande Ronde, Powder, Malheur and Owyhee Basins;

April 8, 1994, for use of water in the North Coast, Mid Coast, South Coast, Rogue and Umpqua Basins and the Clackamas Subbasin of the Willamette Basin; and

June 3, 1994, for use of water in all Oregon basins.


When the report on the technical review is completed and sent to you, a 60-day objection period begins during which you, the applicant, or anyone who has expressed an interest in your proposed water use may communicate to us their disagreement with what we have said in our report on your application. After the 60-day objection period, the Department conducts the public interest review and considers any objections which have been made.

After any objections have been considered, there may follow time to allow parties to resolve conflicts over the proposed water use. In addition, a 30-day protest period may be required. Lastly, it may be necessary to schedule a hearing or send the application to the Water Resources Commission for their review.

If your application is recommended for approval and a permit is issued, the use allowed by the permit will be subject to the Basin Program Rules of the Water Resources Commission, instream flow requirements, the demands of prior right holders and other conditions to conform the water use to particular standards.

Please contact a Water Rights Research Assistant of the Water Resources Department if you have any questions. You may write to us at 158 12th ST NE, Salem, Oregon 97310 or you may call 378-3739 in Salem or toll free from within the state 1-800-624-3199.

Sincerely,



Cory C. Engel
Water Rights Research Assistant
Water Rights/Adjudication Division

cc: CWRE

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
 2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

EUGENE M MADDUX
 LOIS J MADDUX
 741 GRASS LANE
 OAKLAND OR 97462

4a. Article Number

P-512031

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

7-22-96

5. Received By: (Print Name)

LOIS MADDUX

6. Signature: (Addressee or Agent)

X *Lois Maddux*

8. Addressee's Address (Only if requested and fee is paid)


UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

WATER RESOURCES DEPARTMENT
158 12TH STREET NE
SALEM, OR 97310



CERTIFIED MAIL
Return Receipt Requested

WATER
RESOURCES
DEPARTMENT

July 16, 1996

EUGENE M MADDOX
LOIS J MADDOX
741 GRASS LANE
OAKLAND, OR. 97462

RE: Application File # S-76171

Dear Applicant:


On JULY 16, 1996, a Proposed Final Order was sent from the Department requesting additional information necessary to complete your application for water use. As of today, these items have not been received:

- ▶ A satisfactory map showing the place of use; where you are applying the water to the nearest $\frac{1}{4}$, $\frac{1}{4}$ of a section; giving the number of acres to be irrigated in each 40 acre legal subdivision ($\frac{1}{4}$ $\frac{1}{4}$).
- ▶ The location of your point of diversion by reference to a recognized public land survey corner. The locations may be shown by distance and bearing or by coordinates (distance in feet north or south and distance in feet east or west from a recognized public land survey corner).

Please submit these items by **AUGUST 30, 1996**. If we do not receive the items requested above by this time, we may reject your application consistent with ORS 537.153. If your application is rejected, any fees submitted in excess of the examination fee will be refunded; however, the examination fee is non-refundable and will not be returned. In addition, the priority date associated with your application will be lost.

Should you have any questions regarding your application or the required materials listed above, or if you need to request an extension of time, please call me personally at 1-800-624-3199, extension 454.

Sincerely,


Gary Holliday
Water Right Specialist



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

HB 2153
RECEIVED

Application No. 76171

DEC 28 1994

State of Oregon
WATER RESOURCES DEPARTMENT

WATER RESOURCES DEPT.
SALEM, OREGON

Application for a Permit to Appropriate Surface Water

Applicant(s) Eugene M. & Lucif. Maddy
(Please print or type - use dark ink)
Mailing Address: 741 Gross Lane
Oakland OR 97462 459-3917
City State Zip Daytime Phone No.

I (We) make application for a permit to appropriate the following described waters of the State of Oregon:

1. SOURCE OF WATER for the proposed use: UNN. STR & RES.,
a tributary of CALAPOOYA CR.
2. TOTAL AMOUNT OF WATER to be applied to beneficial use: 0.25 cubic feet per
second, OR _____ gallons per minute. If water is to be used from more than one source,
give the quantity of water from each: _____
3. INTENDED USE(s) OF WATER: IRRIGATION

If for more than one use, give the quantity of water from each source for each use; _____

If for DOMESTIC use, state the number of households to be supplied; _____

If for MUNICIPAL OR QUASI-MUNICIPAL use, state the present population to be served,
and an estimate of the future requirements; (List population projections, water needs, anticipated areas
to be provided water.)

If for MINING use, state the nature (gold, silver, etc.) of the mines to be served; _____

If for IRRIGATION, or other land area use, state the TOTAL number of acres to be developed
under each use;

Irrigation 20 10 AC

Other (describe) _____

4. **DESCRIPTION OF WATER DELIVERY SYSTEM:** Include dimensions and type of construction of diversion works, length and dimensions of supply ditches or pipelines, size and type of pump and motor. If for irrigation, describe the type of system (i.e., flood, wheel line, hand line, drip, other).

2" PVC FROM POND

1 1/2 HP PUMP, PIPE & SPRINKLERS

5. **PROJECT SCHEDULE:** (List month and year)

Proposed date construction work will begin OCT. 95

Proposed date construction work will be completed OCT 96

Proposed date water use will be completed OCT 97

NOTE: A map prepared by a Certified Water Right Examiner (CWRE) and a complete legal description of the subject property are required under ORS 537.140 and OAR 690 as a part of your application. The legal description may be copied from your deed, title insurance policy, or land sales contract.

6. a) In the event any deficiencies are noted involving the application map enclosed herein, please return the map with instructions for correction to (check one):

☒ Applicant ☐ CWRE ☐ Other (Identify in REMARKS section)

- b) In the event any deficiencies are noted involving the application, please return the application with instructions for correction to (check one):

☒ Applicant ☐ CWRE ☐ Other (Identify in REMARKS section)

7. Are all lands involved (including the proposed diversion site, place of use, and access for conveying the water) under your ownership? YES. If not, list in the REMARKS section below, or on an attached sheet, the names and mailing addresses of the legal owners of all property involved in the proposed development.

RECEIVED

DEC 28 1994

WATER RESOURCES DEPT.
SALEM, OREGON

REMARKS: _____

I/We certify that the information I have provided in this application is an accurate representation of the proposed water use and is true and correct to the best of my knowledge:

Eugene H. Maddy
Signature of Applicant

12/27/94
Date

Luis J. Maddy
Signature of Co-Applicant

12/27/94
Date

FOR WATER RESOURCES DEPARTMENT USE ONLY

Dear Applicant:

I certify that I have examined the foregoing application, together with the accompanying information, and am returning it to you for:

In order to retain its tentative priority, this application must be returned with the requested corrections or additions on or before:

_____, 19____.

WITNESS my hand this _____ day of _____, 19____.

Water Resources Director

By: _____

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 28 day of Dec, 19 94, at 8 o'clock, A M.



APPLICATION NO: 76171

PERMIT NO: _____

PFO CHECKLIST

Application #: 576171 Vol _____ Subbasin _____

Basin: 16

WAB: _____

Township _____

Range _____

Section _____

1/4 1/4 _____

☒ 1. Completeness checklist verified? (Y) / N

☒ 2. Indicators that the process should not continue (e - protest, items missing, letter to file indicating hold, other) (Y) / N *pol's area to be irrigated*

NA ☒ 3. Groundwater review A B C D

 a. Is second groundwater review necessary? Y / N reason _____

 b. Is the well located in a groundwater limited area? Y / N

☒ 4. SWW (Y) / N Triage (Y) / N conditions/restrictions (Y) / N

☒ 5. Basin Program limitations? (Y) / N

☒ 6. Withdrawal? (Y) / N season allowed _____

☒ 7. Basin Maps have been checked (Y) / N The River Mile is _____

☒ 8. Water Availability (50% < July 17, 1992 OR 80% [50% storage] > July 17, 1992) NA

a. Notify Ken Stahr Y / N (Q, Duty, or Season) _____

☒ 9. Rate/Duty/Season 180 2.5 March 1 - Oct. 31

☒ 10. Use Frig Period of Allowed Use _____

☒ 11. Priority Date(s) Dec. 28, 1994 TR / IR mail date _____

☒ 12. B.O.R. project (Y) / N contract # _____

☒ 13. TMDL Basin? (Y) / N (Tualatin, Yamhill, Pudding) Division 33 (Y) / N (Abv Bonn > July 17, 92 //// Blw Bonn > April 18, 94 or June 3, 94)

☒ 14. Conflicts (Y) / N

☒ 15. Objections? (Y) / N PFO different from IR/TR (Y) / N

☒ 16. Conditions (from IR/TR/ or Additional) (Y) / N (macro series 4 - 7)

☒ 17. Land use approval OK'd needs approval county notified NA

☒ 18. SIZE Small (<0.1cf, <9.2AF), Medium (>0.1 or <15cf, >9.2 or <100AF) Large (>15 cf, >100 AF)?

☒ 19. Watermaster Dist: (1 2 16 18 - NWR) (3 4 5 - NCR) (6 8 9 10 - ER) (11 12 17 - SCR) (14 (15) 19 - (SWR))

Submit a limited season letter

Name: PJ. R

Date: 7-3-94

save to m:\k\pfo\done\week\app#.w51

December 26, 1995

WATER
RESOURCES
DEPARTMENT

EUGENE M MADDOX
LOIS J MADDOX
741 GRASS LANE
OAKLAND, OREGON 97462

Reference: File S-76171

Dear Applicant:

**THIS IS NOT A PERMIT AND IS
SUBJECT TO CHANGE AT NEXT PHASE OF PROCESS**

This letter is to inform you of the potential limitations to your proposed use of water and to describe some of your options. Based on the information you have supplied, the Water Resources Department has reached the following conclusions:

Initial Review Determinations:

1. Your application is complete and not defective.
2. The proposed use is not prohibited by law or rule.
3. The use of water for IRRIGATION OF 10.0 ACRES is allowed under OAR 516, the Umpqua Basin Program.
4. The use of 0.125 CUBIC FOOT PER SECOND from an Unnamed Stream tributary to Calapooya Creek for Irrigation is not available October 1 through November 30.

The use of legally stored water, application R-76171, for Irrigation is available year round.

5. The irrigation season is March 1 through October 31 set by Department policy.



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

Summary of Initial Determinations

The use of 0.125 cfs from an Unnamed stream for Irrigation of 10.0 acres may be allowed from March 1 through September 30 of each year. During the period October 1 through October 31 the use of stored water only may be allowed.

Because of the Departments determination, your application can be moved to the next phase of the water rights application review process. However, due to #4 & 5 above your application will likely be limited as summarized above.

Please reference the application number when sending any correspondence regarding the conclusions of this initial review. Comments received within the comment period, will be evaluated at the next phase of the process.

At this time, you must decide whether to proceed or to withdraw your application as described below.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$50 processing charge per application.) To accomplish this you must notify the Department in writing by **January 9, 1996**. For your convenience you may use the enclosed "STOP PROCESSING" form.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a proposed final order.

If A Permit Is Issued It Will Likely Include The Following Conditions:


1. You may be required to measure the amount of water used and report that use annually.
2. You may be required to install fish screens at the diversion to meet Oregon Department of Fish and Wildlife specifications for adequate protection of aquatic life.
3. The priority date for this application is December 28, 1994.

S-76171
December 26, 1995
Page 3

If you have any questions:

Feel free to call me at (503) 378-8455 ext. 454 or 1 (800) 624-3199 if you have any questions. Please have your application number available if you call.

Sincerely,



Gary Holliday
Initial Reviewer

cc: Regional Manager, Watermaster, Water Availability
Section
enclosures: Flow Chart of Water Right Process
Stop Processing Form

INITIAL REVIEW CHECKLIST

APPLICATION # S 76171
BASIN 2 16
WAB # 01057200
POU-WAB 01057200

1. ☒ ITEMS NOTED AS MISSING BY COMPLETENESS TEAM ARE NOW IN FILE
 2. ☒ GW - A, B, OR C (IF B OR C THEN 3b,d;4;5;6;8 DO NOT APPLY)
 3. DETERMINATION OF WHETHER USE IS OR IS NOT ALLOWED BY...
 - a ☒ BASIN PLAN
 - b ☒ LEGISLATIVE WITHDRAWAL (ORS 538)
 - c ☒ RULES
 - d ☒ SCENIC WATERWAY (OTHER THAN WA ORS 390.826)
 - e ☐ OTHER _____
 4. ☐ WATER AVAILABILITY (WA) CFS _____ MONTHS _____
50 % BEFORE JULY 17, 1992; 80 % LIVE FLOW 50 % STORAGE AFTER JULY 17, 1992
 5. ☒ INSTREAM WATER RIGHT EXEMPTIONS ARE DOCUMENTED ON WATER AVAILABILITY SHEETS
 6. ☒ USE IS NOT FROM A BOR PROJECT OR A SIGNED CONTRACT IS IN THE FILE
 7. ☒ GROUND WATER REVIEW HAS BEEN EVALUATED (USE WA DATABASE IF GW A) REQUIRED CONDITIONS (GENERIC 7B) _____
 8. DIVISION 33 HAS BEEN ADDRESSED...
 - a ☐ SEASON FOR DIRECT FLOW (ABOVE BONN ONLY) _____
 - b ☒ WATER QUALITY PARAGRAPH
 - c ☒ EFFICIENCY DESCRIPTION (BELOW BONN AND MORE THAN 1 CFS)
 9. ☒ PLAT CARDS HAVE BEEN CHECKED AND A COPY OF THE MAP IS ATTACHED SHOWING THE CONFLICT WITH _____
STORAGE
 10. ☒ IRRIGATION SEASON March 1 - Oct. 31 (DECREE, BASIN PLAN, PERMIT, GENERIC)
 11. ☒ RATE & DUTY 80 2.5 (DECREE, BASIN PLAN, PERMIT, GENERIC)
GROUND WATER ALWAYS GENERIC FOR RATE AND DUTY
OF ACRES PRI _____ SUPP _____ NOT SURE _____
 12. ☒ ALL DOCUMENTS USED IN EVALUATION ARE ATTACHED AND HIGHLIGHTED AND PACKET IS STAPLED TOGETHER
 13. ☒ ISSUES HINDERING PROCESS _____
 14. ☒ WATERMASTER # 15
 15. ☒ REGNL MANGER - SEND COPY (SW, SC, E) DO NOT SEND COPY TO (NW, NC)
 16. ☒ BASIN # AND WAB # ARE ADDED & SPELL ✓ HAS BEEN COMPLETED
 17. ☒ LETTER WAS SAVED FROM M:\T\IR\WORK TO M:\T\IR\SENT
- NAME M. RA DATE 12-22-95

OREGON WATER RESOURCES DEPARTMENT
ADMINISTRATIVE RULES
CHAPTER 690
DIVISION 516
UMPQUA BASIN PROGRAM

Classifications

690-516-001

(1) The maximum economic development of this state, the attainment of the highest and best use of the waters of the Umpqua River Basin, and the attainment of an integrated and coordinated program for the benefit of the state as a whole will be furthered through utilization of the aforementioned waters only for domestic, livestock, municipal, irrigation, temperature control, power development, industrial, mining, recreation, wildlife, fish life uses, and pollution abatement; and the waters of the Umpqua River Basin are hereby so classified with the following exceptions:

999 (a) Preference shall be given to human consumption, livestock consumption and irrigation of non-commercial gardens not to exceed one-half acre in area for all the waters of the Umpqua River Basin over any other beneficial uses.

999 (b) The waters of the natural lakes of the Umpqua River Basin are classified only for the utilization of water for domestic, livestock, power development not to exceed 7-1/2 theoretical horsepower, and in-lake uses for recreation, wildlife, and fish life purposes.

610571 (c) The waters of Roberts Creek and its tributaries were withdrawn by Water Resources Commission's Order of Withdrawal on October 4, 1991.

9105742-0105741-102 (d) The unappropriated waters of Lookingglass Creek and tributaries are withdrawn from further appropriation except for domestic and livestock watering uses under 5,000 gallons per day per appropriation and water legally stored and released from storage from June 1 through September 30 of each year, by the Water Policy Review Board's Order of Withdrawal dated August 5, 1983. ✓ 10 1. 440

310574-0105742-1 (e) The unappropriated waters of the South Umpqua River and tributaries, excluding Lookingglass and Roberts Creeks, are withdrawn from further appropriation except for human consumption, livestock consumption, irrigation of up to 1/2-acre non-commercial garden and water legally released from storage from July 15 through September 30 of each year, by the Water Policy Review Board's Order of Withdrawal dated April 29, 1985. This limitation shall not affect the withdrawals previously enacted by the Board for the waters of Roberts and Lookingglass Creeks. During this period it is withdrawn

999 (2) Applications for the use of the waters of the Umpqua River Basin shall not be accepted by any state agency for any purposes contrary to the classifications herein specified, and the granting of applications for such other purposes is declared to be prejudicial to the public interest, and the granting of applications for such other use would be contrary to this water-use program.

- 977 (3) Structures or works for utilization of the waters in accordance with the aforementioned classifications are also declared to be prejudicial to the public interest unless planned, constructed and operated in conformity with the applicable provisions of ORS 536.310; and any such structures or works which do not give cognizance to the multiple-purpose concept are further declared to be prejudicial to the public interest.

Minimum Perennial Streamflows

690-516-002

(1) For the purpose of maintaining minimum perennial streamflows sufficient to support aquatic life, no appropriations of water except for human consumption, livestock consumption and irrigation of non-commercial gardens not to exceed one-half acre in area and waters legally released from storage shall be made or granted by any state agency or public corporation of the state for the waters of the following streams when flows are at or below the levels specified in Table 1.

(2) The minimum perennial streamflows established by the October 24, 1958, Umpqua Basin program shall remain in effect over appropriations issued from October 24, 1958, to March 26, 1974.

Storage

690-516-003

- 977 All applications for appropriation of water for storage in structures impounding more than 3,000,000 gallons of water shall be reviewed by the Water Policy Review Board prior to approval. During the review, the Water Policy Review Board may establish additional minimum flows on the natural flow of the stream to support aquatic life or minimize pollution.

Out-of-Basin Appropriations

690-516-004

- 977 To support present and proposed Umpqua River Basin water resource development, no out-of-basin appropriation of the waters of the Umpqua River Basin shall be made or granted by any state agency or public corporation of the state without the prior approval of, and following a public hearing by, the Water Policy Review Board.

Water Quality

690-516-005

Rights to use of water granted by any state agency in accordance with this water-use program shall be issued only on the condition that any effluents or return flows from such uses shall not interfere with other beneficial uses of water.

NOTE: The Umpqua River Basin is delineated on State Water Resources Board Map 16.6, dated 1969, available from the Water Resources Department.

WATER AVAILABILITY TABLE

Basin: UMPQUA Exceedance Level: 80
 Water Availability Subbasin: 0105720000000000 (and Nested Subbasins)
 Time: 11:17 Date: 12/22/1995

Item #	W.A. Subbasin	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Sto
1	0100000000000000	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
2	0105000000000000	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
3	0105700000000000	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
4	0105720000000000	YES	YES	YES	YES	YES	YES	YES	YES	YES	NO	NO	YES	YES

STREAM NAMES

Basin: UMPQUA
 Water Availability Subbasin: 0105720000000000 (and Nested Subbasins)
 Time: 11:17 Date: 12/22/1995

WAB #	Stream Name	Tributary to
0100000000000000	UMPQUA R	PACIFIC OCEAN
0105000000000000	UMPQUA R	PACIFIC OCEAN
0105700000000000	UMPQUA R	PACIFIC OCEAN
0105720000000000	CALAPOOYA CR	UMPQUA R

LIMITING WATER AVAILABILITY SUBBASINS

Water Availability Subbasin: 0105720000000000

Basin: UMPQUA

Exceedance Level: 80

Time: 11:17

Date: 12/22/1995

Month	Limiting Subbasin	Stream Name	Water Available?	Net Water Available
1	0105720000000000	CALAPOOYA CR	YES	223.0
2	0105720000000000	CALAPOOYA CR	YES	293.0
3	0105720000000000	CALAPOOYA CR	YES	268.0
4	0105720000000000	CALAPOOYA CR	YES	181.0
5	0105720000000000	CALAPOOYA CR	YES	85.7
6	0105720000000000	CALAPOOYA CR	YES	20.6
7	0105720000000000	CALAPOOYA CR	YES	13.2
8	0105720000000000	CALAPOOYA CR	YES	0.2
9	0105720000000000	CALAPOOYA CR	YES	2.3
10	0105720000000000	CALAPOOYA CR	NO	-23.2
11	0105720000000000	CALAPOOYA CR	NO	-15.2
12	0105720000000000	CALAPOOYA CR	YES	140.0
Stor	0105720000000000	CALAPOOYA CR	YES	189000.0

DETAILED REPORT ON WATER AVAILABILITY

Basin: UMPQUA

Stream: UMPQUA R

> PACIFIC OCEAN

Water Availability Subbasin: 0100000000000000

Exceedance Level: 80

Time: 11:17

Date: 12/22/1995

Month	Natural Stream Flow	CU + Stor Prior to 1/1/93	Net Min. Flow 1/1/93	CU + Stor After 1/1/93	Net Min. Flow Now	Instream Water Rights	Net Water Available
1	6790.00	190.00	6600.00	95.90	6500.00	1000.00	5500.00
2	8470.00	260.00	8210.00	118.00	8090.00	1000.00	7090.00
3	7680.00	30.00	7650.00	73.60	7580.00	1000.00	6580.00
4	6730.00	40.00	6690.00	30.40	6660.00	1000.00	5660.00
5	4720.00	70.00	4650.00	10.80	4640.00	1000.00	3640.00
6	2430.00	130.00	2300.00	10.20	2290.00	1000.00	1290.00
7	1420.00	160.00	1260.00	13.20	1247.00	750.00	497.00
8	1090.00	142.00	948.00	9.37	939.00	750.00	189.00
9	1070.00	111.00	959.00	5.70	953.00	750.00	203.00
10	1240.00	30.00	1210.00	1.33	1209.00	1000.00	209.00
11	2170.00	80.00	2090.00	1.02	2090.00	1000.00	1090.00
12	5020.00	150.00	4870.00	99.80	4770.00	1000.00	3770.00
Stor	5330000	79100	5260000	28100	5230000	674000	4550000

DETAILED REPORT OF ISWRs

Basin: UMPQUA

Stream: UMPQUA R

> PACIFIC OCEAN

Water Availability Subbasin: 0100000000000000

Time: 11:17

Date: 12/22/1995

ISWRs							
APP # :	368A	0	0	0	0	0	RESULTANT
STATUS:	Cert.						
1	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C
2	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C
3	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C
4	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C
5	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C
6	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C
7	750.0	0.0	0.0	0.0	0.0	0.0	750.0 C
8	750.0	0.0	0.0	0.0	0.0	0.0	750.0 C
9	750.0	0.0	0.0	0.0	0.0	0.0	750.0 C
10	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C
11	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C
12	1000.0	0.0	0.0	0.0	0.0	0.0	1000.0 C

DETAILED REPORT ON WATER AVAILABILITY

Basin: UMPQUA

Stream: UMPQUA R

> PACIFIC OCEAN

Water Availability Subbasin: 0105000000000000

Exceedance Level: 80

Time: 11:17

Date: 12/22/1995

Month	Natural Stream Flow	CU + Stor Prior to 1/1/93	Net Min. Flow 1/1/93	CU + Stor After 1/1/93	Net Min. Flow Now	Instream Water Rights	Net Water Available
1	5470.00	190.00	5280.00	95.80	5180.00	1000.00	4180.00
2	7110.00	260.00	6850.00	118.00	6730.00	1000.00	5730.00
3	6490.00	20.00	6470.00	73.50	6400.00	1000.00	5400.00
4	5960.00	40.00	5920.00	30.30	5890.00	1000.00	4890.00
5	4250.00	60.00	4190.00	10.60	4180.00	1000.00	3180.00
6	2210.00	130.00	2080.00	9.76	2070.00	1000.00	1070.00
7	1320.00	160.00	1160.00	12.80	1147.00	750.00	397.00
8	1030.00	139.00	891.00	9.24	882.00	750.00	132.00
9	1020.00	108.00	912.00	5.63	906.00	750.00	156.00
10	1180.00	30.00	1150.00	1.30	1149.00	1000.00	149.00
11	1870.00	80.00	1790.00	1.00	1789.00	1000.00	789.00
12	4120.00	150.00	3970.00	99.60	3870.00	1000.00	2870.00
Stor	4460000	80800	4380000	28000	4350000	674000	3680000

DETAILED REPORT OF ISWRs

Basin: UMPQUA

Stream: UMPQUA R

> PACIFIC OCEAN

Water Availability Subbasin: 0105000000000000

Time: 11:17

Date: 12/22/1995

-----ISWRs-----						
APP # :	367A	368B	73350A	0	0	RESULTANT
STATUS:	Cert.	Cert.	App.			
1	525.0	1000.0	1000.0	0.0	0.0	1000.0 C
2	525.0	1000.0	1000.0	0.0	0.0	1000.0 C
3	525.0	1000.0	1000.0	0.0	0.0	1000.0 C
4	525.0	1000.0	1000.0	0.0	0.0	1000.0 C
5	525.0	1000.0	1000.0	0.0	0.0	1000.0 C
6	525.0	1000.0	1000.0	0.0	0.0	1000.0 C
7	525.0	750.0	750.0	0.0	0.0	750.0 C
8	525.0	750.0	750.0	0.0	0.0	750.0 C
9	525.0	750.0	750.0	0.0	0.0	750.0 C
10	525.0	1000.0	1000.0	0.0	0.0	1000.0 C
11	525.0	1000.0	1000.0	0.0	0.0	1000.0 C
12	525.0	1000.0	1000.0	0.0	0.0	1000.0 C

DETAILED REPORT ON WATER AVAILABILITY

Basin: UMPQUA

Stream: UMPQUA R

> PACIFIC OCEAN

Water Availability Subbasin: 0105700000000000

Exceedance Level: 80

Time: 11:17

Date: 12/22/1995

Month	Natural Stream Flow	CU + Stor Prior to 1/1/93	Net Min. Flow 1/1/93	CU + Stor After 1/1/93	Net Min. Flow Now	Instream Water Rights	Net Water Available
1	4840.00	190.00	4650.00	2.55	4650.00	1000.00	3650.00
2	6360.00	260.00	6100.00	2.90	6100.00	1000.00	5100.00
3	5830.00	20.00	5810.00	2.91	5810.00	1000.00	4810.00
4	5490.00	30.00	5460.00	3.15	5460.00	1000.00	4460.00
5	3970.00	60.00	3910.00	5.22	3900.00	1000.00	2900.00
6	2080.00	110.00	1970.00	7.63	1962.00	1000.00	962.00
7	1260.00	140.00	1120.00	10.10	1110.00	750.00	360.00
8	989.00	123.00	866.00	6.93	859.00	750.00	109.00
9	978.00	98.00	880.00	4.24	876.00	750.00	126.00
10	1120.00	30.00	1090.00	0.86	1089.10	1000.00	89.10
11	1740.00	80.00	1660.00	0.83	1659.00	1000.00	659.00
12	3670.00	150.00	3520.00	2.13	3520.00	1000.00	2520.00
Stor	3990000	76100	3910000	2960	3910000	674000	3240000

DETAILED REPORT OF ISWRs

Basin: UMPQUA

Stream: UMPQUA R

> PACIFIC OCEAN

Water Availability Subbasin: 0105700000000000

Time: 11:17

Date: 12/22/1995

-----ISWRs-----							
APP # :	368C	0	0	0	0	RESULTANT	
STATUS:	Cert.						
1	1000.0	0.0	0.0	0.0	0.0	1000.0	C
2	1000.0	0.0	0.0	0.0	0.0	1000.0	C
3	1000.0	0.0	0.0	0.0	0.0	1000.0	C
4	1000.0	0.0	0.0	0.0	0.0	1000.0	C
5	1000.0	0.0	0.0	0.0	0.0	1000.0	C
6	1000.0	0.0	0.0	0.0	0.0	1000.0	C
7	750.0	0.0	0.0	0.0	0.0	750.0	C
8	750.0	0.0	0.0	0.0	0.0	750.0	C
9	750.0	0.0	0.0	0.0	0.0	750.0	C
10	1000.0	0.0	0.0	0.0	0.0	1000.0	C
11	1000.0	0.0	0.0	0.0	0.0	1000.0	C
12	1000.0	0.0	0.0	0.0	0.0	1000.0	C

DETAILED REPORT ON WATER AVAILABILITY

Basin: UMPQUA

Stream: CALAPOOYA CR

> UMPQUA R

Water Availability Subbasin: 0105720000000000

Exceedance Level: 80

Time: 11:17

Date: 12/22/1995

Month	Natural Stream Flow	CU + Stor Prior to 1/1/93	Net Min. Flow 1/1/93	CU + Stor After 1/1/93	Net Min. Flow Now	Instream Water Rights	Net Water Available
1	325.00	2.00	323.00	0.38	323.00	100.00	223.00
2	396.00	2.00	394.00	0.50	393.00	100.00	293.00
3	369.00	1.00	368.00	0.43	368.00	100.00	268.00
4	284.00	2.00	282.00	0.67	281.00	100.00	181.00
5	161.00	4.00	157.00	1.27	155.70	70.00	85.70
6	71.30	8.70	62.60	1.99	60.60	40.00	20.60
7	39.10	11.00	28.10	2.86	25.20	12.00	13.20
8	23.80	9.50	14.30	2.07	12.23	12.00	0.23
9	23.00	7.40	15.60	1.31	14.29	12.00	2.29
10	28.60	1.70	26.90	0.09	26.80	50.00	-23.20
11	86.30	1.40	84.90	0.13	84.80	100.00	-15.20
12	242.00	2.00	240.00	0.46	240.00	100.00	140.00
Stor	240000	3160	237000	728	236000	47700	189000

DETAILED REPORT OF ISWRs

Basin: UMPQUA

Stream: CALAPOOYA CR

> UMPQUA R

Water Availability Subbasin: 0105720000000000

Time: 11:17

Date: 12/22/1995

-----ISWRs-----							
APP # :	289A	0	0	0	0	0	RESULTANT
STATUS:	Cert.						
1	100.0	0.0	0.0	0.0	0.0	0.0	100.0 C
2	100.0	0.0	0.0	0.0	0.0	0.0	100.0 C
3	100.0	0.0	0.0	0.0	0.0	0.0	100.0 C
4	100.0	0.0	0.0	0.0	0.0	0.0	100.0 C
5	70.0	0.0	0.0	0.0	0.0	0.0	70.0 C
6	40.0	0.0	0.0	0.0	0.0	0.0	40.0 C
7	12.0	0.0	0.0	0.0	0.0	0.0	12.0 C
8	12.0	0.0	0.0	0.0	0.0	0.0	12.0 C
9	12.0	0.0	0.0	0.0	0.0	0.0	12.0 C
10	50.0	0.0	0.0	0.0	0.0	0.0	50.0 C
11	100.0	0.0	0.0	0.0	0.0	0.0	100.0 C
12	100.0	0.0	0.0	0.0	0.0	0.0	100.0 C

SECTION 23[illegible]

SEE

T 25 S
R 6 W
S 26

10 ~~AC~~ AC IRRIG.

WEST 40.00 CH.

Livestock &
Irrig.

RES #3

SE COR
DAVID HURST
DLC NO 56

SEE MAP 25 6 27

RES #1

UNN. STR.

SE COR
JASPER N. SMI
DLC NO 57

RES.

LOT 4 21.17

500
500M1

LOT 3 23.34

13.10 AC.

Application No. R-76172
Permit No.

RECEIVED

DEC 28 1994

WATER RESOURCES DEPT.
SALEM, OREGON

DATE 12/7/94

LANDOWNER'S NAME Eugene M. Madlox

ADDRESS 741 Gross Lane Oakland, OR 97462

PHONE 459-3917

	POND 1	POND 2	POND 3	POND	POND
LOCATION					
Section	26	24	26		
Township	25 25 S	25 S	25 S		
Range	6 W	6 W	6 W		
County					
Source of Water	ONSEASONAL DITCH	RAIN WATER	RAIN WATER		
Surface Area Submerged (Acres Ft.)	2.0 Ac	0.7 Ac	2.0 Ac Ac		
Height of Dam	10.0'	8'	10'		
Pond Size (Acre Ft) MAX. DEPTH	12.8 16'	16'	10'		
Storage Capacity AF	12.8 AF	4.5 AF	8.0 AF AF		
OUTLET PIPE	None	None	NONE		
Size					
Description					
Location					

SWNW

NESW

NENW

R-76173

T 27 S

R 7 W

Sec 23

Livestock

600

160.00 AC.

UNN. STR



SEE MAP 27 7 24

4-34

23

24

WEST 80.15 CH.

P 27 7 26

26

25

4. THE AMOUNT OF WATER to be stored is: 0.64 acre-feet.
The area submerged by the reservoir, when filled, will be 0.2 AC acres,
and the maximum depth of water will be 8 feet.

5. SPILLWAY DESCRIPTION (location and dimensions). State whether over or around the dam. _____

6. PROJECT SCHEDULE: (List month and year)

Proposed date construction work will begin COMPLETE

Proposed date construction work will be completed "

Proposed date water use will be completed "

NOTE: Prior to issuance of a permit, it will be necessary to submit a map prepared by a Certified Water Right Examiner (CWRE) and a complete legal description of the property on which the water is to be used. The legal description may be copied from your deed, title insurance policy, or land sales contract.

7. a) In the event any deficiencies are noted involving the application map enclosed herein, please return the map with instructions for correction to (check one):

☒ Applicant ☐ CWRE ☐ Other (Identify in REMARKS section)

b) In the event any deficiencies are noted involving the application, please return the application with instructions for correction to (check one):

☒ Applicant ☐ CWRE ☐ Other (Identify in REMARKS section)

NUMBER 8155

Check 100.00 Mo Cash

- ☒ Surface Application
- ☐ Reservoir Application
- ☐ Ground Water Application
- ☐ Transfer Application
- ☐ PFO Request
- ☐ Research
- ☐ Hydroelectric Fees
- ☐ Copying
- ☐ Assignment
- ☐ Extension of Time
- ☐ Protest
- ☐ Other

0
100

FD

97
A
Application No. 76121

Permit No. S 52921

Eugene M. Maddox

Nan Maddox Lois J.

Add 5047 Oak Hill Rd.

Roseburg, Or. 97470-9657

Address

Beginning construction 10-31-97

Completion of construction 10-1-98

Extended to

Complete application of water 10-1-99

Extended to

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **7837**

158 12TH ST. N.E.
SALEM, OR 97310-0210
378-8455 / 378-8130 (FAX)

INVOICE # _____

RECEIVED FROM: Eugene Maddox
BY: _____

APPLICATION	76171
PERMIT	
TRANSFER	

CASH: ☐ CHECK: # 24-22 ☒ OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 100.00

0417 WRD MISC CASH ACCT

ADJUDICATIONS

\$

PUBLICATIONS / MAPS

\$

OTHER: (IDENTIFY)

\$

OTHER: (IDENTIFY)

\$

REDUCTION OF EXPENSE

CASH ACCT.

\$

PCA AND OBJECT CLASS

VOUCHER #

0427 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

\$

0410 RESEARCH FEES

\$

0408 MISC REVENUE: (IDENTIFY)

\$

TC165 DEPOSIT LIAB. (IDENTIFY)

\$

WATER RIGHTS:

EXAM FEE

RECORD FEE

0201 SURFACE WATER

\$ -0-

0202

\$100.00

0203 GROUND WATER

\$

0204

\$

0205 TRANSFER

\$

0206

\$

WELL CONSTRUCTION

EXAM FEE

LICENSE FEE

0218 WELL DRILL CONSTRUCTOR

\$

0219

\$

LANDOWNER'S PERMIT

0220

\$

OTHER (IDENTIFY)

0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

CARD #

0210 MONITORING WELLS

\$

CARD #

OTHER (IDENTIFY)

0539 LOTTERY PROCEEDS

1302 LOTTERY PROCEEDS

\$

0467 HYDRO ACTIVITY

LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

\$

0231 HYDRO LICENSE FEE (FW/WRD)

\$

HRDRO APPLICATION

\$

RECEIPT # **7837**

DATED: 10/23/11

BY: C. Richards

CK 24-22 18402

total check \$450.-

CUSTOMER'S ORDER NO.	DEPARTMENT	DATE
76171		12-22-94
NAME Eugene M. Maddox		
ADDRESS		
CITY, STATE, ZIP		

SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE RETD	PAID OUT
---------	------	--------	--------	----------	--------------	----------

QUAN.	DESCRIPTION	PRICE	AMOUNT
1			
2			
3	Exam		200.-
4	HB 3153		
5			
6			
7			
8			
9			
10			
11			
12			
13			
14	D. Bushnell		
15			
16			
17			
18			
19			
20			

RECEIVED BY

KEEP THIS SLIP FOR REFERENCE

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **102913**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM:

BY:

CASH:

CHECK #

OTHER: (IDENTIFY)

APPLICATION

PERMIT

TRANSFER

TOTAL REC'D

\$57500

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES

\$

OTHER: (IDENTIFY)

\$

0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

\$

0410 RESEARCH FEES

\$

0408 MISC REVENUE: (IDENTIFY)

\$

TC162 DEPOSIT LIAB. (IDENTIFY)

\$

0240 EXTENSION OF TIME

\$

WATER RIGHTS:

0201 SURFACE WATER

EXAM FEE

\$

0202

\$

0203 GROUND WATER

\$

0204

\$

0205 TRANSFER

\$

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR

EXAM FEE

\$

0219

\$

LANDOWNER'S PERMIT

0220

\$

OTHER (IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

0210 MONITORING WELLS

\$

CARD #

CARD #

OTHER (IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FWWRD)

\$

0231 HYDRO LICENSE FEE (FWWRD)

\$

HYDRO APPLICATION

\$

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$

RECEIPT: **102913**

DATED:

5.17.11

BY:

LXG

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **105243**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM: Corrin Maddox
BY: _____

APPLICATION	<u>576191</u>
PERMIT	
TRANSFER	

CASH: ☐ CHECK: # ☐ OTHER: (IDENTIFY) 40
☐ ☐ ☒ 50773453492 TOTAL REC'D \$ 150.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$
OTHER: (IDENTIFY) \$

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS 46111

0407 COPY & TAPE FEES \$
0410 RESEARCH FEES \$
0408 MISC REVENUE: (IDENTIFY) \$
TC162 DEPOSIT LIAB. (IDENTIFY) \$
0240 EXTENSION OF TIME \$

WATER RIGHTS:

0201 SURFACE WATER	EXAM FEE \$	0202 RECORD FEE \$
0203 GROUND WATER	EXAM FEE \$	0204 RECORD FEE \$
0205 TRANSFER	EXAM FEE \$	

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR	EXAM FEE \$	0219 LICENSE FEE \$
LANDOWNER'S PERMIT		0220 LICENSE FEE \$

0200 OTHER (IDENTIFY) 10866 150.00

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ CARD # _____
0210 MONITORING WELLS \$ CARD # _____

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FWWRD) \$
0231 HYDRO LICENSE FEE (FWWRD) \$
HYDRO APPLICATION \$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION \$

RECEIPT: **105243**

DATED: 3/19/82 BY: 72



S-76171

CORVIN L or DEBRA A MADDOX
741 GROSS LANE
OAKLAND OR 97462