



Water Right Application Initial Review

April 18, 2025

SOKOL BLOSSER WINERY
ALEX SOKOL BLOSSER
5000 NE SOKOL BLOSSER LANE
DAYTON OR 97114

Reference: Application G-19389

This document is to inform you of the preliminary analysis of the water-use permit application and to describe your options. In determining whether an application may be approved, the Water Resources Department (Department) must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information supplied, the Department has made the following preliminary determinations:

Preliminary Determinations under Oregon Administrative Rule (OAR) 690-310-0080:

1. Application G-19389 proposes the appropriation of 0.67 cubic foot per second (CFS) of water from Well 1 (YAMH 5157), Well 2, Well 3 (YAMH 5168), and Well 4 in Yamhill River Basin, further limited to 91.0 acre-feet (AF) annually for agriculture use from January 1 through December 31, and 73.7 AF annually for irrigation of 73.7 acres from March 1 through October 31 of each year.
2. The proposed use is not prohibited by law or rule except where otherwise noted below.
3. Agriculture and irrigation use are allowed under the Willamette Basin Program (OAR 690-502-0160(2)).
4. The proposed groundwater use is not within a designated critical groundwater area. OAR 690-310-0080(1)(a).

Please note: Applications are evaluated using the rules in effect at the time the application is accepted as complete. To view the rules relevant for this application, please visit: <https://secure.sos.state.or.us/oard/displayCompilations> and navigate to Chapter 690 (Water Resources Department).

5. An assessment of groundwater availability has been completed by the Department. A copy of this assessment is in the file and can be viewed on the Department's website. Groundwater for the proposed use is not over-appropriated. OAR 690-310-0080(1)(b); OAR 690-300-0010(57).
6. The Department has determined that **the proposed use would not be within the capacity of available sources.**
7. The Department has determined that the proposed groundwater use from Well 1, Well 2, and Well 3 will have the potential for substantial interference (PSI) with an unnamed tributary to Yamhill River and Miller Creek, and Well 1, Well 3, and Well 4 will have PSI with the Yamhill River. OAR 690-009-0040. Therefore, in accordance with OAR 690-300-0010(57)(a) and OAR 690-400-0010(11)(a)(B), surface water availability must be considered. During the period of use requested, surface water is available (at an 80% exceedance probability) from October 1 through June 30 of each year. Therefore, water is **not** available for the proposed use. OAR 690-310-0080(1)(b); OAR 690-300-0010(57); OAR 690-410-0070. See the **Additional Information Opportunity #1 and #2** sections below for more information.
8. If properly conditioned (and if authorized), the proposed use of groundwater will not injure other water rights.
9. The proposed use is not located within or above any state or federal scenic waterway.
10. Because this application will have an impact on surface water flows where sensitive, threatened, or endangered (STE) fish species may be present, this application will be reviewed by the Oregon Department of Fish and Wildlife and the Oregon Department of Environmental Quality. This review may cause your application to be limited, conditioned, or denied. Depending on the proposed use, you may be required to mitigate for potential impacts identified in the review. See the **Division 33 Review** section below for more information.
11. The Department has determined that Well 3 (YAMH 5168) does not meet current minimum well construction standards. The seal does not extend to the appropriate depth, was sealed with an unapproved grout, and the well head is flush with land surface. To meet minimum well construction standards, the well must be resealed with an approved grout and the well head must be raised so that it is at least one-foot above land surface. See the **Minimum Well Construction Standards – Repair Required** section below for more information.
12. A portion of the area proposed to be irrigated under this application is currently covered by an existing irrigation water right evidenced by Certificate 42777, which conflicts with the application. Please see the **Conflict Resolution Information** section below for details.
13. Documentation has been submitted from the relevant land-use planning jurisdiction that indicates the proposed use is allowed outright.
14. See **Additional Information Required** section below for deficiencies with the application.

Summary of Preliminary Determinations

The appropriation of 0.67 CFS of water from Well 1 (YAMH 5157), Well 2, Well 3 (YAMH 5168), and Well 4 in Yamhill River Basin, further limited to 91.0 AF annually for agriculture use from January 1 through December 31, and 73.7 AF annually for irrigation of 73.7 acres from March 1 through October 31 of each year is not allowable.

Additional Information Opportunity #1:

The proposed groundwater use was determined to have potential for substantial interference (PSI) with surface water, and surface water is not available for the full period of time requested (Preliminary Determination #7). Pursuant to OAR 690-300-0010(57)(b), a water right permit applicant has the opportunity to provide the following information for the Department to consider:

- Information that demonstrates the proposed use only requires water (and can make beneficial use of water) during the period of time when water is available for further appropriation, being October 1 through June 30 of each year; or
- Information that demonstrates the applicant can obtain water from an alternate source during the period when water is not available, being July 1 through September 30.

Although it is unlikely that a permit will be issued, if the Department's findings change and you are interested in pursuing the opportunity described above, please submit the requested information no later than **May 22, 2025**. If you need more time, you may request an administrative hold for up to an additional 180 days. You must submit the request in writing, stating how much more time is needed and why you need additional time. If an administrative hold is granted, your application will not be processed further until the requested information is received or the extended deadline has passed.

Additional Information Opportunity #2:

The proposed groundwater use was determined to have potential for substantial interference (PSI) with surface water, and surface water is not available for the proposed use (Preliminary Determination #7). However, it may be possible to reduce the proposed rate to avoid PSI with surface water. The GW Review has identified that, based upon OAR 690-009, a proposed rate of 0.317 CFS for Well 1, Well 3, and Well 4 will not have potential for substantial interference with any surface water source. As you consider this information, please be aware that a reduced rate may be insufficient to meet your needs. You may wish to either withdraw the application or submit an amended map depicting acreage that is more suitable for the lower rate. If you wish to reduce your proposed rate, the Department will need to receive amended application pages to reflect this change. If you also wish to update the acres proposed for irrigation, please also submit an amended map reflecting this change. Please note, this may not address the capacity of available resources identified in Preliminary Determination #6.

Although it is unlikely that a permit will be issued, if the Department's findings change and you are interested in pursuing the opportunity described above, please submit the requested information no later than **May 22, 2025**. If you need more time, you may request an administrative hold for up to an additional 180 days. You must submit the request in writing, stating how much more time you will

need and why you need additional time. If an administrative hold is granted, your application will not be processed further until the requested information is received or the extended deadline has passed.

Minimum Well Construction Standards – Repair Required:

Prior to the issuance of any Proposed Final Order that may recommend approval, evidence demonstrating compliance with well construction standards must be submitted and approved by the Department. In repairing the well(s), you should work closely with the Department and/or a licensed well constructor to ensure that repairs are carried out in a manner that will not violate well construction or other rules. You are encouraged to contact Tommy Laird of the Department's Well Construction and Compliance Section at 503-302-8618 to determine how to proceed.

Please submit this information no later than May 22, 2025. If you are unable to submit the information listed above by this date, you may request an administrative hold for up to an additional 180 days. You must submit the request in writing, stating how much more time is needed and why you need additional time. If an administrative hold is granted, your application will not be processed further until the requested information is received or the extended deadline has passed.

Please also note that regardless of the outcome of this application, you will need to work with the Department to either repair or abandon the well(s) to comply with the minimum standards for the construction, conversion, alteration, maintenance, and abandonment of water supply wells in order to protect the state's groundwater supply (OAR 690-200).

Conflict Resolution Information:

Although it is unlikely that a permit will be issued, if the Department's findings change, the place of use conflict will need to be resolved. A portion of the area proposed to be irrigated under this application is currently covered by an existing irrigation water right evidenced by Certificate 42777, which conflicts with the application. (See attached map of Certificate 42777)

If you would like this application to be the primary right, the Department must receive:

- A. A completed form authorizing cancellation of the conflicting portions of the existing right, along with a map describing those portions; or
- B. A completed affidavit of diminution of the conflicting portions of the existing right to reduce them to supplemental use, along with a map describing those portions; or
- C. A transfer application addressing the conflicting portions of the existing right; or
- D. Another means of dealing with the conflict between the existing right and the use proposed under this application.

If you would like this application to be supplemental to the existing certificate, the Department must receive a revised map showing the place of use of both the primary and supplemental lands. Please note the supplemental lands will be limited and/or jeopardized as follows:

- A. If the existing right is found to have been forfeited, the use which is supplemental to such certificate may also be canceled.
- B. You may only use the supplemental right after the primary right becomes unavailable. Water from the primary source must be exhausted first.
- C. The season of use for the supplemental irrigation will be limited to that of the primary right.

Please submit this information no later than May 22, 2025. If you are unable to submit the information listed above by this date, you may request an administrative hold for up to an additional 180 days. You must submit the request in writing, stating how much more time is needed and why you need additional time. If an administrative hold is granted, your application will not be processed further until the requested information is received or the extended deadline has passed.

Additional Information Required:

Although it is unlikely that a permit will be issued, if the Department's findings change, additional information will be required prior to issuance of any Proposed Final Order that may recommend approval. Please provide the following:

- A. The map submitted does not meet the requirements of OAR 690-310-0050(4)(b). Please provide a map that shows the location of all main canals, ditches, pipelines, or flumes.

Please submit this information no later than May 22, 2025. If you are unable to submit the information listed above by this date, you may request an administrative hold for up to an additional 180 days. You must submit the request in writing, stating how much more time is needed and why you need additional time. If an administrative hold is granted, your application will not be processed further until the requested information is received or the extended deadline has passed.

If we do not receive the information requested above or a request for an administrative hold by the above date, the Department may reject the application.

Public Comment:

Public interest issues and/or public comments will be addressed as the Department prepares a Proposed Final Order. If significant public interest issues are identified, they could have an impact on the eventual outcome of the application.

Division 33 Review:

The Department's Division 33 administrative rules (OAR 690-033) establish additional procedures and standards to aid the Department in determining whether a proposed use will impair or be detrimental to the public interest with regard to STE fish species. This Initial Review does not address the potential impact that your proposed use may have on these species.

You may be required to mitigate for potential impacts identified in the Division 33 review process. Mitigation is often complicated, time consuming, and expensive, and may include, but is not limited to, actions such as replacing the proposed amount of water within the impacted reach through purchasing

or transferring an existing water right. Following the Initial Review, you will be notified if mitigation is required due to impacts to STE fish species.

If you choose to pursue mitigation, you will likely need to place your application on administrative hold in order to explore options. There will be an additional fee of \$790 required with any mitigation proposal submitted.

At this time, you must decide whether to proceed or to withdraw the application.

- To Proceed - If you choose to proceed with the application, you do not have to notify the Department. The application will be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a Proposed Final Order.
- To Withdraw - You may withdraw the application and receive a refund (minus a \$310 processing fee). You must notify the Department **in writing** by **May 2, 2025**. For your convenience you may use the enclosed "STOP PROCESSING" form.

Although it is unlikely that a permit will be issued, if the Department's findings change and a permit is issued, it will likely include the following conditions:

1. Construction of the well shall begin within five years of the date of permit issuance. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the construction deadline to begin is missed.
2. If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may not be valid, unless the Department authorizes the change in writing.
3. **Water Use Measurement, Recording, and Reporting:**
 - A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
 - B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
 - C. The permittee shall keep a complete record of the volume of water used each month, and shall submit an annual report which includes the recorded water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.

- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

4. Groundwater Level Measurement, Reporting, and Shut-Off Condition:

For each well on this authorization, beginning on the permit signature date for existing wells or in the year well construction is completed for new wells, and each year thereafter, the permit holder must report a static water-level measurement ("measurement") taken in March. The measurement is required whether the well is used or not. If pumping is to commence following completion of the well and prior to the next March, then a measurement must be made at least one week following well completion and before pumping commences.

Measurements must be properly reported within 30 days of measurement using forms specified by the Department. A measurement will be properly reported if the submission includes all required information as listed in the document attached. Measurements must be made with equipment that is accurate to the standards specified in Oregon Administrative Rule (OAR) 690-217-0045.

Measurements must be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed land surveyor, licensed well constructor, pump installer licensed by the Construction Contractors Board, or Department staff. The Department is not responsible for regular measurement of the static water level, but Department staff may measure the well during the normal course of groundwater level monitoring or to confirm the submitted measurement(s).

For each well on this permit, the Department will establish a reference groundwater level using the best available data. The reference level is intended to represent the highest elevation (shallowest depth) static water level that has been measured or can be reasonably estimated to have existed within each well at any time before its reference level is set. If Annual High Water Levels have been increased measurably by human activity, then the Department may set a different reference level using best available information. If the permit holder fails to measure and report the static water level within 12 months of permit issuance, or of completion of the well(s), then Department staff will estimate the static water level using available data, including measurements in surrounding wells. In case the permit is amended or the subsequent certificate is transferred, the Department may establish a new reference level for any new or additional wells under new permits or certificates issued under this right. The reference level for a new or additional well should reflect the highest static water level in that well or, if that measurement occurred after the time represented by the original reference level, then the water level that would have been measured in that well, if the well existed and was measured at the time represented by the original reference level.

All water use authorized under this permit must immediately stop if any of the following occur:

- A. Any annual high elevation static groundwater level in any well on this permit declines 25 or more feet below the reference level for that well, or
- B. Groundwater levels are not measured and properly reported as specified above for any completed well that is authorized on the permit for two consecutive years, or

- C. Hydraulic interference contributes to a decline of 25 or more feet in any neighboring well with senior priority, at any time during the year.

The Department will determine when any of the above conditions have occurred and may order the permit holder to stop all water use under this permit. The permit holder is also responsible for stopping all water use if they become aware that any of the conditions have occurred, even without notice from the Department. Following such a stop, water use under this permit will not be allowed and may only resume once the permit holder receives notice from the Department. If the permit holder fails to stop use, then the Department may take control of the controlling works of any wells authorized under this permit and may reduce the amount of groundwater pumped until the unlawful use is eliminated.

The permit holder acknowledges that one or more of the conditions requiring stoppage of use may occur prior to any use of any well on this permit.

The Department may allow the permit holder to pause annual water level measurement and reporting requirements from some of the permitted wells if measurements from those wells are redundant with other data being collected by the Department. The permit holder must receive written notification of such an allowance before stopping measurements. If this happens, the Department may reinstate the measurement requirements at any time.

5. Groundwater production shall be only from the Columbia River Basalt Group groundwater reservoir.

6. Special Conditions:

- A. Any well constructed or deepened under this or subsequent permits shall be open to a single aquifer of the Columbia River Basalt Group and shall meet the applicable well construction standards (OAR 690-200 and OAR 690-210). In addition, the open interval in each well shall be no greater than 100 feet. An open interval of greater than 100 feet may be allowed if substantial evidence of a single aquifer completion can be demonstrated to the satisfaction of the Department Hydrogeologists, using information from a video log, downhole flowmeter, water chemistry and temperature, or other downhole geophysical methods. These methods shall characterize the nature of the basalt rock and assess whether water is moving in the borehole. Any discernable movement of water within the well bore when the well is not being pumped shall be assumed as evidence of the presence of multiple aquifers in the open interval. If during well construction, it becomes apparent that the well can be constructed to eliminate interference with hydraulically connected streams in a manner other than specified in this permit, the permittee can contact the Department Hydrogeologist for this permit or the Ground Water/Hydrology Section Manager to request approval of such construction. The request shall be in writing and shall include a rough well log and a proposed construction design for approval by the Department. The request can be approved only if it is received and reviewed prior to placement of any permanent casing and sealing material. If the request is made after casing and seal are placed, the requested modification will not be approved. If approved, the new well depth and construction specifications will be incorporated into any certificate issued for this permit.

- B. For any well constructed under this or subsequent permits, a dedicated water-level measuring tube shall be installed in each well. The measuring tube shall meet the standards described in OAR 690-215-0060. When requested, access to the wells shall be provided to Department staff in order to make water-level measurements.
- C. For any wells constructed or deepened under this or subsequent permits, the applicant shall coordinate with the driller to ensure that drill cuttings are collected at 10 ft intervals and at changes in formation in each well. A split of each sampled interval shall be provided to the Department.
- D. If any geologic and hydrogeologic reports are completed for the permittee during the development of permitted wells, including geophysical well logs and borehole video logs, then copies of the reports shall be provided to the Department. Except for borehole video logs, two paper copies, or a single electronic copy, shall be provided of each report. Digital tables of any data shall be provided upon request.

7. Well Identification Tag:

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

The water source identified in the application may be affected by an Agricultural Water Quality Management Area Plan. These plans are developed by the Oregon Department of Agriculture (ODA) with the cooperation of local landowners and other interested stakeholders, and help to ensure that current and new appropriations of water are done in a way that does not adversely harm the environment. You are encouraged to explore ODA's website at www.oregon.gov/ODA to learn more about the plans and how they may affect the proposed water use.

For Further Information:

Feel free to contact me at Adam.M.Frederick@water.oregon.gov or 971-707-8400 if you have any questions regarding the contents of this letter or the application. Please include the application number in all correspondence. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0900. When corresponding by mail, please use this address: Adam Frederick, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,

Adam Frederick

Adam Frederick
Water Right Application Specialist
Oregon Water Resources Department

Enclosures: Application Process Description
Stop Processing Request Form
Certificate 42777 Map

G-19389
WAB: 30200801
Proposed to Deny

APPLICATION FACT SHEET

Application File Number: G-19389

Applicant: SOKOL BLOSSER WINERY AND ALEX SOKOL BLOSSER

County: YAMHILL

Watermaster: JOEL M. PLAHN, #22, NWR

Priority Date: SEPTEMBER 1, 2023

Source: WELL 1 (YAMH 5157), WELL 2, WELL 3 (YAMH 5168), AND WELL 4 IN YAMHILL RIVER BASIN

Use: AGRICULTURE USE AND IRRIGATION OF 73.7 ACRES

Quantity: 0.67 CUBIC FOOT PER SECOND, FURTHER LIMITED TO 164.7 ACRE-FEET (AF)
ANNUALLY, BEING 91.0 AF FOR AGRICULTURE USE AND 73.7 AF FOR IRRIGATION

Period of Use: AGRICULTURE USE – JANUARY 1 THROUGH DECEMBER 31
IRRIGATION – MARCH 1 THROUGH OCTOBER 31

Basin Name & Number: WILLAMETTE, #2

WAB: YAMHILL R > WILLAMETTE R - AT MOUTH

Well Location(s):

POA Name	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
WELL 1 (YAMH 5157)	4 S	3 W	WM	3	NW SW	2370 FEET NORTH AND 880 FEET EAST FROM SW CORNER, SECTION 3
WELL 2	4 S	3 W	WM	4	SE NE	3390 FEET NORTH AND 835 FEET WEST FROM SE CORNER, SECTION 4
WELL 3 (YAMH 5168)	4 S	3 W	WM	3	SW SW	790 FEET NORTH AND 290 FEET EAST FROM SW CORNER, SECTION 3
WELL 4	4 S	3 W	WM	4	NE SE	2345 FEET NORTH AND 995 FEET WEST FROM SE CORNER, SECTION 4

Place of Use:

AGRICULTURE USE				
Twp	Rng	Mer	Sec	Q-Q
4 S	3 W	WM	3	SW NW
4 S	3 W	WM	3	SE NW
4 S	3 W	WM	3	NE SW
4 S	3 W	WM	3	NW SW
4 S	3 W	WM	3	SW SW
4 S	3 W	WM	3	SE SW
4 S	3 W	WM	4	SW NE
4 S	3 W	WM	4	SE NE
4 S	3 W	WM	4	NE SE
4 S	3 W	WM	4	NW SE
4 S	3 W	WM	10	NE NE

IRRIGATION USE					
Twp	Rng	Mer	Sec	Q-Q	Acres
4 S	3 W	WM	3	SW NW	15.9
4 S	3 W	WM	3	SE NW	1.8
4 S	3 W	WM	3	NE SW	3.8
4 S	3 W	WM	3	NW SW	16.2
4 S	3 W	WM	3	SW SW	12.4
4 S	3 W	WM	3	SE SW	0.8
4 S	3 W	WM	4	SW NE	5.5
4 S	3 W	WM	4	SE NE	4.8
4 S	3 W	WM	4	NE SE	6.5
4 S	3 W	WM	4	NW SE	5.8
4 S	3 W	WM	10	NE NE	0.2

PUBLIC NOTICE DATE: April 22, 2025

14 DAY STOP PROCESSING DEADLINE DATE: May 2, 2025

30 DAY COMMENT DEADLINE DATE: May 22, 2025

APPLICATION PROCESS DESCRIPTION FOR GROUNDWATER, SURFACE WATER AND REGULAR RESERVOIR APPLICATIONS

In order to use the waters of Oregon, an application must be submitted and a permit obtained from the Water Resources Department. The water must be used for beneficial purpose without waste. For more information about water right topics, weekly public notice, forms and fees please visit our website at: www.oregon.gov/owrd

1. Pre-application considerations

- Follow instructions in the application packet.
- If you have questions about completing an application or would like to arrange a pre-application conference contact the Department's Water Rights Customer Service Group at (503) 986-0900.

2. Application filing

- Application with fee is received by the Department.
- Department determines completeness of application.
- If use is not allowed by statute (ORS 538), the application and fees are returned to the applicant.
- An incomplete application and fees are returned to the applicant.
- Only a complete application receives a tentative priority date, is assigned a caseworker, and moves forward for processing.

3. Initial Review (IR)

- Caseworker reviews application by considering basin plans, water availability, statutory restrictions, and all other appropriate factors.
- Caseworker sends IR report to Applicant.
- Four days after date of the IR, it is included in Department's weekly Public Notice.
- Public comments must be submitted within 30 days after the Public Notice.

4. Proposed Final Order (PFO)

- Caseworker evaluates application against required criteria and develops draft permit, if appropriate.
- PFO includes instructions for filing of protests.
- Caseworker considers public comments and mails PFO to Applicant.
- The PFO is included in Department's weekly Public Notice.
- Public protests to the PFO must be submitted within 45 days after the Public Notice.

5. Final Order (FO)

- If no protest is filed, Final Order is issued.

The protest process

If one or more protests are filed, the process consists of:

- settlement discussion;
- contested case hearing;
- Proposed Order;
- period of time to file exceptions; or
- possible hearing by Water Resources Commission.
- Final Order is issued.

Permit holder responsibilities

- Comply with all water use conditions of the permit.
- Advise Department of address change or assignment to new permit holder.
- If need arises, request extension of time or authorize cancellation of permit.
- Submit timely claim of beneficial use (COBU) to the Department.
- Most permits require COBU to be prepared by a Certified Water Right Examiner.
- Permits may be canceled by the permit holder or by the Department for failure to comply with or one or more permit conditions.

STOP PROCESSING REQUEST FORM

FOR GROUNDWATER, SURFACE WATER AND REGULAR RESERVOIR APPLICATIONS

- Stop processing deadline is within 14 days of Initial Review.

Applicant notification to withdraw Water Right Application **G-19389**.

After reviewing the Initial Review for my application, I request that processing be stopped, and fees be refunded (minus a \$310 processing fee). I understand that without a valid permit, I may not legally use the water as requested in my application.

Signature _____ Date _____

Signature _____ Date _____

Under ORS 537.150(5) and 537.620(5), timely submission of this request authorizes that the water right application process be stopped, and all filing fees (except \$310 processing fee) be returned.


- This notice must be received by the Water Resources Department no later than:

May 2, 2025

- Return the notice to:

OWRD, Water Right Services Division
STOP PROCESSING
725 Summer Street, NE - Suite A
Salem, OR 97301-1266

T.4 S. R.3 W. W.M.



Div. Pts. located: Str., 900' N. & 1950' W.; Spr. #1, 1420' N. & 1980' W.; #2, 1380' N. & 2000' W.; #3, 1280' N. & 1980' W.; #4, 1210' N. & 1990' W.; #5, 1010' N. & 1980' W.; #6, 1070' N. & 1850' W.; #7, 1390' N. & 1870' W.; #8, 1360' N. & 1830' W., all from S. E. Cor. Sec. 4.

FINAL PROOF SURVEY

UNDER

Application No. 4.9574 Permit No. 37100
IN NAME OF
LEVI W. BUTLER

Surveyed Sept. 24 1974, by L. E. Gould