Oregon DEQ Division 33 Limited License Review Summary Sheet



Application Information

<u> </u>				
Applicant Name:	North Unit Irrigation District	Application Number:	LL-2002	
Basin & Sub-basin:	Deschutes Lower Creeked	Possessed Mater America	15-144 CFS, further	
	Deschutes, Lower Crooked	Requested Water Amount:	limited to 10,000 AF	
Nearest Surface	Crooked River	Nearest Receiving	Crooked River	
Water:	Crooked River	Waterbody:	Crooked River	
Proposed Use:	Irrigation from stored water	Requested Period of Use:	April 1 – October 31 2025	

Division 33 Geographic Area				•					-			
Statewide: Will the proposed use result cause either "loss" or "net loss" of essen or endangered (ST&E) fish species? (Not species is determined by Oregon Depart	tial ha	abitat o	of sens ence of	itive tl	nreaten fish	ed	□ No	⊠ Y€	es 🗆	Insuffi	cient da	ata
Recommended License Conditions												
1. Water Quality: All water use under the licensee shall not violate any state a waters of the state, and shall not platikely to escape or be carried into the quality of source stream or downstreexisting state or federal water quality and federal licenses.	nd fed ace or e wate eam v	deral w cause ers of t vaters	vater q to be p the sta decrea	uality solaced te by a se to t	standard any was iny mea the poin	ds, sha stes ir ns. Th It that	all no n a loo ne use thos	t cause cation e may l e wate	e pollu where be rest ers no	ition o such tricted longer	f any wastes I if the meet	s are
2. Agricultural Water Quality Manager Agricultural Water Quality Manager 095. The licensee shall protect ripari any livestock, allowing site capable of following functions: shade (on perer filtration of overland runoff.	nent A an are egeta	Area Rueas, incation to	ules de cluding o estab	scribed throu llish an	d in Ore gh irriga id grow	gon A ation along	dmin practi strea	istrativ ces an ams, w	e Rule d the hile pi	e Chap mana rovidir	oter 60: gemen ng the	t of
3. Flow Restrictor: The licensee shall install a flow control valve on the diversion system to limit use to the licensed rate. The valve shall be in place, functional, and verified by the Certified Water Rights Examiner before a certificate is issued. The valve or a suitable replacement shall remain in place for the life of the water right.												
4.												
Mitigation Obligation ☑ No	☐ Ye	:S										
Prior to issuance of a Proposed Final Ord volume and rate than the licensed use. diversion or appropriation, or the upper interference occurs. If a surface water ri [month-month] time period and of simi to discuss flow mitigation options. Flow of the mitigation proposal by DEQ prior	The promost ght is lar warming mitigation of the	roposa point of used f ater qu ation is	I shall i on the or miti ality. T	nclude strean gation he app pecific	e water n at whi n it shall olicant s n therefore	that is ch the l be tr hould ore Di	s sour e pote ansfe cont	ced up ential f rred ir act the	ostrea or sur ostrea eir OW	m of the face we m for to r	he poir rater the seworl	nt of ker
Seasonal Limitations												
Reason for limitation	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TMDL: Critical period												

W۵	B: 20% flow threshold exceeded	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes
Oth	ner: Instream flow requirements						\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	\boxtimes	
not	likely met												
Add	ditional Reviewer comments No	⊠ Ye	es										
-	e this space to describe any of the fo		_	_							-		
	litional information that may allow o										rd Div	ision 3	3
rev	iew process were necessary. Designa	te cor	nditior	ns relat	ed to I	Division	310 v	vith a	n aste	risk.]			
	and a decrease of a transfer of a state of					l l D:	() .				11		
	quested use of stored water for irriga son downstream of POD, water relea												
	ounts. The NUID has allocation of up												
	neville Reservoir receiving an adequa				-) has
	comment on the use of stored water		arric c	o sacisi	y circ c	anocacic	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	iacqu	iace vo	name c	recarrie	.a, DE	2 1105
		-											
Inte	eragency consultation: [Describe any	y subs	tantia	l intera	agency	consul	tatior	ո. Wh	o was	conta	cted a	nd wh	at
	s discussed?]												
DE	Q review prepared by: Shane Cossel				Date co	omplete	e: 05/	01/20	025				
٨4	idogradation Doline												
Ant	idegradation Policy: The purpose of DEQ's Antidegradati	on Do	licy (O	ΛD 240	0/11 (0004/11	\ ic to	auida	docici	ions th	at aff	act wat	tor
	quality to prevent unnecessary furth												
	pollution, and to protect, maintain,												
	all existing beneficial uses. Oregon's				_		•						
	increased water use.	Aiitiu	icgiau	ationi	Oncy a	illows C	ACIIIPI	10113	and co	niaitioi	113 101	TICW O	
1.	Temporary Use or Net Benefit												
	Does the applicant propose a tempo	-		•							-		
	has determined provides a net ecolo	_			-	-	_					-	
	human health and welfare, for which		applica	ant has			d that			ıinimiz	e adve	erse eff	fects
	to threatened and endangered spec	ies?				⊠ No			Yes				
	If we are a second and a second of the second			سملت است	: c								.
	If yes, recommend approval of the a				-	ondition	is nec	essar	y to pr	otect v	water	quality	tor
	the habitat of ST&E fish species. You	ımay	зкір іс	Quest	ion 7.								
2.	Outstanding Resource Water												
	Does the applicant propose withdra	wing (directly	v from	an Ou	tstandii	ng Res	sourc	e Wat	er with	ı critic	al habi	tat
	for ST&E fish species?			,		⊠ No			Yes	0. 11	. 0	ua	·
	TO COLL HOLL OF COLCO.												
	If yes, then prior to license issuance,	the a	pplica	nt mus	t prov	ide suit	able f	low n	nitigati	on. Yo	u may	skip to)
	question 7.				•				Ü		•	•	
3.	Water Quality Limited												
	Is this source Water Quality Limited												
	downstream review to 6^{th} field HUC	for pa	aramet	ters tha	at dimi	inished	flow o	an af	fect (t	emper	ature,	dissol	ved
	oxygen, pH, etc.).				[□ No		\boxtimes	Yes				
	Integrated Report 303(d) List Summ	nary T	able										

Assessment Unit Unit Name Description		Parameter	Status*	Beneficial Uses
	Lone Pine Creek to Opal Springs	Biological Criteria	Category 5	Fish and Aquatic Life
		рН	Category 5	Fish and Aquatic Life
Crooked River		Temperature year-round	Category 5	Fish and Aquatic Life
		Phosphorus	Category 5	Fish and Aquatic Life
		Flow Modification	Category 4C	Fish and Aquatic Life

^{*}Integrated Report Category

Category 4 - Data indicate that at least one designated use is not supported, but a TMDL is not needed to address the pollutant

Category 4A - Clean-up plans (also called TMDLs) that will result in the waterbody meeting water quality standards and supporting its beneficial uses have been approved

Category 4B - Other pollution control requirements are expected to address pollutant of concern and will result in attainment of water quality standards

Category 4C - The impairment is caused by pollution, not a pollutant. For example, flow, or lack of flow, are not considered pollutants, but may be affecting the waterbody's beneficial uses

Category 5 - Data indicate a designated use is not supported or a water quality standard is not attained and a TMDL is needed. This category constitutes the Section 303(d) list that EPA will approve or disapprove under the Clean Water Act

Analysis: [If the answer to question 3 is yes, then describe how the use does or does not comply with existing state and federal water quality standards, and how the use may affect ST&E fish species habitat.]

Biological Criteria

Waters of the State must be of sufficient quality to support aquatic species without detrimental changes in the resident biological communities. Oregon's biological criteria narrative standard is based on EPA guidance recommending using biological community assessments as an indicator for aquatic life beneficial use support. Resident biological communities are the local food webs that support fish and other aquatic life. Reduced flows, habitat loss, and increases in pollutant loads or concentrations may degrade the biological community onsite or downstream, and therefore result in the diminution of habitat for ST&E species.

На

pH is a measure of how acidic or basic (alkaline) the water is. Water with a pH greater than 7 is alkaline, water with a pH of less than 7 is acidic. Every species of fish has adapted to a specific range of pH. Fish exposed to changes in pH outside their normal range can be stressed or even die. Stress leaves fish vulnerable to disease, degrading their health. Additionally, alkaline conditions can transform nitrogen in the water column into a more toxic form of ammonia that can poison fish. Withdrawals from the stream will reduce the stream's heat capacity and cause greater fluctuation in daytime and nighttime stream temperatures. When nutrients and sunlight are sufficiently present, higher stream temperatures lead to more algal growth. During the day, algae absorb carbon dioxide from the water for cell growth, raising pH. At night, photosynthesis stops and algae continue to respire, releasing carbon dioxide and lowering pH. This cycle creates diel fluctuations in pH. Additional withdrawals from a stream that is already impaired for pH will lead to larger diel fluctuations in pH. Fish and aquatic insects are sensitive to imbalances in pH. Low pH levels (below 5) may lead to death and high pH levels (9-14) can harm fish by denaturing cellular membranes. These pH imbalances result in the diminution of the habitat of sensitive, threatened, or endangered fish species.

Temperature

Increases in temperature adversely impact sensitive, threatened, and endangered fish. Fish require different temperature based on species and life history stage. Oregon's temperature limits are based on the most sensitive species and the life history stage of those species at the location and season of concern. The Crooked River does not meet Oregon's year-round stream temperature standards. Generally, water temperatures increase as flow decreases. Therefore, reducing flow in waterbodies that are connected to downstream temperature-impaired waterbodies, such as the Crooked River, could result in higher stream

temperatures and stressed conditions for aquatic life, particularly during the summer months when stream flow is lowest. The critical warm period when stream conditions are most likely to exceed the year-round temperature standards is July 1 – September 30.

Phosphorus/Phosphate

Phosphorus is an essential plant nutrient, but an excess of phosphorus can be detrimental to aquatic life. High phosphorus concentrations can lead to eutrophication, a situation where aquatic plants grow so rapidly that dissolved oxygen concentrations drop below the levels needed to sustain fish and other aquatic life. Phosphate (also referred to as orthophosphate) is a chemical form of phosphorus that is very soluble and readily available for plant uptake, leading to rapid growth and, in the case of algae, rapid expansion of algal blooms. The Crooked River is already known to have an excess of phosphorus. A reduction in streamflow will increase phosphorus concentrations. This would cause longer or more severe instances of oxygen depletion, resulting in a diminution of water quality for the habitat of sensitive, threatened, or endangered fish species.

Flow Modification

Fish and aquatic life need variable stream flows to trigger life stages and migration events. Some triggers are dependent on a change in flow, some triggers are dependent on a change in temperature. Dams and diversions alter the volume, timing, and temperature of flows. This prevents fish and aquatic life from accessing habitat or changing life stages at the appropriate time. Dams can also increase water clarity which promotes algal growth. Dams and diversions can prevent fish passage, which fragments river systems, isolates previously continuous populations, and prevents the migrations of sensitive, threatened, or endangered fish species.

Recommended Conditions: [Consider if water quality can be protected by limiting the rate and quantity of water used, period of use, or by including other license conditions.]

Water Quality, Agricultural Water Quality Management Area Rules, Flow Restrictor

4. Total Maximum Daily Load Summary

Are there TMDLs established fo	parameters identified as being	g affected by flow modific	cation? 🗵 No 🗌 Yes
--------------------------------	--------------------------------	----------------------------	--------------------

Analysis: [List TMDL, identify the load allocation, and if flow modification is a contributing factor. Describe how the use does or does not comply with existing state and federal water quality standards and how the use may affect ST&E fish species habitat.]

No TMDL for Deschutes Basin

Recommended Conditions: [Consider if water quality can be protected by limiting the rate and quantity of water used, period of use, or by including other license conditions.]

5. Cumulative Withdrawals Effects

Is it likely that the proposed activity, together with existi	ng withdrawals	in the OWRD's W	ater Availability Basin
(WAB), will lower water quality and impair aquatic life?	□ No		

Water Availability and Cumulative Impacts Summary Table

Percent of natural flow = (consumptive use/natural stream flow)*100. See Appendix for additional instructions.

CROOKED R > DESCHUTES R - AB OSBORNE CAN

Watershed ID	Exceedance Level	Month	Natural Stream Flow	Consumptive Use	Expected Stream Flow	Reserved Stream Flows	Instream Requirement	Net Water Available	Percent of Flow
30530508	50	JAN	303	127	176	0	75	101	41.91419
30530508	50	FEB	641	298	343	0	150	193	46.48986
30530508	50	MAR	1100	576	524	0	255	269	52.36364
30530508	50	APR	1320	612	708	0	255	453	46.36364
30530508	50	MAY	805	359	446	0	255	191	44.59627
30530508	50	JUN	391	428	-37.2	0	150	-187	109.4629
30530508	50	JUL	112	428	-316	0	75	-391	382.1429
30530508	50	AUG	55.8	429	-373	0	55.8	-429	768.8172
30530508	50	SEP	64	376	-312	0	64	-376	587.5
30530508	50	OCT	75.6	140	-64	0	75	-139	185.1852
30530508	50	NOV	97.2	40.7	56.5	0	75	-18.5	41.87243
30530508	50	DEC	192	85.4	107	0	75	31.6	44.47917
30530508	50	ANN	310000	235000	142000	0	94000	74200	75.80645

Monthly flow in Cubic Feet per Second (CFS). Annual flow in Acre Feet (AF)). Highlight months that exceed 20% of percent of flow.

6.	Flow Modification Com	pliance with State and	Federal Water Quality	/ Standards

Based on responses to questions 3, 4, and 5, is the use in compliance with state and federal water quality standards or can compliance with state and federal water quality standards be assured, and ST&E habitat loss prevented through flow mitigation and/or by imposing license condition(s)?							
□ No ⊠ Yes							
Recommended Conditions: [If water quality can be protected by modifying or limiting the amount diverted, period of use, or other license conditions, then select appropriate condition from the conditions list.]							
ow Restrictor							
Compliance with other State and Federal Water Quality Standards							

7.

ORS 468B.025 prohibits pol	ution of waters of the state. Are there additional water quality impairments that
would result from this prop	osed used by degrading surface water or groundwater quality?
□ No	⊠ Yes

If water quality can be protected by applying license conditions, then select all appropriate conditions from the standardized menu of conditions.

Recommended conditions: [List conditions]	
Water Quality, Agricultural Water Quality Management Area Rules	

PRE-PROPOSED FINAL ORDER ACTIONS

DEQ recommends that the applicant provide suitable replacement water as mitigation for anticipated impacts to water quality and more specifically the habitat of sensitive, threatened, and endangered fish species. Additional mitigation may be required from other Interagency Review Team members (for example: OWRD may require mitigation for periods when water is not available). Surface water flow mitigation is unlikely to provide the same benefit that groundwater can provide to gaining stream reaches. However, if groundwater mitigation is unavailable within the same aquifer, surface water mitigation may provide suitable mitigation.

Flow Mitigation Obligation:

Prior to issuance of a Proposed Final Order, the applicant shall submit a mitigation proposal that is of no less volume and rate than the licensed use. The proposal shall include water that is sourced upstream of the point of diversion or appropriation, or the uppermost point on the stream at which the potential for surface water interference occurs. If a surface water right is used for mitigation, it shall be instream for the *month - month time period* and of similar water quality. The applicant should contact their OWRD caseworker to discuss flow mitigation options.

Riparian: If the riparian area is disturbed in the process of developing, modifying or repairing a point of diversion under this water use license, the licensee shall be responsible for restoration and enhancement of such riparian area in accordance with the Oregon Department of Fish and Wildlife's Habitat Mitigation Policy described in Oregon Administrative Rule OAR Chapter 635-415. Prior to development, modification or repairs at the point of diversion, the licensee shall submit, to the Oregon Water Resources Department, either a Riparian Mitigation Plan approved in writing by Oregon Department of Fish and Wildlife (ODFW) or a written declaration from ODFW that riparian mitigation is not necessary. The licensee shall maintain the riparian area for the life of the license and subsequent certificate per the approved Riparian Mitigation Plan. The licensee is hereby directed to contact the local Oregon Department of Fish and Wildlife Fish Biologist prior to development of the point of diversion.

Water Storage Construction: The applicant shall locate the reservoir outside of the stream's natural channel. identify waterbody and set back to prevent stream capture and justification for distance selected.

(Note to reviewer: The 1200C license requires a 50-foot setback, which is cited from the National General

(Note to reviewer: The 1200C license requires a 50-foot setback, which is cited from the National General Construction License OAR-660-023-0090(5). Requiring the storage reservoir to be outside of the mapped 100 year floodway may also be a protective buffer.)

Construction Activities: 1200-C NPDES Stormwater Construction license coverage is required from DEQ or Agent for construction activities (clearing, grading, excavation, grubbing, stumping, demolition, staging, stockpiling and other land disturbing activities) that will disturb one or more acres, or that will disturb less than one acre of land but is part of a common plan of development or sale that will ultimately disturb one or more acres of land and have the potential to discharge to surface waters or to a conveyance system that leads to surface waters of the state.

In-Water or Riparian Construction: For in-water or riparian construction, licensee may be required to obtain additional licenses from the Oregon Department of State Lands, the U.S. Army Corps of Engineers, and the DEQ Section 401 certification program prior to construction. The applicant must contact these agencies to confirm requirements.

Herbicide Applications: When herbicide application is within three feet of water, the licensee is responsible for ensuring that herbicide application laws are met, and that they obtain from DEQ any necessary pesticide application licenses, including the 2300-A Pesticide General License or the 2000-J NPDES General License. Polluted return flows are not allowed to enter waters of the state per ORS 468B.025(1).

STANDARIZED MENU OF CONDITIONS

Water Quality: All water use under this license shall comply with state and federal water quality laws. The licensee shall not violate any state and federal water quality standards, shall not cause pollution of any waters of the state, and shall not place or cause to be placed any wastes in a location where such wastes are likely to escape or be carried into the waters of the state by any means. The use may be restricted if the quality of source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards. Licensee is responsible for obtaining any necessary state and federal licenses.

Agricultural Water Quality Management Area Rules: The licensee shall comply with basin-specific Agricultural Water Quality Management Area Rules described in Oregon Administrative Rule Chapter 603-095. The licensee shall protect riparian areas, including through irrigation practices and the management of any livestock, allowing site capable vegetation to establish and grow along streams, while providing the following functions: shade (on perennial and some intermittent streams), bank stability, and infiltration or filtration of overland runoff.

Flow Restrictor: The licensee shall install a flow control valve on the diversion system to limit use to the licensed rate. The valve shall be in place, functional, and verified by the Certified Water Rights Examiner before a certificate is issued. The valve or a suitable replacement shall remain in place for the life of the water right.

Limit Rate: Water withdrawal shall be limited to *Enter CFS or AF for the defined period, or a month by month rate or volume*.

Limit Period of Use: Water use shall be limited to the period: *start date through end date*.

(Note to reviewer: Do not split the irrigation season. Require mitigation if water is not available during the requested time period.)

Limit Diversion: The licensee shall not divert water under this water use license unless streamflow in the waterbody name is at or above *CFS* cubic foot per second, as determined at **Gaging Station ID** .

Off-Channel Stored Water Releases: The licensee shall not release polluted water from this off-channel reservoir into waters of the state except when the release is directed by the State Engineer to prevent dam failure.

On-Channel Reservoir: The licensee shall design and operate the water storage facility such that all waters within and below the reservoir meet water quality criteria. The licensee shall develop a reservoir operations plan that details how water quality criteria and standards will be met. A Certified Water Rights Examiner shall verify that the reservoir operations are consistent with the plan before a certificate is issued. The reservoir operator shall maintain a copy of the plan and make it available for review upon request.

Restrict Reservoir Release: To prevent pollution downstream, the licensee shall not release water from the reservoir when the flow at Gaging Station ID (gage name) is below the Mean Daily Discharge of *CFS* (discharge which was equaled or exceeded for 90% percent of the time) except when the release is directed by the State Engineer to prevent dam failure.

Live Flow: Once the allocated volume has been stored, licensee shall pass all live flow downstream at a rate equal to inflow, using methods that protect instream water quality.

Lining: The licensee shall line the reservoir with *include material or allowable infiltration rate* to minimize seepage and protect groundwater quality per Oregon Administrative Rule 340-040. The liner is to be in place, inspected,

and approved by the Certified Water Rights examiner prior to storage of water.* If the liner fails, the water user shall replace it within one calendar year. **Site-Specific Condition**: The licensee shall

^{*} OAR 690-410-0010(2)(a), OAR 690-310-0120, OAR 690-310-0140

Appendix: General Overview, Instructions for Water Availability Analysis, and Process Flow Chart

General Overview

The purpose of OAR Chapter 690, Division 33 is to aid the Oregon Water Resources Department (OWRD) in determining whether a proposed use will impair or be detrimental to the public interest with regard to listed sensitive, threatened, or endangered (ST&E) fish species. Oregon's stream temperature, dissolved oxygen (DO), pH and several other water quality standards are based on the life cycle needs of salmonids and other resident fish and aquatic life. Exceeding the standards can disrupt the life cycle of a ST&E fish species and may cause death. In addition, OWRD must consider water quality impacts as part of a public interest review, OAR 690-310-0120. Water quality impacts and conditions unrelated to ST&E species should be noted as "Division 310" in the recommendations to OWRD. The DEQ's Water Right Application Review Procedures document contains a full description of the review process.

The two main categories of Division 33 reviews are based on the geographic distribution of ST&E fish species:

- o **For Proposed Uses in the Columbia River Basin,** reviews must determine whether a proposed use complies with existing state and federal water quality standards. Upper Columbia applications specifically require applicants to provide evidence that the proposed use complies with existing state and federal water quality standards. <u>Geographic scope</u>: Columbia River Basin (includes all waters that ultimately drain into the Columbia River).
- o **For Proposed Uses Statewide**, review is conducted under the "Statewide review" procedure. Statewide reviews must determine whether a proposed use may affect ST&E fish species habitat. The statewide review procedure is intended to identify license conditions that can prevent the "loss" or "net loss" of essential habitat of ST&E fish species. When license conditions cannot be identified that meet this standard, then the DEQ recommends denial of the license. <u>Geographic scope</u>: all areas outside the Columbia River Basin where OWRD determines ST&E fish species are present.

Instructions for Populating the Water Availability Summary Table using data from OWRD's WAB (Section 5)

- Open OWRD's Water Availability Reporting System.
- Search for the water availability basin of interest. Select 50% exceedance. The 50% exceedance stream flow is the stream flow that occurs at least half of the time.
- The water availability analysis will display a nested list of watersheds that contain the POD. Select the highest nesting order WAB that contains the POD.
- Download to an Excel spreadsheet. Percent of flow is calculated using this equation:

$$\textit{Percent of Flow} = \frac{\textit{Consumptive Use}}{\textit{Natural Stream Flow}} * 100$$

You may choose to add the proposed rate (or storage amount) to the consumptive use.

Instructions for Water Availability Analysis

To complete Section 6, review and consider the cumulative impact of consumptive withdrawals using the OWRD WAB. All water withdrawals and the following factors should be considered when conducting a water availability analysis.

- Instream Flow: Consider the percent of natural flow removed from the stream in each month (see right-most column in Water Availability and Cumulative Impacts Summary Table). Based on best professional judgment, evaluate if the cumulative withdrawal is likely to cause impairment to aquatic life or water quality. Water quality standards are established to protect aquatic life. In scientific literature, researchers have identified ecological harm occurring when flows are reduced by >6-35% of daily flow¹. Consider the seasonality of any listings and season of withdrawal to determine impact for each month of the year.
- Antidegradation: Rule 340-041-0004 applies: withdrawals cannot cumulatively increase a waterbody's temperature by more than 0.5 degrees Fahrenheit or cause a 0.1 mg/l decrease in dissolved oxygen from the upstream end of a stream reach to the downstream end of the reach so long as it has no adverse effects on threatened and endangered species. See OAR 340-041-0004(3)-(5) for a description in rule of activities that do not result in lowering of water quality.
- **Flow modification**: Consider if cumulative withdrawals are contributing to flow modification and a likely limiting factor in the waterbody at certain times of the year. Temperature and dissolved oxygen are flow-related parameters. When streamflow is reduced, assimilative capacity is reduced. As a waterbody heats up, dissolved oxygen concentrations decline. Reduced stream flows (including groundwater inputs to streamflow), exacerbate temperature and/or dissolved oxygen impairments.
- Temperature: Increases in temperature or a reduction in dissolved oxygen adversely impacts ST&E fish. Fish
 require different temperature and concentrations of dissolved oxygen based on species and life history stage.
 Oregon's temperature and dissolved oxygen limits are based on the most sensitive species and the life history
 stage of those species at the location and season of concern. Additional heat or reduction in dissolved oxygen
 concentrations will further impact these species habitat. Reduced flows can also increase the concentrations
 of phosphorous, bacteria, pesticides and metals.

Instructions for Calculating "Limit Diversion" Rate

This condition is selected to limit withdrawals once the cumulative withdrawals in the watershed have exceeded the protective threshold of 20 percent and/or the ISWR is not fully protective of aquatic life. A different value can be selected, but the reviewer should state why a particular percent was selected.

"Natural stream flow" is obtained from OWRD's Water Availability Reporting System. The condition is applied on a monthly timeframe based on OWRD's data.

"Natural stream flow" - (percent of flow * "natural stream flow") = Expected Stream Flow

The applicant would have to stop using when instream flows drop below the Expected Stream Flow.

Example:

Natural stream flow for a particular month = 1200 CFS

1200 CFS - (.2 * 1200 CFS) = 960 CFS

¹ Richter BD, Davis MM, Apse C, Konrad C. 2011. Short Communication, A Presumptive Standard For Environmental Flow Protection. River Research and Applications. Published online in Wiley Online Library (wileyonlinelibrary.com), DOI: 10.002/rra.1551

DEQ Water Right Review Flow Chart

