

Name Glenn Harris G-17899
 By PO Box 144
Drewsey, OR 97904
 Address _____

Application No. G17899
 Permit No. G-17590
 Certificate No. _____

FEES PAID

Date	Amount	Receipt No.
<u>7/30/14</u>	<u>2500.00</u>	<u>112904</u>
	Cert. Fee	

C-21

Priority July 30, 2014
 County HARNEY WM# 10

Date
 DENIED _____
 MISFILED _____
 WITHDRAWN _____
 CANCELLED _____

Volume Page

FEES REFUNDED

Date	Amount	Receipt No.

RELATED FILES

ASSIGNMENTS

Date	To Whom	Address

DEVELOPMENT

Date

Completion May 31, 2021

Extended to _____

Final Proof received _____

Proposed Cert. Mailed _____

REMARKS _____

MAP LOCATION _____

KS 8/5/14

Mailing List for FO Copies

Application #G-17899

Original mailed to applicant with claim of beneficial use form:

GLENN A HARRIS
PO BOX 144
DREWSEY OR 97904

Copies sent via Email to:

1. WRD - Watermaster District #: 10

Copies sent to:

1. WRD - File # G-17899

Copies Mailed By: <u>SP</u> (SUPPORT STAFF) on: <u>6-2-16</u> (DATE)
--

CASEWORKER : Kim French

Oregon Water Resources Department
Water Right Services Division

Water Rights Application
Number G-17899

Final Order

Hearing and Appeal Rights

Under the provisions of ORS 537.170 and ORS 537.622, the applicant may request a contested case hearing by submitting the information required for a protest under ORS 537.153(6) or ORS 537.621(7) to the Department within 14 days after the date of mailing of this order as shown below. If a contested case hearing is requested, the Department must schedule one. In the contested case hearing, however, only those issues based on the modifications to the Proposed Final Order may be addressed.

ORS 536.075 allows for additional appeal rights for other than contested case. This is a Final Order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Findings of Fact

1. On July 30, 2014, Glenn A Harris submitted an application to the Department for a water use permit.
2. The Department issued a Proposed Final Order on February 9, 2016.
3. The protest period closed March 25, 2016, and no protest was filed.
4. The Department's continuing evaluation reveals that the Proposed Final Order requires modification to correctly describe the permit conditions. A static water lever condition shall be included on the permit.

Conclusions of Law


1. The proposed use would not impair or be detrimental to the public welfare, safety and health pursuant to ORS 537.621(2).

Order

Application G-17899 therefore is approved with the above modifications to the Proposed Final Order, and Permit G-17590 is issued as limited by the conditions therein.

DATED

May 31, 2016


E. Timothy Wallin, Water Rights Program Manager
for Thomas M. Byler, Director

PLACED IN U.S. MAIL

JUN 02 2016

OREGON WATER RESOURCES DEPT.

This document was prepared by Kim French. If you have any questions about any of the statements contained in this document I can be reached at 503-986-0816.

If you have questions about how to file a protest or a request for standing, please refer to the section in this Final Order entitled "Hearing and Appeal Rights". If you have previously filed a protest and want to know its status, please contact Patricia McCarty at 503-986-0820.

If you have other questions about the Department or any of its programs please contact our Customer Service Group at 503-986-0801.

Address all other correspondence to: Water Rights Section, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266, Fax: 503-986-0901.

STATE OF OREGON

COUNTY OF HARNEY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

GLENN A HARRIS
PO BOX 144
DREWSEY, OR 97904

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17899

SOURCE OF WATER: WELL 1 IN STINKINGWATER CREEK BASIN

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 176.5 ACRES

MAXIMUM RATE: 2.2 CUBIC FEET PER SECOND

PERIOD OF USE: APRIL 1 THROUGH OCTOBER 15

DATE OF PRIORITY: JULY 30, 2014

WELL LOCATION: SE $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 18, T21S, R35E, W.M.; 2635 FEET SOUTH
AND 1820 FEET EAST FROM NW CORNER, SECTION 18

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NW $\frac{1}{4}$ NE $\frac{1}{4}$ 11.0 ACRES
SW $\frac{1}{4}$ NE $\frac{1}{4}$ 36.5 ACRES
NE $\frac{1}{4}$ NW $\frac{1}{4}$ 28.5 ACRES
NW $\frac{1}{4}$ NW $\frac{1}{4}$ 1.5 ACRES
SW $\frac{1}{4}$ NW $\frac{1}{4}$ 1.9 ACRES
SE $\frac{1}{4}$ NW $\frac{1}{4}$ 31.0 ACRES
NE $\frac{1}{4}$ SW $\frac{1}{4}$ 10.0 ACRES
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 39.6 ACRES
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 16.5 ACRES

SECTION 18

TOWNSHIP 21 SOUTH, RANGE 35 EAST, W.M.

Measurement devices, and recording/reporting of annual water use conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Static Water Level Conditions

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR

690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The Department may require the discontinuance of groundwater use, or reduce the rate or volume of withdrawal, from the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Supply Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Construction of the well shall be made within five years of the date of permit issuance. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the begin construction deadline is missed.

Complete application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued May 31, 2016



E. Timothy Wallin, Water Rights Program Manager
for Thomas M. Byler, Director

SECTION PLAT

JUL 30 2014

Section 18

Township 215


Range 35E

SALEM, OR

County of Harney

State of Oregon

Ref. Point



G-17889 / G-17590

$$4'' = 1 \text{ mile}$$

FO Checklist

Application #: G-17899 Applicant: GLENN A HARRIS

☒ Name and/or address has changed or been assigned ☐ Yes ☒ No

If new: _____

☒ Respond to significant comments, issues, or disputes related to the proposed use of water. ☒ N/A ☐ Yes

☒ Affected landowner(s) have been notified ☒ N/A ☐ Yes ☐ No, send a letter to landowners before FO issuance.

☒ Verify names/addresses of affected landowners, and those who commented and/or paid \$25 fee. ☒ N/A ☐ Yes

☒ PFO conclusions require modification due to typos, errors or omission of conditions ☐ Yes ☒ No

If so: _____

SWL

☒ If PFO requires modification, use FO MOD appeal rights ☒ N/A ☐ Yes

S:\groups\wr\Resource Center\language\fo\appeal rights - fo mod

☒ Within North Umpqua settlement or Tenmile Lake and issuing permit, spreadsheet has been updated ☒ N/A ☐ Yes

☒ SWW ☒ N/A ☐ Yes - If GW and interference, cc: Shawn Ortiz-Turner

☒ WMCP required ☒ N/A ☐ Yes - cc: Lisa Jaramillo

☒ Fees

EXAM FEE REQUIRED	_____	RECORDING FEE REQUIRED	_____
EXAM FEE PAID	_____	RECORDING FEE PAID	_____
STILL OWED	<u>✓</u>	STILL OWED	<u>✓</u>

___ FO w/ draft permit; still needed:

___ fees

___ easement

___ st water contract

___ approved dam plans & specs

___ land use approval

___ well construction approval

☒ FO w/ permit # G-17590

___ FO to deny

refund \$ _____

Name: Kim French

Date: 3/31/2016

Peer Reviewer: bp

PFO Checklist

Application #: G-17899 Applicant: GLENN A HARRIS

☒ IR requested add'l info ☒ No ☐ Yes _____

☒ Have conflicts been addressed? ☒ NA ☐ No ☐ Yes _____

☒ IR date 4/3/15 Noticed on 4/7/15 Comment Deadline 5/7/15

☒ Electronic/written comments? ☒ No ☐ Yes _____ Comment eval? ☐ No ☐ Yes

☒ Allowed Use/Rate/Season 15-176.5AC; 2.2CFS; 4/1-10/15 Limit 1/80 Duty 3

Make specific finding in PFO if ☐ Rate/Limit higher-than-standard ☐ Duty higher-than-standard

☒ Confirm POD/POU are correct per the map

☒ Is second gw review necessary? ☒ NA ☐ No ☐ Yes Complete? ☐ No ☐ Yes Add'l fees ☐ necessary ☐ collected ☐ needed

☒ DIV 9 ☐ NA ☐ will likely be available... ☐ will not likely be available... ☒ will, if properly conditioned...

well _____ has PSI with _____

GW conditions 7N _____

☒ Conditions _____

☐ Small ≤ 0.1 CFS, ≤ 9.2 AF ☐ Medium > 0.1 CFS but < 0.5 CFS, > 9.2 AF but < 100 AF ☒ Large ≥ 0.5 CFS, ≥ 100 AF

☒ SW availability ☒ NA ☐ 80% ☐ 50% _____

☒ DIVISION 33 ☒ NA ☐ No ☐ UPPER COLUMBIA (not allowed 4/15 - 9/30)
☐ LOWER COLUMBIA
☐ STATEWIDE

☒ SWW ☒ NA ☐ above ☐ within _____ If GW and interference, copy form for Stahr.

☒ Application was filed prior to 10/23/99 ☒ No ☐ Yes (If Yes, add A date requirement)

☒ Land Use ☒ allowed outright ☐ decision obtained ☐ being pursued ☐ not being pursued (add text box - deny)

☒ Needed before permit ☒ NA ☐ fees ☐ evidence of well repair ☐ LU ☐ easement ☐ plans/specs ☐ storage contract

☒ Changes from IR determinations N/A

Notes _____

Copy to Reg Manager _____ WM 10 CWRE _____ Agent _____

✓ Fees _____ CFS Base _____
_____ AF Up to 1 CFS _____
_____ Add'l CFS _____
Up to 20 AF _____
_____ Add'l AF @ \$1 _____
Add'l _____ POD/POA _____ use + _____
Exam Fee Required = _____ Rec Fee Req'd _____
Exam Fee Paid _____ Red Fee Paid _____
Still Owed _____ Owed before permit _____

EXAM FEE REQUIRED	<u>2050</u>	RECORDING FEE REQUIRED	\$400 <u>\$450</u>
EXAM FEE PAID	<u>-2050</u>	RECORDING FEE PAID	<u>-450</u>
STILL OWED	<u>0</u>	STILL OWED	<u>0</u>

Name: Kim French Date: 5/19/2015 Peer Reviewer: af

The purpose of this checklist is to be used as a working document by Department staff to aid in the production of the related Initial Review, Proposed Final Order, or Final Order. It is not intended to be a complete record of all factors which were considered to produce the document, nor is it intended to serve any purpose other than that stated above. The related Initial Review, Proposed Final Order, or Final Order is intended to stand alone as the record of factors considered in its production.

IR CHECKLIST

Application #: G-17899 Applicant: GLENN HARRIS

Use(s): IRRIGATION USE ON 177.0 ACRES Priority Date: July 30, 2014

Requested Use/Rate/Season IS-177.0AC; 2.2CFS; 4/1-10/15 Limit 1/80 Duty 3

Allowed Use/Rate/Season IS-176.5AC; 2.2CFS; 4/1-10/15 Limit 1/80 Duty 3

☒ DIV 9 ☐ NA ☐ will likely be available... ☐ will not likely be available... ☒ will, if properly conditioned...

☐ classify as surface water well _____ has PSI with _____

GW conditions 7N

☒ Conditions _____

☐ Small ≤ 0.1 CFS, ≤ 9.2 AF ☐ Medium > 0.1 CFS but < 0.5 CFS, > 9.2 AF but < 100 AF ☒ Large ≥ 0.5 CFS, ≥ 100 AF

use at least Medium for: Siltcoos Lake, stored water contract, and Sandy Basin ground water

use Large for: Tenmile Lake, NU or other temp control, and gov. entities; Large-7g, Large-7i for 7g/7i

use Large-TFM: HC exceptions; and if GW in South Salem Hills, or 10+ acres in Stage Gulch CGWA

☒ ORS 538 prohibits use ☒ No ☐ Yes (stop processing and return app and fees)

☒ Use is ☒ allowed ☐ not allowed ☐ limited ☐ OAR ☐ Compact 690-510-0000

☒ Stream is withdrawn ☒ NA ☐ No ☐ Yes, allows use/season _____

☒ SW availability ☒ NA ☐ 80% ☐ 50% _____ WID: _____

☐ Use DWF's 6/21/05 non-standard W/A memo if the source is: trib to Drews Res, Snake R, Columbia R, North Umpqua R below Rock Cr, or within drainages of Lost R, Chehalem Cr, or Champoege Cr (including Mission Cr and Case Cr)

☒ DIVISION 33 ☒ NA ☐ No ☐ UPPER COLUMBIA (not allowed 4/15 - 9/30)
☐ LOWER COLUMBIA
☐ STATEWIDE

☒ SWW ☒ NA ☐ above ☐ within _____ (If GW and interference, copy form for Stahr.)

☒ Use is within a high priority area for streamflow restoration ☒ NA ☐ No ☐ Yes

☒ POU conflict ☐ NA ☒ No ☐ No, different sources ☐ No, make up a deficiency in rate ☐ No, existing not at max. rate

☐ Yes _____

☒ Use is supplemental, checked for primary rights w/ diff source ☐ NA ☒ Yes limits CERT 36340
NWSE-39.6AC, SESW 0.00AC
40.0 0.01

☒ App w/in a District boundary ☐ No ☐ Yes, cc: _____

☒ Land use ☒ allowed outright ☐ not allowed ☐ being pursued ☐ not being pursued ☐ decision obtained ☐ N/A

☒ MU or QM ☒ NA ☐ will complete construction within 20 years
☐ Lisa reviewed recommendations _____

☒ Storage contract ☒ NA ☐ BOR ☐ Doug Co ☐ Corp of Eng ☐ needed ☐ obtained _____

☒ POD is within North Umpqua settlement reach and the spreadsheet was updated ☒ NA ☐ Yes

☒ Forms ☒ NA ☐ HC except ☐ spring description other _____

Application #: G-17899 Applicant: GLENN HARRIS

☒ Authorized agent specified ☒ NA ☐ needed ☐ Yes _____

☒ Copy to ☐ SWR ☒ WM # 10 ☐ a.l.o. ☐ CRIFC ☐ NOAA & USFWS (4d)
☐ NCR ☐ agent ☐ DOA (div 33) ☐ USFWS ☐ DOA Food Safety Div (bottled h2o)
☐ CWRE ☐ CTUIR ☐ NW Planning Council

☐ city _____
(w/in 5-mile muni wells)

☐ DEQ, greg geist
(POA in 1N, 3E, S 20, 21, 28, 29)

☐ DOGAMI & DSL
(mining)

☒ Fees 2.2 CFS Base 1150

_____ AF Up to 1 CFS 300

1.2 Add'l CFS 600

Up to 20 AF _____

_____ Add'l AF @ \$1 _____

Add'l _____ POD/POA _____ use + _____

Exam Fee Required = 2050

Rec Fee Req'd 450

Exam Fee Paid 2050

Red Fee Paid 450

Still Owed 0

Owed before permit 0

☒ App/map meet min. req ☒ Yes ☐ No ☐ ALO info ☐ map ☐ legal _____
(If not, send IR certified)

☒ Req'd before PFO ☒ NA ☐ LU approve/pursue ☐ ALO info ☐ exam fees

☒ Req'd before permit ☒ NA ☐ recording fees ☐ well repair ☐ LU ☐ easement ☐ plans/specs ☐ storage contract

☒ Letter format ☒ good ☐ limited ☐ bad ☐ bad w/ rate reduction opportunity ☐ bad w/ HC opportunity

☒ Scanned images exist for application form and map

Name: Kim French Date: 3/27/2015

Peer Reviewer: [Signature]

The purpose of this checklist is to be used as a working document by Department staff to aid in the production of the related Initial Review, Proposed Final Order, or Final Order. It is not intended to be a complete record of all factors which were considered to produce the document, nor is it intended to serve any purpose other than that stated above. The related Initial Review, Proposed Final Order, or Final Order is intended to stand alone as the record of factors considered in its production.

Point of Diversion Characteristics

Right:	App: G 17899 *
Name:	GLENN HARRIS

TRSQQ: 21.00S-35.00E-18-SENW

County: Harney

Basin: Malheur

WM District: 10

WM Region: E

Withdrawn Area:

WAB: UNN STR > STINKINGWATER CR - AT MOUTH (31011644)

Priority WAB: Unn Str @ mouth (OWRD: Good, ODFW: Poor) (31011644)

Rule 4D:

Groundwater Restricted Area:

Scenic Water Way:

Division 33: UPPER COLUMBIA

Water Quality Limited:

WATER RESOURCES DEPARTMENT

DIVISION 510

MALHEUR BASIN PROGRAM

690-510-0000

Classifications

(1) The maximum economic development of this state, the attainment of the highest and best use of the waters of the Malheur-Owyhee Basins and the attainment of an integrated and coordinated program for the benefit of the state as a whole will be furthered through utilization of the aforementioned waters only for domestic, livestock, municipal, **irrigation**, power development, industrial, mining, recreation, wildlife, fish life, pollution abatement uses, and the waters of the Malheur-Owyhee Basins are hereby so classified with the following exceptions:

(3) Structures or works for the utilization of the waters in accordance with the aforementioned classifications are also declared to be prejudicial to the public interest unless planned, constructed, and operated in conformity with applicable provisions of ORS 536.310 and any such structures or works are further declared to be prejudicial to the public interest which do not give cognizance to the multiple-purpose concept.

Place of Use Conflict Report

The following rights have acreage in the same quarter-quarter as App: G 17899 *

Right	Name	Decree	App	Permit	Cert	Priority	Status	Use	T-R-S-QQ	DLC	Gov't Lot	Acres	
<u>CERT:26540 OR *</u>	GLENN SITZ		S-5042	S-3172	26540	7/11/1916	NC	IR	21.00S-35.00E-18-NWNE			7.4000	<u>15</u>
								IR	21.00S-35.00E-18-NWNE			25.2000	<u>11.0</u> ✓
								IR	21.00S-35.00E-18-SWNE			1.6000	
								IR	21.00S-35.00E-18-SWNE			37.4000	<u>36.5</u> ✓
								IR	21.00S-35.00E-18-NENW			32.0000	<u>28.5</u> ✓
								IR	21.00S-35.00E-18-NWNW			4.0000	<u>1.5</u> ✓
								IR	21.00S-35.00E-18-SENW			4.4000	
								IR	21.00S-35.00E-18-SENW			31.6000	<u>31.0</u> ✓
								IR	21.00S-35.00E-18-SWNW			3.0000	<u>1.9</u> ✓
								IR	21.00S-35.00E-18-NWSE			<u>39.6000</u>	<u>40.0</u> ✓
								IR	21.00S-35.00E-18-SWSE			23.0000	<u>16.5</u> ✓
								IR	21.00S-35.00E-18-NESW			21.4000	<u>10.0</u> ✓
												<u>0.00</u>	<u>0.1</u>
													<u>176.5</u>

SESW

Water Right Conditions Tracking Slip

Groundwater/Hydrology Section

FILE # # G-17899

ROUTED TO: Water Rights - Kim F.

TOWNSHIP/

RANGE-SECTION: 21S/35E-18 6d

CONDITIONS ATTACHED?: [☒] yes [☐] no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: Mike Zwart

March 18, 2015

FROM: Mike Zwart - Groundwater Section

A graph of a function on a Cartesian coordinate system. The function is defined for $x \geq 0$ and passes through the origin $(0, 0)$. The curve is concave up and increases rapidly as x increases, approaching a vertical asymptote at $x = 0$ as y goes to infinity. The curve is smooth and continuous for $x > 0$.

✓

[illegible]

PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO: Water Rights Section Date March 18, 2015

FROM: Groundwater Section Mike Zwart
Reviewer's Name

SUBJECT: Application G- 17899 Supersedes review of _____ Date of Review(s) _____

PUBLIC INTEREST PRESUMPTION: GROUNDWATER

OAR 690-310-130 (1) The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525. Department staff review ground water applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. This review is based upon available information and agency policies in place at the time of evaluation.

A. GENERAL INFORMATION: Applicant's Name: Glenn Harris County: Harney

- A1. Applicant(s) seek(s) 2.2 cfs from one well(s) in the Mahleur Basin,
Stinkingwater Creek subbasin Quad Map: Drewsey/Bartlett Mountain
- A2. Proposed use Irrigation, 177 acres (S) Seasonality: April 1 to October 15
- A3. Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under logid):

Well	Logid	Applicant's Well #	Proposed Aquifer*	Proposed Rate(cfs)	Location (T/R-S QQ-Q)	Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36
1	Proposed*	1	Basalt	2.2	21S/35E-18 SE-NW	2635' S, 1820' E fr NW cor S 18
2						
3						
4						
5						

* Alluvium, CRB, Bedrock

Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	3610				400	0-20	0-80	None	None			

Use data from application for proposed wells.

- A4. Comments: *Well HARN 52122 was completed following receipt of this application. Its construction is similar to what is proposed here, but its reported production (80 gpm) is considerably less than what is proposed. It is unknown whether this is intended to be the irrigation well for this application. If so, the well may need to be deepened or one or more additional wells may need to be constructed to produce the desired rate. Additional comments follow at B3.

- A5. ☒ Provisions of the Malheur Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water ☐ are, or ☒ are not, activated by this application. (Not all basin rules contain such provisions.)

Comments: _____

- A6. ☐ Well(s) # _____, _____, _____, _____, _____, tap(s) an aquifer limited by an administrative restriction. Name of administrative area: _____

Comments: _____

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1. Based upon available data, I have determined that ground water* for the proposed use:

- a. ☐ is over appropriated, ☐ is not over appropriated, or ☒ cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b. ☐ will not or ☐ will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
- c. ☐ will not or ☐ will likely to be available within the capacity of the ground water resource; or
- d. ☒ will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource:
 - i. ☒ The permit should contain condition #(s) 7N;
 - ii. ☐ The permit should be conditioned as indicated in item 2 below.
 - iii. ☐ The permit should contain special condition(s) as indicated in item 3 below;

- B2.
- a. ☐ Condition to allow ground water production from no deeper than _____ ft. below land surface;
 - b. ☐ Condition to allow ground water production from no shallower than _____ ft. below land surface;
 - c. ☐ Condition to allow ground water production only from the _____ ground water reservoir between approximately _____ ft. and _____ ft. below land surface;
 - d. ☐ Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): _____

- B3. Ground water availability remarks: There are no nearby State Observation Wells or permitted wells with long-term water-level records. The area has not yet experienced significant development of the groundwater resource for irrigation. It appears that the proposed wells for nearby file G-17730 have not yet been constructed.

Well HARN 52112 may or may not be intended to be permitted under this application. The well constructor indicated that the water-bearing zone is from 7 to 315 feet in depth. I believe that this is erroneous. Comparison with nearby well logs HARN 52081 and HARN 52104 indicates that another well constructor reports only the basalt to be water bearing. Based on these well logs and my own professional opinion, it appears that the thick clay and claystone described in all these logs is a confining layer rather than a water-bearing zone.

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040**C1. 690-09-040 (1): Evaluation of aquifer confinement:**

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Fractured basalt, likely Tba of Greene, 1972	☒	☐
		☐	☐
		☐	☐
		☐	☐
		☐	☐

Basis for aquifer confinement evaluation: Recently constructed wells indicate that the targeted basalt aquifer is under confined conditions.

C2. 690-09-040 (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected?			Potential for Subst. Interfer. Assumed?	
						YES	NO	ASSUMED	YES	NO
1	1	Stinkingwater Creek	3603±	3590	3000	☐	☒	☐	☐	☒
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐

Basis for aquifer hydraulic connection evaluation: The top of the fractured basalt aquifer is considerably below the nearby reach of the creek and is separated from the shallow alluvial aquifer by a relatively thick clay bed.

Water Availability Basin the well(s) are located within: Stinkingwater Creek > Malheur R at mouth (31011641).

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked ☒ box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

	SW #		Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
			☐			☐		☐		☐
			☐			☐		☐		☐
			☐			☐		☐		☐
			☐			☐		☐		☐

Comments: _____

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
(A) = Total Interf.													
(B) = 80 % Nat. Q													
(C) = 1 % Nat. Q													
(D) = (A) > (C)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
(E) = (A / B) x 100		%	%	%	%	%	%	%	%	%	%	%	%

D. WELL CONSTRUCTION, OAR 690-200

D1. Well #: _____ Logid: _____

D2. THE WELL does not appear to meet current well construction standards based upon:


- a. ☐ review of the well log;
b. ☐ field inspection by _____;
c. ☐ report of CWRE _____;
d. ☐ other: (specify) _____

D3. THE WELL construction deficiency or other comment is described as follows: _____

_____D4. ☐ Route to the Well Construction and Compliance Section for a review of existing well construction.

Water Availability Tables

Application G-17899, Glenn Harris



Legend

- Townships
- Sections
- Sections
- m_zwart_dig_wells
- Obs Well Current
- Obs Well Non-Current
- State Obs Well Current
- State Obs Well Non-Current
- Other Wells



0 0.5 Miles

Standard Application Completeness Checklist

Minimum Requirements (OAR 690-310-0040)(ORS 537.400)

Yes No

This is the checklist used by WRD staff

Application G-17899 County Harney Priority Date July 30, 2014Township 21S Range 35E Section 18Amount 2.2 cfs Use supplemental irrigation WM Dist. # 10Applicant Name Glenn HarrisReceipt No. 112904Caseworker Assigned: ☐ Mary ☒ Kim ☐ Jeana☒ Contact info: Applicant/Organization Name and Mailing Address☒ Signature (in ink) of all applicants or the applicant's authorized agent (include title or authority if for an organization or corporation).☒ Property ownership: Does the applicant own all the land for the proposed project? Y N

If No:

☐ The affected landowner's name and mailing address must be listed☐ A signed statement declaring the existence of either written authorization or an easement permitting access to land crossed by the proposed ditch canal or other work must be submitted.☒ For a SW Application: Source of water must be indicated.☐ If the source is stored water, is the stored water component filled out and does the applicant own the reservoir or include a non-expired agreement for stored water? (ORS 537.400)

NOTE: A surface water application cannot be filed at the same time as a Reservoir or Alt Reservoir if it will be for the use of the stored water under the PROPOSED Reservoir application, Exp. Secondary (E2).

☐ If for stored water not under contract, is the source authorized under a permit, certificate, or decree?Permit or Certificate issued? Y / N Permit or Certificate # _____☒ For a GW Application: Well Development Tables completed and/or a well log report included (if existing)☐ Proposed water use☒ Amount of water from each source in GPM, CFS, or AF☒ Period of use indicated☒ If for supplemental irrigation, primary acreage or underlying permit or certificate number listed
(Primary and Supplemental Irrigation counts as 2 uses)177 acres☒ Water Management Section (Estimates if the water system has not been designed)☒ Resource Protection Section (N/A for Groundwater)

NA ☐ For all standard reservoir applications: Preliminary plans and specifications including dam height, width, crest width and surface area for each reservoir.

☒ Project schedule (If system is already completed, indicate "existing.")

NA ☐ Supplemental data sheets enclosed (if needed)

☐ Form M (Municipal or Quasi-Municipal)

☐ Spring Description Sheet (if source is a spring)

☒ A completed **Land-Use Form** or receipt signed and dated by the appropriate planning department officials. *Please be certain that the Land-Use form lists all lands involved and all uses proposed. Date of signature must be within the past 12 months.*

☒ A **Legal Description** of all the properties involved where water is diverted, crossed, and used. The Legal description includes a metes and bounds or other government survey description. A copy of the deed, land sales contract or title insurance policy can provide this information, or applicant may submit a lot book report prepared by a title company. Copies of tax bills are not acceptable.

☒ The proposed source IS **IS NOT** (circle one) restricted or withdrawn from further appropriation. *NOTE: If it is withdrawn under ORS 538, then return application and fees. If it is withdrawn by other means, accept the application and a negative IR will be issued.*

☐ The **map** must meet all the minimum requirements of OAR 690-310-0050.

☒ Township, Range, Section

☒ Location of main canals, ditches, pipelines or flumes (if POA/POD is outside of POU)

☒ Place of use, 1/4-1/4's and tax lot clearly identified

☒ Even map scale not less than 4" = 1 mile (1" = 1320 ft.); examples: 1" = 100 ft., 1" = 200 ft.

☒ Location of *each* diversion point, well or dam by reference to a recognized public land survey corner.

☒ Multiple wells shall be uniquely labeled, and identified on well logs if existing.

☒ Reference corner on map

☒ North Directional Symbol

☒ Number of acres per 1/4-1/4 if for irrigation, nursery, or agriculture

☒ For a standard reservoir application to store ≥ 9.2 acre feet AND having a dam height ≥ 10 feet, map must be prepared by a CWRE.

☒ **Fees:**

Base Fee

\$ 1150

Permit Recording Fees \$ 450

1" CFS or AF

\$

Addnl CFS/AF = \$ 950

Mitigation Fee \$

Addnl Use/POD/POA = \$

Addnl Reservoir = \$

Amount Paid \$ 2500

Other = \$

Total Due \$ 2500

Exam Fee Total \$ 2050

Amount Returned \$

Reviewed by:

Steven Rammott

Date:

7-30-14

Oregon Water Resources Department
Water Right Services Division

Water Rights Application
Number G-17899

Proposed Final Order

Summary of Recommendation: The Department recommends that the attached draft permit be issued with conditions.

Findings of Fact

1. On July 30, 2014, Glenn A. Harris submitted an application to the Department for the following water use permit:
 - Amount of Water: 2.2 cubic feet per second (CFS)
 - Use of Water: supplemental irrigation of 177.0 acres
 - Source of Water: Well 1 in Stinkingwater Creek Basin
 - Area of Proposed Use: Harney County within Section 18, Township 21 South, Range 35 East, W.M.
2. On April 3, 2015, the Department mailed the applicant notice of its Initial Review, determining that "*the appropriation of 2.2 CFS from Well 1 in Stinkingwater Creek Basin for supplemental irrigation of 176.5 acres is allowable during the full period requested, April 1 through October 15 of each year.*" The applicant did not notify the Department to stop processing the application within 14 days of that date.
3. On April 7, 2015, the Department gave public notice of the application in its weekly notice. The public notice included a request for comments, and information for interested persons about obtaining future notices and a copy of the Proposed Final Order. No written comments were received within 30 days.

In reviewing applications, the Department may consider any relevant sources of information, including the following:

- any applicable basin program
- applicable statutes, administrative rules, and case law
- the amount of water available
- the rate and duty for the proposed use
- any general basin-wide standard for flow rate and duty of water allowed
- the need for a flow rate and duty higher than the general standard
- pending senior applications and existing water rights of record
- any applicable comprehensive plan or zoning ordinance
- recommendations by other state agencies

- the Scenic Waterway requirements of ORS 390.835
 - designations of any critical ground water areas
 - any comments received
4. The Malheur Basin Program allows supplemental irrigation (OAR 690-510-0010).
 5. An assessment of groundwater availability has been completed by the Department's Groundwater/Hydrology section. A copy of this assessment is in the file. Groundwater will likely be available within the capacity of the resource, and if properly conditioned, the proposed use of groundwater will avoid injury to existing groundwater rights.
 6. Groundwater Findings Under OAR 690-009
The Department determined, consistent with OAR 690-009-0040(4), that the proposed groundwater use will not have the potential for substantial interference with surface water.

In making this determination, the Department considered whether:

- (a) There is a hydraulic connection from the proposed well(s) to any surface water sources.
- (b) The point of appropriation is a horizontal distance less than one-fourth mile from the surface water source;
- (c) The rate of appropriation is greater than five cubic feet per second, if the point of appropriation is a horizontal distance less than one mile from the surface water source;
- (d) The rate of appropriation is greater than one percent of the pertinent adopted minimum perennial streamflow or instream water right with a senior priority date, if one is applicable, or of the discharge that is equalled or exceeded 80 percent of time, as determined or estimated by the Department, and if the point of appropriation is a horizontal distance less than one mile from the surface water source;
- (e) The groundwater appropriation, if continued for a period of 30 days, would result in stream depletion greater than 25 percent of the rate of appropriation, if the point of appropriation is a horizontal distance less than one mile from the surface water source.

According to the Department's rules, the potential for substantial interference is assumed if (a) and either (b) or (c) or (d) or (e) are met. For this application, the Department determined that there is no potential for substantial interference, because either (a) is not met, or (b), (c), (d) or (e) are not met, or both.

7. Senior water rights exist on Well 1 in Stinkingwater Creek Basin, or on downstream waters.

8. Well 1 in Stinkingwater Creek Basin is not within or above a State Scenic Waterway.
9. The Department finds that the amount of water requested, 2.2 CFS, is an acceptable amount.
10. Documentation has been submitted from the relevant land-use planning jurisdiction that indicates the proposed use is allowed outright.
11. The proposed groundwater use is not within a designated critical groundwater area.

Conclusions of Law

1. Under the provisions of ORS 537.621, the Department must presume that a proposed use will ensure the preservation of the public welfare, safety and health if the proposed use is allowed in the applicable basin program established pursuant to ORS 536.300 and 536.340 or given a preference under ORS 536.310(12), if water is available, if the proposed use will not injure other water rights and if the proposed use complies with rules of the Water Resources Commission.
2. The proposed use requested in this application is allowed in the Malheur Basin Program.
3. Water is available for the proposed use.
4. The proposed use will not injure other water rights.
5. The proposed use complies with other rules of the Water Resources Commission not otherwise described above.
6. The application is in compliance with the State Agency Coordination Program regarding land use.
7. No proposed flow rate and duty of water higher than the general basin-wide standard is needed.
8. For these reasons, the required presumption has been established.
9. Under the provisions of ORS 537.621, once the presumption has been established, it may be overcome by a preponderance of evidence that either:
 - (a) One or more of the criteria for establishing the presumption are not satisfied; or
 - (b) The proposed use would not ensure the preservation of the public welfare, safety and health as demonstrated in comments,

in a protest . . . or in a finding of the department that shows:

- (A) The specific aspect of the public welfare, safety and health under ORS 537.525 that would be impaired or detrimentally affected; and
 - (B) Specifically how the identified aspect of the public welfare, safety and health under ORS 537.525 would be impaired or be adversely affected.
10. In this application, all criteria for establishing the presumption have been satisfied, as noted above. The presumption has not been overcome by a preponderance of evidence that the proposed use would impair or be detrimental to the public interest.
 11. The Department therefore concludes that the proposed use would ensure the preservation of the public welfare, safety and health as described in ORS 537.525.
 12. When issuing permits, ORS 537.628(1) authorizes the Department to include limitations and conditions which have been determined necessary to protect the public welfare, safety, and health. The attached draft permit is conditioned accordingly.

Recommendation

The Department recommends that the attached draft permit be issued with conditions.

DATED February 9, 2016

E. Timothy Wallin

E. Timothy Wallin, Water Rights Program Manager
for Thomas M. Byler, Director

Protests

Under the provisions of ORS 537.153(7) (for surface water) or ORS 537.621(8) (for ground water), you can protest this Proposed Final Order. Protests must be received in the Water Resources Department no later than **March 25, 2016**. Protests must be in writing, and must include the following:

- Your name, address, and telephone number;
- A description of your interest in the Proposed Final Order,

and, if you claim to represent the public interest, a precise statement of the public interest represented;

- A detailed description of how the action proposed in the Proposed Final Order would impair or be detrimental to your interest;
- A detailed description of how the Proposed Final Order is in error or deficient, and how to correct the alleged error or deficiency;
- Any citation of legal authority to support your protest, if known;
- To affect the department's determination that the proposed use in this application will, or will not, ensure the preservation of the public welfare, safety and health as described in ORS 537.525, ORS 537.621(2)(b) requires that a protest demonstrate, by a preponderance of evidence any of the following: (a) One or more of the criteria for establishing the presumption are, or are not, satisfied; or (b) The specific aspect of the public welfare, safety and health under ORS 537.525 that would be impaired or detrimentally affected, and specifically how the identified aspect of the public welfare, safety and health under ORS 537.525 would be impaired or be adversely affected;
- If you are the applicant, the protest fee of \$350 required by ORS 536.050; and
- If you are not the applicant, the protest fee of \$700 required by ORS 536.050 and proof of service of the protest upon the applicant.
- If you are the applicant, a statement of whether or not you are requesting a contested case hearing. If you do not request a hearing, the Department will presume that you do not wish to contest the findings of the Proposed Final Order.

Requests for Standing

Under the provisions of ORS 537.153(7) (for surface water) or ORS 537.621(8) (for ground water), persons other than the applicant who support a Proposed Final Order can request standing for purposes of participating in any contested case proceeding on the Proposed Final Order or for judicial review of a Final Order.

Requests for standing must be received in the Water Resources Department no later than **March 25, 2016**. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the Proposed Final Order as issued;
- A detailed statement of how the requester would be harmed if the Proposed Final Order is modified; and
- A standing fee of \$200. If a hearing is scheduled, an additional fee of \$500 must be submitted along with a petition for party status.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been submitted and either:

- upon review of the issues, the director finds that there are significant disputes related to the proposed use of water, or
- the applicant requests a contested case hearing within 30 days after the close of the protest period.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear or fail to appear at a scheduled hearing, the Director may issue a Final Order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 137-003-0555, an agency representative may represent a partnership, corporation, association, governmental subdivision or public or private organization if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

Notice Regarding Service Members: Active duty service members have a right to stay proceedings under the federal Service Members Civil Relief Act. 50 U.S.C. App. §§501-597b. You may contact the Oregon State Bar or

the Oregon Military Department for more information. The toll-free telephone number for the Oregon State Bar is: 1 (800) 452-8260. The toll-free telephone number of the Oregon Military Department is: 1 (800) 452-7500. The Internet address for the United States Armed Forces Legal Assistance Legal Services Locator website is: <http://legalassistance.law.af.mil>

This document was prepared by Kim French. If you have any questions about any of the statements contained in this document I am most likely the best person to answer your questions. You can reach me at 503-986-0816.

If you have questions about how to file a protest or a request for standing, please refer to the respective sections in this Proposed Final Order entitled "Protests" and "Requests for Standing". If you have previously filed a protest and want to know its status, please contact Patricia McCarty at 503-986-0820.

If you have other questions about the Department or any of its programs please contact our Customer Service Group at 503-986-0801. Address all other correspondence to:

Water Rights Section, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266, Fax: 503-986-0901.

DRAFT

This is not a permit.
STATE OF OREGON

DRAFT

COUNTY OF HARNEY

DRAFT PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS DRAFT PERMIT IS HEREBY ISSUED TO

GLENN A HARRIS
PO BOX 144
DREWSEY, OR 97904

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17899

SOURCE OF WATER: WELL 1 IN STINKINGWATER CREEK BASIN

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 176.5 ACRES

MAXIMUM RATE: 2.2 CUBIC FEET PER SECOND

PERIOD OF USE: APRIL 1 THROUGH OCTOBER 15

DATE OF PRIORITY: JULY 30, 2014

WELL LOCATION: SE $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 18, T21S, R35E, W.M.; 2635 FEET SOUTH
AND 1820 FEET EAST FROM NW CORNER, SECTION 18

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NW $\frac{1}{4}$ NE $\frac{1}{4}$ 11.0 ACRES
SW $\frac{1}{4}$ NE $\frac{1}{4}$ 36.5 ACRES
NE $\frac{1}{4}$ NW $\frac{1}{4}$ 28.5 ACRES
NW $\frac{1}{4}$ NW $\frac{1}{4}$ 1.5 ACRES
SW $\frac{1}{4}$ NW $\frac{1}{4}$ 1.9 ACRES
SE $\frac{1}{4}$ NW $\frac{1}{4}$ 31.0 ACRES
NE $\frac{1}{4}$ SW $\frac{1}{4}$ 10.0 ACRES
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 39.6 ACRES
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 16.5 ACRES

SECTION 18

TOWNSHIP 21 SOUTH, RANGE 35 EAST, W.M.

Measurement devices, and recording/reporting of annual water use conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action

to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Supply Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Construction of the well shall be made within five years of the date of permit issuance. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the begin construction deadline is missed.

Complete application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not

been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued

DRAFT - THIS IS NOT A PERMIT

E. Timothy Wallin, Water Rights Program Manager
for Thomas M. Byler, Director

JUL 16 2014

SECTION PLAT

JUL 30 2014


SALEM, OR

Section 18Township 21SRange 35E

SALEM, OR

County of HarneyState of Oregon

Ref. Point



G-178877

4"=1 mile

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1

Glenn Harris G-17899
 PO Box 144
 Drewsey, OR 97904



9590 9403 0912 5223 2145 72

2. Article Number (Transfer from service label)

7015 1730 0001 0092 0705

PS Form 3811, July 2015 PSN 7530-02-000-9053 WRKF

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

☒ Agent☐ Addressee

B. Received by (Printed Name)

Tanya Nelson

C. Date of Delivery

2-12-16

D. Is delivery address different from item 1? ☐ YesIf YES, enter delivery address below: ☒ No

RECEIVED

FEB 16 2016

OWRD

3. Service Type

- ☐ Adult Signature
- ☐ Adult Signature Restricted Delivery
- ☐ Certified Mail®
- ☐ Certified Mail Restricted Delivery
- ☐ Collect on Delivery
- ☐ Collect on Delivery Restricted Delivery
- ☐ Insured Mail
- ☐ Insured Mail Restricted Delivery (over \$500)

- ☐ Priority Mail Express®
- ☐ Registered Mail™
- ☐ Registered Mail Restricted Delivery
- ☐ Return Receipt for Merchandise
- ☐ Signature Confirmation™
- ☐ Signature Confirmation Restricted Delivery

Domestic Return Receipt

USPS TRACKING#



9590 9403 0912 5223 2145 72




First-Class Mail
Postage & Fees Paid
USPS
Permit No.

United States
Postal Service

• Sender: Please print your name, address, and ZIP+4® in this box•

Oregon Water Resources Department
725 Summer St. NE, Suite A
Salem, OR 97301

1266



Mailing List for PFO Copies

Application #G-17899

PFO Date ^{2/9/16} June 2, 2015

Original mailed via CERTIFIED MAIL to applicant:

GLENN A HARRIS, PO BOX 144, DREWSEY, OR 97904

SENT VIA EMAIL:

1. WRD - Watermaster # 10
2. Applicant - harrisranch@yahoo.com

Copies sent to:

1. WRD - File # G-17899

Copies Mailed

By: KF
(SUPPORT STAFF)

on: 2/9/16
(DATE)

Protest/
Standing Dates
checked

CASEWORKER : Kim French



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

April 3, 2015

GLENN A HARRIS
PO BOX 144
DREWSEY, OR 97904

Reference: File G-17899

Dear Applicant:

**THIS IS NOT A PERMIT AND IS
SUBJECT TO CHANGE AT THE NEXT PHASE OF PROCESSING.**

This letter is to inform you of the preliminary analysis of your water-use permit application and to describe your options. In determining whether an application may be approved, the Department must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information you have supplied, the Water Resources Department has made the following preliminary determinations:

Initial Review Determinations:

1. The application proposed the appropriation of 2.2 cubic feet per second (CFS) of water from Well 1 in Stinkingwater Creek Basin for supplemental irrigation of 177.0 acres April 1 through October 15 of each year.
2. The proposed use is not prohibited by law or rule except where otherwise noted below.
3. The appropriation of water from Well 1 in Stinkingwater Creek Basin for irrigation is allowable under the Malheur Basin Program (OAR 690-510-0000).
4. Ground water will likely be available within the capacity of the resource, and if properly conditioned, the proposed use of ground water will avoid injury to existing ground water rights.

The Department has determined, based upon OAR 690-009, that the proposed ground water use will not have the potential for substantial interference with any surface water source.

5. The application proposed supplemental irrigation of 40.0 acres in the NWSE and 0.1 acre in the SESW of Section 18, Township 21 South, Range 35 East. However, the Department's records show only 39.6 primary acres in the NWSE and zero primary acres in the SESW. Therefore, the supplemental portion will be limited to 39.6 acres in the NWSE.

If you would like the remaining land, being 0.4 acre in the NWSE and 0.1 acre in the SESW, Section 18, to be considered primary irrigation, please provide \$300 to cover the additional use, and a revised map differentiating the primary and supplemental irrigation by **Thursday, May 7, 2015**. If the Department does not receive the fee and revised map by this deadline, the 0.5 acre will be excluded from the application.

Summary of Initial Determinations

The appropriation of 2.2 CFS from Well 1 in Stinkingwater Creek Basin for supplemental irrigation of 176.5 acres is allowable during the full period requested, April 1 through October 15 of each year.

Because of these favorable determinations, the Department can now move your application to the next phase of the water-rights application review process, where public interest factors will be evaluated.

Please reference the application number when sending any correspondence regarding the conclusions of this initial review. Comments received within the comment period will be evaluated at the next phase of the process.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a Proposed Final Order.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$225 processing charge per application). To accomplish this you must notify the Department in writing by **Friday, April 17, 2015**. For your convenience you may use the enclosed "STOP PROCESSING" form.

If A Permit Is Issued It Will Likely Include The Following Conditions:

1. Measurement devices, and recording/reporting of annual water use conditions:
 - A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter, or other suitable measuring device as approved by the Director, at each point of appropriation. The permittee shall maintain the device in good working order.
 - B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
 - C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.

- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

2. Static Water Level Conditions

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The Department may require the discontinuance of groundwater use, or reduce the rate or volume of withdrawal, from the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under

this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.


3. Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

The water source identified in your application may be affected by an Agricultural Water Quality Management Area Plan. These plans are developed by the Oregon Department of Agriculture (ODA) with the cooperation of local landowners and other interested stakeholders, and help to ensure that current and new appropriations of water are done in a way that does not adversely harm the environment. You are encouraged to explore ODA's Water Quality Program web site at <http://www.oregon.gov/ODA/programs/NaturalResources/Pages/AgWaterQuality.aspx> to learn more about the plans and how they may affect your proposed water use.

If you have any questions:

Feel free to call me at 503-986-0816 if you have any questions regarding the contents of this letter or your application. Please have your application number available if you call. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0801. When corresponding by mail, please use this address: Kim French, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,



Kim French
Water Right Application Caseworker

enclosures: Application Process Description and Stop Processing Request Form

G-17899
WAB 10-No PSI
POU 10-No PSI
GW

APPLICATION FACT SHEET

Application File Number: G-17899

Applicant: GLENN A HARRIS

County: Harney

Watermaster: 10

Priority Date: July 30, 2014

Source: WELL 1 IN STINKINGWATER CREEK BASIN

Use: SUPPLEMENTAL IRRIGATION OF 177.0 ACRES

Quantity: 2.2 CUBIC FEET PER SECOND

Basin Name & Number: Malheur, #10

Stream Index Reference: Volume 1 STINKINGWATER CR & TRIBS

Well Location: SENW, SECTION 18, T21S, R35E, W.M.; 2635 FEET SOUTH AND 1820 FEET EAST FROM NW CORNER, SECTION 18

Place of Use:

NW ¼	NE ¼	11.0	ACRES
SW ¼	NE ¼	36.5	ACRES
NE ¼	NW ¼	28.5	ACRES
NW ¼	NW ¼	1.5	ACRES
SW ¼	NW ¼	1.9	ACRES
SE ¼	NW ¼	31.0	ACRES
NE ¼	SW ¼	10.0	ACRES
SE ¼	SW ¼	0.1	ACRES
NW ¼	SE ¼	40.0	ACRES
SW ¼	SE ¼	16.5	ACRES

SECTION 18

TOWNSHIP 21 SOUTH, RANGE 35 EAST, W.M.

14 DAY STOP PROCESSING DEADLINE DATE: Friday, April 17, 2015

PUBLIC NOTICE DATE: Tuesday, April 7, 2015

30 DAY COMMENT DEADLINE DATE: Thursday, May 7, 2015

APPLICATION PROCESS DESCRIPTION FOR GROUNDWATER, SURFACE WATER AND REGULAR RESERVOIR APPLICATIONS

In order to take and use the waters of Oregon, a citizen must first obtain a permit from the Water Resources Department. The water must be used for beneficial purpose - without waste. To become well-informed about water right topics, weekly public notice, forms and fees please visit our web site at www.wrd.state.or.us

1. Pre-application considerations

- follow instructions in the application packet
- if you have questions about completing an application or would like to arrange a pre-application conference contact the Department's Water Rights Information Group (WRIG) at 503-986-0801

2. Application filing

- application with fee is received by the Department
- Department determines completeness of application
- if use is not allowed by statute (ORS 538), the application and fees are returned to the applicant
- incomplete application and fees are returned to the applicant
- only a complete application receives a tentative priority date, is assigned a caseworker, and moves forward for processing

3. Initial Review (IR)

- caseworker reviews application by considering basin plans, water availability, statutory restrictions and all other appropriate factors
- caseworker sends IR report to applicant
- contact the caseworker if you have questions about the IR
- seven days after date of the IR, it is included in Department's weekly Public Notice
- public comments must be submitted within 30 days after the Public Notice
- administrative hold may be requested in writing by applicant

4. Proposed Final Order (PFO)

- caseworker evaluates application against required criteria and develops draft permit, if appropriate
- PFO includes instructions for filing of protests
- caseworker considers public comments and mails PFO to applicant
- the PFO is included in Department's weekly Public Notice
- public protests to the PFO must be submitted within 45 days after the Public Notice

Stop Processing deadline is within 14 days of Initial Review - use the form below

- applicant may request no further action and fee refund of all but \$225

STOP PROCESSING REQUEST FOR GROUNDWATER, SURFACE WATER AND REGULAR RESERVOIR APPLICATIONS

Applicant notification to withdraw Water Right Application # _____

After reviewing the Initial Review for my application, I request that processing be stopped and the fees be refunded (minus a \$225 examination fee.) I understand that without a valid permit I may not legally use the water as requested in my application

Signature _____ date _____

Signature _____ date _____

Under ORS 537.150 (5) and 537.620 (5) timely submission of this request authorizes that the water right application process be stopped and all filing fees (except \$225 examination fee) be returned.

This notice must be received at Water Resources Department by _____

Return the notice to: OWRD, Water Rights Division

STOP PROCESSING

725 Summer Street, NE - Suite A

Salem OR 97301-1271

5. *Final Order (FO)*

- if no protest is filed, Final Order is issued

The protest process

If one or more protests are filed, permit process consists of:

- settlement discussion
- contested case hearing
- proposed order
- period of time to file exceptions
- possible hearing by Water Resources Commission
- final order issued

Permit holder responsibilities

- comply with all water use conditions of the permit
- advise Department of address change or assignment to new permit holder
- if need arises, request extension of time or authorize cancellation of permit
- submit timely claim of beneficial use (COBU) to Department
- most permits require COBU to be prepared by a Certified Water Right Examiner
- permits may be canceled by the permit holder or by the Department for failure to comply with or one or more permit conditions

JUL 16 2014

SECTION PLAT

JUL 30 2014

SALEM, OR

Section 18

Township 215


Range 35E S.

SALEM, OR

County of Harney

State of Oregon

Ref. Point



G-17889

$$4'' = 1 \text{ mile}$$

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Glenn Harris G-17899
PO Box 144
Drewsey, OR 97904

2. Article Number
(Transfer from service label)

7014 1200 0000 8250 9276

PS Form 3811, July 2013

COMPLETE THIS SECTION ON DELIVERY

A. Signature

☐ Agent☐ Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes

If YES, enter delivery address below:

☐ No

3. Service Type

☐ Certified Mail®☐ Priority Mail Express™☐ Registered☐ Return Receipt for Merchandise☐ Insured Mail☐ Collect on Delivery

4. Restricted Delivery? (Extra Fee)

☐ Yes

Domestic Return Receipt KFWR

UNITED STATES POSTAL SERVICE

BOISE ID 837

22 APR 2015 PM 1 L

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

- Sender: Please print your name, address, and ZIP+4® in this box •

Oregon Water Resources Department
Attention: Kate Fitzgerald
725 Summer St. NE, Suite A
Salem, OR 97301

Mailing List for IR Copies

Application #G-17899

IR Date: April 3, 2015

Original and map mailed to applicant:

GLENN A HARRIS , PO BOX 144, DREWSEY, OR 97904

SENT VIA EMAIL:

1. WRD - Watermaster # 10
2. Applicant - harrisranch@yahoo.com

Copies Mailed

By: KF

(SUPPORT STAFF)

on: 4/3/15

(DATE)

IR, Map, and Fact Sheet Copies sent to:

1. WRD - File # G-17899
2. Department of Agriculture

Caseworker: Kim French

COPYSHIT:IR

Application for a Permit to Use Ground Water



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

SECTION 1: APPLICANT INFORMATION AND SIGNATURE

Applicant Information

NAME GLENN HARRIS		PHONE (HM) 541 493 2	
PHONE (WK)	CELL 541 589 1172	FAX	
ADDRESS PO BOX 144 49232 HWY 20E			
CITY DREWSEY	STATE OR	ZIP 97904	E-MAIL* HARRISRANCH@YAHOO.COM

RECEIVED BY OWRD

JUL 16 2014

SALEM, OR

Organization Information

NAME		PHONE		FAX
ADDRESS				CELL
CITY	STATE	ZIP	E-MAIL*	

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT / BUSINESS NAME		PHONE		FAX
ADDRESS				CELL
CITY	STATE	ZIP	E-MAIL*	

RECEIVED BY OWRD

JUL 30 2014

SALEM, OR


Note: Attach multiple copies as needed

* By providing an e-mail address, consent is given to receive all correspondence from the department electronically. (paper copies of the final order documents will also be mailed.)

By my signature below I confirm that I understand:

- I am asking to use water specifically as described in this application.
- Evaluation of this application will be based on information provided in the application.
- I cannot use water legally until the Water Resources Department issues a permit.
- Oregon law requires that a permit be issued before beginning construction of any proposed well, unless the use is exempt. Acceptance of this application does not guarantee a permit will be issued.
- If I get a permit, I must not waste water.
- If development of the water use is not according to the terms of the permit, the permit can be cancelled.
- The water use must be compatible with local comprehensive land-use plans.
- Even if the Department issues a permit, I may have to stop using water to allow senior water-right holders to get water to which they are entitled.

I (we) affirm that the information contained in this application is true and accurate.


Applicant Signature

Glenn A. Harris
Print Name and title if applicable

7-15-2014
Date

Applicant Signature

Print Name and title if applicable

Date

For Department Use		
App. No. <u>G-17889</u>	Permit No. _____	Date _____

SECTION 2: PROPERTY OWNERSHIP

Please indicate if you own all the lands associated with the project from which the water is to be diverted, conveyed, and used.

☒ Yes

☒ There are no encumbrances.

☐ This land is encumbered by easements, rights of way, roads or other encumbrances.

RECEIVED BY OWRD

JUL 16 2014

☐ No

☐ I have a recorded easement or written authorization permitting access.

☐ I do not currently have written authorization or easement permitting access.

☐ Written authorization or an easement is not necessary, because the only affected lands I do not own are state-owned submersible lands, and this application is for irrigation and/or domestic use only (ORS 274.040).

☐ Water is to be diverted, conveyed, and/or used only on federal lands.

SALEM, OR

List the names and mailing addresses of all affected landowners (*attach additional sheets if necessary*).

You must provide the legal description of : 1. The property from which the water is to be diverted, 2. Any property crossed by the proposed ditch, canal or other work, and 3. Any property on which the water is to be used as depicted on the map.

SECTION 3: WELL DEVELOPMENT

WELL NO.	NAME OF NEAREST SURFACE WATER	IF LESS THAN 1 MILE:	
		DISTANCE TO NEAREST SURFACE WATER	ELEVATION CHANGE BETWEEN NEAREST SURFACE WATER AND WELL HEAD
1	Stinking Water Creek	1/2 mile	25 ft

Please provide any information for your existing or proposed well(s) that you believe may be helpful in evaluating your application. For existing wells, describe any previous alteration(s) or repair(s) not documented in the attached well log or other materials (*attach additional sheets if necessary*).

Stinking Water Creek is the nearest surface water. The other two "creek channels" in the area are dry all year except for a brief run-off period on years when we get enough snow.

RECEIVED BY OWRD

JUL 30 2014

Revised 2/1/2012
SALEM, OR

61-17899

Ground Water/4

WR

SECTION 3: WELL DEVELOPMENT, CONTINUED

RECEIVED BY OWRD

RECEIVED BY OWRD

JUL 16 2014

JUL 30 2014

Total maximum rate requested: 2.2 cfs (each well will be evaluated at the maximum rate unless you indicate well-specific rates and annual volumes in the table below).

SALEM, OR

SALEM, OR

The table below must be completed for each source to be evaluated or the application will be returned. If this is an existing well, the information may be found on the applicable well log. (If a well log is available, please submit it in addition to completing the table.) If this is a proposed well, or well-modification, consider consulting with a licensed well driller, geologist, or certified water right examiner to obtain the necessary information.

OWNER'S WELL NAME OR NO.	PROPOSED	EXISTING	WELL ID (WELL TAG) NO.* OR WELL LOG ID**	FLOWING ARTESIAN	CASING DIAMETER	CASING INTERVALS (IN FEET)	PERFORATED OR SCREENED INTERVALS (IN FEET)	SEAL INTERVALS (IN FEET)	MOST RECENT STATIC WATER LEVEL & DATE (IN FEET)	PROPOSED USE			
										SOURCE AQUIFER***	TOTAL WELL DEPTH	WELL- SPECIFIC RATE (GPM)	ANNUAL VOLUME (ACRE-FEET)
1	☒	☐	n/a	☐	12"	0-80'	n/a	20'	not avail. yet	basalt	400'	988	531
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									

* Licensed drillers are required to attach a Department-supplied Well Tag, with a unique Well ID or Well Tag Number to all new or newly altered wells. Landowners can request a Well ID for existing wells that do not have one. The Well ID is intended to serve as a unique identification number for each well.

** A well log ID (e.g. MARI 1234) is assigned by the Department to each log in the agency's well log database. A separate well log is required for each subsequent alteration of the well.

*** Source aquifer examples: Troutdale Formation, gravel and sand, alluvium, basalt, bedrock, etc.

SECTION 4: WATER USE

USE	PERIOD OF USE	ANNUAL VOLUME (ACRE-FEET)
Supplemental Irrigation	April 1 through Oct. 15	531

Exempt Uses: Please note that 15,000 gallons per day for single or group **domestic** purposes and 5,000 gallons per day for a single **industrial or commercial** purpose are exempt from permitting requirements.

For irrigation use only:

Please indicate the number of primary and supplemental acres to be irrigated (*must match map*).

Primary: 0 Acres

Supplemental: 177 Acres

List the Permit or Certificate number of the underlying primary water right(s): certificate 26540

Indicate the maximum total number of acre-feet you expect to use in an irrigation season: 531

RECEIVED BY OWRD

- If the use is **municipal or quasi-municipal**, attach **Form M**
 - If the use is **domestic**, indicate the number of households: n/a
- If the use is **mining**, describe what is being mined and the method(s) of extraction: n/a

JUL 30 2014

SALEM, OR

SECTION 5: WATER MANAGEMENT

A. Diversion and Conveyance

What equipment will you use to pump water from your well(s)?

☒ Pump (give horsepower and type): turbine pump approx. 50 hp

☐ Other means (describe): _____

Provide a description of the proposed means of diversion, construction, and operation of the diversion works and conveyance of water.

This well will supply irrigation water to existing pivots via existing piping.

RECEIVED BY OWRD

JUL 16 2014

SALEM, OR

B. Application Method

What equipment and method of application will be used? (e.g., drip, wheel line, high-pressure sprinkler)
Center pivots.

C. Conservation

Please describe why the amount of water requested is needed and measures you propose to: prevent waste; measure the amount of water diverted; prevent damage to aquatic life and riparian habitat; prevent the discharge of contaminated water to a surface stream; prevent adverse impact to public uses of affected surface waters.

The rate and volume requested are appropriate to grow alfalfa/hay without waste, using center pivots.

SECTION 6: STORAGE OF GROUND WATER IN A RESERVOIR

If you would like to store ground water in a reservoir, complete this section (*if more than one reservoir, reproduce this section for each reservoir*).

Reservoir name: n/a Acreage inundated by reservoir: _____

Use(s): n/a

Volume of Reservoir (acre-feet): n/a Dam height (feet, if excavated, write "zero"): n/a

Note: If the dam height is greater than or equal to 10.0' above land surface AND the reservoir will store 9.2 acre feet or more, engineered plans and specifications must be approved prior to storage of water.

SECTION 7: USE OF STORED GROUND WATER FROM THE RESERVOIR

If you would like to use stored ground water from the reservoir, complete this section (if more than one reservoir, reproduce this section for each reservoir).

Annual volume (acre-feet): n/a

USE OF STORED GROUND WATER	PERIOD OF USE
n/a	n/a

SECTION 8: PROJECT SCHEDULE

RECEIVED BY OWRD

Date construction will begin: September 1, 2014

RECEIVED BY OWRD JUL 16 2014

Date construction will be completed: April 1, 2015

JUL 30 2014

SALEM, OR

Date beneficial water use will begin: April 1, 2015

SALEM, OR

SECTION 9: WITHIN A DISTRICT

☐ Check here if the point of diversion or place of use are located within or served by an irrigation or other water district.

Irrigation District Name n/a	Address	
City	State	Zip

SECTION 10: REMARKS

Use this space to clarify any information you have provided in the application (attach additional sheets if necessary).

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED BY OWRD

Applicant: Glenn

First

JUL 30 2014

Harris

Last

RECEIVED BY OWRD

Mailing Address: PO Box 144

SALEM, OR

JUL 16 2014

Drewsey

City

OR

State

97904

Zip

Daytime Phone: 541 589 1172

SALEM, OR

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
21S	35E	18	senw	01100	ERFU-1	☒ Diverted	☒ Conveyed	☒ Used	
			nwne	01100	ERFU-1	☐ Diverted	☒ Conveyed	☒ Used	
			nenw						
			nwnw						
			swnw						
			swne						
			nesw						
			nwse						
			swse						
			sesw						
						☐ Diverted	☐ Conveyed	☐ Used	
						☐ Diverted	☐ Conveyed	☐ Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Harney

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☒ Permit to Use or Store Water ☐ Water Right Transfer ☐ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 2.2 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☒ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

Supplemental irrigation.

For Local Government Use Only

JUL 30 2014

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. ~~This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.~~ **SALEM, OR**

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): HCZO 3.010
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

RECEIVED BY OWRD JUL 16 2014 SALEM, OR
--

Name: _____ Title: _____ Bryce Mertz GIS Coordinator

Signature: Bryce Mertz Phone: _____ Date: 7/15/14

Government Entity: Harney County 541-573-8195

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____

2007 0255

HARRIS DISSOLUTION
EXHIBIT "3"

BEEDE PLACE

Land in Harney County, Oregon, as follows:

In Twp. 21 S., R. 34 E., W.M.:

Sec. 13: E $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$.

Sec. 24: N $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$.

In Twp. 21 S., R. 35 E., W.M.:

Sec. 18: Lot 2, 3 & 4, E $\frac{1}{2}$ W $\frac{1}{2}$, W $\frac{1}{2}$ E $\frac{1}{2}$.

RECEIVED

AUG 05 2014

WATER RESOURCES DEPT
SALEM, OREGON

EXHIBIT "3"

Page 1 of 1

G1-17679

Standard Application Completeness Checklist

Minimum Requirements (OAR 690-310-0040)(ORS 537.400)

Yes No

This is the checklist used by WRD staff

Application _____ County Harney Priority Date 7-16-14Township 21S Range 35E Section 18Amount 2.2 cfs Use Supp irrigation WM Dist. # 10Applicant Name Glenn HarrisReceipt No. 1127160 Caseworker Assigned: ☐ Mary ☐ Kim ☐ Jeana☒ Contact info: Applicant/Organization Name and Mailing Address☒ Signature (in ink) of all applicants or the applicant's authorized agent (include title or authority if for an organization or corporation).☒ Property ownership: Does the applicant own all the land for the proposed project? Y / N

If No:

☒ The affected landowner's name and mailing address must be listed☐ A signed statement declaring the existence of either written authorization or an easement permitting access to land crossed by the proposed ditch canal or other work must be submitted.☒ For a SW Application: Source of water must be indicated.☐ If the source is stored water, is the stored water component filled out and does the applicant own the reservoir or include a non-expired agreement for stored water? (ORS 537.400)*NOTE: A surface water application cannot be filed at the same time as a Reservoir or Alt Reservoir if it will be for the use of the stored water under the PROPOSED Reservoir application, Exp. Secondary (E2).*☐ If for stored water not under contract, is the source authorized under a permit, certificate, or decree?Permit or Certificate issued? Y / N Permit or Certificate # _____☒ For a GW Application: Well Development Tables completed and/or a well log report included (if existing)☐ Proposed water use☒ Amount of water from each source in GPM, CFS, or AF☒ Period of use indicated☒ If for supplemental irrigation, primary acreage or underlying permit or certificate number listed
(Primary and Supplemental Irrigation counts as 2 uses) 26540☒ Water Management Section (Estimates if the water system has not been designed)☒ Resource Protection Section (N/A for Groundwater)

RECEIVED BY OWRD

JUL 30 2014

☒ For all standard reservoir applications: Preliminary plans and specifications including dam height, width, crest width and surface area for each reservoir.

☒ Project schedule (If system is already completed, indicate "existing.")

☒ Supplemental data sheets enclosed (if needed)

☐ Form M (Municipal or Quasi-Municipal)

☐ Spring Description Sheet (if source is a spring)

☒ A completed **Land-Use Form** or receipt signed and dated by the appropriate planning department officials. *Please be certain that the Land-Use form lists all lands involved and all uses proposed. Date of signature must be within the past 12 months.*

☐ A **Legal Description** of all the properties involved where water is diverted, crossed, and used. The Legal description includes a metes and bounds or other government survey description. A copy of the deed, land sales contract or title insurance policy can provide this information, or applicant may submit a lot book report prepared by a title company. Copies of tax bills are not acceptable.

☒ The proposed source IS / IS NOT (circle one) restricted or withdrawn from further appropriation. *NOTE: If it is withdrawn under ORS 538, then return application and fees. If it is withdrawn by other means, accept the application and a negative IR will be issued.*

☐ The map must meet all the minimum requirements of OAR 690-310-0050.

☐ Township, Range, Section

☒ Location of main canals, ditches, pipelines or flumes (if POA/POD is outside of POU)

☒ Place of use, 1/4-1/4's and tax lot clearly identified

☒ Even map scale not less than 4" = 1 mile (1" = 1320 ft.); examples: 1" = 100 ft., 1" = 200 ft.

☒ Location of *each* diversion point, well or dam by reference to a recognized public land survey corner. Multiple wells shall be uniquely labeled, and identified on well logs if existing.

☒ Reference corner on map

☒ North Directional Symbol

☒ Number of acres per 1/4-1/4 if for irrigation, nursery, or agriculture

☒ For a standard reservoir application to store ≥ 9.2 acre feet AND having a dam height ≥ 10 feet, map must be prepared by a CWRE

☐ **Fees:**

Base Fee

\$ 1150

Permit Recording Fees

\$ 450⁰⁰

1st CFS or AF

\$ 400⁰⁰

Addtl CFS/AF

= \$

Mitigation Fee

\$

Addtl Use/POD/POA

= \$

Amount Paid

\$ 2500

Addtl Reservoir

= \$

Total Due

\$ 2500

Other

= \$

Amount Returned

\$

Exam Fee Total \$ 2050⁰⁰

Reviewed by: Yero

Date: 7/16/14



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

July 16, 2014

Glenn Harris
P.O. Box 144
Drewsey, Oregon 97904

RECEIVED BY OWRD

JUL 30 2014

SALEM, OR

Dear Glenn Harris:

The Water Resources Department has received your application to use water. At this time, however, we are unable to accept your application because the minimum filing requirements have not been met according to the Oregon Administrative Rules (OAR 690-310-0040 and 0050).

We are therefore returning the incomplete application and fees. You may resubmit the application with the additional required information and fees noted on the enclosed checklist.

Should you have any questions, please contact Water Right Customer Service at 503-986-0801.

Sincerely,

Jerry Sauter
Water Rights Program Analyst

Cc: OWRD Fiscal

This review is based only on the completeness of your application(s). Any determination of water availability, compliance with basin plan rules, or any other water related issues has not been made. Fees may change.

Application Completeness Checklist

Minimum Requirements (OAR 690-310-0040)(ORS 537.400)

- ☐ *For a GW Application:* Well Development Tables completed and/or a well log report included (if existing) *This form must be completed. You may wish to consult a well driller for assistance*

- ☐ A **Legal Description** of all the properties involved where water is diverted, crossed, and used. The Legal description includes a metes and bounds or other government survey description. A copy of the deed, land sales contract or title insurance policy can provide this information, or applicant may submit a lot book report prepared by a title company. Copies of tax bills are not acceptable.

Date

(For staff use only)



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- ☐ SECTION 1: _____
- ☐ SECTION 2: _____
- ☐ SECTION 3: _____
- ☐ SECTION 4: _____
- ☐ SECTION 5: _____
- ☐ SECTION 6: _____
- ☐ SECTION 7: _____
- ☐ SECTION 8: _____
- ☐ SECTION 9: _____

RECEIVED BY OWRD

JUL 16 2014

SALEM, OR

☒ Land Use Information Form _____

☐ Provide the legal description of: (1) the property from which the water is to be diverted, (2) any property crossed by the proposed ditch, canal or other work, and (3) any property on which the water is to be used as depicted on the map.

☐ Fees _____

RECEIVED BY OWRD

JUL 30 2014

SALEM, OR

MAP

- ☐ Permanent quality and drawn in ink
- ☐ Even map scale not less than 4" = 1 mile (example: 1" = 400 ft, 1" = 1320 ft, etc.)
- ☐ North Directional Symbol
- ☐ Township, Range, Section, Quarter/Quarter, Tax Lots
- ☐ Reference corner on map
- ☐ Location of each well, and/or dam if applicable, by reference to a recognized public land survey corner (distances north/south and east/west). Each well must be identified by a unique name and/or number.
- ☐ Indicate the area of use by Quarter/Quarter and tax lot clearly identified
- ☐ Number of acres per Quarter/Quarter and hatching to indicate area of use if for primary irrigation, supplemental irrigation, or nursery
- ☐ Location of main canals, ditches, pipelines or flumes (if well is outside of the area of use)
- ☐ Other _____

Minimum Requirements Checklist

Minimum Requirements (OAR 690-310-0040, OAR 690-310-0050 & ORS 537.615)

Include this checklist with the application

Check that each of the following items is included. The application will be returned if all required items are not included. If you have questions, please call the Water Rights Customer Service Group at (503) 986-0900.

☒ SECTION 1: applicant information and signature

☒ SECTION 2: property ownership

☒ SECTION 3: well development

☒ SECTION 4: water use

☒ SECTION 5: water management

☒ SECTION 6: storage of groundwater in a reservoir

☒ SECTION 7: use of stored groundwater from the reservoir

☒ SECTION 8: project schedule

☒ SECTION 9: within a district

☒ SECTION 10: remarks

RECEIVED BY OWRD

JUL 16 2014

RECEIVED BY OWRD

SALEM, OR

JUL 30 2014

SALEM, OR

Attachments:

☐ Land Use Information Form with approval and signature (*must be an original*) or signed receipt

☐ Provide the legal description of: (1) the property from which the water is to be diverted, (2) any property crossed by the proposed ditch, canal or other work, and (3) any property on which the water is to be used as depicted on the map. Example: A copy of the deed, land sales contract or title insurance policy.

☐ Fees - Amount enclosed: \$_____
See the Department's Fee Schedule at www.oregon.gov/owrd or call (503) 986-0900.

Provide a map and check that each of the following items is included:

☒ Permanent quality and drawn in ink

☒ Even map scale not less than 4" = 1 mile (example: 1" = 400 ft, 1" = 1320 ft, etc.)

☒ North Directional Symbol

☒ Township, Range, Section, Quarter/Quarter, Tax Lots

☒ Reference corner on map

☒ Location of each well, and/or dam if applicable, by reference to a recognized public land survey corner (distances north/south and east/west). Each well must be identified by a unique name and/or number.

☒ Indicate the area of use by Quarter/Quarter and tax lot clearly identified

☒ Number of acres per Quarter/Quarter and hatching to indicate area of use if for primary irrigation, supplemental irrigation, or nursery

☒ Location of main canals, ditches, pipelines or flumes (if well is outside of the area of use)

☐ Other _____

OREGON

Water Resources Department

Apply for a Permit to Appropriate Ground Water and/or Store Ground Water

Today's Date: Wednesday, July 16, 2014

Base Application Fee for use of Ground, Surface and optionally Stored Water.		\$1,150.00
Number of proposed cubic feet per second (cfs) to be appropriated. (1 cfs = 448.83 gallons per minute)	2.2	\$900.00
Number of proposed Use's for the appropriated water. (i.e. Irrigation, Supplemental Irrigation, Pond Maintenance, Industrial, Commercial, etc) *	1	
Number of proposed Ground Water points of appropriation. (i.e. number of wells) (include all injection wells, if applicable) **	1	
Number of Acre Feet to be stored in a reservoir/pond from Ground Water.	0	
Number of Acre Feet to be appropriated from reservoir/pond (Only Applies to reservoir/pond constructed under Ground Water Application)	0	
Number of reservoirs.	0	
Permit Recording Fee. ***		\$450.00
* the 1st Water Use is included in the base cost. ** the 1st Ground Water point of appropriation is included in the base cost. *** the Permit Recording Fee is not required when the application is submitted but, must be paid before a permit will be issued. It is fully refundable if a permit is not issued. If the recording fee is not paid prior to issuance of the Final Order, permit issuance will be delayed.	Recalculate	
Estimated cost of Permit Application		\$2,500.00

[Return to Fee Calculator Options page](#)[OWRD Fee Schedule](#)

Fee Calculator Version B20130709

RECEIVED BY OWRD

JUL 30 2014

SALEM, OR

G-17879

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **112904**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM: Glenn H. Harris

BY: Ranch Account

APPLICATION 617899

PERMIT

TRANSFER

CASH: ☐ CHECK: # 4314 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 2500.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES

\$

OTHER: (IDENTIFY)

\$

0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

\$

0410 RESEARCH FEES

\$

0408 MISC REVENUE: (IDENTIFY)

\$

TC162 DEPOSIT LIAB. (IDENTIFY)

\$

0240 EXTENSION OF TIME

\$

WATER RIGHTS:

0201 SURFACE WATER

EXAM FEE

\$

0202

0203 GROUND WATER

\$ 2050.00

0204

0205 TRANSFER

\$

RECORD FEE

\$

\$

\$

\$

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR

EXAM FEE

\$

0219

LANDOWNER'S PERMIT

0220

LICENSE FEE

\$

\$

OTHER (IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

CARD #

0210 MONITORING WELLS

\$

CARD #

OTHER (IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

\$

0231 HYDRO LICENSE FEE (FW/WRD)

\$

HYDRO APPLICATION

\$

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____

\$

RECEIPT: **112904**

DATED: 7/30/14

BY: [Signature]