

G

Name G-16803
 By WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
 Address PO BOX 201
RUFUS OR 97050

Application No. G16803

Permit No. G-16285

Certificate No. (22)

Date

DENIED

MISFILED

WITHDRAWN

CANCELLED 2/10/22

Volume Page

122 443

FEES PAID

Date	Amount	Receipt No.
<u>2-22-07</u>	<u>850.00</u>	<u>86364</u>

Cert. Fee

FEES REFUNDED

Date	Amount	Receipt No.

Priority

County WM#

RELATED FILES

G-16802

DEVELOPMENT

Date

Completion 10-1-2012

Extended to

Final Proof received

Proposed Cert. Mailed

ASSIGNMENTS

Date	To Whom	Address

REMARKS

T-11027 V.81p.889

MAP LOCATION

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE STATE OF OREGON

IN THE MATTER OF THE CANCELLATION OF)
CERTAIN PERMIT(S) TO APPROPRIATE WATER) ORDER
UNDER THE PROVISIONS OF ORS 537.260)

Findings of Fact

1. The time within which the appropriations under the following water right permit(s) must have been perfected has expired. The owners of such permit(s) have failed or refused within the period of three months thereafter to submit proof of the completion of such appropriations as required by ORS 537.260. Consequently, notices have been addressed to each of the owners of said permit(s) by certified mail in accordance with the provisions of ORS 537.260 and ORS 174.160. The sixty-day time limit allowed in those notices has elapsed, and the owners of such permit(s) have failed or refused to submit proof of the completion of the appropriations under the terms and conditions of their respective permit(s).

PERMIT(S) TO USE GROUNDWATER:

Name	Basin Number	Watermaster District	Application Number	Permit Number
DOUGLAS MARTIN	5	3	G-16803	G-16285

Conclusions of Law

1. Proof of appropriation of water under the terms and conditions of the permit(s) listed has not been made to the satisfaction of the Water Resources Director as required under ORS 537.260.

Order

1. NOW, THEREFORE, it is hereby ORDERED that the permit(s) are canceled in accordance with the provisions of ORS 537.260.

Dated at Salem, Oregon on FEB 10 2022



Dwight French, Water Right Services Administrator
for Tom Byler, Director

PLACED IN U.S. MAIL FEB 10 2022
BY OREGON WATER RESOURCES DEPARTMENT

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Mailing List for Cancellation Order

Volume 122, Page 443

Application: G-16803

Permit: G-16285

Copies Mailed

by: GA
(STAFF)

on: 2/10/22
(DATE)

Permit Holder(s):

DOUGLAS MARTIN
PO BOX 128
RUFUS OR 97050

Is the Permit Holder(s) of record currently identified as a landowner of any tax lots involved as confirmed by the

County records? YES

Copies of Cancellation Order to be sent to Permit Holder(s) and following:

1. Watermaster District #: 3
2. Water Availability
3. Vault
4. File

Other persons to receive copies:

- 1.

Page 1

PERMIT STATUS REVIEW BY: Holmes DATE: 4-19-2021²⁰²¹ FILE # 14803

No more than 6 months beyond original deadline to submit a CBU

COMPLETENESS PROJECT

Page 2

Final Cancellation Review


PERMIT STATUS REVIEW BY Holmes DATE 10-21-21

1. C Date 10 / 1 / 2012
 2. Certified Letter Date 6 / 7 / 2021
 3. Return Receipt Rcvd. 6 / 16 / 2021
 4. Return Receipt Signed By Douglas Martin
 5. Other Communication: / /
-

Recommend Cancellation ☒ or
Hold Action until / /

Application for William, Douglas, Thomson Martindale
 Section 11, T.2N, Range 16E W.M.
 Sherman County Oregon

Tax Lot 1500 & 1501



Scale: 1" = 880'

⊗ proposed well: 52' S, 35' W from the East quarter corner of sec 11

 proposed application area

xxxxxxx = proposed 6" mainline

App no G-16803

RECEIVED


FEB 22 2007

WATER RESOURCES DEPT
 SALEM, OREGON

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY

0 1000 2000 3000 4000 Feet

T.2N. R.16E. W.M.
SHERMAN COUNTY
1" = 2000'



HOLMES Codi N * WRD

From: SC Assessor <scassessor@shermancounty.net>
 Sent: Friday, April 2, 2021 9:37 AM
 To: HOLMES Codi N * WRD
 Subject: Property Ownership

Here is the ownership for the next two tax lots in question.

ASSESSMENT MASTER - aa101

Real ☐ Roll? ☐ Taxable ☐ FARM USE POTENTIAL ADDITIONAL TAX LI

Year/Ref: 2020 301 Search Search Situs << >> Prop Cls: 550 Appraisal#: []
 Add Map/Lot: 02N 16 00 00 1500 Code: 72 MClS: 550 ValA: 4 Zone
 << >> Delete Undelete Xnum: Man/Mod: Dim:

Name: MARTIN, THOMSON S %: 1.000000
 C/O:
 Address: PO BOX 128
 RUFUS, OR
 Zip: 97050
 SD Def:

Et Als
 Name
 Add
 Modify
 Delete

NOTES

Acres: 67.36 Spc Assmt: 0.00
 RMV Land: 30,380 MAV Base: 12,680
 RMV Strc: 0 Exception: 0
 RMV Tot: 30,380 MAV Total: 12,680
 M5 Land: 19,110 Assd: 12,680
 M5 Strc: 0 Vet Exm: 0
 M5 Total: 19,110 Net Assd: 12,680

Ownership
 Ref# % Interest Name
 301 1.000000 MARTIN, THOMSON S
 Total Interest: 1.000000

Related Accounts
 Ref# Relation
 203
 215

Save Close Clear Land Imp Xcept SpAss RedTagk Chg File Comments Legal JV Situs Sales

Old Parent#: If blank, will be filled with Ref#

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

G-16803
DOUGLAS MARTIN
PO BOX 128
REFUS, OR 97050



9590 9402 6293 0274 3172 22

2. Article Number (Transfer from service label)

7018 0680 0002 0041 7163

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

☐ Agent☐ Addressee

B. Received by (Printed Name)

Douglas Martin

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No**RECEIVED**

JUN 16 2021

QWRD

3. Service Type

- ☐ Adult Signature
- ☐ Adult Signature Restricted Delivery
- ☐ Certified Mail®
- ☐ Certified Mail Restricted Delivery
- ☐ Collect on Delivery
- ☐ Collect on Delivery Restricted Delivery
- ☐ Insured Mail
- ☐ Insured Mail Restricted Delivery (over \$500)

- ☐ Priority Mail Express®
- ☐ Registered Mail™
- ☐ Registered Mail Restricted Delivery
- ☐ Signature Confirmation™
- ☐ Signature Confirmation Restricted Delivery

USPS TRACKING#




First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

9590 9402 6293 0274 3172 22

United States
Postal Service

• Sender: Please print your name, address, and ZIP+4® in this box•

Water Resources Department
725 Summer St NE Ste A
Salem, OR
97301-1266





Oregon

Kate Brown, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE Ste A

Salem, OR 97301-1266

Phone: 503-986-0900

Fax: 503-986-0904

www.Oregon.gov/OWRD

NOTE: For water rights information and useful forms, please see our web site at
www.oregon.gov/OWRD

Certified mail number 7018 0680 0002 0041 7163

Return receipt requested

June 7, 2021

DOUGLAS MARTIN
PO BOX 128
RUFUS, OR 97050

Reference: Application G-16803, Permit G-16285

Dear Permit Holder:

This letter is in regard to your water use permit as referenced above. Your permit required you to complete the development of your water use by October 1, 2012.

In order for the Department to consider issuance of a certificate of water right, you are required by law to hire a certified water right examiner to prepare and submit a claim of beneficial use that includes a final proof survey map of the development. The map and claim of beneficial use were to have been submitted to our Department within one year of October 1, 2012. The fee for submitting a claim of beneficial use is \$200.00. Please see the enclosed 'Resource Sheet' for our current database of CWRE's.

If you are not finished with the development of your permit, you need to file an application for an extension of time to complete your development. The fee for filing an extension of time is \$670.00. Please see the enclosed 'Resource Sheet' to access the extension of time form.

In the event that you are no longer using water as allowed by this permit, you should cancel it so that we may clear our records. Please see the enclosed 'Resource Sheet' to access the cancellation form, if you are interested in this option.

If you have not submitted either a Claim of Beneficial Use or a request for an extension of time for your permit within 60 days of the date of this letter (August 16, 2021) the Department may issue a Final Order to cancel your permit without further notice. If the Department issues a Final Order to cancel your permit, and you request reconsideration of the final order and reinstatement of your permit, there is a \$520.00 reinstatement fee that is charged in addition to the claim of beneficial use or extension of time fee.

Should you have any questions, please contact me at Codi.N.Holmes@oregon.gov, the address above or by telephone at 503-986-0887. Due to Covid-19, email may be the best way to reach me.

Sincerely,


for Codi Holmes
Certificate Specialist

Enclosures (1)

cc: File

OWRD Watermaster District 3



U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

\$

Extra Services & Fees (check box, add fee as appropriate)

- ☐ Return Receipt (hardcopy) \$ _____
- ☐ Return Receipt (electronic) \$ _____
- ☐ Certified Mail Restricted Delivery \$ _____
- ☐ Adult Signature Required \$ _____
- ☐ Adult Signature Restricted Delivery \$ _____

Postmark
Here

Postage

\$

Total Postage and Fees

\$

Sent To

Street and Apt. No., or PO Box No.

City, State, ZIP+4®

7018 0680 0002 0040 74918

Mailing List for 60-Day Letter

Application: G-16803

Permit: G-16285

Permit Holder(s):

DOUGLAS MARTIN

PO BOX 128

RUFUS OR 97050

Copies Mailed

by: La
(STAFF)

on: 6-7-21
(DATE)

Is the Permit Holder(s) of record currently identified as a landowner of any tax lots involved as confirmed by the County records? YES -

Copies of Cancellation Order to be sent to Permit Holder(s) and following:

1. Watermaster District #3
2. File

Other persons to receive copies:

- 1.

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE STATE OF OREGON

IN THE MATTER OF THE CANCELLATION OF)
CERTAIN PERMIT(S) TO APPROPRIATE WATER) ORDER
UNDER THE PROVISIONS OF ORS 537.260)

Findings of Fact

1. The time within which the appropriations under the following water right permit(s) must have been perfected has expired. The owners of such permit(s) have failed or refused within the period of three months thereafter to submit proof of the completion of such appropriations as required by ORS 537.260. Consequently, notices have been addressed to each of the owners of said permit(s) by certified mail in accordance with the provisions of ORS 537.260 and ORS 174.160. The sixty-day time limit allowed in those notices has elapsed, and the owners of such permit(s) have failed or refused to submit proof of the completion of the appropriations under the terms and conditions of their respective permit(s).

PERMIT(S) TO USE GROUNDWATER:

<u>Name</u>	<u>Basin Number</u>	<u>Watermaster District</u>	<u>Application Number</u>	<u>Permit Number</u>
DOUGLAS MARTIN	5	3	G-16803	G-16285

Conclusions of Law

1. Proof of appropriation of water under the terms and conditions of the permit(s) listed has not been made to the satisfaction of the Water Resources Director as required under ORS 537.260.

Order

1. NOW, THEREFORE, it is hereby ORDERED that the permit(s) are canceled in accordance with the provisions of ORS 537.260.

Dated at Salem, Oregon on _____, 2018.

Dwight French, Water Right Services Administrator
for Tom Byler, Director

PLACED IN U.S. MAIL _____
BY OREGON WATER RESOURCES DEPARTMENT

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Special Order Volume _____ Page _____

Real ☐ Roll? ☐ Taxable ☐ FARM USE POTENTIAL ADDITIONAL TAX LIAB

Year/Ref: 2017 204 Search Search Situs << >> Prop Cls: 550 Appraisal#: 204

Add Map/Lot: 02N 16 00 00 202 Code: 72 MCls: 550 ValA: 4 Zone:

<< >> Delete Undelete Xnum: Man/Mod: Dim:

Name: MARTIN, THOMSON S %: .754500

C/O: MARTIN, CONSTANCE K

Address: PO BOX 128

RUFUS, OR

Zip: 97050

SD Def:

Acres: 58.54 Spc Assmt: 0.00

RMV Land: 20,080 MAV Base: 11,980

RMV Strc: 0 Exception: 0

RMV Tot: 20,080 MAV Total: 11,980

M5 Land: 15,970 Assd: 11,980

M5 Strct: 0 Vet Exm: 0

M5 Total: 15,970 Net Assd: 11,980

Total Interest: 1.000000

Ownership

Ref#	% Interest	Name
204	0.754500	MARTIN, THOMSON S
3207	0.245500	MARTIN, WILLIAM & D

Et Als

Add

Modify

Delete

Related Accounts

Ref#	Relation
------	----------

Add

Modify

Delete

Save Close Clear Land Imp Xcept SpAss RedTag Chg File Comments Legal JV Situs Salesq Tax

Real ☐ Roll? ☐ Taxable ☐ FARM USE POTENTIAL ADDITIONAL TAX LIAB

Year/Ref: 2017 215 Search Search Situs << >> Prop Cls: 559 Appraisal#: 215

Add Map/Lot: 02N 16 00 00 1400 Code: 72 MCls: 559 ValA: 4 Zone:

Name: **MARTIN, THOMSON S** %: 1.000000
 C/O: _____
 Address: **PO BOX 128**
RUFUS, OR
 Zip: **97050**
 SD Def: _____

Xnum: _____ Man/Mod: _____ Dim: _____

Et Als	
Name	

NOTES

45 deg, 40 min, 39 sec N La
120 deg, 46 min, 17 sec NLo

Acres: 87.50	Spc Assmt: 0.00
RMV Land: 49,790	MAV Base: 52,680
RMV Strc: 41,500	Exception: 0
RMV Tot: 91,290	MAV Total: 52,680
M5 Land: 43,960	Assd: 52,680
M5 Strct: 41,500	Vet Exm: 0
M5 Total: 85,460	Net Assd: 52,680

Total Interest: 1.000000

Ownership		
Ref#	% Interest	Name
215	1.000000	MARTIN, THOMSON S

Related Accounts	
Ref#	Relation
203	
301	
70348	
70363	

Real Taxable

FARM USE POTENTIAL ADDITIONAL TAX LIAB

Year/Ref: 2017 301

Search

Add Map/Lot: **02N 16 00 00 1500** Code: 72 MCl: 550 ValA: 4 Zone:

Prop Cls: 550 Appraisal#: **301**

Xnum: _____ Man/Mod: _____ Dim: _____

Name: **MARTIN, THOMSON S** %: 1.000000
 C/O: _____

Et Als	
Name	

NOTES

Address: PO BOX 128

RUFUS, OR

Zip: 97050

SD Def:

Modify

Delete

Acres: 67.36 Spc Assmt: 0.00
RMV Land: 20,020 MAV Base: 11,810
RMV Strc: 0 Exception: 0
RMV Tot: 20,020 MAV Total: 11,810
M5 Land: 15,370 Assd: 11,810
M5 Strc: 0 Vet Exm: 0
M5 Total: 15,370 Net Assd: 11,810

Ownership		
Ref#	% Interest	Name
301	1.000000	MARTIN, THOMSON S

Total Interest: 1.000000

Related Accounts	
Ref#	Relation
203	
215	

Add

Modif

Delete

Save

Close

Clear

Land

Imp

Xcept

SpAss

RedTagk

Chg File

Comments

Legal

JV

Situs

Salesq

Tax

Real

Roll?

Taxable

FARM USE POTENTIAL ADDITIONAL TAX LIABI

Year/Ref: 2017 302
Map/Lot: 02N 16 00 00 1501
Code: 72 MCIs: 550 ValA: 4 Zone:
Xnum: Man/Mod: Dim:

Name: MARTIN, THOMSON S

%: .754500

C/O: MARTIN, CONSTANCE K

Address: PO BOX 128

RUFUS, OR

Zip: 97050

Et Als

Name

Add

Modify

NOTES

SD Def:

Delete

Acres: 67.15 Spc Assmt: 0.00
RMV Land: 21,530 MAV Base: 12,790
RMV Strc: 0 Exception: 0
RMV Tot: 21,530 MAV Total: 12,790
M5 Land: 16,840 Assd: 12,790
M5 Strct: 0 Vet Exm: 0
M5 Total: 16,840 Net Assd: 12,790

Ownership		
Ref#	% Interest	Name
302	0.754500	MARTIN, THOMSON S
3203	0.245500	MARTIN, WILLIAM & D

Total Interest: 1.000000

Related Accounts	
Ref#	Relation

Save

Close

Clear

Land

Imp

Xcept

SpAss

RedTagk

Chg File

Comments

Legal

JV

Situs

Salesq

Tax

Real

Roll?

Taxable

FARM USE POTENTIAL ADDITIONAL TAX LIABI

Year/Ref: 2017 1116 Search Search Situs << >> Prop Cls: 551 Appraisal#: 1116
Add Map/Lot: 02N 16 00 00 4100 Code: 72 MCIs: 551 ValA: 4 Zone: << >> Delete Undelete Xnum: Man/Mod: Dim:

Name: MARTIN BROTHERS LAND

%: 1.000000

C/O:

Address: PO BOX 201

RUFUS, OR

Zip: 97050

SD Def:

Et Als	
Name	

Add

Modify

Delete

NOTES


AN OREGON
PARTNERSHIP
CONSISTING OF:
WILLIAM MARTIN,
DOUGLAS MARTIN,
THOMSON MARTIN

Acres: 504.24 Spc Assmt: 0.00
RMV Land: 242,760 MAV Base: 147,940

Ownership		
Ref#	% Interest	Name
1116	1.000000	MARTIN BROTHERS L

Related Accounts	
Ref#	Relation

T.2N. R.16E. W.M.
SHERMAN COUNTY
1" = 2000'

02N16E
& INDEX

Revised MA
8/18/2008
92N16E
& INDEX



Oregon

Kate Brown, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone (503) 986-0900

Fax (503) 986-0904

www.wrd.state.or.us

NOTE: For water rights information and useful forms, please see our web site at

www.oregon.gov/OWRI

August 23, 2016

Certified mail number 7016 0340 0000 9901 9414

Return receipt requested

DOUGLAS MARTIN; WILLIAM MARTIN; THOMSON MARTIN
PO BOX 128
RUFUS, OR 97050

Reference: Application G-16803, Permit G-16285

Dear Permit Holder:

This letter is in regard to your water use permit as referenced above. Your permit required you to complete the development of your water use by October 1, 2012.

In order for the Department to consider issuance of a certificate of water right, you are required by law to hire a certified water right examiner to prepare and submit a claim of beneficial use that includes a final proof survey map of the development. The map and claim of beneficial use were to have been submitted to our Department within one year of October 1, 2012. The fee for submitting a claim of beneficial use is \$175.00. Please see the enclosed 'Resource Sheet' for our current database of CWRE's.

If you are not finished with the development of your permit, you need to file an application for an extension of time to complete your development. The fee for filing an extension of time is \$575.00. Please see the enclosed 'Resource Sheet' to access the extension of time form.

In the event that you are no longer using water as allowed by this permit, you should cancel it so that we may clear our records. Please see the enclosed 'Resource Sheet' to access the cancellation form, if you are interested in this option.

If you have not submitted either a Claim of Beneficial Use or a request for an extension of time for your permit within 60 days of the date of this letter (October 21, 2016) the Department may issue a Final Order to cancel your permit without further notice. If the Department issues a Final Order to cancel your permit, and you request reconsideration of the final order and reinstatement of your permit, there is a \$450.00 reinstatement fee that is charged in addition to the claim of beneficial use or extension of time fee.

Should you have any questions, please contact Corey Courchane by telephone at 503-986-0825, Jeffrey Pierceall by telephone at 503-986-0802, or myself at the address above or by telephone at 503-986-0817.

Sincerely,

Jerry Sauter
Water Rights Program Analyst

Enclosures (1)

cc: File G-16803

OWRD Watermaster District 3

No Green card
rwd. 8/8/17 cc

Cancel
FTRMP
cc
8/10/17



PERMIT STATUS REVIEW BY Corey Courchane DATE 8-5-16 FILE # G-16803

1. Per Dwight French, do not send "C" DATE NOTICE PACKET if:

update appropriate db

no Extension pending _____

no Assignment is pending _____

no Cancellation has been requested _____

no Dept. has already sent a **certified** 60-Day Compliance letter (date _____, # _____)

Was **60 days notice** allowed? Y N If No, How Much Time? _____

Was mail deliverable as addressed? Y N date _____

If mail returned, online/www check? Y N date _____ successful? Y N

Re-send Cert. Letter? Y N date _____

Send cancellation order Y N

no Claim of beneficial use and final proof map (COBU) have been received by Department

Date information received _____

2. IF NONE OF THE ABOVE APPLY

☒ Send **certified** "C" date notice packet to permit holder.

"C" DATE October 1, 2012 BASIN NUMBER 5 WM # 3

CWRE or AGENT Larry Toll, CWRE

3. AOI Yes _____ NO ☒ If Yes, name of AOI _____

S:\groups\wr\PERMIT C jdc-date-checklist.doc

Send letter
8-5-16
cc

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Permit Amendment	)	FINAL ORDER
T-11027, Sherman County	)	APPROVING A CHANGE IN PLACE
	)	OF USE

Authority

ORS 537.211 establishes the process in which a water right permit holder may submit a request to change the point of diversion and/or place of use authorized under an existing water right permit.

Applicant

WILLIAM, DOUGLAS, & THOMSON
MARTIN
PO BOX 128
RUFUS OR 97050

Agent

TENNESON ENGINEERING CORP.
ATTN: LARRY TOLL
3313 W 2ND ST SUITE 100
THE DALLES OR 97058

Findings of Fact

Background

1. On February 26, 2010, WILLIAM, DOUGLAS, AND THOMSON MARTIN filed an application for an additional point of appropriation and to change in place of use under Permit G-16285. The Department assigned the application number T-11027.
2. On April 23, 2010, the Department found that the proposed point of appropriation developed a different aquifer (source).
3. On June 30, 2010, the agent, on behalf of the applicant, asked to remove the request for an additional point of appropriation from the application.

4. The permit to be amended is as follows:

Permit:	G-16285 in the name of WILLIAM, DOUGLAS, AND THOMSON MARTIN
Use:	IRRIGATION OF 120 ACRES
Priority Date:	FEBRUARY 22, 2007
Quantity:	1.25 CUBIC FEET PER SECOND
Rate/Duty:	The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-080 and OAR 690-01-005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

to a diversion of ONE-EIGHTIETH of one cubic foot per second and
3.0 acre-feet for each acre irrigated during the irrigation season of each year.

Period of Use: APRIL 1 THROUGH OCTOBER 31

Source: A WELL, in the COLUMBIA RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
2 N	16 E	WM	11	NE SE	SHER 50249 - 52 FEET SOUTH AND 35 FEET WEST FROM THE E¼ CORNER OF SECTION 11

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
2 N	16 E	WM	11	NE SE	40.0
2 N	16 E	WM	11	NW SE	40.0
2 N	16 E	WM	11	SW SE	20.0
2 N	16 E	WM	11	SE SE	20.0

5. Permit Amendment Application T-11027 proposes to change the place of use of the permit to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
2 N	16 E	WM	11	SW NE	0.5
2 N	16 E	WM	11	SE NE	31.1
2 N	16 E	WM	11	NE SE	28.7
2 N	16 E	WM	11	NW SE	29.2
2 N	16 E	WM	11	SW SE	2.1
2 N	16 E	WM	11	SE SE	2.4
2 N	16 E	WM	12	SW NW	21.8
2 N	16 E	WM	12	SE NW	4.2

6. On February 26, 2010, Thomson S. Martin submitted an affidavit requesting cancellation of Permit G-15781, which covers a portion of the land described in Finding of Fact #5. A separate order will be issued by the Department.
7. Notice of the application for the permit amendment was published in the Department's weekly notice on March 2, 2010, and in the Dallas Chronicle newspaper on July 16, 23, and 30, 2010, pursuant to ORS 540.520(5). No comments were filed in response to the notices.

Permit Amendment Review Criteria

8. The changes would not result in injury to other water rights.
9. The proposed place of use is owned and/or controlled by the permit holder.
10. The changes do not enlarge the permit.
11. The changes do not alter any other terms of the permit.

12. The proposed place of use is contiguous to the authorized place of use.

Conclusions of Law

The change in place of use proposed by Permit Amendment Application T-11027 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

The change and subsequent use of water shall be subject to the following conditions:

1. All other terms and conditions of Permit G-16285 remain the same.
2. Permit G-16285, in the name of William, Douglas, and Thomson Martin, is amended as described herein.

Dated at Salem, Oregon this 15 day of September, 2010.


Phillip C. Ward, Director

Mailing Date: SEP 16 2010

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number G-16803

Final Order

Appeal Rights

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

This statement of judicial review rights does not create a right to judicial review of this order, if judicial review is otherwise precluded by law. Where no changes have been made to a Proposed Final Order on a water right application and no protests have been filed during the protest period, the final order is not subject to judicial review.

Application History


On February 22, 2007, William Martin, Douglas Martin and Thomson Martin submitted an application to the Department for a water use permit. The Department issued a Proposed Final Order on October 9, 2007. The protest period closed November 23, 2007, and no protest was filed.

The proposed use would not impair or be detrimental to the public interest.

Order

Application G-16803 therefore is approved as proposed by the Proposed Final Order, and Permit G-16285 is issued as limited by the conditions proposed by the Proposed Final Order.

DATED January 17, 2008



for Phillip C. Ward, Director
Water Resources Department

This document was prepared by Alyssa Mucken. If you have any questions about any of the statements contained in this document I am most likely the best person to answer your questions. You can reach me at 503-986-0853.

If you have previously filed a protest and want to know its status, please contact Patricia McCarty at 503-986-0820.

If you have other questions about the Department or any of its programs please contact our Customer Service Group at 503-986-0801.

Address all other correspondence to: Water Rights Section, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266, Fax: 503-986-0901.

STATE OF OREGON

COUNTY OF SHERMAN

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS, OR 97050

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-16803

SOURCE OF WATER: A WELL IN COLUMBIA RIVER BASIN

PURPOSE OR USE: IRRIGATION USE ON 120.0 ACRES

MAXIMUM RATE: 1.25 CUBIC FEET PER SECOND

PERIOD OF USE: APRIL 1 THROUGH OCTOBER 31

DATE OF PRIORITY: FEBRUARY 22, 2007

WELL LOCATION: NE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 11, T2N, R16E, W.M.; 52 FEET SOUTH AND 35 FEET WEST FROM E $\frac{1}{4}$ CORNER, SECTION 11

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE $\frac{1}{4}$ SE $\frac{1}{4}$ 40.0 ACRES

NW $\frac{1}{4}$ SE $\frac{1}{4}$ 40.0 ACRES

SW $\frac{1}{4}$ SE $\frac{1}{4}$ 20.0 ACRES

SE $\frac{1}{4}$ SE $\frac{1}{4}$ 20.0 ACRES

SECTION 11

TOWNSHIP 2 NORTH, RANGE 16 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable

measuring device as approved by the Director at each point of appropriation. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall submit an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to measure and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The well(s) shall produce ground water only from the basalt ground water reservoir.

STANDARD CONDITIONS

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may not be valid, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Completion of construction and complete application of the water to the use shall be made on or before October 1, 2012. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued January 17, 2008



for Phillip C. Ward, Director
Water Resources Department

Mailing List for FO Copies

Application #G-16803

Original mailed to applicant with claim of beneficial use form:

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS OR 97050

Copies sent to:

1. WRD - File # G-16803
2. WRD - Ken Stahr

Copies Mailed	
By: <u>SJS</u>	(SUPPORT STAFF)
on: <u>1/18/08</u>	(DATE)

FO and Map Copies sent to (remember to reduce copy margins):

3. WRD - Watermaster District #: 3
4. WRD - Regional Manager NCR
5. WRD - Regional Well Inspector

Copies sent to Other Interested Persons (CWRE, Agent, Commenter, etc.)

- 5.

"\$10 LETTER" sent to Interested Persons who have not protested or paid for copies


- 1.

CASEWORKER : Alyssa Mucken

Application for William, Douglas, Thomson Martindale


Section 11, T.2N, Range 16E W.M.
Sherman County Oregon

Tax Lot 1500 & 1501



Scale: 1" = 880'

⊗ proposed well: 52' S, 35' W from the East quarter corner of sec 11



proposed application Area

xxxxxxx = proposed 6" mainline

App no G-16803 permit no G-16285

RECEIVED
FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

FO Checklist

Application #: G-16803 Applicant: WILLIAM MARTIN, DOUGLAS MARTIN, AND THOMSON MARTIN

☒ Has applicant name and/or address changed, or has the file been assigned? Y / N
If new: _____

☒ Were comments received? If so, from whom and when? NO
Respond to significant comments, issues, or disputes related to the proposed use of water

☒ Verify names and mailing addresses of all commenters, affected landowners and those who paid \$10 fee on PFO cc: list.

☒ Have affected landowner(s) been notified? Y / N / NA If not, do not issue FO. Send a letter to affected landowner(s).

☒ Has ODFW asked for screening condition and rate ≤ 0.5 CFS? Y / N / NA If yes, include fish screening form.

☒ Are requested GW conditions included in permit? Y / N / NA If not, add condition(s) _____

☒ Do PFO conclusions require modification due to typos or errors? Y / N What and why? _____

☒ If in North Umpqua settlement reach and you're issuing a permit, did you update the spreadsheet(s)? Y / N / NA

Fees

Base Fee

Water Amount (Q) 1.25 cfs

\$150 / \$250
\$300 / \$500

1st CFS/AF

200

_____ Addl @ _____ + 100

300 +
(base)

300 = 600
(Q) (total exam fee)


EXAM FEE REQUIRED	<u>600</u>	RECORDING FEE REQUIRED	\$175 / \$250 / \$300
EXAM FEE PAID	<u>- 600</u>	RECORDING FEE PAID	<u>- 250</u>
STILL OWED	<u>0</u>	STILL OWED	<u>0</u>

FO type DENIAL

☒ FO w/ Permit # G-16265

☐ FO w/o permit ☐ lacks fees
☐ lacks easement
☐ lacks approved dam plans & specs

Name: Alyssa Mucken Date: 1/3/2008

Peer Reviewer: Kenny 

PFO Checklist

Application #: G-16803 Applicant: WILLIAM MARTIN, DOUGLAS MARTIN AND THOMSON MARTIN

Shortcomings preventing PFO? Y / ☒ Should process continue? ☒ / N

IR Date July 27, 2007 Public Notice Date July 31, 2007 Comments received? Y / ☒ ^{✓ P/15}

Was additional information requested in the IR? Y / ☒ If so, do we now have enough info to do the PFO? Y / N

Was the application filed after 10/23/99? Y / ☒ (If not, add A date requirement)

B.O.R. or Doug Co. project Y / ☒ Contract in file? N contract # _____

IR identifies as DEQ 303d? Y / ☒ NA Comments received? Y / N _____

Is second gw review necessary? Y / ☒ NA Complete? Y / N

Water Availability OK / REDONE / ☒ _____

Have conflicts been addressed? Y / ☒ NA _____

Changes from IR determinations nmu _____

Copy to _____

Fees	Base Fee	Water Amount (Q) 1.25 cts	
	\$150 / \$250	1 st CFS/AF	<u>200</u>
	\$300 / \$500		
		Addl @ _____	+ <u>100</u>
	<u>300</u>		
	(base)		
		<u>300</u>	= <u>600</u>
		(Q)	(total exam fee)

EXAM FEE REQUIRED	<u>600</u>	RECORDING FEE REQUIRED	\$175 / \$250 / \$300
EXAM FEE PAID	<u>- 600</u>	RECORDING FEE PAID	<u>- 250</u>
STILL OWED	<u>0</u>	STILL OWED	<u>0</u>

Name: Alyssa Mucken Date: 9/19/2007

Peer Reviewer: Kana

The purpose of this checklist is to be used as a working document by Department staff to aid in the production of the related Initial Review, Proposed Final Order, or Final Order. It is not intended to be a complete record of all factors which were considered to produce the document, nor is it intended to serve any purpose other than that stated above. The related Initial Review, Proposed Final Order, or Final Order is intended to stand alone as the record of factors considered in its production.

IR CHECKLIST

Application #: G-16803 Applicant: WILLIAM MARTIN DOUGLAS MARTIN *Thomson Martin*

Use(s): IRRIGATION USE ON 120.0 ACRES Priority Date: February 22, 2007

☒ If municipal or quasi-municipal: ☐ reviewed by Bill Fujii Y / N / NA ☐ Construction will be completed within 20 years.

☒ Is the application complete? Y / N

☒ Prohibited by ORS 538? Y / N If so, do not do an IR; return the application & fees to the applicant.

☒ GW Review ☐ surface classification triggered ☐ PSI with stream: _____

☐ will not ☐ will likely be available ...without injury... and/or within the capacity of the resource

☒ will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource TN and basalt

☐ The well is located in GWLA or CGWA or TIN R3E Sec 20, 21, 28, 29. (If checked, include a basin map noting POD.)

☒ WM Dist (NWR - 1 2 16 18 20) (NCR - 3 4 5 21) (ER - 6 8 9 10) (SCR - 11 12 17) (SWR - 13 14 15 19)

☒ DIVISION 33 Y / N / NA
(If Y, attach basin map w/ pod)

☐ Above Bonneville (if checked not allowed April 15 - September 30?)

☐ Below Bonneville

☐

☒ SW Availability ☒ NA ☐ 80% live ☐ 50% storage

☐ Use DWF's nonstandard W/A memo if the:
the North Umpqua River below Rock Creek
Creek (including Mission & Case Creeks)

WID: _____

y; the Snake River; the Columbia River;
River, Chehalem Creek, or Champoeg

☒ Is there a conflict? Y / N / NA

☐ If conflict, are rights from a different source
☐ If supplemental, check for primary right on
☐ will this be making up a deficiency in rate?

☒ Allowed under Basin Program Y / N Limitation

690-505-0400

☒ 303D Y / N / NA IN GEOGRAPHIC
(cc: DEQ Regional Manager) (cc: CTUIR)

D WATER Y / N
(cc: DOA Food Safety Division)

☒ Rate 140 Rate Max (120)(140) = 1.5 Req 500 gpm (1.25)
Duty 3 Season Allowed mar-october Req april - oct

☒ Land use: OK needs approval county notified NA

☒ Storage Contracts: ☐ USBOR ☐ Army Corps of Engineers ☐ Douglas County ☒ NA

contract # _____

☒ Agent: Has the applicant authorized someone to act as an agent? Y / N

☒ Conditions: medium; TN + basalt large, per Tim, 10/2/07

Small ≤ 0.1 CFS, ≤ 9.2 AF, Medium > 0.1 and < 1.5 CFS, > 9.2 and < 100 AF, Large ≥ 1.5 CFS, ≥ 100 AF

Use "Medium" when the source is Siltcoos Lake Sandy Basin ground water, or stored water with a contract.

Use "Large" when permit has 71, temp control (including NU) or HC above a SWW, Tenmile Lake,
or when the applicant is a government entity

Use "Large with totalizing flow meter" for IR permits in South Salem Hills or IR over 10 Ac. in Stage Gulch CGWA

IR CHECKLIST

Application #: G-16803 Applicant: WILLIAM MARTIN DOUGLAS MARTIN + Thomson Martin

Use(s): IRRIGATION USE ON 120.0 ACRES Priority Date: February 22, 2007

☒ If municipal or quasi-municipal: ☐ reviewed by Bill Fujii Y / N / NA ☐ Construction will be completed within 20 years.

☒ Is the application complete? Y / N

☒ Prohibited by ORS 538? Y / N If so, do not do an IR; return the application & fees to the applicant.

☒ GW Review ☐ surface classification triggered ☐ PSI with stream: _____

☐ will not ☐ will likely be available ...without injury... and/or within the capacity of the resource

☒ will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource IN and BASALT

☐ The well is located in GWLA or CGWA or T1N R3E Sec 20, 21, 28, 29. (If checked, include a basin map noting POD.)

☒ WM Dist (NWR - 1 2 16 18 20) (NCR - 3 4 5 21) (ER - 6 8 9 10) (SCR - 11 12 17) (SWR - 13 14 15 19)

Provo wood

☒ DIVISION 33 Y / N / NA

(If Y, attach basin map w/ pod)

☐ Above Bonneville (if checked not allowed April 15 - September 30?)

☐ Below Bonneville

☐ Statewide

☒ SW Availability ☒ NA ☐ 80% live ☐ 50% storage _____ WID: _____

☐ Use DWF's nonstandard W/A memo if the source is a Drews Reservoir tributary; the Snake River; the Columbia River; the North Umpqua River below Rock Creek; or within the drainages of the Lost River, Chehalem Creek, or Champoeg Creek (including Mission & Case Creeks)

☒ Is there a conflict? Y / N / NA _____

☐ If conflict, are rights from a different source?

☐ If supplemental, check for primary right on same land

☐ will this be making up a deficiency in rate?

☒ Allowed under Basin Program Y / N Limitations? Y / N Deschutes (040690-505-0400)

☒ 303D Y / N / NA

(cc: DEQ Regional Manager)

IN GEOGRAPHIC UMATILLA

(cc: CTUIR)

Y / N BOTTLED WATER Y / N

(cc: DOA Food Safety Division)

☒ Rate 1/20 Rate Max (120)(1/20) = 1.5 Req 560 gpm (1.25)
Duty 3 Season Allowed mar-october Req April - Oct

☒ Land use: OK needs approval county notified NA

☒ Storage Contracts: ☐ USBOR ☐ Army Corps of Engineers ☐ Douglas County ☒ NA

contract # _____

☒ Agent: Has the applicant authorized someone to act as an agent? Y / N

☒ Conditions: medium; IN and basalt large, per Tim, 10/2/07

Small ≤ 0.1 CFS, ≤ 9.2 AF, Medium > 0.1 and < 1.5 CFS, > 9.2 and < 100 AF, Large ≥ 1.5 CFS, ≥ 100 AF

Use "Medium" when the source is Siltcoos Lake Sandy Basin ground water, or stored water with a contract.

Use "Large" when permit has 7I, temp control (including NU) or HC above a SWW, Tenmile Lake, or when the applicant is a government entity

Use "Large with totalizing flow meter" for IR permits in South Salem Hills or IR over 10 Ac. in Stage Gulch CGWA

Application #: G-16803 Applicant: WILLIAM MARTIN DOUGLAS MARTIN

☒ Is the stream withdrawn? Y / N / NA season allowed _____

☐ Basin Maps have been checked Y / N River Mile _____

☒ SWW ABOVE WITHIN NA Name _____ (If above or within, notify Parks.)

☒ Is the source a high priority for streamflow restoration? Y / N / NA

☒ Letter format Good Limited Bad Bad w/ HC Opportunity

☒ If in North Umpqua settlement reach, did you update the spreadsheet(s)? Y / N / NA

☒ CWRE, representative, etc. to notify? Y / N _____

☒ Addn'l info req'd? Y / N _____
(If Y, send certified)

☒ Attachments included? Y / N / NA _____

☐ E-mailed Tim, including note if negative? Y / N

☒ Fees

Base Fee	Water Amount (Q) (1.25)
\$100 / \$150	1 st CFS/AF <u>200</u>
\$250 / \$300	<u>.25</u> Addl CFS/AF @ <u>100</u> + <u>100</u>
<u>300</u> (base)	<u>300</u> (Q) = <u>600</u> (total exam fee)

recording fee paid

EXAM FEE REQUIRED	<u>600</u>
EXAM FEE PAID	<u>-600</u>
STILL OWED	<u>0</u>

Name: Alyssa Mucken Date: 7/27/2007

Peer Reviewer: brook

The purpose of this checklist is to be used as a working document by Department staff to aid in the production of the related Initial Review, Proposed Final Order, or Final Order. It is not intended to be a complete record of all factors which were considered to produce the document, nor is it intended to serve any purpose other than that stated above. The related Initial Review, Proposed Final Order, or Final Order is intended to stand alone as the record of factors considered in its production.

Current as of November 2, 2006

Analysis for Application: G16803

Location: 2N-16E-11-NESE

Uses: IR 40 P

Basins

BASIN_NUM	BASIN_NAME
5	Deschutes

Records Found: 1

WaterMaster Districts

OBJECTID	DISTRICT_N	REGION	WATERMASTE	ADDRESS	CITY	ZIP_CODE	VOICE	EXTENSION	FAX	SHAPE_AREA	SHAPE_LEN
8	3	NC	Robert Wood	2705 E. 2nd St.	The Dalles	97058	541-298-4110		541-298-2459	82001756748.3	1704666.77727

Records Found: 1

WAB Records Found: 0

County

COUNTY	FIPS
Sherman	41055

Records Found: 1

Groundwater Restricted Records Found: 0

Divison 33 Area

DIV33
In a Div33 area

Records Found: 1

Rule 4D

RULE4D
In a Rule4D Area

Records Found: 1

303D Streams Records Found: 0

303D Lakes Records Found: 0

Location: 2N-16E-11-NWSE

Uses: IR 40 P

Basins

BASIN_NUM	BASIN_NAME
5	Deschutes

Records Found: 1

WaterMaster Districts

OBJECTID	DISTRICT_N	REGION	WATERMASTE	ADDRESS	CITY	ZIP_CODE	VOICE	EXTENSION	FAX	SHAPE_AREA	SHAPE_LEN
8	3	NC	Robert Wood	2705 E. 2nd St.	The Dalles	97058	541-298-4110		541-298-2459	82001756748.3	1704666.77727

Records Found: 1

WAB Records Found: 0

County

COUNTY	FIPS
Sherman	41055

Records Found: 1

Groundwater Restricted Records Found: 0

Divison 33 Area

DIV33
In a Div33 area

Records Found: 1

Rule 4D

RULE4D
In a Rule4D Area

Records Found: 1

303D Streams Records Found: 0

303D Lakes Records Found: 0

Location: 2N-16E-11-SESE

Uses: IR 20 P

Basins

BASIN_NUM	BASIN_NAME
5	Deschutes

Records Found: 1

WaterMaster Districts

OBJECTID	DISTRICT_N	REGION	WATERMASTE	ADDRESS	CITY	ZIP_CODE	VOICE	EXTENSION	FAX	SHAPE_AREA	SHAPE_LEN
8	3	NC	Robert Wood	2705 E. 2nd St.	The Dalles	97058	541-298-4110		541-298-2459	82001756748.3	1704666.77727

Records Found: 1

WAB Records Found: 0

County

COUNTY	FIPS
Sherman	41055

Records Found: 1

Groundwater Restricted Records Found: 0**Divison 33 Area**

DIV33
In a Div33 area

Records Found: 1

Rule 4D

RULE4D
In a Rule4D Area

Records Found: 1

303D Streams Records Found: 0303D Lakes Records Found: 0**Location: 2N-16E-11-SWSE**

Uses: IR 20 P

Basins

BASIN_NUM	BASIN_NAME
5	Deschutes

Records Found: 1

WaterMaster Districts

OBJECTID	DISTRICT_N	REGION	WATERMASTE	ADDRESS	CITY	ZIP_CODE	VOICE	EXTENSION	FAX	SHAPE_AREA	SHAPE_LEN
8	3	NC	Robert Wood	2705 E. 2nd St.	The Dalles	97058	541-298-4110		541-298-2459	82001756748.3	1704666.77727

Records Found: 1

WAB Records Found: 0**County**

COUNTY	FIPS
Sherman	41055

Records Found: 1

Groundwater Restricted Records Found: 0**Divison 33 Area**

DIV33
In a Div33 area

Records Found: 1

Rule 4D

RULE4D
In a Rule4D Area

Records Found: 1

303D Streams Records Found: 0303D Lakes Records Found: 0

Water Rights Platcard Report

Meridian: WILLAMETTE Township: 2 North Range: 16 East Section: 11 Records per Page: 10 Search

[illegible]

Acreage Legend:	12.25 Regular acreage	12.25 Acreage is on a canceled right	(12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate)	[12.25] Acreage has been suspended	* Acreage is not specified
-----------------	-----------------------	--------------------------------------	--	------------------------------------	----------------------------

Applications G-16802 & G-16803

WATER RESOURCES DEPARTMENT

DIVISION 505

DESCHUTES BASIN PROGRAM

690-505-0400

Ground Water Classification

Ground water in the Deschutes Basin is classified for any beneficial use.

Stat. Auth.: ORS 536.027, ORS 536.220, ORS 536.300 ORS 536.340

Stats. Implemented: ORS 390.835, Ch. 659 2001 OL HB 2184

Hist.: WRD 3-2002, f. & cert. ef. 9-27-02

Water Right Conditions Tracking Slip

Groundwater/Hydrology Section

FILE ## G-16803

ROUTED TO: Water Rights

TOWNSHIP/

RANGE-SECTION: 2N/16E-11da

CONDITIONS ATTACHED? [☒]yes [☐]no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: Mike Zwart

PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

TO: Water Rights Section Date June 14, 2007

FROM: Ground Water/Hydrology Section Michael Zwart
Reviewer's Name

SUBJECT: Application G- 16803 Supersedes review of N/A
Date of Review(s)

PUBLIC INTEREST PRESUMPTION: GROUNDWATER

OAR 690-310-130 (1) *The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525.* Department staff review ground water applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. This review is based upon available information and agency policies in place at the time of evaluation.

A. GENERAL INFORMATION: Applicant's Name: William, Doug & Thom Martin County: Sherman

A1. Applicant(s) seek(s) 1.248 cfs from one well(s) in the Deschutes* Basin,
subbasin Quad Map: Biggs Junction

A2. Proposed use: Irrigation, 120 ac P Seasonality: April 1 to October 31

A3. Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under logid):

Well	Logid	Applicant's Well #	Proposed Aquifer*	Proposed Rate(cfs)	Location (T/R-S QQ-Q)	Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36
1	Proposed	1	CRB	1.248	2N/16E-11 NE-SE	52' S, 35' W fr E ¼ cor S 11
2						
3						
4						
5						

* Alluvium, CRB, Bedrock

Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	915	250±	250±		3-400	0-40±	0-40±	None	None			

Use data from application for proposed wells.

A4. Comments: *The proposed well is within a drainage that is tributary to the Columbia, not within the Deschutes or John Day SWW. Based on nearby well logs (several attached), I suspect a shallower water level will be the result here.

A5. ☒ Provisions of the Deschutes Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water ☐ are, or ☒ are not, activated by this application. (Not all basin rules contain such provisions.)
Comments: _____

A6. ☐ Well(s) # _____, _____, _____, _____, _____, tap(s) an aquifer limited by an administrative restriction.
Name of administrative area: _____
Comments: _____

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1. Based upon available data, I have determined that ground water* for the proposed use:

- a. ☐ is over appropriated, ☐ is not over appropriated, or ☒ cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b. ☐ will not or ☐ will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
- c. ☐ will not or ☐ will likely to be available within the capacity of the ground water resource; or
- d. ☒ will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource:
- i. ☒ The permit should contain condition #(s) 7N;
- ii. ☒ The permit should be conditioned as indicated in item 2 below.
- iii. ☐ The permit should contain special condition(s) as indicated in item 3 below;

- B2. a. ☐ Condition to allow ground water production from no deeper than _____ ft. below land surface;
- b. ☐ Condition to allow ground water production from no shallower than _____ ft. below land surface;
- c. ☒ Condition to allow ground water production only from the _____ basalt _____ ground water reservoir;
- d. ☐ Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): _____

- B3. Ground water availability remarks: Potential for water-level declines and overdraft of the resource exists virtually everywhere the Columbia River Basalt aquifers are developed, especially east of the Cascades where recharge is small. If no measurement/decline condition is used, as recommended above, then I would need to re-review the file, with the likely result being that one or both of the boxes 'will not likely be available...' being checked under B1b or B1c.

Water levels in the nearest CRB wells appear to be relatively stable in the area, but these wells are near Biggs Junction and near Wasco, several miles away.

C. GROUND WATER/SURFACE WATER CONSIDERATIONS. OAR 690-09-040**C1. 690-09-040 (1): Evaluation of aquifer confinement:**

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Basalt of the Columbia River Basalt Group	☒	☐
		☐	☐
		☐	☐
		☐	☐
		☐	☐

Basis for aquifer confinement evaluation: These aquifers are typically confined in this area.**C2. 690-09-040 (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.**

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected?			Potential for Subst. Interfer. Assumed?	
						YES	NO	ASSUMED	YES	NO
1	1	Unnamed creek to west	775*	880	1400	☐	☒	☐	☐	☒
1	2	Columbia River	775	160	5600	☐	☒	☐	☐	☒
1	3	China Hollow	775	760	6800	☒	☐	☐	☐	☒
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐

Basis for aquifer hydraulic connection evaluation: *Estimated. The presence of mapped springs in the vicinity suggests that ground water in targeted water-bearing zones discharges locally to surface water, but not likely at the nearest reach of the unnamed creek. The water-bearing zone targeted is well above, or perched, above the Columbia River. The aquifer is more likely to be in hydraulic connection with deeply incised tributaries, like Spanish Hollow, China Hollow, or with unidentified springs and seeps in the gorge above the Columbia.

Water Availability Basin the well(s) are located within: No WAB data in this area.

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked ☒ box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐

C3b. 690-09-040 (4): Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

	SW #		Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
			☐			☐		☐		☐
			☐			☐		☐		☐
			☐			☐		☐		☐
			☐			☐		☐		☐

Comments: This section does not apply.

C4a. 690-09-040 (5): Estimated impacts on hydraulically connected surface water sources greater than one mile as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
(A) = Total Interf.													
(B) = 80 % Nat. Q													
(C) = 1 % Nat. Q													
(D) = (A) > (C)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
(E) = (A / B) x 100		%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Basis for impact evaluation: The Hunt model currently in use is not likely appropriate for use in areas where ground water discharge is primarily via point sources or limited stream reaches.

C4b. 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section.

- C5. ☐ If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water use under this permit can be regulated if it is found to substantially interfere with surface water:
- i. ☐ The permit should contain condition #(s) _____;
 - ii. ☐ The permit should contain special condition(s) as indicated in "Remarks" below;

C6. SW / GW Remarks and Conditions _____

References Used: Local well logs; local knowledge; recent nearby reviews; regional geologic mapping.

D. WELL CONSTRUCTION, OAR 690-200

D1. Well #: _____ Logid: _____

D2. THE WELL does not meet current well construction standards based upon:

- a. ☐ review of the well log;
b. ☐ field inspection by _____;
c. ☐ report of CWRE _____;
d. ☐ other: (specify) _____

D3. THE WELL construction deficiency:

- a. ☐ constitutes a health threat under Division 200 rules;
b. ☐ commingles water from more than one ground water reservoir;
c. ☐ permits the loss of artesian head;
d. ☐ permits the de-watering of one or more ground water reservoirs;
e. ☐ other: (specify) _____

D4. THE WELL construction deficiency is described as follows: _____

_____D5. THE WELL a. ☐ was, or ☐ was not constructed according to the standards in effect at the time of original construction or most recent modification.b. ☐ I don't know if it met standards at the time of construction.D6. ☐ Route to the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Enforcement Section and the Ground Water Section.**THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL**D7. ☐ Well construction deficiency has been corrected by the following actions: _____

__________, 200_____
(Enforcement Section Signature)D8. ☐ Route to Water Rights Section (attach well reconstruction logs to this page).

MEMO

June 14, 2007

TO: Application G- 16803

FROM: GW: Mike Zwart
(Reviewer's Name)

SUBJECT: **Scenic Waterway Interference Evaluation**

YES

✓ NO

The source of appropriation is within or above a Scenic Waterway

YES

✓ NO

Use the Scenic Waterway condition (Condition 7J)

Per ORS 390.835, the Ground Water Section is **able** to calculate ground water interference with surface water that contributes to a Scenic Waterway. The calculated interference is distributed below.

Per ORS 390.835, the Ground Water Section is **unable** to calculate ground water interference with surface water that contributes to a scenic waterway; **therefore, the Department is unable to find that there is a preponderance of evidence that the proposed use will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway.**

Calculate the percentage of consumptive use by month and fill in the table below. If interference cannot be calculated, per criteria in 390.835, do not fill in the table but check the "unable" option above, thus informing Water Rights that the Department is unable to make a Preponderance of Evidence finding.

Exercise of this permit is calculated to reduce monthly flows in _____ Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

[illegible]

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form.

RECEIVED

JUN - 2 1995 FEB 22 1995

2N/16E/1126
W-67895

(1) OWNER:

Name DWAYNE CARROLL
Address HIGHWAY 30
City HERMISTON State ORE Zip 97838

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other

(4) PROPOSED USE:

☒ Domestic ☐ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No Depth of Completed Well 285 ft.
Explosives used ☐ Yes ☒ No Type _____ Amount _____

HOLE

SEAL

Diameter	From	To	Material	From	To	Sacks or pounds
12	0	70	PTO Con	0	70	33
8	70	285				

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E
☐ Other TRONALIC

Backfill placed from _____ ft. to _____ ft. Material _____
Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 8	+2	70	25	☒	☐	☒	☐
Liner: 6	48	285		☐	☐	☐	☐

Final location of shoe(s) LEFT HAND THREADED @ 48'

(7) PERFORATIONS/SCREENS:

☒ Perforations Method TORCH
☐ Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
270	280	1/4x12-20				☐	☒

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☒ Air ☐ Flowing
Yield gal/min _____ Drawdown _____ Drill stem at _____ Time _____
70 _____ 270 _____ 1 hr.

Temperature of water 65 Depth Artesian Flow Found _____

Was a water analysis done? ☐ Yes By whom _____

Did any strata contain water not suitable for intended use? ☐ Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____

Depth of strata: _____

(9) LOCATION OF WELL by legal description:

County SHERMAN Latitude 16E Longitude _____
Township 2N N or S Range 2E E or W. WM.
Section 11 NW 1/4 SW E 1/4
Tax Lot _____ Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) _____

(10) STATIC WATER LEVEL:

200 ft. below land surface. Date 2-6-95
Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found _____

From	To	Estimated Flow Rate	SWL
270	280	70	200

(12) WELL LOG:

Ground Elevation _____

Material	From	To	SWL
SOIL	0	3	
SANDY CLAY	3	18	
CLAY	18	58	
CEMENTED GRAVEL	58	64	
GRAY BASALT	64	74	
BLACK	74	121	
GRAY	121	157	
BROWN, SOFT	157	185	
RED, VERY SOFT	185	211	
GRAY	211	270	
BROWN & RED	270	280	200
GRAY BASALT	280	285	

RECEIVED

MAR 23 1995

Date started 1-31-95 Completed 2-6-95

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed PERRY STORMAND WWC Number 1532 Date 1-6-95

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed Terry Burel WWC Number 544 Date 1-6-95

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

APR 4 1974

STATE ENGINEER
SALEM, OREGON

State Well No. 2N/14E-11 DC

State Permit No.

(1) OWNER:

Name Michael Flemmer, Sr.
Address Box 811 Rufus, Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒
6" Diam. from 0 ft. to 76 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom Driller

Yield: 10 gal./min. with 390 ft. drawdown after 2 hrs.

Barrel test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement

Well sealed from land surface to 76 ft.

Diameter of well bore to bottom of seal 10 in.

Diameter of well bore below seal 6 in.

Number of sacks of cement used in well seal 5 sacks

Number of sacks of bentonite used in well seal sacks

Brand name of bentonite

Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.

Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Sherman Driller's well number
SW 1/4 NW 1/4 Section 11 T. 2 N. R. 16 E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 252 ft.
Static level 100 ft. below land surface. Date 3-12-74
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6

Depth drilled 490 ft. Depth of completed well 490 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	1	
Basalt grey broken	1	48	
Clay yellow	48	52	
Basalt brown broken	52	68	
Basalt grey	68	118	
Basalt grey broken	118	127	
Basalt grey hard	127	182	
Basalt brown broken	182	193	
Basalt grey	193	252	
Lava flow clay brown	252	265	
Basalt grey	265	490	

Work started 3-5 1974 Completed 3-12 19 74

Date well drilling machine moved off of well 3-12 19 74

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] William D. Christenson Jr. Date 3-12, 1974
(Drilling Machine Operator)

Drilling Machine Operator's License No. 416

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name William D. Christenson Jr.
(Person, firm or corporation) (Type or print)

Address P.O. Box 313 Hubbard, Oregon

[Signed] William D. Christenson Jr.
(Water Well Contractor)

Contractor's License No. 511 Date 3-12, 19 74

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

RECEIVED

(Please type or print)
(Do not write above the line)

SSHER
298

State Well No.

2N/16E-12ba

State Permit No.

RECEIVED

(1) OWNER:

Name Martin Cattla WATER RESOURCES DEPT.
Address P.O. Box 128 SALEM, OREGON
Bufus, Or.

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒
10" Diam. from 0 ft. to 40 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.
0 gal/min with 100% drawdown
after 1 hour from 500' ft.
Baller test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Bentonite
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in. 3
Number of sacks of Bentonite used in well seal sacks
How was cement grout placed?

Was a drive shoe used? ☒ Yes ☐ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Sherman Section 12 T. 2N R. 16E W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 170 ft.

Static level 110 ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well 525 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil	0	5	
Sandstone-Tan	5	15	
Basalt Brown	15	66	
Sandstone Tan	66	70	
Basalt Brown	70	77	
Basalt Gray Hard	77	83	
Rock Gray Soft	83	110	
Basalt Gray Hard	110	158	
Conglomerate WB	158	170	
Basalt Gray	170	209	
Conglomerate	209	222	
Basalt Gray	222	304	
Crevice With White Clay			
WB	304	312	
Basalt Gray	312	525	

Work started 6 March 1978 Completed 5 April 1978

Date well drilling machine moved off of well 5 April 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Richard J. Murray Date 29 Mar., 1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 737

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Richard J. Murray

(Person, firm or corporation) (Type or print)

Address 3712 W 8th St. The Dalles, Or.

[Signed] Richard J. Murray
(Water Well Contractor)

Contractor's License No. 606 Date 29 Mar. 1978

Reviewed/Shown for
Herp

ACCEPTED

Standard Application Completeness Checklist

Minimum Requirements (OAR 690-310-0040) (ORS 537.400)

Application <u>G 16803</u>	Township <u>2 N</u>
Priority Date <u>2-22-2007</u>	Range <u>16 E</u>
Use(s) <u>PRIM IRRIG</u>	Section <u>11</u>
Rate <u>1.248 CFS</u> <u>560 GPM</u>	POB Loc. <u>NE 1/4 SE 1/4</u>
County <u>SHERMAN</u>	POU Loc. <u>SE 1/4</u>

☒ Applicant/Organization Name, Mailing Address and Telephone Number, application signed in ink.

☒ Source of water. If stored water, is the stored water component filed out, including a non-expired agreement for stored water must be included. (ORS 537.400)

☐ Property ownership indicated.

☐ If applicant does not own all the land, the affected landowner's name and mailing address must be listed.

☐ If applicant does not own all the land, a statement declaring the existence of either written authorization or an easement permitting access to land crossed by the proposed ditch canal or other work must be submitted.

☒ Groundwater development section (Page 2, Section 3 and/or Page 3, Section 2) or a well log report.

☒ Proposed use of water. If supplemental, list primary water right acreage if applicable.

☒ Enclosed Supplemental Form for each proposed use.

☒ Form I (Irrigation)

☐ Form M (Municipal or Quasi-Municipal)

☐ Form R (Mining)

☐ Form Q (Commercial or Industrial)

☐ Spring Description Sheet

☒ Amount of water from *each* source in gallons per minute (GPM), cubic feet per second (CFS), or acre feet (AF)

☒ Period of use

☒ Water management section (Please estimate if the water system has not been designed).

☒ Resource Protection Section (Page 6, Section 5).

☒ Project schedule (If system is already completed, indicate "existing").

☐ For reservoir applications storing more than 9.2 acre feet, and a dam height of more than 10 feet, preliminary plans and specifications for dam and impoundment are required.

☐ If the above statement is checked, the map must be prepared by a CWRE.

☒ All applicants (or the authorized agent with title or authority if for an organization or corporation), must sign the application in ink.

3 SIGNATURES

☒ You must include a Legal description of the property involved that includes a metes and bounds, or other government survey description. A copy of the deed, land sales contract or title insurance policy can provide this information, or you may submit a lot book report prepared by a title company. The Department will not accept a copy of the tax bill.

☒ A completed Land-Use Form or receipt signed and dated by the appropriate planning department officials. *Date of signature must be within the past 6 months.*

☒ The map must meet all the minimum requirements of OAR 690-310-0050.

☐ Township, Range, Section

☐ Location of main canals, ditches, pipelines or flumes

☐ Place of use, 1/4, 1/4's and tax lot clearly identified

☐ Even map scale not less than 4" = 1 mile (example: 1" = 100 ft, 1" = 200 ft, etc.)

☐ Location of each diversion point well or dam by reference to a recognized public land survey corner

☐ North Directional Symbol

☐ Number of acres per 1/4, 1/4, if irrigation, nursery, or agriculture

☐ Other _____

☐ Reference corner on map

☐ Each point of diversion coordinate

☒ Fees: Amount of water requested 1.248 CFS

Base Fee \$ _____

Total Exam Fee \$ _____

1st CFS/AF _____

Total Paid \$ _____

_____ Addn'l @ _____ = _____

Amount Due \$ _____

Reviewed by WJM

Date 2-23-2007

G-16803
(Mike)

NEW APPLICATIONS (GROUND WATER, RESERVOIR, & SURFACE) ROUTE SLIP

RECEIPTING ☒

POST CARD SENT ☒

DATA CENTER ☒

2-23-2007 JHM
3/2 LT

GROUND WATER YES ☒ NO ☐

ENFORCEMENT YES ☐ NO ☐

WATER RIGHTS SUPPORT ☒

Caseworker:

Alyssa Mucken	503-986-0853	☒
Anita Huffman	503-986-0815	☐
Brook Geffen	503-986-0808	☐
Jeana Eastman	503-986-0859	☐
Kerry Kavanagh	503-986-0816	☐

A "Standard Reservoir" storing 9.2 acre-feet or more of
Water & has a dam height of 10.0 feet or greater needs to
have a copy of the application & supplemental forms routed to "JOHN FALK"

GW
Files

**ATTN: WATER RIGHTS
SUPPORT....>>>> Mark contents of file with
application number;
Update the WRIS Database with caseworkers name.
Route file to Caseworker.**

S & R
Files

O.K.

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number G-16803

Proposed Final Order

Summary of Recommendation: The Department recommends that the attached draft permit be issued with conditions.

Application History

On February 22, 2007, William Martin, Douglas Martin and Thomson Martin submitted an application to the Department for the following water use permit:

- Amount of Water: 1.25 CUBIC FEET PER SECOND (CFS)
- Use of Water: IRRIGATION USE ON 120.0 ACRES
- Source of Water: A WELL IN COLUMBIA RIVER BASIN
- Area of Proposed Use: SHERMAN COUNTY WITHIN SECTION 11, TOWNSHIP 2 NORTH, RANGE 16 EAST, W.M.

On July 27, 2007, the Department mailed the applicants notice of its Initial Review, determining that "The use of 1.25 CFS from a well in Columbia River Basin for irrigation use on 120.0 acres is allowable during the full period requested, April 1 through October 31." The applicants did not notify the Department to stop processing the application within 14 days of that date.

On July 31, 2007, the Department gave public notice of the application in its weekly notice. The public notice included a request for comments, and information for interested persons about both obtaining future notices and a copy of the proposed final order. No written comments were received within 30 days.

In reviewing applications, the Department may consider any relevant sources of information, including the following:

- recommendations by other state agencies
- any applicable basin program
- any applicable comprehensive plan or zoning ordinance
- the amount of water available
- the rate and duty for the proposed use
- pending senior applications and existing water rights of record
- designations of any critical groundwater areas
- the Scenic Waterway requirements of ORS 390.835
- applicable statutes, administrative rules, and case law
- any general basin-wide standard for flow rate and duty of water allowed

- the need for a flow rate and duty higher than the general standard
- any comments received

Findings of Fact

The Deschutes Basin Program allows irrigation use.

A well in Columbia River Basin is not within or above a State Scenic Waterway.

Groundwater Findings Under OAR 690-09

The Department determined, consistent with OAR 690-09-0040(4), that the proposed ground water use will not have the potential for substantial interference with the nearby surface water sources.

In making this determination, the Department considered whether:

- (a) There is a hydraulic connection from the proposed well(s) to any surface water sources.
- (b) The point of appropriation is a horizontal distance less than one-fourth mile from the surface water source;
- (c) The rate of appropriation is greater than five cubic feet per second, if the point of appropriation is a horizontal distance less than one mile from the surface water source;
- (d) The rate of appropriation is greater than one percent of the pertinent adopted minimum perennial streamflow or instream water right with a senior priority date, if one is applicable, or of the discharge that is equaled or exceeded 80 percent of time, as determined or estimated by the Department, and if the point of appropriation is a horizontal distance less than one mile from the surface water source;
- (e) The ground water appropriation, if continued for a period of 30 days, would result in stream depletion greater than 25 percent of the rate of appropriation, if the point of appropriation is a horizontal distance less than one mile from the surface water source.

According to the Department's rules, the potential for substantial interference is assumed if (a) and either (b) or (c) or (d) or (e) are met. For this application, the Department determined that there is no potential for substantial interference, because either (a) is not met, or (b), (c), (d) or (e) are not met, or both.

An assessment of groundwater availability has been completed by the Department's Groundwater/Hydrology section. A copy of this assessment is in the file. Water will, if properly conditioned, avoid injury to existing rights and the resource.

The Department finds that the amount of water requested, 1.25 CFS, is an acceptable amount.

The proposed well is not within a designated critical ground water area.

Conclusions of Law

Under the provisions of ORS 537.621, the Department must presume that a proposed use will ensure the preservation of the public welfare, safety and health if the proposed use is allowed in the applicable basin program established pursuant to ORS 536.300 and 536.340 or given a preference under ORS 536.310(12), if water is available, if the proposed use will not injure other water rights and if the proposed use complies with rules of the Water Resources Commission.

The proposed use requested in this application is allowed in the Deschutes Basin Program, or a preference for this use is granted under the provisions of ORS 536.310(12).

Water is available for the proposed use.

The proposed use will not injure other water rights.

The proposed use complies with other rules of the Water Resources Commission not otherwise described above.

The proposed use complies with the State Agency Agreement for land use.

No proposed flow rate and duty of water higher than the general basin-wide standard is needed.

For these reasons, the required presumption has been established.

Under the provisions of ORS 537.621, once the presumption has been established, it may be overcome by a preponderance of evidence that either:

- (a) One or more of the criteria for establishing the presumption are not satisfied; or
- (b) The proposed use would not ensure the preservation of the public welfare, safety and health as demonstrated in comments, in a protest . . . or in a finding of the department that shows:
 - (A) The specific aspect of the public welfare, safety and health under ORS 537.525 that would be impaired or detrimentally affected; and

- (B) Specifically how the identified aspect of the public welfare, safety and health under ORS 537.525 would be impaired or be adversely affected.

In this application, all criteria for establishing the presumption have been satisfied, as noted above. The presumption has not been overcome by a preponderance of evidence that the proposed use would impair or be detrimental to the public interest.


The Department therefore concludes that water is available in the amount necessary for the proposed use; the proposed use will not result in injury to existing water rights; and the proposed use would ensure the preservation of the public welfare, safety and health as described in ORS 537.525.

When issuing permits, ORS 537.628(1) authorizes the Department to include limitations and conditions which have been determined necessary to protect the public welfare, safety, and health. The attached draft permit is conditioned accordingly.

Recommendation

The Department recommends that the attached draft permit be issued with conditions.

DATED October 9, 2007


for Phillip C. Ward, Director
Water Resources Department

*If you have any questions,
please check the information
box on the last page for the
appropriate names and
phone numbers.*

Protests

Under the provisions of ORS 537.153(7) (for surface water) or ORS 537.621(8) (for ground water), you can protest this proposed final order. Protests must be received in the Water Resources Department no later than November 23, 2007. Protests must be in writing, and must include the following:

- Your name, address, and telephone number;
- A description of your interest in the proposed final order, and, if you claim to represent the public interest, a precise statement of the public interest represented;
- A detailed description of how the action proposed in this proposed final order would impair or be detrimental to your interest;

- A detailed description of how the proposed final order is in error or deficient, and how to correct the alleged error or deficiency;
- Any citation of legal authority to support your protest, if known; and
- If you are not the applicant, the protest fee of \$350 required by ORS 536.050 and proof of service of the protest upon the applicant.
- If you are the applicant, a statement of whether or not you are requesting a contested case hearing. If you do not request a hearing, the Department will presume that you do not wish to contest the findings of the proposed final order.
- *If you do not protest this Proposed Final Order and if no substantive changes are made in the final order, you will not have an opportunity for judicial review, protest or appeal of the final order when it is issued.*

Requests for Standing

Under the provisions of ORS 537.153(7) (for surface water) or ORS 537.621(8) (for ground water), persons other than the applicant who support a proposed final order can request standing for purposes of participating in any contested case proceeding on the proposed final order or for judicial review of a final order.

Requests for standing must be received in the Water Resources Department no later than November 23, 2007. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the proposed final order as issued;
- A detailed statement of how the requester would be harmed if the proposed final order is modified; and
- A standing fee of \$100.00. If a hearing is scheduled, an additional fee of \$250.00 must be submitted along with a request for intervention.

After the protest period has ended, the Director will either issue a final order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been submitted and either:

- upon review of the issues, the director finds that there are significant disputes related to the proposed use of water, or
- the applicant requests a contested case hearing within 30 days after the close of the protest period.

This document was prepared by Alyssa Mucken. If you have any questions about any of the statements contained in this document I am most likely the best person to answer your questions. You can reach me at 503-986-0853.

If you have questions about how to file a protest or a request for standing, please refer to the respective sections in this Proposed Final Order entitled "Protests" and "Requests for Standing". If you have previously filed a protest and want to know its status, please contact the Protest Coordinator at 503-986-0820.

If you have other questions about the Department or any of its programs please contact our Customer Service Group at 503-986-0801. Address all other correspondence to:

Water Rights Section, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266, Fax: 503-986-0901.

DRAFT

This is not a permit.
STATE OF OREGON-COUNTY OF SHERMAN

DRAFT

DRAFT PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS DRAFT PERMIT IS HEREBY ISSUED TO

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS, OR 97050

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-16803

SOURCE OF WATER: A WELL IN COLUMBIA RIVER BASIN

PURPOSE OR USE: IRRIGATION USE ON 120.0 ACRES

MAXIMUM RATE: 1.25 CUBIC FEET PER SECOND

PERIOD OF USE: APRIL 1 THROUGH OCTOBER 31

DATE OF PRIORITY: FEBRUARY 22, 2007

WELL LOCATION: NE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 11, T2N, R16E, W.M.; 52 FEET SOUTH AND 35 FEET WEST FROM E $\frac{1}{4}$ CORNER, SECTION 11

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE $\frac{1}{4}$ SE $\frac{1}{4}$ 40.0 ACRES
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 40.0 ACRES
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 20.0 ACRES
SE $\frac{1}{4}$ SE $\frac{1}{4}$ 20.0 ACRES

SECTION 11

TOWNSHIP 2 NORTH, RANGE 16EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete

record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The Department requires the water user to measure and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall submit an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to measure and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or

- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The well(s) shall produce ground water only from the basalt ground water reservoir.

STANDARD CONDITIONS

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may not be valid, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Completion of construction and complete application of the water to the use shall be made on or before October 1, 2012. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.


Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued _____, 2007

DRAFT - THIS IS NOT A PERMIT


for Phillip C. Ward, Director
Water Resources Department

Application for William, Douglas, Thomson Martin
 Section 11, T.2N, Range 16E W.M
 Sherman County Oregon
 Tax Lot 1500 & 1501



Scale: 1" = 880'

⊗ proposed well: 52' S, 35' W from the East quarter corner of sec 11



proposed application area

xxxxxxx = proposed 6" mainline

App no G-16803

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
 SALEM, OREGON

Mailing List for PFO Copies

Application #G-16803

PFO Date October 9, 2007

Original mailed to applicants:

~~WILLIAM MARTIN, DOUGLAS MARTIN AND THOMSON MARTIN, PO BOX 201, RUFUS,
OR 97050~~

Copies sent to:

- ~~1.~~ WRD - File # G-16803
- ~~2.~~ Water Availability: Ken Stahr
- ~~3.~~ Regional Well Inspector: NCR

Copies Mailed
By: <u>KB</u>
(SUPPORT STAFF)
on: <u>10/9/07</u>
(DATE)

PFO and Map Copies sent to:

- ~~4.~~ WRD - Watermaster # 3
- ~~5.~~ Regional Manager: NCR

Copies sent to Other Interested Persons (CWRE, Agent, Well Driller, Commenter, etc.)

"\$10 LETTER" sent to Interested Persons who have not protested or paid for copies

Affected Landowners (include "Notice of Proposed Final Order--Affected Landowner"):

1.

CASEWORKER : Muckenam



Oregon

Theodore R. Kulungoski, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
P.O. BOX 201
RUFUS, OR 97050

July 27, 2007

Reference: File G-16803

Dear Applicants:

**THIS IS NOT A PERMIT AND IS
SUBJECT TO CHANGE AT THE NEXT PHASE OF PROCESSING.**

This letter is to inform you of the preliminary analysis of your water use permit application and to describe your options. In determining whether a water use permit application may be approved, the Department must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information you have supplied, the Water Resources Department has made the following preliminary determinations:

Initial Review Determinations:

1. The application proposes the use of 1.25 cubic feet per second (CFS) from a proposed well for irrigation use on 120.0 acres from April 1 through October 31 of each year.
2. The proposed use is not prohibited by law or rule except where otherwise noted below.
3. The use of water from a well in Columbia River Basin for irrigation use is allowable under the Deschutes Basin Program.
4. If properly conditioned, the proposed use of ground water will avoid injury to existing ground water rights and the resource.
5. The Department has determined, based upon OAR 690-09, that the proposed ground water use will not have the potential for substantial interference with any surface water source.

Summary of Initial Determinations

The use of 1.25 CFS from a well in Columbia River Basin for irrigation use on 120.0 acres is allowable during the full period requested, April 1 through October 31.

Because of these favorable determinations, the Department can now move your application to the next phase of the water rights application review process. This phase is where public interest factors will be evaluated.

Please reference the application number when sending any correspondence regarding the conclusions of this initial review. Comments received within the comment period will be evaluated at the next phase of the process.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a proposed final order.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$150 processing charge per application.) To accomplish this you must notify the Department in writing by **Friday, August 10, 2007**. For your convenience you may use the enclosed "STOP PROCESSING" form.

If A Permit Is Issued It Will Likely Include The Following Conditions:

1. Measurement, recording and reporting conditions:
 - A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation. The permittee shall maintain the meter or measuring device in good working order.
 - B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
 - C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used, and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director

may require the permittee to report general water-use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

2. The Department requires the water user to measure and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall submit an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to measure and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.


3. The well shall produce ground water only from the basalt ground water reservoir.

The water source identified in your application may be affected by an Agricultural Water Quality Management Area Plan. These plans are developed by the Oregon Department of Agriculture (ODA) with the cooperation of local landowners and other interested stakeholders, and help to ensure that current and new appropriations of water are done in a way that does not adversely harm the environment. You are encouraged to explore ODA's Water Quality Program web site at http://www.oregon.gov/ODA/NRD/water_agplans.shtml to learn more about the plans and how they may affect your proposed water use.

If you have any questions:

Feel free to call me at 503-986-0853 if you have any questions regarding the contents of this letter or your application. Please have your application number available if you call. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0801. When corresponding by mail, please use this address: Alyssa Mucken, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,



Alyssa Mucken
Water Right Application Caseworker

enclosures: Application Process Description and Stop Processing Request Form

G-16803
WAB 5-n/a
POU 5-n/a
GW -no psi

APPLICATION FACT SHEET

Application File Number: G-16803

Applicants: WILLIAM MARTIN, DOUGLAS MARTIN & THOMSON MARTIN

County: Sherman

Watermaster: 3

Priority Date: February 22, 2007

Source: A WELL IN COLUMBIA RIVER BASIN

Use: IRRIGATION USE ON 120.0 ACRES

Quantity: 1.25 CUBIC FEET PER SECOND (560.0 GALLONS PER MINUTE)

Basin Name & Number: Deschutes, #5

Stream Index Reference: Volume 3 COLUMBIA R & MISC

Well Location: NESE, SECTION 11, T2N, R16E, W.M.; 52 FEET SOUTH AND 35 FEET WEST FROM E1/4 CORNER, SECTION 11

Place of Use:

NE ¼ SE ¼ 40.0 ACRES

NW ¼ SE ¼ 40.0 ACRES

SW ¼ SE ¼ 20.0 ACRES

SE ¼ SE ¼ 20.0 ACRES

SECTION 11


TOWNSHIP 2 NORTH, RANGE 16EAST, W.M.

14 DAY STOP PROCESSING DEADLINE DATE: Friday, August 10, 2007

PUBLIC NOTICE DATE: Tuesday, July 31, 2007

30 DAY COMMENT DEADLINE DATE: Thursday, August 30, 2007

Application for William, Douglas, Thomson Martin
 Section 11, T.2N, Range 16E W.M
 Sherman County Oregon
 Tax Lot 1500 & 1501



Scale: 1" = 880'

⊗ proposed well: 52' S, 35' W from the East quarter corner of sec 11



proposed application Area

xxxxxx = proposed 6" mainline

App no G-16803

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
 SALEM, OREGON

Mailing List for IR Copies

Application #G-16803

IR Date: July 27, 2007

Original mailed to applicants:

WILLIAM MARTIN, DOUGLAS MARTIN & THOMSON MARTIN, PO BOX 201, RUFUS, OR 97050

Copies sent to:

- 1. WRD - File # G-16803
- 2. WRD - Water Availability: Ken Stahr

Copies Mailed
By: <u>7CB</u>
(SUPPORT STAFF)
on: <u>7/27/07</u>
(DATE)

IR, Map, and Fact Sheet Copies sent to:

- 3. WRD - Regional Manager : North Central
- 4. WRD - Watermaster # 3

Copies sent to Other Interested Persons (*CWRE, Agent, Well Driller, Commenter, etc.*)

5.

Caseworker: Alyssa Mucken

COPYSHIT.IR



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Application for a Permit to Use Ground Water

Please type or print in dark ink. If your application is found to be incomplete or inaccurate, we will return it to you. If any requested information does not apply to your application, insert "n/a." Please read and refer to the instructions when completing your application. A summary of review criteria and procedures that are generally applicable to these applications is available at www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

1. APPLICANT INFORMATION

A. Individuals

Applicant: William + Douglas + Thomson Martin
First Last
Mailing address: P.O. Box 201
Rufus OR 97050
City State Zip
Phone: 541-739-2424 Cell: 541-980-5979
Home Work Other
*Fax: 541-739-2424 *E-Mail address: _____

B. Organizations

(Corporations, associations, firms, partnerships, joint stock companies, cooperatives, public and municipal corporations)

Name of organization: Mart
Name and title of person applying: _____
Mailing address of organization: _____

City State Zip
Phone: _____
Day Evening
*Fax: _____ *E-Mail address: _____

* Optional information

For Department Use		
App. No. <u>G-16803</u>	Permit No. _____	Date _____

Last updated: 6/7/2005

RECEIVED
Ground Water/1
FEB 22 2007
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
FEB 13 2007
WATER RESOURCES DEPT
SALEM, OREGON

WR

2. PROPERTY OWNERSHIP

Do you own all the land where you propose to divert, transport, and use water?

Yes ☒ Yes (Skip to section 3 "Ground water Development.")

☐ No (Please check the appropriate box below.)

☐ I have a recorded easement or written authorization permitting access.

☐ I do not currently have written authorization or easement permitting access.

☐ Written authorization or an easement is not necessary, because the only affected lands I do not own are state-owned submersible lands, and this application is for irrigated and/or domestic use only (ORS 274.040).

You must provide the legal description of: (1) the property from which the water is to be diverted, (2) any property crossed by the proposed ditch, canal or other work, and (3) any property on which the water is to be used as depicted on the map.

List the names and mailing addresses of all affected landowners.

3. GROUND WATER DEVELOPMENT

A. Well Information

Number of well(s): 1

Name of nearest surface water body: Columbia River

Distance from well(s) to nearest stream or lake: 1) 1+ mile

2) _____ 3) _____ 4) _____

If distance from surface water is less than one mile, indicate elevation difference between nearest surface water and well head. 1) _____

2) _____ 3) _____ 4) _____

B. Well Characteristics

Wells must be constructed according to standards set by the Department for the construction and maintenance of water wells. If the well is already constructed, please enclose a copy of the well constructor's log and the well ID number, if available, for each well with this application. Identify each well with a number corresponding to the wells designated on the map and proceed to section 4 of the form. If the well has not been constructed, or if you do not have a well log, please complete the following:

Well(s) will be constructed by: Tibbets Well Drilling

Address: Dufur, OR

Completion date: 2007

RECEIVED Ground Water/2

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

FEB 13 2007

WATER RESOURCES DEPT
SALEM, OREGON

G-16803

Please provide a description of your well development. (Attach additional sheets if needed.)

Well No.	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
1	10"	10" x .250	40 +/-		40 +/-	250 ft	250	air line	300-400

Note: Well numbers in this listing must correspond to well locations(s) shown on accompanying map.

If well log is not available, or well is not yet constructed, you must provide: proposed total depth, depth of casing and seal, and the anticipated perforation and open intervals.

C. Artesian Flows

If your water well is flowing artesian, describe your water control and conservation works:

N/A

4. WATER USE

Please read the instruction booklet for more details on "type of use" definitions, how to express how much water you need and how to identify the water source you propose to use. You must fill out a supplemental form for some uses as they require specific information for that type of use.

A. Type(s) of Use(s)

See list of beneficial uses provided in the instructions.

- If your proposed use is **domestic**, indicate the number of households to be supplied with water: _____
- If your proposed use is **irrigation**, please attach **Form I**
- If your proposed use is **mining**, attach **Form R**
- If your proposed use is **municipal or quasi-municipal**, attach **Form M**
- If your proposed use is **commercial/industrial**, attach **Form Q**

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

Ground Water/3

RECEIVED

FEB 13 2007

WATER RESOURCES DEPT
SALEM, OREGON

G-16803

B. Amount of Water

Provide the production rate in gallons per minute (gpm) and the total annual amount of water you need from each well, from each source or aquifer, for each use. You do not need to provide source information if you are submitting a well log with your application.

Well No.	Source or aquifer	Type of use	Total rate of water requested (in gpm)	Total annual quantity (in gallons)	Production rate of well (in gpm)
1	water bearing fractured basalt	Irrigation	560 gpm	110,000,000	560 if possible

C. Maximum Rate of Use Requested

What is the maximum, instantaneous rate of water that will be used? 560 gpm possibly
(The fees for your application will be based on this amount.)

D. Period of Use

Indicate the time of year you propose to use the water: April 1 to Oct 31st
(For seasonal uses like irrigation give dates when water use would begin and end, e.g. March 1–October 31.)

E. Acreage

If you will be applying water to land, please give the total number of acres where water will be applied or used: 120 acres
(This number should be consistent with your application map.)

5. WATER MANAGEMENT**A. Diversion**

What equipment will you use to pump water from your well(s)?

- ☒ Pump (give horsepower and pump type): 50 hp submersible
☐ Other means (describe): _____

B. Transport

How will you transport water to your place of use?

- ☐ Ditch or canal (give average width and depth):
 Width _____ Depth _____
 Is the ditch or canal to be lined? ☐ Yes ☐ No
- ☒ Pipe (give diameter and total length):
 Diameter 5" - 8" Length 20 ft joints - 1000 ft estimate
☐ Other (describe): _____

RECEIVED

Ground Water/4

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON**RECEIVED**

FEB 13 2007

WATER RESOURCES DEPT
SALEM, OREGON

G-16803

C. Application/Distribution Method

What equipment will you use to apply water to your place of use? N/A

Irrigation or land application method (check all that apply):

- ☐ Flood ☐ High-pressure sprinkler ☐ Low pressure sprinkler
☐ Drip ☐ Water cannons ☒ Center pivot system
☐ Hand lines ☒ Wheel lines ← OR →
☐ Siphon tubes or gated pipe with furrows
☐ Other, describe _____

Distribution method

- ☒ Direct pipe from source ☐ In-line storage (tank or pond) ☐ Open canal

D. Conservation

What methods will you use to conserve water? Why did you choose this distribution or application method? For example, if you are using sprinkler irrigation rather than drip irrigation, explain. If you need additional space, attach a separate sheet.

using low pressure systems, regulators, & appropriate sprinklers

6. PROJECT SCHEDULE

Indicate the anticipated dates that the following construction tasks should begin. If construction has already begun, or is completed, please indicate that date.

Proposed date construction will begin: early '07

Proposed date construction will be completed: late '07

Proposed date beneficial water use will begin: late '07 early '08

7. REMARKS

If you would like to clarify any information you have provided in the application, please do so here and reference the specific application question you are addressing.

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

Ground Water/5

RECEIVED

FEB 13 2007

WATER RESOURCES DEPT
SALEM, OREGON

G-16888

8. MAP REQUIREMENTS


The Department cannot process your application without accurate information showing the source of water and location of water use. You must include a map with this application form that clearly indicates the township, range, section, and quarter/quarter section of the proposed well location and place of use. The map must provide tax lot numbers. See the map guidelines sheet for detailed map specifications.

9. SIGNATURE

By my signature below I confirm that I understand:

- I am asking to use water specifically as described in this application.
- Evaluation of this application will be based on information provided in the application packet.
- I cannot legally use water until the Water Resources Department issues a permit to me.
- If I get a permit, I must not waste water.
- If development of the water use is not according to the terms of the permit, the permit can be canceled.
- The water use must be compatible with local comprehensive land use plans.
- Even if the Department issues a permit to me, I may have to stop using water to allow senior water right holders to get water they are entitled to, and

I swear that all information provided in this application is true and correct to the best of my knowledge:

	2-7-07
Signature of Applicant (If more than one applicant, all must sign.)	Date
	2-7-07
	2-7-07

Before you submit your application be sure you have:

- Answered each question completely.
- Attached a legible map which includes township, range, section, quarter/quarter and tax lot number.
- Included a Land Use Information Form or receipt stub signed by a local official.
- Included the legal description of all the property involved with this application. You may supply a copy of the deed, land sales contract, or title insurance policy, to meet this requirement.
- Included a check payable to the Oregon Water Resources Department for the appropriate amount. The Department's fee schedule can be found at www.wrd.state.or.us or call (503) 986-0900.

RECEIVED

WRD on the web:
www.wrd.state.or.us

FEB 22 2007

Ground Water/6

**WATER RESOURCES DEPT
SALEM, OREGON**

RECEIVED

FEB 13 2007

**WATER RESOURCES DEPT
SALEM, OREGON**



Oregon Water Resources Department

FORM I

FOR IRRIGATION WATER USE

1. Please indicate whether you are requesting a primary or supplemental irrigation water right.

☐ Primary ☐ Supplemental

If supplemental, please indicate the number of acres that will be irrigated for each type of use.

Primary: 120 Acres

Secondary: _____ Acres

List the permit or certificate number of the primary water right:

No. 120

2. Please list the anticipated crops you will grow and whether you will be irrigating them for a full or partial season:

- | | | |
|-------------------|---|--|
| 1. <u>Wheat</u> | ☐ Full season | ☒ Partial season (from: <u>4/1</u> to <u>7/1</u>) |
| 2. <u>Alfalfa</u> | ☒ Full season | ☐ Partial season (from: <u>4/1</u> to <u>10/1</u>) |
| 3. <u>Garlic</u> | ☐ Full season | ☒ Partial season (from: <u>4/1</u> to <u>7/1</u>) |
| 4. <u>Mint</u> | ☒ Full season | ☐ Partial season (from: <u>4/1</u> to <u>10/1</u>) |

3. Indicate the maximum total number of acre-feet you expect to use in an irrigation season:

up to 3 acre-feet / per Acre on mint
(1 acre-foot equals 12 inches of water spread over 1 acre, or 43,560 cubic feet, or 325,851 gallons.)

4. How will you schedule your applications of water? Will you be applying water in the evenings, twice a week, daily?

☐ Daily during daytime hours

☐ Daily during nighttime hours

☐ Two or three times weekly during daytime

☐ Two or three times weekly during nighttime

☐ Weekly, during daytime hours

☐ Weekly, during nighttime hours

☒ Other, explain: Soil moisture sensors and weather will determine the amount + time of watering.
I ideally, we like to water at night.

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

FEB 13 2007

WATER RESOURCES DEPT
SALEM, OREGON

G-16803



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdictions where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan.

Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan.

Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

FEB 13 2007

WATER RESOURCES DEPT
SALEM, OREGON



Oregon Water Resources Department Land Use Information Form

THIS FORM IS NOT REQUIRED IF: 1) water is to be diverted, conveyed, and/or used only on federal lands; or 2) the application is for a water-right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply: a) only the place of use is proposed for change, b) there are no structural changes, c) the use of water is for irrigation, and d) the use is located in an irrigation district or exclusive farm-use zone.

Applicant Name: William + Douglas + Thomson Martin
Mailing Address: PO Box 201
City: Rufus State: OR Zip: 97050 Day Phone: 541-980-5979

This application is related to a Measure 37 claim. ☐ Yes ☒ No

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), or used. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	1/4 1/4	Tax Lot #	Plan Designation (e.g. Rural Residential/RR-5)	Water to be:	Proposed Land Use:
2N	10E	11	NESE	1500 & 1501		☐ Diverted ☒ Conveyed ☒ Used	EFU
						☐ Diverted ☐ Conveyed ☐ Used	
						☐ Diverted ☐ Conveyed ☐ Used	
						☐ Diverted ☐ Conveyed ☐ Used	

List all counties and cities where water is proposed to be diverted, conveyed, or used. Sherman Co.

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☒ Permit to Use or Store Water ☐ Water-Right Transfer ☐ Exchange of Water
☐ Allocation of Conserved Water ☐ Limited Water Use License
☐ Permit Amendment or Ground Water Registration Modification

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 400 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☒ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-municipal ☐ Instream ☐ Other _____

Briefly describe: irrigation on land presently used for dry-land crops

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt below and include it with the application filed with the Water Resources Department.

Receipt for Request for Land Use Information

State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

FEB 18 2007

WATER RESOURCES DEPT
SALEM, OREGON

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form.

This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☐ Land uses to be served by proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): 3.1(2)(A).
- ☐ Land uses to be served by proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued".

Type of Land-Use Approval Needed (e.g. plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
Outright permitted use		☒ Obtained	☐ Being pursued
		☐ Denied	☐ Not being pursued
		☐ Obtained	☐ Being pursued
		☐ Denied	☐ Not being pursued
		☐ Obtained	☐ Being pursued
		☐ Denied	☐ Not being pursued
		☐ Obtained	☐ Being pursued
		☐ Denied	☐ Not being pursued
		☐ Obtained	☐ Being pursued
		☐ Denied	☐ Not being pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

This project is a permitted use in the exclusive
Farm Use Zone.

Name: Georgia L. Macnab Title: Planning Director
Signature: Georgia L. Macnab Phone: 541-565-3601 Date: 2-7-07
Government Entity: Sherman County

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: Thomson, William & Douglas Mark

City or County: Sherman Staff contact: Georgia Macnab

Signature: Georgia L. Macnab Phone: 541-565-3601 Date: 2-7-07

RECEIVED

FEB 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

Last updated 12/22/06 WRD
RECEIVED

FEB 13 2007

WATER RESOURCES DEPT
SALEM, OREGON

PARCEL 1:

Beginning at the Southwest corner of Section 1, Township 2 North, Range 16 East of the Willamette Meridian; thence North 1000 feet; thence Northeasterly in a straight line to a point which is 1670 feet, more or less, for the Southeast corner of the Southwest quarter of said Section 1; thence South 1670 feet, more or less, to the Southwest corner of the Southwest quarter of said Section 1; thence West along said South line to the point of beginning.

PARCEL 2:

The Easterly 90 acres of the Northeast quarter of Section 11, Township 2 North, Range 16 of the Willamette Meridian, in the County of Sherman and State of Oregon.

PARCEL 3:

The Southeast quarter of Section 11, Township 2 North, Range 16 East of the Willamette Meridian in the County of Sherman and State of Oregon, EXCEPTING THEREFROM the South 1485 feet, more or less, as conveyed to Charles Allen Tom et ux., by deed recorded in Book 42, page 98, Sherman County Deed Records.

<u>Code No.:</u>	<u>Map No.:</u>	<u>Tax Lot No.:</u>	<u>Reference No.:</u>
7.2	2N16	201	203
7.2	2N16	1400	215
7.2	2N16	1500	301;

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED


FEB 13 2007

WATER RESOURCES DEPT
SALEM, OREGON

app no G-16803

W.M.
UNTY

2N 16
& INDEX



CANCELLED NC
4600
2700
2800
800

DETAIL
SEC. 2 AND 1

1	EAST	1496.41
2	S49°39'24"W	129.05'
3	WEST	227'
4	S66°49'13"W	1273.91'
5	NORTH	585'
6	EAST	389.12'
7	N22°W	265.39'
8	S49°39'24"W	380.10'

PARCEL 4903
SEC. 32

1	N74°48'46"E	118.56'
2	N54°56'36"E	165.22'
3	N35°59'51"E	214.96'
4	N51°51'57"E	172.24'
5	N74°34'43"E	102.40'
6	N37°34'45"E	1100.05'
7	N39°00'50"W	520.49'
8	N19°14'10"W	374.74'
9	N39°36'26"W	294.51'
10	N14°26'58"W	413.81'
11	N8°15'17"W	387.92'
12	N26°36'26"W	497.47'

RECEIVED

FEB 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

FEB 23 2007

WATER RESOURCES DEPT
SALEM, OREGON

☐ Water management section (Please estimate if the water system has not been designed).

☐ Resource Protection Section (Page 6, Section 5).

☐ Project schedule (If system is already completed, indicate "existing").

☐ For reservoir applications storing more than 9.2 acre feet, and a dam height of more than 10 feet, preliminary plans and specifications for dam and impoundment are required.

☐ If the above statement is checked, the map must be prepared by a CWRE.

OK ☐ All applicants (or the authorized agent with title or authority if for an organization or corporation), must sign the application in ink.

OK ☐ You must include a Legal description of the property involved that includes a metes and bounds, or other government survey description. A copy of the deed, land sales contract or title insurance policy can provide this information, or you may submit a lot book report prepared by a title company. The Department will not accept a copy of the tax bill.

OK ☐ A completed Land-Use Form or receipt signed and dated by the appropriate planning department officials. *Date of signature must be within the past 6 months.*

☒ The map must meet all the minimum requirements of OAR 690-310-0050.

☐ Township, Range, Section

☐ Location of main canals, ditches, pipelines or flumes

☒ Place of use, 1/4, 1/4's and tax lot clearly identified

☒ Even map scale not less than 4" = 1 mile (example: 1" = 100 ft, 1" = 200 ft, etc.) *NO SCALE STATED*

☒ Location of each diversion point well or dam by reference to a recognized public land survey corner

☐ North Directional Symbol

☒ Number of acres per 1/4, 1/4, if irrigation, nursery, or agriculture

☐ Other _____

☐ Reference corner on map

☒ Each point of diversion coordinate

☐ Fees: Amount of water requested 560 GPM
correct

Base Fee \$ _____

Total Exam Fee \$ 600

1st CFS/AF _____

Total Paid \$ 850

_____ Addtn'l @ _____ = _____

Amount Due \$ 0 *RECORDING FEE PAID*

Reviewed by HERB MESGAR

Date 2-14-2007

*CHECK
RETURNED*

RETURNED

Standard Application Completeness Checklist

Minimum Requirements (OAR 690-310-0040) (ORS 537.400)

Application _____	Township _____
Priority Date _____	Range _____
Use(s) _____	Section _____
Rate _____	POD Loc. _____
County <u>SHERMAN</u>	POU Loc. _____

- ☐ Applicant/Organization Name, Mailing Address and Telephone Number, application signed in ink.
- ☐ Source of water. If stored water, is the stored water component filed out, including a non-expired agreement for stored water must be included. (ORS 537.400)
- ☒ Property ownership indicated.
 - ☐ If applicant does not own all the land, the affected landowner's name and mailing address must be listed.
 - ☐ If applicant does not own all the land, a statement declaring the existence of either written authorization or an easement permitting access to land crossed by the proposed ditch canal or other work must be submitted.
- ☒ Groundwater development section (Page 2, Section 3 and/or Page 3, Section 2) or a well log report.
- ☐ Proposed use of water. If supplemental, list primary water right acreage if applicable.
- ☐ Enclosed Supplemental Form for each proposed use.
 - ☒ Form I (Irrigation) ☐ Form M (Municipal or Quasi-Municipal)
 - ☐ Form R (Mining) ☐ Form Q (Commercial or Industrial)
 - ☐ Spring Description Sheet
- ☐ Amount of water from each source in gallons per minute (GPM), cubic feet per second (CFS), or acre feet (AF)
- ☐ Period of use

QUESTION; TOP Pg 2

NOT ANSWERED.

RECEIVED

FEB 20 2007

WATER RESOURCES DEPT
SALEM, OREGON

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **86364**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM: Martin Farms, Inc

BY: _____

CASH: ☐ CHECK: # 3698 OTHER: (IDENTIFY) ☐

APPLICATION	<u>616703</u>
PERMIT	
TRANSFER	

TOTAL REC'D \$ 850.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407	COPIES	\$
_____	OTHER: (IDENTIFY) _____	\$

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES	\$
0410	RESEARCH FEES	\$
0408	MISC REVENUE: (IDENTIFY) _____	\$
TC162	DEPOSIT LIAB. (IDENTIFY) _____	\$
0240	EXTENSION OF TIME	\$

WATER RIGHTS:

0201	SURFACE WATER	EXAM FEE \$	0202	RECORD FEE \$
0203	GROUND WATER	\$ <u>600.00</u>	0204	\$ <u>250.00</u>
0205	TRANSFER	\$		

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	EXAM FEE \$	0219	LICENSE FEE \$
	LANDOWNER'S PERMIT		0220	\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD #	
0210	MONITORING WELLS	\$	CARD #	

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)		\$
0231	HYDRO LICENSE FEE (FW/WRD)		\$
_____	HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT:

86364

DATED: 2-22-07

BY: [Signature]

G-16803

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS OR 97050

G-16803

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS OR 97050

G-16803

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS OR 97050

G-16803

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS OR 97050

G-16803

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS OR 97050

G-16803

WILLIAM MARTIN
DOUGLAS MARTIN
THOMSON MARTIN
PO BOX 201
RUFUS OR 97050