	Applica	tion No. 5 69654			FEES PAID	
Name Windhurst Road Water Corporation		mit No. \$ 53763		Date	Amount 200°	Receipt No.
Ву				6-20-88	200	DD 201
Address PO Box 503	Certifica	ate No.		3/4/0	250 00	95825
Bandon, OR 97411			277	9/22/14	350.00	11349
	Stream	m Index, Page No. 17-2 SEE R-69708	LE6	7-8-2021	670.00 Cert. Fee	135797
Timo 20, 1000				FEI	ES REFUNDE	ED.
Date filed June 30, 1988				Date	Amount	Check No.
Priority			ASSIGNMENTS	3-/5-75	999.02	00218
Action suspended until	Date	To Whom	ASSIGNMENTS	Address	Volume	Page
Return to applicant						
Date of approval	***************************************					••••
CONSTRUCTION		1	REMARKS			
Date for beginning	***************************************			Fee	s ford	
Date for completion				8-23-202	1 \$1000	136831
Extended to	***************************************					***************************************
Date for application of water						•••••••••••••••••••••••••••••••••••••••
Extended to 10-1-2014, 10:30:2019	2					
PROSECUTION OF WORK						•••••••••••••••••••••••••••••••••••••••
Form "A" filed						······································
Form "B" filed						
Form "C" filed						
FINAL PROOF						
Blank mailed						
Proof received						
Date certificate issued						

Mailing List for Extension FO Copies

FO Date: January 28, 2022

Copies Mailed

Application: S-69654 Permit: S-53703

By: 7M On: 1|28|2022

Original mailed to permit holder

Windhurst Water Inc. P.O. Box 1832 Bandon, OR 97411

Copies sent to:

- 1. WRD App. File S-69708/ Permit S-53703
- 2. Other permit holders of record besides applicant
- 3. WRD Keith Mills, Dam Safety (for standard reservoir permits only)
- 4. WRD Kelly Starnes, Permit Amendments (if necessary)
- 5. Agent or CWRE representing the Permit Holder

Fee paid as specified under ORS 536.050 to receive copy:

6. None

Receiving notification via e-mail FO available in WRIS for review (DONE BY EXTENSION SPECIALIST)

7. WRD - Watermaster District 15, Susan Douthit

CASEWORKER: JDP

Oregon Water Resources Department

Water Right Services Division

Application for Extension of Time

In the Matter of the Application for an Extension of Time for Permit S-53703, Water Right Application S-69654) FINAL ORDER in the name of Windhurst Water Inc.

Permit Information

Application:

S-69654

Permit:

S-53703

Basin:

South Coast / Watermaster District 15

Date of Priority:

June 30, 1988

Source of Water:

Bill Creek, a tributary of Bear Creek, and legally stored water under

Permit R-12928

Purpose or Use:

cranberry operations on 162.4 acres, agricultural use on 27.7 acres, and

supplemental cranberry operations on 18.1 acres

Maximum

614.0 acre-feet (AF) of stored water; not to exceed 2.75 cfs combined

Rate/Volume:

under Permit R-12928 and S-53703 from Bill Creek

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.230 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315.

Appeal Rights

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit S-53703 was issued by the Department on October 10, 2000. The permit specified completion of construction by, and complete application of water to beneficial use by, October 1, 2005. The most recent extension authorized completion of construction and complete application of water to beneficial use by October 30, 2019. On September 13, 2021, Jack Haga of Windhurst Water Inc. submitted an Application for Extension of Time for Permit S-53703. In accordance with OAR 690-315-0050(2), on November 23, 2021, the Department issued a Proposed Final Order proposing to extend the time to complete construction from October 1,

Final Order: Permit S-53703

Page 1 of 3

2005, or October 30, 2019, to October 1, 2024, and the time to apply water to full beneficial use from October 1, 2005, or October 30, 2019, to October 1, 2024. The protest period closed January 7, 2022, in accordance with OAR 690-315-0060(1). No protest was filed.

FINDINGS OF FACT

The Department adopts and incorporates by reference the findings in the Proposed Final Order dated November 23, 2021.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, the permit may be extended subject to the following conditions:

LIMITATIONS AND CONDITIONS

1. Last Extension Condition

This may be the last extension of time granted for Permit S-53703. Future extensions of time request will only be approved for a period of two years, and will only allow for the demonstration of compliance with permit conditions. No additional development of the beneficial use will be authorized beyond October 1, 2024. ORS 539.010(5); OAR 690-315-0040.

CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.230, 539.010(5) and OAR 690-315-0040(2).

ORDER

The extension of time for Application S-69654, Permit S-53703, therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 30, 2019, to October 1, 2024.

DATED: January 28, 2022

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

Mailing List for Extension PFO Copies

PFO Date: November 23, 2021

Copies Mailed

S. 69054 Application: S-69708 80600000

Permit: S-53703

By: TF1
On: 11/23/2021

Original mailed to Applicant:

Windhurst Water Inc. P.O. Box 1832 Bandon, OR 97411

Copies sent to:

- 1. WRD App. File S-69708/ Permit S-53703
- 2. Agents or CWRE's representing the Permit Holder
- 3. Other permit holders of record besides applicant

Fee paid as specified under ORS 536.050 to receive copy:

4. None

Receiving via e-mail (10 AM Tuesday of signature date) (DONE BY EXTENSION SPECIALIST)

5. WRD - Watermaster District 15, Susan Douthit

CASEWORKER: JDP

Oregon Water Resources Department

Water Right Services Division

Application for Extension of Time

In the Matter of the Application for an Extension of Time PROPOSED for Permit S-53703, Water Right Application S-69654 FINAL in the name of Windhurst Water Inc. Permit Information Application: S-69654 Permit: S-53703 Basin: South Coast / Watermaster District 15 Date of Priority: June 30, 1988 Source of Water: Bill Creek, a tributary of Bear Creek, and legally stored water under Permit R-12928 Purpose or Use: cranberry operations on 162.4 acres, agricultural use on 27.7 acres, and supplemental cranberry operations on 18.1 acres Maximum 614.0 acre-feet (AF) of stored water; not to exceed 2.75 cfs combined Rate/Volume: under Permit R-12928 and S-53703 from Bill Creek

Please read this Proposed Final Order in its entirety as it contains additional conditions not included in the original permit.

In summary, the Department proposes to:

- Grant an extension of time to apply water to full beneficial use from October 30, 2019, to October 1, 2024.¹
- Make the extension subject to certain conditions set forth below.

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.230 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315

Page 1 of 11

¹ Pursuant to ORS 537.230(5), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use.

ACRONYM QUICK REFERENCE

Application – Application for Extension of Time
Department – Oregon Water Resources Department
ODFW – Oregon Department of Fish and Wildlife
PFO – Proposed Final Order
FOF – Finding of Fact
AF - acre-feet
cfs – cubic feet per second
ODFW – Oregon Department of Fish and Wildlife

AUTHORITY

Generally, see ORS 537.230 and OAR Chapter 690 Division 315.

ORS 537.230(2) provides in pertinent part that the Oregon Water Resources Department (Department) may, for good cause shown, order an extension of time within which irrigation or other works shall be completed or the right perfected. In determining the extension, the Department shall give due weight to the considerations described under ORS 539.010(5) and to whether other governmental requirements relating to the project have significantly delayed completion of construction or perfection of the right.

ORS 539.010(5) instructs the Director to consider: the cost of the appropriation and application of the water to a beneficial purpose; the good faith of the appropriator; the market for water or power to be supplied; the present demands therefor; and the income or use that may be required to provide fair and reasonable returns upon the investment.

OAR 690-315-0040 provides that in order to approve an application for an extension of time to complete construction or apply water to full beneficial use, the Department shall make the findings in OAR 690-315-0040(1) including a finding that there is "good cause" to approve the extension. OAR 690-315-0040(2)-(4) contains the factors that the Department must consider to make findings that support a "good cause" determination.

OAR 690-315-0050(5) states that extension orders may include, but are not limited to, any condition or provision needed to: ensure future diligence; mitigate the effects of the subsequent development on competing demands on the resource; and periodically document the continued need for the permit.

FINDINGS OF FACT

1. On October 10, 2000, Permit S-53703 was issued by the Department. The permit authorizes the use of up to 614.0 AF of water legally stored under Permit R-12928 from the Bill Creek, a tributary of Bear Creek, not to exceed a combined rate of 2.75 cfs from Bill Creek between Permits R-12928, and S-5370, for cranberry operations on 162.4 acres, agricultural use on 27.7 acres, and supplemental cranberry operations on 18.1 acres. The permit specified actual construction was to begin by October 10, 2001 and complete application of water was to be made on or before October 1, 2005.

- Two prior permit extensions have been granted for S-53703. The most recent extension request resulted in the completion dates for construction and full application of water being extended from October 1, 2005 to October 30, 2019.
- On September 13, 2021, Jack O. Haga of Windhurst Water Inc., submitted an
 "Application for Extension of Time" (Application) to the Department, requesting the time
 to apply water to full beneficial use under the terms and conditions of Permit S-53703 be
 extended from October 30, 2019, to October 1, 2024.
- 4. On October 12, 2021, notification of the Application for Permit S-53703 was published in the Department's Public Notice. No public comments were received.

Review Criteria [OAR 690-315-0040]

In order to approve an Application for an Extension of Time to complete construction and/or apply water to full beneficial use pursuant to ORS 537.230 or 537.630, or to begin construction, pursuant to ORS 537.248, the Department must make the findings in OAR 690-315-0040(1)(a) – (d).

Complete Extension of Time Application [OAR 690-315-0040(1)(a)]

 On September 13, 2021, the Department received a completed Application and the fee specified in ORS 536.050 from the permit holder.

Start of Construction [OAR 690-315-0040(1)(b) and 690-315-0040(5)]

6. Actual construction of the water system began prior permit issuance.

Based on Findings of Fact (FOF) 10 and 11, the Department has determined the permit holder began construction prior to October 10, 2001.

Good Cause [OAR 690-315-0040(1)(d)]

The Department must find that there is "good cause" to approve the extension. In making a "good cause" finding, the Department shall consider the requirements set forth under OAR 690-315-0040(2).

Reasonable Diligence of the Appropriator [OAR 690-315-0040(2)(a)]

In order to make a finding of "good cause" to approve the extension, the Department shall consider whether the applicant has demonstrated "reasonable diligence" in previous performance under the permit. OAR 690-315-0040(2)(a). In determining "reasonable diligence", the Department shall consider, but is not limited to, the following factors: a) The amount of construction completed within the time allowed in the permit or previous extension; b) The amount of beneficial use made of the water during the permit or previous extension time limits; c) Water right holder conformance with the permit or previous extension conditions; and d) Financial investments made toward developing the beneficial use of water.

Amount of Construction [OAR 690-315-0040(3)(a)]

The amount of construction completed within the time allowed in the permit or previous extension.²

- 7. Construction of the water system began prior to the permit issuance.
- Work was completed during the original development time frame under Permit R-12928
 as identified in the Applications for Extension of Time submitted March 6, 2009, and
 September 26, 2014.
- During the most recent extension period, being from October 1, 2014, to October 30, 2019, work accomplished within the time allowed in previous extension includes construction of additional bogs.
- 10. Since October 30, 2019, an additional 2 acres of bogs were constructed.

The Application provides evidence of progress of physical work made towards completion of the water system, enough to qualify as the minimum necessary for the Department to find good cause and reasonable diligence towards complete application of water to a beneficial use.

Compliance with Conditions [OAR 690-315-0040(3)(c)]

11. The Department has considered the permit holder's compliance with conditions, including mitigation requirements, and did not identify any concerns.

Based on FOF 11, the Department has determined that the permit holder has demonstrated compliance with permit conditions as required by Permit S-53703.

Beneficial Use of Water [OAR 690-315-0040(3)(b)]

The amount of beneficial use made of the water during the permit time limits or previous extension time limits.

12. A maximum volume of 614 AF of legally stored water under Permit R-12928 has been diverted not exceeding a maximum of 2.75 cfs from the Bill Creek, a tributary of Bear Creek, for cranberry operations on 112.0 acres. The Application does not identify water used for agricultural uses or supplemental cranberry operations.

Based on FOF 12, the Department has determined that beneficial use of water has been demonstrated under Permit S-53703.

13. A delay of full beneficial use of water under Permit S-53703 was due, in part, to low cranberry prices.

Based on FOF 11, and 12, the Department has determined that beneficial use of water has been demonstrated under this permit.

Proposed Final Order: Permit S-53703 Page 4 of 11

^{2 &}quot;Actual Construction" is defined in OAR 690-315-0020(3)(d)(A)and(B) as physical work performed toward completion of the water system which demonstrates the water right permit holder's good faith and intention to complete the project with reasonable diligence. Actual construction does not include planning a diversion system, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, surveying, clearing land or planting crops.

Financial Investments to appropriate and Apply Water to a Beneficial Purpose [OAR 690-315-0040(2)(b),(3)(d),(4)(d)]

14. An approximate total of \$2,937,517, has been invested. The costs included the cost to have a registered geologist be present for the initial filling of Windhurst Reservoir, which is not "actual construction" under this permit and therefore are not counted towards development. After deducting these costs, the approximate total investment for "actual construction" to date is approximately \$2,929,617 which is about 89 percent of the total projected cost for complete development of this project. The Application identifies an additional \$370,000 investment is needed to complete this project, which includes developing the cost of upgrading the diversion on Bill Creek, and construction of up to 40.0 acres of additional bogs. The Department maintains that the upgrade to the diversion on Bill Creek represents maintenance and upgrading of an existing point of diversion under the permit, and does not consider this new development under the permit.

Based on FOF 14, the Department has determined that the permit holder had made an investment, which provides evidence of good cause and reasonable diligence towards the complete application of water to a beneficial use.

Reasonable Diligence of the Appropriator [OAR 690-315-0040(2)(a)]

The Application provides evidence that work has been accomplished towards completion of the water system; the permit holder has demonstrated compliance with permit conditions; a financial investment has been made, and; beneficial use of water has been demonstrated. The Department has determined the applicant has demonstrated reasonable diligence in previous performance under Permit S-53703.

The Market and Present Demands for Water [OAR 690-315-0040(4)(a-f)]

The Department's determinations of market and present demand for water or power to be supplied shall consider the requirements set forth under OAR 690-315-0040(4)(a-f). In accordance with OAR 690-315-0040(4), the Department shall consider, but is not limited to, the following factors when determining the market and the present demand for water or power to be supplied:

- (a) The amount of water available to satisfy other affected water rights and scenic waterway flows;
- (b) Special water use designations established since permit issuance, including but not limited to state scenic waterways, federal wild and scenic rivers, serious water management problem areas or water quality limited sources established under 33 U.S.C. 1313(d);
- (c) The habitat needs of sensitive, threatened or endangered species, in consultation with the Oregon Department of Fish and Wildlife;
- (d) Economic investment in the project to date;
- (e) Other economic interests dependent on completion of the project; and
- (f) Other factors relevant to the determination of the market and present demands for water and power.

OAR 690-315-0040(4)(a)

The amount of water available to satisfy other affected water rights and scenic waterway flows.

- 15. A review of the amount of water available to satisfy other affected water rights and scenic waterway flows was determined at the time of issuance of Permit S-53703; furthermore, water availability for other affected water rights and scenic waterway flows after the permit was issued is determined when an application for a new water right is submitted.
- 16. Water Availability Analysis for the Bear River, (Tributary to Coquille River) at the mouth (watershed ID 70230) show that no water is available during the months of June through November of each year at the 80% exceedance level.
- 17. Current Water Availability Analysis has determined that 614.0 AF of water is available from water legally stored under Permit R-12928.

OAR 690-315-0040(4)(b)

Special water use designations established since permit issuance, including but not limited to state scenic waterways, federal wild and scenic rivers, serious water management problem areas or water quality limited sources established under 33 U.S.C. 1313(d).

- 18. The points of diversion are located on Bill Creek, a tributary of Bear Creek, and reservoirs within the Bill Creek drainage, and are not located within a Withdrawn Area.
- 19. Bill Creek, a tributary of Bear Creek, is not located within or above a state or federal scenic waterway.
- 20. The points of diversion are in a location listed by the Department of Environmental Quality as a water quality limited stream. Bear Creek, Watershed Unit (1st through 4th order streams) listed under Water Quality Limited for BioCriteria, Dissolved Oxygen, and Temperature.

OAR 690-315-0040(4)(c)

The habitat needs of sensitive, threatened or endangered species, in consultation with the Oregon Department of Fish and Wildlife.

21. Bill Creek, a tributary of Bear Creek, is located within an area ranked "highest" for stream flow restoration needs as determined by the Department in consultation with the Oregon Department of Fish and Wildlife, and is located within a Sensitive, Threatened or Endangered Fish Species Area as identified by the Department in consultation with Oregon Department of Fish and Wildlife.

OAR 690-315-0040(4)(d)

Economic interests dependent on completion of the project.

22. An approximate total of \$2,929,617 has been invested in the project.

OAR 690-315-0040(4)(e)

Other economic interests dependent on completion of the project.

23. Individual families utilize water from this permit for their cranberry operations

OAR 690-315-0040(4)(f)

Other factors relevant to the determination of the market and present demand for water and power.

- 24. No other factors relevant to the determination of the market and present demand for water and power have been identified.
- 25. OAR 690-315-0050(6) requires the Department to place a checkpoint condition on this extension of time in order to ensure diligence is exercised in the development and perfection of the water use permit. A "Checkpoint Condition" is specified under Item 1 of the "Limitations and Conditions" section of this PFO to meet this condition.

Fair Return Upon Investment [OAR 690-315-0040(2)(f)]

26. The use and income from the permitted water development will likely result in reasonable returns upon the investment made to date.

Other Governmental Requirements [OAR 690-315-0040(2)(g)]

- 27. The Application identifies that Oregon Department of Fish and Wildlife (ODFW) have requested improvements to the diversion on Bill Creek.
- 28. According to the Application, and previous applications for extension of time, the permit holder has identified that an ODFW compliant fish screen was installed in 2002.

Though ODFW is requesting an update to the intake, it is not considered a requirement that delayed the development of the water use authorized by the permit because the permit holder has identified that the required fish screen had been installed within the time authorized by the permit.

Unforeseen Events [OAR 690-315-0040(2)(h)]

 The Application identifies the original landowners have passed away in the last few years.

Denial of an Extension Would Result in Undue Hardship [OAR 690-315-0040(2)(i)]

30. The Application identifies the multiple families who produce cranberries under this permit would experience undue hardships if the extension of time is denied.

Good Faith of the Appropriator [OAR 690-315-0040(2)(c)]

31. The Application provides evidence of good faith of the appropriator under Permit S-53703.

Based on FOF 6, through 14, and 22, the Department has determined that the applicant has shown good faith and reasonable diligence.

Duration of Extension [OAR 690-315-0040(1)(c)]

Under OAR 690-315-0040(1)(c), in order to approve an extension of time for water use permits the Department must find that the time requested is reasonable and the applicant can complete the project within the time requested.

32. As of September 13, 2021, the permit holder states the remaining work to be completed consists of completing construction of the water system and applying water to full beneficial use.

Given the amount of development left to occur, the Department has determined that the permit holder's request to have until October 1, 2024, to accomplish the application of water to beneficial use under the terms and conditions of Permit S-53703 is both reasonable and necessary.

Good Cause [OAR 690-315-0040(1)(d)]

The Department must find that there is "good cause" to approve the extension. In making a "good cause" finding, the Department shall consider the requirements set forth under OAR 690-315-0040(2).

The Department has considered the reasonable diligence and good faith of the appropriator, the cost to appropriate and apply water to a beneficial purpose, the market and present demands for water to be supplied, the financial investment made and fair and reasonable return upon the investment, the requirements of other governmental agencies, and unforeseen events over which the permit holder had no control, whether denial of the extension will result in undue hardship to the applicant and whether there are no other reasonable alternatives for meeting water use needs, any other factors relevant to a determination of good cause, and has determined that the applicant has shown that good cause exists for an extension of time to complete construction and apply water to full beneficial use pursuant to OAR 690-315-0040(1)(d).

LIMITATIONS AND CONDITIONS

OAR 690-315-0050(5) provides for extension orders to include, but are not limited to, any condition or provision needed to ensure future diligence. Based on the time allowed by this extension of time provides for 24 years to complete application of water to the beneficial use, the Department determined the need to place a "Last Extension Condition" on this extension of time in order to ensure diligence is exercised in the development and perfection of the water use permit. This condition, specified under Item 1 of the "Conditions" section of this PFO, was determined to be necessary due to the amount of time provided by previous extensions and this extension of time.

CONCLUSIONS OF LAW

- The Applicant has submitted a complete extension application form and the fee specified in ORS 536.050, as required by OAR 690-315-0040(1)(a).
- 2. The Applicant complied with construction timeline requirements to begin actual construction as required by ORS 537.230, OAR 690-315-0040(1)(b) and OAR 690-315-0040(5).
- 3. Based on Finding of Facts 6, through 31, completion of construction and full application of water to beneficial use can be accomplished by October 1, 2024³, as required by OAR 690-315-0040(1)(c).
- 4. The Applicant can complete the project within the time period requested for the extension on the project.
- 5. The Applicant has demonstrated good cause for the extension, but the extension must be conditioned to ensure this is the last extension granted in order to ensure future diligence; OAR 690-315-0050(5).
- 6. For extensions exceeding five years, the Department shall establish progress checkpoints to determine if diligence is being excised in the development and perfection of the water use permit. Intervals between progress check points will not exceed five years periods, as required by OAR 690-315-0050(6).

PROPOSED ORDER

Based upon the foregoing Findings of Fact and Conclusions of Law, the Department proposes to issue an order to:

Extend the time to apply water to beneficial use under Permit S-53703 from October 30, 2019, to October 1, 2024.

Subject to the following conditions:

LIMITATIONS AND CONDITIONS

1. Last Extension Condition

This may be the last extension of time granted for Permit S-53703. Future extensions of time request will only be approved for a period of two years, and will only allow

Page 9 of 11

³Pursuant to ORS 537.230(5), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and a new or revised claim of beneficial use as deemed appropriate by the Department.

for the demonstration of compliance with permit conditions. No additional development of the beneficial use will be authorized beyond October 1, 2024. ORS 539.010(5); OAR 690-315-0040.

DATED: November 23, 2021

Dwight French, Administrator Water Right Services Division If you have any questions, please check the information box on the last page for the appropriate names and phone numbers.

Proposed Final Order Hearing Rights

- Under the provisions of OAR 690-315-0100 and 690-315-0060, the applicant or any
 other person adversely affected or aggrieved by the proposed final order may submit a
 written protest to the proposed final order. The written protest must be received by the
 Water Resources Department no later than <u>January 7, 2022</u>, being 45 days from the date
 of publication of the proposed final order in the Department's weekly notice.
- 2. A written protest shall include:
 - a. The name, address and telephone number of the petitioner;
 - A description of the petitioner's interest in the proposed final order and if the
 protestant claims to represent the public interest, a precise statement of the public
 interest represented;
 - A detailed description of how the action proposed in the proposed final order would adversely affect or aggrieve the petitioner's interest;
 - A detailed description of how the proposed final order is in error or deficient and how to correct the alleged error or deficiency;
 - e. Any citation of legal authority supporting the petitioner, if known;
 - f. Proof of service of the protest upon the water right permit holder, if petitioner is other than the water right permit holder; and
 - g. The applicant or non-applicant protest fee required under ORS 536.050.
- 3. Within 60 days after the close of the period for requesting a contested case hearing, the Director shall:
 - a. Issue a final order on the extension request; or
 - b. Schedule a contested case hearing if a protest has been submitted, and:
 - 1) Upon review of the issues, the Director finds there are significant disputes related to the proposed agency action; or
 - 2) The applicant submits a written request for a contested case hearing within 30 days after the close of the period for submitting protests.

NOTICE TO ACTIVE DUTY SERVICEMEMBERS: Active duty Servicemembers have a right to stay these proceedings under the federal Servicemembers Civil Relief Act. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 503-584-3571 or the nearest United States Armed Forces Legal Assistance Office through http://legalassistance.law.af.mil. The Oregon Military Department does not have a toll free telephone number.

- If you have any questions about statements contained in this document, please contact Jeffrey D. Pierceall at (503) 979-3213.
- If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Patricia McCarty at 503-979-9160.
- If you have any questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0801.

Address any correspondence to:


Water Right Services Division 725 Summer St NE, Suite A

Fax: 503-986-0901

Salem, OR 97301-1266

Application: Permit: 3703 Public Notice Route Slip New Application Extension of Time per Division 315 Rules (Extensions received on July 1, 2001 or after)						
Applicant/Permit Holder(s) Windhurst Road Water Corporation P.O. Box 1832						
	Bondon DR 974//					
Proposed Co	ompletion Date: 10-1-2024					
□ WRIC	GMoney Receipted on: July 8, 21 8-23-2021					
☐ Extension	n Specialist					
	Added to tracking spreadsheet					
After fee is	receipted and app is added to spreadsheet, route to					
⊠ Tonya Mi	iller					
Ø,	Recent Assignment (Check WRIS for Update)					
Ø	Publish on Public Notice (initial 30-day comment): Date of notice 10/12/2021					
Ø	Update WRIS Database					
R	In the "PNotice Date" field Enter the date the Extension Application was published on the Public Notice.					
Ø	In the "Ext Filed" field Enter the date the Extension Application was received.					
☐ Yes or □	No: Return file to Extension Specialist after PN					
NOTES:						
Receive	ed July 8, 2021 New Fee applies					





Water Resources Department

North Mall Office Building 725 Summer St NE, Ste A Salem, OR 97301 Phone: 503-986-0900

Fax: 503-986-0904 www.Oregon.gov/OWRD

Windhurst Road Watering Corp. P.O. Box 1832 Bandon, OR 97411

RECEIVED

AUG 2 3 2021

OWRD

Reference: Application R-69708 and S-69654; Permit R-12928 and S-53703

Dear permit holder,

HB2142 increased the fees for water right transactions effective July 1, 2021. The new fee for an Application for Extension of Time is \$780. Because your Applications were received on July, 8, 2021, the fee of \$670 is not sufficient to cover the statutory fee required by law. Please remit the additional \$110 to the Department for each Application by August 23, 2021, so that the Department can evaluate your Application. If the additional fee is not received by August 23, 2021, the Department will not be able to process your Application, and will return it to you.

If you have any questions, feel free to contact me at Jeffrey.D.Pierceall@oregon.gov or 503-979-3213.

Sincerely,

Jeffrey Pierceall

Extension Specialist

Water Rights Division

Extension PFO Checklist for

Other than Muni or Quasi-Municipal

Water Use Permits (OAR 690-315-0010 through OAR 690-315-0060)

Permit Holder's Name Permit Holder's Mailin	Permit: S. 53703 Permit Amendment? No Tes T pending Dapproved: Windhurst Water INC ng Address: PO. Box 1832 Bandon, OF 97411 Devries @ yahoo.com (?) -297-6292
Agent/CWRE	
Drainage Basin: Co	ounty: Coos Watermaster District: \(\scale= \) Watermaster:
Date Permit was issued: 1 Source: Bill Creek Use: Cranherry of "Q": Lot 4 Af	Date of PN: Date
	Orig B Date: 1011 Orig C Date. 15
	Last Authorized Last Authorized O ZON Date: NA "C" Date: 10-30-2019 Proposed Proposed C Date: 10-1-2024
Conditions of Permit:	
Condition Condition Met? Not Met?	Permit Condition
	Begin construction:
405	meter @ Bill CR POD / AWUR
	BILL CR Gish screen
409	Staff gag in each res
Yes No Work was acco Water right period Beneficial use n Permit ho	mit holder conformed with the permit or previous extension made of the water during the permit or previous extension time limits older has beneficially used 275 Cfs/gpm/af of the total permitted quantity of water on acres ments were made toward developing the beneficial water use. Invested to date: \$2929617 Estimated Remaining Cost: \$370,000

Applica	tion	Permit	Township	Range	Section
Determi	nation of the market and	the present demand for	water or power to be supplie	d:	
Yes No	Ground Water Permits: Surface Water Permits: above a state scenic water within a stream segment of within a critical or limited within a sensitive, threate in a waterbody listed on t within an area ranking love	Identify the closest surfact Is the POA located Is the POD located way? Selesignated as a federal wild I Ground Water Area? Nationed or endangered species the DEQ Section 303(d) List w/moderate/high/Highest	ource: OWRD "Areas Above State So and scenic river? Source: www.i me of area_ area_source: "/gisdata/dev/projects/s tof Water Quality Limited Area	enic Waterways" Map rivers.gov/wildriverslist.l almon/div33map.aml" eas? Date added to estoration needs Sou	o list urce: OWRD "Streamflow Restoration Maps (by region)
	Yes "Good Cause" of	an be found. Appro	val of Extension Request		
	No "Good Cause" ca	nnot be found. Denial	of Extension Request		
Condit	ions to be included in Ext	tension PFO (if applicable)? Yes No Candition(s) at the exten	sion stage.)	
	☐ 5-year Progress Repo	rt Checkpoints (Years:			
	DO Other: Last.	Dev. began	in 1960 w/ per	mit issued E0T allows o	14 years for dev.
Footno	te regarding Claim of Be	neficial Use. Choose the a	ppropriate language below a	nd insert as a footi	note in the PFO:
	"For permits applied been completed and Water Resources De	either: (1) Hire a water right exampartment, for issuance of a water is	9, 1987, upon complete development of	onduct a survey, the orig ropriate water under the	otify the Department that the work has inal to be submitted as required by the water right permit until the Water
Ø ·	"Pursuant to ORS 5. examiner to survey	the appropriation. Within one year	beneficial use of water allowed under rafter the complete application of wated	er to a beneficial use (or	by the date allowed for the complete
	"Pursuant to ORS 5: examiner to survey	the appropriation. Within one year	9, 1987 beneficial use of water allowed under after the complete application of watedder shall submit a map of the survey a	er to a beneficial use (or l	by the date allowed for the complete
NOTES	S:			THE STATE OF THE S	
				*	
	on "PFO" Dates g / Issuance Date:	Protest Deadlin	e Date:FC) Issuance Date:	
Review	er's Name:		Date:		
Party II					

WINDHURST ROAD WATERING CORPORATION

RECEIVED

JUL 0-8 2021


OWRD

T.28S & 29S, R.14 W., W.M.

Application R-69708 Permit R-12928 Application S-69654

Permit S-53703

Coos County Oregon




Supplemental Cranberry Operations (32.1 ac.) 18.1 application vs 32.1 in bogs

Primary Agricultural Use (27.1 ac.) (Sup. IR not in permit) 27.7 application vs 27.1 in bogs



New Primary Cranberry Operations 162.4 application vs 86.15 proposed (57.55 in bogs + 28.6 not built)



Reservoirs

23 application vs 25 proposed

Scale 1 inch = 1320 feet

RECEIVED

JUL 0-8 2021

OWRD

1 48

Fish Screening and Passage Program

Oregon Department of Fish and Wildlife



Cost Share Grant Application



ODFW USE ONLY
Title: Oregon Cranberry Farmers - Windhurst
Project Type: S Activity: Replacement Amount: \$65,037.20
Date received:

APPLICANT- Fill In	- Fill In CONTACT INFORMATION					
CO-APPLICANT, PROJECT CONTACT,	Name: Roth, John	Work phone: 541-347-2437				
	Title:	Home phone:				
	Business Name: Bandon Cranberry Water Control District	Cell/Other: 541-297-6292				
DRIFTONOM CHAILED	Mailing Address: 555 Hwy 101	Fax:				
	City/State/Zip: Bandon, OR 97411	Email:				

ers - Windhurst	Diversion Flow Relative	ve to Stream Flow (%): 50.	000
and the state of t	Longitude: -124.3473	9	
Longitude: -124.34	1725	County: Coos	
District: Umpqua	District: Umpqua		RECEIVE
House District: 1	House District: 1		JUL 0-8 202
Watershed Council	Watershed Council Area: Coquille Watershed		
Tributary Of: Bear	Tributary Of: Bear Creek		OWRD
			Billion (n. 1800), and priority Market and the surface of the
Water Certificate W			omments
		2.75	
utbowy and upper to any province and	AND	2.75	MONTH OF THE PARTY
			的。
V	Vater Period		cription
	Longitude: -124.34 District: Umpqua House District: 1 Watershed Counci Association Tributary Of: Bear Water Certificate Number	Longitude: -124.34725 District: Umpqua House District: 1 Watershed Council Area: Coquille Watershed Association Tributary Of: Bear Creek Water Certificate Number Water Period	Longitude: -124.34725 County: Coos District: Umpqua Stream: Bill Creek House District: 1 Senate District: 1 Watershed Council Area: Coquille Watershed Association Tributary Of: Bear Creek Water Certificate Number Water Certificate Date CFS 2.75 2.75

Applicant-Fill In PROJECT INFORMATION

Summary: A screened vault will be installed to replace a failed pump screen on Bill Creek, near Bandon in Coos County.

Purpose: ODFW cost shared a Sure-Flo screen for a pump intake that is only used during the winter months. The screen failed almost immediately due to the high flows and large amounts of debris that the site regularly experiences. Rather than continuing to deal with the ongoing damage to the intake pipe and screen, the preferred solution is to install a screened vault within the bank, which will be much less susceptible to high-flow damage. The design has already been completed by ODFW.

ODFW considers the stream to be a high priority for screening due to the presence of listed coho. Chinook, cutthroat, steelhead and lamprey are also

present.				
Estimated TimeLines: The screen sh preferred time for installation, but me	nop plans to purchase the materials eting that goal will depend on how	s this spring, and do the fab well the shop's other sched	rication as time allows. Late summer 2021 is the uled projects go.	
Requesting ODFW Engineering Assis	stance?: Yes	Stream Miles Made Ac	ccessible: 0	
GPS Based Project Location	1909-1904 (1909-1904) (1909) Stationard Space (1909-1904)			
Latitide: 43.08675		Longitude: -124.34724		
Digitally Derived Project Location				
Latitide: 43.08676	Longitude: -124.347	NO.	County: Coos	
Basin: South Coast	District: Umpqua		Stream: Bill Creek	
Quarter:	House District: 1		Senate District: 1	
HUC: 17100305	Watershed Council / Association	Area: Coquille Watershed	RECEIVED	
LLID: 1243369431063	Tributary Of: Bear C	reek	111 0-8 2021	
Notes:			JOE 64 F05.	

ODFW Use Only

SPECIES

OWRD

Project yet to be reviewed by ODFW Team.

Diversion flow relative to stream flow (%): 50.000	Diversions Screened in stream (%): 20% - 40%	Amount of Water Screened: 2.75 (cfs)
Fish Species Status:	Fish Migration:	Fish Numbers:
Habitat Quality:	Basin Priority:	Total Points: 0
Screen Details		
Diversion Type: Pump	Fish Screen Brand: na	Fish Screen Model: na
Installation: Pre-fabricated	Cleaning System: Other	Orientation: N/A

Comments/Recommendations	
District Biologist	
Field Coordinator	
Screen Shop Manager	
State Coordinator	
Program Manager	

JUL 08 2021





TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT A separate extension application must be submitted for each permit as per OAR 690-315-0020(2).

I, Windhust. NAME OF PERMIT HO	DLDER [OAR 690-315-00). (3)(a)]	
PO Box 1832 ADDRESS	Brydon	STATE	97411 ZIP
541-297-6292 PHONE		E-MAIL ADDRESS	soin hos. com
the permit holder of:	Application Number	r <u>S-69654</u>	
	Permit Number	S-53763 [OAR 690-315-0020(3)(b)]	
do hereby request that the water put to full beneficial Day: / Year: 2019	use, which time now		cl
I am the permit holder, and may app statements in this extension applica- the extension.	oly for an extension of time ution are grounds for OWRD t	under this permit. I understand that to suspend processing of the reque	t false or misleading st and/or reason to deny
Signature Oldren	6-9 Date	1-31	
Printed Name The agent below is authorized to rep	Title	atters relating to THIS application.	JoH
Authorized Agent (Print Agent Name		contact	Permit Holder Initials

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT # 135797

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172 (503) 986-0900 / (503) 986-0904 (fax)

INVOICE # __

						Circle .		
ECI	EIVED FROM	1: Bandon	Cronbe	rry	Water	1	PPLICATION	5-69654
Y:		Control					PERMIT	
		VIII CHEST CONT.		CHARLES THE SE		W TE	TRANSFER	
ASI	H: CH	IECK:# 1-1-1 S	THER: (IDEN	TIFY)				
		V 1110				TO	OTAL REC'D	\$670.00
	1000	TDE A CHIEVA	4470 11	IDD 111	00 040114			
	1083	TREASURY	4170 W	AD MI	SC CASH A	400		
	0407	COPIES						\$
		OTHER: (I	DENTIFY)					\$
	0243 I/S Le	ase 0244	Muni Water N	Igmt. Plan	1 02	245 Cd	ons. Water	
					PERATING	-		
		MISCELLANEOUS			Walter Dress			
	0407	COPY & TAPE FEE			46111			\$
	0410	RESEARCH FEES						\$
								\$
	0408	MISC REVENUE:						\$
	TC162	DEPOSIT LIAB. (I			Walter State of the State of th			\$ 670.00
	0240		IIVIC		FYAMEEE			RECORD FEE
	0001	WATER RIGHTS:			EXAM FEE		0202	\$
	0201	SURFACE WATER			\$	-	0202	\$
	0203	GROUND WATER			S		0204	
	0205	TRANSFER	-		EXAM FEE	-		LICENSE FEE
		WELL CONSTRUC					0219	S
	0218	WELL DRILL CON			\$	_	0220	S
		LANDOWNER'S P	ERMIT					
	114	OTHER	(IDENTIFY)					
-	0536	TREASURY	0437 V	VELL C	ONST. STA	RTI	EE	
		WELL CONST STA					CARD#	
	0211				\$		CARD#	
	0210						***************************************	
		OTHER	(IDENTIFY)					
	0607	TREASURY	0467 H	IYDRO	ACTIVITY	LI	CNUMBER	
	0233	POWER LICENSE	FEE (FW/WR	ID)				\$
	0231	HYDRO LICENSE	FEE (FW/WR	D)		_		\$
		HYDRO APPLICAT	TION					\$
		TDEACHDY	0	THER	/ RDY	-		
		TREASURY		HILM	, 110,1			
	FUND	-	_ TITLE			1		
	OBJ. COD	E	_ VENDOR #					
	DESCRIPT							\$
						PA - 1222		

RECEIPT: 135797 DATED: 7-8-2021 Mindy Cordson

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

STATE OF OREGON

WATER RESOURCES DEPARTMENT

	1	9	0	03	2	0	
RECEIPT #	-	5	0	2	5	6	

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE #

-		(503) 986-0900	/ (503) 986-0904 (fax)		
EC	EIVED FRO	M: Bandon Cranber	ry Water	APPLICATION	5-69654
Y:		Control District		PERMIT	
۸۹	SH: C	CHECK:#. OTHER: (IDENTIF)	*	TRANSFER	
	7	OTHER: (IDENTIFY	()	TOTAL REC'D	\$ 110,00
		ZX1100		TOTAL NEC D	\$ 110,00
	1083	TREASURY 4170 WRD	MISC CASH AC	CCT	
	0407	COPIES			\$
		OTHER: (IDENTIFY)			\$
	0243 I/S L	ease 0244 Muni Water Mgmt	. Plan 0245	Cons. Water	
			OPERATING A		ALIES SECTION
	-	MISCELLANEOUS	46110		-
	0407	COPY & TAPE FEES	701.0		S
	0410	RESEARCH FEES			\$
	0408	MISC REVENUE: (IDENTIFY)			\$
	TC162	DEPOSIT LIAB. (IDENTIFY)			S
	0240	EXTENSION OF TIME			\$ 110.00
		WATER RIGHTS:	EXAM FEE		RECORD FEE
	0201	SURFACE WATER	\$	0202	\$
	0203	GROUND WATER	\$	0204	\$
	0205	TRANSFER	S		
		WELL CONSTRUCTION	EXAM FEE		LICENSE FEE
	0218	WELL DRILL CONSTRUCTOR	\$	0219	\$
		LANDOWNER'S PERMIT		0220	\$
		OTHER (IDENTIFY)			
_	0500	TOTACION 0407 INTI	L CONOT OTAD		
	0536	TREASURY 0437 WEL			
	0211	WELL CONST START FEE	\$	CARD#	
	0210	MONITORING WELLS	\$	CARD#	
		OTHER (IDENTIFY)			
	0607	TREASURY 0467 HYDR	RO ACTIVITY	LIC NUMBER	
	0233	POWER LICENSE FEE (FW/WRD)			\$
	0231	HYDRO LICENSE FEE (FW/WRD)			\$
		HYDRO APPLICATION			\$
		TREASURY OTHE	R / RDX		
	ELIND	TITLE			
	OBJ. COD				
	DESCRIPT				\$
	DESCRIP				

Date 8/18/2021 Oregon Dept Water Resources Type Reference HB2142

Windhurst Sub Accou

Ref #: Application R-69708 and S-69654; Permit.

110.00

Original Amt. 110.00

Balance Due 110.00

Discount

8/18/2021

Check Amount

Payment 110.00 110.00

136236

RECEIPT:

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

1788

Application for Extension of Time for a Water Right Permit (NON-Municipal/NON Quasi-Municipal water Use)



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem Oregon 97301 (503) 986-0900 www.wrd.state.or.us JUL 08 2021

OWRD

Criteria for a Permit Extension of Time

The Department can accept requests for an extension of time on permits to (1) complete construction, and/or to (2) apply water to beneficial use.

In order to approve a permit extension request the Department must be able to find:

- 1) Construction has begun:
 - A. For Groundwater Permits

Construction of the well(s), authorized by the permit, began within 5 years of the date the permit was issued or by the actual construction date specified in the permit.

B. For Surface Water or Reservoir Permits

Construction of the water system began within 5 years of the date the permit was issued or by the actual construction date specified in the permit.

The Department will also confirm that:

2) If required, a fish screen, fish passage or fish by-pass device was installed <u>before or prior to diversion of any water</u>. An exception to the need to confirm installation prior to diversion of any water would be a waiver submitted to the Department from ODFW stating that a fish screen, fish passage or fish by-pass device was not required, provided your permit allows for a waiver.

If you have questions, please call the Department at (503)-986-0900 and ask to speak with a permit extension specialist.

Before submitting your Application for Extension of Time, make sure the following items are included:

- This completed Application for Extension of Time.
- Statutory fee of \$670
- Signature page (Second page of this Application for Extension of Time).
- Letter granting an agent authority to act on behalf of the permit holder (if applicable)
- All supporting documentation and/or evidence referenced in the Application for Extension of Time. (ODFW Fish screen approval or waiver, contract for stored water, etc)

MAIL COMPLETED APPLICATION along with the Supporting documents and/ or evidence and correct fee to:

RECEIVED

Water Resources Department Attn: Water Right Permit Extensions 725 Summer Street NE, Suite A Salem, Oregon 97301 JUL 0-8 2021

OWRD

GENERAL TIPS:

- Permit holders of municipal or quasi-municipal water use permits DO NOT use this form. The
 correct form is Application for Extension of Time for Municipal and Quasi-Municipal Water Use
 Permits.
- Request the reasonable amount of time necessary to fully complete construction of the water project and/or to fully use the permitted quantity of water under the terms and conditions of your permit. Should this request be approved, it will be OWRD's expectation that you will complete your project within the new time period allowed. Future extensions may not be granted.
- A separate APPLICATION FOR EXTENSION OF TIME must be submitted for each permit. OAR 690-315-0020(2).
- Permit extensions are evaluated under OAR Chapter 690, Division 315. These rules may be viewed at the State of Oregon, Secretary of State Website. To be granted an extension of time, the Department must make four specific findings; 1) the application is complete, 2) construction of the water system began, 3) there is good cause, and 4) the project can be completed within the time being requested. If the Department cannot make all four findings, the extension of time cannot be approved.
- You may provide OWRD with any additional information or evidence that will aid us in making our decision. Please note that OWRD may require other information that is necessary to evaluate the application. OAR 690-315-0020(3)(n).
- After careful review of the Application for Extension of Time, you may contact OWRD at (503) 986-0900, to ask questions and request assistance from a Permit Extensions Specialist in the Water Rights Services Division.

JUL 0-8 2021

 An Application for an Extension of Time will be reviewed for completeness. A response is required for each item contained in the application. OWRD will return any incomplete or deficient applications to the applicant. OAR 690-315-0040(1)(a).

OWRD

Reference Materials Needed to Complete this Application:

- The water right permit. If needed, a copy of the water right permit can be downloaded from the Department's Website, or, a copy of the permit may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).
- Previous Applications and Orders. Copies of previous applications and orders that may inform
 the completion of the Application for Extension of Time, if available, may be downloaded from
 the Department's Website. NOTE: If the document requested is not available on the
 Department's website, you may be required to submit a Public Record Request.
- Documentation which demonstrates compliance with permit conditions (for example, well
 construction logs; static water level measurement reports; annual water use reports; ODFW
 fish screen certification; a plan to monitor the effect of water use on ground water aquifers
 utilized under the permit; etc.).

Questions to complete this application for an Extension of Time Please see the instruction sheet to help you answer these items.

1.	Beginning Construction within required deadlines. OAR 690-315-0020(3)(d)
For G	iroundwater Permits
	Has construction of the point of appropriation (well) authorized under this permit begun? Yes No
	Date construction began Month: Day: Year:
	Details of construction and attach documentation:
For S	urface/Reservoir Permit Has construction of the water system begun? Yes □ No
	Date construction began Month: Day: Year: 1960
	Details of construction and attach documentation: Manicke Reservoir #4 constructed, Start o bog construction

OWRD

OAR 690-315-0020(3)(A)(e)(A)

2a. Permits typically contain standard or special conditions that must be fully satisfied to lawfully develop and use permitted water. Review the permit subject to this extension to identify which of the conditions listed in the 2nd column are contained within it. Using the extra row labeled "other" to specify any other additional conditions included in the permit, or specified in a final order approving a permit amendment or prior extension of time. In the 1st column check the box for each condition (row) identified as relevant. In the 3rd column check "Yes" if you have completed or met the permit condition. Check "No" if the condition is not yet satisfied. In the 4th column, give the date when the condition was satisfied or will be satisfied. Attach any pertinent documentation. Note: a pump test condition does not need to be addressed here however; you must submit the results of the test to the Department for approval prior to certification.

CHART-A

Checkbox	Permit Conditions in this Permit Ground water Check those included on this permit	Have Completed or Met?	Date satisfied/ or will be satisfied
	Installation of a meter/totalizing flow meter	Yes No	
	Submittal of annual water usage report	☐ Yes ☐ No	
	Submittal of initial static water level measurement	☐ Yes ☐ No	
	Submittal of annual static water level measurements in the month required	Yes No	
	Submittal of Seven consecutive static water level measurements in the month required	Yes No	
	Special well construction standards	Yes No	
	Submittal of a monitoring plan	Yes No	
	Other (Specify):	Yes No	
	Other (Specify):	Yes No	
	Other (Specify):	Yes No	
	Surface Water or Reservoir		
\boxtimes	Installation of a meter/ totalizing flow meter	⊠ Yes □ No	2001
	Submittal of annual water use report	⊠ Yes □ No	
	Installation of a fish screen		2002
	Installation of a fish by-pass device	Yes No	
	Installation of a fish passage	Yes No	
	Installation of an outlet gate/pipe/ conduit	Yes No	
	Submittal of a letter from ODFW that fish screen, fish by-pass device, and or fish passage is not required	☐ Yes ⊠ No	
	Submit as-built plans and specification	Yes No	
	Submittal of a letter from an engineer prior to storage	Yes No	
\boxtimes	Other (Specify): Staff gage on Bear Cr	⊠ Yes ☐ No	2000
\boxtimes	Other (Specify): Staff Gage & Weir at POD	⊠ Yes □ No	1998
\boxtimes	Other (Specify): Staff gages in reservoirs	⊠ Yes □ No	2015

RECEIVED

2b. If you have identified that you have NOT complied with Permit conditions, explain the reasons why and indicate a date certain, when you will be in compliance.

JUL 0-8 2021

OWRD

[OAR 690-315-0020(3)(e)]

3. Provide evidence of physical work made toward completion of the water system, and of progress made toward making beneficial use of water within the permitted time period (CHART-B); and if applicable, within the time period of the most recent extension granted (CHART-C). CHART-B (below) must be completed for all Application for Extension of Time requests. Use chronological order. Itemize each work item, and do not combine multiple work actions in one area. (Planning, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, surveying, clearing land, or planting crops is not considered work in the development of the water system. Work accomplished under other water rights may not be considered work under this permit.)

CHART-B

WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED List any work done before the permit was issued – eg. well drilled.	COST*
Construct 17 reservoirs	114,500
, Windhurst Reservoir and 100 acres of bogs	2,600,000
WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER List work/actions done during the permitted time period.	COST*
Date the permit was signed - find date above signature on last page of permit.	
Install pump, electrical & valves for Windhurst Reservoir	\$12,500.00
Partial excavation of Haga Res. #1	\$4,000.00
On site geologist filling Windhurst Res.	\$7,900.00
Fish Screen installed on Bill Cr.	\$2,617.00
Partial excavation of Scherer Res. #2 for sanding bogs	4,000
Construct about 6.2 acres of bogs, , pumps, sprinklers pipes, electrical	62,000
Date the permit specified complete application of water to the use shall be made- all permits contain this date.	
WORK ACCOMPLISHED AFTER the date the permit specified complete application of water and prior to any previous extension order DATE COMPETE ONLY IF THIS IS YOUR 1st APPLICATION FOR AN EXTENSION OF TIME: List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.	
Total Cost for Chart-B 2,807,517	
	Construct 17 reservoirs , Windhurst Reservoir and 100 acres of bogs WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER List work/actions done during the permitted time period. Date the permit was signed - find date above signature on last page of permit. Install pump, electrical & valves for Windhurst Reservoir Partial excavation of Haga Res. #1 On site geologist filling Windhurst Res. Fish Screen installed on Bill Cr. Partial excavation of Scherer Res. #2 for sanding bogs Construct about 6.2 acres of bogs, , pumps, sprinklers pipes, electrical Date the permit specified complete application of water to the use shall be made- all permits contain this date. WORK ACCOMPLISHED AFTER the date the permit specified complete application of water and prior to any previous extension order COMPETE ONLY IF THIS IS YOUR 1st APPLICATION FOR AN EXTENSION OF TIME: List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.



4. If this is <u>not</u> your 1st Application for Extension of Time request, fill out CHART-C below in addition to CHART-B above. *Use chronological order*.

OWRD

CHART-C

DATE	WORK ACCOMPLISHED <u>DURING</u> THE LAST EXTENSION PERIOD List all work done during the last authorized extension period.	COST*
10/1/2014	"Extended From" date for complete application of water used in the most recent Final Order on Extension of Time.	
2016-2019	Bog Construction, work on diversion in Bill Cr., Clear land for future bogs	80,000
10/30/2019	"Extended To" date for complete application of water resulting from the most recent Final Order on Extension of Time.	
DATE	WORK ACCOMPLISHED AFTER THE LAST EXTENSION PERIOD EXPIRED List all work done after the last authorized date for complete application of water up to the date of this Application for Extension of Time.	COST*
2020	Approximately 2 acres of bog constructed	50,000
	Total Cost of Chart-C 130,000	

^{*} If exact cost is not known, you must provide your best estimate. [OAR 690-315-0020(3)(f)]

5. Cost of project to date: 2,937,517 (Probably much more) (The total combined cost from CHART-B and CHART-C) [OAR 690-315-0020(f)]

^{*} If exact cost is not known, you must provide your best estimate.

[OAR 690-315-0020(3)(e)(B)]

OWRD

Provide evidence of the maximum rate (or duty, if applicable) of water diverted for beneficial use under this permit made to date.

<u>TIP:</u> Report <u>the rate</u> used to date. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.

6.	For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):
TIP:	Report the rate in the same units of measurement as specified in the permit.

Maximum rate <u>used to date</u> = 2.75 cfs (cubic feet per second)	or,	
Maximum rate <u>used to date</u> = gpm (gallons per minute)	or,	
Maximum volume of stored water <u>used to date</u> = up to <u>614 AF</u>		or,
Maximum volume stored annually to date = AF		

7. For Ground Water Permit Extensions (e.g. G-XXXX):

<u>TIP:</u> Include information from ALL wells that pertain to this permit, including drilled wells not currently used.

CHART-D

			IF DRILLED					
Well # as identified on Permit	Water User's Well#	Has this well been drilled?	Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	is the actual drilled location authorized on this permit or on a permit amendment?	Maximum instantaneous rate used to date from this well under this permit only (CFS or GPM)	is this well authorized or utilized under any OTHER water rights?	If yes, provide the Permit, Certificate, or Transfer No.
		Yes 🗌			Yes 🗌		Yes 🗌	
		No 🗌			No 🗌		No 🗆	11.
		Yes 🗌			Yes 🗌		Yes 🗌	
		No 🗌			No 🗆		No 🗌	
		Yes 🗌			Yes 🔲		Yes 🔲	· · ·
		No _			No 🗌		No 🗆	
		Yes 🗌			Yes 🔲		Yes 🗌	•
		No _			No 🗆		No 🗆	
		Yes			Yes 🔲		Yes 🗌	•
		No _			No 🗌		No 🗌	
		Yes 🗌			Yes 🔲		Yes 🗌	
		No 📗			No 🗆		No 🗆	•
		Yes 🗌			Yes 🗌		Yes 🗌	•
		No _			No 🗆		No 🗌	

8.	Has a Permit Amendment Application been filed?	Yes	No	
----	------------------------------------------------	-----	----	--

JUL 0-8 2021

If yes, identify Transfer No. T-____ [OAR 690-315-0020(3)(e)(C)]

For Irrigation and Nursery Use Permits Extensions
 Provide the total number of acres irrigated to date under this permit.

OWRD

- a) Total acres irrigated to date: 112 (approximately)
- b) List by year, the number of acres irrigated each year since permit issuance.

Year	Acres	Year	Acres	Year	Acres
2021	45 Scherer				
2021	27.5 Haga				
2021	26 Manicke				
2021	13.5 Richart				

- c) Provide a copy of the application map identifying the acres irrigated.
- d) Please specify the number of acres irrigated by each Point of Diversion/Point of Appropriation (POD/POA).

(POD/POA)#1 Acres 45

(POD/POA) #3 Acres 26

(POD/POA) #2 Acres 27.5

(POD/POA) # 4 Acres 13.5

[OAR 690-315-0020(3)(i)(j)]

10. In the chart below provide a summary of your future plans and schedule to complete the construction of the water system, and/or apply water to full beneficial use under the terms and conditions of the permit.

CHART-E

APPROXIMATE DATE RANGE (projected)	WORK OR ACTION TO BE ACCOMPLISHED (projected)	ESTIMATED COST (projected)
2022-2026	Installation of sump box in Bill Creek in cooperation with ODF&W and	370,000
	construction of up to an additional 40 acres of bogs and infrastructure	
Year: 2028	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
	Total Cost	370,000

[OAR 690-315-0020(3)(g)]

11. Estimated remaining cost to complete the project: <u>370,000</u>

(The total cost from CHART-E)

[OAR 690-315-0020(3)(j)]

OWRD

12. Provide a summary of your plan to complete construction, meeting all permit conditions and apply the water to beneficial use: (List all tasks or steps needed to complete the project, the date when each task will be completed, and the cost associated with each task; attach additional pages if necessary.) Land preparation and construction of additional cranberry acreage, installation of additional infrastructure, update electrical services as needed. Secure vines for planting additional acreage. Complete modified POD from Bill Creek in cooperation with ODF&W

[OAR 690-315-0020(3)(k)]

13. <u>Justify the time requested</u> to complete the project and/or apply the water to full beneficial use. (Include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested.)

Delays in this project have been caused by stagnation of cranberry market as well as price drops in the \$20 range per barrel. Cranberry prices have been rising since 2019, unfortunately, during this time many growers went bankrupt or operated at a net loss. With consistent rising prices the expansion can be completed

[OAR 690-315--0020(3)(I)

14a. Will a denial of the extension result in undue hardship? (Describe the hardship and the effects.) Many families depend on cranberry farming for income and have invested over \$3,000,000. Loss of this kind of investment means loss of income, property value and security

14b. Are there any other reasonable alternatives that exist for meeting your water use needs? (Explain in detail, consider other potential sources of water, and describe their feasibility) There are none

[OAR 690-315-0020(3)(h)

15. Was the delay in the timely completion of this water development project and/or timely application of water to full beneficial use caused by any additional government requirements, other than the conditions contained within the permit, which significantly delayed the completion and perfection of this right? (Explain in detail, including how much time did this delay the project; list dates.) yes, partly — ODF&W has requested a cooperative project to improve the diversion on Bill Creek. This will move the diversion slightly further delaying the possibility of a COBU

RECEIVED

JUL 08 2021

OWRD

[OAR 690-315-0020(3)(h)

16. Describe any unforeseen events which contributed to the delay of completion of this project that you had no control over. (Explain in detail what the unforeseen events were (i.e. health issues, natural disaster) and how much time was spent addressing the unforeseen events.) Downturn in the market caused a drop in farm revenue. In the last few years, the deaths of the original three property owners made obtaining needed information to complete this application very difficult. Their deaths stopped any additional development for a period of time.

[OAR 690-315-0020(3)(h)]

17. Describe an additional reasons why the construction was not completed, and/or water was not beneficially used within permit time limits. (Provide supporting information for the reason(s) that best fits your circumstances.)

<u>Higher cost of expansion and development coupled with lower cranberry prices.</u> Ownersips have changed hands which brought in new ideas

[OAR 690-315-0020(3)(m)(n)]

18. Provide any other information you wish OWRD to consider while evaluating your Application for Extension of Time.

The land owners are a close knit group of family farmers who enjoy what they do and look forward to passing on these farms to future generations.

[OAR 690-315-0040(2)(f)]

19. Will the income or use of the water project provide a fair and reasonable return on your investment? (Explain in detail) Farmers feed millions of people in this country and they love what they do. If American farmers only worried about their bottom line, this would be a nation of hungry people. If the cranberry market continues to head in the positive direction it has been, the returns will be manageable.

[OAR 690-315-0040(4)(d)]

20. Describe in detail if there are other economic interest, beyond those of the permit holder, which are dependent upon the completion of this project. (Who will be effected and how?) The land owners under the permit. The farmers and families in this area support the surrounding communities. We have accounts with and spend money at the local business — fuel companies, equipment suppliers, fabricators, restaurants, etc. all have the potential for impact.

JUL 08 2021
OWRD

Attach permit, and documentation to the application

RECEIVED

JUL 08 2021

OWRD

9:09

ess LTE MAN

■ Mail

AA

apps.wrd.state.or.us

C



misc measure id stream id measurement group source tributary to county code traqq description drain area discharge mile_post hydro_unit stream_code measurement_date wm_district basin_nbr latitude_dec longitude_dec acre_feet surface_elevation surface_elevation_units basin_name
1010806 37079 BEAR CR COQUILLE R
COOS 28S 14W 34NENE MADING, DOWNSTREAM, 10', BLW OLD STAFF, FROM ROD. NMT RATED POOR. ISMR# C-79553 (17 CFS). MISC FLOW MNT FOR WINDHURST RES, PERMIT CONDITION. 38.13
17100305 1715100200 4/23/2018 3:24:00
PM 15 17 43.10971670
-124.338000000 FT



Water Resources Department

725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 Fax (503) 986-0904

October 12, 2021

REFERENCE: Application for Extension of Time

Dear Extension of Time Applicant:

The Water Right Services Division has received your application for an extension of time for **APPLICATION FILE #:** S-69654 (**Permit** S-53703). Your application will be reviewed in the future. Following the review, you will receive a Proposed Final Order either approving or rejecting the extension of time request. A 45-day protest period begins upon issuance of the Proposed Final Order. After the protest period closes, a Final Order is issued.

You may continue the use of water under your water right until the Water Resources Department formally takes action on your extension application. If your permit includes conditions, water use reporting, water level measurement reporting, etc., you are required to comply with the conditions.

Any additional development that occurs after the expired completion date, identified on the permit or an extension order, can only be claimed upon an approved extension application.

If you have questions concerning your extension of time application, please contact Jeffrey Pierceall at (503) 986-0802. For general information about the Water Resources Department, you may contact the Water Resources' Customer Service Group at (503) 986-0801 or you may access the Department's website at: www.wrd.state.or.us.



Water Resources Department

North Mall Office Building 725 Summer St NE, Ste A Salem, OR 97301 Phone: 503-986-0900 Fax: 503-986-0904

www.Oregon.gov/OWRD

Windhurst Road Watering Corp. P.O. Box 1832 Bandon, OR 97411

Reference: Application R-69708 and S-69654; Permit R-12928 and S-53703

Dear permit holder,

HB2142 increased the fees for water right transactions effective July 1, 2021. The new fee for an Application for Extension of Time is \$780. Because your Applications were received on July, 8, 2021, the fee of \$670 is not sufficient to cover the statutory fee required by law. Please remit the additional \$110 to the Department for each Application by August 23, 2021, so that the Department can evaluate your Application. If the additional fee is not received by August 23, 2021, the Department will not be able to process your Application, and will return it to you.

If you have any questions, feel free to contact me at Jeffrey.D.Pierceall@oregon.gov or 503-979-3213.

Sincerely,

Jeffrey Pierceall

Extension Specialist

Water Rights Division



Water Resources Department

725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 Fax (503) 986-0904

April 14, 2016

WINDHURST ROAD WATER CORPORATION PO BOX 503 BANDON, OR 97411

REFERENCE: Application S-69654 / Permit S-53703

Dear Permit Holder:

On January 9, 2015, the Department issued a Final Order approving an Extension of Time for Permit S-53703. The Final Order contained a condition to submit a progress report to the Department by October 1, 2016.

This letter is being sent to you as a reminder the progress report is due on October 1, 2016.

For your convenience, I have enclosed a **Progress Report Form** for you to fill out and submit. In order to maintain the ability to continue developing water under this permit, you should submit your progress report no later than October 1, 2016.

As per your most recent extension, the date by which water must be applied to full beneficial use within the terms and conditions of your permit is October 30, 2019.

Failure to submit written progress reports will most likely result in any future extensions being denied.

If you have any questions concerning this matter, you may contact me by telephone at (503) 986-0825.

Sincerely,

Corey A Courchane

Extensions

Water Rights Services Division

Enclosure

cc: Application S-69654

Watermaster District 19 - Greg Wacker

Extension PFO Checklist for

Other than Muni or Quasi-Municipal

Water Use Permits

(OAR 690-315-0010 through OAR 690-315-0060)

Application: S- 69654 Permit: S- 53703 Permit Amendment? No Yes T- pending approved							
Permit Holder's Name: Windhurst Road Watering Corp Permit Holder's Mailing Address: P.O. Box 503, Bandon OR 97411 email Phone Number: 541-347-3062 POD Location: Township SEE ATTACHED Range Section 1/41/4							
Drainage Basin: 17 County: Coos Watermaster District: 19 Watermaster: Mitch Lewis							
Date Permit was issued: 10/10/2000 Priority Date: 9/6/1988 Date of PN: 9/30/2014 Source: Bill Creek, a tributary of Bear Creek, and legally stored water under permit R-69654 Use: cranberry ops on 162.4 acres, agricultual use on 27.7 acres, and supplemental canberry operations on 18.1 acres							
"Q": 614 AF of stored water Orig "A" Date: 10/10/2001 Orig "B" Date: 10/1/ Orig "C" Date: 10/1/2005							
Extension Last Authorized Last Authorized "C" Date: 10/1/2014							
Request Number (1, 2, 3): 2 Proposed C Date: 10/1/2019 Conditions of Permit:							
Condition Condition Permit Condition Permit Condition							
X Staff gage downstream							
X weir + Gage at Pop X Latalian Market							
X I totalizing flow meter							
Staff ag 54 9 4 ponds							
Factors to consider in determining "Reasonable Diligence" [OAR 690-315-0040(3)]: Yes No Work was accomplished within the time allowed in the permit or previous extension Water right permit holder conformed with the permit or previous extension conditions MITIGATION REVIEW: YN							
Financial investments were made toward developing the beneficial water use. • Amount Invested to date: \$\square{180}\$ Estimated Remaining Cost: \$\square{4800}\$ 24.000							
Beneficial use made of the water during the permit or previous extension time limits • Permit holder has beneficially used 3							
Has the applicant pursued perfection of the right in good faith and with reasonable diligence? Yes No							

Determination of the market and the present demand for water or power to be supplied:
Identify the closest surface water or localized water basin. Ground Water Permits: Is the POA located Surface Water Permits: Is the POD located Yes No above a state scenic waterway? Name Source: OWRD "Areas Above State Scenic Waterways" Map within a stream segment designated as a federal wild and scenic river? Source: www.rivers.gov/wildriverslist.html within a sensitive, threatened or endangered species area Source: "/gisdata/dev/projects/salmon/div33map.aml" within a critical or limited Ground Water Area? Name of area within a Withdrawn Area? Name of area
in a waterbody listed on the DEQ Section 303(d) List of Water Quality Limited Areas? Date added to list within an area ranking ∑low / ☐moderate / ☐high / ☐highest for stream flow restoration needs Source: OWRD "Streamflow Restoration Needs" Maps (by region)
Based on the written record, can the Department make a finding of "Good Cause" to approve the extension request?
Yes "Good Cause" can be found. Approval of Extension Request
No "Good Cause" cannot be found. Denial of Extension Request
Conditions to be included in Extension PFO (if applicable)? Yes No 🗓
(NOTE: Check the file record for documentation to add a condition(s) at the extension stage.)
5-year Progress Report Checkpoints (Years:)
Other:
Footnote regarding Claim of Beneficial Use. Choose the appropriate language below and insert as a footnote in the PFO:
COBU Requirement - Surface/Ground Water - on or prior to July 9, 1987 "For permits applied for or received on or before July 9, 1987, upon complete development of the permit, you must notify the Department that the work has been completed and either: (1) Hire a water right examiner certified under ORS 537.798 to conduct a survey, the original to be submitted as required by the Water Resources Department, for issuance of a water right certificate; or (2) Continue to appropriate water under the water right permit until the Water Resources Department conducts a survey and issues a water right certificate under ORS 537.250 or 537.625."
COBU Requirement - Surface Water - post July 9, 1987 "Pursuant to ORS 537.230(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use."
COBU Requirement - Ground Water - post July 9, 1987 "Pursuant to ORS 537.630(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use."
NOTES:
Extension "PFO" Dates
Mailing / Issuance Date:Protest Deadline Date:
Reviewer's Name: M. Bamberger Date: 9.29.14

RECEIVED BY OW

STATE OF OREGON

SEP 26 2014

COUNTY OF COOS

SALEM, OR

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

WINDHURST ROAD WATERING CORPORATION P.O. BOX 503 BANDON, OREGON 97411

(541) 347-3062

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-69654

SOURCE OF WATER: BILL CREEK, A TRIBUTARY OF BEAR CREEK, AND LEGALLY STORED WATER UNDER PERMIT R-12928

PURPOSE OR USE: CRANBERRY OPERATIONS ON 162.4 ACRES, AGRICULTURAL USE ON 27.7 ACRES, AND SUPPLEMENTAL CRANBERRY OPERATIONS ON 18.1 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 614.0 ACRE-FEET OF STORED WATER; MAXIMUM INSTANTANEOUS DIVERSION RATE FROM BILL CREEK AUTHORIZED UNDER THIS PERMIT, COMBINED WITH THE DIVERSION AUTHORIZED UNDER PERMIT R-12928, SHALL NOT EXCEED 2.75 CFS AND IS FURTHER LIMITED AS DESCRIBED BELOW.

PERIOD OF USE: NOVEMBER 1 THROUGH MAY 31 FROM NATURAL FLOW AND YEAR ROUND FROM STORED WATER ONLY

DATE OF PRIORITY: JUNE 30, 1988

POINT OF DIVERSION LOCATION: BILL CREEK - NE 1/4 SW 1/4, SECTION 3, T29S, R14W, W.M.; 1030 FEET SOUTH & 2480 FEET EAST FROM W1/4 CORNER, SECTION 3; STORED WATER FROM 23 RESERVOIRS DESCRIBED IN PERMIT R-12928.

Prior to any appropriation under this permit, the permittee shall install a staff gage downstream from the confluence of Bear Creek and Bill Creek and develop a medium flow rating curve for the range 10 cfs to 25 cfs. The staff gage shall be installed under the supervision of the District 19 watermaster at a suitable location within Section 34, Township 28 South, Range 14 West, W.M. and shall be accessible to ODFW and Water Resources staff. The staff gage and rating curve shall be maintained by the permittee to the satisfaction of the watermaster and shall at a minimum include two streamflow measurements per year. The rating curve and streamflow

Application S-69654

Water Resources Department

Permit 53703

measurements shall be on file at the District 19 watermaster office and at the Water Resources Department in Salem.

2 Prior to any appropriation under this permit, the permittee shall also install a standardized weir and staff gage at the point of diversion. The weir shall be designed and installed to the satisfaction of the District 19 watermaster and the Coos-Coquille ODFW District Biologist. The weir shall be accessible to ODFW and Water Resources staff. The weir and staff gage shall be maintained by the permittee to the satisfaction of the watermaster. The weir shall not obstruct fish passage without providing a fishway to ensure adequate upstream and downstream passage for fish.

Appropriation of water under this permit, combined with the diversion authorized under application R-69708, shall only occur when the flow on Bear Creek, as measured at the staff gage, exceeds 17 cfs. While appropriation is occurring under this permit, and any permit authorizing R-69708, a flow of at least 17 cfs shall be maintained at the staff gage on Bear Creek. At no time shall the permittee, under this permit, in combination with any permit issued for R-69708, divert more than 50% of the flow from Bill Creek, as measured at the weir, and at no time shall the combined diversions from this permit and any permit issued for R-69708 exceed 2.75 cfs. The permittee shall be responsible for monitoring streamflows so that these conditions are not violated.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NW	1/4	NE	1/4 1/4 1/4	5.9	NBERRY ACRES ACRES ACRES		ICULTUR	4.3	ACRES ACRE	AL CRANBERRY
						SECT	1014 32			
					ACRES ACRES		*:			RECEIVED BY OWRD
	1/4			7.0	ACRES		ION 33		and the second	SEP 26 2014
				TOW	NSHIP 28	SOUTH,	RANGE I	L4 WEST,	W.M.	
NTW	1/4	SW	1/4	7.0	ACRES					SALEM, OR
	,	~		120000		SECT	CION 3			
	1/4				ACRES	6.0	ACRES	13.1	ACRES	
211	-/-	2"								

SE 1/4 SW 1/4 NE 1/4 SE 1/4	15.2 ACRES 12.0 ACRES	*2AGRICULTURE	*3SUPPLEMENTAL CRANBERRY
		SECTION 4	
NE 1/4 NE 1/4 NW 1/4 NE 1/4 SW 1/4 NE 1/4 SE 1/4 NE 1/4 NE 1/4 SE 1/4 SE 1/4 SE 1/4		0.4 ACRE 0.1 ACRE 2.0 ACRES 3.9 ACRES 5.0 ACRES	RECEIVED BY OWI
		SECTION 5	SALEM, OR
NE 1/4 NE 1/4 NW 1/4 NE 1/4		3.0 ACRES	
SW 1/4 NE 1/4	3.0 ACRES	7.3 ACRES SECTION 9	
	TOWNSHIP 29 8	SOUTH, RANGE 14 W	WEST, W.M.

- *1 Use of water is for primary irrigation and agriculture use for Cranberry Operations.
- *2 Use of water is for primary agriculture use and supplemental Irrigation use for Cranberry Operations.
- "3 Use of water is for supplemental agriculture use and irrigation use for Cranberry Operations.

Measurement, recording and reporting conditions:

- A. 3 Before water use may begin under this permit, the permittee shall install a totalizing flow meter at the point of diversion from Bill Creek. The permittee shall maintain the meter in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

- At the point of diversion from Bill Creek the permittee shall install, maintain, and operate fish screening to prevent fish from entering the proposed diversion. The point of diversion works shall not obstruct fish passage without providing a fishway to ensure adequate upstream and downstream passage for fish. The required screens and, if necessary fishways, shall be in place, functional, and approved by Oregon Department of Fish and Wildlife before diversion of any water.
 - 5 Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in each reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I.

The amount of water diverted for CRANBERRY OPERATIONS, together with amounts secured under any other rights existing for the same lands, is limited as follows: For temperature control, 0.15 cubic foot per second per acre; For flood harvesting or pest control, 0.05 cubic foot per second per acre; For irrigation of cranberries, ONE-FORTIETH of one cubic foot per second and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. For the irrigation of any other crop, ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

Application S-69654

Water Resources Department

Permit 53703

RECEIVED BY OWRD

SEP 26 2014

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. Complete application of the water to the use shall be made on or before October 1, 2005. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued October 10 , 2000

Water Resources Department

RECEIVED BY OWRD

SEP 26 2014

SALEM, OR



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem Oregon 97301 (503) 986-0900 www.wrd.state.or.us

Application for Extension of Time for a Water Right Permit

(Non-Municipal / Non-Quasi-municipal Water Use)

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

I, Windhurst Road Watering Corporation	I,	Windhurst	Road	Watering	Corr	poration
----------------------------------------	----	-----------	------	----------	------	----------

NAME OF PERMIT HOLDER [OAR 690-315-0020(1) and (3)(a)]

the holder of: Application Number S-69654 Permit Number S-53703 [OAR 690-315-0020(3)(b)]

**A separate application must be submitted for each permit as per OAR 690-315-0020(2). **

RECEIVED BY OWRD

88860 Windhurst Lane MAILING ADDRESS 97411 CITY, STATE, ZIP

SEP 26 2014

(541) 347-2295 PHONE

NA E-MAIL ADDRESS

SALEM, OR

X do hereby request that the time to apply water to full beneficial use under the terms and conditions of the permit, which now expires on Month 10 Day 1 Year 2014, be extended to October 30, Year 2019.

Please Note. If the permit does specify a date when construction must be completed, you should request to extend both the time to apply water to full beneficial use and to complete construction. These dates are typically found on the permit above the signature of the Director.

and

do hereby request that the time to complete construction of the water system, which now expires on Month 10 Day 1 Year 2014, be extended to October 30, Year 2019

Sign after completing the entire application, questions 1-11.

I am the permit holder, or have attached to this application written authorization from the permit holder, to apply for an extension of time under this permit. I understand that false or misleading statements in this extension application are grounds for OWRD to suspend processing of the request and/or reason to deny the extension. I have completed the entire application.

Signature

Printed Name/Title

Date

MAIL COMPLETED and SIGNED APPLICATION with the \$575 STATUTORY FEE TO:

Water Resources Department Attn: Water Right Permit Extensions 725 Summer Street NE, Suite A Salem, Oregon 97301

RECEIVED BY OWRD

Submit the following items with your Application for Extension of Time:

SEP 26 2014

- The signed and completed Application for Extension of Time.
- SALEM, OR
- \$575 check to OWRD or Oregon Water Resources Department
- All supporting documentation and/or evidence referenced in the application.

Reference materials needed to complete this Application:

- Water right permit. A copy of the water right permit can be downloaded from the
 Department's Website at http://www.wrd.state.or.us (using the link to the Water Rights
 Information System (WRIS). A copy of the permit may be requested from the Water Rights
 Division at 503-986-0801 (copy fees will apply).
- Documentation which demonstrates compliance with permit conditions (for example, well
 construction logs; static water level measurement reports; annual water use reports; ODFW
 fish screen certification;, a plan to monitor the effect of water use on ground water aquifers
 utilized under the permit; etc.).

Helpful information for completing this Application:

- Permit holders of municipal or quasi-municipal water use permits DO NOT use this form. The form Application for Extension of Time for Municipal and Quasi-Municipal Water Use Permits is at the following link: http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml#other
- Request the reasonable amount of time necessary to fully complete construction of the water project and/or to fully use the permitted quantity of water under the permit terms & conditions.
- The attached Instructions for Completing an Application for Extension of Time for a Water Right Permit will help you answer each question on the application. If, after reading the instructions, you need assistance, please call the Extensions Specialist at 503-986-0900.
- Permit extensions are evaluated under OAR Chapter 690, Division 315, which may be viewed
 at: http://www.wrd.state.or.us/OWRD/LAW/index.shtml. Please note that OWRD may require
 additional information, if necessary, to evaluate the application per OAR 315-0020(3)(n).
- OWRD will review applications received for completeness and will return incomplete or deficient applications per OAR 690-315-0040(1)(a) to the applicant.

Questions to Complete this Application for Extension of Time

Please see the instruction sheet to help you answers these questions.

1.	[OAR 690-315-0020(3)(d)] Did the "actual construction" of the water system/well drilling begin within the time
	specified in the permit?
	Date "actual construction" began is: 1960
	Describe details of construction: Manicke reservoir #4 constructed

SEP 26 2014 SALEM, OR [OAR 690-315-0020(3)(e)(A)]

2-A. Please Describe how you have complied with each standard and special condition in the original permit [and, if applicable, conditions contained in any order approving a permit amendment and/or order approving a prior extension of time].

<u>TIP:</u> The instruction sheet explains which typical conditions must be addressed here.

Condition Number: Hand-number each condition on a copy of your permit (and, if applicable, any permit amendment and/or prior extension). Include a copy of your hand-numbered permit.

CHART-A

Condition Number	Date Satisfied	Describe How Permit Condition Has Been Satisfied
1	2000	STAFF GAGE INSTALLED ON BEAR CR. ON BRIDGE DOWNSTREAM FROM CONFLUENCE OF BILLS CR.
2	2009	WEIR 7 STAFF GAGE INSTALLED AT POD FROM BILLS CREEK
3	2001	TOTALIZING FLOW METER INSTALLED AT POD FROM BILLS CREEK, REPORTS SUBMITTED BEGINNING FEB. 2002
4	2002	APPROVED FISH SCREEN INSTALLED AT POD FROM BILLS CREEK
5	2002	STAFF GAGES INSTALLED IN MOST PONDS, INCLUDING WINDHURST RESERVOIR

2-B. If you have NOT complied with all applicable conditions, explain the reasons why and indicate with a date certain (in the near future) when compliance will occur.

CHART-B

Condition Number	Date Will Comply	Explain Why Each Permit Condition Has NOT Been Satisfied
5	2014	INSTALL STAFF GAGES IN SCHERER AND HAGA PONDS AFTER 2014 HARVEST. A PORTION OF THE SCHERER FARM CHANGED HANDS TO BIG HORN OWL DURING THE LAST EXTENSION PERIOD. SCHERER HAS POSSESSION OF HAGA'S STAFF GAGES AND KNOWING OF APPLICATION FOR EXTENSION OF TIME WILL BE INSTALLING THEM AFTER THE 2014 HARVEST.

RECEIVED BY OWRD

SEP 26 2014

SALEM, OR

[OAR 690-315-0020(3)(e)]

Provide evidence of physical progress made toward completion of the water system and 3-A. progress toward making beneficial use of water within the original permitted time period.

> CHART-C (below) must be completed for all Application for Extension of Time requests. Use chronological order.

CHART-C

DATE	LIST & DESCRIBE WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED					
	SEE ATTACHMENT A					
DATE	LIST & DESCRIBE WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE FOR COMPLETE APPLICATION OF WATER	COST				
	Date the permit was signed - find date above signature on last page of permit.					
	Date the permit specified "Actual Construction Work" shall begin ("A-Date") -not all permits contain this date.					
	Date the permit specified complete application of water to the use shall be made ("C-Date") - all permits contain this date.					
DATE	LIST & DESCRIBE WORK ACCOMPLISHED AFTER DATE FOR COMPLETE APPLICATION OF WATER UP TO NOW Complete if this is your first request for extension of time.	COST				
	*Total Cost for Chart-C					

* If exact cost is not known, please provide your best estimate.

SEP 26 2014

SALEM, OR

<u>IF this is</u> your first Application for an Extension of Time, write NA in Chart D below and proceed to question 4 at the bottom of this page.

3-B) Provide evidence of physical progress made toward completion of the water system and progress toward making beneficial use of water within the most recent extension period.

If this <u>is not</u> your 1st Application for Extension of Time request, fill out CHART-D below in addition to CHART-C above. *Use chronological order*.

CHART-D

DATE	LIST AND DESCRIBE WORK ACCOMPLISHED <u>DURING</u> THE LAST EXTENSION PERIOD	COST*
2005	"Extended From" date for complete application of water used in the 1st (or the most recent) Application for Extension of Time.	
2009-2014	MANICKE- 50% COMPLETION OF EXTENSION TO ALL PONDS	\$10,000.00
2009-2014	SCHERER - COMPLETED RES. #7, PURCHASED STAFF GAGES AND WILL BE INSTALLED AFTER 2014 HARVEST SEASON	\$12,000.00
2009-2014	HAGA - PURCHASED STAFF GAGES AND WILL INSTALL AFTER 2014 HARVEST SEASON	\$10,000.00
2009-2014	RICHERT - WORKED ON CONSTRUCTION OF RES. #1 & #2, PURCHASED PUMPS AND PLUMBING	\$14,000.00
2014	FINAL ENGINEERING CERTIFICATION HAS BEEN COMPLETED	\$3,500.00
2014	"Extended To" date for complete application of water resulting from the 1 st (or the most recent) Application for Extension of Time.	
DATE	LIST AND DESCRIBE WORK ACCOMPLISHED AFTER THE LAST EXPIRED EXTENSION PERIOD UP TO NOW	COST*
	Total Cost of Chart-D \$49,500.00	

* If exact cost is not known, please provide your best estimate.

RECEIVED BY OWRD

[OAR 690-315-0020(3)(f)]

4. Cost of project to date: \$1,780,050.00

SEP 26 2014

(The total combined cost from CHART-C and CHART-D)

[OAR 690-315-0020(3)(e)(B)]

- Provide evidence of the maximum rate (or duty, if applicable) of water actually diverted for beneficial use under this permit and/or prior extensions of time (if any) made to date.
 - <u>TIP:</u> Report the rate used to date in the same units of measurement as specified in the permit. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.
 - 5-A) For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):

Maximum measured rate <u>used to date</u> = 3 cfs (cubic feet per second)

or

Maximum measured rate <u>used to date</u> = ____ gpm (gallons per minute)

or

Acre-feet stored to date = ____ AF

5-B) For Ground Water Permit Extensions (e.g. G-XXXX):

<u>TIP</u>: Include information from ALL wells that pertain to this permit including wells not currently being used.

CHART-E

			IF DRILLED					
Well # as identified on Permit	Water User's Well#	Has this well been drilled?	Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	Is the actual drilled location authorized on this permit or on a permit amendment? (See 5-C below)	Maximum measured rate used from this well under this permit only (CFS or GPM)	Is this well authorized or utilized under any OTHER water rights?	If yes, provide the Permit, Certificate, or Transfer No.
		Yes 🗌 No 🔲			Yes 🗌 No 🗍		Yes 🗌 No 🔲	
		Yes No			Yes No		Yes 🗌 No 🔲	-
		Yes No			Yes No		Yes 🗌 No 🔲	
HIAL		Yes No			Yes No		Yes 🗌 No 🔲	-

5-C)	If the drilled location of a well is not authorized on this permit, please specify its location below, or provide a map showing its location. Has or will a Permit Amendment Application been/be filed? Yes No RECEIVED BY OW							
	If a Permit Amendment Application <u>has</u> been filed: Transfer No. T	- SEP 26 2014						
	Well #: Actual location:	SALEM, OR						

Well #____: Actual location: ____

SEP 26 2014
SALEM, OR

[OAR 690-315-0020(3)(e)(C)] 6.

Provide the total number of acres actually irrigated to date under this permit (if any).

Surface Water Permits: I have applied water to 208.2 acres for irrigation to date.

Ground Water Permits: I have applied water to _____ acres for irrigation to date.

Please specify which wells are being utilized for this irrigation.

RECEIVED BY OWRD

Well #____ Acres____ Well #___ Acres____

SEP 26 2014

Well #____ Acres___ Well #___ Acres___

SALEM, OR

[OAR 690-315-0020(3)(j)]

7. Provide a summary of future plans and a schedule to complete construction of the water system, and/or apply water to full beneficial use under the permit terms and conditions.

CHART-F

APPROXIMATE DATE RANGE (projected)	LIST & DESCRIBE WORK TO BE ACCOMPLISHED TO COMPLETE WATER DEVELOPMENT (projected)	ESTIMATED COST (projected)
2014-2019	MANICKE - EXTENSION TO 50% OF PONDS TO FINISH	\$10,000.00
2014-2019	SCHERER - INSTALL STAFF GAGES AFTER 2014 HARVEST SEASON, ENLARGE RES. #1 & #2	\$10,000.00
2014-2019	HAGA - INSTALL STAFF GAGES AFTER 2014 HARVEST SEASON, COMPLETE BEE STING RES.	\$10,000.00
2014-2019	RICHERT - FINISH CONSTRUCTION OF RES. #1 & #2, INSTALL PUMPS AND PLUMBING	\$18,000.00
Year: 2019	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
8. Estimated 1 [OAR 690-315	remaining total cost to complete the water development: i-0020(3)(g)]	\$48,000.00

[OAR 690-315-0020(3)(h)]

- Describe the reasons why the water development was not constructed, and/or water was 9. not beneficially used within permit time limits. Provide supporting information for the reason(s) that best fits your circumstances (A, B, C or D).
 - 9-A) Is the project of a size and scope that was originally planned to be phased in over a time frame longer than the one allowed in the permit? If yes, describe.

THIS IS A VERY LARGE AND EXPENSIVE PROJECT THAT WAS PLANNED TO BE PHASED IN OVER A LONGER PERIOD OF TIME THAN ALLOWED BY THE PERMIT.

9-B) Did the financial resources needed to develop the project preclude completion of the project within authorized time frames? If yes, describe.

FINANCIAL RESOURCES ARE LIMITED DUE TO THE UNSTABLE PRICE OF CRANBERRIES. STILL RECOVERING FROM MARKET CRASH.

9-C) Did good faith attempts to comply with other agency permit conditions and/or acquire permits from other agencies, or otherwise comply with government regulations, delay completion of the project? If yes, describe.

RECEIVED BY OWRD

NO

SEP 26 2014

SALEM, OR

9-D) Have other unforeseen events delayed full development of the water system and use of water within the authorized time frames? If yes, describe.

ONE OF THE MAIN PARTNERS OF WINDHURST ROAD WATERING CORPORATION PASSED AWAY IN 2014.

[OAR 690-315-0020(3)(k)]

Justify the time requested to complete the project and/or apply the water to full beneficial 10. use. Your justification should combine information from your answers from Questions 2-B, 7, 8, and 9 of this Application for Extension of Time. Include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested. INSTALL STAFF GAGES IN SCHERER AND HAGA PONDS. MANICKE HAS 50% OF THE EXPANSION TO PONDS LEFT TO FINISH. SCHERER WILL BE INSTALLING STAFF GAGES AFTER THE 2014 HARVEST AND ENLARGING RESERVOIRS #1 & #2. A PORTION OF THE SCHERER FARM WAS SOLD TO BIG HORN OWL WHO IS A NEW OPERATOR AND NEEDS TIME TO ENLARGE SCHERER RESERVOIRS # 1 & #2. HAGA WILL INSTALL STAFF GAGES AFTER THE 2014 HARVEST AND WORK ON COMPLETING BEE STING RESERVOIR WHEN EQUIPMENT BECOMES AVAILABLE. THIS PROJECT WAS VERY LARGE AND EXPENSIVE AND WAS TO BE PHASED IN OVER A LONGER PERIOD OF TIME THAN THE PERMIT ALLOWED. FINANCIAL RESOURCES ARE LIMITED DUE TO THE UNSTABLE PRICE OF CRANBERRIES. CWRE WILL BE MONITORING PROGRESS AND REQUESTING THAT THE PROJECT BE FINISHED WITHIN THE AMOUNT OF TIME REQUESTED.

11. Provide any other information you wish OWRD to consider while evaluating your Application for Extension of Time.

WE ARE UNABLE TO SEPARATE COSTS FROM THIS PERMIT AN PERMIT R-12928.
PLEASE CONSIDER BOTH PERMITS TOGETHER. CWRE WILL BE MONITORING
PROGRESS TO ENSURE COMPLETION OF PROJECT IN A TIMELY MANNER.

RECEIVED BY OWRD

SEP 26 2014

SALEM, OR

Thank you for submitting a complete and accurate application. Remember to sign the front page. If you have questions or need assistance, please ask to speak with the Department's Extension Specialist by calling 503-986-0900 during business hours.

Instructions for Completing an Application for Extension of Time For Water Right Permit

The following instructions are numbered to correspond with the APPLICATION FOR EXTENSION OF TIME. Each question is shown in **BOLD**, followed by guidance that may help you respond to the question. When reviewing these instructions, it will be helpful to have a copy of your water right permit at hand.

If needed, a copy of the water right permit can be downloaded from the Department's Website at http://www.wrd.state.or.us (find the link to the Water Rights Information System (WRIS). Or, a copy of the permit (or other documents) may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).

Signature Box:

The application must be signed by the permit holder of record, or an authorized agent of the permit holder of record.

If there are multiple permit holders of record for a single permit, only one permit holder of record needs to sign the extension application.

If you are not the permit holder(s) of record, but should be, you will need to request an assignment of the water right permit into your name(s), and provide the complete application for assignment, the statutory fee of \$85, and any other supporting documentation necessary to complete the assignment.

If the prior permit holder is available for a signature you may request an assignment using the form available at this link:

http://www1.wrd.state.or.us/pdfs/req_assign.pdf

If the prior permit holder is absent, you may request an assignment by proof of land ownership using the form available at this link:

http://www1.wrd.state.or.us/pdfs/req_assign2.pdf

Numbered Questions:

specified in the permit? [yes/no/NA]	n within the time RECEIVED BY OWR
Date "actual construction" began is:	
Describe details of construction:	SEP 2 6 2014
The following information will help you answer these questions.	SALEM, OR

Actual Construction - any physical work performed toward completion of the water system which demonstrates the water right permit holder's good faith and intention to complete the

water development with reasonable diligence. Actual construction does not include planning a diversion system, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, or surveying. OAR 690-315-0020(3)(d)(A)and(B).

Each water right permit contains specific dates by which permit holders are to have completed a certain stage of development of the right. Generally, these dates appear toward the end of a permit. Among the dates that may be cited are the following:

RECEIVED BY OWRD

A. A-date: Actual construction work shall begin on or before [date certain];

SEP 26 2014

B. B-date: Construction shall be completed on or before [date certain];

SALEM, OR

C. C-date: Complete application of the water shall be made on or before [date certain]

For convenience, these are often referred to as the "A-date", "B-date", and "C-date", respectively. Not all permits will include all three dates. Some newer permits may not include a "B-date," and even more recent permits may not include an "A-date". However, all permits should include a "C-date."

By statute, if the "A-date" is specified in a permit, a permit extension <u>cannot</u> be granted when there is no evidence of actions taken to begin **actual construction** by that date" with a few exceptions (permits for municipal use or projects requiring federal hydropower licenses). Permit extensions may be granted for both the B-date and C-date.

If the permit specifies an "A-date" it is very important to have written confirmation in the Department's official water right file that **actual construction** began on or before that "A-date". In submitting such confirmation, give dated details of all **actual construction** work completed prior to the "A-date" stipulated in the permit.

The beginning of actual construction for a ground water permit can usually be verified on a well log; use the "Work started" date listed on the well log. Well Logs can be accessed through the Department's Website at http://apps2.wrd.state.or.us/apps/gw/well_log/Default.aspx

- 2. Permits typically contain standard or special conditions that must be satisfied to lawfully develop and use permitted water.
 - 2-A) Describe how you have complied with each condition contained in the original permit [and, if applicable, each condition contained in any order approving a permit amendment and/or a final order approving a prior extension of time]. Include the date when the condition was satisfied.

Depending on the vintage of the water right permit issued by OWRD, the location of the conditions on the permit may vary. Most, but not all, permits issued before 1990, did not include conditions. If these permits contained conditions they would generally appear on the permit just above the State Engineer's or Water Resources Director's signature. In the early 1990's conditions became more common. Conditions associated with the point of diversion or

point of appropriation might be listed immediately following the description of the point of diversion or appropriation. Conditions associated with the place of use, might be listed immediately following the description of the place of use. From the mid-1990's to present, conditions may be listed under separate subtitles in the permit such as "Measurement, Recording, and Reporting Conditions" or "Standard Conditions."

Conditions may have been added to the permit as result of an approved Permit Amendment or a Final Order approving a prior extension of time. These added conditions are binding on the original permit, and must also be also addressed in this extension request.

Conditions requiring a response in the extension of time application include those which:

- Stipulate a specific date by which the permit holder was to have accomplished a specific action, such as a condition that requires plans and specifications for a reservoir, a groundwater monitoring plan or some other document which "...shall be submitted...within (for example) two years of permit issuance."
- Are triggered by the use of water, but do not stipulate a specific date. These conditions represent a milestone in development of the project and use of water, such as the permit holder "shall install…a water meter or other suitable measuring device approved by the Director…before any use of water begins." Another common condition triggered by the use of water is that "fish screens are to be installed according to Oregon Department of Fish and Wildlife specifications."

Any supporting documentation submitted to demonstrate compliance with time-sensitive permit conditions or any conditions from prior permit extension(s) must be clearly referenced and may include, but is not limited to: well construction logs; static water level measurement reports, annual water use reports; and/or a plan to monitor the effect of water use on ground water aquifers utilized under the permit.

If needed, you may contact the Department for assistance in identifying and/or interpreting which conditions in the water permit are pertinent to the extension application.

In responding to question 2-A) on the application:

- Step (1) Hand-number each condition on a copy of your permit. Refer to each condition in Chart-A by this number (place the number in the column "Condition Number"). Submit the hand-numbered copy of the permit along with the application.
- Step (2) List all pertinent permit conditions in Chart-A, and explain how you have complied with them ("Describe How Permit Condition Has Been Satisfied").
- Step (3) Indicate the date the condition was met ("Date Satisfied).
- Step (4) Repeat steps (1), (2), and (3) for any conditions contained in any order approving a permit amendment and/or prior final order for an approved extension of time.
- 2-B) If you have NOT complied with all applicable conditions, explain the reasons why

and indicate a date certain, when, in the near future, you will be in compliance.

If a permit holder is not in compliance with time-sensitive conditions, OWRD may take one of three actions:

- 1. Suspend processing of the application until the permit holder complies with them; or
- 2. Establish time certain performance deadlines by which the conditions must be complied with and include them as conditions on the extension order; or
- 3. Deny the permit extension.

NOTE: If you are considering applying for a permit extension and you **are not** in compliance with time-sensitive conditions, you may want to hold off filing the extension application until you have complied with the conditions. If you are not in compliance, but wish to proceed with the extension application, you should explain how, and the dates by which, you will comply with the conditions in Chart-B. If the extension is allowed, OWRD will likely not grant much time (less than one year) for the permit holder to comply with time-sensitive conditions.

In responding to question 2-B) on the application:

- Step (1) Hand-number each condition on a copy of your permit. Refer to each condition in Chart-B by this number (place the number in the column "Condition Number"). Submit the hand-numbered copy of the permit along with the application.
- Step (2) List all pertinent permit conditions in Chart-A, and explain why you have not complied with them ("Explain Why Each Permit Condition Has NOT Been Satisfied").
- Step (3) Indicate the date the condition will be met ("Date Will Comply").
- Step (4) Repeat steps (1), (2), and (3) for any conditions contained in any order approving a permit amendment and/or prior final order for an approved extension of time.
- 3-A. Provide evidence of physical progress made toward completion of the water system, and of progress made toward making beneficial use of water within the permitted time period (CHART-C); and if applicable, within the time period of the most recent extension granted (CHART-D).

Permitted Time Period - period of time between the date when the permit was signed *and* the date specified in the permit for complete application of water

Time Period of the Previous Extension

For 2nd Application for Extension of Time - period of time between the date specified in the permit for complete application of water and the new "extended to date" for complete application of water specified in the 1st approved extension.

For 3rd, or 4th, or ... nth, Application for Extension of Time - period of time between the "extended from date" for complete application of water and the "extended to date" for complete application of water specified in the most recently approved extension.

CHART-C (below) must be completed for all Application for Extension of Time requests. Use chronological order.

Chart-C must be filled out by all applicants regardless of how many extensions have been granted in the past. List all materials and equipment purchases made within the applicable time period, the system components installed and components brought into use within the time period. Identify costs by each line item to assist in responding to Question 4 on the application for extension.

3-B) Provide evidence of physical progress made toward completion of the water system and progress toward making beneficial use of water within the most recent extension period.

If this is not your 1st Application for Extension of Time request, fill out CHART -D below (in addition to CHART-C above). Use chronological order.

Chart-D must be filled out by all applicants who have been granted an extension in the past (that is, this is your 2nd, 3rd, or 4th, etc. request) List all materials and equipment purchases made within the applicable time period, the system components installed and components brought into use within the time period. Identify costs by each line item to assist in responding to Question 4 on the application for extension.

4.	Cost of	project to date	

Indicate the amount invested in developing the water use system to date. This will be a total of the costs indicated on Chart-C and Chart-D from Question 3. If exact cost is not known, provide your best estimate.

Provide evidence of the maximum rate (or duty, if applicable) of water actually diverted for beneficial use under this permit and/or prior extensions of time (if any) made to date.

A permit authorizes a specific rate of water that may be used within the terms and conditions of the permit. (For example a permit may authorize the use of 1.5 cubic feet per second (cfs) of water for irrigation of 60 acres. In this example 1.5 cfs is the specified authorized rate in the permit). The Department is asking you to report the portion of the full authorized rate you have beneficially used to date. (In this example, if a maximum of 30 acres has been placed under irrigation, the portion of the rate beneficially used to date would (likely) be 0.75 cfs).

5-A) For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):

Surface water permits are those where the source of water is a river, stream, lake, pond, or reservoir, etc. Report the <u>rate</u> (not the volume) of water you are beneficially using under this permit in cubic feet per second (CFS) or gallons per minute (GPM). If you are using stored water under a reservoir permit (e.g. R-XXXX), then indicate the volume used – which is reported in acre-feet (AF).

5-B) For Ground Water Permit Extensions (e.g. G-XXXX):

SEP 26 2014

Ground water permits are those where the source of water is a well. Some permits authorize the use of water from more than one well. Fill out Chart-E with information for a single well, or if applicable, for multiple wells. Give information about all the well(s) listed on your permit, even if not yet drilled; or if drilled, even if it is not being used for some reason.

1st Column: For each well authorized on the permit, indicate the Well # or the well

name that is listed on the permit.

2nd Column: If naming system you use is different than what is listed on the permit,

indicate the Well # or well name you use for each of the wells.

3rd Column: Enter a yes or no for each well listed on the permit, indicating whether

or not it has been drilled yet.

The following columns relate only to wells which have been already drilled.

4th Column: Enter the Well Log Number for each well. Typically this is a four letter

prefix (of the county) followed by 3 to 5 digits.

5th Column: Enter the Well Tag Number for each well (typically 5 digits). Not all

wells have been assigned a well tag number.

Note: Well Log Numbers and Well Tag ID Numbers can be accessed through

the Department's Website at

http://apps2.wrd.state.or.us/apps/gw/well log/Default.aspx

6th Column: The Department is asking if the actual location of each well is the same

as where the permit authorizes the location of that specific well. If the actual location is not the same as the authorized location, a permit amendment may be necessary in order to receive approval for use of the well in a new location. If the actual location of any well is different from its authorized location, then Question 5-C) must also be completed. Questions about permit amendments may be directed to the Transfers

Section of the Department.

7th Column: Report the rate (not the volume) of water being utilized under this permit

from each well. Give the rate in cubic feet per second (CFS) or gallons per minute (GPM). If more than one well is listed on the permit, then add the rates from each individual well and enter the sum in the last box in this column for the "Total measured rate from all wells utilized under

this permit."

8th Column: Enter a yes or no for each well listed on the permit, indicating if this well

is authorized under any other water right(s).

9th Column: If a well is authorized under any other water right(s), provide the Permit

Number(s), or Certificate Number(s) or Transfer Number(s) of each

water right also listing that well.

SALEM, OR

TC D			RECEIVED BY
If a Pe	ermit Amendment Application	on <u>has</u> been filed: Transfe	r No. TSEP 2 6 20
Well #	. Actual location_		SEP 2 6 20
Well #	Actual location		SALEM, O
or each well the or example: 3 ange 10 East, a rare cases, a	d for any well in the 6 th Colubat is drilled in a location No 00 Feet North and 520 Feet W.M.), or provide a map with permit amendment may have the case, please provide the	OT authorized on the perm East from SW Corner, Sec ith the actual well(s) locati the been filed prior to the ex-	nit, report its actual location etion 6, Township 40 South, on(s) clearly marked.
mendment req mendment is r me must be is	uest. (e.g. T-10351). Curre needed for which the 'C-date sued before the Department	nt Department policy prove has passed, a Final Orde accepts the permit amenda	rides that if a permit rapproving an extension of
			and the second second
approved ext	tension has not expired.		
approved ext			
approved ext	tension has not expired.	ated to date under this p	
Provide the t	total number of acres irrig	ated to date under this p	ermit (if applicable).
Provide the t	total number of acres irrig	ated to date under this p	ermit (if applicable).
Provide the t Total acres in Ground Wate Well #	tension has not expired. total number of acres irriging the series irriging the	ated to date under this power that the power of the common state o	ermit (if applicable). ized for this irrigation. Acres
Provide the t Total acres in Ground Wate Well #	tension has not expired. total number of acres irriging the state of	ated to date under this power that the power of the common state o	ermit (if applicable). ized for this irrigation. Acres
Provide the to Total acres in Ground Water #Well #Well #	tension has not expired. total number of acres irrigated to date: er Permits: Please specify to Acres Acres t authorizes irrigation, indicates	which wells are being util Well #	ermit (if applicable). ized for this irrigation. Acres Acres
Provide the to Total acres in Ground Wates Well #	tension has not expired. total number of acres irrigated to date: er Permits: Please specify to Acres Acres t authorizes irrigation, indicates	which wells are being util Well # well # ate the maximum number of authorizes the use of more of this permit, please spe	ized for this irrigation. Acres of acres you have irrigated than one well, or you are
Provide the to Total acres in Ground Water Well #	tension has not expired. total number of acres irrigated to date: er Permits: Please specify to Acres Acres t authorizes irrigation, indicating the acres are under the permit which an one well for irrigation under the second tension and the second tension and the second tension ten	which wells are being util Well # where the maximum number of the der this permit, please specigated from that well.	ized for this irrigation. Acres of acres you have irrigated than one well, or you are cify which wells are being

Indicate your best estimate of the remaining investment necessary to fully construct the system and to fully put water to beneficial use. This will be a total of the costs indicated in Chart-F from Question 7.

Describe the reasons why the water development was not constructed, and/or water was
not beneficially used within permit time limits. Provide supporting information for the
reason(s) that best fits your circumstances (9-A, 9-B, 9-C, and/or 9-D).

It may be appropriate to respond in more than one category. Respond in category 9-D) if the reasons for delay do not fit in any other category.

9-A) Is the project of a size and scope that was originally planned to be phased in over a time frame longer than the one allowed in the permit?

Useful supporting information might include an excerpt from a business plan or a phasing schedule showing how the project is to be fully developed and water applied in increments. The supporting information can be simple and straightforward. This information would also be useful in evaluating the time needed to complete the project and beneficially use water.

For group domestic permits, historic population and employment information, growth forecasts and/or build-out status, including total number of residential units and other uses built, the number remaining to be built and absorption rates should be identified.

9-B) Did the financial resources needed to develop the project preclude completion of the project within authorized time frames?

If financing was critical to development of the project, indicate the contract number, financing entity, date when you originally applied for financing and date the financing agreement was executed. It is not necessary to submit a copy of the agreement nor to disclose the terms of the agreement. If cash flow is a constraint to developing the project, develop a phasing plan indicating the investments made annually to date and estimated annual investments anticipated until the project is completed and water applied.

9-C) Did good faith attempts to comply with permit conditions and/or acquire permits from other agencies, or otherwise comply with government regulations, delay completion of the project.

If it was necessary to obtain specific permits (land use approvals, wetland fill and removal permits, individual waste disposal system, or other water quality permits, etc.) to proceed with work under the water right permit, indicate the permits, date permit applications were filed, and date permits were issued by the appropriate authorities. If delays were caused by a general need to comply with government requirements, including specific conditions of the water right permit or other permits, provide a brief explanation of the requirements and, the good faith effort and general timeframes involved in complying with those requirements that delayed development of the water project under the permit.

9-D) Have unforeseen events delayed full development of the water system and use of water within the authorized time frames?

Natural disasters, severe weather, grave illnesses or death suffered by permit holders, family members, and business partners may be among the legitimate reasons that permit holders have not fully developed water systems and made beneficial use of water within permit timeframes. Supporting documentation to submit may include a list of the specific system or site damage caused by natural disasters or severe weather and the amount of delay and financial impact resulting from necessary repairs. For family illnesses and the like, a simple statement should be made indicating whether or not illness/accidents may have resulted in death or hospitalization and if resulting legal or ongoing health care/rehabilitation programs have affected the ability to complete the project authorized by the permit.

If there are other reasons for the delay that are not "Acts of God" and don't fit in categories A, B, and C, list them in this subsection and provide supporting information and estimates of the delay caused by the unforeseen events.

10. Justify the time requested to complete the project and/or apply the water to full beneficial use.

A justification should integrate information from Items 2, 3-A, 3-B, 7 and 9 of this Application for Extension of Time, but may include any other information or evidence to establish that the requested amount of time is reasonable. This can be a summary of why you need the amount of time you have requested.

11. Provide any other information you wish the Department to consider while evaluating the extension of time application.

This is your opportunity to include any other information you want the Department to have when considering your extension request.

Thank you for submitting a complete and accurate application. Remember to sign the front page. If you have questions or need assistance, please ask to speak with the Department's Extension Specialist by calling 503-986-0900 during business hours.

RECEIVED BY OWRD

SEP 26 2014

SALEM, OR



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem Oregon 97301 (503) 986-0900 www.wrd.state.or.us

Application for Extension of Time for a Water Right Permit

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

I, Windhurst Road Watering Corpo	ration 690-315-0020(1) and (3)(a)]
the holder of: Application Number S	S-69654 Permit Number S-53703 [OAR 690-315-0020(3)(b)]
A separate application must be sub-	mitted for each permit as per OAR 690-315-0020(2).
P.O. BOX 503 MAILING ADDRESS	97411 CITY, STATE, ZIP
(541) 347-3062 PHONE	NA E-MAIL ADDRESS
X do hereby request that the time conditions of the permit, which October 30, Year 2019.	to apply water to full beneficial use under the terms and h now expires on Month 10 Day 1 Year 2014, be extended to
request to extend both the time to appl	fy a date when construction must be completed , you should ly water to full beneficial use and to complete construction. permit above the signature of the Director.
and	
on Month 10 Day 1 Year 2014	to complete construction of the water system, which now expires be extended to October 30, Year 2019
Sign after completing the entire application	ı, questions 1-11.
holder, to apply for an extension of tin statements in this extension application	ed to this application written authorization from the permit ne under this permit. I understand that false or misleading n are grounds for OWRD to suspend processing of the request have completed the entire application.
Signature	Date

MAIL COMPLETED and SIGNED APPLICATION with the \$575 STATUTORY FEE TO:

Water Resources Department Attn: Water Right Permit Extensions 725 Summer Street NE, Suite A Salem, Oregon 97301

Submit the following items with your Application for Extension of Time:

- The signed and completed Application for Extension of Time.
- \$575 check to OWRD or Oregon Water Resources Department
- All supporting documentation and/or evidence referenced in the application.

Reference materials needed to complete this Application:

- Water right permit. A copy of the water right permit can be downloaded from the
 Department's Website at http://www.wrd.state.or.us (using the link to the Water Rights
 Information System (WRIS). A copy of the permit may be requested from the Water Rights
 Division at 503-986-0801 (copy fees will apply).
- Documentation which demonstrates compliance with permit conditions (for example, well
 construction logs; static water level measurement reports; annual water use reports; ODFW
 fish screen certification;, a plan to monitor the effect of water use on ground water aquifers
 utilized under the permit; etc.).

Helpful information for completing this Application:

- Permit holders of municipal or quasi-municipal water use permits DO NOT use this form. The form Application for Extension of Time for Municipal and Quasi-Municipal Water Use Permits is at the following link: http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml#other
- Request the reasonable amount of time necessary to fully complete construction of the water project and/or to fully use the permitted quantity of water under the permit terms & conditions.
- The attached Instructions for Completing an Application for Extension of Time for a Water Right Permit will help you answer each question on the application. If, after reading the instructions, you need assistance, please call the Extensions Specialist at 503-986-0900.
- Permit extensions are evaluated under OAR Chapter 690, Division 315, which may be viewed at: http://www.wrd.state.or.us/OWRD/LAW/index.shtml. Please note that OWRD may require additional information, if necessary, to evaluate the application per OAR 315-0020(3)(n).
- OWRD will review applications received for completeness and will return incomplete or deficient applications per OAR 690-315-0040(1)(a) to the applicant.

Questions to Complete this Application for Extension of Time

Please see the instruction sheet to help you answers these questions.

1.	[OAR 690-315-0020(3)(d)] Did the "actual construction" of the water system/well drilling begin within the time			
	specified in the permit?			
	Date "actual construction" began is: 1960			
	Describe details of construction: Manicke reservoir #4 constructed			

[OAR 690-315-0020(3)(e)(A)]

2-A. Please Describe how you have complied with each standard and special condition in the original permit [and, if applicable, conditions contained in any order approving a permit amendment and/or order approving a prior extension of time].

TIP: The instruction sheet explains which typical conditions must be addressed here.

Condition Number: Hand-number each condition on a copy of your permit (and, if applicable, any permit amendment and/or prior extension). Include a copy of your hand-numbered permit.

CHART-A

Condition Number	Date Satisfied	Describe How Permit Condition Has Been Satisfied
1	2000	STAFF GAGE INSTALLED ON BEAR CR. ON BRIDGE DOWNSTREAM FROM CONFLUENCE OF BILLS CR.
2	2009	WEIR 7 STAFF GAGE INSTALLED AT POD FROM BILLS CREEK
3	2001	TOTALIZING FLOW METER INSTALLED AT POD FROM BILLS CREEK, REPORTS SUBMITTED BEGINNING FEB. 2002
4	2002	APPROVED FISH SCREEN INSTALLED AT POD FROM BILLS CREEK
5	2002	STAFF GAGES INSTALLED IN MOST PONDS, INCLUDING WINDHURST RESERVOIR

2-B. If you have NOT complied with all applicable conditions, explain the reasons why and indicate with a date certain (in the near future) when compliance will occur.

CHART-B

Condition Number	Date Will Comply	Explain Why Each Permit Condition Has NOT Been Satisfied
3	2014	INSTALL STAFF GAGES IN SCHERER AND HAGA PONDS AFTER 2014 HARVEST. A PORTION OF THE SCHERER FARM CHANGED HANDS TO BIG HORN OWL DURING THE LAST EXTENSION PERIOD. SCHERER HAS POSSESSION OF HAGA'S STAFF GAGES AND KNOWING OF APPLICATION FOR EXTENSION OF TIME WILL BE INSTALLING THEM AFTER THE 2014 HARVEST.

[OAR 690-315-0020(3)(e)]

3-A. Provide evidence of physical progress made toward completion of the water system and progress toward making beneficial use of water within the original permitted time period.

CHART-C (below) must be completed for all Application for Extension of Time requests. *Use chronological order*.

CHART-C

DATE	LIST & DESCRIBE WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED	COST*
	SEE ATTACHMENT A	
DATE	LIST & DESCRIBE WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE FOR COMPLETE APPLICATION OF WATER	COST*
	Date the permit was signed - find date above signature on last page of permit.	
	Date the permit specified "Actual Construction Work" shall begin ("A-Date") -not all permits contain this date.	
	Date the permit specified complete application of water to the use shall be made ("C-Date") - all permits contain this date.	
DATE	LIST & DESCRIBE WORK ACCOMPLISHED AFTER DATE FOR COMPLETE APPLICATION OF WATER UP TO NOW Complete if this is your first request for extension of time.	COST*
	*Total Cost for Chart-C	

^{*} If exact cost is not known, please provide your best estimate.

<u>IF this is</u> your first Application for an Extension of Time, write NA in Chart D below and proceed to question 4 at the bottom of this page.

3-B) Provide evidence of physical progress made toward completion of the water system and progress toward making beneficial use of water within the most recent extension period.

If this <u>is not</u> your 1st Application for Extension of Time request, fill out CHART-D below in addition to CHART-C above. *Use chronological order*.

CHART-D

DATE	LIST AND DESCRIBE WORK ACCOMPLISHED <u>DURING</u> THE LAST EXTENSION PERIOD	COST*						
2005	"Extended From" date for complete application of water used in the 1st (or the most recent) Application for Extension of Time.							
2009-2014	MANICKE- 50% COMPLETION OF EXTENSION TO ALL PONDS	\$10,000.00						
2009-2014	O14 SCHERER - COMPLETED RES. #7, PURCHASED STAFF GAGES AN WILL BE INSTALLED AFTER 2014 HARVEST SEASON							
2009-2014	HAGA - PURCHASED STAFF GAGES AND WILL INSTALL AFTER 2014 HARVEST SEASON	\$10,000.00						
2009-2014	RICHERT - WORKED ON CONSTRUCTION OF RES. #1 & #2, PURCHASED PUMPS AND PLUMBING	\$14,000.00						
2014	FINAL ENGINEERING CERTIFICATION HAS BEEN COMPLETED	\$3,500.00						
2014	"Extended To" date for complete application of water resulting from the 1 st (or the most recent) Application for Extension of Time.							
DATE	LIST AND DESCRIBE WORK ACCOMPLISHED AFTER THE LAST EXPIRED EXTENSION PERIOD UP TO NOW	COST*						
	Total Cost of Chart-D \$49,500.00							

* If exact cost is not known, please provide your best estimate.

[OAR 690-315-0020(3)(f)]

Cost of project to date: \$1,780,050.00

(The total combined cost from CHART-C and CHART-D)

[OAR 690-315-0020(3)(e)(B)]

- 5. Provide evidence of the maximum rate (or duty, if applicable) of water actually diverted for beneficial use under this permit and/or prior extensions of time (if any) made to date.
 - <u>TIP:</u> Report the rate used to date in the same units of measurement as specified in the permit. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.
 - 5-A) For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):

Maximum measured rate <u>used to date</u> = 3 cfs (cubic feet per second)

or

Maximum measured rate <u>used to date</u> = ____ gpm (gallons per minute)

or

Acre-feet stored to date = ____ AF

5-B) For Ground Water Permit Extensions (e.g. G-XXXX):

<u>TIP:</u> Include information from ALL wells that pertain to this permit including wells not currently being used.

CHART-E

					IF D	RILLED		
Well # as identified on Permit	Water User's Well #	Has this well been drilled?	Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	Is the actual drilled location authorized on this permit or on a permit amendment? (See 5-C below)	Maximum measured rate used from this well under this permit only (CFS or GPM)	Is this well authorized or utilized under any OTHER water rights?	If yes, provide the Permit, Certificate, or Transfer No.
		Yes 🗌			Yes 🗌		Yes 🗌 No 🔲	•
		No 🗌			No L			-
		Yes			Yes 🗌		Yes	-
		No 🗌			No 🔲		No 🗌	-
		Yes			Yes 🗌		Yes 🗌	
		No 🗌			No 🗌		No 🗌	-
		Yes			Yes 🗌		Yes 🗌	
		No 🗌			No 🗆		No 🗌	-

5-C)	If the drilled location of a well is not authorized on this permit, please specify its location below, or provide a map showing its location. Has or will a Permit Amendment Application been/be filed? Yes \(\square\) No \(\square\)
	If a Permit Amendment Application <u>has</u> been filed: Transfer No. T
	Well #: Actual location:

Well #____: Actual location: ____

6.	[OAR 690-315-0020(3)(e)(C)] Provide the total number of acres actually irrigated to date under this permit (if any).
	Surface Water Permits: I have applied water to 208.2 acres for irrigation to date.
	Ground Water Permits: I have applied water to acres for irrigation to date.
	Please specify which wells are being utilized for this irrigation.
	Well # Acres Well # Acres

[OAR 690-315-0020(3)(j)]

Well #____ Acres_

7. Provide a summary of future plans and a schedule to complete construction of the water system, and/or apply water to full beneficial use under the permit terms and conditions.

CHART-F

Well #____ Acres_

APPROXIMATE DATE RANGE (projected)	LIST & DESCRIBE WORK TO BE ACCOMPLISHED TO COMPLETE WATER DEVELOPMENT (projected)	ESTIMATED COST (projected)
2014-2019	MANICKE - EXTENSION TO 50% OF PONDS TO FINISH	\$10,000.00
2014-2019 SCHERER - INSTALL STAFF GAGES AFTER 2014 HARVEST SEASON, ENLARGE RES. #1 & #2		\$10,000.00
2014-2019	HAGA - INSTALL STAFF GAGES AFTER 2014 HARVEST SEASON, COMPLETE BEE STING RES.	\$10,000.00
2014-2019	RICHERT - FINISH CONSTRUCTION OF RES. #1 & #2, INSTALL PUMPS AND PLUMBING	\$18,000.00
Year: 2019	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
8. Estimated 1 [OAR 690-315	remaining total cost to complete the water development: 5-0020(3)(g)]	\$48,000.00

[OAR 690-315-0020(3)(h)]

- 9. Describe the reasons why the water development was not constructed, and/or water was not beneficially used within permit time limits. Provide supporting information for the reason(s) that best fits your circumstances (A, B, C or D).
 - 9-A) Is the project of a size and scope that was originally planned to be phased in over a time frame longer than the one allowed in the permit? If yes, describe.

THIS IS A VERY LARGE AND EXPENSIVE PROJECT THAT WAS PLANNED TO BE PHASED IN OVER A LONGER PERIOD OF TIME THAN ALLOWED BY THE PERMIT.

9-B) Did the financial resources needed to develop the project preclude completion of the project within authorized time frames? If yes, describe.

FINANCIAL RESOURCES ARE LIMITED DUE TO THE UNSTABLE PRICE OF CRANBERRIES. STILL RECOVERING FROM MARKET CRASH.

9-C) Did good faith attempts to comply with other agency permit conditions and/or acquire permits from other agencies, or otherwise comply with government regulations, delay completion of the project? If yes, describe.

NO

9-D) Have other unforeseen events delayed full development of the water system and use of water within the authorized time frames? If yes, describe.

ONE OF THE MAIN PARTNERS OF WINDHURST ROAD WATERING CORPORATION PASSED AWAY IN 2014.

[OAR 690-315-0020(3)(k)]

Justify the time requested to complete the project and/or apply the water to full beneficial 10. use. Your justification should combine information from your answers from Questions 2-B, 7, 8, and 9 of this Application for Extension of Time. Include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested. INSTALL STAFF GAGES IN SCHERER AND HAGA PONDS. MANICKE HAS 50% OF THE EXPANSION TO PONDS LEFT TO FINISH. SCHERER WILL BE INSTALLING STAFF GAGES AFTER THE 2014 HARVEST AND ENLARGING RESERVOIRS #1 & #2. A PORTION OF THE SCHERER FARM WAS SOLD TO BIG HORN OWL WHO IS A NEW OPERATOR AND NEEDS TIME TO ENLARGE SCHERER RESERVOIRS # 1 & #2. HAGA WILL INSTALL STAFF GAGES AFTER THE 2014 HARVEST AND WORK ON COMPLETING BEE STING RESERVOIR WHEN EQUIPMENT BECOMES AVAILABLE. THIS PROJECT WAS VERY LARGE AND EXPENSIVE AND WAS TO BE PHASED IN OVER A LONGER PERIOD OF TIME THAN THE PERMIT ALLOWED. FINANCIAL RESOURCES ARE LIMITED DUE TO THE UNSTABLE PRICE OF CRANBERRIES. CWRE WILL BE MONITORING PROGRESS AND REQUESTING THAT THE PROJECT BE FINISHED WITHIN THE AMOUNT OF TIME REQUESTED.

11. Provide any other information you wish OWRD to consider while evaluating your Application for Extension of Time.

WE ARE UNABLE TO SEPARATE COSTS FROM THIS PERMIT AN PERMIT R-12928.
PLEASE CONSIDER BOTH PERMITS TOGETHER. CWRE WILL BE MONITORING
PROGRESS TO ENSURE COMPLETION OF PROJECT IN A TIMELY MANNER.

Thank you for submitting a complete and accurate application. Remember to sign the front page. If you have questions or need assistance, please ask to speak with the Department's Extension Specialist by calling 503-986-0900 during business hours.

ATTACHMENT A

CHART - C

DATE	WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED	COST
1960	CONSTRUCT MAICKE RES. #4	\$5,000.00
1968	CONSTRUCT HAGA RES. #4	\$2,500.00
1969	CONSTRUCT RICHERT RES. #4	\$8,000.00
1971	CONSTRUCT SCHERER RES. #5 & #1	\$9,000.00
1972	CONSTRUCT RICHERT RES. #2	\$8,000.00
1975	CONSTRUCT SCHERER RES. #8, ENLARGE EXISTING RESERVOIR	\$7,000.00
1980	CONSTRUCT MANICKE RES. #1 & #2	\$15,000.00
1983	CONSTRUCT SCHERER RES. #6	\$8,500.00
1988	CONSTRUCT MANICKE RES. #3	\$10,000.00
1989	CONSTRUCT HAGA RES. #2	\$4,500.00
1990	CONSTRUCT SCHERER RES. #4 & RE-SAND BOGS	\$9,000.00
1993	CONSTRUCT HAGA RES. #3	\$6,000.00
1993	CONSTRUCT RICHERT RES. #3	\$15,000.00
1996	PARTIAL CONSTRUCTION OF BEE STING RES. (HAGA)	\$1,500.00
2000	CONSTRUCT SCHERER RES. #3	\$5,500.00
1998-2000	CONSTRUCT WINDHURST RES., INSTALL PIPING, WEIR, STAFF GAGES, METER	\$1,600,000.00

DATE	WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED AND PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER	COST
10/10/2000	THE PERMIT WAS SIGNED	
10/10/2001	THE PERMIT SPECIFIED "ACTUAL CONSTRUCTION WORK" SHALL BEGIN ("A-DATE")	
2001	INSTALL PUMP, ELECTRICAL & VALVES FOR WINDHURST RES.	\$12,050.00
2001	PARTIAL EXCAVATION OF HAGA RES.#1	\$4,000.00
10/01/2005	DATE THE PERMIT SPECIFIED COMPLETE APPLICATION OF WATER TO THE USE SHALL BE MADE ("C-DATE")	
	TOTAL COST FOR CHART - C	\$1,730,550.00

5-69654

S = 537p) test revised: August 19, 2013

Completeness Checklist for Permit Extension of Time Application

Minimum completeness criteria for Extension of Time Applications are set forth in OAR 690-086-0020(3) for NON-Municipal or NON-Quasi-Municipal permits and in OAR 690-086-0070(3) for Municipal or Quasi-Municipal permits.

/	
d 1/	Pull the permit file. If a copy of the permit is not in the file, pull up an image of the permit in WRIS.
2.	Is the permit to be extended Non-Cancelled according to WRIS and the permit file? If the permit has been cancelled, the Extension Application cannot be accepted.
3 .	Is the extension applicant's name and mailing address supplied?
	If yes, is the applicant a permit holder of record (i.e., permit issued or assigned to them)?
	If the extension applicant is NOT a permit holder of record, a "Request for Assignment" must be accepted and processed before the Extension Application can be processed.
	If an Assignment has not yet occurred, and is not submitted with the Extension of Time Application, the application cannot be accepted.
	* NOTE: The applicant may submit a complete "Request for Assignment," at the same time, which must include the statutory fee of \$85 for the assignment, required proof of ownership, or signature of previous permit holder, in addition to all necessary items required for the Extension of Time Application so that both applications can be accepted.
W 4.	Is the appropriate Extension of Time Application used?
	If the wrong application form is used, the Extension Application cannot be accepted.
	If a Municipal or Quasi-Municipal permit, use: "Application for Extension of Time for Municipal and Quasi-Municipal Water Use Permits."
	• If a NON-Municipal or NON-Quasi-Municipal permit, use: "Application for Extension of Time for a Water Right Permit (Non-Municipal / Non-Quasi-municipal Water Use)."
1 /5.	Are the requested date(s) for extension identified (Page 1)?
-	Check the permit to see if it includes a "B-Date" and/or a "C-Date."
	"B-Date" = date by which construction of the water delivery system for the permit is to be completed. "C-Date" = date by which full beneficial use of water under the permit is to be accomplished.
	NOTE: For permits with both a "B-Date and a "C-Date," the applicant will likely request an extension of both dates (i.e., to complete construction of the water delivery/distribution system and to apply water to full beneficial use). Unless, of course, construction of the water delivery system is complete. In which case, the applicant would likely only request an extension of the "C-Date" (i.e., to apply water to full beneficial use).
	For permits with only a "C-Date," the applicant will only be requesting an extension of the date in which to apply water to full beneficial use.
	Is the Extension Application signed (with an original signature) by permit holder(s) of record or an authorized agent? on (If signed by agent, documentation from the pennul holder(s) granting authorization for the agent to sign on their behalf must be provided or be present and current in the permit file.)
	If not signed by a permit holder of record or authorized agent, the Extension Application cannot be accepted.

NOTE: If the permit covers land that has been subdivided and assigned to different, individual parties... we only need signatures of the permit holder(s) of record for the portion of the permit

involved in the Extension of Time Application.

		The second secon
7. Are all questions on the application and (NOTE: Supporting documentation such as: collevel measurement reports, evidence demonstr	opie	ered?es of the permit, well log(s), annual water use reports, static water ng construction/work/water use accomplished, etc. may be included.)
		national only. No need to check off.
■ NON-Municipal or NON-Quasi-Muni	icip	pal Permit Extension Applications:
Ques. #1 - Information provided on beginning of construction ("A" Date) under the permit.	•	Ques. #5-C - Well location information provided and whether a permit amendment is necessary.
Ques. #2 - Information provided on compliance with permit conditions.	•	Ques. #6 - Information provided on number of acres irrigated, if applicable.
Ques. #3 - Description provided of progress made in developing the permit.		Ques. #7 - Description provided of remaining work left to be accomplished to perfect the permit.
Ques. #4 - Monetary investment made in the project to date provided.	3.0	Ques. #8 - Description provided of estimated cost to complete the project associated with the permit.
Ques. #5-A - Max amount of water beneficially used to date for a SW permit indicated.	•	Ques. #9 - Explanation provided of why the permit has not been fully developed/perfected.
Ques. #5-B - Well construction information provided and max amount of water beneficially used to date for a GW permit indicated.	•	Ques. #10 - Justification provided of why the requested time is necessary to complete project.
■ Municipal/Quasi-Municipal Permit E	ext	ension Applications:
Ques. #2 – For Quasi-Municipal permits only, information provided on beginning of construction ("A" Date) under the permit.	•	Ques. #8 - Estimate provided of current peak water demand of the population served and the methodology used to make the estimate.
Ques. #3 – For Municipal permits issued on or after June 29, 2005, information provided on beginning of construction ("A" Date).	•	Ques. #9 - Explanation provided of why the permit has not been fully developed/perfected.
Ques. #4 - Description provided of progress made in developing the permit and financial expenditures made in the project to date.		Ques. #10-A - Estimate provided of demand projection for the permit, the methodology used to make the estimate and anticipated date for full beneficial use of the permit.
Ques, #5-A & #5-B - Information provided on compliance (or non-compliance) with permit conditions.	•	Ques. #10-B – For extension requests greater than 50 years, documentation provided that the demand projection is consistent with the lands and uses proposed to be served by the permit holder.
Ques. #6-A - Max amount of water beneficially used to date for a SW permit indicated.	•	Ques. #11 - Estimate of costs to complete the project and a summary of future schedule to complete construction / perfect the water right.
Ques. #6-B - Well construction information provided and max amount of water beneficially used to date for a GW permit indicated.		Ques. #12 - Justification provided of why the requested time is necessary to complete project and/or apply water to full beneficial use.
Ques. #6-C - Well location information provided and whether a permit amendment is necessary.		Ques. #14- A copy of any agreements regarding use of the undeveloped portion of the permit and maintaining the persistence of fish, if applicable.
Ques. #7 – Estimate provided of current population served under the permit and the methodology used to make the estimate.		Attachment A - A tabular inventory of the water supplier's water rights and any other water use authorizations.
8. Has the \$575 fee been paid?	1	3493
If applicable, has the 303 feet	IUI	the Assignment occur para.
(As of July 1, 2013, the Exten	sio	n of Time fee is \$575, and Request for Assignment fee is \$85)
If the fee has NOT been paid, the a	nn	ligation cannot be accented
**NOTE: If the fee is the only item mi	ssir	ng, contact the applicant to see if they can submit the fee with the next
explain to them that if it is not received	d th	mitting the fee within one week, hold the Extension Application, and e application will be returned (as we are required to keep any if retained by the Department as long as two weeks.
please route both the money slip Anne Reece for municipal and a	ar	t is not clear whether the application can be accepted, and Extension Application to Extension Specialist, or asi-municipal applications. One will either: 1) accept the
application; 2) return the application	itic	on; or 3) prepare a deficiency letter.

S:\groups\wr\extensions\Forms and Templates\Checklists\Permit Extension-Checklist-8-19-2013.doc



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1271 503-986-0900 FAX 503-986-0904

September 29, 2014

REFERENCE: Application for Extension of Time

Dear Extension of Time Applicant:

The Water Right Services Division has received your application for an extension of time for **APPLICATION FILE #: S-69654 (Permit S-53703).** Your application will be reviewed in the future. Following the review, you will receive a Proposed Final Order either approving or rejecting the extension of time request. A 45-day protest period begins upon issuance of the Proposed Final Order. After the protest period closes, a Final Order is issued.

If you are interested in having your application reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml

You may continue the use of water under your water right until the Water Resources Department formally takes action on your extension application. If your permit includes conditions, water use reporting, water level measurement reporting, etc., you are required to comply with the conditions.

Any additional development that occurs after the expired completion date, identified on the permit or an extension order, can only be claimed upon an approved extension application.

If you have questions concerning your extension of time application, please contact Machelle Bamberger at (503) 986-0802. For general information about the Water Resources Department, you may contact the Water Resources' Customer Service Group at (503) 986-0801 or you may access the Department's website at: www.wrd.state.or.us.

Oregon Water Resources Department

Water Right Services Division

PROPOSED FINAL ORDER

In the Matter of the Application for an Extension of Time for Permit S-53703, Water Right Application S-69654, in the name of Windhurst Road Water Corporation.

Permit Information

Application:

S-69654

Permit:

S-53703

Basin:

17 - South Coast / Watermaster District 19

Date of Priority:

June 30, 1988

Source of Water:

Bill Creek, a tributary of Bear Creek, and legally

stored water under Permit R-12928

Purpose of Use:

Cranberry operations on 162.4 acres, agricultural

use on 27.7 acres, and supplemental cranberry

operations on 18.1 acres

Maximum Rate/Volume:

614.00 acre feet (AF) of stored water; maximum instantaneous diversion rate from Bill Creek authorized under this permit, combined with the diversion authorized under Permit R-12928, not to exceed 2.75 cubic feet per second (cfs) November 1 through May 31 from natural flow and year

round from stored water

Please read this Proposed Final Order in its entirety as it may contain additional conditions not included in the original permit

In summary, the Department proposes to:

- Grant an extension of time to apply water to full beneficial use from October 1, 2014 to October 30, 2019.¹
- Make the extension subject to certain conditions set forth below.

This Extension of Time request is being processed in accordance with Oregon Revised Statute

¹ Pursuant to ORS 537.230(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use.

537.230 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315 ACRONYM QUICK REFERENCE

Department – Oregon Water Resources Department
PFO – Proposed Final Order
cfs – cubic feet per second
gpm – gallons per minute
AF – acre-feet

AUTHORITY

Generally, see ORS 537.230 and OAR Chapter 690 Division 315.

ORS 537.230(3) provides in pertinent part that the Oregon Water Resources Department (Department) may, for good cause shown, order an extension of time within which irrigation or other works shall be completed or the right perfected. In determining the extension, the Department shall give due weight to the considerations described under ORS 539.010(5) and to whether other governmental requirements relating to the project have significantly delayed completion of construction or perfection of the right.

ORS 539.010(5) provides in pertinent part that the Water Resources Director, for good cause shown, may extend the time within which the full amount of the water appropriated shall be applied to a beneficial use. This statute instructs the Director to consider: the cost of the appropriation and application of the water to a beneficial purpose; the good faith of the appropriator; the market for water or power to be supplied; the present demands therefore; and the income or use that may be required to provide fair and reasonable returns upon the investment.

OAR 690-315-0040 provides in pertinent part that the Water Resources Department shall make findings to determine if an extension of time may be approved to complete construction and/or apply water to full beneficial use.

OAR 690-315-0050(6) requires the Department, for extensions exceeding five years, to establish checkpoints to determine if diligence is being exercised in the development and perfection of the water use permit. Intervals between checkpoints will not exceed five year periods.

FINDINGS OF FACT

Background

Permit S-53703 was granted by the Department on October 10, 2000. The permit
authorizes 614.0 AF of stored water under Permit R-12928 year round; maximum
instantaneous diversion rate from Bill Creek authorized und this Permit, combined with
the diversion authorized under permit R-12928, not to exceed 2.75 cfs, November 1
through May 31 from natural flow from Bill Creek, a tributary of Bear Creek for

cranberry operations on 162.4 acres, agriculture use on 27.7 acres, and supplemental cranberry operations on 18.1 acres. The permit specified actual construction was to begin by October 10, 2001 and complete application of water was to be made on or before October 1, 2005.

- One prior permit extension has been granted for Permit S-53703. The most recent extension resulted in the completion dates for full application of water being extended to October 1, 2014.
 - 3. The permit holder submitted an "Application for Extension of Time" to the Department on September 26, 2014, requesting both the time to complete construction of the water system and the time to apply water to full beneficial use under the terms of Permit S-53703 be extended from October 1, 2014 to October 30, 2019. However, since the permit does not contain a specific deadline for completing construction, the Department needs to only consider an extension of the time to apply water to full beneficial use. This is the first permit extension requested for Permit S-53703.
- Notification of the Application for Extension of Time for Permit S-53703 was published in the Department's Public Notice dated October 7, 2014. No public comments were received regarding the extension application.

Review Criteria [OAR 690-315-0040]

The time limits to complete construction and/or apply water to full beneficial use may be extended if the Department finds that the permit holder has met the requirements set forth under OAR 690-315-0040. This determination shall consider the applicable requirements of ORS 537.230^2 , 537.248^3 and/or $539.010(5)^4$.

Complete Extension of Time Application [OAR 690-315-0040(1)(a)]

 On September 26, 2014, the Department received a completed Application for Extension of Time and the fee specified in ORS 536.050 from the permit holder.

Start of Construction [OAR 690-315-0040(1)(b) and 690-315-0040(5)]

 Actual construction of the water system began prior to the October 10, 2001 deadline specified in the permit. In 2000, a staff gage was installed on Bear Creek on the bridge downstream from the confluence of Bills Creek.

Duration of Extension [OAR 690-315-0040(1)(c)]

Under OAR 690-315-0040(1)(c), in order to approve an extension of time for water use permits the Department must find that the time requested is reasonable and the applicant can complete the project within the time requested.

7. As of September 26, 2014, the remaining work to be completed consists of installing

²ORS 537.230 applies to surface water permits only.

³ORS 537.248 applies to reservoir permits only.

⁴ORS 539.010(5) applies to surface water and ground water permits.

- staff gages in Scherer and Haga reservoirs and applying water to full beneficial use.
- Given the amount of development left to occur, the Department has determined that
 the permit holder's request to have until October 30, 2019, to accomplish the
 application of water to beneficial use under the terms and conditions of Permit S-53703
 is both reasonable and necessary.

Good Cause [OAR 690-315-0040(1)(d)]

The Department's determination of good cause shall consider the requirements set forth under OAR 690-315-0040(2).

Reasonable Diligence of the Appropriator [OAR 690-315-0040(2)(a)]

The Department's determination of reasonable diligence shall consider the requirements set forth under OAR 690-315-0040(3)(a-d). In accordance with OAR 690-315-0040(3), the Department shall consider, but is not limited to, the following factors when determining whether the applicant has demonstrated reasonable diligence in previous performance under the permit:

Amount of Construction [OAR 690-315-0040(3)(a)]

- 9. Work was accomplished within the time allowed in the permit or previous extension as follows:
 - a. Construction of the water system began prior to the October 10, 2001 deadline specified in the permit. In 1998 installation of a staff gage at the point of diversion from Bills Creek was completed and in 2000 a staff gauge was installed downstream from the confluence of Bear Creek and Bill Creek.
 - b. Work was completed during the original development time frame under Permit S-53703. Installed totalizing flow meter in 2001, installed approved fish screen in 2002, and installed staff gages in most of the reservoirs.
 - d. During the most recent extension period, being from October 1, 2005, to October 1, 2014, the following was accomplished:
 - Purchased staff gages for Scherer and Haga reservoirs; and
 - Purchased pumps and plumbing for Richert reservoir.

Beneficial Use of Water [OAR 690-315-0040(3)(b)]

- 10. The following beneficial use was made of the water during the permit or previous extension time limits:
 - a. Since the issuance of Permit S-53703 on October 10, 2000, the permit holder has used 3.0 cfs of water diverted from Bill Creek, a tributary of Bear Creek, and 614.0 AF of legally stored water under Permit R-12928 for cranberry operations on 162.4 acres, agricultural use on 27.7 acres, and supplemental cranberry operations on 18.1 acres. This exceeds the amount of water authorized under

Page 4 of 9

this permit. The authorized amount of water is 2.75 cfs.

Compliance with Conditions [OAR 690-315-0040(3)(c)]

- 11. The water right permit holder's conformance with the permit or previous extension conditions.
 - a. The Department has considered the permit holder's compliance with conditions, and has identified the following concerns: (1) annual reports of the amount of water used each month have not been received by the Department, (2) rating curve and stream flow measurements have not been received by the Department, and (3) not all staff gages are installed.
 - b. In order to legally perfect the storage of water under this permit, the permit holder must demonstrate that all conditions of the permit have been satisfied.

Financial Investments to appropriate and Apply Water to a Beneficial Purpose [OAR 690-315-0040(2)(b),(3)(d),(4)(d)]

12. As of September 26, 2014, the permit holder has invested approximately \$890,025, which is about 97 percent of the total projected cost for complete development of this project. The permit holder anticipates an additional \$24,000 investment is needed for the completion of this project.

Good Faith of the Appropriator [OAR 690-315-0040(2)(c)]

13. The Department has found good faith of the appropriator under Permit S-53703.

The Market and Present Demands for Water [OAR 690-315-0040(2)(d-e)]

The Department's determinations of market and present demand for water or power to be supplied shall consider the requirements set forth under OAR 690-315-0040(4)(a-f). In accordance with OAR 690-315-0040(4), the Department shall consider, but is not limited to, the following factors when determining the market and the present demand for water or power to be supplied:

- 14. The amount of water available to satisfy other affected water rights and scenic waterway flows; special water use designations established since permit issuance, including but not limited to state scenic waterways, federal wild and scenic rivers, serious water management problem areas or water quality limited sources established under 33 U.S.C. 1313(d); or the habitat needs of sensitive, threatened or endangered species, in consultation with the Oregon Department of Fish and Wildlife <u>IOAR 690-315-0040(4)(a-c)</u>].
 - a. The amount of water available to satisfy other affected water rights and scenic waterway flows was determined at the time of issuance of Permit S-53703; furthermore, water availability for other affected water rights and scenic waterway flows after the permit was issued is determined when an application for a new water right is submitted. The points of diversion are located on Bill Creek, a tributary of Bear Creek, and are not located within a Withdrawn Area.

Page 5 of 9

Bill Creek, a tributary of Bear Creek, is not located within or above a state or federal scenic waterway, however, it is located within an area ranked "low" for stream flow restoration needs as determined by the Department in consultation with the Oregon Department of Fish and Wildlife, and is located within a Sensitive, Threatened or Endangered Fish Species Area as identified by the Department in consultation with Oregon Department of Fish and Wildlife. The points of diversion are not in a location listed by the Department of Environmental Quality as a water quality limited stream.

- Other economic interests dependent on completion of the project [OAR 690-315-0040(4)(e)].
 - a. None have been identified
- 16. Other factors relevant to the determination of the market and present demand for water and power [OAR 690-315-0040(4)(f)].
 - None have been identified.
- 17. OAR 690-315-0050(6) requires the Department to place a checkpoint condition on this extension of time in order to ensure diligence is exercised in the development and perfection of the water use permit. A "Checkpoint Condition" is specified under Item 1 of the "Conditions" section of this PFO to meet this condition.

Fair Return Upon Investment [OAR 690-315-0040(2)(f)]

 Use and income from the permitted water development will likely result in reasonable returns upon the investment made to date.

Other Governmental Requirements [OAR 690-315-0040(2)(g)]

 Delay in the development of this project was not caused by any other governmental requirements.

Unforeseen Events [OAR 690-315-0040(2)(h)]

20. None have been identified.

CONCLUSIONS OF LAW

- The applicant is entitled to apply for an extension of time to complete construction and/or completely apply water to the full beneficial use pursuant to ORS 537.230(3).
- The applicant has submitted a complete extension application form and the fee specified in ORS 536.050, as required by OAR 690-315-0040(1)(a).
- The applicant complied with begin actual construction timeline requirements pursuant to ORS 537.230 as required by OAR 690-315-0040(1)(b) and OAR 690-315-0040(5).

Proposed Final Order: Permit S-53703

- 4. Full application of water to beneficial use can be accomplished by October 30, 2019⁵, as required by OAR 690-315-0040(1)(c).
- 5. The Department has considered the reasonable diligence and good faith of the appropriator, the cost to appropriate and apply water to a beneficial purpose, the market and present demands for water to be supplied, the financial investment made and fair and reasonable return upon the investment, the requirements of other governmental agencies, and unforeseen events over which the permit holder had no control, whether denial of the extension will result in undue hardship to the applicant and whether there are no other reasonable alternatives for meeting water use needs, any other factors relevant to a determination of good cause, and has determined that the applicant has shown that good cause exists for an extension of time to apply water to full beneficial use pursuant to OAR 690-315-0040(1)(d).
- As required by OAR 690-315-0050(6) and as described in Finding 17, above, the
 Department has established, as specified in the "Conditions" section of this PFO (Item1),
 progress checkpoints in order to ensure future diligence is exercised in the development
 and perfection of Permit S-53703.

7.

PROPOSED ORDER

Based upon the foregoing Findings of Fact and Conclusions of Law, the Department proposes to issue an order to:

Extend the time to apply water to beneficial use under Permit S-53703 from October 1, 2014 to October 30, 2019.

Subject to the following conditions:

CONDITIONS

1. Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by October 1, 2016. A form will be enclosed with your Final Order.

(a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension.

Page 7 of 9

⁵Pursuant to ORS 537.230(3), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and a new or revised claim of beneficial use as deemed appropriate by the Department.

If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;

(b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

DATED: November 18, 2014

Dwight W. French, Administrator Water Right Services Division If you have any questions, please check the information box on the last page for the appropriate names and phone numbers.

Proposed Final Order Hearing Rights

- Under the provisions of OAR 690-315-0100(1) and 690-315-0060, the applicant or any
 other person adversely affected or aggrieved by the proposed final order may submit a
 written protest to the proposed final order. The written protest must be received by
 the Water Resources Department no later than <u>January 2, 2015</u>, being 45 days from the
 date of publication of the proposed final order in the Department's weekly notice.
- 2. A written protest shall include:
 - a. The name, address and telephone number of the petitioner;
 - A description of the petitioner's interest in the proposed final order and if the protestant claims to represent the public interest, a precise statement of the public interest represented;
 - A detailed description of how the action proposed in the proposed final order would adversely affect or aggrieve the petitioner's interest;
 - A detailed description of how the proposed final order is in error or deficient and how to correct the alleged error or deficiency;
 - e. Any citation of legal authority supporting the petitioner, if known;

- f. Proof of service of the protest upon the water right permit holder, if petitioner is other than the water right permit holder; and
- g. The applicant or non-applicant protest fee required under ORS 536.050.
- 3. Within 60 days after the close of the period for requesting a contested case hearing, the Director shall:
 - a. Issue a final order on the extension request; or
 - b. Schedule a contested case hearing if a protest has been submitted, and:
 - Upon review of the issues, the Director finds there are significant disputes related to the proposed agency action; or
 - The applicant submits a written request for a contested case hearing within 30 days after the close of the period for submitting protests.
 - If you have any questions about statements contained in this document, please contact Machelle Bamberger at (503) 986-0802.
 - If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Patricia McCarty at 503-986-0820.
 - If you have any questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0801.

Address any correspondence to : Water Right Services Division

725 Summer St NE, Suite A

Fax: 503-986-0901 Salem, OR 97301-1266

Mailing List for Extension PFO Copies

PFO Date: November 18, 2014

Copies Mailed

Application: S-69654

Permit: S-53703

By: <u>BIO</u> On: <u>II/18/14</u>

Original mailed to Applicant:

Windhurst Road Water Corporation P.O. Box 503 Bandon, OR 97411

Copies sent to:

1. WRD - App. File S-69654/ Permit S-53703

Fee paid as specified under ORS 536.050 to receive copy:

2. None

Receiving via e-mail (10 AM Tuesday of signature date) (DONE BY EXTENSION SPECIALIST)

3. WRD - Watermaster District 19, Mitch Lewis

CASEWORKER: MAB

OREGON WATER RESOURCES PLAT CARD:	Township 28.00 S	Kanga 14.00	W	SECTION	3.
-----------------------------------	------------------	-------------	---	---------	----

APP	- NU /	TERT		COV'T LOT		N	15			MM				SW		SE.	
PERM	MIT NO.	NO.		BLC													SE
3	11887	0	V		5 00	15.10 (CR)		Application with State State (3.00 (CR)			20000000	2721212121	या का मा मा का का	SEFEE		
	14396	11235	V			3.50 (IR)			2.50 (TR)								
3	5153 16250	55484				8,30			2.10 (18)		1000						
	21552 15898	21890											5.50 (TK)				
	42775 31857	49718	V									2.80 (IC) 2.80 (1R) 2.80 (AG)	(TG) 3.30 (AG) 3.30				
	58577 44582	55554	V										3.40 (GR) 5.40 (GR)				

OREGON WATER RESOURCES PLAT CARD: Township 29.00 S Range 14.00 W SECTION 9

A 100	NO. 7	CERT	de terminal a	GOVIT LOT	. 100 mm tol 100 mm to	N	<u></u>			NW			ALL STATES		S.M.			8	E	
B. 是 B.	ALL NO-	NO_		Or C	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW.	SW	SE
(3)	14155	0	V	4.56 an an 12 55 are on 12 an ag ag		and had dear one than I	20212	12 27 24 27 24			5.20 (CR) (S)						44,000 00 40 00			
		0				4420 144					(CR)									
	23022	23007							5.70 (IR)			0.10								
		35524		100°00 00 000 000 000 000 000 000			5.301 (IR)													
	41401 30925	35502				0.80 (IR)			6.301 (1R) 5.701 (1R) (S)			0.10 (IR) (S) 1.40 (IR)								
	42825 32008	35509	V						2.80 (1R)											
	45853 35039	39525	٧		3.00 (IR)		2.00 (1R)	11,000												
	59907 45731					0.80 (CR)			14.80 (CR) 1.00 (CR)			1.50) (CR)								
	59928 51486		V						7.70		00 (GR)									

OREGON WATER RESOURCES PLAT CARD: Township 28 00 S Range 14.00 W SECTION 32

WEL	- NO. /	TEERT	1 00V'1	LOTT		X			N	W			2	-		_	X	
)EI	ON TIME	NO.	DUC		VE	NM SW	SE	NE =====I	-	× ×	×	NE	NW		SE	NW		SE
R	70050 11927	1 0	٧				and need and and			(BH)				The same day and the				
S	22415	21653	V		· · · · · · · · · · · · · · · · · · ·				420			***						
8	8353/	21595	V		-					480	1-3 1 1 1 1 1 1 1	***************************************	1			€-1: =W		111 111 111 111
S S	34672 27232	.0		- ma - m - m - m - m - m - m - m - m - m				(MU)	(40)	(MJ)	(MIT)	(((())	(MU)	(MILL)	(MU)			
8	34673 27233	0	٧				and offer only area and	(MU)	(MU) [(MU)	(MU)	(MU)	(MU)	(1961)	(MU)			
8	42775 3:857	48118	V		(62 . 80		2.20 (IR) 2.20 (AG) 2.20 (TC)											
S	8453/3 41/8	0	٧							X								
5	52945	0.1	V							2.41	1							

OREGON WATER RESOURCES PLAT CARD: Township 29_01 S Range 14 00 W SECTION 4

			GOV' F LOT			E			6										
PERM	ALT NOL	NO.		NE	NW	Sw	SE	NE	NW	SW	SE	NE	NW.	SW	SE	NE	NM	SW	St
R	5017	0 V				*******	*****					(100)							
	70196									**************************************			0		(CR)				
9	4982	0 V										(MU)		*					
	14782	11113 V											4.001 (IR)						
	20090	20828 V											2,00 (1R)						
	31234 24515	35720 V												0.50 (IR)					
	42825 32008	36533 V																1.001 ((R))	
	55207 41467	59066 V								1		Y.		4.25 (C1)					
		a v																(CR)	
	54733 47504	59057 V												(CH) 0.50 (TU)	0.80				
	58371 49580	0 1						The second						7.85 (CR)					
	70197 52295						0							2.00 (UR)					

				GOV'T LOT			ΔE			~~~~~	Z			3	47			SE	tan and and and and	e dear and deer our s
PER	RMII NO.	NO.		0 C	NE	NW	SW	SE	I NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	Sw	SE
R	71773	O I	V		The state of the last same								THE PARTY SHEET SHEET STATE		and the second		was feet that the last			(fc)
R	72130 11625					#			with company of						(68)					((to
R	73932 11907	0																		(CR)
S S	18237 13898	13795			 	1		1 - 1 - 1 1 per 10-1									3_D8 (TR)			
S S	20090 15653	20828		9, 34, 11, 1991, 144, 7,													2.00 (1k)		100	
5	20179 15722	252791	V	LOT 1																
5	43200 32295								5.20 (AG) 5.20 (TG) 5.20 (TR)			3.80 (1R) 1.20 (AG)								
3	72131 51905	BIY	V												8.001					
5	73931 52549	011	V														0.50 (IR)			8.00 (CR)

Oregon Water Resources Department

Water Right Services Division

Water Rights Application Number S-69654

FINAL ORDER

Extension of Time for Permit Number S-53703
Permit Holder: Windhurst Road Water Corporation

Permit Information

Application:

S-69654

Permit:

S-53703

Basin:

17 - South Coast / Watermaster District 19

Date of Priority:

June 30, 1998

Source of Water:

Bill Creek, a tributary of Bear Creek, and legally

stored water under Permit R-12928

Purpose of Use:

Cranberry operations on 162.4 acres, agricultural

use on 27.7 acres, and supplemental cranberry

operations on 18.1 acres

Maximum Rate/Volume:

614.00 acre feet (AF) of stored water; maximum instantaneous diversion rate from Bill Creek authorized under this permit, combined with the diversion authorized under Permit R-12928, not to exceed 2.75 cubic feet per second (cfs) November 1 through May 31 from natural flow and year

round from stored water

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.230 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315

Appeal Rights

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. A request for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either file for judicial review, or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60

days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit S-53703 was issued by the Department on October 10, 2000. The permit called for actual construction to begin by October 10, 2001, and complete application of water to beneficial use by October 1, 2005. The most recent extension authorized complete application of water to beneficial use by October 1, 2014. On September 26, 2014, Windhurst Road Water Corporation submitted to the Department an Application for Extension of Time for Permit S-53703. In accordance with OAR 690-315-0050(2), on November 18, 2014, the Department issued a Proposed Final Order proposing to extend the time to apply water to full beneficial use from October 1, 2014 to October 30, 2019. The protest period closed January 2, 2015, in accordance with OAR 690-315-0060(1). No protest was filed.

FINDINGS OF FACT

The Department adopts and incorporates by reference the findings in the Proposed Final Order dated November 18, 2014.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, the permit may be extended subject to additional conditions.

CONDITIONS

1. Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by October 1, 2016. A form is enclosed with this Final Order.

(a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260

Page 2 of 3

Final Order: Permit S-53703

or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;

(b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.230, 539.010(5) and OAR 690-315-0040(2).

ORDER

The extension of time for Application S-69654, Permit S-53703, therefore, is approved. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 2014 to October 30, 2019.

DATED: January 9, 2015

Dwigksfrench

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

Final Order: Permit S-53703

If you have any questions about statements contained in this document, please contact Permit Extension Specialist at (503) 986-0802.

If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900



Extension of Time Progress Reporting Form For Checkpoints

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: Windhurst Road Water Corp

Application S-69654

Permit S-53703

Progress Report Form for 2016

Report Due no later than October 1, 2016
DO NOT SUBMIT PRIOR TO 30 DAYS BEFORE DUE DATE

DATES	LIST ALL WORK ACCOMPLISHED and FINANCI. For the period of time between September 26, 201		FINANCIAL INVESTMENT						
	Submitted Water use report to the Department								
	Submitted rating curve and stream flow measurements to the Watermaster District 19	Department and							
. Desc	ribe actions taken to comply with terms/conditions of	of the permit and/or prev	rious extension.						
	number of acres irrigated to date :(ide the maximum rate, or duty if applicable, of water		sa under this						
perm Maxim or Maxim or	num rate used to date =cfs (cubic feet per second) num rate used to date =gpm (gallons per minute) eet stored to date =AF	Report the rate in the san measurement as specified cfs (cubic feet per second minute) or AF (acre-feet) daily, monthly or annual	ne units of l in the permit, being l), gpm (gallons per . Do not provide						
	RTS WILL BE RETURNED. AN ANSWER IS REQUIRED IN EACH ITEM.								
gnature		Date							
gnature		Date							
		Date							
	e/Title	lic Noticed:							

Mailing List for Extension FO Copies

FO Date: January 9, 2015

Application: S-69654 Permit: S-53703

Original mailed to permit holder

Windhurst Road Water Corporation P.O. Box 503 Bandon, OR 97411

Copies sent to:

1. WRD - App. File S-69654/ Permit S-53703

Fee paid as specified under ORS 536.050 to receive copy:

2. None

Receiving notification via e-mail FO available in WRIS for review (DONE BY EXTENSION SPECIALIST)

3. WRD - Watermaster District 19, Mitch Lewis

If Progress Reports are included:

(DONE BY EXTENSION SPECIALIST)

Copies Mailed

CASEWORKER: MAB

Final Order: Permit S-53703 Page 1 of 1



Water Resources Department North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1271 503-986-0900 FAX 503-986-0904

July 29, 2011

WINDHURST ROAD WATERING CORP. PO BOX 503 BANDON, OR 97411

REFERENCE: Application S-69654 / Permit S-53703

Dear Permit Holder:

The Water Rights and Adjudications Division received your written progress report for Permit S-53703. Receipt of the progress report was published on the Department's weekly Public Notice, dated June 14, 2011. The Department did not receive any public comment on the progress report.

After reviewing your Progress Report, the Department determined that diligence toward completion of the project and compliance with the terms and conditions of the permit and extension has been demonstrated.

If you have any questions, please feel free to contact me by telephone at (503) 986-0827.

Sincerely,

Ann Reece Extensions

Water Rights Services Division

a - C Reece

Enclosure

cc:

Application S-69654

Watermaster District 19 - Mitch Lewis



2.

Extension of Time Progress Reporting Form For Checkpoints

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: Windhurst Road Watering Corportation

Application S-69654 Permit S-53703

Report Due no later than October 1, 2010

Progress Report Form for 2010

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and perfections of Permit S-53703

INSERT DATES	LIST ALL WORK ACCOMPLISHED and FINANCIAL INVESTMENTS For the period of time between October 1, 2005 and October 1, 2014	FINANCIAL INVESTMENT
2008	Construct 3 acres of bogs (does not include delivery system)	\$20,000.00
2009-2010	Pipeline route to Bee Sting Reservoir constructed - brush cleared for road around	\$8,500.00
	Reservoir. Pipeline to be installed in 2011	
	Material removed at Haga #4 reservoir site	\$1,500.00
2010	Stream flow measurement	\$350.00

Compliance with terms and conditions of the permit and/or previous extension.

Strea	am measurement in 2010	RECEIVED
		JAN 0 4 2011
3.	Total number of acres irrigated to date = 107 pri, 18.1 st	up (if applicable) WATER RESOURCES DEPT SALEM, OREGON
4.	Provide the maximum rate, or duty if applicable, of water permit, if any, made to date.	
	Maximum rate used to date = 2.75 cfs (cubic feet per second), or	Report the rate in the same units of measurement as specified in the permit, being
	Maximum rate used to date =gpm (gallons per minute), or	cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). Do not provide
	Acre Feet stored to date = 523 AF	daily, monthly or annual water volume totals.
Sion	ature Ronny O. Naga	Date 12/30/10
0.5.	Twing or the grant of the grant	7 0

	For OWRD use only	
Diligence Shown Varyes No Reviewed by: ALL	Date: 1829- 7-26-2011 Ayr	

Jordan Engineering

Structural-Civil-Geotech 460 Jordan Lane Roseburg, OR 97471 541-673-1931

Oregon Water Resources Department % Mr. Jerry Gainey 725 Summer Street NE, Suite A Salem Oregon 97301

January 3, 2011

Progress Report, Extension of Time:

- 1. Application R-69708 Permit R-12928
- 2. Application S-69654 Permit S-53703

Mr. Gainey:

Inclosed are two Progress Reports for the two permit extension as noted above. Please process letting the applicant and me know if there are any omissions and/or short comings associated with the so noted permits' extension of time.

Respectfully,

Clay Jordan, P.E., S.E., Geotech, CWRE

file: owrd progress report-2010.wpd

cc: Windhurst Road Watering Corporation

RECEIVED

JAN 0 4 2011

WATER RESOURCES DEPT SALEM, OREGON

Route Slip.....Extension of Time Progress Report

1.	Extension Specialist: Progress Report Review
	Date Report Received: 1/4/11
	Report Complete: YES
2.	Jonnine: Publish on the Department's Public Notice
	320 OAR Division under which Progress Report was required
	Publish on Public Notice Date: (0/14/11)
	Update workflow in WRIS (Fill in Extension Checkpoint 'Completed Date' in appropriate work flow record) 2010
	Return to Extension Specialist
3.	Extension Specialist: Prepare Progress Report Confirmation Letter See progress report procedures.doc (date / mail out after 30 day comment period)
	Date Confirmation Letter Needed:
	Update Progress Report Worksheet.xls
	Send to permit holder + anyone who made comments after 30 day public notice CC: Watermaster
	File
4.	Return file to cabinet
Q	PUBLIC NOTICE INFORMATION

Permit Holder's Name: WINDHURST ROAD WATERING CORP.

Application: S-69654

Permit: S-53703

County: Coos

Source: Bill Creek, Stored Under Permit R-12928

Use: Cranberry Operations

Jerry Sauter

From: Kcjengineer@aol.com

Sent: Tuesday, November 02, 2010 12:34 PM

To: jerry.k.sauter@state.or.us; normthewaterguy@charter.net

Subject: Windhurst: progress reports, R-12928 & S-53703 R-69700 S-69654

Jerry:

Per our phone call be advised the two reports were to be submitted by Oct. 1, 2010. In awareness of its complications we have been asked by the clients to address these two reports. There are several members of individual ownerships that we will need to gather information from to compile a respectful report. It is therefore requested that the reports submitting date be extended for several weeks. We applogy for any inconveniences. Please let me know if this is acceptable.

Thanks, Clay Jordan

Oregon Water Resources Department Water Rights Division



Water Rights Application Number S-69654

Final Order Extension of Time for Permit Number S-53703

Appeal Rights

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. A request for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either file for judicial review, or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit S-53703 was issued by the Department on October 10, 2000. The permit called for complete application of water to beneficial use by October 1, 2005. On March 6, 2009 Windhurst Road Watering Corporation submitted to the Department an Application for Extension of Time for Permit S-53703. In accordance with OAR 690-315-0050(2), on September 1, 2009 the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2014. The protest period closed October 16, 2009 in accordance with OAR 690-315-0060(1). No protest was filed.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, the permit may be extended subject to the following conditions:

Page 1 of 1

CONDITIONS

1. Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by October 1, 2010. A form will be enclosed with your Final Order.

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
 - (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.230, 539.010(5) and OAR 690-315-0040(2).

Order

The extension of time for Application S-69654, Permit S-53703, therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use is extended to October 1, 2014.

DATED: November 10, 2009

Dwight French, Administrator of Water Rights and Adjudications

Phillip C. Ward, Director

Final Order: Permit S-53703

Page 2 of 3

Mailing List for Extension FO Copies

Note: Include a copy of the "Important Notice" document along with the original copy of the Final Order being sent to the permit holder.

FO Date: November 10, 2009

Copies Mailed

Application S-69654 Permit S-53703

By: 1/5 On: 1/-12-05

Original mailed to permit holder

Windhurst Road Watering Corportation PO Box 503 Bandon, OR 97411

Copies sent to:

- 1. WRD App. File S-69654/ Permit S-73503
- 2. WRD Watermaster District 19, Mitch Lewis
- 3. WRD SWR Regional Manager, Bruce Sund

4 WRD Support Staff, Salem

Fee paid as specified under ORS 536.050 to receive copy:

5. None

Receiving via e-mail (10 AM day of signature date)

6. None

If Progress Reports are included:

Add record to Progress Report tracking sheet.xls Done: by Date 1/3/09

CASEWORKER: SBK

Page 1 of 1

Final Order: Permit S-53703

Oregon Water Resources Department Water Rights Division



Water Rights Application Number S-69654

Final Order Extension of Time for Permit Number S-73503

Appeal Rights

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. A request for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either file for judicial review, or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit S-73503 was issued by the Department on October 10, 2000. The permit called for complete application of water to beneficial use by October 1, 2005. On March 6, 2009 Windhurst Road Watering Corporation submitted to the Department an Application for Extension of Time for Permit R-12928. In accordance with OAR 690-315-0050(2), on September 1, 2009 the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2014. The protest period closed October 16, 2009 in accordance with OAR 690-315-0060(1). No protest was filed.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, the permit may be extended subject to the following conditions:

CONDITIONS

1. Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by October 1, 2010. A form will be enclosed with your Final Order.

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
 - (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.230, 539.010(5) and OAR 690-315-0040(2).

Order

The extension of time for Application S-69654, Permit S-53703, therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use is extended to October 1, 2014.

DATED: November 3, 2009

Dwight French, Administrator of Water Rights and Adjudications

for

Phillip C. Ward, Director

Mailing List for Extension FO Copies

Note: Include a copy of the "Important Notice" document along with the original copy of the Final Order being sent to the permit holder.

FO Date: November 3, 2009

Copies Mailed

Application S-69654 Permit S-53703 By: MS
On: Which

Original mailed to permit holder

Windhurst Road Watering Corportation PO Box 503 Bandon, OR 97411

Copies sent to:

- 1. WRD App. File S-69654/ Permit S-73503
- 2. WRD Watermaster District 19, Mitch Lewis
- 3. WRD SWR Regional Manager, Bruce Sund
- 4. WRD Support Staff, Salem

Fee paid as specified under ORS 536.050 to receive copy:

5. None

Receiving via e-mail (10 AM day of signature date)

6. None

If Progress Reports are included:

Add record to Progress Report tracking sheet.xls Done: by St Date 10/30/00

CASEWORKER: SBK

Page 1 of 1

Final Order: Permit S-53703

Oregon Water Resources Department Water Rights Division

Application for Extension of Time



In the Matter of the Application for an Extension of Time for Permit S-53703, Water Right Application S-69654 in the name of Windhurst Road Watering Corportation.

PROPOSED FINAL ORDER

Permit Information

Application File S-69654 Permit S-53703

Basin: 17 – South Coast / Watermaster District 19
Date of Priority: June 30, 1988

Authorized Use of Water

Source of Water: Bill Creek, a tributary of Bear Creek, and legally stored

water under Permit R-12928.

Purpose of Use: Cranberry Operations on 162.4 Acres, Agricultural Use on

27.7 Acres, and Supplemental Cranberry Operations on

18.1 Acres.

Maximum Rate: 614 Acre-Feet of stored water (AF)

This Extension of Time request is being processed in accordance with Oregon Administrative Rule Chapter 690, Division 315

Please read this Proposed Final Order in its entirety as it contains additional conditions not included in the original permit.

This Proposed Final Order applies only to Permit S-53703, water right Application S-69654 A copy of Permit S-53703 is enclosed as Attachment 1.

Proposed Final Order: Permit S-53703

Page 1 of 9

Summary of Proposed Final Order for Extension of Time

The Department proposes to:

- Grant an extension of time to apply water to full beneficial use from October 1, 2005 to October 1, 2014.
- Make the extension subject to certain conditions set forth below.

ACRONYM QUICK REFERENCE

Department - Oregon Department of Water Resources PFO - Proposed Final Order

<u>Units of Measure</u> cfs – cubic feet per second gpm – gallons per minute AF – acre-feet

AUTHORITY

Generally, see ORS 537.230 and OAR Chapter 690 Division 315.

ORS 537.230(3) provide in pertinent part that the Oregon Water Resources Department (Department) may, for good cause shown, order an extension of time within which irrigation or other works shall be completed or the right perfected. In determining the extension, the Department shall give due weight to the considerations described under ORS 539.010(5) and to whether other governmental requirements relating to the project have significantly delayed completion of construction or perfection of the right.

ORS 539.010(5) provides in pertinent part that the Water Resources Director, for good cause shown, may extend the time within which the full amount of the water appropriated shall be applied to a beneficial use. This statute instructs the Director to consider: the cost of the appropriation and application of the water to a beneficial purpose; the good faith of the appropriator; the market for water or power to be supplied; the present demands therefore; and the income or use that may be required to provide fair and reasonable returns upon the investment.

OAR 690-315-0040 provides in pertinent part that the Water Resources Department shall make findings to determine if an extension of time may be approved to complete construction and/or apply water to full beneficial use.

OAR 690-315-0050(6) allows the Department, for extensions exceeding five years, to establish checkpoints to determine if diligence is being exercised in the development and perfection of the water use permit. Intervals between checkpoints will not exceed five year periods.

Page 2 of 9

FINDINGS OF FACT

Background

- Permit S-53703 was granted by the Department on October 10, 2000. The permit authorizes the use of 614.0 AF of stored water, diverted from Bill Creek, a tributary of Bear Creek. The combined diversion rate of stored water under this permit and Permit R-12928 shall not exceed 2.75 cfs. Water appropriated under this permit is for cranberry operations on 162.4 acres, agricultural use on 27.7 acres and supplemental cranberry operations on 18.1 acres. The permit specified complete application of water was to be made on or before October 1, 2005.
- 2. The permit holder submitted an "Application for Extension of Time" to the Department on March 6, 2009 requesting the time to apply water to full beneficial use under the terms of Permit S-53703 be extended from October 1, 2005 to October 1, 2014. This is the first permit extension requested for Permit S-53703.
- Notification of the Application for Extension of Time for Permit S-53703 was published in the Department's Public Notice dated March 17, 2009. No public comments were received regarding the extension application.

Review Criteria [OAR 690-315-0040]

The time limits to complete construction and/or apply water to full beneficial use may be extended if the Department finds that the permit holder has met the requirements set forth under OAR 690-315-0040. This determination shall consider the applicable requirements of ORS 537.230¹, 537.248² and/or 539.010(5)³.

Complete Extension of Time Application [OAR 690-315-0040(1)(a)]

 On March 6, 2009 the Department received a completed Application for Extension of Time and the fee specified in ORS 536.050 from the permit holder.

Start of Construction [OAR 690-315-0040(1)(b) and 690-315-0040(5)]

 Actual construction of the water system began prior to the October 1, 2001 deadline specified in the permit.

Duration of Extension [OAR 690-315-0040(1)(c)]

Under OAR 690-315-0040(1)(c), in order to approve an extension of time for water use permits the Department must find that the time requested is reasonable and the applicant can complete the project within the time requested.

¹ORS 537.230 applies to surface water permits only.

²ORS 537.248 applies to reservoir permits only.

³ORS 539.010(5) applies to surface water and ground water permits.

- 6. As of March 6, 2009 the remaining work to be completed consists of applying for Extensions of Time for Manicke Ponds 1, 2, 3, 4, completing two stream flow measurements to aide in the development of a flow rating curve, installing Staff gages in all Scherer and Haga ponds, completing Scherer Reservoir #7, enlarging Scherer Reservoirs # 1 and #2, completing Haga Reservoir #1 and Bee Sting Reservoir, constructing Richert Reservoirs #1 and #2, constructing up to an additional 162.4 acres of bogs and applying water to full beneficial use.
- 7. Given the amount of development left to occur, the Department has determined that the permit holder's request to have until October 1, 2014, to accomplish the application of water to beneficial use under the terms and conditions of Permit S-53703 is both reasonable and necessary.

Good Cause [OAR 690-315-0040(1)(d)]

The Department's determination of good cause shall consider the requirements set forth under OAR 690-315-0040(2).

Reasonable Diligence of the Appropriator [OAR 690-315-0040(2)(a)]

The Department's determination of reasonable diligence shall consider the requirements set forth under OAR 690-315-0040(3)(a-d). In accordance with OAR 690-315-0040(3), the Department shall consider, but is not limited to, the following factors when determining whether the applicant has demonstrated reasonable diligence in previous performance under the permit:

Amount of Construction [OAR 690-315-0040(3)(a)]

- 8. Work was accomplished within the time allowed in the permit or previous extension as follows:
 - a. Construction of the water system began prior to the October 1, 2001 deadline specified in the permit.
 - Work was completed (specified in the Application for an Extension of Time) during the original development time frame under Permit S-53703.

Beneficial Use of Water [OAR 690-315-0040(3)(b)]

- 9. The following beneficial use was made of the water during the permit or previous extension time limits:
 - a. Since the issuance of Permit S-53703 on October 10, 2000 the permit holder has stored 523 AF of water for primary irrigation of 106.2 primary acres and 18.1 acres of supplemental irrigation.

Compliance with Conditions [OAR 690-315-0040(3)(c)]

10. The water right permit holder's conformance with the permit or previous extension conditions.

Page 4 of 9

- a. The Department has considered the permit holder's compliance with conditions, and has identified the following concern, the record does not show that a flow rating curve has been developed in the 10 cfs to 25 cfs range downstream of the confluence of Bill Creek and Bear Creek..
- b. Failure to comply with permit conditions constitutes illegal use of water. In order to legally perfect the use of water under this permit, the permit holder must demonstrate that all conditions of the permit have been satisfied.

Financial Investments [OAR 690-315-0040(3)(d)]

- 11. Financial investments made toward developing the beneficial water use.
 - a. As of March 6, 2009 the permit holder has invested approximately \$2,827,067 which is approximately 80 percent of the total projected cost for complete development of this project. The permit holder anticipates an additional \$694,000 investment is needed for the completion of this project.

Cost to Appropriate and Apply Water to a Beneficial Purpose [OAR 690-315-0040(2)(b)]

12. As of March 6, 2009 the permit holder has invested approximately \$2,827,067 which is approximately 80 percent of the total projected cost for complete development of this project. The permit holder anticipates an additional \$694,000 investment is needed for the completion of this project.

Good Faith of the Appropriator [OAR 690-315-0040(2)(c)]

The Department has found good faith of the appropriator under Permit S-53703.

The Market and Present Demands for Water [OAR 690-315-0040(2)(d-e)]

The Department's determinations of market and present demand for water or power to be supplied shall consider the requirements set forth under OAR 690-315-0040(4) (a-f). In accordance with OAR 690-315-0040(4), the Department shall consider, but is not limited to, the following factors when determining the market and the present demand for water or power to be supplied:

- 14. The amount of water available to satisfy other affected water rights and scenic waterway flows; special water use designations established since permit issuance, including but not limited to state scenic waterways, federal wild and scenic rivers, serious water management problem areas or water quality limited sources established under 33 U.S.C. 1313(d); or the habitat needs of sensitive, threatened or endangered species, in consultation with the Oregon Department of Fish and Wildlife [OAR 690-315-0040(4)(a-c)].
 - a. The amount of water available to satisfy other affected water rights and scenic waterway flows was determined at the time of issuance of Permit S-53703; furthermore, water availability for other affected water rights and scenic waterway flows after the permit was issued is determined at such time that such

Page 5 of 9

application for a new water right is submitted. The point of diversion is located on Bill Creek, a tributary of Bear Creek. Bill Creek is not located within or above any state or federal scenic waterway, is located within an area ranked "high" for stream flow restoration needs as determined by the Department in consultation with the Oregon Department of Fish and Wildlife, and is located within a Sensitive, Threatened or Endangered Fish Species Area as identified by the Department in consultation with Oregon Department of Fish and Wildlife. Bill Creek is not listed by the Department of Environmental Quality as a water quality limited stream.

- 15. Economic investment in the project to date [OAR 690-315-0040(4)(d)].
 - a. As of March 6, 2009 the permit holder has invested approximately \$2,827,067
- 16. Other economic interests dependent on completion of the project [OAR 690-315-0040(4)(e)].
 - None have been identified.
- 17. Other factors relevant to the determination of the market and present demand for water and power [OAR 690-315-0040(4)(f)].
 - None have been identified
- 18. OAR 690-315-0050(6) requires the Department to place a checkpoint condition on this extension of time in order to ensure diligence is exercised in the development and perfection of the water use permit. A "Checkpoint Condition" is specified under Item 1 of the "Conditions" section of this PFO to meet this condition.

Fair Return Upon Investment [OAR 690-315-0040(2)(f)]

19. Use and income from the permitted water development results in reasonable returns upon the investment made to date.

Other Governmental Requirements [OAR 690-315-0040(2)(g)]

 Delay in the development of this project was not caused by any other governmental requirements.

Unforeseen Events [OAR 690-315-0040(2)(h)]

21. Unforeseen events extended the length of time needed to fully develop and perfect Permit S-73503, in that the permit holders previous water right consultant died unexpectedly forcing the permit holder to seek a new consultant and bring him up to date on the project.

CONCLUSIONS OF LAW

1. The applicant is entitled to apply for an extension of time to complete construction and/or Proposed Final Order: Permit S-53703

Page 6 of 9

- completely apply water to the full beneficial use pursuant to ORS 537.230(3).
- 2. The applicant has submitted a complete extension application form and the fee specified in ORS 536.050, as required by OAR 690-315-0040(1)(a).
- 3. The applicant complied with begin actual construction timeline requirements pursuant to ORS 537.230 as required by OAR 690-315-0040(1)(b) and OAR 690-315-0040(5).
- 4. Full application of water to beneficial use can be accomplished by October 1, 2014⁴, as required by OAR 690-315-0040(1)(c).
- 5. The Department has considered the reasonable diligence and good faith of the appropriator, the cost to appropriate and apply water to a beneficial purpose, the market and present demands for water to be supplied, the financial investment made and fair and reasonable return upon the investment, the requirements of other governmental agencies, and unforeseen events over which the permit holder had no control, whether denial of the extension will result in undue hardship to the applicant and whether there are no other reasonable alternatives for meeting water use needs, any other factors relevant to a determination of good cause, and has determined that the applicant has shown that good cause exists for an extension of time to apply water to full beneficial use pursuant to OAR 690-315-0040(1)(d).
- 6. As required by OAR 690-315-0050(6) and as described in Finding 18 above, the Department has established, as specified in the "Conditions" section of this PFO (Item 1), progress checkpoints in order to ensure future diligence is exercised in the development and perfection of Permit S-73503.

Proposed Order

Based upon the foregoing Findings of Fact and Conclusions of Law, the Department proposes to issue an order to:

 Extend the time to apply water to beneficial use under Permit S-73503 from October 1, 2005 to October 1, 2014.

Subject to the following conditions:

⁴Pursuant to ORS 537.230(3), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and the claim of beneficial use.

Proposed Final Order: Permit S-53703

Page 7 of 9

CONDITIONS

1. Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by October 1, 2010. A form will be enclosed with your Final Order.

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

DATED: September 1, 2009

Dwight French Administrator

Water Rights & Adjudications Division

If you have any questions, please check the information box on the last page for the appropriate names and phone numbers.

Proposed Final Order Hearing Rights

- 1. Under the provisions of OAR 690-315-0100(1) and 690-315-0060, the applicant or any other person adversely affected or aggrieved by the proposed final order may submit a written protest to the proposed final order. The written protest must be received by the Water Resources Department no later than October 16, 2009 being 45 days from the date of publication of the proposed final order in the Department's weekly notice.
- 2. A written protest shall include:
 - a. The name, address and telephone number of the petitioner;
 - A description of the petitioner's interest in the proposed final order and if the
 protestant claims to represent the public interest, a precise statement of the public
 interest represented;

- A detailed description of how the action proposed in the proposed final order would adversely affect or aggrieve the petitioner's interest;
- d. A detailed description of how the proposed final order is in error or deficient and how to correct the alleged error or deficiency;
- e. Any citation of legal authority supporting the petitioner, if known;
- f. Proof of service of the protest upon the water right permit holder, if petitioner is other than the water right permit holder; and
- g. The applicant or non-applicant protest fee required under ORS 536.050.
- 3. Within 60 days after the close of the period for requesting a contested case hearing, the Director shall:
 - a. Issue a final order on the extension request; or
 - b. Schedule a contested case hearing if a protest has been submitted, and:
 - 1) Upon review of the issues, the Director finds there are significant disputes related to the proposed agency action; or
 - 2) The applicant submits a written request for a contested case hearing within 30 days after the close of the period for submitting protests.
 - If you have any questions about statements contained in this document, please contact Scott Kudlemyer at 503-986-0813.
 - If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Patricia McCarty at 503-986-0820.
 - If you have any questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0801.

Address any correspondence to: Water Rights and Adjudications Division

725 Summer St NE, Suite A

Fax: 503-986-0901 Salem, OR 97301-1266

Mailing List for Extension PFO Copies

PFO Date: September 1, 2009

Copies Mailed

Application S-69654 Permit S-53703

By: (1) On: 01/09

Original mailed to Applicant:

Windhurst Road Watering Corporation PO Box 503 Bandon, OR 97411

Copies sent to:

- 1. WRD App. File S-69654/ Permit S-53703
- 2. WRD Watermaster District 19, Mitch Lewis

Fee paid as specified under ORS 536.050 to receive copy:

3. None

Receiving via e-mail (10 AM Tuesday of signature date)

4. None

CASEWORKER: SBK



Application for Extension of Time for a Water Right Permit

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

A separate extension application must be submitted for <u>each</u> permit as per OAR 690-315-0020(2).

This application and a summary of review criteria and procedures that are generally applicable to this application are available at http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

I, Win		tering Corporation			
	NAME OF PERMIT I	HOLDER [OAR 690-315-0020(1)	and (3)(a)]		NATIVE DESCRIPTION
P.O. B	ox 503	Bandon	OR	97411	
	ADDRESS	CITY	STATE	Z	IP
(541) 3	347-3062				
	PHONE		E-MAIL AI	DDRESS	
the per	rmit holder of:	Application Number	<u>S</u> - 69654		
		Permit Number	S - 53703		
			[OAR 690-315-0020(3)(b)]	RECEIVED
da bau	about the f	the time in which to			MAR 0 6 2009
do ner		the time in which to:			WATER RESOURCES DEPT SALEM, OREGON
		ction (of diversion/appropr			
		sary to the use of water), where 1,,	nich time now exp	oires on Octobe	r 1,, be
and/or	the time in whic	h to:			
X		Il beneficial use under the te er 1, 2005, be ext			t, which time now

Before submitting your Application for Extension of Time, make sure the following items are included:

- This completed Application for Extension of Time.
- Statutory fee of \$350.
- Signature page (last page of this Application for Extension of Time).
- All supporting documentation and/or evidence referenced in the Application for Extension of Time.

MAIL COMPLETED APPLICATION


along with the

\$350 STATUTORY FEE TO:

Water Resources Department Attn: Water Right Permit Extensions 725 Summer Street NE, Suite A Salem, Oregon 97301

RECEIVED

MAR 0 6 2009



WATER RESOURCES DEPT

- Request the reasonable amount of time necessary to fully complete the water construction project and/or to fully use the permitted quantity of water under the terms and conditions of your permit. Should this request be approved, it will be OWRD's expectation that you will complete your project within the new time period allowed. Future extensions may not be granted.
- A separate Application for Extension of Time must be submitted for each permit. OAR 690-315-0020(2).
- An instruction sheet (Instructions for Filling Out Extension of Time Application for Permits)
 provides details that will help you answer each question on the application. Permit extensions

are evaluated under OAR Chapter 690, Division 315. These rules may be viewed at: http://www.wrd.state.or.us/OWRD/LAW/index.shtml.

- You may provide OWRD with any additional information or evidence that will aid us in making our decision. Please note that OWRD may require other information that is necessary to evaluate the application. OAR 315-0020(3)(n).
- After careful review of the Application for Extension of Time, you may contact OWRD at (503) 986-0900, to ask questions and request assistance from a Permit Extensions Specialist in the Water Rights and Adjudications Division.
- Once an Application for Extension of Time is received by OWRD, it will be reviewed for completeness. OWRD will return any incomplete or deficient applications to the applicant. OAR 690-315-0040(1)(a).

Reference Materials Needed to Complete this Application:

- The water right permit. If needed, a copy of the water right permit can be downloaded from the Department's Website at http://www.wrd.state.or.us (find the link to the Water Rights Information System (WRIS). Or, a copy of the permit (or other documents) may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).
- Documentation which demonstrates compliance with permit conditions (for example, well
 construction logs; static water level measurement reports; annual water use reports; ODFW
 fish screen certification;, a plan to monitor the effect of water use on ground water aquifers
 utilized under the permit; etc.).

Answer the Following Questions to Complete this Application for Extension of Time

[OAR 690-315-0020(3)(e)(A)]

- 2. Permits typically contain standard or special conditions that must be satisfied to lawfully develop and use permitted water. In the development of this water right, have you satisfied the conditions contained in your permit? [yes/no] NO
 - A) Describe how you have complied with each condition contained in the original permit [and, if applicable, each condition contained in any order approving a permit amendment and/or a final order approving a prior extension of time]. Include the date when the condition was satisfied.

TIP:

The instruction sheet for the Application for Extension of Time provides an explanation of the typical conditions that must be addressed in this question.

CHART-A

Condition No.**	Date Satisfied	Describe How Permit Condition Has Been Satisfied
1	2000	Staff gage installed on Bear Cr. on bridge downstream from confluence of Bills Cr.
3	1998	Weir 7 staff gage installed at POD from Bills Creek
4	2001	Totalizing flow meter installed at POD from Bills Creek, Reports submitted beginning Feb. 2002
5	2002	Approved fish screen installed at POD from Bills Creek.
6	2002	Staff gages installed in most ponds, including Windhurst Reservoir ECEIVED
		MAR 0 6 200B
		WATER RESOURCES DE SALEM, OREGON

Condition No: Hand-number each condition on a copy of your permit (and, if applicable, permit amendment and prior extension).

B) If you have NOT complied with all applicable conditions, explain the reasons why and indicate with a date certain (in the near future) when compliance will occur.

CHART-B

Condition No.**	Date Will Comply	Explain Why Each Permit Condition Has NOT Been Satisfied
2	2009	Measurements – we understood our prior consultant, M. John Youngquist, had made some measurements prior to his death, however, we can find no records of measurements. Current consultant, Jordan Engineering, made inspection of gage on 8/20/08, but water was too low to measure. It is hoped that measurements can be accomplished in 2009.
6	2009	Install staff gages in Scherer and Haga ponds

[&]quot;Condition No: Hand-number each condition on a copy of your permit (and, if applicable, permit amendment and prior extension.

- 1960) Provide evidence of physical progress made toward completion of the water system, and of progress made toward making beneficial use of water within the permitted time period (CHART-C); and if applicable, within the time period of the most recent extension granted (CHART-D).
 - 1960) CHART-C (below) must be completed for all Application for Extension of Time requests. *Use chronological order*.

CHART-C

INSERT DATES	WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED List any work done before the permit was issued – eg. Well drilled.	COST*	
1960	Construct Manicke Res. #4	5,000	
1968	Construct Haga Res. #4	2,500	
1969	Construct Richert Res. #4	8,000	
1971	Construct Scherer Res. #5 & #1	9,000	
1972	Construct Richert Res. #2	8,000	
1975	Construct Scherer Res. #8, enlarge existing reservoir	7,000	
1980	Construct Manicke Res. #1 & #2	15,000	
1983	Construct Scherer Res. #6	8,500	
1988	Construct Manicke Res. #3 RECEIVED	10,000	
1989	Construct Haga Res. #2 MAR 0 6 2009	4,500	
1990	Construct Scherer Res. 4 & re-sand bogs	9,000	
1993	Construct Haga Res. #3 WATE - ALGO SEGMENT	6,000	
1993	Construct Richert Res. #3	15,000	
1996	Partial construction of Bee Sting Res. (Haga)	1,500	
2000	Construct Scherer Res. #3		
1998-2000	Construct Windhurst Res., install piping, weir, staff gages, meter	1,600,000	
1960-2000	Construct 100 acres of bogs, pumps, pipes, electrical, sprinklers	1,000,000	

INSERT DATES	WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER List work/actions done during the permitted time period.	COST*
10/10/2000	The permit was signed - find date above signature on last page of permit.	
10/10/2001	The permit specified "Actual Construction Work" shall begin ("A-Date") - not all permits contain this date.	
2001	Install pump, electrical & valves for Windhurst Res.	12,050

	Total Cost to Date \$2,827067.	00	
2008 Construct approximately 3 acres of bogs, does not include sprinklers, piping, pumps or electrical			
DATES	TIME: List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.		
INSERT	WORK ACCOMPLISHED AFTER "C-DATE" COMPETE ONLY IF THIS IS YOUR 1st APPLICATION FOR EXTENSION OF	COST	
10, 1, 2003	made ("C-Date") - all permits contain this date.		
10/1/2005	The permit specified complete application of water to the use shall be		
2001-2005 Construct approximately 6.2 acres of bogs, pumps, electrical, pipes sprinklers			
2004	Partial excavation of Scherer Res. #2 for sanding bogs.	4,000	
2002	Fish screen installed on Bills Cr.		
2002	On site geologist during filling of Windhurst Reservoir		
2001	Partial excavation of Haga Res. #1	4,000	

^{*} If exact cost is not known, you must provide your best estimate.

B) If this is not your 1st Application for Extension of Time request, fill out CHART-D below (in addition to CHART-C above). Use chronological order.

CHART-D

INSERT DATES	WORK ACCOMPLISHED DURING THE LAST EXTENSION PERIOD List all work done during the last authorized extension period.	COST*
10/1/	"Extended From" date for complete application of water used in the 1 st (or the most recent) Application for Extension of Time.	
NA	NA	
	RE	CEIVED
	MA	R 0 6 2009
	13.416	SOURCES DEP
	SALE	M, OREGON
	"Extended To" date for complete application of water resulting from the	
10/1/	1st (or the most recent) Application for Extension of Time.	

INSEF		COST*
	Total Cost to Date \$2,827067.00	
* If exa	act cost is not known, you must provide your best estimate.	
		15 0020/3\/61
		15-0020(3)(f)
4.	Cost of project to date: \$2,827,067.00 (The total cost from CHART-C and CHART-D)	
5.	Provide the maximum rate, or duty if applicable, of water diverted for benefici under this permit and/or prior extensions of time, if any, made to date. TIP: Report the rate in the same units of measurement as specified in the pheing cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet – usual specified on a reservoir water right). Do not provide daily, monthly or annual water totals.	al use permit, ly only
	Maximum rate =cfs (cubic feet per second) or,	CEIVED
	Maximum rate =gpm (gallons per minute) or, MA	R 0 6 2009
	ACIC I CCI DIOI CCI DIOI CCI	ESOURCES DEP EM, OREGON
6.	OAR 690-315-0 Provide the total number of acres irrigated to date under this permit.	020(3)(e)(C)
	Total acres irrigated to date: 106.2 Primary, 18.1 Supplemental	
	[OAR 690-31	5-0020(3)(j)]

7. Provide a summary of your future plans and schedule to complete the construction of the water system, and/or apply water to full beneficial use under the terms and conditions of the permit.

CHART-E

APPROXIMATE DATE RANGE (projected)	WORK OR ACTION TO BE ACCOMPLISHED (projected)	ESTIMATED COST (projected)	
2009-2014	Manicke – Extensions to all ponds (1, 2, 3 &4)	20,000	
2009-2014	Scherer – install staff gages in all ponds (2009), complete Res. #7 and enlarge Res. #1 & 2	22,000	
2009-2014	Haga – Install staff gages (2009), complete Res. #1 & Bee Sting Res.	20,000	
2009-2014	Richert - Construct Res. #1 & 2, pumps, plumbing	32,000	
2009-2014	Construct additional bogs up to 162.4 acres	600,000 (est.)	
Year:	Intend to apply water to full beneficial use under the terms and conditions of this permit.		
	Total Cost	\$694,000	

OAR	690-3	15-0020(3)(g
-		

8.	Estimated remaining cost to complete the project:	\$694,000	
	(The total cost from CHART-E)		

[OAR 690-315-0020(3)(h)]

- List the reasons why the project was not constructed, and/or water was not beneficially
 used within permit time limits. Provide supporting information for the reason(s) that best
 fits your circumstances.
 - A) The project is of a size and scope that was originally planned to be phased in over a time frame longer than the one allowed in the permit.

This is a very large and expensive project that was planned to be phased in over a

Longer period of time than allowed by the permit.

MAR 0 6 2009

WATER RESOURCES DEPT SALEM, OREGON

B) The financial resources needed to develop the project precluded completion of the project within authorized time frames.

Financial re	sources were	limited due t	to unstable pr	ice cranberries.	Still recovering
From marke	et crash.				

C)	Good faith attempts to comply with permit conditions and/or acquire permits from other agencies, or otherwise comply with government regulations, delayed completion of the project.
	Acts of God or other unforeseen events delayed full development of the water system and use of water within the authorized time frames.
Previ	system and use of water within the authorized time frames. ous water right consultant, M. John Youngquist died unexpectedly. Securing
Previ New	system and use of water within the authorized time frames. ous water right consultant, M. John Youngquist died unexpectedly. Securing consultant, Jordan Engineering, and getting them familiar with the project
Previ New	system and use of water within the authorized time frames. ous water right consultant, M. John Youngquist died unexpectedly. Securing
Previ	system and use of water within the authorized time frames. ous water right consultant, M. John Youngquist died unexpectedly. Securing consultant, Jordan Engineering, and getting them familiar with the project aken a considerable amount of time.
New	system and use of water within the authorized time frames. ous water right consultant, M. John Youngquist died unexpectedly. Securing consultant, Jordan Engineering, and getting them familiar with the project aken a considerable amount of time. RECEIVED

10.

	And to construct additional bogs and put the water to full beneficial use.
11.	Provide any other information you wish OWRD to consider while evaluating your Extension of Time Application.
	We are unable to separate costs from this permit and permit R-12928. Please consider
	Both permits together.
	Cost for bogs was estimated at a conservative \$10,000 per acre. Our records are
	Incomplete for cost of bog construction.
of tir	the permit holder, or have authorization from the permit holder, to apply for an extension ne under this permit. I understand that false or misleading statements in this extension exation are grounds for OWRD to suspend processing of the request and/or reason to deny extension.
Signa	Conrue de Hoga Date

RECEIVED

MAR 0 6 2009

WATER RESOURCES DEPT SALEM, OREGON

Extension PFO Checklist for

Other than Muni or Quasi-Municipal

Water Use Permits

(OAR 690-315-0010 through OAR 690-315-0060)

Application	n: S - 69654	Permit: S-53703 Permit Amendment? No ⊠Yes ☐ T- ☐ pending ☐ approved
Permit Ho		e: Windhurst Road Watering Corporation ng Address: PO Box 503 Bandon, OR 97411 email 47-3062
POD Loca	tion: Town	ship <u>29 S</u> Range <u>14 W</u> Section <u>3</u> 1/41/4 <u>NESW</u>
Drainage I	Basin: <u>17</u>	County: Coos Watermaster District: 19 Watermaster: Mitch Lewis
Date Pern	nit was issu	red: 10/10/2000 Priority Date: 6/30/1988 Date of PN: 3/17/2009
Source: E	Bill Creek,	A tributary of Bear Creek, and legally stored water under permit R12928
	berry oper 1 acres	tions on 162.4 acres, agricultural use on 27.7 acres and supplemental cranberry operations on
"Q": 2.75	cfs	
Orig "A"	Date: 10/1	2001 Orig "B" Date: 10/1/ Orig "C" Date: 10/1/2005
Extension request re	ec'd: <u>3/6/20</u>	Last Authorized "B" Date: 10/1/ "C" Date: 10/1/
	Number (1,	Proposed Proposed C Date: 10/1/ C Date: 10/1/2014
Conditions Condition	of Permit:	Permit Condition
Met?	Not Met?	Install staff gauge downstream from confluence of Bear creek and Bill creek
		Minimum two streamflow measurements per year
		Install standardized weir and staff gauge at point of diversion
		4. Install totalizing flow meter before water use, maintain monthly water use records and report
		water use annually from Bill creek
		5. Fish screens to be installed at Bill creek diversion point. (see reverse for additional conditions
Yes No	Work was acc Water right per Financial inve • Amoun Beneficial use • Permit	termining "Reasonable Diligence" [OAR 690-315-0040(3)]: complished within the time allowed in the permit or previous extension rmit holder conformed with the permit or previous extension conditions stments were made toward developing the beneficial water use. Invested to date: \$2.827,067 Estimated Remaining Cost: \$694,000 (See### on Application) made of the water during the permit or previous extension time limits older has beneficially used 523cfsgpm_af of the total permitted quantity of water on 124.3 acres and perfection of the right in good faith and with reasonable diligence? Yes \(\subseteq \text{No} \)

Application: S- 69654 Permit: S- 53703 Township 29 S Range 14W Section 3 Determination of the market and the present demand for water or power to be supplied; Identify the closest surface water or localized water basin. Bill Creek Ground Water Permits: Is the POA located ... Surface Water Permits: Is the POD located ... Yes No above a state scenic waterway? Name Source: OWRD "Areas Above State Scenic Waterways" Map within a stream segment designated as a federal wild and scenic river? Source: www.rivers.gov/wildriverslist.html within a sensitive, threatened or endangered species area Source: "/gisdata/dev/projects/salmon/div33map.aml" within a critical or limited Ground Water Area? Name of area within a Withdrawn Area? Name of area in a waterbody listed on the DEQ Section 303(d) List of Water Quality Limited Areas? Date added to list within an area ranking low / moderate / high / highest for stream flow restoration needs Source: OWRD "Streamflow Restoration Needs" Maps (by region) Based on the written record, can the Department make a finding of "Good Cause" to approve the extension request? Yes... "Good Cause" can be found. Approval of Extension Request No ... "Good Cause" cannot be found. Denial of Extension Request Conditions to be included in Extension PFO (if applicable)? Yes No (NOTE: Check the file record for documentation to add a condition(s) at the extension stage.) 5-year Progress Report Checkpoints (Years: 2014) Other: Footnote regarding Claim of Beneficial Use. Choose the appropriate language below and insert as a footnote in the PFO: COBU Requirement - Surface/Ground Water - on or prior to July 9, 1987 "For permits applied for or received on or before July 9, 1987, upon complete development of the permit, you must notify the Department that the work has been completed and either: (1) Hire a water right examiner certified under ORS 537.798 to conduct a survey, the original to be submitted as required by the Water Resources Department, for issuance of a water right certificate; or (2) Continue to appropriate water under the water right permit until the Water Resources Department conducts a survey and issues a water right certificate under ORS 537.250 or 537.625." COBU Requirement - Surface Water - post July 9, 1987 "Pursuant to ORS 537.230(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use." COBU Requirement - Ground Water - post July 9, 1987 "Pursuant to ORS 537.630(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use." NOTES: 6. Before water use, full range / stage staff gauge must be installed Extension "PFO" Dates Mailing / Issuance Date: ______ Protest Deadline Date: Date:

Reviewer's Name:

Jordan Engineering

Structural & Civil

460 Jordon Lane Roseburg, OR 97471 541-673-1931

Water Resources Department 725 Summer St. NE, Suite A Salem, OR 97301

Application for Extension of Time
Windhurst Road Watering Corporation
Permits:
R-12928 & S-53703

March 4, 2009

Sir:

Inclosed are the two extension of time applications with supporting as issued permits and a check #1030 in the sum of \$700 (\$350 +\$350). The copies of permits have added hand numbers at conditions reflecting as noted in the applications.

Please process as quickly as possible. If there are any questions or corrections please contact either myself and/or my assistant, Mr. Norm Daft.

Respectfully,

Clay Jordan, P.E., S.E., CWRE

file: WRD 2-extensions.wpd cc: Mr. Ronny O. Haga Mr. Norm Daft

RECEIVED

MAR 0 6 2009

WATER RESOURCES DEPT SALEM, OREGON

RECEIVED

JUN - 1 1994


WATER RESOURCES DEPT. SALEM, OREGON

NE /4 SW 1/4

APPLICATION MAP
IN THE NAME OF
WINDHURST ROAD SUB DISTRICT

SECTIONS 32 & 33, T 28 S, R 14 W, WM AND

SECTIONS 3, 4, 5 & 9, T 29 S, R 14 W, WM



Application No. 69657

Permit No. 69657



2000

6950 199654; Leg 708

Oregon Water Resources Department October 2000 through September 2001 Annual Water Use - Monthly Quantities Form

2001 2001



Facility POD-ID	51838-51853	and 51894 - 519	le au Ac/CR		
October - 2000					
November - 2000					
December - 2000					
January - 2001			200 2		
February - 2001		+ in	700		
March - 2001		ripo gin	1		
April - 2001	No	16.1			
May - 2001		w'			
June - 2001			•		RECEIVED
July - 2001					
August - 2001				IA/A	FFR 1 1 2002
September - 2001					FER RESOURCES DEPT. SALEM, OREGON
TOTAL*					

TOTAL *					
* Describe the units of measur	re as G (gallons), KG (thousan	nd gallons), MG (million gall	ons), CF (cubic feet), MCF (m	illion cubic feet), or AF (acre-	feet)
Describe method of me	asuring the water used	lt	If use is in	rigation, total number	acres irrigated
I certify this information			Bander Cumberry Reporting Entity	w.c.0	02-07-02 Date

Application #5	69	65	4
----------------	----	----	---

Permit # 53703

Public Notice Route Slip ... New Application Extension of Time per Division 315 Rules... (Extensions received on July 1, 2001 or after)

♦ WRIG...

Money Receipted on: /6/

Extension Specialist...

Added to tracking spreadsheet

After fee is receipted and app is added to spreadsheet, route to...

Jonnine Skaug...

Publish on Public Notice (initial 30-day comment): Date of notice 3-17-09

Update WRIS Database

In the "PNotice Date" field... Enter the date the Extension Application was published on the Public Notice.

In the "Ext Filed" field... Enter the date the Extension Application was received.

Yes or No: Return file to Extension Specialist after PN



Water Resources Department North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1271 503-986-0900 FAX 503-986-0904

March 13, 2009

REFERENCE: Application for Extension of Time

Dear Extension of Time Applicant:

The Water Rights Section has received your application for an extension of time for **APPLICATION FILE#: S-69654 (PERMIT#:S-53703).** Your application will be reviewed in the near future. Following the review, you will receive a Proposed Final Order either approving or rejecting the extension of time request. A 45-day protest period begins upon issuance of the Proposed Final Order. After the protest period closes, a Final Order is issued.

If you have questions concerning your extension of time application, please contact Scott Kudlemyer at (503) 986-0813. For general information about the Water Resources Department, you may contact the Water Resources' Customer Service Group at (503) 986-0801 or you may access the Department's Internet home page at: "www.wrd.state.or.us".



M. JOHN YOUNGQUIST

WATER RESOURCES CONSULTANT
827 SE MOSHER
ROSEBURG, OREGON 97470
PHONE/FAX: (541) 672-5692
Email: mjywater@sorcom.com



February 8, 2002

Mary S. Grainey, Water Use Program Coordinator Oregon Water Resources Department 158 12th Street, NE Salem, Oregon 97301

RE: Annual Water Use Reporting - Permit R-12928 and Permit S-53703

Dear Ms. Grainey:

This letter is in response to your notice of January 7, 2002. There will not be a report for the 2000 - 2001 water year from the Windhurst Road Watering Corp.

The completion of construction of the main Windhurst Road Reservoir and pump station on Bills Creek was completed in late April, 2001. The applicants pumped only enough water into the reservoir to test the diversion works and lower level conduits in the reservoir. Water was not delivered to the acreage described on permit S-53703 from Bills Creek. Evaporation and seepage data was gathered for technical purposes. The water pumped was in accordance with the memorandum of understanding with the Oregon Department of Fish and Wildlife and permit conditions.

An emergency supply was delivered via metered pipeline to Johnson Creek to mitigate water used from wells by the Ocean Spray Receiving Station. Ocean Spray had a limited license to do accomplish this. A total of 5 acre feet of water was delivered to Johnson Creek during the month of October.

Water use will begin in the 2002 cranberry growing season. This winter measuring devices have been obtained for all pipelines and pumps. During the 2001 season, staff gages were installed in all reservoirs, Bear Creek and Bills Creek. With the exception of the use of 5 acre feet of storage for Ocean Spray, no other water was used in accordance with the two permits noted above.

If you have any questions, please contact me.

Yours truly,

CC:

M John Youngquist

Ron Haga, Chairman Windhurst Road Sub District

Wayne Scherer, Chairman Bandon Cranberry Water Control District

RECEIVED

FFR 1 1 2002

WATER RESOURCES DEPT. SALEM, OREGON Application No. Amending 69654

RECEIVED

State of Oregon WATER RESOURCES DEPARTMENT

JUN - 1 1994

Application for a Permit to Appropriate Surface Water EPT.

App	olicant(s)	Windhurst Road S				
Ма	ilino Address	P.O. Box 503	(Please print or type - use dark	ink)		
	-	Bandon,	Oregon State	97411 Zip	(503)	347- 366 3 366 Daytime Phone No.
I (V	Ve) make appli	cation for a permit to	appropriate the following	ng described wa	ters of the	State of Oregon
1.	SOURCE OF	WATER for the pr	roposed use: Bill	Creek		
	a tributary of	Bear Creek				
2.	second. OR	4488 3 80	to be applied to benefi allons per minute. If wa h: See Supplement	ter is to be used	0 from moi	cubic feet per re than one sourc
3.	use	and agricultural	ER: Cranberry use (See Supplement uantity of water from ea	ntal sheet)		-
	W.C. DOMES		plemental Sheet	ha suppliad:		
	If for MUNIC	CIPAL OR QUASI- te of the future require	umber of households to MUNICIPAL use, state ements; (List population	te the present p	opulation ter needs,	to be served, anticipated area
	If for MINING	G use, state the natur	re (gold, silver, etc.) of	the mines to be	served;_	
	If for IRRIGA under each use	ATION, or other land	l area use, state the TO	TAL number of	acres to	be developed
		Irrigation				
		Other (describe)	Cranberry use: 16	52.4		
			Agricultural Use:			
			Supplemental Crar	berry use:	18.1	

Water will be pum					
reservoirs within	the subdistrict.	Application	will be b	y sprinkle	er at
place of use.					-
					-
V CONTANCED ON CO	Marie Carlotta				
PROJECT SCHEDU	LE: (List month and	l year)			
	LE: (List month and construction work w	ANALYSIS IN THE	tober, 199	4	
Proposed date	Live Mail	ill begin 0c			
Proposed date	e construction work w	ill begin <u>0c</u> ill be completed		1998	
Proposed date Proposed date Proposed date NOTE: A map prepare tion of the subject prope application. The legal of	e construction work we construction work we water use will be cond by a Certified Water erry are required unde	ill begin 0c ill be completed 1 mpleted 0ct Right Examiner or ORS 537.140 a	October, ober, 1999 (CWRE) and nd OAR 690	1998 l a complete as a part of	your
Proposed date Proposed date Proposed date NOTE: A map prepare tion of the subject prope application. The legal of contract.	e construction work we construction work we construction work we water use will be cond by a Certified Water erty are required under description may be constituted involved.	ill begin 0cill be completed not	October, ober, 1999 (CWRE) and nd OAR 690 red, title insu	1998 l a complete l as a part of trance policy	your o, or land s
Proposed date Proposed date Proposed date NOTE: A map prepare tion of the subject prope application. The legal of contract. In the event any defice the map with instruction	e construction work we construction work we construction work we water use will be cond by a Certified Water erty are required under description may be considerated involved to the construction to construction to the construction work we water use will be constructed as a construction work we water use will be constructed as a construction work we water use will be constructed as a construction work we water use will be constructed as a construction work we water use will be constructed as a construction work we water use will be constructed as a construction work we water use will be constructed as a construction work with the construction work we water use will be constructed as a construction work with the construction work with the construction work we water use will be constructed as a construction work with the construction work we water use will be constructed as a construction work with the construction work	ill begin 0cill be completed not oct of the completed oct	October, ober, 1999 (CWRE) and nd OAR 690 red, title insu	1998 I a complete I as a part of Prance policy Closed hereir	your o, or land s n, please re
Proposed date Proposed date Proposed date Proposed date NOTE: A map prepare tion of the subject prope application. The legal of contract. In the event any defice the map with instruction	e construction work we construction work we construction work we water use will be cond by a Certified Water erty are required under description may be considerated involved to some for correction to the construction of the construction to the co	ill begin 0cill be completed not	October, ober, 1999 (CWRE) and nd OAR 690 red, title insu	1998 I a complete I as a part of Prance policy Closed hereir	your o, or land s n, please re
Proposed date Proposed date Proposed date Proposed date NOTE: A map prepare tion of the subject prope application. The legal of contract. In the event any defice the map with instruction	e construction work we construction work we construction work we water use will be cond by a Certified Water erty are required under description may be considered for correction to a construction of a construction with a construction of a construction was a constructed involved inv	ill begin 0cill be completed nmpleted 0ctor Right Examiner or ORS 537.140 a pied from your descriptions the application (check one):	October, ober, 1999 (CWRE) and nd OAR 690 red, title insu	1998 I a complete I as a part of I arance policy closed herein	your o, or land s n, please re RKS section

REMARKS:	Enclosed is a right of way from Rogge Forest Products
to acc	cess Bill Creek. Pipeline will cross Coos County Highway
	tment, Coos County Courthouse Annex, Coquille, Oregon
	1 and Mary Meyer, P.O. Box 582, Bandon, Oregon 97411
Other	lands are within the ownership of subdistrict members.
This	subdistrict is a part of the Bandon Cranberry Water Control District
application is an	t the information I have provided in this accurate representation of the proposed water ad correct to the best of my knowledge.
associated with the	nit, when issued, is for the beneficial use of water without waste. By law, the land use his water use must be in compliance with statewide land-use goals and any local acknow han. It is possible the land use you propose may not be allowed if it is not in keeping d acknowledged plan. Your city or county planning agency can advise you about the your area.
Sig	Pature of Applicant Date Date

Signature of Co-Applicant, if any

RECEIVED

Date

JUN - 1 1994

WATER RESOURCES LERI SALEM, OREGON

FOR WATER RESOURCES DE	PARTMENT US	SE ONLY	
Dear Applicant:			
I certify that I have examined tion, and am returning it to you for:	the foregoing appl	ication, together with the accor	npanying informa-
In order to retain its tentative corrections or additions on or before:	priority, this applic	eation must be returned with the	e requested
	-	, 19	
WITNESS my hand this	day of	, 19	
		Water Resources Direct	tor
	Ву:		
This instrument was first received in	the office of the Wa	ater Resources Director at	,
Oregon, on the day of	June	, 19 <u>94</u> , at <u>&AM</u>	_ o'clock, M
APPLICATION NO:		PERMIT NO:	
	*		

A:APPFORM 9/89

PROPOSED EASEMENTS

Rogge Forest Products do hereby grant and convey unto the Windhurst Road Water Control District an easement to construct and maintain a water pipeline and diversion works, an easement for an electrical power line, and a road easement for vehicular and equipment access.

RECEIVED

JUN - 1 1994

WATER KESSURGES DEPT. SALEM, OREGON

WATER PIPELINE EASEMENT

A ten foot wide permanent easement beginning at the easterly right of way line of Morrison Road, which point being approximately 1350 feet north and 460 feet east of the southwest corner of Section 3, Township 29 South, Range 14 West, W.M., thence in an easterly direction to its intersection with Bills Creek, being within the NE 1/4 SW 1/4 of Section 3.

ELECTRICAL POWER LINE EASEMENT

A twenty foot wide permanent easement beginning at the easterly right of way line of Morrison Road, which point being approximately 1500 feet north and 470 feet east of the southwest corner of Section 3, being within the NW 1/4 SW 1/4 of Section 3, Township 29 South, Range 14 west, W.M., thence easterly to its intersection with Bills Creek, a distance of approximately 2,000 feet, being within the NE 1/4 SW 1/4 of Section 3.

ROAD EASEMENT

A thirty foot wide permanent easement beginning at the easterly right of way line of Morrison Road, which point being approximately 1350 feet north and 460 feet east of the southwest corner of. Section 3, Township 29 South, Range 14 West, W.M., thence in an easterly direction to its intersection with Bills Creek, and being within the SE 1/4 SW 1/4, Section 3.

The locations of the easements as described are tentative. The actual locations will be surveyed and described upon completion of the construction of the road, pipeline and power line.

Windhurst Road Water Control Dist.

Rogge Forest Products

In full agreement between all parties this easement is in trade for right of way over Haga Lane and Windhurst Road.

CEIVEL	<u></u>			RECEIVE
- 1 1995TA			ATER RESOURCES	111N 3 A 1988
Resources Dept.	polication	for Permi	it to Appropriate Su	WATER RESOURCES
munitary 8	VINDINI	AST RO	AD WATER C	ORPORATIONEM, OREGON
15 08 81	P.O. BOX	********************	(Name of Applicant)	BANDON
State of Of	REGON	failing Address) 974//	Phone No. 503 - 34	17-3062 do hereby
nake application	on for a permit	t to appropriate	e the following described wo	aters of the State of Oregon:
1. The so	ource of the prop	osed appropria	tion is BILL G	REEK
			, a tributary of BE.	PR CREEK
2. The po			40 ft S	and 2340 ft E
rom the W.			ETION 3 (N. or S.)	(E. or W.)
			(Public Land Sur	vey Corner)
		(If there is more than	n one point of diversion, each must be describe	ad)
		(If there is more than	n one point of diversion, each must be describ	ad)
7			being within the	15 4 of the 5W 4 of
	Tp. Z	95 R.	being within the	6 4 of the 5W 4 of 4 of 6005
	Tp. Z	95 R.	being within the	6 4 of the 5W 4 of 4 of 6005
	Tp. Z	95 R.	being within the	6 4 of the 5W 4 of 4 of 6005
3. Location	on of area to b	95 R. / i. or S.) be irrigated, or Section	being within the	VE
3. Location	on of area to b	95 R. / i. or S.) be irrigated, or Section	being within the	VE
3. Location	on of area to b	95 R. / i. or S.) be irrigated, or Section	being within the	VE
3. Location	on of area to b	95 R. / i. or S.) be irrigated, or Section	being within the	VE
3. Location	on of area to b	95 R. / i. or S.) be irrigated, or Section	being within the	VE
3. Location	on of area to b	95 R. / i. or S.) be irrigated, or Section	being within the	VE
3. Location	on of area to b	95 R. / i. or S.) be irrigated, or Section	being within the	VE
3. Location	on of area to b	95 R. / i. or S.) be irrigated, or Section	being within the	VE

4. The amount of we	ter which the applicant intends to apply to beneficial use is 31.79
CONFROL (15.63 C BEARTY IRRICATION	PG 10.0 CFS FOR FLOOD HARVEST ZI.ZO CFS FOR TEMPERATURE FS PRIMARY S. S. G. G.F.S. GUPPLEH ENFIAL 3.53 CFS FOR CRAN- 191 CFS PRIMARY 1 1.62 SUPPLEMENTAL) + 0.05 CFS FOR IARICATION.
	he water is to be applied is CRAINBERRY IRRIGATION,
CRANBERRY TO	MPERATURE CONTROL, CRANBERRY FLOOD
HARVEST, &	
6.	DESCRIPTION OF WORKS
Include dimensions and ty ditch or pipeline, size and distribution system.	e of construction of diversion dam and headgate, length and dimensions of supply upe of pump and motor, type of irrigation system to adequately describe the proposed
for domestic use state num	ber of families to be supplied
7. Construction work	vill begin on or before 10-1-89
8. Construction work	vill be completed on or before 10-1-90
9. The water will be co	mpletely applied to the proposed use on or before
pplication No. 696	74 ON WATER RESOURCES DEPARTMENT
pplication No	Permit No

FROST CONTROL & HERT CON	STROL,
is permit, when issued, is for the beneficial use of water. By v, the land use associated with this water use must be in comance with statewide land-use goals and any local acknowledged ind-use plan. It is possible that the land use you propose may it be allowed if it is not in keeping with the goals and the knowledged plan. Your city or county planning agency can livise you about the land-use plan in your area.	Wayne R. Schurer Signature of Applicant PRESIDENT
This is to certify that I have examined the forego	ing application, together with the accompanying map
and data, and return the same for correction and	completion
	nust be returned to the Water Resources Director with
corrections on or beforeJune 1	, 19
WITNESS my hand this 14th day of Fe	ebruary , 19.94
Martha.O. Pagel,	By Meter of Methe
	MICHAEL J. MATTICK Water Rights Specialist
m: i the section of the section of the section of	the Water Personness Director at Calam Oragon on th
	the Water Resources Director at Salem, Oregon, on the
30- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IN DE ALL III OF O'CLOCK
30 day of June	

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and
shall not exceed cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from
The use to which this water is to be applied is
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is
Actual construction work shall begin on or before
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19
Complete application of the water to the proposed use shall be made on or before October 1, 19
WITNESS my hand this day of

Application #: 5 69654 Vol Subbasin	o se esta esta esta en la compansión de la La compansión de la compa
Basin: _/ 7 WAB:	
Basin: _/ 7 WAB: ownship Range Section 1/2	4 1/4
1. Completeness checklist verified? TYN	
_2. Indicators that the process should not continue (ie - protest, items missing, letter to file indicating	hold, other) Y/N
4. SWW Y/W Triage W/N conditions/restrictions Y/N 100+ 4/100 and	My 1- NOV 30
5. Basin Program limitations? Y (N	
8. Water Availability 60% > July 17, 1992 OR 80% [50% storage] > July 17, 1992) NA a. Notify Ken Stahr Y / N (Q. Duty, or Season)	
9. Rate/Duty/Season	
10. Use Cranherry Operations Period of Allowed Use	
_12. B.O.R. project Y/N contract #	
_13. TMDL Basin? Y /N (Tuelstin, Yambill, Pudding) Division 33 Y / N (Abv Bonn. > July 17,92 ///.	/ Blw Bonn > April 18,94 or June 3,94)
15. Objections Y/A ONFW PFO different from IR/TR Y/N	
16. Conditions (from IR/IR/ or Additional) Y / N(macro series 4-7)	
_18. SIZE Small (<0.1ch, <9.2AF), Medium (>0.1 or <1.5ch, >9.2 or <100AF)	Large (≥1.5 cfs, ≥100 AF)?
19. Watermaster Dist: (1 2 16 18 - NWR) (3 4 5 - NCR) (6 8 9 10 - ER) (11 12 12	7-SCR) (14 15 19-SWR)
	2.
	••

Date: 7-3/2-76

save to m:/t/pfo/done/weeks/ann

Name:

INITIAL REVIEW CHECKLIST

APPLICATION # 5 69659

BASIN /7

WAB # 160300

POU-WAB 160300

1.	ITEMS NOTED AS MISSING BY COMPLETENESS TEAM ARE NOW IN FILE GW - A, B, OR C (IF B OR C THEN 3b,d;4;5;6;8 DO NOT APPLY)
3. a	DETERMINATION OF WHETHER USE IS OR IS NOT ALLOWED BY BASIN PLAN
b	BASIN PLAN LEGISLATIVE WITHDRAWAL (ORS 538) RULES RULES
C	RULES
d	SCENIC WATERWAY (OTHER THAN WA ORS 390.826)
е	OTHERAF
4.	WATER AVAILABILITY (WA) CFS // MONTHS
1.	50 % BEFORE JULY 17, 1992; 80 % LIVE FLOW 50 % STORAGE AFTER JULY 17, 1992
5.	INSTREAM WATER RIGHT EXEMPTIONS ARE DOCUMENTED ON WATER AVAILABILITY SHEETS
6.	USE IS NOT FROM A BOR PROJECT OR A SIGNED CONTRACT IS IN THE FILE
7.	GROUND WATER REVIEW HAS BEEN EVALUATED (USE WA DATABASE IF GW A) REQUIRED CONDITIONS (GENERIC 7B)
8.	DIVISION 33 HAS BEEN ADDRESSED
a	The second secon
b	WATER QUALITY PARAGRAPH
C	EFFICIENCY DESCRIPTION (BELOW BONN AND MORE THAN 1 CFS)
9.	PLAT CARDS HAVE BEEN CHECKED AND A COPY OF THE MAP IS ATTACHED SHOWING THE CONFLICT WITHSTORAGE
10.	
11.	RATE & DUTY (DECREE, BASIN PLAN, PERMIT, GENERIC) GROUND WATER ALWAYS GENERIC FOR RATE AND DUTY # OF ACRES PRI SUPP NOT SURE
12.	ALL DOCUMENTS USED IN EVALUATION ARE ATTACHED AND HIGHLIGHTED AND PACKET IS STAPLED TOGETHER
13.	ISSUES HINDERING PROCESS
14.	WATERMASTER # 19
15.	REGNL MANGER - SEND COPY (SW, SC, E) DO NOT SEND COPY TO (NW, NC)
16.	BASIN # AND WAB # ARE ADDED & SPELL / HAS BEEN COMPLETED
17.	LETTER WAS SAVED FROM M:\T\IR\WORK TO M:\T\IR\SENT
NAME	19 1/2 DATE 11-28-85

OREGON WATER RESOURCES DEPARTMENT ADMINISTRATIVE RULES CHAPTER 690 DIVISION 517 SOUTH COAST BASIN PROGRAM

Classifications

690-517-001

- (1) Ground water resources in sections or the portions of Sections 13, 14, 22, 23, 26, 27, 32, 33 and 34 of Township 23 South, Range 13 West; 2, 3, 4, 9, 10, 11, 14, 15, 16, 17, 20, 21, 22, 27, 28, 29, 31, 32, 33 and 34 of Township 24 South, Range 13 West; and 3, 4, 5 and 6 of Township 25 South, Range 13 West, bounded on the north by Tenmile Creek, on the west by the Pacific Ocean, on the south by Coos Bay and on the east by Highway 101 are hereby classified for single or group domestic, livestock, irrigation of lawns and noncommercial gardens not exceeding one-half acre in area and any single industrial or commercial use not exceeding 5,000 gallons per day.
- (2) The waters of the following lakes are classified only for domestic, livestock, municipal, irrigation of lawns and noncommercial gardens not exceeding one-half acre in area and in-lake use for recreation, fish life and wildlife. The Director of the Water Resources Department may place specific limits on municipal appropriations from the lakes or require outlet control structures to protect recreation, fish life and wildlife uses:
 - (a) Bradley Lake 4900
 - (b) Eel Lake (1010
 - (c) Garrison Lake oo
- (3) All other natural lakes are classified only for domestic and livestock uses, irrigation of lawns and noncommercial gardens not exceeding one-half acre in area and in-lake use for recreation, fish life and wildlife.
- (4) Waters of the following streams and all tributaries are classified only for domestic and livestock uses, irrigation of lawns and noncommercial gardens not exceeding one-half acre in area, fire control and instream use for recreation, fish life and wildlife.
 - (a) Glenn Creek (tributary to the East Fork Millicoma River) 070 142
 - √ (b) Brush Creek 2500
- (5) The waters of the Middle Fork of the Coquille River and tributaries upstream from the confluence with Holmes Creek are classified only for domestic, livestock and irrigation of lawns and noncommercial gardens not exceeding one-half acre in area and instream use for recreation, fish life and wildlife during the period from-July 1 to September 30 of every year. Water stored between October 1 and June 30 may be used at any time for purposes specified in section (8). 16/12/3440
- (6) The waters of the West Fork Millicoma River and tributaries above Stall Falls are classified for municipal, domestic and livestock uses, irrigation of lawns and noncommercial gardens not exceeding one-half acre in area and instream use for recreation, fish life and wildlife.

- (7) The waters of Pony Creek above lower Pony Creek Dam and Ferry and Geiger Creeks above the Ferry Creek Geiger Creek confluence are classified for municipal use.
- (8) All other surface and ground water resources are hereby classified for domestic, livestock, municipal, industrial, fire control, irrigation, agricultural use, mining, power development, recreation, wildlife and fish life uses.
- (9) Applications for the use of water for any purposes contrary to classifications specified in the basin program shall not be accepted or granted except as provided by law. The Director shall notify the Board and other interested individuals or agencies of the intent to accept an application for use in conflict with the adopted program in accordance with ORS 536.380 if the proposed use will not have a significant impact on any other water use as provided in sections (1) through (8) of OAR 690-517-001 and in 690-517-002 through 690-517-003.
- (10) The planning, construction and operation of any structures or works for the utilization of water in accordance with the aforementioned classifications are to conform with the applicable provisions of ORS 536.310, including but not restricted to the recommendation of the multiple-purpose concept.



Reservations

690-517-002

Water in the amounts specified is reserved in the following streams for municipal use:

- √ (1) Chetco River three cfs, downstream from the confluence with the North Fork Chetco River
- (2) Winchuck River one cfs, downstream from the confluence with Bear Creek

Minimum Perennial Streamflows

690-517-003

- (1) For the purpose of maintaining a minimum perennial streamflow sufficient to support aquatic life, no appropriations of water except for domestic or livestock uses and irrigation of noncommercial gardens not exceeding one-half acre in area shall be allowed for the waters of the streams and tributaries listed in Table 1 when flows are below the specified levels.
- (2) The Water Policy Review Board requests the opportunity to review applications for an allowed beneficial use that has traditionally been identified as nonconsumptive or take-and-put, such as fish hatcheries, hydroelectric facilities, municipal or water process industries that could potentially impact, in an adverse way, the Board's minimum flow regime or the public interest. The Water Policy Review Board intends to continue to protect, in its entirety, that portion of the stream system on which any minimum streamflow has been established. Permitting procedures and water use regulation should reflect that objective as far as possible under the law. The Board solicits the advice or complaints of any party who is aware that the objectives are not being met.
- (3) Minimum flows established in the Water Resource Program for the South Coast Basin dated May 22, 1964 (Table 3), shall remain in full force and effect except as follows:
 - (a) The minimum perennial streamflow for the Elk River above U.S. Highway 101 crossing (45 cfs) is rescinded.

WATER AVAILABILITY TABLE

Basin: South Coast

Water Availability Subbasin: 160300000000000 (and Nested Subbasins) Exceedance Level: 80

Time: 14:42 Date: 12/08/1994

Item #	‡ W.	A.	Su	bbasi	n	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Sto
1 2	16000 16030					YES	YES		YES	YES	YES	YES					YES YES	YES YES

LIMITING WATER AVAILABILITY SUBBASINS
Water Availability Subbasin: 160300000000000
Basin: South Coast
Exceedance Level: 80
Time: 14:42

				Date: 12/08/1994		
Month	Limiting Subbasin	Stream Na	ame	Water Available?	Net Water Available	
1	16030000000000000	BEAR CR		VEC	43.6	
2					61.2	
3	1603000000000000				44.2	
4	1603000000000000				27.6	
	1603000000000000	BEAR CR		YES	9.5	
	1603000000000000	BEAR CR		YES	2.6	
	1603000000000000	BEAR CR		YES	1.3	
	16000000000000000		R	NO	-54.6	
		A PORT OF THE PROPERTY OF THE PARTY OF THE P		NO	-35.6	
		The state of the s	R	NO	-300.0	
				NO	-3.8	
		The second secon			28.3	
Stor	16030000000000000	BEAR CR		YES	27300.0	
	3	Subbasin 1 16030000000000000000000000000000000000	1 16030000000000000 BEAR CR 2 1603000000000000 BEAR CR 3 1603000000000000 BEAR CR 4 1603000000000000 BEAR CR 5 1603000000000000 BEAR CR 6 160300000000000 BEAR CR 7 160300000000000 BEAR CR 8 160000000000000 COQUILLE 9 16000000000000 COQUILLE 10 16030000000000 BEAR CR 11 160300000000000 BEAR CR	I 1603000000000000 BEAR CR 2 160300000000000 BEAR CR 3 160300000000000 BEAR CR 4 160300000000000 BEAR CR 5 16030000000000 BEAR CR 6 16030000000000 BEAR CR 7 16030000000000 BEAR CR 8 1600000000000 COQUILLE R 9 16000000000000 COQUILLE R 10 16000000000000 COQUILLE R 11 16030000000000 BEAR CR 12 16030000000000 BEAR CR	Month Limiting Subbasin Stream Name Water Available? 1 16030000000000000 BEAR CR YES 2 1603000000000000 BEAR CR YES 3 160300000000000 BEAR CR YES 4 160300000000000 BEAR CR YES 5 160300000000000 BEAR CR YES 6 16030000000000 BEAR CR YES 7 160300000000000 BEAR CR YES 8 160000000000000 COQUILLE R NO 9 1600000000000000 COQUILLE R NO 10 1600000000000000 COQUILLE R NO 11 1603000000000000 BEAR CR NO 12 1603000000000000 BEAR CR YES	

DETAILED REPORT ON WATER AVAILABILITY

Time	State of the state			Date: 12/08/1994					
Month	Natural Stream Flow	CU + Stor Prior to 1/1/93	Water Available 1/1/93	CU + Stor After 1/1/93	Net Minimum Flow	Instream Water Rights	Net Water Available		
1	54.00	0.10	53.90	0.28	53.60	10.00	43.60		
2	71.70	0.20	71.50	0.35	71.20	10.00	61.20		
3	54.50	0.10	54.40	0.22	54.20	10.00	44.20		
4	37.80	0.10	37.70	0.15	37.60	10.00	27.60		
5	19.80	0.20	19.60	0.06	19.50	10.00	9.54		
6	9.15	0.55	8.60	0.02	8.58	6.00	2.58		
7	4.11	0.82	3.29	0.00	3.29	2.00	1.29		
8	1.99	0.68	1.31	0.00	1.31	2.00	-0.69		
9	1.51	0.33	1.18	0.00	1.18	2.00	-0.82		
10	1.48	0.11	1.37	0.00	1.37	2.00	-0.63		
11	6.34	0.10	6.24	0.03	6.21	10.00	-3.79		
12	38.60	0.10	38.50	0.23	38.30	10.00	28.30		
Stor	32600	203	32400	81	32300	5030	27300		

DETAILED REPORT OF ISWRS

Basin: South Coast
Stream: BEAR CR > COQUILLE R
Water Availability Subbasin: 1603000000000000
Time: 14:42 Date: 12/08/1994

APP # :			ISWRs			
APP # : STATUS:	70230A App.	0	0	0	0	RESULTANT
1 2 3 4 5 6 7 8 9 10 11 12	10.0 10.0 10.0 10.0 10.0 2.0 2.0 2.0 2.0 2.0 10.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	10.0 A 10.0 A 10.0 A 10.0 A 10.0 A 2.0 A 2.0 A 2.0 A 2.0 A 2.0 A 10.0 A

DETAILED REPORT ON WATER AVAILABILITY

> PACIFIC OCEAN

Time: 14:51				Date: 12/08/1994				
	Month	Natural	CU + Stor	Water	CU + Stor	Net	Instream	Net
		Stream		Available	After	Minimum	Water	Water
		Flow	1/1/93	1/1/93	1/1/93	Flow	Rights	Available
1	1	2180.00	20.00	2160.00	2.00	2160.00	360.00	1800.00
	2	2890.00	20.00	2870.00	2.14	2870.00	340.00	2530.00
	3	2630.00	10.00	2620.00	1.93	2620.00	340.00	2280.00
	4	1520.00	20.00	1500.00	1.26	1500.00	340.00	1160.00
	5	731.00	26.00	705.00	1.65	703.00	340.00	363.00
	6	350.00	52.00	298.00	2.77	295.00	200.00	95.20
	7	156.00	73.20	82.80	3.65	79.20	71.00	8.15
	8 9	79.80	62.10	17.70	1.30	16.40	71.00	-54.60
		71.10	34.80	36.30	0.87	35.40	71.00	-35.60
	10	95.20	15.50	79.70	0.10	80.00	380.00	Contract to the Contract of th
	11	515.00	14.00	501.00	0.99	500.00	380.00	120.00
	12	1890.00	20.00		1.30	1870.00	360.00	
	Stor	1700000	22000	1680000	1190	1680000	195000	1490000

> PACIFIC OCEAN

Date: 12/08/1994

			ISWRs			
APP # : STATUS:	384A Cert.	0	0	0	0	RESULTANT
1 2 3 4 5 6 7 8 9 10 11 12	360.0 340.0 340.0 340.0 340.0 200.0 71.0 71.0 71.0 380.0 380.0 360.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	360.0 C 340.0 C 340.0 C 340.0 C 340.0 C 200.0 C 71.0 C 71.0 C 71.0 C 380.0 C 380.0 C 360.0 C



WINDHURST ROAD SUB DISTRICT APPLICATION TO APPROPRIATE WATER SUPPLEMENTAL SHEET

JUN - 1 1994

WATER RESOURCES DEPT. SALEM, OREGON

SOURCE	AMOUNT OF WATER	CRANBERRY USE (CU)	SUPPLEMENTAL CU	AGRICULTURAL USE*	COMMENTS
BILLS CREEK	10.0 CFS	7.8 CFS	0.8 CFS	1.4 CFS	
WINDHURST RESERVOIR	470 ACRE FEET	366 ACRE FEET	38 ACRE FEET	66 ACRE FEET	
BEE STING RESERVOIR	23 ACRE FEET	17 ACRE FEET	2 ACRE FEET	4 ACRE FEET	
SCHERER RESERVOIRS	33 ACRE FEET	23 ACRE FEET		10 ACRE FEET	PROPORTIONATE SHARE FROM EACH RESERVOIR
HAGA RESERVOIRS	23 ACRE FEET	17 ACRE FEET	6 ACRE FEET		PROPORTIONATE SHARE FROM EACH RESERVOIR
MANIKE RESERVOIRS	30 ACRE FEET	27 ACRE FEET	3 ACRE FEET		PROPORTIONATE SHARE FROM EACH RESERVOIR
RICHERT RESERVOIRS	35 ACRE FEET	25 ACRE FEET	10 ACRE FEET		PROPORTIONATE SHARE FROM EACH RESERVOIR

NOTE: *Agricultural use includes primary cranberry uses and supplemental irrigation (lands have existing irrigation rights).

All lands are within the Bandon Cranberry Water Control District and will be administered through the Windhurst Road Sub District.

Separate reservoir applications are being submitted because of current administrative rules on the amount of reservoirs allowed on any given form.

This application supersedes File No. 69654.

file



NOVEMBER 29, 1995

WATER
RESOURCES
DEPARTMENT

WINDHURST ROAD WATER CORPORATION P.O. BOX 503 BANDON, OREGON 97411

Reference: File S-69654

Dear Applicant:

THIS IS NOT A PERMIT AND IS SUBJECT TO CHANGE AT NEXT PHASE OF PROCESS

This letter is to inform you of the potential limitations to your proposed use of water and to describe some of your options. Based on the information you have supplied, the Water Resources Department has reached the following conclusions:

Initial Review Determinations:

- 1. Your application is complete and not defective.
- 2. The proposed use is not prohibited by law or rule.
- 3. The use of water for Irrigation and Agricultural use (Cranberry Operations) is allowed under OAR 517, the South Coast Basin Program.
- 4. The use of 10.0 CUBIC FEET PER SECOND, being 7.8 cfs for Cranberry use on 162.4 acres and 0.8 cfs for Supplemental Cranberry use on 18.1 acres and 1.4 cfs for Cranberry Operations and Supplemental Irrigation on 27.7 acres, for Cranberry Operations is not available August 1 through November 30 and is limited to 9.5 cfs during the month of May, 2.5 cfs in June, and 1.2 cfs in July.

The use of 614.0 acre-feet of stored water under application R-69708 is allowed year round for Cranberry Operations.



S-69654 November 29, 1995 Page 2

Summary of Initial Determinations

The use of 10.0 cfs from Billy Creek for Cranberry Operations from December 1 through April 30 of each year may be allowed. The use will be further limited to 9.5 cfs during the month of May, 2.5 cfs during the month of June, and 1.2 cfs during the month of July.

The use of 614.0 acre-feet of stored water under application R-69708, may be allowed year round.

Because of the Departments determination, your application can be moved to the next phase of the water rights application review process. However, due to #4 above your application will likely be limited as summarized above.

Please reference the application number when sending any correspondence regarding the conclusions of this initial review. Comments received within the comment period, will be evaluated at the next phase of the process.

At this time, you must decide whether to proceed or to withdraw your application as described below.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$50 processing charge per application.) To accomplish this you must notify the Department in writing by DECEMBER 13, 1995. For your convenience you may use the enclosed "STOP PROCESSING" form.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a proposed final order.

If A Permit Is Issued It Will Likely Include The Following Conditions:

- You may be required to measure the amount of water used and report that use annually.
- You may be required to install fish screens at the diversion to meet Oregon Department of Fish and Wildlife specifications for adequate protection of aquatic life.

S-69654 November 29, 1995 Page 3

- 3. The amount of water diverted for CRANBERRY OPERATIONS, together with amounts secured under any other rights existing for the same lands, is limited as follows: For temperature control, 0.15 cubic foot per second per acre; For flood harvesting or pest control, 0.05 cubic foot per second per acre; For irrigation of cranberries, ONE-FORTIETH of one cubic foot per second and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. For the irrigation of any other crop, ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year.
- This right is limited to any deficiency in the available 4. supply of any prior right existing for the same land.
- The priority date for this application is June 30, 1988. 5.

If you have any questions:

Feel free to call me at (503) 378-8455 ext. 454 or 1 (800) 624-3199 if you have any questions. Please have your application number available if you call.

Sincerely, Hay Holling

Gary Holliday

Initial Reviewer

CC:

Regional Manager, Watermaster, Water Availability

Section

enclosures:


Flow Chart of Water Right Process

Stop Processing Form

APPLICATION MAP IN THE NAME OF WINDHURST ROAD SUB DISTRICT

SECTIONS 32 & 33, T 28 S, R 14 W, WM AND


SECTIONS 3, 4, 5 & 9, T 29 S, R 14 W, WM



APPLICATION MAP IN THE NAME OF WINDHURST ROAD SUB DISTRICT

SECTIONS 32 & 33, T 28 S, R 14 W, WM AND


SECTIONS 3, 4, 5 & 9, T 29 S, R 14 W, WM



APPLICATION MAP IN THE NAME OF WINDHURST ROAD SUB DISTRICT


SECTIONS 32 & 33, T 28 S, R 14 W, WM AND

SECTIONS 3, 4, 5 & 9, T 29 S, R 14 W, WM



RECEIVED

State of Oregon Water Resources Department



In the matter of Water Right) Application S-69654) Windhurst Road Water Corporation)	Agreement and SALEM, ONEGON Stipulated Final Order
villuluist Road viater Corporation)	

Application History

On June 30, 1988, Windhurst Road Water Corporation submitted an application to the Department for a water use permit. The proposed use requested 34.79 cubic feet per second (cfs) from stored water and live flow for cranberry operations. The proposed source of water was an on-channel reservoir and live flow from Bill Creek, tributary to Bear Creek and within the Coquille River Basin.

In April 1989, pursuant to OAR 690-11-080(2)(a)(C), the request was presented to the Water Resources Commission for a determination of whether a public interest hearing was necessary (Agenda Item G, WRC Meeting April 17, 1989). The Commission voted to hold a public interest hearing due to fisheries concerns raised by the Oregon Department of Fish and Wildlife (ODFW). On August 10, 1989, a contested case hearing was set for October 11, 1989, by Administrative Law Judge (ALJ) Weisha Mize. Parties named to the proceeding are the applicant, ODFW, and the Department. On the unopposed motions of the applicant the hearing has been continued several times to allow for settlement negotiations and application modifications.

On June 1, 1994, the application was amended to request the use of 614 acre-feet of stored water from 23 off-channel reservoirs and 10 cfs of live flow from Bill Creek.

The Department processed the amended application under Senate Bill 674 (1995 Legislative Session) and on August 6, 1996, conditionally approved the use. The Department's Proposed Order does not change contested case party status. On September 18, 1996, the applicant protested the Department's Proposed Final Order and requested that the application be placed on administrative hold while settlement discussions continued.

The applicant, Oregon Department of Fish and Wildlife, and the Department agree that the issue(s) in this case may be settled on the following terms and conditions, and hereby stipulate to the following:

 Parties waive the right to file exceptions to this order and the right to judicial review under ORS 536.075(2) and 183.482.

RIGHTS D

RECEIVED

FEB 2 0 1998

WATER RESOURCES DEPT.

- 2) Entry of this stipulated final order by the Administrative Law Judge.
- Issuance of the permit, a draft of which is attached and incorporated herein by reference, shall be contingent upon a permit being issued for the reservoirs proposed under application R-69708 (source of 614 acre-feet). Permit issuance is also contingent upon the applicant submitting a revised map, meeting the requirements of OAR 690-310-050, and clearly identifying place of use and type of use. Minor modification to place of use and type of use, as described on the attached draft permit, may occur as a result of the map revision. Finally, permit issuance shall be contingent upon the applicant providing the names and addresses of other property owners affected by this proposed use and written authorization, easement, or proof of ownership for non-owned lands crossed by a proposed ditch, canal, or other works.
- 4) The permit shall contain the following new or modified conditions as well as the conditions contained on the attached draft permit.
- A) Season of Use: November 1 through May 31
- B) Source: Bill Creek and 614 acre-feet stored water in 23 off-channel reservoirs
- C) Instantaneous Diversion Rate: the maximum diversion rate from Bill Creek authorized under this permit, combined with the diversion authorized under application R-69708 shall not exceed 2.75 cfs and is further limited as described below.

Prior to any appropriation under this permit, the permittee shall install a staff gage downstream from the confluence of Bear Creek and Bill Creek and develop a medium flow rating curve for the range 10 cfs to 25 cfs. The staff gage shall be installed under the supervision of the District 19 watermaster at a suitable location within Section 34, Township 28 South, Range 14 West, W.M. and shall be accessible to ODFW and Water Resources staff. The staff gage and rating curve shall be maintained by the permittee to the satisfaction of the watermaster and shall at a minimum include two streamflow measurements per year. The rating curve and streamflow measurements shall be on file at the District 19 watermaster office and at the Water Resources Department in Salem.

Prior to any appropriation under this permit, the permittee shall also install a standardized weir and staff gage at the point of diversion. The weir shall be designed and installed to the satisfaction of the District 19 watermaster and the Coos-Coquille ODFW District Biologist. The weir shall be accessible to ODFW and Water Resources staff. The weir and staff gage shall be maintained by the permittee to the satisfaction of the watermaster. The weir shall not obstruct fish

RECEIVED

FEB 2 0 1998

WATER HESSORGES DEPT. SALEM, OREGON

passage without providing a fishway to ensure adequate upstream and downstream passage for fish.

Appropriation of water under this permit, combined with the diversion authorized under application R-69708 shall only occur when the flow on Bear Creek, as measured at the staff gage, exceeds 17 cfs. While appropriation is occurring under this permit, and any permit authorizing application R-69708, a flow of at least 17 cfs shall be maintained at the staff gage on Bear Creek. At no time shall the permittee, under this permit, in combination with any permit issued for application R-69708, divert more than 50% of the flow from Bill Creek, as measured at the weir, and at no time shall the combined diversions from this permit and any permit issued for R-69708 exceed 2.75 cfs. The permittee shall be responsible for monitoring streamflows so that these conditions are not violated.

D) Before water use may begin under this permit, the permittee shall install a totalizing flow meter at the point of diversion on Bill Creek. The permittee shall maintain the meter in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

The permittee shall allow the watermaster access to the meter; provided however, where the meter is located within a private structure, the watermaster shall request access upon reasonable notice.

- E) Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in each reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I.
- F) At the point of diversion from Bill Creek the permittee shall install, maintain, and operate fish screening to prevent fish from entering the proposed diversion. The point of diversion works shall not obstruct fish passage without providing a fishway to ensure adequate upstream and downstream passage for fish. The required screens and, if necessary fishways, shall be in place, functional, and approved by Oregon Department of Fish and Wildlife before diversion of any water.
- G) As conditioned, the proposed use will not impair or be detrimental to the public interest.



FEB 2 0 1998 4

WATER RESOURCES DEPT.

Findings of Fact and Conclusions of Law

Pursuant to OAR 690-410-070 and OAR 690-400-010(11) water is available for the proposed use November 1 through May 31 of each year. Under the South Coast Basin Program OAR 690-517-001, the use is allowable as requested. The proposed use will not injure other water rights and complies with rules of the Water Resources Commission. Finally, as conditioned above and on the attached draft permit the proposed use will not impair or be detrimental to the public interest.

Therefore, the applicant, the Oregon Department of Fish and Wildlife, and the Department agree that the proposed use may be allowed as conditioned above and on the attached draft permit without detriment or impairment to the public interest.

The applicant, the Oregon Department of Fish and Wildlife, and the Department agree on all other aspects of the attached draft permit and therefore agree to the entry of this Stipulated Final Order. Therefore, the Department finds and the applicant and the Oregon Department of Fish and Wildlife agree that, if exercised in accordance with the attached draft permit, the proposed use will not impair or be detrimental to the public interest.

On Behalf of Applicant

2/16/98

On Behalf of the Oregon Department

3/20/98 Date

On Behalf of the Oregon Department of Water Resources

Date

OPECON WITER RESOURCES DEPT.

FEB 2 0 1998 9e 5

WATER RESOURCES DEPT.
SALEM, OREGON

Stipulated Final Order

Pursuant to the Agreement described above, Application S-69654 therefore is approved with the above modifications to the Proposed Final Order. Issuance of the permit, a draft of which is attached and incorporated herein by reference, shall be contingent upon a permit being issued for the reservoirs proposed under application R-69708 (source of 614 acre-feet). Permit issuance is also contingent upon the applicant submitting a revised map, meeting the requirements of OAR 690-310-050, and clearly identifying place of use and type of use. Minor modification to place of use and type of use, as described on the attached draft permit, may occur as a result of the map revision. Finally, permit issuance shall be contingent upon the applicant providing the names and addresses of other property owners affected by this proposed use and written authorization, easement, or proof of ownership for non-owned lands crossed by a proposed ditch, canal, or other works.

DATED March 25, 1998

Weisha Mize

Administrative Law Judge



STATE OF OREGON

COUNTY OF COOS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

WINDHURST ROAD WATERING CORPORATION P.O. BOX 503 BANDON, OREGON 97411

(541) 347-3062

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-69654

SOURCE OF WATER: BILL CREEK, A TRIBUTARY OF BEAR CREEK, AND LEGALLY STORED WATER UNDER APPLICATION R-69708

PURPOSE OR USE: CRANBERRY OPERATIONS ON 162.4 ACRES, SUPPLEMENTAL CRANBERRY OPERATIONS ON 18.1 ACRES AND AGRICULTURE USE ON 27.7 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 614.0 ACRE-FEET OF STORED WATER; MAXIMUM INSTANTANEOUS DIVERSION RATE FROM BILL CREEK AUTHORIZED UNDER THIS PERMIT, COMBINED WITH THE DIVERSION AUTHORIZED UNDER APPLICATION R-69708, SHALL NOT EXCEED 2.75 CFS AND IS FURTHER LIMITED AS DESCRIBED BELOW.

PERIOD OF USE: NOVEMBER 1 THROUGH MAY 31 FROM NATURAL FLOW AND YEAR ROUND FROM STORED WATER ONLY

FRANTIE 1839

DATE OF PRIORITY: JUNE 30, 1988

POINT OF DIVERSION LOCATION: BILL CREEK - NE 1/4 SW 1/4, SECTION 3, T29S, R14W, W.M.; 1030 FEET SOUTH & 2480 FEET EAST 1/4 CORNER, SECTION 3, AND STORED WATER FROM 23 RESERVOIRS DESCRIBED IN APPLICATION R-69708.

RECEIVED

FEB 2 0 1998

WATER RESOURCES DEPT. SALEM, OREGON2

Prior to any appropriation under this permit, the permittee shall install a staff gage downstream from the confluence of Bear Creek and Bill Creek and develop a medium flow rating curve for the range 10 cfs to 25 cfs. The staff gage shall be installed under the supervision of the District 19 watermaster at a suitable location within Section 34, Township 28 South, Range 14 West, W.M. and shall be accessible to ODFW and Water Resources staff. The staff gage and rating curve shall be maintained by the permittee to the satisfaction of the watermaster and shall at a minimum include two streamflow measurements per year. The rating curve and streamflow measurements shall be on file at the District 19 watermaster office and at the Water Resources Department in Salem.

Prior to any appropriation under this permit, the permittee shall also install a standardized weir and staff gage at the point of diversion. The weir shall be designed and installed to the satisfaction of the District 19 watermaster and the Coos-Coquille ODFW District Biologist. The weir shall be accessible to ODFW and Water Resources staff. The weir and staff gage shall be maintained by the permittee to the satisfaction of the watermaster. The weir shall not obstruct fish passage without providing a fishway to ensure adequate upstream and downstream passage for fish.

Appropriation of water under this permit, combined with the diversion authorized under application R-69708, shall only occur when the flow on Bear Creek, as measured at the staff gage, exceeds 17 cfs. While appropriation is occurring under this permit, and any permit authorizing R-69708, a flow of at least 17 cfs shall be maintained at the staff gage on Bear Creek. At no time shall the permittee, under this permit, in combination with any permit issued for R-69708, divert more than 50% of the flow from Bill Creek, as measured at the weir, and at no time shall the combined diversions from this permit and any permit issued for R-69708 exceed 2.75 cfs. The permittee shall be responsible for monitoring streamflows so that these conditions are not violated.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

THE LEGE OF	OOL IO LOOM ILD NO. OLLOWO.					
	CRANBERRY	² AGRICULTURE	3SUPPLEMENTAL CRANBERRY			
NE 1/4 NE 1/4	5.9 ACRES		4.3 ACRES			
NW 1/4 NE 1/4	5.0 ACRES					
SE 1/4 NE 1/4	4.3 ACRES		0.7 ACRE			
SECTION 32	4.0 /10/120					
NW 1/4 NW 1/4	25.0 ACRES					
SW 1/4 NW 1/4	18.0 ACRES					
SE 1/4 NW 1/4 SECTION 33	7.0 ACRES					
02011014 00	TOWNSHIP OF	COLITIL DANCE 141	AIECT IAINA			

TOWNSHIP 28 SOUTH, RANGE 14 WEST, W.M.

RECEIVED

FEB 2 0 1998
WATER RESOURCES DEPT.
SALEM, OREGON

NW 1/4 SW 1/4 SECTION 3	CRANBERRY 2AC 7.0 ACRES	GRICULTURE	3SUPPLEMENTAL
NW 1/4 SW 1/4 SW 1/4 SW 1/4 SE 1/4 SW 1/4 NE 1/4 SE 1/4 SECTION 4	15.0 ACRES 1.2 ACRES 15.2 ACRES 12.0 ACRES	6.0 ACRES	13.1 ACRES
NE 1/4 NE 1/4 NW 1/4 NE 1/4 SW 1/4 NE 1/4 SE 1/4 NE 1/4 NE 1/4 SE 1/4 SE 1/4 SE 1/4 SECTION 5	7.0 ACRES 1.2 ACRES 8.2 ACRES 6.0 ACRES 0.2 ACRE	0.4 ACRE 0.1 ACRE 2.0 ACRES 3.9 ACRES 5.0 ACRES	
NE 1/4 NE 1/4 NW 1/4 NE 1/4 SW 1/4 NE 1/4 SECTION 9	4.7 ACRES 16.5 ACRES 3.0 ACRES	3.0 ACRES 7.3 ACRES	
	TOURS OF SOLIT	II DALLOT LLL	

TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M.

Measurement, recording and reporting conditions:

A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at the point of diversion from Bill Creek. The permittee shall maintain the meter in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more

^{1 -} Use of water is for primary irrigation and agriculture use for Cranberry Operations.

¹² - Use of water is for primary agriculture use and supplemental Irrigation use for Cranberry Operations.

³ - Use of water is for supplemental agriculture use and irrigation use for Cranberry Operations.

frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

B. The permittee shall allow the watermaster access to the meter; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

At the point of diversion from Bill Creek the permittee shall install, maintain, and operate fish screening to prevent fish from entering the proposed diversion. The point of diversion works shall not obstruct fish passage without providing a fishway to ensure adequate upstream and downstream passage for fish. The required screens and, if necessary fishways, shall be in place, functional, and approved by Oregon Department of Fish and Wildlife before diversion of any water.

Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in each reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I.

The amount of water diverted for CRANBERRY OPERATIONS, together with amounts secured under any other rights existing for the same lands, is limited as follows: For temperature control, 0.15 cubic foot per second per acre; For flood harvesting or pest control, 0.05 cubic foot per second per acre; For irrigation of cranberries, ONE-FORTIETH of one cubic foot per second and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. For the irrigation of any other crop, ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

MECENED

FEB 2 0 1998

WATER RESOURCES DEPT. SALEM, OREGON⁵

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. Complete application of the water to the use shall be made on or before October 1, 2002. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued _____, 199_

DRAFT - THIS IS NOT A PERMIT

Water Resources Department Director

Application S-69654 Basin 17 Water Resources Department
Volume 3 BEAR CREEK AND MISC.
MGMT.CODE

PERMIT DRAFT District 19

Application S-69654

Water Resources Department

PERMIT DRAFT



M. JOHN YOUNGQUIST

WATER RESOURCES CONSULTANT 827 SE MOSHER

ROSEBURG, OREGON 97470 PHONE/FAX: (541) 672-5692 Email: mjywater@sorcom.com



MEMORANDUM

DATE:

September 15, 2000

TO:

Ken Dowden

FROM:

M. John Youngquist

SUBJECT:

Windhurst Road Application

Ken:

Enclosed is an Amended Application Map that, hopefully, will satisfy all the needs. The final proof survey on this one should correct all deficiencies in existing an future right locations.

Please contact me if you have any additional questions.





M. JOHN YOUNGQUIST

WATER RESOURCES CONSULTANT
827 SE MOSHER
ROSEBURG, OREGON 97470
PHONE/FAX: (541) 672-5692
Email: mjywater@sorcom.com



August 8, 2000

Renee Moulun Oregon Water Resources Department 158 12th Street, NE Salem, Oregon 97301

Re: File No. R-69708 and S-69654 in the name of Windhurst Road Water Corporation

Dear Ms. Moulun:

Enclosed are all the rights of way required to complete the two above noted applications. I believe Adam and I completed all the other outstanding issues previously. We have been waiting for these rights of way to complete the information needed to issue the two permits.

The problem has been the City of Bandon. Mr. Vierck, representing Mrs. Manicke, has been working with the City for over 6 months to obtain the right of way.

If you have any questions, please contact me.

Yours truly

M. John Youngquist

encl.

cc: Ron Yockim, Attorney at Law

Windhurst Road Sub District

RECEIVED

AUG 1 0 2000

WATER RESOURCES DEPT. SALEM, OREGON

Bee Sting Reservoir Data

Type of Structure: Homogenous earthen fill w/clay core

Height of Dam: 10 feet Front Slope: 2:1 Back Slope (water side): 3:1

Conduit: 10" w/ valve

Spillway: 3 foot wide trapezoidal - 2 foot deep Storage: 15 acre feet (with some excavation)

Monitoring: Staff gage in reservoir

RECEIVED

AUG 2 2 2000

AGREEMENT BETWEEN THE CITY OF BANDON AND JUDY MANICKE - RIGHT-OF-WAY AND PIPELINE USE EASEMENTS

- Judy Manicke wants an easement from the City over property the City owns. The legal description located on what is commonly known as Tax Lot 800 of the City's property is attached as Exhibit "A".
- 2. The purpose for the easement is to transport water through a pipeline from Windhurst Reservoir to Manicke's property described on Exhibit "B" (Commonly known as Tax Lots 100, 300 and 400).
- City desires to use Manicke's pipeline to have the ability to transport water through the pipeline for City's exclusive use.

In exchange of the mutual covenants in this agreement, the parties agree:

- 1. The City of Bandon grants to Judy Manicke a non-exclusive easement over and across the City's property for the purpose of a pipeline along the route as indicated on Exhibit "C". The City further grants to Judy Manicke the right of access to and over the property in connection with the use of the use, repair, installation and maintenance of the pipeline. This right includes the right to bring equipment onto the City's property along a ten-foot strip on either side of the pipeline.
- 2. Judy Manicke's timing on installation of the pipeline is totally at her discretion and the total cost of the maintenance, installation, repair and use of the pipeline is hers alone. However, if no pipeline is installed five years from the date of this agreement, the easement terminates without any further act of either party.
- Judy Manicke grants to the City of Bandon at no cost to the City the right to use the pipeline for transportation of water from any source the City uses for water to any location the City decides to transport the water to.
- 4. In connection with the City's use of the pipeline, the City shall be responsible for the maintenance, repair and replacement of portion or portions of the pipeline that are due to the City's use of the pipeline. Further, the City shall have the City's sole discretion the right to maintain or replace or repair the pipeline in the event that Judy Manicke chooses not to whether or not such need is due to the City's use.
- Both Manicke and the City have the right to connect to the pipeline other pipes, valves or connections that are necessary for either party's use of the pipeline.
- 6. All uses by either party shall conform to applicable laws and are subject to the appropriate permits for taking of water that either party desires to use. The

AUG 1 0 2000

pipeline will be six-inch diameter, or other size as mutually agreed, for irrigation. The line is to be buried on the City's property a minimum depth of 36 inches and include a tracer wire for future locating. Stakes marking the general location of the pipeline must be placed along the route approximately every 500 feet.

- Upon request of either party each party shall execute any and all documents necessary to effectuate the purpose of this agreement.
- 8. The City of Bandon's use of the pipeline is secondary and subject to Judy Manicke's use. Parties will cooperate during joint use of the pipeline to allow each party to draw water as that party needs. However, in the event the parties cannot adjust their schedule during joint use to reasonably accommodate the other party, Judy Manicke's use shall be primary. Both parties agree to use their good faith efforts to manage joint use of the pipeline.
- 9. This agreement is binding upon the heirs, successors and assigns of each party.

 Dated: 7/31/00

 City of Bandon

 By: Matt Winkel, City Manager


 STATE OF OREGON

 This instrument was acknowledged before me on July 3/10, 2000 by Matt Winkel as City Manager of the City of Bandon.

 STATE OF OREGON

 STATE OF OREGO

This instrument was acknowledged before me on July 31, 2000 by Judy Manicke.



otary Public for Orogon

MEGELVER

AUG 1 0 2000

EXHIBIT "A" DESCRIPTION OF CITY PROPERTY

The South half of the Southwest quarter of Section 33, Township 28 South, Range 14 West of the Willamette Meridian, Coos County, Oregon, Save and Except therefrom the North 380 feet; and the Northwest quarter, and the Southwest quarter of the Northeast quarter, of Section 4, Township 29 South, Range 14 West of the Willamette Meridian, Coos County, Oregon.

RECEIVED

AUG 1 0 2000

74 1- 95688

WARRANTY DEED

. . .

KNOW ALL MEN BY THESE PRESENTS, That GRACE TURNER, hereinafter known as the Grantor, does hereby sell, grant, and convey unto STEVEN R. MILLER and RUTH A. MILLER, hereinafter known as the Grantees, their heirs and assigns, all the following real property, with the tenements, hereditaments, and appurtenances, situated in the County of Coos, State of Oregon, bounded and described as follows, to-wit:

Beginning 450 feet North of the Southeast corner of the Northeast quarter (NE1/4) of the Northeast quarter (NE 1/4) of Section Thirty-two (32), Township Twenty-eight (28) South, Range Fourteen (14) West of the Willamette Meridian, Coos County, Oregon, and running thence West to the West line of said Northeast quarter (NE 1/4) of the Northeast quarter (NE 1/4); thence North to the Northwest corner of said Northeast quarter (NE 1/4); thence East to the Northeast quarter (NE 1/4); thence East to the Northeast corner thereof; thence South to the point of beginning, excepting therefrom the West 525 feet of the North 375 feet thereof.

TO HAVE AND TO HOLD the above described and granted premises unto the said Grantees, their heirs and assigns, forever, as tenants by the entirety with the right of survivorship between them.

The Grantor above named does covenant to and with the above named Grantees, their heirs and assigns, that she is lawfully seised in fee simple of the above granted premises; that the above granted premises are free from all encumbrances, except:

- (1) 1970-71 Taxes, \$498.87, SN 10293-1-1, Code 54.03;
- (2) Interest of Sunset Oil Syndicate, if any, in an Oil Lease executed by T. W. Panter and wife, recorded in Deed Book 151, Page 584, Records of Coos County, Oregon, to E 1/2 NE 1/4;
- (3) Right of way, including the terms and provisions thereof, granted to Pacific Power and Light Company by J. A. Gibson, et ux, recorded May 31, 1956, in need Book 250, Page 599, Records of Coos County, Oregon:
- (4) Easement created by instrument, including the terms and provisions thereof, dated April 24, 1967, recorded April 27, 1967, as No. 67-4-17617, Records of Coos County, Oregon, in favor of Grace Turner, et al, for pipeline easement;
- (5) Easement created by instrument, including the terms and provisions thereof, dated September 5, 1967,

G 1 0 2000

RESOURCES DEPT. LEM, OREGON Warranty Deed-1. MCNUTT, CLANT & ORMSHEE
ATTORNEYS AT LAW
EN'S HOPTH SAN
COOS BAY, OREOON

EXHIBIT B PAGE 1

74 1- 95689

recorded September 21, 1967, as No. 67-9-21981, Records of Coos County, Oregon, in favor of Jerry Allinger, for pipeline easement:

and that she will, and her heirs and personal representatives shall, warrant and forever defend the above granted premises and every part and parcel thereof, against the lawful claims and demands of all persons whomsoever.

This deed is given in consideration of the sum of 338,000.00.

WITNESS my hand and sent this 23 day of October, 1970.

+ Grace Junior (SEAL)

STATE OF OREGON, County of Coos.

- hand have been a series and the first the bearing

October 23, 1970.

Personally appeared Grace Turner and acknowledged that she executed the foregoing instrument freely and voluntarily.

Refore me:

Public for Oregon My commission experos: 5.27.74

RECORDED BY

Ooos County Branch

AUG 1 0 2000

R RESOURCES DEPT. ALEM, OREGIN anty Deed-2.

State of diff. 1. I herrby certify that thoughts Thetrumer

JAN 28 8 50 MI '74

and recorded in Book of Records _ Microfilm Reel No.

WITNESS my hand and Seal of County affixed.
Fay & Construct Cope County Clerk
By

Relurn to W. Mile

Fee god

EXHIBIT B PAGE 2

RETURN TO ANY TITLE & ESCROW 95 03 0666 After recording return to grantee herein. Ontil a change is requested send all tax Statements to grantes herein.

KHY TITLE NO. 24-42449 ESCROW NO. 28-1434 TAX ACCT. NO. 10293.10 MAP 628 14 12 TL200

CHARTER'S MAKE AND ADDRESS

BESICE L. MARICKE P.O. BOX 584 BANDON, OR 97411

> WARRANTY DEED .. STATUTORY PORM (DEDIVIDUAL or CORPORATION)

HARVEY T. GOODSPEED AND LORAYES R. GOODSPEED, TRUSTEES OF THE MARVEY T. AND LORAYER R. GOODSPEED TRUET Grantor,

conveys and warrants to:

BRUCE L. MANICES and JUDY R. MANICES, busband and wife, Grantoe,

the following described real property free of encumbrances except as specifically set forth herein:

Beginning at the Northwest corner of the Northeast 1/4 of the Northeast 1/4 of Section 32, Township 38 South, Range 14 West of the Willemette Heridian, Cook County, Oregon, Thence South 375 feet; thence East 525 feet; Thence North 378 feet; thence West 525 feet to the point of beginning.

SUBJECT to: 1. An easement created by instrument recorded June 27, 1956, in Book 251, Page 341, Records of Coos County, Oregon in favor of Pacific Power and Light for Electric Transmission line.

THIS INSTAURANT WILL NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LANS AND REGULATIONS, REPORT SIGNING OR ACCEPTING THIS INSTRUMENT, THE PRASCE ACQUISING FOR TITLE TO THE PROPERTY BROOKS CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY APPROVED THESE AND TO DITERMINE ANT LINITS ON LANGUITS AGAINST PARKING OR PORRST PRACTICES AS DEFINED IN ONS 30.930.

The true consideration for this conveyance is \$16,000.00 . However, if the actual consideration consists of or includes other property or other value given or promised, such other property or value was part of the/the whole of the (indicate which) consideration.

If grantor is a corporation, this has been signed by authority of the Board of Directors.

Dated this 15th day of branch, 15 96.

CHANTOR (8) 1

an LORAYNE R. GOODSPEED

* CLANGE STATE OF tempts, County of

This instrument was acknowledged before me on mar. EARVEY T. GOODSPEED and LORAYNE R. GOODSPEED

donahus Motary Public for #2

My commission expires: 3-14-95

RECORDING # 95
I, Mary Ann 'Mison,
Coos County Clerk, certify
the within instrument was filed for record at

2:50 ON 03/17/1995 J. WILSON

By. Deput:

1 0 2000

TO MESOLIPCES DEPT. TEM OREGON

11/1/11/11/11

OFFICIAL BEALT

74 1- 95690

1915年1916年1916年1916年1916年1916年1916日 1916日 191

WARRANTY DEED

KNOW ALL MEN BY THESE PRESENTS, that we, STEVEN R.
MILLER and RUTH A. MILLER, Grantors, in consideration of an
exchange of property, do hereby grant, bargain, sell and convey
unto BRUCE L. HANICKE and JUDITH R. MANICKE, as tenants by
the entirety, all the following described real property, towit:

Beginning 450 feet North of the SE corner of the NE 1/4 of the NE 1/4 of Section 32, Township 28 South, Range 14 West of the Willamette Meridian, Coos County, Oregon; thence West to the West line of said NE 1/4 of the NE 1/4; thence North to the NW corner of the said NE 1/4 of the NE 1/4; thence East to the NE corner thereof; thence South to the place of beginning, except a parcel conveyed to Harvey T. Goodspeed et ux in Book 185, page 17, Deed Records of Coos County, Oregon, described as follows: Beginning at the NW corner of the said NE 1/4 of the NE 1/4; thence South 375 feet; thence East 525 feet; thence North 375 feet; thence West 525 feet to the place of beginning.

We, the Grantors, covenant to and with the Grantees that we are lawfully seized in fee simple of the above granted promises, free from all encumbrances except 1972-73 and 1973-74 real property taxes; and except rights of the Public in streets, roads and highways; and except Right of Way to Pacific Power and Light Company as recorded in Deed Book 250, page 599, Records of Coos County, Oreyon: and except an easement bearing Microfilm Reel No. 17617, Records of Coos Coutny, Oregon; and except an easement bearing Microfilm Recl No. 21981, Records of Coos County, Oregon; and except contract of sale and financing statement both between Steven R. Miller and Ruth A. Miller to Grace Turner, respectively recorded April 11, 1972 as No. 70372 and filed October 23, 1970 as No. H-297, Records of Coos County, Oregon, both of which contract and financing statement Grantees assume and agree to satisfy; that we shall and our heirs, executors and administrators shall warrant and forever defend the same against the lawful claims and demands of all persons whomsoever.

and the consequence and the second of the second and the con-

RECEIVED

AUG 1 0 2000

VATER RESOURCES DEPT.

74 1- 95691

Witness our hands this 1st day of Horember, 1973.

STATE OF OREGON

County of Coos

On the __day of November, 1973, there appeared before me the aforenamed Steven R. Miller and Ruth A. Miller, both of whom personally acknowledged to me that they executed the foregoing instrument freely and voluntarily for the uses and purposes therein set forth.

WITNESS my hand and official seal the day and year last above

My Commission expires:

I hereby certify that the within instrument was filed for record

Jan 20 8 50 111 74

and recorded in Book of Records . . -

WITNESS my hand and Seal of County


ay F. Cribiree, Boos County Clerk

Bruce L. Manicke P.O Box 584 Bandon Orogon

AUG 1 0 2000

PEOONDED BY

Warranty Deed WATER BESOURCES DEPT.



March 28, 2000

Water Resources Department 158 12th Street NE Salem, OR 97310

Dear Sirs:

Vierck

We, Ronny Haga and Gloria Haga, hereby authorize Wayne Scherer, Guy Scherer, Fred Richert, and Scott Veterick to install pipelines and other ditches, canals, or other works necessary to transport water across our land to their respective properties.

Sincerely,

STATE OF OREGON

SS.

4-7-2000.

County of Coos

Personally appeared the above named Ronny Haga and acknowledged the foregoing instrument to be his voluntary act and

OFFICIAL SEAL ELIZABETH A. DAVISON NOTARY PUBLIC-OREGON COMMISSION NO. 058114 MY COMMISSION EXPIRES NOV. 30, 2000

Notary Jublic for Oregon My Commission Expires: 11-30-2000

STATE OF OREGON)

SS.

4-7-2000.

County of Coos

acknowledged the foregoing instrument to be her voluntary act and deed.

Personally appeared the above named Gloria Haga and

OFFICIAL SEAL **ELIZABETH A. DAVISON** NOTARY PUBLIC-OREGON COMMISSION NO. 058114 MY COMMISSION EXPIRES NOV. 30, 2000

Notary Public for Oregon My Commission Expires: 1130-2000.
Elizabeth a Davison

RECEIVED

AUG 1 0 2000

TOTAL P. 02

AFFIDAVII

STATE OF OREGON)	
)	88
County of Coos)	

1. IVAN HULTIN AND TRACY HULTIN being first duly sworn depose and say that we have no objection to Judith Manicke installing a pipeline across our ownership to convey water from the Windhurst Road Reservoir to their cramberry fields located in Sections 32 & 33. Township 32 South, Range 14 West, W.M.,

IN WITNESS WHEREOF, I have hereunto set my hand this 10 day of. April

Subscribed and sworn to before me this 10 day of APRIL

Sandra Choro Notary Public for Oregon

X Draseff Shelter



Tubor 191

My commission expires: 10/14/00

RECEIVED

Wilan III

AUG 1 0 2000

LICENSE TO USE LAND

This is an agreement between Lowell E. Meyer and Judith Manicke.

010-111.000

So agreed:

Lowell E. Meyer agrees to allow Judith Manicke to install a six-inch PVC pipeline across his property, for the purpose of conveying approximately 120 acre-feet / year of water from the Windhurst Road Reservoir to her cranberry fields located in Township 32S, Range 14W, Sections 32 and 33, under the provisions of the Windhurst Water District, provided:

- Lowell E. Meyer may specify the exact initial placement of the pipeline on his property;
- Judith Manicke agrees to move the pipeline to a different location on Lowell Meyer's property, at Judith Manicke's sole expense, if Lowell Meyer or his successor in interest determines not unreasonably that the different location would allow him to better use and enjoy his property; and
- Judith Manicke agrees that the scope of this license is limited to the conveyance technology and water throughput rate described above, and that Lowell E. Meyer or his successors in interest is not obligated to agree to any expansion of the scope of this license in the future.

4-11-00

Lowell E. Meyer	elege.	Date	ligned
Lowell E. Meyer		Date	ngneu
State of OREGON) Ss.			
County of Coos)			
This instrument was ackno	wledged before me on Ap	oril 11, 2000, b	y Lowell E. Meyer:
Brenda DA	lanna		OFFICIAL SEAL BRENDA D. HANNA
Notary Public, State of Ore	gon		NOTARY PUBLIC-OREGON COMMISSION NO. 329094
My commission expires:	1-24-04	MY COM	MISSION EXPIRES JAN. 24, 2004
So agreed:			
		Date	Sd
Judith Manicke	RECEIVED	Date S	igned

AUG 1 0 2000



M. JOHN YOUNGQUIST

WATER RESOURCES CONSULTANT 827 SE MOSHER

ROSEBURG, OREGON 97470 PHONE/FAX: (541) 672-5692 Email: mjywater@sorcom.com



MEMORANDUM

DATE: August 24, 2000

TO: Renee Moulun

FROM: M. John Youngquist

SUBJECT: Windhurst Road Material

Renee:

Enclosed is the letter I sent to Adam on March 20, 2000, and another copy of the application map. In addition to the signed right of way permission documents I provided, I believe this should complete the material.

Also enclosed is a sheck for \$350 for the permit issuance fee.

Please contact me if you need additional information.

RECEIVED

AUG 2 2 2000



M. JOHN YOUNGQUIST

WATER RESOURCES CONSULTANT 827 SE MOSHER

ROSEBURG, OREGON 97470 PHONE/FAX: (541) 672-5692 Email: mjywater@sorcom.com



March 20, 2000

Adam Sussman
Oregon Water Resources Department
158 12th Street, NE
Salem, Oregon 97301

Re: S-69654 and R-69708

Dear Mr. Sussman:

In response to your letter of March 16, 2000, the following information is offered to resolve both above noted files:

R-69708

 The applicants have decided to construct the Bee Sting Reservoir under 10 feet in height, therefore, engineered plans and specifications will not be required.

Pertinent data for the Bee Sting Reservoir is attached as a supplemental sheet. It is felt that 15 acre feet of water may be obtained without and engineered structure.


2. All lands needed to construct the reservoir are owned by Ronny and Gloria Haga. Their permission to use their lands for the reservoir is enclosed. Also enclosed is a right of way from Rogge Forest Products for the work to be done in Bills Creek and the pipeline to Morrison Road and the Coos County Road Department permission to install a pipeline across Morrison Road to the Haga's property.


S-69708

- 1. Attached is a list of affected landowners and their permission to allow installation of a pipeline across their lands.
- I believe the map is self-explanatory. Enclosed is a statement from the Watermaster indicating the map is satisfactory for his use. I did not plot the tax lot lines, however, I did add the tax lot numbers in each forty acre tract that contained cranberries.

RECEIVED

AUG 2 2 2000







COOS COUNTY ANNEX, 290 NORTH CENTRAL ST., COQUILLE, OREGON 97423 PHONE 396-3121 EXT. 254

17 April 2000

M. John Youngquist 827 S.E. Mosher Roseburg, OR 97470 file # S-69654 R-69708 RECEIVED

APR 2 0 2000

WATER RESOURCES DEPT. SALEM, OREGON

Dear Mr. Youngquist:

Reference is made to your 17 April dated letter and accompanying map regarding a proposal to utilize the Geiger Creek stream channel as a conveyance for a specific quantity Windhurst Road Water District water. Water proposed to be released would be used on the Manicke property.

Conceptually, the utilization of a stream channel to convey stored water is possible and a formal mechanism is provided in statute (ORS 540.410, attached). Certain conditions are set forth in that statute. Your letter contains additional proposed conditions. Our morning's discussion highlighted other issues that would necessarily need to be addressed in order for the proposal to be workable. A list of additional considerations might include but not be limited to:

- 1. Travel time from discharge into the system to POD.
- Natural inflow.
- Pumping regimes of intervening appropriators.
- Totalizing meter maintenance and operation.

I would anticipate that a formal agreement would be entered into that would establish duties, responsibilities, and expectations of the parties involved. The water user should take into account the required reimbursable compensatory expenses incurred by the watermaster, as per statute.

If the parties agree to conditions, a trial run might be attempted during anticipated steady state streamflow conditions during the summer.

RECEIVED

APR 2. 0 2000

WATER RESOURCES DEPT.

WATER RESOURCES DEPT.

SALEM, OREGON

WATER RESOURCES DEP

(2)

Arguing in favor of your proposal is a system of 3 gauging stations on Geiger Creek; one at the point of proposed discharge from Windhurst Reservoir into Geiger Creek, another at an existing point of diversion on Ferry Creek, with the third station just upstream from ODF&W's and the City of Bandon's intake above the hatchery.

If Windhurst determines that it is worthwhile to pursue using Geiger Creek as a conveyance, please get in touch.

Sincerely,

John P. Drolet

Watermaster, District 19

JPD/dt

CF:

Wayne Scherer

BSA BRS

Dwight French (For Files)

Windhurst06.D19



Water Resources Department

Commerce Building 158 12th Street NE Salem, OR 97301-4172 (503) 378-3739 FAX (503) 378-8130

March 16, 2000

Ron Haga Windhurst Road Water Corporation P.O. Box 503 Bandon, Oregon 97411

RE: Windhurst (R-69708 and S-69654)

Dear Mr. Haga:

Back in November of 1997, the Department issued final orders approving the above referenced applications. For each application the issuance of a permit was contingent upon additional material being submitted to the Department. To date the required material has not been received. Under ORS 537.130(3) "no person shall use, store or divert any waters until *after* the Department issues a permit to appropriate the waters.

According to the Stipulate Final Orders the following items are still needed:

R-69708

- According to the final order the applicant shall provide final plans and specifications for the Windhurst and Bee Sting Reservoirs. Plans have been approved for Windhurst but none have been submitted for Bee Sting. When a permit is issued additional dam safety conditions will be added. Should Bee Sting be removed from the proposed permit or is the applicant going to submit plans?
- Names and addresses of property owners affected by the proposed use and written authorization, easement or proof of ownership of non-owned lands inundated by the proposed reservoir or crossed by a proposed ditch, canal or other works.

S-69654

The issuance of a permit for S-69654 is contingent upon a permit being issued for R-69708. In addition permit issuance is contingent upon:

 Submittal of a revised map meeting the requirements of OAR 690-310-050, and clearly identifying place of use and type of use. Names and addresses of property owners affected by the proposed use and written authorization, easement or proof of ownership of non-owned lands crossed by a proposed ditch, canal or other works.

Please make every effort to get these materials to the Department promptly. If you should have any questions please contact me at 1-800-624-3199 ext. 262.

Sincerely,

Adam Sussman

Protest Program Coordinator

cc: John Youngquist 827 SE Mosher Ave. Roseburg, Oregon 97470

John Drolet, Watermaster District 19

Mailing List for Protested Application Copies

Application APPNUM 5-69654

FO Date FODATE

Original mailed to:

Applicant:	
Copies sent to: 1. WRD - File # APPNUM 2. WRD - Water Availability: Ken Stahr PFO, Map. and Fact Sheet Copies sent to: 3. WRD - Watermaster # 19 4. WRD - Regional Manager (not Bob Main): al Coolie 5. ODFW District Biologist:	Copies Mailed By: CM (SUPPORT STATE) on: 41097
Copies sent to Other Interested Persons (CWRE, Agent, Well Driller, Commenter,	etc.)
6. <u>Send SFO</u> to:	
7. John Youngguist 827 SED Mosher Are	
8. Rose Sury OR 97470	
9	
10.	
11.	
12.	
13.	
"\$10 LETTER" sent to Interested Persons who have not protested or paid for copie	s
1.	
2	
3.	
CASEWORKER: A.S.	

m: | groups | wr | protests | 5+1p | 97-07 | 569654



RECEIVED

MAR 2 4 1998

Commerce Building 158 12th Street NE Salem, OR 97310-0210 (503) 378-3739 FAX (503) 378-8130

Water Resources Department

February 26, 1998 WATER RESOURCES DEPT. SALEM, OREGON

URGENT

Jill Zarnowitz
Oregon Department of Fish and Wildlife
2501 SW First Ave, PO Box 59
Portland, Oregon 97207

RE: Settlement of Protest on Windhurst Road Water Corporation Application S-69654:

Stipulated Final Order and Agreement

Dear Jill:

Some time ago you signed the agreement settling the protest on Windhurst's reservoir application (R-69708). Enclosed is the stipulated final order and agreement settling the other half of the proposed use - S-69654. This application allows them to use the stored water and some live flow.

This document is the result of a long awaited agreement between the Department, ODFW, and the applicant. Reese Bender from the ODFW Charleston office has been very involved with the settlement and has reviewed the enclosed agreement. (See attached letter from Reese). The settlement is laid out in pages 1-4 of the document so I will not try to summarize it here.

ODFW has official party status to this case and therefor I am requesting that you sign and date page (4) of the agreement. The applicant has already signed. This type of document is the typical document we use to settle cases in the jurisdiction of the Hearings Officer.

Please sign and return the agreement to my attention as soon as possible.

If you have any question please call me at 1-800-624-3199 ex. 262.

Sincerely.

Adam Sussman


Protest Program Coordinator

enclosure

cc:

John Youngquist 827 SE Mosher Ave. Roseburg, Oregon 97470 Reese Bender, ODFW Weisha Mize, OWRD





OCT 2 4 1997

WATER RESOURCES DEPT. SALEM, OREGON

DEPARTMENT OF

WILDLIFE

CHARLESTON DISTRICT OFFICE



October 23, 1997

Adam Sussman Oregon Water Resources Department 158 12th Street NE Salem, OR 97310-0210

RE: Draft Agreement and Stipulated Final Order for S-69654 and R-69708 Windhurst Road Water Corporation

Dear Adam:

We have reviewed your revised DRAFT agreement for S-69654 and R-69708 (letter dated 10/16/97), and we now support all terms of the Agreement.

Thanks for your help in resolving this Water Right.

Sincerely,

Reese Bender

Recar & Bend

Assistant District Fisheries Biologist

RESULTED



4475 Boat Basin Drive PO Box 5430 Charleston, OR 97420 (541) 888-5515 FAX (541) 888-6860



Water Resources Department

Commerce Building 158 12th Street NE Salem, OR 97310-0210 (503) 378-3739 FAX (503) 378-8130

February 26, 1998

URGENT

Jill Zarnowitz Oregon Department of Fish and Wildlife 2501 SW First Ave, PO Box 59 Portland, Oregon 97207

RE: Set

Settlement of Protest on Windhurst Road Water Corporation Application S-69654:

Stipulated Final Order and Agreement

Dear Jill:

Some time ago you signed the agreement settling the protest on Windhurst's reservoir application (R-69708). Enclosed is the stipulated final order and agreement settling the other half of the proposed use - S-69654. This application allows them to use the stored water and some live flow.

This document is the result of a long awaited agreement between the Department, ODFW, and the applicant. Reese Bender from the ODFW Charleston office has been very involved with the settlement and has reviewed the enclosed agreement. (See attached letter from Reese). The settlement is laid out in pages 1-4 of the document so I will not try to summarize it here.

ODFW has official party status to this case and therefor I am requesting that you sign and date page (4) of the agreement. The applicant has already signed. This type of document is the typical document we use to settle cases in the jurisdiction of the Hearings Officer.

Please sign and return the agreement to my attention as soon as possible.

If you have any question please call me at 1-800-624-3199 ex. 262.

Sincerely,

Adam Sussman

Protest Program Coordinator

enclosure

cc:

John Youngquist 827 SE Mosher Ave.

Roseburg, Oregon 97470

Reese Bender, ODFW Weisha Mize, OWRD



Water Resources Department

Commerce Building 158 12th Street NE Salem, OR 97310-0210 (503) 378-3739 FAX (503) 378-8130

February 9, 1998

Wayne Scherer Ronny O. Haga Windhurst Road Water Corporation P.O. Box 503 Bandon, Oregon 97411

RE: Stipulated Final Order and Agreement - Application S-69654

Gentleman:

Enclosed is an Agreement and Stipulated Final Order for Application S-69654. Several months ago I sent a draft of this agreement to you, John Youngquist and, Jill Zarnowitz from Oregon Department of Fish and Wildlife. Everyone thought it looked good. I was holding this in the hopes of getting the adjusted map. I now realize that the map adjustments will be minor and there is no reason to hold this any longer. The only changes I have made since the draft were to describe that minor adjustments may occur to place of use and type of use once the revised map is received (item 3), and to delete references to permit numbers since I do not know what they will be.

Please review the document carefully and sign and date page 4. Return the entire document to my attention. After you sign and return I will send it off to Jill for her signature.

Please feel free to contact me at 1-800-624-3199 ex. 262. If you have any questions.

Sincerely,

Adam Sussman

Protest Program Coordinator

cc:

John Youngquist 827 SE Mosher Ave. Roseburg, Oregon 97470

Watermaster District 19

Reese Bender, ODFW

State of Oregon Water Resources Department

In the matter of Water Right)	Agreement and
Application S-69654)	Stipulated Final Order
Windhurst Road Water Corporation)	• 0.000

Application History

On June 30, 1988, Windhurst Road Water Corporation submitted an application to the Department for a water use permit. The proposed use requested 34.79 cubic feet per second (cfs) from stored water and live flow for cranberry operations. The proposed source of water was an on-channel reservoir and live flow from Bill Creek, tributary to Bear Creek and within the Coquille River Basin.

In April 1989, pursuant to OAR 690-11-080(2)(a)(C), the request was presented to the Water Resources Commission for a determination of whether a public interest hearing was necessary (Agenda Item G, WRC Meeting April 17, 1989). The Commission voted to hold a public interest hearing due to fisheries concerns raised by the Oregon Department of Fish and Wildlife (ODFW). On August 10, 1989, a contested case hearing was set for October 11, 1989, by Administrative Law Judge (ALJ) Weisha Mize. Parties named to the proceeding are the applicant, ODFW, and the Department. On the unopposed motions of the applicant the hearing has been continued several times to allow for settlement negotiations and application modifications.

On June 1, 1994, the application was amended to request the use of 614 acre-feet of stored water from 23 off-channel reservoirs and 10 cfs of live flow from Bill Creek.

The Department processed the amended application under Senate Bill 674 (1995 Legislative Session) and on August 6, 1996, conditionally approved the use. The Department's Proposed Order does not change contested case party status. On September 18, 1996, the applicant protested the Department's Proposed Final Order and requested that the application be placed on administrative hold while settlement discussions continued.

The applicant, Oregon Department of Fish and Wildlife, and the Department agree that the issue(s) in this case may be settled on the following terms and conditions, and hereby stipulate to the following:

 Parties waive the right to file exceptions to this order and the right to judicial review under ORS 536.075(2) and 183.482.

- 2) Entry of this stipulated final order by the Administrative Law Judge.
- Issuance of the permit, a draft of which is attached and incorporated herein by reference, shall be contingent upon a permit being issued for the reservoirs proposed under application R-69708 (source of 614 acre-feet). Permit issuance is also contingent upon the applicant submitting a revised map, meeting the requirements of OAR 690-310-050, and clearly identifying place of use and type of use. Minor modification to place of use and type of use, as described on the attached draft permit, may occur as a result of the map revision. Finally, permit issuance shall be contingent upon the applicant providing the names and addresses of other property owners affected by this proposed use and written authorization, easement, or proof of ownership for non-owned lands crossed by a proposed ditch, canal, or other works.
- 4) The permit shall contain the following new or modified conditions as well as the conditions contained on the attached draft permit.
- A) Season of Use: November 1 through May 31
- B) Source: Bill Creek and 614 acre-feet stored water in 23 off-channel reservoirs
- C) Instantaneous Diversion Rate: the maximum diversion rate from Bill Creek authorized under this permit, combined with the diversion authorized under application R-69708 shall not exceed 2.75 cfs and is further limited as described below.

Prior to any appropriation under this permit, the permittee shall install a staff gage downstream from the confluence of Bear Creek and Bill Creek and develop a medium flow rating curve for the range 10 cfs to 25 cfs. The staff gage shall be installed under the supervision of the District 19 watermaster at a suitable location within Section 34, Township 28 South, Range 14 West, W.M. and shall be accessible to ODFW and Water Resources staff. The staff gage and rating curve shall be maintained by the permittee to the satisfaction of the watermaster and shall at a minimum include two streamflow measurements per year. The rating curve and streamflow measurements shall be on file at the District 19 watermaster office and at the Water Resources Department in Salem.

Prior to any appropriation under this permit, the permittee shall also install a standardized weir and staff gage at the point of diversion. The weir shall be designed and installed to the satisfaction of the District 19 watermaster and the Coos-Coquille ODFW District Biologist. The weir shall be accessible to ODFW and Water Resources staff. The weir and staff gage shall be maintained by the permittee to the satisfaction of the watermaster. The weir shall not obstruct fish

passage without providing a fishway to ensure adequate upstream and downstream passage for fish.

Appropriation of water under this permit, combined with the diversion authorized under application R-69708 shall only occur when the flow on Bear Creek, as measured at the staff gage, exceeds 17 cfs. While appropriation is occurring under this permit, and any permit authorizing application R-69708, a flow of at least 17 cfs shall be maintained at the staff gage on Bear Creek. At no time shall the permittee, under this permit, in combination with any permit issued for application R-69708, divert more than 50% of the flow from Bill Creek, as measured at the weir, and at no time shall the combined diversions from this permit and any permit issued for R-69708 exceed 2.75 cfs. The permittee shall be responsible for monitoring streamflows so that these conditions are not violated.

D) Before water use may begin under this permit, the permittee shall install a totalizing flow meter at the point of diversion on Bill Creek. The permittee shall maintain the meter in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

The permittee shall allow the watermaster access to the meter; provided however, where the meter is located within a private structure, the watermaster shall request access upon reasonable notice.

- E) Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in each reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I.
- F) At the point of diversion from Bill Creek the permittee shall install, maintain, and operate fish screening to prevent fish from entering the proposed diversion. The point of diversion works shall not obstruct fish passage without providing a fishway to ensure adequate upstream and downstream passage for fish. The required screens and, if necessary fishways, shall be in place, functional, and approved by Oregon Department of Fish and Wildlife before diversion of any water.
- G) As conditioned, the proposed use will not impair or be detrimental to the public interest.

Findings of Fact and Conclusions of Law

Pursuant to OAR 690-410-070 and OAR 690-400-010(11) water is available for the proposed use November 1 through May 31 of each year. Under the South Coast Basin Program OAR 690-517-001, the use is allowable as requested. The proposed use will not injure other water rights and complies with rules of the Water Resources Commission. Finally, as conditioned above and on the attached draft permit the proposed use will not impair or be detrimental to the public interest.

Therefore, the applicant, the Oregon Department of Fish and Wildlife, and the Department agree that the proposed use may be allowed as conditioned above and on the attached draft permit without detriment or impairment to the public interest.

The applicant, the Oregon Department of Fish and Wildlife, and the Department agree on all other aspects of the attached draft permit and therefore agree to the entry of this Stipulated Final Order. Therefore, the Department finds and the applicant and the Oregon Department of Fish and Wildlife agree that, if exercised in accordance with the attached draft permit, the proposed use will not impair or be detrimental to the public interest.

On Behalf of Applicant	Date
On Behalf of the Oregon Department of Fish and Wildlife	Date
On Behalf of the Oregon Department of Water Resources	Date

Stipulated Final Order

Pursuant to the Agreement described above, Application S-69654 therefore is approved with the above modifications to the Proposed Final Order. Issuance of the permit, a draft of which is attached and incorporated herein by reference, shall be contingent upon a permit being issued for the reservoirs proposed under application R-69708 (source of 614 acre-feet). Permit issuance is also contingent upon the applicant submitting a revised map, meeting the requirements of OAR 690-310-050, and clearly identifying place of use and type of use. Minor modification to place of use and type of use, as described on the attached draft permit, may occur as a result of the map revision. Finally, permit issuance shall be contingent upon the applicant providing the names and addresses of other property owners affected by this proposed use and written authorization, easement, or proof of ownership for non-owned lands crossed by a proposed ditch, canal, or other works.

DATED

, 1998

Weisha Mize Administrative Law Judge

STATE OF OREGON

COUNTY OF COOS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

WINDHURST ROAD WATERING CORPORATION P.O. BOX 503 BANDON, OREGON 97411

(541) 347-3062

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-69654

SOURCE OF WATER: BILL CREEK, A TRIBUTARY OF BEAR CREEK, AND LEGALLY STORED WATER UNDER APPLICATION R-69708

PURPOSE OR USE: CRANBERRY OPERATIONS ON 162.4 ACRES, SUPPLEMENTAL CRANBERRY OPERATIONS ON 18.1 ACRES AND AGRICULTURE USE ON 27.7 ACRES

MAXIMUM RATE/VOLUME ALLOWED: 614.0 ACRE-FEET OF STORED WATER; MAXIMUM INSTANTANEOUS DIVERSION RATE FROM BILL CREEK AUTHORIZED UNDER THIS PERMIT, COMBINED WITH THE DIVERSION AUTHORIZED UNDER APPLICATION R-69708, SHALL NOT EXCEED 2.75 CFS AND IS FURTHER LIMITED AS DESCRIBED BELOW.

PERIOD OF USE: NOVEMBER 1 THROUGH MAY 31 FROM NATURAL FLOW AND YEAR ROUND FROM STORED WATER ONLY

DATE OF PRIORITY: JUNE 30, 1988

POINT OF DIVERSION LOCATION: BILL CREEK - NE 1/4 SW 1/4, SECTION 3, T29S, R14W, W.M.; 1030 FEET SOUTH & 2480 FEET EAST 1/4 CORNER, SECTION 3, AND STORED WATER FROM 23 RESERVOIRS DESCRIBED IN APPLICATION R-69708.

Prior to any appropriation under this permit, the permittee shall install a staff gage downstream from the confluence of Bear Creek and Bill Creek and develop a medium flow rating curve for the range 10 cfs to 25 cfs. The staff gage shall be installed under the supervision of the District 19 watermaster at a suitable location within Section 34, Township 28 South, Range 14 West, W.M. and shall be accessible to ODFW and Water Resources staff. The staff gage and rating curve shall be maintained by the permittee to the satisfaction of the watermaster and shall at a minimum include two streamflow measurements per year. The rating curve and streamflow measurements shall be on file at the District 19 watermaster office and at the Water Resources Department in Salem.

Prior to any appropriation under this permit, the permittee shall also install a standardized weir and staff gage at the point of diversion. The weir shall be designed and installed to the satisfaction of the District 19 watermaster and the Coos-Coquille ODFW District Biologist. The weir shall be accessible to ODFW and Water Resources staff. The weir and staff gage shall be maintained by the permittee to the satisfaction of the watermaster. The weir shall not obstruct fish passage without providing a fishway to ensure adequate upstream and downstream passage for fish.

Appropriation of water under this permit, combined with the diversion authorized under application R-69708, shall only occur when the flow on Bear Creek, as measured at the staff gage, exceeds 17 cfs. While appropriation is occurring under this permit, and any permit authorizing R-69708, a flow of at least 17 cfs shall be maintained at the staff gage on Bear Creek. At no time shall the permittee, under this permit, in combination with any permit issued for R-69708, divert more than 50% of the flow from Bill Creek, as measured at the weir, and at no time shall the combined diversions from this permit and any permit issued for R-69708 exceed 2.75 cfs. The permittee shall be responsible for monitoring streamflows so that these conditions are not violated.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

THE PROPERTY	OOL IO LOOK ILLD I	O . OLLO C.	
	"CRANBERRY	² AGRICULTURE	3SUPPLEMENTAL CRANBERRY
NE 1/4 NE 1/4	5.9 ACRES		4.3 ACRES
NW 1/4 NE 1/4	5.0 ACRES		
SE 1/4 NE 1/4	4.3 ACRES		0.7 ACRE
SECTION 32			
NW 1/4 NW 1/4	25.0 ACRES		
SW 1/4 NW 1/4	18.0 ACRES		
SE 1/4 NW 1/4	7.0 ACRES		
SECTION 33			

NW 1/4 SW 1/4 SECTION 3	"CRANBERRY 7.0 ACRES	² AGRICULTURE	3SUPPLEMENTAL
NW 1/4 SW 1/4 SW 1/4 SW 1/4 SE 1/4 SW 1/4 NE 1/4 SE 1/4 SECTION 4	15.0 ACRES 1.2 ACRES 15.2 ACRES 12.0 ACRES	6.0 ACRES	13.1 ACRES
NE 1/4 NE 1/4 NW 1/4 NE 1/4 SW 1/4 NE 1/4 SE 1/4 NE 1/4 NE 1/4 SE 1/4 SE 1/4 SE 1/4 SECTION 5	7.0 ACRES 1.2 ACRES 8.2 ACRES 6.0 ACRES 0.2 ACRE	0.4 ACRE 0.1 ACRE 2.0 ACRES 3.9 ACRES 5.0 ACRES	
NE 1/4 NE 1/4 NW 1/4 NE 1/4 SW 1/4 NE 1/4 SECTION 9	4.7 ACRES 16.5 ACRES 3.0 ACRES	3.0 ACRES 7.3 ACRES	

TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M.

Measurement, recording and reporting conditions:

A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at the point of diversion from Bill Creek. The permittee shall maintain the meter in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more

^{1 -} Use of water is for primary irrigation and agriculture use for Cranberry Operations.

^{*2 -} Use of water is for primary agriculture use and supplemental Irrigation use for Cranberry Operations.

^{*3 -} Use of water is for supplemental agriculture use and irrigation use for Cranberry Operations.

frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

B. The permittee shall allow the watermaster access to the meter; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

At the point of diversion from Bill Creek the permittee shall install, maintain, and operate fish screening to prevent fish from entering the proposed diversion. The point of diversion works shall not obstruct fish passage without providing a fishway to ensure adequate upstream and downstream passage for fish. The required screens and, if necessary fishways, shall be in place, functional, and approved by Oregon Department of Fish and Wildlife before diversion of any water.

Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in each reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I.

The amount of water diverted for CRANBERRY OPERATIONS, together with amounts secured under any other rights existing for the same lands, is limited as follows: For temperature control, 0.15 cubic foot per second per acre; For flood harvesting or pest control, 0.05 cubic foot per second per acre; For irrigation of cranberries, ONE-FORTIETH of one cubic foot per second and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. For the irrigation of any other crop, ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. Complete application of the water to the use shall be made on or before October 1, 2002. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued _____, 199_

DRAFT - THIS IS NOT A PERMIT

Water Resources Department Director

Application S-69654 Basin 17 Water Resources Department
Volume 3 BEAR CREEK AND MISC.
MGMT.CODE

PERMIT DRAFT District 19



Water Resources Department

Commerce Building 158 12th Street NE Salem, OR 97310-0210 (503) 378-3739 FAX (503) 378-8130

October 27, 1997

URGENT

Jill Zarnowitz
Oregon Department of Fish and Wildlife
2501 SW First Ave, PO Box 59
Portland, Oregon 97207

RE: Settlement of Protests on Windhurst Road Water Corporation Water Right Applications:

Stipulated Final Order and Agreement for Application R-69708 and, Draft Stipulated Final Order and Agreement for Application S-69654

Dear Jill:

Enclosed are a Stipulated Final Order and Agreement for Application R-69708 and a draft Stipulated Final Order and Agreement for S-69654. These documents are the result of a long awaited agreement between the Department, ODFW, and the applicant. Reese Bender from the ODFW Charleston office has been very involved with the settlement and has reviewed the enclosed documents (See attached letter from Reese). The settlement is laid out in pages 1-4 of the document so I will not try to summarize it here.

ODFW has official party status to this case and therefor I am requesting that you sign and date page (4) of the agreement for R-69708. This type of document is the typical document we use to settle cases in the jurisdiction of the Hearings Officer. The agreement for S-69654 is still in draft form due to some mapping deficiencies. Once the mapping is corrected I will send an agreement for S-69654 for your signature.

Please sign and return the agreement for R-69708 to my attention as soon as possible. This protest has been around since 1989 and the applicant is anxious to begin work on streamflow monitoring and reservoir construction.

If you have any question please call me at 1-800-624-3199 ex. 262.

Sincerely,

Adam Sussman

Protest Program Coordinator

cc:

John Youngquist 827 SE Mosher Ave. Roseburg, Oregon 97470 Reese Bender, ODFW Weisha Mize, OWRD

RECEIVED

OCT 2 4 1997

WATER RESOURCES DEPT. SALEM, OREGON



DEPARTMENT OF

FISH AND

WILDLIFE

CHARLESTON DISTRICT OFFICE

October 23, 1997

Adam Sussman Oregon Water Resources Department 158 12th Street NE Salem, OR 97310-0210

RE: Draft Agreement and Stipulated Final Order for S-69654 and R-69708 Windhurst Road Water Corporation

Dear Adam:

We have reviewed your revised DRAFT agreement for S-69654 and R-69708 (letter dated 10/16/97), and we now support all terms of the Agreement.

Thanks for your help in resolving this Water Right.

Sincerely,

Reese Bender

Recar & Bend

Assistant District Fisheries Biologist



PROTEST TO A PROPOSED FINAL ORDER

Application Number: 1

R-69708 & S-69654

Applicant's Name:

Windhurst Road Sub District

Formally Windhurst Road Water Corporation

Name, address and telephone number of protestant:

M. John Youngquist 827 SE Mosher Ave. Roseburg, Oregon 97470

Roseburg, Oregon 97470 Phone/Fax: (541) 672 - 5692

on behalf of: Windhurst Road Sub District P. O. Box 503 Bandon, Oregon 97411

Phone: (541) 347 - 3062

Interest in the proposed final orders:

This protest is on behalf of and at the request of the directors of the Sub District affected by the proposed final order.

Describe how the proposed final orders will be detrimental to the applicant's interest:

These files have been under contested case status for several years. The original application was for construction of a dam in the channel of Bill Creek. The in-channel reservoir was objected to by the Oregon Department of Fish and Wildlife (ODFW) and the Sub District moved the reservoir(s) off channel.

The proposed final orders (PFOs) do not recognize the negotiations and agreements the Sub District has with ODFW.

2. The PFOs do not address the agreement between ODFW and the Sub District. The following language should be included in both permits:

"A memorandum of understanding between the Oregon Department of Fish and Wildlife and the Windhurst Road Sub District with conditions appertaining to the use of water from Bill Creek will be approved by the ODFW before diversion of water may occur."

3. The memorandum of understanding will address "by pass" flows for this project, period of allowed pumping for storage and amount of water to be pumped. The Sub District will pump less than 3.0 cfs instead of the 10 cfs noted on the PFOs and will have adequate fish screening at the diversion to protect the resource. Fish passage will not be necessary because the only obstruction in Bill Creek will be construction of a weir to measure by pass flows. The weir will be constructed in such a manner not to impede the passage of fish.

The allowed period of use (pumping to storage) will occur from November - May 31 each year.

The height of dam and amount of water impounded in the Windhurst Reservoir requires that engineered plans and specifications are needed for the structure. Mr. John Falk and Mr. Barry Norris from the Department have made their required initial inspection of the site.

How the Proposed Final Order may be corrected:

- Insert the language referring to the memorandum of understanding between ODFW and the Sub District.
- Change the period of use from November April 30 each year to November - May 31 each year.
- Reduce the amount of appropriation from 10 cfs to 3 cfs, or less. 3
- Modify the language referring to fish passage to allow a waiver for passage if the weir to be constructed does not impede the fish passage.
- Inform Weisha Mize of the status of these applications.
- Note that engineered plans and specifications are required.

Cite any legal authority supporting the protest:

None cited.

Contest Case Hearing:

The Sub District and ODFW have been attempting to resolve these files without having a contested case hearing. It would be acceptable to have a meeting in Salem between Stephanie Birchfield, Reese Bender, Adam Sussman and the Sub District to resolve the issues.

9-18-91 Date

cc: Windhurst Road Sub District Al Cook, Regional Manager

M. JOHN YOUNGQUIST

WATER RESOURCES CONSULTANT

827 SE MOSHER ROSEBURG, OREGON 97470 PHONE/FAX: (541) 672-5692

PROJECT MANAGEMENT

PERMITS/LICENSING

RESEARCH

PLANNING

September 18, 1996

Mr. Dwight French Oregon Water Resources Department 158 12th Street, N.E. Salem, Oregon 97310

Re:

File No. R-69708

Dear Mr. French:

Enclosed find a supplemental sheet to accompany the application map describing each reservoir by coordinates from a recognized corner and a protest to the proposed final order.

In addition, you requested the names and addresses of affected property owners associated with this application. The names and addresses of property owners not associated with the applicants is noted under the remarks section of each reservoir application. I assume that the request is for the names and addresses of the participants within the sub district. We did not realize that the Department desired to have each sub district member's address at the time of filing. Their addresses are:

Ronny & Gloria Haga Route 1, Box 2095 Bandon, Oregon 97411 Phone: 541-347-2295

David F. Richert Box 86 Bandon, Oregon 97411

Phone: 541-347-2710

Bruce L. Manicke P. O. Box 584

Bandon, Oregon 97411 Phone: 541-347-2622

Wayne R. Scherer Bonnie L. Scherer P. O. Box 503

Bandon, Oregon 97411 Phone: 541-347-3062

Please contact me if additional information is needed.

Yours truly,

M. John Youngquist

cc: Windhurst Road Sub District

WINDHURST ROAD SUB DISTRICT SUPPLEMENTAL SHEET to APPLICATION MAP RESERVOIR LOCATIONS

RESERVOIR	N/S	E/W	1/4 1/4	SECTION
WINDHURST RESERVOIR	3200 FEFT SOUTH	3610 FEET EAST	NW4SE4	4
BEE STING	3920 FEET SOUTH	1390 FEET EAST	NEWSWW	4

BOTH FROM THE NORTHWEST CORNER OF SECTION 4 AND WITHIN SECTION 4, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY. Note The Windhurst Reservoir is located to the center of the reservoir because their is a dike around the whole reservoir

MANICKE

RESERVOIR	N/S	E/W	1414	SECTION	
MANICKE No. 1	4550 FEET NORTH	750 FEET WEST	NEWNEW	32	
MANICKE No. 2	3290 FEET NORTH	3290 FEET NORTH 325 FEET EAST			
MANICKE No. 3	2990 FEET NORTH	310 FEET EAST	SW//NW//	33	
MANICKE No. 4	2650 FEET NORTH	1820 FEET EAST	SE'ANW'A	33	

ALL FROM THE SOUTHEAST CORNER OF SECTION 32, WITHIN SECTIONS 32 & 33, TOWNSHIP 28 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY

HAGA:

RESERV	OIR .	N/S	E/W	1/4 1/4	SECTION	
HAGA	No. 1	1260 FEET NORTH	5000 FEET EAST	NEWSEW .	4	
HAGA 1	No. 2	780 FEET NORTH	1780 FEET EAST	SE/SW/4	4	
HAGA	No. 3	20 FEET NORTH	2620 FEET EAST	SENSWN	4	
HAGA	Vo. 4	540 FEET NORTH	550 FEET EAST	SW4SW4	4	

ALL FROM THE SOUTHWEST CORNER OF SECTION 4, WITHIN SECTION 4, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY.

WINDHURST ROAD SUB DISTRICT SUPPLEMENTAL SHEET TO APPLICATION PAGE 2

SCHERER:

RESERVOIR	N/S	E/W	1/4 1/4	SECTION
SCHERER No. 1	1530 FEET SOUTH	1810 FEET WEST	SWZNEZ	5
SCHERER No. 2	2590 FEET SOUTH	1535 FEET WEST	SEWNEW	5
SCHERER No. 3	1690 FEET SOUTH	1150 FEET WEST	SE'ANE'A	5
SCHERER No. 4	1520 FEET SOUTH	605 FEET WEST	SEWNEW	5 4 5
SCHERER No. 5	2600 FEET SOUTH	80 FEET EAST	SW/ANW//	
SCHERER No. 6	3090 FEET SOUTH	720 FEET WEST	NEWSEW	
SCHERER No. 7	2980 FEET SOUTH	52 FEET EAST	NW//SW//	4
SCHERER No. 8	3410 FEET SOUTH	218 FEET EAST	NW4SW4	4

ALL FROM THE NORTHWEST CORNER OF SECTION 4, WITHIN SECTIONS 4 & 5, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY.

RICHERT:

RESERVOIR	NORTH/SOUTH	NORTH/SOUTH EAST/WEST					
RICHERT No. 1	430 FEET SOUTH	1550 FEET WEST	NWWNEW	9			
RICHERT No. 2	770 FEET SOUTH	1240 FEET WEST	NEWNEW	9			
RICHERT No. 3	1220 FEET SOUTH	2350 FEET WEST	NWWNEW	9			
RICHERT No. 4	2100 FEET SOUTH	2100 FEET WEST	SW4NE4	9			
RICHERT No. 5	1500 FEET SOUTH	1980 FEET WEST	SWWNEW	9			

ALL FROM THE NORTHEAST CORNER OF SECTION 9, WITHIN SECTION 9, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY,

AC USE Supp (underlying)

2.0 CU IR, TC

O Spreadsheet

- 1 Spreadsheet Acres, use, supp (underlying)
- @ where offset due to map ... fix + send
- 3 If offset due to movement X-Fer + IN the meantime call pri.

COUNTY OF COOS

CERTIFICATE OF WATER RIGHT

This Is to Certify, That H. H. and NM. DUFORT 37417 Eit D Bandon , State of Oregon 77417 has made

of Bandon , State of Oregon 7/7// , has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of Geiger Creek

a tributary of Co_uille River

for the purpose of

Flooding cranberry bogs

under Permit No10728 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from October 15, 1932;

that the amount of water to which such right is entitled and hereby confirmed, for the purpose's aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.4 cubic foot per second, and shall be limited to not to exceed 0.75 acre foot per acre throughout any 30 day period and not to exceed 6 acre feet per acre throughout the irrigation season,

The point of diversion is located in the NETSW2, Section 4, Township 29 South, Range 14 West, W. M.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to of one cubic foot per second per acre,

and shall

conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

4 acres in the WW4SW4, Section 4, Township 29 South, Pange 14 West, W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

After the expiration of fifty years from the date of this certificate or on the expiration of any federal power license issued in connection with this right, and after not less than two years' notice in writing to the holder hereof, the State of Oregon, or any municipality thereof, shall have the right to take over the dams, plants and other structures and all appurtenances thereto which have been constructed for the purpose of devoting to beneficial use the water rights specified herein, upon condition that before taking possession the State or municipality shall pay not to exceed the fair value of the property so taken, plus such reasonable damages, if any, to valuable, serviceable and dependable property of the holder of this certificate, not taken over, as may be caused by the severance therefrom of the property taken in accordance with the provisions of section 47-508, Oregon Code 1930.

WITNESS the signature of the State Engineer, affixed

this 28th day of March ,1985

CHAS. E. STRICKLIN

State Engineer

Recorded in State Record of Water Right Certificates, Volume 10 , page 1111312 sti halivosoff

COOS

CERTIFICATE OF WATER RIGHT

This Is to Certify, That E. D. and AGNES B. WEBB

Oregon 77411 Bandon . State of , has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of Geiger Creek

Coquille River a tributary of Irrigation

Permit A-1-500-6-39

for the purpose of

under Permit No. 13898 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from June 28, 1939;

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.30 cubic foot per second,

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the NE4 SW4, Section 4, Township 29 South, Range 14 West, W. M.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to 0.1 per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 0.75 acre-foot for each acre irrigated in any 30 day period and shall be still further limited to a diversion of not to exceed 6 acre feet during the irrigation season of each year,

and shall

conform to such reasonable rotation system as may be ordered by the proper state officer. A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

> 3.0 acres in the NE4 SE4 Section 5 Tp. 29 S., R. 14 W., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this 1st day of July . 193/ 4]

CHAS. E. STRICKLIN

State Engineer

Recorded in State Record of Water Right Certificates, Volume 12 , page

13795

COUNTY OF

COOS

CERTIFICATE OF WATER RIGHT

This Is to Certify, That

JOHN C. WINDHURST

of P. O. Box 464, Bandon , State of Oregon , has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of

Geiger Creek a tributary of Fairy Creek, Coquille River

for the purpose of

irrigation
under Permit No. 15653
of the State Engineer, and that said right to the use of said waters
has been perfected in accordance with the laws of Oregon; that the priority of the right hereby
confirmed dates from November 29, 1943

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.4 cubic feet per second,

or its equivalent in case of rotation, measured at the point of diversion from the stream.

The point of diversion is located in the NEL Swit, Section 4, Township 29 South, Range
14 West, W. M.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one—tenth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 0.75 acre—foot for each acre irrigated in any 30—day period and shall be still further limited to a diversion of not to exceed 6 acre—feet per acre during the irrigation season of each year,

and shall

conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

2 acres in NW SW SW Section 4
2 acres in NE SE SE Section 5
Township 29 South, Range 14 West, W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this 26th day of August

, 1955 .

LEWIS A. STANLEY

State Engineer

COUNTY OF COOS

CERTIFICATE OF WATER RIGHT

This Is to Certify, That RANKIN-GOULD BOG, INC.

of Coquille , State of Oregon , has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of Geiger Creek a tributary of Fairy Creek for the purpose of irrigation of 6.1 acres.

under Permit No. 15722 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from March 28, 1944.

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.50 cubic foot per second,

or its equivalent in case of rotation, measured at the point of diversion from the stream.

The point of diversion is located in the Lot 1 (NE4 NE4). Section 5. Township 29 South.

Range 14 West, W.M.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to _ _ _ _ of one cubic foot per second _per acre. If for the irrigation of cranberries, shall be limited to 0.1 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 0.75 acre foot for each acre irrigated in any 30-day period and shall be still further limited to a diversion of not to exceed 6 acre feet per acre during the irrigation season of each year. If for the irrigation of any other crop, shall be limited to one-eightieth of one cubic foot per second per acre or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

0.4 acres Lot 1 (NEt NEt)
0.1 acres Lot 2 (NW NEt)
2.0 acres SW NEt
3.6 acres SE NET
Section 5
Township 29 South, Range 14 West, W.M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this date. NOVEMBER 19 1959

LEWIS A. STANLEY

State Engineer

COUNTY OF COOS

CERTIFICATE OF WATER RIGHT

This Is to Certify, That RONNY O. HAGA

of Box 394, Bandon , State of Oregon , has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of Johnson Creek

a tributary of Pacific Ocean irrigation of 1.3 acres

for the purpose of

under Permit No. 24615 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from November 28, 1956

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.13 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream.

The point of diversion is located in the NW1 NW1, Section 9, T. 29 S., R. 14 W., W. M.

Diversion point located 1630 feet South and 110 feet East from NW Corner, SW1

SW1, Section 4.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-tenth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 0.75 acre-foot for each acre irrigated in any 30-day period and shall be still further limited to a diversion of not to exceed 6 acre-feet per acre during the irrigation season of each year for cranberry irrigation, and for irrigation of any other crop, this appropriation shall be limited to one-eightieth of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed $\frac{21}{2}$ acre *

conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

0.5 acre SW SW SW SW Section 4

T. 29 S., R. 14 W., W. M.

*feet per acre for each acre irrigated during the irrigation season of each year,

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this date. February 28, 1969

Ohite 1. Mirkhill State Engineer

COUNTY OF COOS

CERTIFICATE OF WATER RIGHT

This Is to Certify, That ESTATE OF ERWIN RICHERT

of Box 232, Bandon , State of Oregon , has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of unnamed stream

a tributary of Johnson Creek irrigation of 5.3 acres of cranberries

for the purpose of

under Permit No. 27437 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from June 9, 1961

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.13 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the NWA SEM, Section 9, T. 29 S., R. 14 W., W. M. Diversion point located: 2670 feet South and 180 feet West from NWA Corner, Section 9.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-fortieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and for irrigation of any other crop, this appropriation shall be limited to one-eightieth of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year;

conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

5.3 acres SW/4 NE)4 Section 9 T. 29 S., R. 14 W., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this date. March 30, 1970

CHRIS L. WHEELER

State Engineer

COUNTY OF

C005

CERTIFICATE OF WATER RIGHT

This Is to Certify, That

BRUCE L. & JUDITH R. MANICKE, GORDON GIBSON, LOWELL MEYER

of P. O. Box 584, Bandon , State of Oregon, 97411 , has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of Ferry Creek

a tributary of Coquille River for the purpose of irrigation, frost protection and harvesting cranberries of 11.1 acres

under Permit No. 31857 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from September 7, 1966

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 1.0 cubic foot per second, being 0.14 c.f.s. for irrigation, 1.0 c.f.s. for frost protection and 0.56 c.f.s. for harvesting cranberries

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the NW4 SE4, Section 29, T. 28 S., R. 14 W., W. M., 4180 feet North and 2480 feet West from the E4 Corner, Section 32

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to One-fortieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2^{1} 5 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall

conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

2.8 acres NEW NEW 2.2 acres SEW NEW Section 32
2.8 acres NEW SWW 3.3 acres NEW SWW Section 33
T. 28 S., R. 14 W., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described and is subject to the existing minimum flow policies established by the Water Policy Review Board.

WITNESS the signature of the Water Resources Director, affixed

his date.

June 14, 1979

Vater Resources Director

Recorded in State Record of Water Right Certificates, Volume 41 , page 48118

T7082

COUNTY OF

coos

CERTIFICATE OF WATER RIGHT

This Is to Certify, That

ESTATE OF ERWIN F. RICHERT
By Jessie A. Richert, Administratrix

of Box 232, Bandon , State of Oregon , has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of an unnamed stream

a tributary of Johnson Creek irrigation of 5.0 acres

for the purpose of

under Permit No. 35039 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from April 6, 1970

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.13 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream.

The point of diversion is located in the NW% SE%, Section 9, T. 29 S., R. 14 W., W. M.,
2670 feet South and 230 feet East from N% Corner, Section 9.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-fortieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to one-eightieth of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall

conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

3.0 acres NE% NE% 2.0 acres SW% NE% Section 9 T. 29 S., R. 14 W., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this date. November 21, 1973

Chris L. Wheeler State Engineer

COUNTY OF COOS

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

RONNY O. HAGA ROUTE 1, BOX 2095 BANDON, OREGON 97411

confirms the right to use the waters of JOHNSON CREEK, a tributary of PACIFIC OCEAN, for the purpose of CRANBERRY IRRIGATION AND TEMPERATURE CONTROL ON 4.25 ACRES.

The right has been perfected under Permit 41467. The date of priority is FEBRUARY 8, 1977. The right is limited to not more than 0.45 CUBIC FOOT PER SECOND; BEING 0.11 CFS FOR IRRIGATION AND 0.45 CFS FOR TEMPERTURE CONTROL or its equivalent in case of rotation, measured at the point of diversion from the source.

The point of diversion is located as follows:

NW 1/4 NW 1/4, SECTION 9, T 29 S, R 14 W, W.M.; 250 FEET SOUTH & 110 FEET EAST FROM NW CORNER SECTION 9.

The amount of water used for irrigation of cranberries, together with the amount secured under any other right existing for the same lands, shall be limited to one-fortieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. For the irrigation of any other crop this right is limited to one-eightieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year.

The right shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right, and to which such right is appurtenant, is as follows:

SW 1/4 SW 1/4 4.25 ACRES SECTION 4 TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described. The right is subject to minimum flows established by the Water Resources Commission with an effective date prior to this right.

WITNESS the signature of the Water Resources Director, affixed this date DECEMBER 29, 1988.

/s/ WILLIAM H. YOUNG

Water Resources Director

Recorded in State Record of Water Right Certificates numbered 59066

55207.TS

COUNTY OF COOS

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

RONNY O. HAGA ROUTE 1, BOX 2095 BANDON, OREGON 97411

confirms the right to use the waters of JOHNSON CREEK, a tributary of PACIFIC OCEAN, for the purpose of TEMPERATURE CONTROL FOR 1.3 ACRES AND FLOOD HARVESTING OF CRANBERRIES ON 5.55 ACRES.

The right has been perfected under Permit 47504. The date of priority is JANUARY 13, 1983. The right is limited to not more than 0.28 CUBIC FOOT PER SECOND; BEING 0.195 CFS FOR TEMPERATURE CONTROL AND 0.28 CFS FOR FLOOD HARVESTING or its equivalent in case of rotation, measured at the point of diversion from the source.

The point of diversion is located as follows:

NW 1/4 NW 1/4, SECTION 9, T 29 S, R 14 W, W.M.; 250 FEET SOUTH & 110 FEET EAST FROM NW CORNER SECTION 9.

The right shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right, and to which such right is appurtenant, is as follows:

TEMPERATURE CONTROL

FLOOD HARVESTING

SW 1/4 SW 1/4 SE 1/4 SW 1/4 0.5 ACRE 0.8 ACRE 4.75 ACRES 0.80 ACRE

SECTION 4
TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described. The right is subject to minimum flows established by the Water Resources Commission with an effective date prior to this right.

WITNESS the signature of the Water Resources Director, affixed this date DECEMBER 29, 1988.

/s/ WILLIAM H. YOUNG

Water Resources Director

Recorded in State Record of Water Right Certificates numbered 59067

64733.TS



County of COOS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

This is to certify that I have examined APPLICATION 68371 and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE APPROPRIATE MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

This permit is issued to Ronny O. Haga of Route 1, Box 2095, Bandon, Oregon, 97411, phone 347-2295, for the use of the waters of Johnson Creek, a tributary of Pacific Ocean,

for the PURPOSE of temperature control, flood harvesting of cranberries and irrigation of 8.25 acres, being 1.24 cubic feet per second for temperature control, 0.41 cfs for flood harvesting and 0.21 cfs for irrigation

that the PRIORITY OF THE RIGHT dates from June 6, 1985 for use on 7.85 acres April 9, 1986 for use on 0.25 acre

and is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.24 Cubic feet per second

The POINT OF DIVERSION is to be LOCATED: 1630 feet South and 110 feet East from the Northwest corner of SW 1/4 SW 1/4 Section 4, being within the NW 1/4 NW 1/4 Section 9, Township 29 South, Range 14 West, WM, in the County of Coos.

A description of the PLACE OF USE under the permit, and to which such right is appurtenant, is as follows:

Township 29 South, Range 14 West, WM Section 4 NW 1/4 SW 1/4 0.25 acre SW 1/4 SW 1/4 7.85 acres

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second of its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

The permittee shall record and submit annually to the Water Resources Department all pertinent data pertaining to use of water for temperature control (frost control) on forms furnished.

Actual construction work shall begin on or before August 7, 1987 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 88.

Complete application of the water to the proposed use shall be made on or before October 1, 19 89 .

Witness my hand this 7th day of August

, 19 86 .

/8/ WILLIAM H. YOUNG

WATER RESOURCES DIRECTOR

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

APPLICATION 68371 PERMIT 49680

COUNTY OF Coos

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RONNY O. HAGA ROUTE 1, BOX 2095 BANDON, OREGON 97411

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-70197

SOURCE OF WATER: JOHNSON CREEK AND AN UNNAMED RESERVOIR, TO BE CONSTRUCTED UNDER APPLICATION R-70196, PERMIT R-11808, TRIBUTARIES OF PACIFIC OCEAN

PURPOSE OR USE: CRANBERRY OPERATIONS ON 10.0 ACRES

MAXIMUM FLOW/VOLUME ALLOWED: 0.5 CFS OF LIVE FLOW AND 9.0 AF OF STORED WATER

PERIOD OF USE: THE USE OF WATER FROM LIVE FLOW IS LIMITED TO THE PERIOD DECEMBER 1 THROUGH MARCH 31. STORED WATER FROM AN UNNAMED RESERVOIR MAY BE USED YEAR ROUND.

DATE OF PRIORITY: FEBRUARY 12, 1990

POINT OF DIVERSION LOCATION: NW 1/4 NW 1/4, SECTION 9, SE 1/4 SW 1/4, SECTION 4, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M.; JOHNSON CREEK - 1630 FEET SOUTH & 110 FEET EAST, UNNAMED RESERVOIR - 780 FEET SOUTH & 1760 FEET EAST, BOTH FROM NORTHWEST CORNER, SW 1/4 SW 1/4, SECTION 4

The amount of water diverted for CRANBERRY OPERATIONS, together with amounts secured under any other rights existing for the same lands, is limited as follows: For temperature control, 0.15 cubic foot per second per acre; For flood harvesting or pest control, 0.05 cubic foot per second per acre; For irrigation of cranberries, ONE-FORTIETH of one cubic foot per second and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. For the irrigation of any other crop, ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SW 1/4 SW 1/4 2.0 ACRES SE 1/4 SW 1/4 8.0 ACRES SECTION 4

TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M.

Application S-70197 Water Resources Department

PERMIT 52296



July 28, 1997

WATER
RESOURCES
DEPARTMENT

Windhurst Road Water Corporation PO Box 503 Bandon, OR 97411

Reference: Application S-69654

Gentlemen:

The Department is currently working to put together an Agreement and Stipulated Final Order for both Windhurst Road applications. In working through the applications a number of problems with application S-69654 have arisen.

Many of the proposed lands for application S-69654 have existing rights underlying them. That in itself is not a problem, however, in some cases the underlying rights do not resemble the application map for S-69654. This may be due to mapping errors, relocation of the bogs, or something else. It is most likely a combination of various reasons. Some of the concerns that arise from this are:

- 1) Is the old right valid? If it is not, any supplemental right allowed on top of the old right may not be valid.
- 2) How many acres truly overlie the existing rights? The way the maps overlie at this time it would be a "best guess" of the number of acres of primary and supplemental. If the acres identified as supplemental are found to actually be primary at the time of certification it may put that portion of the right in jeopardy.
- 3) How many acres truly are primary? Although this has not been a significant issue in the past, it would be best to clear up any potential issues that may arise from existing rights overlying rights that have been identified as primary under application S-69654.

The best solution is to make sure that all underlying rights are valid and to indicate which acres on the application map for application S-69654 are truly supplemental to existing rights and which are primary. Enclosed you will find copies of the existing water rights, both maps and certificates or permits. Please compare them closely with the application map for S-69654 and determine and indicate clearly on a map which lands are primary

Commerce Building 158 12th Street NE Salem, OR 97310-0210 (503) 378-3739 FAX (503) 378-8130 and supplemental for which uses. This will help prevent unwanted surprises at the time of final proof inspection.

The Draft Agreement and Stipulated Final Order for application R-69708 and S-69654 will be sent out soon. Questions about S-69654 will need to be resolved prior to permit issuance.

If you have additional questions feel free to contact me at (503) 378-8455 ex. 262.

Sincerely.

Adam Sussman

Program Analyst and

Department Representative

CC: John Youngquist

827 SE Mosher Ave.

Roseburg, Oregon 97470

Watermaster, District 19

Reese Bender, ODFW

P.O. Box 5430

Charleston, Oregon 97420



August 13, 1997

WATER
RESOURCES
DEPARTMENT

John Youngquist 827 SE Mosher Ave Roseburg, Oregon 97470

Dear Mr. Youngquist:

REFERENCE: File R-69708 and S-69654 (Windhurst Farms)

The Department indicated by letter, sent in July of this year, that there are some inconsistencies regarding the location and description of some of the acreage on the application map for the above reference files. I have enclosed a copy of the most recent application map, per your request, so that you can advise the Department regarding the proper description of the acreage, i.e. primary/supplemental.

I hope this will be helpful. Feel free to call me at (503) 378-8455 ext. 262 or 1 (800) 624-3199 if I can be of any more assistance in resolving this matter.

Sincerely,

Adam Sussman

Program Analyst, Water Rights Section

CC:

Windhurst Road Water Corporation PO Box 503 Bandon, OR 97411




Commerce Building 158 12th Street NE Salem, OR 97310-0210 (503) 378-3739 FAX (503) 378-8130

APPLICATION MAP IN THE NAME OF WINDHURST ROAD SUB DISTRICT

SECTIONS 32 & 33, T 28 S, R 14 W, WM AND


SECTIONS 3, 4, 5 & 9, T 29 S, R 14 W, WM



AMMENDED APPLICATION MAP IN THE NAME OF WINDHURST ROAD SUB DISTRICT

SECTIONS 32 & 33, T 28 S, R 14 W, WM AND

SECTIONS 3, 4, 5 & 9, T 29 S, R 14 W, WM



M. JOHN YOUNGQUIST WATER RESOURCES CONSULTANT

827 SE MOSHER ROSEBURG, OREGON 97470 PHONE/FAX: (541) 672-5692

PROJECT MANAGEMENT

PERMITS/LICENSING

RESEARCH

PLANNING

October 11, 1996

Adam Sussman, Program Analyst Oregon Water Resources Department 158 12th Avenue, N.E. Salem, Oregon 97310

Re:

File No. R-69708 & S-69654

In the Name of Windhurst Road Sub District

Dear Mr. Sussman:

On behalf of the Windhurst Road Sub District, I request the files noted above be placed on "administrative hold" for a short period of time. As noted in our protest to the Proposed Final Order, agreement has been reached with the Oregon Department of Fish and Wildlife on the particulars of diverting water from Bill Creek for off channel storage. To date, the ODFW has not responded to our proposed Memorandum of Understanding nor has the ODFW contacted Weisha Mize to inform her of our agreement.

We believe these files have been resolved, however, the details need to be cleared with all parties concerned. We would appreciate the Department placing these files on hold until all the paperwork is complete.

Please contact me if you have any questions.

Yours truly,

M. John Youngquist

Windhurst Road Sub District

M. JOHN YOUNGQUIST WATER RESOURCES CONSULTANT

RECEIVED

OCT 1 5 1996

PLANNBALEM, OREGON

WATER RESOURCES DEPT.

827 SE MOSHER ROSEBURG, OREGON 97470 PHONE/FAX: (541) 672-5692

PROJECT MANAGEMENT

PERMITS/LICENSING

RESEARCH

October 11, 1996

Adam Sussman, Program Analyst Oregon Water Resources Department 158 12th Avenue, N.E. Salem, Oregon 97310

Re: File No. R-69708 & S-69654

In the Name of Windhurst Road Sub District

Dear Mr. Sussman:

On behalf of the Windhurst Road Sub District, I request the files noted above be placed on "administrative hold" for a short period of time. As noted in our protest to the Proposed Final Order, agreement has been reached with the Oregon Department of Fish and Wildlife on the particulars of diverting water from Bill Creek for off channel storage. To date, the ODFW has not responded to our proposed Memorandum of Understanding nor has the ODFW contacted Weisha Mize to inform her of our agreement.

We believe these files have been resolved, however, the details need to be cleared with all parties concerned. We would appreciate the Department placing these files on hold until all the paperwork is complete.

Please contact me if you have any questions.

Yours truly,

M. John Youngquist

Windhurst Road Sub District CC:

Dwight W French, 03:29 PM 8/20/96 , R-69708 and S-69654

```
Date: Tue, 20 Aug 1996 15:29:55 -0700 (PDT)
X-Sender: frenchdw@mailhub.wrd.state.or.us
To: Adam.P.SUSSMAN@wrd.state.or.us
From: Dwight W French < Dwight. W. FRENCH@wrd.state.or.us>
Subject: R-69708 and S-69654
Adam,
I think that you can handle this.
Dwight
>Date: Tue, 20 Aug 1996 14:07:12 -0700
>X-Sender: liverman@eagle.dfw.state.or.us
>To: FRENCH Dwight W < Dwight.W.FRENCH@state.or.us>
>From: LIVERMAN Marc <Marc.LIVERMAN@state.or.us> (Marc Liverman)
>Subject: R-69708 and S-69654
>Cc: BURCHFIELD Stephanie <Stephanie.BURCHFIELD@state.or.us>
>Dwight:
>I'm writing concerning PFO's issued for water rights applications
R-69708
>and S-69654.
                As you may know, these applications are currently the
>subject of a contested case and ODFW is in a dispute resolution
process
>with the applicant. Please cease processing these applications so
that they
>can be modified to reflect the final outcome of our negotiation.
>The applicant in both cases is Windhurst Road Water Corp. These
>applications are in our Charleston District and have been reviewed
for ODFW
>by Reese Bender, our local assistant DB. Reese believed that these
>applications had been pulled from triage pending resolution of the
contested
>case. At this point, the ALJ (Weisha Mize) is pushing hard for
closure and
>we have counsel working with the applicant to finalize our agreement
in a MOU.
>Our primary concern with the PFOs is that they are based on a
quantity of 10
>c.f.s. of water. John Youngquist is representing the applicant.
>letter to the ALJ dated Oct. 25, 1995, John stated that the
applicant only
>anticpates pumping 2.75 c.f.s. This is the number that we hope to
include
>in the MOU.
>Please let me know ASAP how you will proceed on this. Thanks!
>Marc
```

Dwight W French, 03:31 PM 8/20/96 , Re: R-69708 and S-69654

To: LIVERMAN Marc <Marc.LIVERMAN@state.or.us> (Marc Liverman)

From: Dwight W French < Dwight. W. FRENCH@wrd.state.or.us>

Date: Tue, 20 Aug 1996 15:31:05 -0700 (PDT) X-Sender: frenchdw@mailhub.wrd.state.or.us

Subject: Re: R-69708 and S-69654

Cc: Adam. P. SUSSMAN@wrd. state.or.us Thanks for your message. I have asked Adam Sussman to handle this. be out of the office until next Tuesday.) Dwight At 02:07 PM 8/20/96 -0700, you wrote: >Dwight: >I'm writing concerning PFO's issued for water rights applications R-69708 >and S-69654. As you may know, these applications are currently the >subject of a contested case and ODFW is in a dispute resolution process >with the applicant. Please cease processing these applications so that they >can be modified to reflect the final outcome of our negotiation. >The applicant in both cases is Windhurst Road Water Corp. >applications are in our Charleston District and have been reviewed for ODFW >by Reese Bender, our local assistant DB. Reese believed that these >applications had been pulled from triage pending resolution of the >case. At this point, the ALJ (Weisha Mize) is pushing hard for closure and >we have counsel working with the applicant to finalize our agreement in a MOU. >Our primary concern with the PFOs is that they are based on a quantity of 10 >c.f.s. of water. John Youngquist is representing the applicant. In >letter to the ALJ dated Oct. 25, 1995, John stated that the applicant only >anticpates pumping 2.75 c.f.s. This is the number that we hope to include >in the MOU. >Please let me know ASAP how you will proceed on this. Thanks! >Marc >

Printed for Adam P Sussman <Adam.P.SUSSMAN@wrd.state.or.us>

RECEIVED

SEP 2 0 1996

WATER RESOURCES DEPT.

SALEM, OREGON

PROTEST TO A PROPOSED FINAL ORDER

Application Number:

R-69708 & S-69654

Applicant's Name:

Windhurst Road Sub District

Formally Windhurst Road Water Corporation

Name, address and telephone number of protestant:

M. John Youngquist 827 SE Mosher Ave. Roseburg, Oregon 97470

Phone/Fax: (541) 672 - 5692

on behalf of: Windhurst Road Sub District P. O. Box 503 Bandon, Oregon 97411

Phone: (541) 347 - 3062

Interest in the proposed final orders:

This protest is on behalf of and at the request of the directors of the Sub District affected by the proposed final order.

Describe how the proposed final orders will be detrimental to the applicant's interest:

These files have been under contested case status for several years. The original application was for construction of a dam in the channel of Bill Creek. The in-channel reservoir was objected to by the Oregon Department of Fish and Wildlife (ODFW) and the Sub District moved the reservoir(s) off channel.

The proposed final orders (PFOs) do not recognize the negotiations and agreements the Sub District has with ODFW.

2. The PFOs do not address the agreement between ODFW and the Sub District. The following language should be included in both permits:

"A memorandum of understanding between the Oregon Department of Fish and Wildlife and the Windhurst Road Sub District with conditions appertaining to the use of water from Bill Creek will be approved by the ODFW before diversion of water may occur."

3. The memorandum of understanding will address "by pass" flows for this project, period of allowed pumping for storage and amount of water to be pumped. The Sub District will pump less than 3.0 cfs instead of the 10 cfs noted on the PFOs and will have adequate fish screening at the diversion to protect the resource. Fish passage will not be necessary because the only obstruction in Bill Creek will be construction of a weir to measure by pass flows. The weir will be constructed in such a manner not to impede the passage of fish.

The allowed period of use (pumping to storage) will occur from November - May 31 each year.

4. The height of dam and amount of water impounded in the Windhurst Reservoir requires that engineered plans and specifications are needed for the structure. Mr. John Falk and Mr. Barry Norris from the Department have made their required initial inspection of the site.

How the Proposed Final Order may be corrected:

- 1. Insert the language referring to the memorandum of understanding between ODFW and the Sub District.
- Change the period of use from November April 30 each year to November - May 31 each year.
- Reduce the amount of appropriation from 10 cfs to 3 cfs, or less.
- Modify the language referring to fish passage to allow a waiver for passage if the weir to be constructed does not impede the fish passage.
- 5. Inform Weisha Mize of the status of these applications.
- 6. Note that engineered plans and specifications are required.

Cite any legal authority supporting the protest:

None cited.

Contest Case Hearing:

The Sub District and ODFW have been attempting to resolve these files without having a contested case hearing. It would be acceptable to have a meeting in Salem between Stephanie Birchfield, Reese Bender, Adam Sussman and the Sub District to resolve the issues.

M. John Youngquist

cc: Windhurst Road Sub District Al Cook, Regional Manager 9-18-71

Date

SEP 2 0 1996
WATER RESOURCES DEPT.
SALEM, OREGON

M. JOHN YOUNGQUIST WATER RESOURCES CONSULTANT

827 SE MOSHER ROSEBURG, OREGON 97470 PHONE/FAX: (541) 672-5692

PROJECT MANAGEMENT

PERMITS/LICENSING

RESEARCH

PLANNING

September 18, 1996

Mr. Dwight French Oregon Water Resources Department 158 12th Street, N.E. Salem, Oregon 97310

Re:

File No. R-69708

Dear Mr. French:

Enclosed find a supplemental sheet to accompany the application map describing each reservoir by coordinates from a recognized corner and a protest to the proposed final order.

In addition, you requested the names and addresses of affected property owners associated with this application. The names and addresses of property owners not associated with the applicants is noted under the remarks section of each reservoir application. I assume that the request is for the names and addresses of the participants within the sub district. We did not realize that the Department desired to have each sub district member's address at the time of filing. Their addresses are:

Ronny & Gloria Haga Route 1, Box 2095 Bandon, Oregon 97411 Phone: 541-347-2295

David F. Richert Box 86 Bandon, Oregon 97411

Phone: 541-347-2710

Bruce L. Manicke P. O. Box 584 Bandon, Oregon 97

Bandon, Oregon 97411 Phone: 541-347-2622

Wayne R. Scherer Bonnie L. Scherer P. O. Box 503

Bandon, Oregon 97411 Phone: 541-347-3062

Please contact me if additional information is needed.

Yours truly,

CC:

M. John Youngquist

Windhurst Road Sub District

RECEIVED SEP 2 0 1996

WATER RESOURCES DEPT. SALEM, OREGON

WINDHURST ROAD SUB DISTRICT SUPPLEMENTAL SHEET to APPLICATION MAP RESERVOIR LOCATIONS

RESERVOIR	N/S	E/W	1/4 1/4	SECTION	
WINDHURST RESERVOIR	3200 FEET SOUTH	00 FEET SOUTH 3610 FEET EAST NW4SE4			
BEE STING	3920 FEET SOUTH	1390 FEET EAST	NE'4SW'/4	4	

BOTH FROM THE NORTHWEST CORNER OF SECTION 4 AND WITHIN SECTION 4, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY. Note: The Windhurst Reservoir is located to the center of the reservoir because their is a dike around the whole reservoir.

MANICKE:

RESERVOIR	N/S	N/S E/W 1/4 1/4					
MANICKE No. 1	4550 FEET NORTH	750 FEET WEST	NE'/NE'/	32			
MANICKE No. 2	3290 FEET NORTH	325 FEET EAST	SW¼NW¼	33			
MANICKE No. 3	2990 FEET NORTH	310 FEET EAST	SW¼NW¼	33			
MANICKE No. 4	2650 FEET NORTH	1820 FEET EAST	SE¼NW¼	33			

ALL FROM THE SOUTHEAST CORNER OF SECTION 32, WITHIN SECTIONS 32 & 33, TOWNSHIP 28 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY

HAGA:

RESERVOIR	N/S	E/W	1/4 1/4	SECTION
HAGA No. I	1260 FEET NORTH	5000 FEET EAST	NEWSEW	4
HAGA No. 2	780 FEET NORTH	1780 FEET EAST	SE'4SW'4	4
HAGA No. 3	20 FEET NORTH	2620 FEET EAST	SE4SW4	4 5
HAGA No. 4	540 FEET NORTH	550 FEET EAST	SW4SW4	4 1
FROM THE SOUTHWEST CORNER OF SECTION	4, WITHIN SECTION 4, TOWNSHIP 29	SOUTH, RANGE 14 WEST, V	v.m., coos county	R RESOURCES DEPT. ALEM, OREGON

WINDHURST ROAD SUB DISTRICT SUPPLEMENTAL SHEET TO APPLICATION PAGE 2

RECEIVEL SEP 2 0 1996 SEP 2 0 1996 WATER RESOURCES T SALEM, OREGO

SCHERER:

			7.0	OC.30
RESERVOIR	N/S	E/W	44 म	SECTION
SCHERER No. 1	1530 FEET SOUTH	1810 FEET WEST	SWWNEW	5
SCHERER No. 2	2590 FEET SOUTH	1535 FEET WEST	SE%NE%	5
SCHERER No. 3	1690 FEET SOUTH	1150 FEET WEST	SEWNEW	5
SCHERER No. 4	1520 FEET SOUTH	605 FEET WEST	SE%NE%	5
SCHERER No. 5	2600 FEET SOUTH	80 FEET EAST	SW¼NW¼	4
SCHERER No. 6	3090 FEET SOUTH	720 FEET WEST	NEWSEW	5
SCHERER No. 7	2980 FEET SOUTH	52 FEET EAST	NW4SW4	4
SCHERER No. 8	3410 FEET SOUTH	218 FEET EAST	NW¼SW¼	4

ALL FROM THE NORTHWEST CORNER OF SECTION 4, WITHIN SECTIONS 4 & 5, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY.

RICHERT:

RESERVOIR	NORTH/SOUTH	EAST/WEST	1/4 1/4	SECTION
RICHERT No. 1	430 FEET SOUTH	1550 FEET WEST	NW/4NE/4	9
RICHERT No. 2	770 FEET SOUTH	1240 FEET WEST	NEWNEW	9
RICHERT No. 3	1220 FEET SOUTH	2350 FEET WEST	NW//NE//	9
RICHERT No. 4	2100 FEET SOUTH	2100 FEET WEST	SW4NE4	9
RICHERT No. 5	1500 FEET SOUTH	1980 FEET WEST	SW4NE4	9

ALL FROM THE NORTHEAST CORNER OF SECTION 9, WITHIN SECTION 9, TOWNSHIP 29 SOUTH, RANGE 14 WEST, W.M., COOS COUNTY.

Application S-69654

COPY CHECK-OFF SHEET FOR PROPOSED FINAL ORDERS CC: FILE # S-69654 WATERMASTER # 19 REGIONAL MANAGER: SOUTHWEST ODF&W - Coos County: CWRE (if agent): JAMES F GOSSON #054 DEO OTHER STATE AGENCY IF NECESSARY: DIVISION 33 LIST: COLUMBIA RIVER INTERTRIBAL FISH COMMISSION; U.S. FISH & WILDLIFE; NORTHWEST POWER PLANNING COUNCIL & NATIONAL MARINE FISHERIES (CHECK ONLY IF APPLICABLE) POWER BUILDER UPDATER; FRONT COUNTER OTHER ADDRESSES OF PEOPLE WHO PAID THE \$10 FEE: PEOPLE WITH OBJECTIONS, COMMENTS OR REQUESTED COPY W/O \$10 (SEND THE \$10 LETTER): COOS COUNTY COURTHOUSE ANNEX COOS COUNTY HIGHWAY DEPARTMENT COQUILLE, OR. 97423 LOWELL AND MARY MEYER BANDON, OR. 97411 P.O. BOX 582 ROGGE FOREST PRODUCTS BANDON, OR. 97411 CITY OF BANDON CITY HALL BANDON, OR. 97411

CASEWORKER : GH


7

TOWNSHIP 295, RANGE 14 W. W. M. CAROL SECTION_ 3 NE NW SW SE NE NW SW SE NE NW SW SE NE NW SW SE APPLICA-CERTIFI-PERMIT NUMBER LOT / LOT 2 LOT 3 LOT4 TOTAL ACREAGE IN SUBDIVISION AS SHOWN ON GOVERNMENT PLAT 3842 3825 3807 3790 34 18237 13898 13795 20090 15653 20828 2 04 01 29 36 26279 20783 16263 CARCHIE 38 4300 3275 48119 69654 805 P-72130 5 72131 DUNGSCHULT 18-4884 RES. R- 71773 RES. R-43421 R-4984 39529 05 (SEE BACK OF CARD FOR PLAT OF SECTION) RES R-73432 RANGE 14 W.W.M. Card SECTION NW SE NE NW SW SE NE NW SW SE NE NW SW SE NE NW SW SE APPLICA-CERTIFI-PERMIT TION CATE NUMBER TOTAL ACREAGE IN SUBDIVISION AS SHOWN ON GOVERNMENT PLA 57 01 23022 18143 23001 4.51 35031 27437 36624 53 08 63 41401 30926365021 14 42825 32008 36503 28 - SUPPL-41401 30926 36502 0-57 46863 35039 39525 30 20 10 59907 45731 Homer Harves GSUTT 47958CANCELED Donfi 40 69654 69654 Res R.69927 R-11466 (SEE BACK OF CARD FOR PLAT OF SECTION) SW NW NE NE NW SW SE NE NW SW SE NE NW SW SE NE NW SW SE APPLICATION PERMIT CERTIFICATE NUMBER NUMBER IF OTHER THAN 40 ACRES RC,FH 69928 5/486

TOWNSHIP 285 . RANGE 14 W . W. M. SECTION 32 NW. NE NW SW SE SE APPLICATION NUMBER NE NW SW PERMIT CERTIFICATE NUMBER NE NW SW SE NE NW SW SE CANCELLED 10038 CARCELER 4.9 22415 17668 21653 17807 CANCELLED 45 18645 21685 23631 Mo -13 34672 27232 34673 27233 28 22 42775 31857 48118 64533 47286 69654 69654 RES CIAN 8.70050 R.11227 TO FH 70051 50975 RANGE 14W TOWNSHIP _285 #2 SECTION ____ W. M. NW SW SE NE NE NW SW SE NE NW SW SE NE NW SW SE NE NW SW SE APPLICATION NUMBER PERMIT CERTIFICATE NUMBER IF OTHER THAN 40 ACRES 70160 51119 CANCELF 13. 12 6-12422 Of the continue of the second index of TOWNSHIP 285 RANGE 14W . W. M. SECTION 33 NE NW SE APPLICATION NUMBER CERTIFICATE NE NW SW SE NE NW SW SE NE NW SW SE NE NW SW SE 2.5 11236 10424 14396 30 5.5 16898 21890 33 31857 48118 V 58677 50ppl. 69654 07 T-6163 (C2143) 70 FAX/FA 6.11867 6-11259 2 83 2: 20779 16260 65484

MELTING.	V E		T		100	F			s		1			E		31	ECTION _		
NV	v s	w			NW	SW L sub	DIVISI	ON AS	NW	sw			NW IT PLA	sw	SE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER	
	+		-			ОТН	H TH	H 40	ACRES										
								T.C.	F H							6965 4 R-69708			
	+	-						弦								R-69708			
-	+		-	-															
-	+		-																
	+	1			-											-			
	1																		
	1				S 24 3		1		1	1		-	-			1 19th	-		£
ow.	/NS	HIE		29	75	, RA	NGE		14	W	w. N	vi.	0	921	0 1	#/ se	CTION	4	
-	٧E		Ī		N				S				S		- 3,				
2		то	273542	LOT 3	47	LOT	LOT	LOT	LOT	LOT	LOT			LOT	LOT	APPLICATION NUMBER	PERNIT NUMBER	CERTIFICATE NUMBER .	
		SW SE IN	LOT OF	NE	SUBDI	WE	SE SHOT	NE	NW	SW ENT PL	SE AT IF O		NW HAH 40		SE	(1)	Van.		
394	15	-		3908	3811			×				200	100		7 47 7	4 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
1	1							-	4			-20	1			14782	10728	11113	
								Res			Res			Res		5017	R-368	•	
								×								4982	3011		
								×								18237	13898	13795	
							-		2							20090	15653	20828	
										is	.0		A.Her			30253	23812	CARCELLED	*************
	1				1	1				25	08					31234	24615	35720 V	
-						-		1						10		42825	32008	36503	
1	-				1	-	-	-	-	425		-	-	1	1	CC307	41467	59066 V	
-					-	1-	-		-	7	-	+	+	172.07	н		45731	07066	
1	- 1			-	ulus s			-	-	Tarp	Sont	-	+	10	-		The state of the s		
-				-		-		-	TE	42	Short	-	-	-		64733	49680	59067	
	-			ture	Cam	Ine/	-10	1	0			FOR	LAT OF	PECT	ION) F	H= Flood H	arvesting		
6	- /	יקיינו		,,,,,										-17-17		The second of the		42 42 3	
01	NN	SH	IP =	29	5		RAN	GE		14	W.	W.	м.	70	CA	no #25	ECTION _	4	
	N	E			N	w			S	W			s	E					
N	w	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER	With
	ACI	REAG	EIN	OT OF					ACRE		GOVE	RNHE	NT PLA	IT.		ITOMAEN	Homben	, mana	A STATE OF THE STA
	+		Н			-	+	1	E4 F. H	FY.	ENB.					-Suppl' -			
	+						-		110	131 1.5. H.		1 F. W.				69654			
	1								110	ZZ	205	25				R. 70196			The second secon
			- III							CRAN.						70197			
								1		-	-								

T.28S. R.14W. W.M.



FINAL PROOF SURVEY


Application No. 42775 Permit No. 31857 IN NAME OF
Lowell Meyer et.al.
Surveyed .Aug. 2.7, 19.76., by .L. E G.o.u.l.d.

ap of New Point of Diversion

PERMIT NO. 16898

FOWNSHIP 285. RANGE 14 W.W.M. Coos County North 28 old point Reference B093 of 4 corner Monuments Iron pipes **BELAED** Ne Name JCT 4 + 1951 Pipeline TE ENGINEER LEM. PREGON Scale q"= 1 Mile South

T. 28S., R. 14 W., W.M.



DIV. PT. LOCATED 230' N. & 240'E. FROM S. 1/16 CORNER SECTION 29
PUMP STA. LOCATED 165'S. & 760'E. FROM 1/4 CORNER SECTIONS 32 & 33

SCALE: 4"= | mile

FINAL PROOF SURVEY

UNDER

A # 58677 IRRIGATION

A # 58677 IRRIGATION, TEMPERATURE CONTROL


A 4 42775 IRRIGATION, TEMPERATURE CONTROL

A # 21552 IRRIGATION

Application No. 5867.7... Permit No. 44582.....
IN NAME OF

LOWELL E. MEYER


Surveyed SEPT. 18,1984, by J.E. Cashion.



I, E.H. Kenn, of Coquille, Coos County, Oregon, Lo hereby certify
that this Inalo year made by me from notes taken during actual
survey made by me on the 5th day of Sept. 1939, and that it correctly
represents the works described in the accompanying application
together with the Tocation of streams and other ditches in the
immediate vicinity


E.H. Kern, Co. Surveyor Goos So. ore.

TOWNSHIP 29.5, RANGE 14 W, W. M.



Sketched in office of the State Engineer from data by applicant 11-29-43. EXN Application No. 20090 Permit No. 15653

T.29 S.R.14 W.W.M.




FINAL PROOF SURVEY

Application No. 3/234 Permit No. 246/5 IN NAME OF

RONNY O. HAGA

Surveyed July 18, 1968, by L. E. Gould.

T. 29 S. R. 14 W. W.M.



FINAL PROOF SURVEY

UNDER

Permits 41467, 47504

SS Permit 47504

RONNY O. HAGA

Surveyed S.a.p.t.....7. 19.83., by .S....Donaldson....

Application No. 68371 Permit No. 49680

T. 295. R. 14 W. W.M.

RECEIVED

NOV - 7 1985


WATER RESOURCES DEPT SALEM, GREGON

RECEIVED

APR 91987

WATER RESOURCES DEPT SALEM, OREGON

SCALE 4"= IMILE



LANDS rerigated under Cert. # 35720 and (0.5 ac swin swin)

receive water for Temperature control

and plood hartesting under Permit 47504 (0.8 ac sein swin)

LANds irrighted and receive water for temperture water (4.75 ac sw45w4)

Control under Permit 41467 and receive water (4.75 ac sw45w4)


For flood harvesting under Permit 47504

LANDS TO be irrighted and to receive water for

LANDS TO be irrighted and tood harvesting (7.850c 504,504)

Temperature control and flood harvesting (0.250c 804,504)

under Permit Approving application 6 8371 (0.250c 804,504)




Cert 13795 Put 1 rus in NESW DUST

APPLICATION No. 18237 PERMIT No. /3898

and 30 ing in NESES

T.29S.R.14W.W.M.




FINAL PROOF SURVEY

Application No. 35031 Permit No. 27437 IN NAME OF

ERWIN RICHERT

Surveyed Max 17, 1969, by .. W. RUPPERT

T.29S.R.14W.W.M.



PER. # 30926 - PRIMARY PER. # 32008

PER. # 30926 - SUPPLEMENTAL


FINAL PROOF SURVEY

Application No. 4/40/ 30926
IN NAME OF

RODERICK J. NIELSON

Surveyed May 17 1969, by W.J. RUPPERT

T.29 S., R.14 W., W.M.



FINAL PROOF SURVEY

Application No. 46863 Permit No. 35039 IN NAME OF

ESTATE OF ERWIN F. RICHART

Surveyed April 20, 1972, by L. E. Gould


Revised Application Map for Application # 59907

RECEIVED

MAY 5 1981 WATER RESOURCES DEPT SALEM, OREGON

T.29S.R.14W.W.M.

Application No. 59907 Permit No. 45731



Chaded IN PEND CONTROLL Irrigation, Temp control and flood harvest.

All other areas for temp control and floor harvest. total ac for flood honors and lemp control only 18-1 ac for impolion lemp control only 2 lood honors allow honors.

PER. " 30928 SOFFEEMENTAL

FINAL PROOF SURVEY

Idal 19.10c


Application No. 12825 Permit No. 32908 IN NAME OF

RODERICK J. NIELSON

Surveyed MAY 17 1969, by W. J. RUPPERT

Revised Application # 59907

0861 % 1.00 2 A 1.3 D 1 H



Scale: Tin = 330 ft.

Map accompanying application of W.T. Dufort to appropriate water.

Permit No. 151722

Senior instream water right application to junior out-of-stream application No water availability information NFORMATION/CONDITIONS Are there water quality concerns related to salmon/steelhead/trout? Y Should the application be denied? Y N Should the application be restricted? Y N Jan Feb Mar Apr May Jun 1-15 June Should the application be denied? Y Should the application be denied? Y Should the application be denied? Y Should the application be restricted? W N Based on water availability Jan Feb Mar Apr May Jun 1-15 June Jun June Jun Sep Sep Oct Nov Dec 1-15 16-30 Oct Nov Dec 1-15 Oct N	ish Dis	strict: C							В#					<u> </u>
Are there adequate flows to protect salmon/steelhead/trout? Y Should the application be denied? Y Should the application be restricted? Y Should the application the application the restricted? Y Should the application the application the restricted? Y Should the application the	Applica	tion#)— (546	54			Apr	olicant N	Iame U	Vind	hur	-st-1	Road
Source Watershed Senior instream water right application to junior out-of-stream application No water availability information No water availability No Should the application be denied? Y No No water availability No No water availability No No water availability No No water availability	Date: M	farch 27,	1996										**	
Senior instream water right application to junior out-of-stream application Nowater availability information NFORMATION/CONDITIONS Are there water quality concerns related to salmon/steelhead/trout? Y Should the application be denicd? Y N Should the application be restricted? Y N Should the application be restricted? Y N Jan Feb Mar Apr May Jun June Jul Aug Sep Sep Oct Nov Dec 1-15 16-30 Oct Nov Dec 1-15 Should the application be denicd? Y Should the application be denicd? Y N Based on water availability Jan Feb Mar Apr May Jun June June Jul Aug Sep Sep Oct Nov Dec 1-15 16-30 Oct Nov	REA													
Nowater availability information NFORMATION/CONDITIONS Are there water quality concerns related to salmon/steelhead/trout? Y N Should the application be denice? Y N Should the application be restricted? Y N Should the application be restricted? Y N Should the application be restricted? Y N Should the application be denice? Y N Should the application be denice? Y N Based on water availability Jan Feb Mar Apr May Jun June Jul Aug Sep Sep Oct Nov Dec Should the application be restricted? O N Based on water availability Jan Feb Mar Apr May Jun June Jul Aug Sep Sep Oct Nov Dec 1-15 16-30 Oct Nov Dec 1-15 16-30 Oct Nov Dec 1-15 16-30 Oct Nov Dec 1-15 Nould domestic use be conditioned to human consumption? Y N Based on water availability Fish Screening and Passage A. Requires fish screening and passage, without ODFW certification (applications > 0.5 cfs). B. Requires fish screening and passage, without ODFW certification (applications > 0.5 cfs). C. No dam or obstruction without a fishway. Screening May De Nagality Permits A. Reservoir Filling A. Small diversions (0.1 cfs or >9.2 ac/ft. may/may) B. Mcdium diversions (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may) C. Large diversions (1.5 cfs or >100 ac/ft. shall/shall) T. To Tall Z IV STORMS (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may) Deprint is proposed for denial prior to interagency team review for fishery concerns. Deprint is proposed for denial prior to interagency team review for fishery concerns. Deprint is proposed for denial prior to interagency team review for fishery concerns. Deprint is proposed for denial prior to interagency team review for fishery concerns. Deprint is proposed for denial prior to interagency team review for fishery concerns.	Source	e Waters	hed											
Nowater availability information NFORMATION/CONDITIONS Are there water quality concerns related to salmon/steelhead/trout? Y N Should the application be denice? Y N Should the application be restricted? Y N Should the application be restricted? Y N Should the application be restricted? Y N Should the application be denice? Y N Should the application be denice? Y N Based on water availability Jan Feb Mar Apr May Jun June Jul Aug Sep Sep Oct Nov Dec Should the application be restricted? O N Based on water availability Jan Feb Mar Apr May Jun June Jul Aug Sep Sep Oct Nov Dec 1-15 16-30 Oct Nov Dec 1-15 16-30 Oct Nov Dec 1-15 16-30 Oct Nov Dec 1-15 Nould domestic use be conditioned to human consumption? Y N Based on water availability Fish Screening and Passage A. Requires fish screening and passage, without ODFW certification (applications > 0.5 cfs). B. Requires fish screening and passage, without ODFW certification (applications > 0.5 cfs). C. No dam or obstruction without a fishway. Screening May De Nagality Permits A. Reservoir Filling A. Small diversions (0.1 cfs or >9.2 ac/ft. may/may) B. Mcdium diversions (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may) C. Large diversions (1.5 cfs or >100 ac/ft. shall/shall) T. To Tall Z IV STORMS (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may) Deprint is proposed for denial prior to interagency team review for fishery concerns. Deprint is proposed for denial prior to interagency team review for fishery concerns. Deprint is proposed for denial prior to interagency team review for fishery concerns. Deprint is proposed for denial prior to interagency team review for fishery concerns. Deprint is proposed for denial prior to interagency team review for fishery concerns.	Senio	or instream	n water i	ight app	lication t	to junior	out-of-str	ream an	plication					
Are there water quality concerns related to salmon/steelhead/trout? Y Should the application be denied? Y Should the application be restricted? Y N Should the application be restricted? Y N Jan Feb Mar Apr May Jun June Jule Jule Jule Jule Jule Jule Sep Sep 1-15 16-30 Oct Nov Dec Are there adequate flows to protect salmon/steelhead/trout? Y Should the application be denied? Y Should the application be restricted? W N Based on water availability Jan Feb Mar Apr May Jun June Jule Jule Jule Jule Jule Jule Jule Jul														
Are there water quality concerns related to salmon/steelhead/trout? Y Should the application be denied? Y Should the application be restricted? Y N Jan Feb Mar Apr May Jun June Jule Jule Jule Jule Jule Jule Jule Jul										it =			***	
Are there adequate flows to protect almon/steelhead/trout? Y Should the application be denied? Y Should the application be restricted? N Based on water availability Jan Feb Mar Apr May Jun June Jul Aug Sep Sep Oct Nov Dec Should domestic use be conditioned to human consumption? Y N Based on water availability Jan Feb Mar Apr May Jun June Jul Aug Sep Sep Oct Nov Dec 1-15 16-30 Oct Nov D	.Are	Should	the appli	ication b	e denied	? Y 1	1	elhead/	trout? \					
Should the application be denied? Y N Should the application be restricted? N Based on water availability Jan Feb Mar Apr May Jun June 1-15 Jul Aug Sep Sep Oct Nov Dec Domestic Should domestic use be conditioned to human consumption? Y N Based on water availability Fish Screening and Passage A. Requires fish screening and passage, with ODFW certification (applications > 0.5 cfs). B. Requires fish screening and passage, without ODFW certification (applications < 0.5 cfs). C. No dam or obstruction without a fishway. Screening May be required Miscellaneous A. Reservoir Filling B. Water Quality Permits C. Return Flow D. Time Limited Water Right Other Measurement and Reporting A. Small diversions (<0.1 cfs or <9.2 ac/ft, may/may) B. Medium diversions (0.1 cfs or >9.2 ac/ft, may/may) Large diversions (1.5 cfs or >100 ac/ft. shall/shall) T. Tofall 2 109 Deprint due to fishery concerns, except for A. Domestic C. Unless water is from storage Do not condition further due to fishery concerns.	Jan	Feb	Mar	Apr	May	Constitution beautiful	Street of Street Street and Street	Jul	Aug	Sep 1-15		Oct	Nov	Dec
Should the application be denied? Y N Should the application be restricted? N Based on water availability Jan Feb Mar Apr May Jun June 1-15 Jul Aug Sep Sep Oct Nov Dec Domestic Should domestic use be conditioned to human consumption? Y N Based on water availability Fish Screening and Passage A. Requires fish screening and passage, with ODFW certification (applications > 0.5 cfs). B. Requires fish screening and passage, without ODFW certification (applications < 0.5 cfs). C. No dam or obstruction without a fishway. Screening May be required Miscellaneous A. Reservoir Filling B. Water Quality Permits C. Return Flow D. Time Limited Water Right Other Measurement and Reporting A. Small diversions (<0.1 cfs or <9.2 ac/ft, may/may) B. Medium diversions (0.1 cfs or >9.2 ac/ft, may/may) Large diversions (1.5 cfs or >100 ac/ft. shall/shall) T. Tofall 2 109 Deprint due to fishery concerns, except for A. Domestic C. Unless water is from storage Do not condition further due to fishery concerns.	1.													
Should domestic use be conditioned to human consumption? Y N Dased on water availability Fish Screening and Passage A. Requires fish screening and passage, with ODFW certification (applications > 0.5 cfs). B. Requires fish screening and passage, without ODFW certification (applications < 0.5 cfs). C. No dam or obstruction without a fishway. No Screening May be required Miscellaneous A. Reservoir Filling B. Water Quality Permits C. Return Flow D. Time Limited Water Right E. Other Measurement and Reporting A. Small diversions (<0.1 cfs or <9.2 ac/ft. may/may) B. Medium diversions (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may) C. Large diversions (1.5 cfs or >100 ac/ft. shall/shall) To tall zing Deny permit due to fishery concerns, except for A. Domestic (which may be limited to human consumption, see above) B. Livestock C. Unless water is from storage	Jan	1			1	Jun	June	1		Sep	Sep	Oct	Nov	Dec
Should domestic use be conditioned to human consumption? Y N Dased on water availability Fish Screening and Passage A. Requires fish screening and passage, with ODFW certification (applications > 0.5 cfs). B. Requires fish screening and passage, without ODFW certification (applications < 0.5 cfs). C. No dam or obstruction without a fishway. No Screening May be required Miscellaneous A. Reservoir Filling B. Water Quality Permits C. Return Flow D. Time Limited Water Right E. Other Measurement and Reporting A. Small diversions (<0.1 cfs or <9.2 ac/ft. may/may) B. Medium diversions (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may) C. Large diversions (1.5 cfs or >100 ac/ft. shall/shall) To tall zing Deny permit due to fishery concerns, except for A. Domestic (which may be limited to human consumption, see above) B. Livestock C. Unless water is from storage					X								X	
Measurement and Reporting A. Small diversions (<0.1 cfs or <9.2 ac/ft. may/may) B. Medium diversions (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may) C. Large diversions (1.5 cfs or >100 ac/ft. shall/shall) T. To tall zing Permit is proposed for denial prior to interagency team review for fishery concerns. Deny permit due to fishery concerns, except for A. Domestic (which may be limited to human consumption, see above) B. Livestock C. Unless water is from storage	× =	Screenin A. B. C. M. cellaneou A. B. C. D.	Requir Requir No dar Scree Reserv Water Return Time I	assage es fish se es fish se n or obst oir Fillir Quality I Flow imited V	creening creening truction von	and pass and pass without a	sage, with	ODFW out OD	certification of the certifica	ation (ap	plications	> 0.5 cf	š).	by .
A. Small diversions (<0.1 cfs or <9.2 ac/ft. may/may) B. Medium diversions (0.1 cfs or >9.2 and <1.5 cfs or <100 ac/ft. shall/may) C. Large diversions (1.5 cfs or >100 ac/ft. shall/shall) T. Totallzing Permit is proposed for denial prior to interagency team review for fishery concerns. Deny permit due to fishery concerns, except for A. Domestic (which may be limited to human consumption, see above) B. Livestock C. Unless water is from storage Do not condition further due to fishery concerns.	 6. Mea	suremen									8		*	
C. Large diversions (1.5 cfs or > 100 ac/ft. shall/shall) T. Totallzing Permit is proposed for denial prior to interagency team review for fishery concerns. Deny permit due to fishery concerns, except for A. Domestic (which may be limited to human consumption, see above) B. Livestock C. Unless water is from storage Do not condition further due to fishery concerns.		A.	Small	diversion	ions (0.1	cfs or <	9.2 ac/ft.	may/may/may/may/may/may/may/may/may/may/	ay) or <100	ac/ft, sh	all/may)		4	9
Permit is proposed for denial prior to interagency team review for fishery concerns. Deny permit due to fishery concerns, except for A. Domestic (which may be limited to human consumption, see above) B. Livestock C. Unless water is from storage Do not condition further due to fishery concerns.	X	C. T.	Large	diversion	is (1.5 c									Fare
Deny permit due to fishery concerns, except for A. Domestic (which may be limited to human consumption, see above) B. Livestock C. Unless water is from storage Do not condition further due to fishery concerns.		1163			,									
A. Domestic (which may be limited to human consumption, see above) B. Livestock C. Unless water is from storage Do not condition further due to fishery concerns.	u rem	14.1	1 C	dent-t					. Cal					
C. Unless water is from storage Do not condition further due to fishery concerns.				177			y team re	view for	fishery	concerns	3.			
*			lue to fish	hery con-	cerns, ex stic (whi	cept for			P)		
*			lue to fish A. B.	hery con-	cerns, ex stic (whi	cept for ch may l	be limited		P)		
	□ Deny	permit d	A. B. C.	Dome Livest Unless	cerns, ex stic (whi lock s water is	cept for ch may l	be limited orage		P)		



CERTIFIED MAIL Return Receipt Requested

August 6, 1996

WINDHURST ROAD WATER CORPORATION PO BOX 503 BANDON, OR. 97411

RE: Application File # R-69708 & S-69654

WATER
RESOURCES
DEPARTMENT

Dear Applicant:

On AUGUST 6, 1996, a Proposed Final Order was sent from the Department requesting additional information necessary to complete your application for water use. As of today, these items have not been received:

- The addresses of all property owners in this application. We have not received this as of today, please forward this information.
- The location of your points of diversion, for each reservoir, by reference to a recognized public land survey corner. The locations may be shown by distance and bearing or by coordinates (distance in feet north or south and distance in feet east or west from a recognized public land survey corner).

Please submit these items by SEPTEMBER 20, 1996. If we do not receive the items requested above by this time, we may reject your application consistent with ORS 537.153. If your application is rejected, any fees submitted in excess of the examination fee will be refunded; however, the examination fee is non-refundable and will not be returned. In addition, the priority date associated with your application will be lost.


Should you have any questions regarding your application or the required materials listed above, or if you need to request an extension of time, please call me personally at 1-800-624-3199, extension 454.

Sincerely,

Gary Holliday

Water Right Specialist





Commerce Building

130 12	ut Street INE
Salem	OR 97310-0210
То	Reese Bendor Date: 3/15/96 Page 1 of 12
Fax #	541-888-6860
From	parine Castle
Comn	nents:
Contin	
	As you probably know, these are files
th	e Hiage team will be reviewing.
Du	Vight is expecting that you will be
di	scussing these in the next capie of
11)	sets when you are here. It you have
91	westigns regarding the WA. tables, please
2	all Jake Stramet @ 1-800-624-3199, x274

Fax. 503-378-2496

Dam Safety	Director's Office	GIS / Mapping
Groundwater	Hanford Studies	Hearings
Hydrographics	Information (Computer) Services	
Public Information	Strat. Planning & Policy Coord.	Water Resources Comm. Liaison

Fax. 503-378-8130

Accounting / Fiscal Conservation GWEB Liaison Office Services Resource Management	CWRE Coordination District 16 Watermaster Land Use Coordination Personnel Water Development Loan Fund	Columbia / Snake Issues Enforcement Northwest Region Planning Water Use Reporting
Well Construction Fax. 503-378-62	Well Driller Licensing	
Adjudications Transfers	Einal Proof Surveys Water Rights	Hydroelectric Permits

69654

WATER AVAILABILITY TABLE

Basin: South Coast Water Availability Subbasin: 160300000000000 (and Nested Subbasins) Exceedance Level: 80

Time: 14:42 Date: 12/08/1994

Item #	W.A.	Subbasin	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Sto
1 2		000000000	YES	YES	YES	YES	YES YES 9,5	YES	YES		NO NO			YES YES	YES YES

LIMITING WATER AVAILABILITY SUBBASINS
Water Availability Subbasin: 1603000000000000
Basin: South Coast
Exceedance Level: 80
Time: 14:42

Month	Time: 14:42 Limiting Subbasin	Stream Na	ame	Date: 12/08, Water Available?	Net Water
1	16030000000000000	BEAR CR		YES	43.6
2	1603000000000000			YES	61.2
3	1603000000000000	BEAR CR		YES	44.2
4	1603000000000000			YES	27.6
5	1603000000000000	BEAR CR		YES	9.5
6	1603000000000000	BEAR CR		YES	2.6
7	1603000000000000	BEAR CR		YES	1.3
8	1600000000000000	COQUILLE	R	NO	-54.6
9	1600000000000000		R	NO	-35.6
10	1600000000000000	COQUILLE	R	NO	-300.0
11	1603000000000000	BEAR CR		NO	-3.8
12	1603000000000000			YES	28.3
Stor	1603000000000000	BEAR CR		YES	27300.0

DETAILED REPORT ON WATER AVAILABILITY

Basin: South Coast
Stream: BEAR CR > COQUILLE R
Water Availability Subbasin: 16030000000000000000
Exceedance Level: 80

	Time				Da	te: 12/08	3/1994	
M	onth	Natural Stream		Available			Instream Water	Net Water
		Flow	1/1/93	1/1/93	1/1/93	Flow	Rights	Available
1	1 2	54.00	0.10	53.90	0.28	53.60	10.00	43.60
	2	71.70	0.20	71.50	0.35	71.20	10.00	61.20
	3	54.50	0.10	54.40		54.20	10.00	44.20
	4	37.80	0.10	37.70	0.15	37.60	10.00	27.60
	5	19.80	0.20	19.60		19.50	10.00	9.54
1	6 7	9.15	0.55	8.60		8.58	6.00	2.58
	7	4.11	0.82	3.29	0.00	3.29	2.00	1.29
	8 9	1.99	0.68	1.31	0.00	1.31	2.00	-0.69
		1.51	0.33	1.18	0.00	1.18	2.00	-0.82
	10	1.48	0.11	1.37	0.00	1.37	2.00	-0.63
	11	6.34	0.10	6.24	0.03	6.21	10.00	-3.79
	12	38.60	0.10	38.50		38.30	10.00	28.30
	Stor	32600	203	32400	81	32300	5030	27300

69654 4.

DETAILED REPORT OF ISWRS

Basin: South Coast
Stream: BEAR CR > COQUILLE R
Water Availability Subbasin: 160300000000000
Time: 14:42 Date: 12/08/1994

APP # : STATUS:	70230A App.	0	0	0	0	RESULTANT
1 2 3 4 5 6 7 8 9 10 11	10.0 10.0 10.0 10.0 10.0 2.0 2.0 2.0 2.0 2.0 10.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	10.0 A 10.0 A 10.0 A 10.0 A 10.0 A 2.0 A 2.0 A 2.0 A 2.0 A 2.0 A 10.0 A

69654 5.

DETAILED REPORT ON WATER AVAILABILITY

> PACIFIC OCEAN

	ime	The state of the s	PERSONAL TOTAL OF THE PROPERTY		Da	te: 12/08	3/1994	
Mon	th	Natural	CU + Stor		CU + Stor	Net	Instream	Net
		Stream	Prior to	Available	After	Minimum	Water	Water
	1	Flow	1/1/93	1/1/93	1/1/93	Flow	Rights	Available
	1	2180.00	20.00	2160.00	2.00	2160.00	360.00	1800.001
	2	2890.00	20.00	2870.00	2.14	2870.00	340.00	2530.00
	3	2630.00	10.00	2620.00	1.93	2620.00	340.00	2280.00
101	4	1520.00	20.00	1500.00	1.26	1500.00	340.00	1160.00
	5	731.00	26.00	705.00	1.65	703.00	340.00	363.00
	6	350.00	52.00	298.00	2.77	295.00	200.00	95.20
	7	156.00	73.20	82.80	3.65	79.20	71.00	8.15
	8 9	79.80	62.10	17.70	1.30	16.40	71.00	-54.60
	0-9	71.10	34.80	36.30	0.87	35.40	71.00	-35.60
	.0	95.20	15.50	79.70		80.00	380.00	-300.00
	1	515.00		501.00	0.99	500.00	380.00	120.00
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.2	1890.00		1870.00	71.00 Sec. 09.00 Sec.	1870.00	360.00	
St	or	1700000	22000	1680000	1190	1680000	195000	1490000

69654 6.

DETAILED REPORT OF ISWRS

Basin: South Coast
Stream: COQUILLE R > PACIFIC OCEAN
Water Availability Subbasin: 16000000000000
Time: 14:42 Date: 12/08/1994

APP # : STATUS:	384A Cert.	0	0	0	0	RESULTANT
1	360.0	0.0	0.0	0.0	0.0	360.0 C
2	340.0	0.0	0.0	0.0	0.0	340.0 C
3	340.0	0.0	0.0	0.0	0.0	340.0 C
4	340.0	0.0	0.0	0.0	0.0	340.0 C
5	340.0	0.0	0.0	0.0	0.0	340.0 C
6	200.0	0.0	0.0	0.0	0.0	200.0 C
7	71.0	0.0	0.0	0.0	0.0	71.0 C
8	71.0	0.0	0.0	0.0	0.0	71.0 C
9	71.0	0.0	0.0	0.0	0.0	71.0 C
10	380.0	0.0	0.0	0.0	0.0	380.0 C
11	380.0	0.0	0.0	0.0	0.0	380.0 C
12	360.0	0.0	0.0	0.0	0.0	360.0 C





OREGON Fas & Wolding DEPARTMENT OF FISH AND

WILDLIFE

CHARLESTON DISTRICT OFFICE

January 12, 1996

Water Rights Section Water Resources Department 158 - 12th Street, NE Salem, OR 97310

RE: Water Rights Applications #S -69654 & R -69708

From the limited information provided in your Public Notice of Water Right Application Processing dated 12/19/95, these applications appear to be the Windhurst Road applications for Bill Creek (Bear Creek/Coquille River). These applications have been in contested status since about August, 1990, under the guidance of Hearings Referee Weisha Mize.

ODFW has been working with the applicants for some time in an attempt to resolve this issue. Good progress is being made, and we hope to come to full resolution soon.

Therefore, we request that no action be taken on these applications in their current form while the parties are working towards resolution.

Pertaining to these applications in their original form, ODFW's formal comment letters on these applications are still valid. These letters to WRD and to the Commission are dated: 9/2/88, 9/23/88, 4/7/89, & 4/27/89.

Thank you for the opportunity to comment.

Sincerely,

Reese E. Bender

Assistant District Fishery Biologist

Roese & Benden

Enclosure

c: ODFW--HCD



4475 Boat Basin Drive PO Box 5430 Charleston, OR 97420 (503) 888-5515 FAX (503) 888-6860 FAX: 295-2791

December 29, 1995

Water Rights Section Water Resources Department 158 12th Street NF. Salem, OR 97310

RE: Comments, 69654, Windhurst Road Water Corporation, Bear Creek/Coquille
South Coast Basin

Dear Water Rights Section:

The public notice for application 69654 states that the requested quantity of water is 36.59 cfs for cranberry use. The Initial Review, on the otherhand, states the proposed quantity is 10 cfs. Which is correct?

WaterWatch has concerns with regards to the nature of use proposed by this permit, thus we submit the following comments pursuant to SB 674 B.

1. The presumption that this use will not impair or be detrimental to the public interest under Senate Bill 674 B has not been met.

In order for the public interest presumption to apply, four criteria must be met: the use must be allowed under the applicable basin program, water must be available, the proposed use must not injure other water rights, and the use must comply with the rules of the Water Resources Commission. The presumption is not met for this application for the following reasons.

a water is not available for this use

The applicant applied for water year-round. Water is not available for the full term of the proposed use. There is nothing in the file to indicate that the proposed use requires water only during the time period that water is available nor is there evidence that water is available from an alternate source. Thus, there is not water available for the proposed use and the public interest presumption does not apply.

The Department has determined that water is not available for use from August 1 through November 30 and is limited during the months of May, June, and July. Cranberry operations require water year round for irrigation, harvest, and temperature control. To allow limited use is to essentially invite illegal use.

Moreover, there is a senior pending instream water right application on Bear Creek. If the Department had taken into account the amounts requested by ODFW they would have

WaterWatch

FACSIMILE TRANSMITTAL COVER SHEET

Date:

12.29.95

To:

Water Rights Section, WRD

Fax:

(503) 378-8130

From:

K. Prienley

Fax number (503) 295-2791

Total Pages Being Sent, including this page:

If there are any problems receiving this transmission, please telephone WaterWatch immediately at 503-295-4039.

Re: Comments 69654

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS BELOW. THANK YOU.

			*	-
Initials	Date	Time _	WRD contact	

PAGE: 03___

found that water was not available during May, June, and July (in addition to the acknowledged August through November). Because there is not water available, this application should be rejected.

2. The proposed impair and are detrimental to the public interest

The proposed use depletes flows needed for instream needs.

FAX: 295-2791

Bear Creek and the Coquille River support many instream uses, including fishery resources. Specifically, Bear Creek supports winter steelhead, searun cutthroat trout, and coho. There is a senior pending instream water right requesting flows for these species for migration, spawning, egg incubation, fry emergence and juvenile rearing. Flows are critical to these fish throughout their entire lifecycle. However, because of the overappropriated state of Bear Creek River, summer flows are especially important. Low flows in summer months impair survival by causing increased water temperature, low dissolved oxygen levels and lack of habitat.

The proposed withdrawal of 10 cfs (or 36.59 cfs) will lower already low flows in the Bear Creek, especially if the Department allows withdrawal in the summer months where the water availability analysis shows that there is no water available. To allow such use is not in the public interest.

In hope of warding off the proposed listing of Oregon's coastal coho under the Federal Endangered Species Act, the Governor has directed state agencies to implement plans that would show a commitment to the protection and recovery of these fish. The Water Resources Department responded by "suspending" all action on coastal applications after June 3, 1994. This will stop action on approximately 136 applications. This is only 10% of pending applications in these basins and in reality will do very little to actually protect fish.

That the Department proposes issuance of this large request that has a priority day only two days before the cutoff date shows a blatant disregard for the actual plight of the fish. This combined with the fact that the Department has not issued a senior pending instream water right to protect flows for coho (nor does it look like they are going to issue it for the amount requested) leads to the conclusion that commitment to protecting and restoring coho runs is nothing more than a paper pledge.

Water Quality b.

When evaluating applications for new uses, the Department has a duty to ensure that the use will not harm either the quantity or the quality of surface waters. The governing statutory and regulatory schemes make this self evident. Sco e.g. ORS 537.170(5)(a)&(c). Other statutory mandates amplify this requirement. There was Indication of such an evaluation in the files.

The technical report does not reveal whether or not DEQ has made a determination regarding the effect this proposed use on the water quality of Boar Creek or the Coquille River. Cranberry uses may result in discharges to surface waters. Until the DEO has done this

analysis, the Department has insufficient information upon which to make a public interest determination.

c. Measurement and Reporting

The initial review states the if a permit is issued it will likely include the condition that "you may be required to measure the amount of water used and report that use annually." Such a vague standard is not in the public interest, especially given the extreme resource concerns in the basin. The proposed measurement and reporting condition should allow the Director to require mandatory measurement and reporting of both rate and duty of water use. The proposed permit conditions restrict use based upon a specific rate. Measurement and reporting of water use is to be a useful informational and regulatory tool for the Department, it should provide the information needed to ensure that water use is within the terms of the permit.

d. Fish screening and passage

Given the critical status of fish populations in this river system and the adverse effects this diversion will fish habitat, screening and passage must be mandatory and clearly be required to be in place before any storage or diversion of water. In addition, failure to maintain screening and passage facilities must be grounds for shutting off water use. There should be a condition which clearly states these requirements.

e. Conservation Conditioning is inadequate

Oregon statutes and rules call for the state to "aggressively promote" water conservation and places a high priority on eliminating waste and improving the efficiency of water use. ORS 537.460(2)(a) and OAR 690-410-060(1). Given the critical status of fish populations in the basin, the water quality problems, it is imperative that if this use were allowed, they be held to a strict efficiency standard prior to issuance of any proposed permit.

f. Processing out of order.

The Commission has directed the Department to process applications in the order received. This application was filed in June of 1994. There is a senior pending instream water right requesting flows for coho, steelhead, and cutthroat migration, spawning, egg incubation, fry emergence and juvenile rearing. Flows are critical to these fish throughout their entire lifecycle.

ORS 537.170 requires the Department to ensure that waters in the basin will be used and controlled for all purposes, not just consumptive purposes. The Statewide Instream Flow Protection Policy states that "(w)here streamflows have been depleted to the point that public uses have been impaired, methods to restore the flows are to be developed and implemented." OAR 690-410-030(1). When considering applications for new water rights the agency is required to consider the needs of instream and out-of-stream uses and the need to develop streamflow restoration programs. OAR 690-410-030(2)(a).


FROM: WATERWATCH FAX: 295-2791 Dec-29-95 Fri 18:27 _____ PAGE: 05

Establishment of the instream water right also furthers statewide policies, priorities and goals for streamflow restoration. Providing streamflow protection for fish is also necessary in order to carry out the state policy of restoring native fish stocks. ORS 496.435. Thus, protection of the public interest requires denial of these applications.

If hypothetically, this proposed use was allowed, it will be junior to the existing instream water right application and should be conditioned to protect the senior instream flows. Critical to the protection of instream flows is knowing and controlling water use in the basin. These and other potential water users in the basin should be required to contribute to activities that enable the state to better manage and control the resource - such contributing funds for installation and maintenance of gauging stations in key locations.

Sincerely.

Kimberley Priestley Legal/Policy Analyst



RECEIVED

JAN - 21996

SALEM, OREGON
December 29, 1995

Water Rights Section
Water Resources Department
158 12th Street NE
Salem, OR 97310

RE: Comments, 69654, Windhurst Road Water Corporation, Bear Creek/Coquille South Coast Basin

Dear Water Rights Section:

The public notice for application 69654 states that the requested quantity of water is 36.59 cfs for cranberry use. The Initial Review, on the otherhand, states the proposed quantity is 10 cfs. Which is correct?

WaterWatch has concerns with regards to the nature of use proposed by this permit, thus we submit the following comments pursuant to SB 674 B.

1. The presumption that this use will not impair or be detrimental to the public interest under Senate Bill 674 B has not been met.

In order for the public interest presumption to apply, four criteria must be met: the use must be allowed under the applicable basin program, water must be available, the proposed use must not injure other water rights, and the use must comply with the rules of the Water Resources Commission. The presumption is not met for this application for the following reasons.

a water is not available for this use

The applicant applied for water year-round. Water is not available for the full term of the proposed use. There is nothing in the file to indicate that the proposed use requires water only during the time period that water is available nor is there evidence that water is available from an alternate source. Thus, there is not water available for the proposed use and the public interest presumption does not apply.

The Department has determined that water is not available for use from August 1 through November 30 and is limited during the months of May, June, and July. Cranberry operations require water year round for irrigation, harvest, and temperature control. To allow limited use is to essentially invite illegal use.

Moreover, there is a senior pending instream water right application on Bear Creek. If the Department had taken into account the amounts requested by ODFW they would have

JAN - 21996

WATER HEJOURNES DEPT

found that water was <u>not</u> available during May, June, and July (in addition to the acknowledged PREGON August through November). Because there is not water available, this application should be rejected.

2. The proposed impair and are detrimental to the public interest

a. The proposed use depletes flows needed for instream needs.

Bear Creek and the Coquille River support many instream uses, including fishery resources. Specifically, Bear Creek supports winter steelhead, searun cutthroat trout, and coho. There is a senior pending instream water right requesting flows for these species for migration, spawning, egg incubation, fry emergence and juvenile rearing. Flows are critical to these fish throughout their entire lifecycle. However, because of the overappropriated state of Bear Creek River, summer flows are especially important. Low flows in cummer months impair survival by causing increased water temperature, low dissolved oxygen levels and lack of habitat.

The proposed withdrawal of 10 cfs (or 36.59 cfs) will lower already low flows in the Bear Creek, especially if the Department allows withdrawal in the summer months where the water availability analysis shows that there is no water available. To allow such use is not in the public interest.

In hope of warding off the proposed listing of Oregon's coastal coho under the Federal Endangered Species Act, the Governor has directed state agencies to implement plans that would show a commitment to the protection and recovery of these fish. The Water Resources Department responded by "suspending" all action on coastal applications after June 3, 1994. This will stop action on approximately 136 applications. This is only 10% of pending applications in these basins and in reality will do very little to actually protect fish.

That the Department proposes issuance of this <u>large</u> request that has a priority day only two days before the cutoff date shows a blatant disregard for the actual plight of the fish. This combined with the fact that the Department has not issued a <u>senior</u> pending instream water right to protect flows for coho (nor does it look like they are going to issue it for the amount requested) leads to the conclusion that commitment to protecting and restoring coho runs is nothing more than a paper pledge.

b. Water Quality

When evaluating applications for new uses, the Department has a <u>duty</u> to ensure that the use will not harm either the quantity or the quality of surface waters. The governing statutory and regulatory schemes make this self evident. <u>See e.g.</u> ORS 537.170(5)(a)&(c). Other statutory mandates amplify this requirement. There was indication of such an evaluation in the files.

The technical report does not reveal whether or not DEQ has made a determination regarding the effect this proposed use on the water quality of Bear Creek or the Coquille River. Cranberry uses may result in discharges to surface waters. <u>Until</u> the DEQ has done this

JAN - 21996

SALEM, OREGON

analysis, the Department has insufficient information upon which to make a public interest determination.

c. Measurement and Reporting

The initial review states the if a permit is issued it will <u>likely</u> include the condition that "you may be required to measure the amount of water used and report that use annually." Such a vague standard is not in the public interest, especially given the extreme resource concerns in the basin. The proposed measurement and reporting condition should allow the Director to require mandatory measurement and reporting of both rate and duty of water use. The proposed permit conditions restrict use based upon a specific rate. Measurement and reporting of water use is to be a useful informational and regulatory tool for the Department, it should provide the information needed to ensure that water use is within the terms of the permit.

d. Fish screening and passage

Given the critical status of fish populations in this river system and the adverse effects this diversion will fish habitat, screening and passage must be mandatory and clearly be required to be in place before any storage or diversion of water. In addition, failure to maintain screening and passage facilities must be grounds for shutting off water use. There should be a condition which clearly states these requirements.

e. Conservation Conditioning is inadequate

Oregon statutes and rules call for the state to "aggressively promote" water conservation and places a high priority on eliminating waste and improving the efficiency of water use. ORS 537.460(2)(a) and OAR 690-410-060(1). Given the critical status of fish populations in the basin, the water quality problems, it is imperative that if this use were allowed, they be held to a strict efficiency standard prior to issuance of any proposed permit.

f. Processing out of order

The Commission has directed the Department to process applications in the order received. This application was filed in June of 1994. There is a senior pending instream water right requesting flows for coho, steelhead, and cutthroat migration, spawning, egg incubation, fry emergence and juvenile rearing. Flows are critical to these fish throughout their entire lifecycle.

ORS 537.170 requires the Department to ensure that waters in the basin will be used and controlled for all purposes, not just consumptive purposes. The Statewide Instream Flow Protection Policy states that "(w)here streamflows have been depleted to the point that public uses have been impaired, methods to restore the flows are to be developed and implemented." OAR 690-410-030(1). When considering applications for new water rights the agency is required to consider the needs of instream and out-of-stream uses and the need to develop streamflow restoration programs. OAR 690-410-030(2)(a).



JAN - 21996

WATER MESONICS DEPT.

Establishment of the instream water right also furthers statewide policies, priorities and REGON goals for streamflow restoration. Providing streamflow protection for fish is also necessary in order to carry out the state policy of restoring native fish stocks. ORS 496.435. Thus, protection of the public interest requires denial of these applications.

If hypothetically, this proposed use was allowed, it will be junior to the existing instream water right application and should be conditioned to protect the senior instream flows. Critical to the protection of instream flows is knowing and controlling water use in the basin. These and other potential water users in the basin should be required to contribute to activities that enable the state to better manage and control the resource - such contributing funds for installation and maintenance of gauging stations in key locations.

Sincerely.

Kimberley Priestley
Legal/Policy Analyst

*** OREGON WATER RESOURCES DEPARTMENT ***

. 1/5/1994

Select by certificate 48118

Name: BRUCE & JUDITH MANICKE GORDON GIRSON, LOWELL MEYER

County Status

: COOS : NON-CANCELLED

Application: S 42775 Permit : S 31857

Certificate type: OR

Certificate:

Certificate date: 6/14/1979 Supercedes cartificate:

Related documents:

PO BOX 584

BANDON, OR

Remarks :

Source Use P/S Priority Quantity Location FERRY CR > COQUILLE R AG P 9/ 7/1965 0.5500CFS 28 S 14 W 29 NWSE Legal description: 4180 FT N & 2480 FT W FM E1/4 COR. S32

97411

FERRY CR > COQUILLE R

TC P 9/ 7/1956

1.0000CFS 28 S 14 W 29 NWSE

Legal description: 4180 FT N & 2480 FT W FM E1/4 COR, S32

FERRY CR > COQUILLE R

IR P 9/ 7/1966

0.1400CFS 28 S 14 # 29 NASE

Legal description: 4180 FT N & 2480 FT W FM E1/4 COR, S32

Rate: 1/40 Limit: 3.0 AFT/acre/year Other limits: CRANBERRIES; 1/80,2.5 OTHERWISE

Points of appropriations:	Use	P/S	Loca	tic	on		DLC/LOT	Acres	Status
	TC	P	28	S	14	W 32 NENE		2.800	٧
	AG	p	28	S	14	W 32 NENE		2.300	y
	IR	P	28	S	14	W 32 NENE		2.800	٧
	AG	P	28	S	14	W 32 SENE		2.200	٧
	TC	P	28	S	14	W 32 SENE		2.200	٧
	IR	p	28	S	14	W 32 SENE		2.200	٧
A CONTRACTOR OF THE PARTY OF TH	IR	P	28	S	14	W 33 NESW		2.800	٧
	TC	P	28	S	14	W 33 NESW		2.800	· V
	AG	P	28	S	14	W 33 NESW		2.800	٧
	AG	P	28	S	14	W 33 NWSW		3.300	٧
	TC	P	28	S	14	W 33 NWSW		3.300	٧
The year of the same	IR	P	28	S	14	W 33 NWSW		3.300	٧

*** OREGON WATER RESOURCES DEPARTMENT ***

1/5/1994

Select by certificate 21890

Name: ELMER J ALLINGER

County

: COOS

Application: S 21552

Status : NON-CANCELLED Permit : S 16898

PO BOX 115

BANDON, OR 97411

Certificate type: OR

Certificate:

Certificate date: 12/21/1956 Sunercedes certificate:

Related documents: Remarks :

Source

Use P/S Priority Quantity Location LOT/OLC Status

UNN STR > FERRY CR

IR P 4/11/1946

0.0700CFS 28 S 14 W 33 NWSW

Rate: 1/80 Limit: 2.5 AFT/acre/year Other limits:

Points of appropriations: Use P/S Location DLC/LOT Acres Status

IR P 28 S 14 W 33 NWSW

*** OREGON WATER RESOURCES DEPARTMENT ***

1/ 5/1994

Select by certificate 11113

Name: H H/WM DUFORT

County : COOS

Status : NON-CANCELLED

Annincacion. S 10723

BANDON, OR

Certificate date: 3/28/1935 Sumercedes certificate:

Certificate type: OR Certificate:

Related documents: Remarks :

Use P/S Priority Quantity Location LOT/DLC Status

Rate: .75A Limit: F/MO AFT/acre/year Other limits: ; SAF TOTAL

Points of appropriations: ------

Use P/S Location DLC/LOT Acres Status

IR P 29 S 14 W 4 NWSW

4.000

*** OREGON WATER RESOURCES DEPARTMENT ***

1/5/1994

Select by cartificate 20828

Name: JOHN C WINDHURST

BANDON, OR

County : COOS

Application: S 20090

PO BOX 464

97411

Status : NON-CANCELLED Permit : S 15653 Certificate type: OR Certificate: 20828

Certificate date: 8/25/1955 Supercedes certificate:

Related documents:

Remarks

Source

Use P/S Priority Quantity Location LOT/OLC Status

GEIGER CR > FERRY CR

IR P 11/29/1943 0.4000CFS 29 S 14 W 4 NESW

Rate: 1/10 Limit: ,6; AFT/acre/year Other limits: 75AF/30 DAYS

Points of appropriations: ------

Use P/S Location OLC/LOT Acres Status

IR P 29 S 14 W 4 NWSW

IR P 29 S 14 W 5 NESE

1/ 5/1994

Select by certificate 35720

Name: RONNY O HAGA

BOX 394 BANDON, OR

97411

County

: COOS

Application: S

24815

Status : NON-CANCELLED

Permit Certificate:

35720

Certificate type: OR

Certificate date: 2/28/1969 Supercedes certificate:

Related documents:

Remarks

Source

Use P/S Priority Quantity

Location

LOT/OLC Status

JOHNSON CR > PACIFIC OCEAN

P 11/28/1956

0.1300CFS 29 S 14 W 9 NWNW

Legal description: 1630 FT S & 110 FT E FM NW COR, SWSW, S4

Rate: 1/10 Limit: ,.75 AFT/acre/year Other limits: FOR 30 DAYS; 6AF FOR AG; 1/80,2.5 TOTAL

Points of appropriations:

Use P/S Location

DLC/LOT Acres

14 W 4 SWSW 29 S 14 W 4 SESW

0.500

*** OREGON WATER RESOURCES DEPARTMENT ***

1/5/1994

Select by certificate 13795

Nama: E D & AGNES B WEBB

County

: C00S

Application: S 18237 Status : NON-CANCELLED Permit : S 13898

BANDON, OR 97411

Certificate type: OR

Certificate: Certificate date: 7/ 1/1941 Sunercedes certificate:

Related documents:

Remarks

Source

Use P/S Priority Quantity Location LOT/DLC Status

GEIGER CR > FERRY CR

IR P 6/28/1939 0.3000CFS 29 S 14 W 4 NESW

Rate: .1CF Limit: S/1A AFT/acre/year Other limits: F; .75AF/30DAYS; TOTAL 6AF

Points of appropriations: Use P/S Location DLC/LOT Acres Status *****************

IR P 29 S 14 W 5 NESE

1/5/1994

Select by certificate 20829

Name:

BOHEMIA LUMBER CO. INC.

County : LANE Status

: NON-CANCELLED

Application: S Permit : S

20469

Certificate:

20829

Certificate type: OR

Certificate date: 8/28/1955 Supercedes certificate:

CULP CREEK, OR
Related documents: Remarks 4:4:4

	Source	Use	P/S	Priority	Quantity	Location	LOT/OLC	Status
100	CULP CR/RES > ROW R	IW	P	6/11/1943	2.0000CFS	21 S 1 W 3 NESE		٧
	ROW R > C FK WILLAMETTE R	IM	A	6/11/1943	2.0000CFS	21 S 1 W 32 NWSW		٧

Points of appropriations: U	se	P/S	Location	*	DLC/LOT	Acres	Stat
The same of the sa	М	P	21 5	1 W 31 NESE		0.000	٧
	IM	P	- 21 S	1 W 32 NWSW		0.000	V

*** OREGON WATER RESOURCES DEPARTMENT ***

1/5/1994

Select by certificate 36624

Name: ERWIN RICHERT ESTATE OF

BOX 232

BANDON, OR

County : COOS

Status : NON-CANCELLED

Application: S 35031 Permit : S 27437

Certificate type: OR

Certificata:

36624

Certificate date: 3/30/1970 Supercedes certificate:

Related documents: Remarks

UNN STR > JOHNSON CR

IR P 6/ 9/1961

0.1300CFS 29 S 14 W 9 NWSE

Legal description: 2670 FT S & 180 FT W FM N1/4 COR, S9

Rate: 1/40 Limit: ,3 C AFT/acre/year Other limits: RAN8.;1/80,2.5 OTHERWISE

Points of appropriations: Use P/S Location OLC/LOT Acres Status

29 S 14 W 9 SWNE

*** OREGON WATER RESOURCES DEPARTMENT ***

1/5/1994

Select by certificate 39525

Name: ERWIN F RICHERT ESTATE

JESSIE A RICHERT, ADMINISTRATRIX

BOX 232

BANDON, OR 97411

Status : NON-CANCELLED

County : COOS Application: S 46863 Permit : S 35039

Certificate type: OR Certificate: 39525
Certificate date: 11/21/1973 Supercedes certificate: 0

Related documents: Remarks :

UNN STR > JOHNSON CR

Use P/S Priority Quantity Location

IR P 4/6/1970 0.1300CFS 29 S 14 W 9 NWSE

Legal description: 2670 FT S & 230 FT E FM N1/4 COR, S9

Rate: 1/40 Limit: ,3 C AFT/acre/year Other limits: RANBERRIES; 1/80,2.5 ANY OTHER CROP

Points of appropriations: Use P/S Location DLC/LOT Acres Status

29 S 14 W 9 NENE 29 S 14 W 9 SWNE

FACSIMILE TRANSMISSION

TO: M. JOHN YOUNGQUIST 1-503-672-5692

FROM: WEISHA MIZE, ALJ

RE: YOUR LETTER OF OCT. 23 RE WINDHURST RD. APPLICATIONS


JOHN: I am unable to tell from your letter whom you are working with in the Water Rights Section of WRD regarding the amendments or corrections to the Windhurst applications. I believe they would be the most appropriate person to send the corrected applications to the participants, as I have never received a copy and would have no idea what would be the right documents to pull from the application file or to distribute to the parties. Please ask whichever staff person you have been working with to make the distribution of the corrected assets to the appropriate parties,. If you would care to clue me in on which staff that might be, I'd applications certainly appreciate it!

By the way, contrary to your recorded message, you <u>cannot</u> leave a message after the long beep. You just get that really awful fax noise. Thus, I'm sending you this fax after being thwarted by your voice mail!

Sorry about the 1st fax - I meant applications, not afridavits!

M. JOHN YOUNGQUIST WATER RESOURCES CONSULTANT

827 SE MOSHER ROSEBURG, OREGON 97470 PHONE/FAX: (503) 672-5692



PROJECT MANAGEMENT

PERMITSALICENSING

RESEARCH

PLANNING

October 23, 1995

Weisha Mize, Administrative Law Judge Oregon Water Resources Department 158 12th Street, N.E. Salem, Oregon 97310

RE: Windhurst Road Applications R 69708 & 69654

Dear Ms. Mize:

As indicated in my correspondence dated October 3, 1995, the enclosed material is being sent to Rick Kruger, Reese Bender, Al Cook and John Drolet.

Mr. Gosson, P.E. and I propose two corrections to my correspondence dated October 3, 1995.

- I have not enclosed the corrected applications as filed with the Oregon Water Resources Department (Department). We believe it best if the Department send the superseding applications to the various participants. Our copy is not the "official" copy as filed in the Department and we believe the review should be completed with each participant having a copy of the actual document as received by the Department.
- 2. The material contained herein is not the final design. It is the final concept, however, the participants may desire changes prior to investing in the actual final design and development of specifications. For example, the Department or the Oregon Department of Fish and Wildlife (ODFW) may desire a 120° V-notch weir in lieu of the proposed 90° V-notch weir.

It seems prudent to have the "final design concept" as described herein approved before proceeding with the detailed final design and specifications. I believe there is sufficient information provided to allow the Department and ODFW to make final recommendations. If additional information is needed, we will provide any specifics requested.

The original application was for a reservoir to be constructed on Bill Creek impounding up to 100 acre feet of water. ODFW objected to the construction of a reservoir within the channel of Bill Creek. The Windhurst Road Sub District examined their options and decided to divert water from Bill Creek to an off channel reservoir in the Geiger Creek Drainage. The cost of this option is extensive and the Sub District elected to maximize their storage opportunities at the selected sites.

Water will be pumped from Bill Creek to the Windhurst Reservoir. Water will then be delivered to the Bee Sting Reservoir by gravity flow and to several private reservoirs by a combination of gravity and pump systems. The delivery system beyond the Bill Creek diversion is not described in this correspondence. Delivery of water beyond the pumping from Bill Creek does not affect any natural drainage or water source.

Weisha Mize Windhurst Reservoir Project Page 2

Bill Creek Diversion:

Pump Capabilities:

Two pumps will be installed at the Bill Creek diversion. The primary reservoir fill pump will be a 100 Hp Turbine pump with a capability of pumping up to 2.0 cubic feet/second (cfs). This pump should function well between November and June each year.

The second pump will be a 50 Hp Turbine pump with a capability of pumping up to 0.75 cfs. This pump will work with the larger pump when Bill Creek flow allows up to 2.75 cfs to be pumped. When the flow of Bill Creek is less than 2.25 cfs but greater than 1.00 cfs, the smaller pump will deliver water to the storage facility. This pump should function from June to an unknown date when the flow of Bill Creek diminishes in the spring - summer.

One of the pumps will begin pumping during spring and summer storms when the flow of Bill Creek exceeds the minimum flow agreed upon with the Oregon Department of Fish and Wildlife.

The pumps are large because of the 304 feet elevation difference between Bill Creek and the Windhurst Reservoir. The water will be pumped approximately 3,900 feet through a buried pipeline.

Pipeline:

A 10 inch PVC pipeline approximately 3,900 feet in length will deliver water from the Bill Creek diversion to the Windhurst Reservoir. Delivery of water from Windhurst Reservoir to Bee Sing Reservoir, individual storage facilities and place of use will be by either gravity pipeline or pump systems.

Fish Screening:

The intake facility will have a mesh or slotted type "trash" screen to protect the pump intakes. The removable "trash" screens will have ½ inch openings.

Each pump intake will have a commercial fish screen with a 1/8 inch maximum opening, either circular or slotted. There will be at least 3 square feet of fish screen for each cubic foot per second of pump capability. The larger pump will have a minimum of 6 square feet of screen surface and the smaller pump will have a minimum of 2.25 square feet.

Weir:

A concrete base will be constructed across Bill Creek on a bedrock ledge. The base will be up to 6 inches above the existing bedrock base. The weir will consist of a 90 degree V-notch weir with a throat depth of 1.0 foot. The weir plate will be approximately 1.5 feet high by 3.5 feet across. When the flow of Bill Creek exceeds 2.50 cfs, water will flow above the weir

opening and across the weir plate. We anticipate the average fall/winter/spring flow s to be five cubic feet/second, or more, at this location.

This type of weir was selected to better accommodate upstream and downstream fish passage. Flow through the weir should provide a good attraction flow and the structure is not too high to prevent migration throughout the winter at any flow. The weir is removable for two reasons. First, if during the initial operation it is determined that a different weir would be preferable, it will be easy to replace the "weir plate". Second, the "weir plate" may be removed to clean out silt buildup in the backwater that may occur during operation.

A staff gage will be placed on the upstream face of the weir plate. 0.00 will note the location of the weir crest and 1.00 will be the top of the weir. The staff gage will be in 0.01 of a foot increments.

The ODFW and Watermaster will be provided access to the weir location throughout the year.

Level Control Device:

An electronic level control device will be installed above the weir within the weir/pumping pool. This device will control the availability of each pump. The pumps will be used based on the following proposed flows of Bill Creek:

0 - 1.00 cfs	pumps may not operate
1.00 - 2.25 cfs	smaller pump may operate
2.25 - 3.00 cfs	larger pump may operate
3.00 - higher	both pumps may operate

Actual pump usage will depend on the Windhurst Reservoir level and the available flow in Bill Creek.

The District is aware of the May 22, 1964 minimum flow on the Coquille River as amended April 1, 1980. We are not familiar with any recent instream flow requests that the ODFW may have on Bill Creek or Bear Creek, however, it is not the intention to "dry up" Bill Creek at any time throughout the year.

We have visited Bill Creek on several occasions during the year. Some years, Bill Creek has little or no flow at the proposed pump site. Review of the chart above suggests that when the flow is 1.0 cfs, or less, pumping will not occur. We are also aware that the storage season may not begin until November 1 or later each year. We do not anticipate storing water until sufficient fall rains occur that will protect the anadromous fish needs and allow for storage to begin.

We also recognize that the "minimum" desired flow may vary from month to month. The level control device will be adjustable to allow seasonal variance in pump availability. The Sub District would appreciate being allowed to pump when sufficient rainfall has occurred to satisfy all demands on Bill Creek.

Weisha Mize Windhurst Reservoir Project Page 4

Measuring Devices:

In addition to the weir in Bill Creek, there will be a totalizing meter located on the pipeline at the point of diversion. In addition, each participant in the project will measure his/her water from the project.

All measurements will be in acre feet diverted.

Enclosed is a sketch showing how the diversion works will set along Bill Creek. When specific items are approved by ODFW and the Department, the final design plans and specifications will proceed. If the general scheme of things is acceptable, a contour map of the area where the pump station and weir location will be completed.

Clearing of the proposed Windhurst Reservoir has been initiated. The area is overgrown with the typical coastal brush and clearing is necessary to verify the original contour mapping. When the area has been cleared, the final dike location will be surveyed and staked. As the clearing progresses, either an island or peninsula, depending on the topography, is being left for future wildlife habitat. This was agreed upon during our meeting last October.

I will be at the National Water Resources Meeting through November 6, 1995. Please contact me if you have any questions or comments after November 6. We look forward to discussing the particulars with you in the near future.


Sincerely,


M. John Youngquist


cc: Ronnie Haga, Chairman
Wayne Scherer
Reese Bender, Biologist
Rick Kruger, Biologist
Al Cook, Regional Manager
John Drolet, Watermaster, Dist. 19
James F. Gosson, P.E.

SKETCH MAP OF PROPOSED BILL CREEK DIVERSION

October, 1995







M. JOHN YOUNGQUIST WATER RESOURCES CONSULTANT

827 SE MOSHER ROSEBURG, OREGON 97470 PHONE/FAX: (503) 672-5692

PROJECT MANAGEMENT

PERMITS/LICENSING

RESEARCH

PLANNING

October 3, 1995

Dick Bailey, Supervising Program Technician Oregon Water Resources Department 158 12th Street, N.E. Salem, Oregon 97310

RE: File No. S-69654 & R-69708

OCT - 5 1995
WATER RESOURCES DEPT.
SALEM, OREGON

Dear Mr. Bailey:

Enclosed is a corrected map for the above referenced files as requested in Mr. Munks' letter dated August 7, 1995. The other concerns Mr. Munks had were addressed in previous correspondence.

As previously indicated, the sub district is in process of obtaining the required right of ways. They should be submitted to the Department by the end of the year.

Thank you for the extended time to respond. My printer is not yet discussing maps with the appropriate CAD program, however, we will succeed. The map was plotted on Mr. Gosson's plotter.

Please contact us if you need additional information.

Yours truly

M. John Youngquist

cc: James F. Gosson, CWRE Ronnie Haga, Chairman fre by

22 September, 1995

John Youngquist 827 SE Mosher Ave. Roseburg OR 97470 Oregon

WATER
RESOURCES
DEPARTMENT

RE: Windhurst Road Applications R69708 and 69654

Dear Mr. Youngquist:

As I had not yet received any indication from ODFW that they are withdrawing their protest against Mr. Scherer's applications, I contacted ODFW staff Rick Kruger at 22**9**-6067, Ext. 437, who is filling in for Stephanie Burchfield while she's out on maternity leave.

According to Mr. Kruger, who discussed this with Reese Bender, the proposed project has changed dramatically since it was first applied for (9/88), from a major in-channel dam and "diversion" (34.8 cfs) to many small, off-channel reservoirs, a small (1-foot high) weir for a pump and an unknown (to ODFW) diversion rate. ODFW does not have a copy of the most recent application (6/94) and so does not have the specifics on the above revised project(s), but is very pleased with the switch to off-channel and the small pump diversion and is anxious to sign off on the proposal, once it sees the final proposal in writing and agrees on the specifics of the control structure and minimum bypass flow.

Mr. Kruger reports that you and Reese Bender met on site around October 1994, at which time you discussed and agreed upon conceptual matters only. At this meeting, Reese reports that the parties agreed on the <u>location</u> of the low weir but not on the specifics of the <u>control structure</u>. ODFW is waiting to receive some sort of written final design proposal/drawings. Mr. Kruger notes that since ODFW hasn't seen the latest application either, he would ask that you submit a complete package (new/revised application and final design proposal/drawings), showing/describing the entire project and how it would function.

Mr. Kruger further noted that of particular concern is the maximum diversion rate of the pump facility and a "minimum flow" at the weir, below which the pump would not operate and no diversion would occur. He understood from Reese that ODFW and you agreed in concept to setting some minimum flow, but that you either did not discuss or agree upon an amount. Maximum diversion rate will be determined by the capacity of the pump. ODFW needs to see the specifics on these and come to agreement on the minimum flow amount before it can "sign off" and withdraw its protest.


I look forward to seeing this matter brought to a close, as I'm sure all the parties do. If you would be so kind as to provide me with a copy of the documentation you send to ODFW, I would appreciate it. I will expect to receive a copy of ODFW's approval and of its withdrawal at some later time.

Sincerely,

Weisha Mize

Administrative Law Judge

cc: John Drolet, Watermaster, Dist. 19 Steve Applegate, WRD, Salem Rick Kruger, ODFW, Portland



facsimile

to:

Dick Bailey, Administrator

fax #:

(503) 378 - 8130

re:

Files No. 69654 & R 69708

date:

August 28, 1995

pages:

1, including cover sheet.

Dear Mr. Bailey:

Thank you for your time spent with me last Friday, August 25, 1995. In answer to Mr. Munks' letter dated August 7, 1995, I would offer the following comments:

- The material and letter were not available until August 22, 1995, because the CWRE was on vacation when the material arrived. This is the reason for the response this date.
- The applicants are pursuing the necessary rights of way for the project. The easement from Rogge Forest Products is on file, the easements from the Coos County Highway Department, City of Bandon and Lowell & Mary Meyer are in progress. We hope the various easements can be obtained during September and October. In any event, water will not be conveyed across those lands until easements are obtained.
- The Department is correct on the Point of Diversion location. The map will be modified to correctly show the Point of Diversion and all the reservoirs will be appropriately labeled as requested. We estimate the corrected map will be submitted no later than September 13, 1995.

Please contact either James F. Gosson or myself if you have any questions or if this proposed schedule is not satisfactory.

From the desk of...

M. John Youngquist Consultant

CC:

James F. Gosson, CWRE
Ronnie O. Haga

827 SE Mosher Roseburg, Oregon 97470

> (503) 672-5692 Fax: (503) 672-5692

COMPLETENESS DETERMINATION CHECKLIST

mr.		Application #	Review Date	Reviewer Initials					
The 1		5 - 69654	8 171 95	MICHAEL					
X X	A check	mark (/) indicates t	hat the item is in	complete or d	efective.				
V			end \$999	?	lrr 208,2 \$				
		AND CONTRACTOR OF THE PROPERTY		if applicable.	10.0 Cfs \$				
	2. Name and address of the applicant, and title if applicable.								
	4. YUse c	of water.			10				
		nt of water.							
		ion & description of o							
1-		(s) and address(es)	of the owners of an	y lands involve	d, but not owned by				
20/		oplicant.							
dx 1		tement declaring th							
0	The state of the s	tting access to lands							
-	9. Proposed dates of beginning and completion of construction, and complete								
	application of water. 10. If for municipal use, the present population to be served and expected future								
	water requirements.								
	11. If for mining use, the type of mines and methods of supplying & utilizing the								
	water.								
	12. If for	a reservoir:							
		The height of the da	am and the storage	e capacity.					
*		The area submerge							
	The construction method (earthfill, concrete, flashboard, etc.).								
	A description of the outlet conduit and spillway.								
	13. If for groundwater, the horizontal distance from the well to the nearest surface water source (if within one mile), and the difference in land surface elevation								
		een them.	e mile), and the d	merence in ian	u surface elevation				
		application was mad	le under HB 2107						
	14. 11 410	Name and address	of each adjacent p	property owner	and verification that				
	×-	each owner has be							
		A description of the	he proposed water	er used and i	related project, the				
		condition it will add	ess, and the bene	fits that are exp	pected to result from				
		the project.		13					
			ervoirs per applicati	ion is appropria	ate as per OAR 690-				
	11-049 (3)(b)								
-10	15.×An oath that the application information is true and correct. 16. The signature of the applicant(s).								
6				POLL					
-		isfactory map of the nd Use Information F			ate planning official				
-	IO. A Lai	id Ose illioilladoli i	offit of recorpt sign	iod by appropri	are braining emerali				

TO

MARIE LICARI, FISCAL

DATE 8/8/95

FROM.

Michael Munks
Authorized Examiner

SUBJECT:

Request for Refund Check

Please refund \$_file no. 5-69654	999	to Windh	urst Ro	ad War	ter Corporation
file no. $5-69654$ refunded due to:	, reo	eipt no5	5 935	•	These funds are
		Applic	ation rejeation with	ndrawn	
	X	Excess File of Other:	closed	lected for	application
1		TO A STATE OF THE PARTY OF THE	t Filing I	Fees	THE LOUIS CONTRACTOR

0102C

842008

AUG 0 8 1995



August 7, 1995

WATER
RESOURCES
DEPARTMENT

JAMES F GOSSON 580 S STATE ST SUTHERLIN, OR 97479

RE: Windhurst Road SubDistrict applications #S-69654 and R-69708

Dear James Gosson,

The Water Resources Department is currently reviewing your application for water use. Preliminary review indicates the following items were not included with your application:

- A signed statement that you have written authorization or easement permitting access to lands involved in the proposed use, but owned by others. (The file has an easement from Rogge Forest Products but not from Coos County Highway Department, The City of Bandon, nor Lowell and Mary Meyer.)
- A map showing the place where water is to be used and the point where water will be diverted. The map must identify the township, range, section, and nearest quarter-quarters where the water will be diverted and used. (The map shows the point of diversion to be in the NE 1/4 SW 1/4, Section 3, but states that the point of diversion is in the NW 1/4 SW 1/4. Please clarify. Also, please label the individual reservoirs.)

In order to expedite the processing of your application, we request that you submit these items by August 28, 1995. We have enclosed a stamped envelope for your use.

Should you have any questions regarding your application or the required materials listed above, please call me personally at 1-800-624-3199 extension 256.

Sincerely,

Michael Munks Completeness Team


enclosure

cc: general correspondence



1.		Application:				
2.	Review Date:					
	S U N/A	indicates information was completed or adequately addressed. indicates information is needed, or incomplete, or inadequately addressed indicates Not Applicable				
		SUMMARY				
		Land Use				
		NA/yes/no Substantial SW interference w/GW (if yes, see results of surface water availability analysis)				
		Conflicts Copy Plat card(s), copy maps of other affected whis. Stape to this sheet.				
		Water Availability (1603 (Water Availability Sub-basin#)				
		The application, map and supporting data are complete and free of defects.				
		yes NA A TMDL letter has been received for this source or tributary. If yes, the period of use has been adjusted.				
3.		The applicant has certified that the information provided in the application is an accurate representation of the proposed use and is true and correct to the best of their knowledge. An oath is required before a permit is issued regardless of the application's priority date.				
5.		the application's priority date. Application fees:				
		Examination fee: \$ Recording fee: \$ TOTAL REQUIRED \$ TOTAL SUBMITTED \$ AMOUNT DUE prior to issuance of permit \$ AMOUNT OVERPAID refund due applicant \$				
6.	K	Proposed dates of beginning and completion of construction, and complete application of water.				
7.		A satisfactory map of the proposed place of water use prepared by a certified water right examiner, unless exempt under OAR 690-14-150(3). (A CWRE map is not required for applications filed before November 9, 1987.)				
8.	-	A written copy of the legal description of the property on which the water is to be used.				

9.	permitting access to the land or reservoir not owned by the applicant.					
10	No statement of ownership was required for applications filed before August, 1990.					
11	The proposed use is not restricted or prohibited by statute.					
12	The source of water is not withdrawn from appropriation by order of the State Engineer or Water Resources Commission, or legislatively withdrawn under ORS Chapter 538.					
13. 5	One or more of the use(s) are allowed under the basin program; OAR 690 - 5/7 - 001 (8).					
	Uses applied for: Troughing Discussion: 15 Ann party 15 15 1708?					
Water Quality	Check					
14. <u>NA</u>	DEQ has provided notice to the WRD concerning limitations of appropriation from surface water sources designated as TMDL streams. This application does not propose to appropriate water from a source that has been identified by the DEQ as a TMDL stream.					
15. NA	This application proposes to appropriate water from a source that has been identified by the DEQ as a TMDL stream and has been limited to months when water quality will not be impaired.					
Land Use Compa	Land Use Compatibility: As expressed by the Planning Department of					
15	The land uses to be served by proposed water uses (including proposed construction) are allowed or are not regulated by the local comprehensive plan (ordinance section).					
16	The land uses to be served by proposed water uses (including proposed construction) involve discretionary land use approvals which have been obtained.					
17.	The local government was notified, and sent no comment pursuant to the rules at the time; land use was presumed in compliance per such statement printed on the application.					
For reservoir	applications:					
18.	Plans, specifications and supporting information for the dam and impoundment area must be approved by dam safety before a technical review is issued. Plans and specifications are not required for dams less than 10 feet in height and store less than 9.2 acre-feet. (OAR 690, Div 20) t:\chk6 11/4/94					



11 August, 1993



WATER
RESOURCES
DEPARTMENT

M. John Youngquist Water Resources Consultant 827 SE Mosher Ave. Roseburg OR 97470

RE: Applications 69708 and 69654, Windhurst Road Water Company

Dear Mr. Youngquist:

Thank you for your letter of August 6, 1993, updating me on the progress of the above-referenced applications. I have forwarded a copy of your letter and my response to the Water Rights Section staff as the application files are in their possession and they will want to make the necessary notations to the files when the applications are returned to Mr. Scherer for correction.

Let us hope, given the amount of work the parties have put into this, that the outcome will be positive and that the end result will be ODFW's withdrawal of their protests against these applications. Thanks again for continuing to keep me informed.

Sincerely,

Weisha Mize

ALJ

cc: Steve Brown Reed Marbut



WATER RESOURCES CONSULTANT

RECEIVED

RESEARCH

PERMITS/LICENSING PROJECT MANAGEMENT AUG - 6 1993

WATER RESOURCES DEPT.

827 SE MOSHER AVE ROSEBURG, OR 97470 PH: (503) 672-5692

August 3, 1993

Weisha Mize, Hearings Referee Oregon Water Resources Department 3850 Portland Road, NE Salem, Oregon 97310

RE: V

Windhurst Road Applications 69708 & 69654

Dear Ms. Mize:

I am writing on behalf of the Windhurst Road group with a progress report and a request. Wayne Scherer met with Steffanie Birchfield and Al Mirati last month. They jointly looked at the proposed off channel reservoir development. We need to take the next step now and submit a corrected application describing the full development for Oregon Department of Fish and Wildlife's review. I believe we now have an acceptable project. At least the concept was well received.

The request consists of returning the pending applications to Wayne Scherer for correction. I estimate the Engineer will need 60 days to review the material and make the necessary changes. This will also give us enough time to review the project with the local biologist and Ms. Birchfield.

Thank you for all your patience. I believe we can see the light at the end of the tunnel. Please contact me if you have any questions.

Yours truly,

M. John Youngquist

WATER RESOURCES CONSULTANT 3, Drown

RESEARCH PLANNING PERMITS/LICENSING PROJECT MANAGEMENT 827 SE MOSHER AVE. ROSEBURG, OR 97470 PH: (503) 672-5692

WATER REGIONAL CONTRACTOR

February 8, 1993

Oregon Water Resources Department 3850 Portland Road, NE Salem, Oregon 97310

Attention: Weisha Mize, Hearings Referee

RE: Status Report, Applications R-69708 & 69654

Dear Ms. Mize:

I am responding to your letter of January 29, 1993, on behalf of Wayne Scherer and the Windhurst Road Water Corporation. There have been several developments since the last report submitted in May, 1992.

First, the cranberry growers in the Bandon area are forming a water control district to allow participants to better develop the water resources in the Bandon area. The Windhurst Road Water Corporation will become a sub-district to the primary district. This will better allow the development and distribution of the water under the above referenced applications.

Second, the engineering for the "off channel" storage of water from Bill Creek is ongoing. Since May, a topographic map has been developed and the storage site has been selected. The engineer is now finalizing the initial design of the reservoir, preparing a cost estimate and completing the pipeline location proposal. Once these activities are complete the applications will be modified accordingly and submitted for approval.

Third, there have been discussions with the City of Bandon and Oregon Department of Fish and Wildlife (ODFW). The city manager was informed of the off channel storage from Bill Creek during a discussion Thursday, February 4, 1993. Since the reservoir will be located within the boundaries of Bandon's watershed, care will be given not to affect the City's supply.

The ODFW has assigned Al Mirati to coordinate cranberry farmer's activities within the Bandon area. We will be contacting Mr. Mirati within a month to review the diversion works from Bill Creek and location of the proposed reservoir.

Finally, Howard Daggett has made a field inspection of the site and offered suggestions on reservoir construction. Howard visited the site on August 20, 1993, after which the engineer completed the topographic mapping. The aerials had been previously flown, however, the ground control was not complete.

This project is progressing very well at this time. We anticipate requesting the applications be returned in the near future for correction.

Please contact me if you have any questions, or comments.

Yours truly,

John Youngquist

cc: Wayne Scherer John Drolet

MATTIGE

September 25, 1991

Weisha Mize
Hearings Referee
Water Resources Department
3850 Portland Road N.E.
Salem, Oregon, 97310

Dear Weisha,

Another update on our applications R-69708 and R-69654, although a little late.

We have heard absolutely nothing from the city on the watershed. However, a measuring device is now in place on our farm, just above our pumping station. John Drolet informs me that the preliminary work is completed and another measuring device will be operating in about thirty days at a point near where Geiger. Creek meets Ferry Creek. I'm positive that data taken at these sites will show that there is a definite water need problem, not only for the future of the city but we cranberry growers on these two creeks.

As indicated in the last update, we have instructed our water right examiner, Jim Gossen, we wish to go ahead on our applications, Jim has been on vacation, but we will be spending some time with him next week when he will be with us on an educational tour for the Water Resources Department Commission of cranberry farms October 3.

We will also be starting our cranberry harvest next week. Our operation will take our harvest into early November, then I have a week long Ocean Spray Board meeting in Massachusetts, followed closely by Thanksgiving, so I seriously doubt I personally will have time to make major contributions towards our project.

Thanks again for your patience and understanding.

Sincerely,

Wayne R. Scherer

cc: Greg Robart John Drolet Jim Gossen

July 2, 1991

Weisha Mize
Hearings Referee
Water Resources Department
3850 Portland Road N.E.
Salem, Oregon, 97310

JUL 0.5 1551 WATER RESOURCES DEPT. SALEM, GREGON

Dear Weisha,

There are several things that have happened since my last update on our applications R-69708 and R-69654, but I'm unsure how they may affect our applications.

I had a telephone call from Steve Brown of your office inquiring about the status of our application, and I informed him we were waiting to see what direction the City of Bandon was headed. Steve wondered why I couldn't get the city to move, and I suggested to him that bureaucracy moves at its own pace. At this point I'm sure he indicated he would write a letter to the city inquiring about their intentions with a copy to be sent to us. As of today, we have not received a copy of any letter.

One of our group told me that very recently the ODFW had filed for a minimum stream flow on Ferry Creek - the city's water supply. I also understand our city manager, Ben McMakin, is quite upset about this new developement. I have not spoken to Ben personally, nor have I seen any documents verifying that the ODFW has made any application, although our Gregon Cranberry Farmers Alliance is on your departments mailing list.

We have also instructed our water rights examiner to review our applications, and we hope to be able to procede with them in the near future.

In addition, we have been heavily involved in several other water possibilities with our Farmers Alliance to supply the necessary water to sustain and allow expansion of our cranberry industry here on the South Coast. We hope that one or more of these projects may come to fruitation.

I am also sending along the Ferry Creek Dam proposal that I mentioned to you last year. I would appreciate your returning it to me when you have finished reviewing it.

Thanks again for your time and understanding.

Sincerely,

Wayne R. Scherer

cc: Greg Robart John Drolet

July 2, 1991 Aplegate

Weisha Mize Hearings Referee Water Resources Department
3850 Portland Road N.E.
WATER RESOURCES DEPI
Salem, Oregon, 97310

WATER RESOURCES DEPI

JUL 05 1001

Dear Weisha,

There are several things that have happened since my last update on our applications R-69708 and R-69654, but I'm unsure how they may affect our applications.

I had a telephone call from Steve Brown of your office inquiring about the status of our application, and I informed him we were waiting to see what direction the City of Bandon was headed. Steve wondered why I couldn't get the city to move, and I suggested to him that bureaucracy moves at its own pace. At this point I'm sure he indicated he would write a letter to the city inquiring about their intentions with a copy to be sent to us. As of today, we have not received a copy of any letter.

One of our group told me that very recently the ODFW had filed for a minimum stream flow on Ferry Creek - the city's water supply. I also understand our city manager, Ben McMakin, is quite upset about this new developement. I have not spoken to Ben personally, nor have I seen any documents verifying that the ODFW has made any application, although our Oregon Cranberry Farmers Alliance is on your departments mailing list.

We have also instructed our water rights examiner to review our applications, and we hope to be able to procede with them in the near future.

In addition, we have been heavily involved in several other water possibilities with our Farmers Alliance to supply the necessary water to sustain and allow expansion of our cranberry industry here on the South Coast. We hope that one or more of these projects may come to fruitation.

I am also sending along the Ferry Creek Dam proposal that I mentioned to you last year. I would appreciate your returning it to me when you have finished reviewing it.

Thanks again for your time and understanding.

Sincerely,

Wayne R. Scherer

cc: Greg Robart John Drolet

April 15, 1991 4/25/9 208

Weisha Mize Hearings Referee Water Resources Department 3850 Portland Rd. N.E. Salem, Oregon, 97310

AFFEINED

APR 1 7 1991

Dear Weisha,

On an update report on applications R-69708 and R-6965+, I am disappointed in not being able to report significant progress, but at the same time pleased to report some progress is being made in other areas that may have a large impact on everything.

Although I have not heard from Ben McMakin, Bandon City Manager, directly, other sources have indicated several things have happened. Ben and the acting Water Master, Gary Ball, have met several times and looked at sites to locate gaging stations, one of which will probably be installed at or nearby my pumping station point of diversion, and possible dam locations for which the city has long standing permits. Gary and I have also looked at three possible dam sites on Geiger Creek that could be built on a joint effort with our cranberry group and the city. Additionally, Bandon has appropriated \$12,000 to help fund reestablishment and maintaining the Water Master's office in Coquille. The Water Master's office would again be working at building a real data base for creek flows in this area, including Geiger Creek and Bill's Creek, that our group, other cranberry growers and other water users would be able to access for real numbers to use in our long running battles with ODFW on water rights.in this area. Obviously, all these pieces are coming together slowly, but I can honestly say that we are making progress.

It is unfortunate that the ODFW has taken a position that would ultimately close down this state to any kind of economic growth or expansion.

If any information passes through your office that would be of interest or help to us, we would appreciate hearing from you. Until my update in June,

> Best Regards, Wayne R. Scherer

Randy Moore John Drolet Gary Ball Greg Robart

69708 9 • 10 '91 15:05 PAGE.001 APR 1 0 1991 OREGON CRANBERRY FARMERS' WATER CLUCUMER DEPT. ALLIANCE POST OFFICE 1737 • BANDON, OREGON 97411 what is the William H. Young, Director Water Resources Department 3850 Portland Rd. N.E. Salem, OR 97310 Dear Sir: It now appears that when a grower applies for a permit for sup-

It now appears that when a grower applies for a permit for supplemental water on lands with existing water rights, and the amounts appropriated under the established water rights are greater than the amount granted under a new permit, because of a stipulation in the new permit, it will reduce and limit the amount allowed under earlier certified water rights.

That stipulation is:

"The amount of water diverted for CRANBERRY OPERATIONS, together with amounts secured under any other rights existing for the same lands, is limited as follows:"

In fairness to the farmer, applicants should be fore-warned of this pitfall that their existing rights will be reduced when applying for additional water on land previously filed on.

Also, applicants who have been granted permits with this limitation included should be apprised of the consequences of this clause and allowed to either withdraw or amend their permits to preclude reducing their established rights.

Your comments would be appreciated.

Sincerely,

WAYNE R. Schere

Wayne R. Scherer Chairman, Water Committee OCFA

RECEIVED

APR 24 1991

WM. DIST. 14 GRANTS PASS, ORE

cc: Bill Bradbury
Walt Schroeder

Gary Ball Randy Moore

(7 '91 10:08 PAGE.001 STATE STATIONARY Wayne R. Scherer, Chairman Water Committee

Oregon Cranberry Farmers' Alliance P. O. Box 1737 Bandon, Oregon 97310

Dear Mr. Scherer:

Reference is made to your letter of concern received at this office on April 10. I gather from the letter that your group is concerned that wording contained within permits that are being issued may adversely affect existing water rights.

Specifically, your concern appears to be a perception that wording contained within a permit which has recently been issued for supplemental water use may diminish the duty of water of an existing

primary water right.

The offending phrase identified in your letter was:

"The amount of water diverted for CRANBERRY OPERATIONS, together with amounts secured under any other rights existing for the same lands, is limited as follows:"

If I am correct in my assumption of your concern, I regret that this somewhat ambiguous wording may have heightened your level of anxiety.

It is not the intent of this department to arbitrarily limit existing rights through any form of subterfuge. As regards the diminishment of a water right, the Department recognizes the rights of a water right certificate holder to due process under law.

In matters regarding the diminishment of a water right, Oregon's statutes on administrative law recognize the owner of a water right's entitlement to:

specific notification of intent.

b. the right to an administrative hearing,

c. the right to be represented by legal counsel,

d. the right to testify on your own behalf, and

e. the right to present pertinent evidence.

All of these measures are intended safeguards for your water rights.

If I have not correctly interpreted your concerns or should you have additional questions then please get back in touch. Sincerely,

> William H. Young Director

cc: Water Right Seetin cc: Randy Newre/ The Drocket



Department of Fish and Wildlife

506 SW MILL STREET, P.O. BOX 59, PORTLAND, OREGON 97207

April 7, 1989

William R. Blosser Chairman, Water Resources Commission 3850 Portland Road NE Salem, Oregon 97310

Re: Public Interest Review of Applications R-69708 and 69654 to Store and Use Water From Bill Creek, Tributary to Bear Creek and Coquille River for Cranberry Irrigation, Temperature Control, Flood harvesting and Irrigation, Windhurst Road Water Corporation, Coos County.

Background

The Oregon Department of Fish and Wildlife (ODFW) has reviewed an application by Windhurst Road Water Corporation to store up to 100 acre feet of water in a reservoir with a 25 foot high dam on Bill Creek a tributary to Bear Creek. The proposed project is located approximately 1.5 miles upstream from the Bill Creek confluence with Bear Creek in the lower Coquille Basin. Bear Creek flows northwest to the main stem Coquille River, five river miles upstream from the ocean. Fish present in Bill Creek include coho, winter steelhead, and resident and anadromous cutthroat trout. All of these species spawn and rear throughout the eight mile distance to the headwaters of Bill Creek.

Life History of Steelhead and Cutthroat Trout in Bill Creek

Coho

Adult coho salmon migrate from the ocean and enter Bill Creek in early November to spawn. This spawning throughout Bill Creek continues up to mid-February. Eggs incubate in coho redds or nests and emerge through early April. The young coho remain in the stream until the following year when out migration as smolts occurs from March through early June.

Winter Steelhead

Adult steelhead migrate from the ocean and enter Bill Creek from November through March. Spawning occurs throughout the stream until complete by May. Young of the year steelhead begin emerging from their gravel redds in early April and emergence continues through late June. The juveniles may migrate to the ocean as smolts after their first year in fresh water or remain in the Bill Creek-Coquille system for up to three years before smolting. The out migration of steelhead smolts occurs from March through mid-May.

Cutthroat Trout

Beginning in late October, adult sea-run cutthroat trout enter Bill Creek via the Coquille River and Bear Creek. This spawning migration continues until late February and fish spawn through May. The young cutthroat trout emerge from redds from March through June. Like steelhead, juvenile cutthroat trout may migrate to the ocean after their first year in fresh water or may remain in fresh water for up to three years before migrating. Out migration of cutthroat smolts occurs each spring from March through mid-May.

The Project Proposal

The following is a brief description of proposed design and operating conditions for the proposed reservoir.

Operation

- 1. Begin filling impoundment March 1. Maintain optimum stream flow below the impoundment. Bear Creek optimum stream flow for March to May is identified in the <u>South Coast Basin Report</u> (Oregon Game Commission, 1972). When Bill Creek flows are not adequate to satisfy Bear Creek minimum flows, then reservoir operation would allow 80% of the in flow to pass downstream and 20% would be retained in storage.
- While filling, elevation of the dam structure (stop logs) will be increased in the morning and operator will assure dam is spilling water by evening to allow juyenile fish passage during dark.
- From June 1 to June 30, the impoundment will be full. Outflow from the reservoir storage will equal inflow.
- 4. From June 1 to October 1, some water will be discharged from the reservoir to reduce downstream water temperatures.
- From August 1 to October 1, water stored to augment stream flow will be added to inflow and discharged evenly over the 60 day period. The amount discharged will be 20% of the highest stored level.

- 6. From October 1, to completed draw down (no later than November 15), downstream discharge will be via the fishway to allow upstream movement of sea run cutthroat trout.
- 7. By November 15, all obstructions (stop logs) will be removed to allow free passage of adult migrating salmonids.

Oregon Department of Fish and Wildlife Questions and Concerns

The following adverse effects of this project have not been resolved through preliminary design or proposed operational conditions.

- 1. Bill Creek is presently undiverted and its natural stream bed and riparian habitat is in good condition for salmonid rearing. The reservoir will flood and destroy habitat in its basin.
- Eggs deposited in stream channel redds within the reservoir area during the winter months by spawning coho and steelhead will not be hatched by March 1, when reservoir storage begins.
- The project may provide summer rearing habitat for salmonids thereby 3. benefiting the fishery. These assumed benefits are in question. For example, if lack of summer rearing pools were determined to limit Bill Creek juvenile salmonid (parr) production, creation of additional instream rearing ponds might enhance production, but ODFW has not established that summer rearing habitat is limiting Bill Creek coho production. It is more likely that winter habitat is limiting smolt production in Bill Creek. Any increased production of summer parr would likely be lost because of insufficient habitat to support them through the winter and early spring, especially following draw down of the reservoir and prior to the smolt out migration. (Tom Nickelson, ODFW Research Biologist, personal communication). A thorough inventory of summer and winter habitat in the watershed is needed to evaluate the relative value of the increased summer rearing area before we could assume benefits. A model to inventory and describe anadromous fish . fresh water habitat is being developed by Department research biologists. In the future, the model could serve to quantify and document Bill Creek habitat needs. Until more information is available which identifies factors limiting anadromous fish production in Bill Creek, best habitat management practices dictate conserving and protecting existing habitat. Lacking this information, approval of the proposed project poses risk of habitat degradation and fish production loss.
- Since adult steelhead may migrate into Bill Creek as late as May, a fish laddering facility to surmount the proposed 25 foot high dam would be required to satisfy fish passage requirements (ORS 498.268). Ladder

Gerral an James

operation will not be feasible while the reservoir is filling.

Additionally, hydrological information is not available to assure proper flows for ladder operation during the summer full pool period. Project engineers envision a 25 foot high dam with stop logs. Plans call for incrementally removing stop logs throughout the summer as the reservoir is drawn down with the last log removed to stream grade by November 15. The applicant has not submitted plans of how fish passage facilities would be designed, integrated and operated properly with this stop log removal schedule.

after WPC

To date, the applicant has not submitted hydrology information to show that the reservoir will fill to supply downstream (Bear Creek) flow objectives. The applicant has not described how the project will be operated to release the quantities of flow needed to meet the downstream flow objectives.

Menufic

Proper reservoir operation is a concern. The reservoir will be located in a canyon remote from the main access road and operators must walk in one half mile down a steep, muddy trail to reach it. Reservoir operations must be followed faithfully to assure any salmonid production within the reservoir. For example, proposed permit conditions specify "August 1 to October 1, water stored to augment stream flow will be discharged evenly over the 60 day period. This amount will be 20% of the highest stored level." In addition, stop logs would need to be carefully attended to assure water flow over the logs or through the fishway to facilitate unrestricted fish movement over the dam. Fluctuating reservoir water levels makes this difficult to achieve. Inadvertent mistakes or deviations from reservoir operations protocol should be expected.

7. oftenicle

Water temperature changes resulting from the proposed Bill Creek water impoundment is a concern. The project proposes to store 100 acre feet of water. Reservoir bottom contours, water depths, surface area and resultant water heat gain is unknown. Evaluating and describing these heat gain characteristics in the reservoir is important in assessing impacts on impounded fish and also in describing the effect of thermally altered released water on downstream fish. The project proposes to release summertime augmentation flows to improve habitat but summer flows and temperatures available for release are not quantified.

8. The project proposal is not consistent with ODFW Fish Management Plans.

ODFW Steelhead Management Plan (July 1986), emphasizes habitat protection, rehabilitation and enhancement to protect wild stocks of steelhead. Oregon's Anadromous Salmon and Trout Management Plan (Sec I.F-16) encourages efforts by resource management agencies to minimize habitat losses, and to identify various land use activity threats. The ODFW South Coast Basin Plan (Sept 1988, Draft) expresses the need to

proceed with habitat enhancement projects <u>only in cases where limiting factors are identified</u> (emphasis added) and to concentrate efforts on habitat protection versus habitat enhancement. Until more is known about the effects of project at hand, maintaining existing habitat is most consistent with current ODFW management direction.

The Oregon Department of Fish and Wildlife appreciates the opportunity to comment to the Water Resources Commission in this matter. In view of the above uncertainties the Oregon Department of Fish and Wildlife cannot recommend construction of this project as proposed in the Water Resources Department staff report.

Sincerely,

Nancy M. MacHugh

Chief

Habitat Conservation Division

c Young (WRD)

RECEIVED WATER RESOURCES DEPT. SALEM, OREGON

September 20, 1989

Oregon Water Resources Department 3850 Portland Road, N.E. Salem, Oregon 97310

Attention: Jake Szramek

Re: Bill Creek Dam Project - Bandon, Oregon

Dear Mr. Szramek:

By this letter, the Windhurst Road Water Corporation is requesting an indefinite postponement of the contested case hearing on the Bill Creek Dam project scheduled for October 11, 1989 at Bandon.

We have contacted the City of Bandon regarding the possibility of storing water in the upper Geiger Creek watershed. They have indicated an interest to the extent of asking for a proposal with more detailed information.

We feel that having stored water available in late summer and fall in this area will benefit us from a standpoint of having an adequate and stable water supply, and will result in less competition for the natural stream flow at that time of year, resulting in more water for the City of Bandon and the Oregon Department of Fish and Wildlife Hatchery at the confluence of Ferry and Geiger Creeks.

There is a State Engineer's Order dated April 13, 1961 withdrawing the Ferry and Geiger Creek watersheds from further appropriation except for municipal use by the City of Bandon.

If the City of Bandon and the Oregon Water Resources Commission would consider allowing up to 200 acre feet of storage in the upper Geiger Creek watershed, all of the problems associated with the proposed storage reservoir on Bill Creek appear to us to be addressed in a positive manner.

Until these issues can be properly addressed, we believe it to be in the best interest of all parties and agencies concerned to postpone the contested case hearing.

Very truly yours,

Wayne Scherer Wayne \$cherer

for Windhurst Road Water Corporation

WS/p

DEC 1 3 194

December 12, WATER RESOURCES DEPT.

Weisha Mize
Hearings Referee
Water Resources Dept.
3850 Portland Road N.E.
Salem, Oregon, 97310

Re: Applications R69708, 69654

Dear Weisha,

At the Bandon City Council meeting last week a Geiger Creek Study Team was formed to review several issues within the watershed, including our request for a modification of the closure order.

Last weekend, several of these people made a preliminary inspection of the area of interest. At a meeting last evening, Pat Watson and Lee Sutton of the City Council; Ben McMakin, City Manager; Ron Haga, Fred Richert, and myself met to review and explain our situation and circumstances to date.

We will spend time on a coming weekend together in the area looking at possible storage sites. Ron, Fred and I feel that our proposal was well received, and that in the near future weewill be asking for assistance to do whatever is necessary to modify the closure order to allow for storage and winter pumping from Geiger Creek.

Additionally, we will be meeting with Gary Ball, W.R.D.; and Reese Bender, O.D.F.W.; next Tuesday as part of the Oregon Cranberry Farmers Alliance. The purpose of this meeting is to establish goals agreeable to both O.D.F.W. and O.C.F.A. concerning creeks and streams used by our cranberry industry, and how we can achieve those goals. Obviously, the outcome of this meeting may have significant impact on our individual case.

I will mark my calender to provide you with a status update about February 14. I hope you have a Happy Holiday Season.

Sincerely,

Wayne R. Scherer

cc: Jake Szramek Græg Robard Ben McMakin Jim Gossen



Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE 378-3066

July 13, 1990

Wayne Scherer Windhurst Road Water Corp. PO Box 503 Bandon, OR 97411

RE: Request for Status Update, Applications R69708, 69654

Dear Wayne:

You last wrote in May indicating that a special city council meeting was scheduled for May 15 (copy enclosed) regarding your proposal to store water in the Geiger Creek watershed. This meeting was to be the determining factor in whether you would be amending your applications or pursuing them as originally submitted.

I have not heard from you since that time. Please get back to me by letter by the end of July and let me know what your intent is on these two applications. Thanks.

Sincerely,

Weisha Mize

Hearings Referee

encl.

cc: Jake Szramek √Steve Brown

John Drolet, Dist. 19



Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE 378-3066

May 3, 1990

Wayne Scherer Windhurst Road Water Corp. Box 503 Bandon, OR 97411

RE: Applications R69708, 69654

Dear Wayne:

After our phone conversation on April 16, I had the understanding that you would be investigating the next steps you needed to take in regard to the above applications, particularly storage application R69708, and that you would be discussing the matter with Jake Szramek of this Department. I had thought that I would be hearing from you shortly thereafter regarding whether you wished protested application 69654 to be set for hearing.

Please write to me by May 15 and indicate your intention on these two applications. I would prefer that this communication be in writing rather than over the telephone so that there is no question about your intent and no possible misinterpretation as represented by notes I would take of a phone conversation. Thank you for your cooperation.

Sincerely,

Weisha Mize Hearings Referee

cc: Jake Szramek Greg Robart

RECEIVED

Weisha Mize
Hearings Referee
Water Resources Department
3850 Portland Rd N.E.
Salem, Oregon, 97310

JAN 2 3 1990

WATER RESOURCES DEPT. SALEM, OREGON

Dear Weisha Mize,

I apologize for not supplying the necessary bi-monthly reports on the activities that have been taking place in regards to our applications 69654 and R69708, and the possibility of water storage in the Geiger Creek watershed.

We have been waiting for some indication of what the city of Bandon is going to do about our initial request of them to modify the Geiger watershed closure order to allow us to put in storage in the watershed, and what, if anything they are going to do about their own water storage problem. It appears that what they decide to do about building a dam for their own water storage will have an impact on what they will allow us to do in the watershed. As I'm sure you are well aware, the wheels of bureaucracy move very slowly, and bi-monthly reports for December 4 and January 26 - and probably February 28 can be summed up in two words, "no change".

Tucson Meyer has been retained by the city of Bandon to make a complete proposal, and to date his only report to the city consisted of a brief overview of the entire concept. I know that he is working diligently on the project, but a multi-million dollar proposal isn't completed over a weekend.

With this all in mind, it appears we will indeed have to request a second postponement of our hearing from the tentative mid-April date mentioned in your letter.

A set-back that we have encountered is that the owners of the property we had planned to purchase on Bills Creek have taken the property off the market because of the continual extensions we had requested of them due to ODFW and Water Resources being unable to meet with us to make an early decision as promised at our meeting with Oregon Water Resources Board hearing April 17, 1989.

Thank you for your time and understanding.

Wayne R. Scherer Windhurst Road Water Corporation RECEIVED

JAN 23 1930

VATER RESCURCES DEPT
SALEM OFFERD

Bandon considers dam for stable water supply

By JOHN GRIFFITH Staff Writer

BANDON — Would Bandon be willing to consider a federally funded project to solve future water woes, generate electricity and guarantee cranberry growers a stable water supply?

City Manager Ben McMakin posed that question to his city council this week, providing a broad outline for a project the Bandon would prepare for Bureau of Reclamation consideration.

A 45 to 50-foot dam near the confluence of Ferry and Gieger creeks could provide enough head to generate electricity, would inundate mostly city- and state-owned property with a reservoir and eliminate winter; flooding that occasionally covers downtown areas, McMakin said.

"A project like this could solve the water supply problems for the city of Bandon for many, many years," McMakin said.

Construction funds could come through the Small Reclamation Act of 1956, which requires the applying local government to do all needed studies. Tucson Meyer, now a water consultant and a former director of the State Water Resources Board, will provide the council a more detailed proposal within 30 days, McMakin said.

An Oregon Department of Fish and Wildlife hatchery on Ferry Creek probably would have to be relocated, McMakin added, but it's old and would benefit from a reliable, year-round water supply.

"I know it's not a prison, but ...,"
Mayor Jim Cawdrey said, comparing
the quality of economic development
associated with a dam to that of a
state lockup that could be constructed in the nearby Seven Devils area.
The council reiterated its singular
opposition to a new prison anywhere
in Coos County and especially in the
proposed site. Bandon stands alone
as the only municipality to oppose
the project.

At council direction, McMakin wrote an Aug. 28 letter to Bill Hirsh, construction division administrator at the state Department of Corrections, detailing the failure of the Seven Devils site to measure up to any state prison construction standards. The letter was included in council members' meeting packets.

The council also adopted an amended agreement with Coos County allowing the disposal of sewage sludge in the county forest. The agreement essentially is identical to one the county has with Coos Bay, McMakin said.

City commercial water users may want to attend a city council hearing Nov. 7 as it considers an ordinance controlling the use of garbage disposals—and—industrial—waste water fees.



Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE378-3066

January 19, 1990

Wayne Scherer PO Box 503 Bandon, OR 97411

RE: Applications 69654 and R69708, contested case/public interest hearing

Dear Mr. Scherer:

In October of last year I entered an Order in the above matter postponing the hearing for a period of not to exceed 6 months. A copy is enclosed for your reference.

I note initially that you have not filed any bi-monthly status reports as directed by this Order. Please provide me with your report, which was due December 4 and is more than a month deliquent, no later than January 26. A second report will be expected no later than February 28, at which time you should also expect to either make a request for a second postponement, or prepare for hearing, which I intend at this point to re-schedule in mid-April.

Secondly, I am unaware of any activity on your part to take steps necessary to allow for filing an application for storage, as I discussed in my letter to you of October 5 (copy enclosed). When you file your status report, indicate whether you have determined not to seek rulemaking to rescind or amend the State Engineer's Order withdrawing Geiger Creek.

Sincerely,

Weisha Mize

Hearings Referee

encl.

cc: Greg Robart, ODFW
Dennis Ades, DEQ
Jake Szramek

BEFORE THE WATER RESOURCES DEPARTMENT OF OREGON

IN THE MATTER OF APPLICATIONS 69654 &)
R69708 IN THE NAME OF WINDHURST ROAD)
WATER COMPANY FOR USE AND STORAGE OF)
WATER FROM BILL CREEK, TRIBUTARY TO)
BEAR CREEK, COOS COUNTY, OREGON)

ORDER GRANTING POSTPONEMENT OF PUBLIC INTEREST HEARING

Applicant Windhurst Road Water Company, by and through its representative, Wayne Scherer, has requested a postponement for an indefinite period of time for the above hearing presently scheduled for October 11, 1989. The request for postponement was received September 27, 1989.

The Applicant states that it has been involved in preliminary discussions with the City of Bandon regarding the possibility of water storage in the upper Geiger Creek watershed for use in the late summer and fall in cranberry harvest activities. It appears that it is the applicants intent that such storage and use would replace the proposed appropriation and storage represented by the applications contested herein.

ODFW has been named as an interested agency in this matter. ODFW has indicated, on inquiry by the hearings referee, that it would not object to a postponement of the hearing.

It does not appear that this request is made for the purposes of delay or avoidance. It would be appropriate and in the best interests of all concerned to grant applicant's request for postponement.

The contested case hearing on applications 69654 and R69708, scheduled to be heard on October 11, 1989, is hereby postponed for a period of time not to exceed 6 months. The applicant is directed to initiate actions necessary to pursue the possibility of storage in the upper Geiger Creek watershed, and to report bimonthly to the hearings referee on the status of its activities in this regard.

Signed and dated this 4th day of October, 1989.

Hearings Referee



Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE 378-3066

October 5, 1989

Windhurst Road Water Corporation ATIN: Wayne Scherer PO Box 503 Bandon, OR 97411

RE: Applications 69654 & R69708

Dear Mr. Scherer:

Enclosed please find the Order granting your request for postponement of the hearing in the above-referenced applications.

I'm sure you understand that in order to allow you to file an application for storage on Geiger Creek, the State Engineer withdrawal order will need to be rescinded or amended. You will need to petition the Commission for rulemaking to rescind the withdrawal order of the State Engineer.

I enclose a copy of OAR 137-01-070 regarding petitions for rulemaking. The Department is fairly liberal in what it accepts as petitions but I would recommend you follow the format set out in the rule as closely as possible. You might also contact the Department's Planning section for further information and data in support of your request.

You should also keep ODFW, and DEQ, which has indicated an interest in this matter, informed and seek their input regarding your proposal for storage on Geiger Creek.

Sincerely,

Weisha Mize

Hearings Referee

WM/hmm

Enclosures



Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE 378-3066

October 5, 1989

Windhurst Road Water Corporation ATIN: Wayne Scherer PO Box 503 Bandon, OR 97411

RE: Applications 69654 & R69708

Dear Mr. Scherer:

Enclosed please find the Order granting your request for postponement of the hearing in the above-referenced applications.

I'm sure you understand that in order to allow you to file an application for storage on Geiger Creek, the State Engineer withdrawal order will need to be rescinded or amended. You will need to petition the Commission for rulemaking to rescind the withdrawal order of the State Engineer.

I enclose a copy of OAR 137-01-070 regarding petitions for rulemaking. The Department is fairly liberal in what it accepts as petitions but I would recommend you follow the format set out in the rule as closely as possible. You might also contact the Department's Planning section for further information and data in support of your request.

You should also keep ODFW, and DEQ, which has indicated an interest in this matter, informed and seek their input regarding your proposal for storage on Geiger Creek.

Sincerely,

Weisha Mize

Hearings Referee

WM/hmm

Enclosures

BEFORE THE WATER RES

IN THE MATTER OF APPLICATIONS ()
R69708 IN THE NAME OF WINDHURST ROAD)
WATER CO. FOR USE AND STORAGE OF WATER)
FROM BILL CREEK, TRIBUTARY TO BEAR)
CREEK, COOS COUNTY, OREGON)

NOTICE OF PUBLIC INTEREST HEARING

TO: Windhurst Road Water Corporation PO Box 503 Bandon, OR 97411

Pursuant to the provisions of ORS 183.415, 537.170, & 537.180, you are hereby notified that a public interest contested case hearing in the matter of applications R69708 and 69654 will be held before Weisha Mize, an employe of the Water Resources Department, authorized to preside in behalf of the Director as a finder of fact. The hearing will begin at 10:00 AM on October 11, 1989, at the Bandon City Hall in Bandon, Oregon.

Application R69708 was filed on September 6, 1988, for a permit to store up to 100 acre-feet of water in a reservoir that is 25 feet in height. The reservoir will be located in the NE 1/4 SW 1/4 of Section 3, Township 29 South, Range 14 West, WM. The proposed Point of Diversion is Bill Creek, tributary to Bear Creek, tributary to Coquille River. The water will be used for cranberry irrigation, cranberry temperature control, cranberry flood harvest, and irrigation.

Application 69654 was filed on June 30, 1988, for a permit to appropriate up to 10 cfs for flood harvest, 21.20 cfs for temperature control, 3.53 cfs for cranberry irrigation, and 0.05 cfs for irrigation from stored water from the reservoir and from Bill Creek, tributary to Bear Creek.

The location of the proposed point of diversion from Bill Creek is described as 40 feet South and 2340 feet East from the West quarter corner of Section 3, being within the NE 1/4 of the SW 1/4 of Section 3, Township 29 South, Range 14 West, WM.

Lands on which water appropriated under Application 69654 will be used for the various purposes and are described as many small parcels. The total acres in each 1/4 1/4 section is shown below:

1/4 1/4	Section	Township	Range	Acres
SE/NE	5	29 5	14 W	16.90
NE/SE	5	29 S	14 W	6.00
NW/NE	5	29 5	14 W	. 40
NE/NE	5	29 S	14 W	1.40
SW/NE	5	29 S	14 W	2.00
NW/SW	4	29 S	14 W	17.25
SW/SW	4	29 5	14 W	15.10
SE/SW	4	29 5	14 W	1.00
NE/SE	4	29 5	14 W	5.00
NW/SW	3	29 5	14 W	3.00
NW/NE	9	29 5	14 W	5.00
NE/NE	9	29 S	14 W	5.50
SW/NE	9	29 5	14 W	9.80
NW/SW	33	28 5	14 W	13.00
NE/SW	33	28 5	14 W	5.00
NE/NE	32	28 S	14 W	12.80
SE/NE	32	28 S	14 W	22. 20

141.35

The applicant, WRD and ODFW have engaged in a number of discussions in an attempt to resolve identified natural resource concerns. No satisfactory agreement has been reached and the Water Resources Commission directed that the matter be set for a public interest-contested case hearing.

Interested persons or agencies may request full or limited party status or interested agency status in the hearing by filing a petition for party or limited party status or request for interested agency status with the Department of Water Resources no later than August 21, 1989. Oregon Administrative Rules 137-03-005, 137-03-007, and 690-02-001 govern requests for party or limited party status and non-attorney representation. OAR 137-03-007 governs requests by agencies to participate as a party or interested agency.

Attached is information on the procedures, right of representation, and other rights of parties relating to conduct of the hearing, as required by the provisions of ORS 183.413(2), and a copy of OAR 690-11-010, 690-11-080, and 690-75 et seq.pertaining to issues and procedures in public interest hearings. OAR 690-11-080 should be read in conjunction with the definitions in 690-11-010.

The issue to be determined in this proceeding is whether the storage and use as proposed by Applications R69708 and 69654 would be prejudicial to the public interest.

The applicant, ODFW, and all full or limited parties admitted on petition shall file written direct testimony and proof of service on all other parties with the Hearings Referee no later than September 22, 1989. The hearing shall be limited to opening statements, cross-examination on pre-filed direct testimony, rebuttal, and closing arguments. The order of the hearing will be:

- ODFW (Interested agency)
- 2. Parties admitted on petition
- 3. Applicant
- 4. Rebuttal

The applicant had the burden to show that the proposed use of water would not be prejudicial to the public interest. The ODFW has the burden to produce testimony and evidence to support the allegation that the proposed use will cause harm to the public interest.

DATED at Salem, Oregon this 10th day of August, 1989.

WILLIAM H. YOUNG V

Director

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

CC: John Drolet, Watermaster, District 19



Department of Fish and Wildlife

506 SW MILL STREET, P.O. BOX 59, PORTLAND, OREGON 97207

RECEIVED

AUG - 3 1989

WATER RESOURCES DEPT. SALEM, OREGON

July 26, 1989

Weisha Mize Water Resources Department 3850 Portland Road NE Salem, OR 97310

Dear Weisha:

Re: Water Right R69708, 69654, Proposed Agreement, Windhurst Water Corporation/ODFW.

The Oregon Department of Fish and Wildlife has reviewed the July 9, 1989 proposed agreement submitted by Wayne Scherer, Windhurst Road Water Corporation. As I mentioned to you yesterday, although we appreciate Mr. Scherer's attempts to reach agreement, the terms expressed in his recent proposal do not alleviate our original concerns.

Mr. Scherer's proposed agreement attempts resolution absent specific hydrology and engineering designs showing how fish would be protected. So long as the applicant can provide only general concepts as to what he envisions, agreement will remain out of reach. The project Mr. Scherer proposes offers the same risks expressed in our April 7, 1989 letter to WRC about this project.

Thank you for the opportunity to consider Mr. Scherer's proposed agreement. For the reasons expressed in our prior correspondence we anticipate referral of this issue to an October 11, 1989 contested case hearing to determine the public interest.

Sincerely.

Gregory P. Robart Staff Biologist

Aquatic Habitat Program Habitat Conservation Division

gpr
c WRD - Szramek/Applegate



Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE 378-3066

MEMORANDUM

TO:

Water Resources Commission

FROM:

Director why

SUBJECT:

Agenda Item G, April 17, 1989, Water Resources Commission

Meeting

Consideration for Approval of Applications R-69708 and 69654 to Store and Use Water from Bill Creek, Tributary to Bear Creek and Coquille River for Cranberry Irrigation, Temperature Control, Flood Harvesting and Irrigation, Windhurst Road Water Corporation, Coos County.

Background:

On June 30, 1988, and September 6, 1988, applications were submitted by Windhurst Road Water Corporation. Application R-69708 proposes to store up to 100 acre-feet of water in a reservoir that is 25 feet in height. Application 69654 outlines the use of up to 34.79 cubic feet per second from the reservoir and Bill Creek for cranberry operations. Plans and specifications will be required and approved before permits are issued.

The water will be used for cranberry irrigation (3.53 cfs), temperature control (21.20 cfs being 15.63 cfs for primary and 15.57 cfs for supplemental), cranberry flood harvesting (10 cfs) and irrigation (0.05 cfs). Temperature control includes both frost and heat control. The water for temperature control would be used during extreme weather conditions. According to the applicant, temperature control should not occur more than about five times a year. The amount listed for irrigation is for lawn and garden.

The question before the Commission is whether a hearing is required to determine if the public interest is served by granting permits for a structure that is greater than 10 feet high, stores more that 9.2 acre-feet of water and is for use of more than 5 cfs of water. The Commission's rules require that applications for dams greater than 10 feet in height or impounding more than 9.2 acre-feet of water [690-11-080 (2)(a)(C)] and applications for appropriations of greater than 5 cfs [690-11-080 (2)(a)(A)] must be referred to the Commission for a public interest determination under ORS 537.170.

In addition, the South Coast Basin Program requires that all applications for appropriation of water for storage in structures impounding more than 3,000,000 gallons of water shall be reviewed by the Commission prior to approval. During the review, the Commission may establish additional minimum flows on the natural flow of the stream to support aquatic life or minimize pollution.

Evaluation:

Notice of receipt of applications was provided to the public on July 8, 1988, for Application 69654 and September 9, 1988, for R-69708.

The proposed reservoir would be constructed as part of a plan to provide water to a new cranberry production area and to provide additional water to existing lands owned by the applicant. The dam will be a combination earth fill and flashboard structure with reinforced concrete abutments. The flashboards are intended to be placed in the structure in such a fashion that the water level would be raised slowly beginning in April of each year. The flashboards would be removed by November 1 of each year.

The Dam Safety Section must review the reservoir application because of the size requirements. The applicant has an engineer to develop plans and specifications.

Staff received comments from the watermaster. Based upon previous regulation in the area, the watermaster believes that sufficient water is available during the winter to fill the reservoir, but late season flows would need to be released in order to provide for downstream water uses. Stored water will be required during the summer. Some type of control gates would be needed in the structure in order to release summer flows to protect downstream uses of water. This would include minimum streamflows on the Coquille River.

In addition, the Oregon Department of Fish and Wildlife (ODFW) provided the following comments about the proposal:

Bill Creek is an important spawning and rearing habitat for coho, winter steelhead and searun and resident cuttroat trout. In addition, there are Salmon Trout Enhancement Program (STEP) projects on Bill Creek to enhance fish migration, spawning and rearing habitat.

According to ODFW, the flows in Bill Creek are adequate to satisfy this appropriation only during the moderate to high-flow periods during the winter months. ODFW is concerned that the proposed appropriation could adversely affect anadromous fish migration, spawning, and rearing. They mentioned that the requested flow would be detrimental to the public interest in maintaining wild fish population habitat.

As a result, the ODFW recommended that following flows (in cfs) be maintained in the stream:

In order to determine what could be done to satisfy all concerned individuals, WRD Salem staff, the watermaster, ODFW Portland Office and the local district biologist, applicant and his consultant met in Coquille in December, 1988. The group also made a field inspection of the proposed site and met again in February, 1989, to discuss concerns identified from the earlier meeting.

The meeting was held in order to determine if the parties were willing to come to some sort of agreement that would protect fish life, provide late season water to the area, and provide sufficient water to the applicant. All parties agreed that some type of agreement could be reached that would benefit the stream system and provide water to the applicant.

Based upon discussions with the groups identified above, some possible conditions that would be placed upon the permits include:

- requiring the applicants to develop a fill and release schedule to maintain a minimum reservoir level to allow for fish rearing;
- 2. installing control valves to allow water to be released during all times of the year;
- 3. installing pump screening;
- 4. allowing by-pass flows and develop an approved operation schedule; and
- 5. keeping woody debris in reservoir for fish cover and nutrients.

Those conditions would benefit the ODFW, the public and would allow the applicant the ability to store and use water. The use of stored water would be available to the stream during the late summer and would be available to the user. An agreement is being developed between the concerned groups. The STEP individuals on Bill Creek are aware of the review for the applications and are satisfied with the ongoing discussions.

The applicant intends to buy the property where the reservoir site is located and earnest money has been submitted. The land sale would not be concluded until permits are issued. The applicant does not want to spend money to purchase the land, design and build the reservoir unless all concerns can be adequately addressed and permits issued. Based upon the meetings which were held, it appears that a permit could be crafted that would meet all concerns and benefit the stream system. If a permit is issued, the agreement would be part of the permit. Since all parties have something to gain from this process, it would be beneficial to get an agreement. If an agreement cannot be reached, staff recommends that the applications be rejected to protect the fish resources in the stream and schedule the necessary contested case hearing to reject the applications.

Alternatives:

- Find that the public interest may be injured by granting a permit to construct a structure that is greater than 10 feet high, stores more than 9.2 acre-feet and uses more than 5 cfs, and schedule a public interest hearing to assist the Commission in making its determination.
- 2. Determine that the public interest will not be injured by the storage and use of the quantity of water proposed; authorize the Director to issue permits with the appropriate conditions. Permit issuance would be contingent on receipt of a written agreement outlined above and signed by all parties, approval of plans and specifications for the reservoir and completion of the applications. The conditions will be identified in the agreement which is reached. If an agreement cannot be reached, staff recommends that the applications be rejected to protect the fish resources in the stream and schedule the necessary contested case hearing to reject the applications.

Director's Recommendation:

The staff recommends Alternative 2, that the Commission authorize the Director, if all parties agree in writing and the plans and specifications for the reservoir are approved, to issue permits with the appropriate conditions. The conditions will be identified in the agreement that is reached. Staff further recommends that if an agreement cannot be reached, the applications be rejected to protect the fish resources in the stream and schedule the necessary contested case hearing to reject the applications.

Attachments:

- A) Copy of Application R-69708
- B) Copy of Application 69654
- C) Copy of location map
- D) Copy of ODFW Letter
- E) Copy of Watermaster Response

Jake Szramek 378-3066 February 2, 1989

cc: Wayne R. Scherer, Applicant
ODFW Portland Office
ODFW Field Office
Watermaster District 19
STEP Participants in Bandon Area

STATE OF OREGON WATER RESOURCES DEPARTMENT Application for a Permit to Construct a Reservoir

D 0 D0V F00	Nerse of Applicant	BANDON	
State of OREGON (Mailing Address)	97411	City	
do hereby make application for a permit to construc			
and to store the unappropriated waters of the S	tate of Oregon, subj	iect to existing rights.	
1. The name of the stream from which the re	escrvoir is to be filled	isBillCreekIrib	outary
to.Bear.Creektributary toCoc	quille River		
2. If not in channel of a stream, state how it	is to be filledTh	e dam will be in th	he channel
of Bill Creek.			
3. The dam will be located in theNE			
Township	West	V. M.	
4. The maximum height will be	.25 feet ah	ove stream bed or groun	d surface at the
centerline. The top width will be) feet, slope of	upstream face 3:	1
slope of downstream face 2:1	and heigh	ht of dam above water	line when full
2.5 feet.			
5. The dam will be (check one)X ea.	Soo Itom #12		
If "other", give description:			
6. Give the location, description, and dimen.			er PVC
valved conduit through the left abuted (All dams across natural stream channels must be provided with an outlet	tment.	cation to pass the normal flow of the	stream at any time
Form 690-2-0-1-77			

Application No. 17 - 277 3
7. The impounded water will be used for Cranberry irrigation, cranberry temperature
control, cranberry flood harvest, and irrigation.
8. The amount of water to be stored is
9. The area submerged by the reservoir, when full, will be10acres,
and the maximum depth of water will be
10. Give the location and dimensions of the spillway See item #12.
Dam Crest D D D D D D D D D D D D D
The bottom width of the spillway, B, will be See item #12. feet.
The top width of the spillway, T, will be See item #12. feet.
The distance between the crest of the dam and the crest of the spillway, D, will be
If any other type of spillway describe and give dimensions:
See item #12.
11. Construction work will begin on or before. October 1, 1989
12. Construction work will be completed and the reservoir filled by October 1, 1991
Remarks: The structure is intended to be a combination earth fill and flashboard. A reinforced concrete left abutment cast into bedrock, approximately 30 feet of flashboard structure, a right abutment, serving as a transition zone, and an earthfill structure anchoring the right abutment.
Excavation will be to bedrock throughout the length of the flashboard portion. Dowels will be embedded, and a reinforced concrete base will be constructed, extruding from bedrock to the approximate elevation of the bottom of the existing channel. In addition, reinforced concrete grade beams will intersect the base at right angles from downstream, at 8 to 10 feet centers, so as to provide the necessary support for several support brackets.

and removed on about November 1st of each year. The structure will store no water between November 1st and April 1st.
Engineering plans and specifications are being prepared by James F. Gosson, Civil Engineer, Roseburg, Oregon and Will be forwarded for your review immediately upon their completion.
Ammedia of the first compression.
Wayne R. Scherer Signature of Applicant
This is to certify that I have examined the foregoing application, together with the accompanying maps
and data, and return the same for
In order to retain its priority, this application must be returned to the Water Resources Director with
corrections on or before, 19, 19
WITNESS my hand this day of, 19, 19
Ву
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the Oday of Septenberg 88., at 8. o'clock A.M.
Application No. 6-69708 Permit No.

HEGEIVED

Application for Permit to Appropriate Surface Water

I,	VINDINI	AST ROL	AD WATER C	WATER RESOURCES ORPORATISALEM, OREGON
	P.O. BO)		(Name of Applicant)	BANDON
ate of Of	RECON "		Phone No. 503 - 34	17-3062 do hereby
ke application	on for a permi	(Zip Code) it to appropriate	the following described wa	aters of the State of Oregon:
			ion is BILL C.	
•••••			, a tributary of BE	
2. The po	int of diversion		40 ft S	and 2340 ft. E
		(If there is more than o	one point of diversion, each must be describe	d)

. 3	Tp. 2	95 R /	4W., W.M., in the county	E 4 of the 5W 4 of of 6005
		THE PARTY AND TH	or W. W. M., in the county place of use if other than in List ¼ ¼ of Section	rrigation. List use and/or number
3. Locatio	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated
3. Locatio	on of area to b	be irrigated, or p	place of use if other than in	rrigation. List use and/or number of acres to be irrigated
3. Locatio	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated
3. Locatio	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated
3. Locatio	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated
3. Locatio	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated
3. Locatio	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated
3. Locatio	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated
3. Locatio	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated
	on of area to b	be irrigated, or p	List ¼ ¼ of Section	rrigation. List use and/or number of acres to be irrigated

4. The amount of wo	ater which the applicant intends to apply to beneficial use is 37.79
cubic feet per second. BELL CONTROL (15.63 C BENNY IRRICATION (NC 10.0 CFS FOR FLOOD HARYEST ZI.ZO CFS FOR TEMPERATURE FS PRIMARY 15.57 GFS SUPPLEMENTAL) 3.53 CFS FOR CRAN- 191 CFS PRIMARY 1 1.67 SUPPLEMENTAL) + 0.05 CFS FOR MARIERTION,
	the water is to be applied is CRAINBERRY IRRIGATION,
CRANBERRY TE	CHPERATURE CONTROL CRANBERRY FLOOD
HARVEST, F.	IRRICATION.
6.	DESCRIPTION OF WORKS
Include dimensions and type ditch or pipeline, size and to distribution system.	pe of construction of diversion dam and headgate, length and dimensions of supply type of pump and motor, type of irrigation system to adequately describe the proposed

	A/Q+1C
	nber of families to be supplied NONE
7. Construction work	will begin on or before 10-1-89
	will be completed on or before 10-1-90
9. The water will be	completely applied to the proposed use on or before 10-1-91
Application No. 696	54 Permit No.

Remarks: 14MPEKM1UKE COLY	
FROST CONTROL & HERT CON	TROL.
This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.	Wayne R. Schurer Signature of Applicant PRESIDENT
This is to certify that I have examined the foregoi	ng application, together with the accompanying maps
and data, and return the same for	
In order to retain its priority, this application m	ust be returned to the Water Resources Director with
corrections on or before	, 19
WITNESS my hand this day of	, 19
	rces Director
	Ву
This instrument was first received in the office of to	he Water Resources Director at Salem, Oregon, on the
30th day of June	
	, 15, at
A _M	
Application No. 69654	Permit No





Department of Fish and Wildlife

506 SW MILL STREET, P.O. BOX 59, PORTLAND, OREGON 97207

September 2, 1988

Jake Szramek Water Resources Department 3850 Portland Road N.E. Salem, OR 97310

Dear Jake:

Re: WRD 69654, Windhurst Road Water Corporation, Bill Creek, 34.79 cfs.

Bill Creek is a tributary to Bear Creek and the Coquille River near Bandon. The stream is important spawning and rearing habitat for coho, winter steelhead and searun and resident cutthroat trout. Current Salmon Trout Enhancement Program (STEP) projects on Bill Creek are enhancing fish migration, spawning and rearing habitat. The Oregon Department of Fish and Wildlife working with volunteer citizens has devoted considerable time and effort to enhance Bill Creek fish habitat.

Bill Creek has flows adequate to satisfy this appropriation only during the moderate to high flow periods during the winter months. The requested appropriation could adversely effect anadromous fish migration spawning, migration and rearing.

The ODFW believes issuance of this water right for the amount requested would be detrimental to the public interest in maintaining wild fish population habitat. Accordingly, ODFW recommends withholding issuance of this water right subject to maintaining the following minimum instream flows (cubic feet per second) at the point of diversion.

Jan Feb Mar Apr May Jun Aug Sep Oct Nov Dec 25 25 25 25 15 4 4 4/35 35 35

Jake Szramek September 2, 1988 Page 2

Unless the appropriation can be made subject to these restrictions, a substantial unresolved public interest issue is raised and this application should be referred for a contested case hearing under ORS 537.170 and 537.180.

Please advise us of your decision and thank you for the opportunity to comment.

Sincerely,

Gregory P. Robart Staff Biologist

Aquatic Habitat Division

gpr



Department of Fish and Wildlife

506 SW MILL STREET, P.O. BOX 59, PORTLAND, OREGON 97207

September 23, 1988

A CONTRACTOR

Jake Szramek Water Resources Department 3850 Portland Road N.E. Salem, OR 97310

Dear Jake:

Re: WRD 69654, Windhurst Road Water Corporation, Bill Creek, 34.79 cfs. ODFW letter of recommendation of September 2 1988.

Please correct a minimum flow recommendation error in subject letter.

Thank you.


Sincerely,

Gregory P. Robart Staff Biologist

Aquatic Habitats Division

gpr

James F. Gosson -Consulting Engineer



February 7, 1989

Oregon Department of Fish and Wildlife 506 S. W. Mill Street P. O. Box 59 Portland, Oregon 97207

Attention: Gregory P. Robart

Re: Proposed Bill Creek Dam, Coos County

Dear Mr. Robart:

The Windhurst Road Water Corporation, a group of cranberry growers along Geiger Creek, proposes to construct a flashboard dam on Bill Creek in Coos County. The growers are at the stage of investing considerable monies in the project if a Bill Creek dam can be built. They would like to approach the State Water Resources Commission in March to begin working with the WRD staff on the requirements for the project. Since Bill Creek is an anadromous fish stream, the growers need to have an idea of the conditions that might be required if the structure is built.

As engineer for the proposed project, I submit the following as a general description of the project, its function, and the early thoughts we have concerning its operation.

The proposed dam is of the flashboard type consisting of a concrete base at the current stream level. The left abutment will be concrete and the right, either concrete or a combination of concrete and earth fill. The open width, with the flashboards removed, will be 15 - 20 feet, approximately the bottom width of the existing channel. Its height, with all the flashboards in place, will be 20 - 30 feet depending on the storage requirements. The flashboards will be supported by several steel frames. The steel frames will be either removable or they will have the capability of being folded and lain flat on the concrete base. Spacing between the frames will be 4 - 5 feet.

A valved conduit will be installed in one of the abutments to allow the release of water from the reservoir when filling, or to maintain a minimum release when using the stored water. At this time no fish ladder is being planned.

The pump intake line will be screened so as to prohibit small fish from being drawn into the diversion works.

Oregon Department of Fish and Wildlife February 6, 1989 Page 2

Bill Creek is an ungaged stream, however on August 19, 1988, John Youngquist, a former Watermaster, and myself measured Bill Creek at the proposed dam site location. Flow, at that time, was 2.06 cfs which was less than other basins of comparable drainage areas in the south coast area (i.e., Geiger Creek). Additional work needs to be done in this area to identify the summer water supply, however it appears that Bill Creek may drop below other drainages of similar area in the summer. Given the data we know and the proposed June through October minimum flows discussed by your department in your letter to Jake Szramek, no use of water from the natural flow could occur in the normal cranberry season from this source.

The growers need to store a minimum of 100 acre feet of water to have a feasible project. This water would be used for the raising and harvesting of cranberries within the Geiger Creek watershed. Geiger Creek, being closed by order of the state engineer, requires the growers to seek a secondary source to supplement current needs or develop new bogs. We need to know if the growers would be able to store 100 acre feet between March and May without injury to the anadromous fishery. If this is not possible, this project is not feasible.

Before committing \$7,000 to \$10,000 to complete the design of the project we need to know the following:

- 1. An approximate range of the proposed minimum flows (instream water rights) by month that will be required.
- 2. Assuming the growers do not take more than 20% of the flow, could we fill the reservoir between March 1st and May 15th of each year?

While it has not been discussed, I propose to incorporate a means of passing the fish downstream during June and July each year.

We would appreciate your thoughts on these subjects so we may know how to proceed, or not proceed, with the project. Please contact me if you have any questions.

Very truly yours,

ORIGINAL SIGNED BY JAMES F. GOSSON

James F. Gosson, P.E.

cc: Wayne Scherer (Windhurst Road Water Corporation)
Jake Szramek
John Youngquist





Department of Fish and Wildlife

SEP 27 1598

WATER RESOURCES DEPT, SALEM, OREGON

506 SW MILL STREET, P.O. BOX 59, PORTLAND, OREGON 97207

September 23, 1988

Jake Szramek Water Resources Department 3850 Portland Road N.E. Salem, OR 97310

Dear Jake:

Re: WRD 69654, Windhurst Road Water Corporation, Bill Creek, 34.79 cfs. ODFW letter of recommendation of September 2 1988.

Please correct a minimum flow recommendation error in subject letter.


Thank you.

Sincerely,

Gregory P. Robart Staff Biologist

Aquatic Habitats Division

gpr





Department of Fish and Wildlife

SEP 21 1588

506 SW MILL STREET, P.O. BOX 59, PORTLAND, OREGON 97207

WATER RESOURCES DEPT. SALEM, OREGON

September 2, 1988

Jake Szramek Water Resources Department 3850 Portland Road N.E. Salem, OR 97310

Dear Jake:

Re: WRD 69654, Windhurst Road Water Corporation, Bill Creek, 34.79 cfs.

Bill Creek is a tributary to Bear Creek and the Coquille River near Bandon. The stream is important spawning and rearing habitat for coho, winter steelhead and searun and resident cutthroat trout. Current Salmon Trout Enhancement Program (STEP) projects on Bill Creek are enhancing fish migration, spawning and rearing habitat. The Oregon Department of Fish and Wildlife working with volunteer citizens has devoted considerable time and effort to enhance Bill Creek fish habitat.

Bill Creek has flows adequate to satisfy this appropriation only during the moderate to high flow periods during the winter months. The requested appropriation could adversely effect anadromous fish migration spawning, migration and rearing.

The ODFW believes issuance of this water right for the amount requested would be detrimental to the public interest in maintaining wild fish population habitat. Accordingly, ODFW recommends withholding issuance of this water right subject to maintaining the following minimum instream flows (cubic feet per second) at the point of diversion.

Jan	Feb	Mar	Apr	May	Jun	Aug	Sep	0ct 4/35	Nov	Dec
25	25	25	25	25	15	4	4	4/35	35	35

Jake Szramek September 2, 1988 Page 2

Unless the appropriation can be made subject to these restrictions, a substantial unresolved public interest issue is raised and this application should be referred for a contested case hearing under ORS 537.170 and 537.180.

Please advise us of your decision and thank you for the opportunity to comment.

Sincerely,

Gregory P. Robart Staff Biologist Aquatic Habitat Division

gpr

NE	295	1 W			s v		T		s	F		35	CTION _		
W SW SE		v sw s	SE N	IE I	Branch Co.	200	SE	NE			SE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER	
ACREAGE IN	OT OR LEG	IF OTHER				0 40	OVER	HHEN.	T PLAT	r.		Nomber	NOMBER	NUMBER	
			70		F. Pi							69654		-	
		++	37	R I								R-69708			
			+	+			-		-						
		++	+	+	-										
			+	1											
		1													
	20				11			*	-	20	n	#/ si	-	1	*
WNSHIP_		S. RAN	NGE	_	14		W, I	м.		E	-	, si	ECTION_	4	
LOT LOT LOT		Z LOT L	LOT	от			LOT	LOT		LOT	LOT				
NW SW SE	NE NI	w sw	SE I	NE	NW	sw	SE	NE	NW	sw		NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER	
HE LOT	3908 38	TIVISION AS	SHOWN	ON G0	VERNA	ENT PL	AT IF O	THER T	HAN 40	ACRES		1 1	74 12 2-		00 +
		1		×	4			-	4-		74	14782	10728	11113	Conflict
				Res	,		Res			Res		5017	R-21.9'	1-	NCR-NO+ Buil
				X'			7		-			11902	3011	NER	Extention to 16/11
		1	-	×		0					1	10000	12000	1270-	Conflict Confli
			4									18237	151.52	13/43	conflict
			-		2		-0				-	20090	12020	CAUPELIE	Carque
			+						1			30253	23842	TORNOLLUZO	Land Eur Long
			-			02	08	-	-	0		31234	24615	35720	-190
,	-			-			1,-		-	10		42825	33000	36503	Lang Hom Ronn
		<u></u>	-			44			<u></u>	Irrig	-	55207	41461		Sham thomas
						There	TEEFA		-	100		59907	42/21		- Con Nam Ila
				- 9	T.S.F.	OF FIR	TCGEN 078	_			-	64733	47504		SLWR CON
c = Tempero	1.00	dont	1		025	785	la-	FOR P	LAT OF	SECT	ion) p	68371 Ha Flood H			
															. 45.
WNSHIP.	295	R	RANG	SE -		14	W.	W.	м.		CA	no#25	ECTION _	4_	= 4.35
NE		NW				w			_	E	1				26
NW SW SE		1			NW						SE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER	
ACREAGE IN	LOT OR LE	IF OTHE	R THAN	N 40	SHOW	N ON	COVE	RNME	T PLA	1					
					125	烈	FIRE					69654			- Swindland
					110	22	DE THE	£.4. 52				69654			/.
											-				
											-			-	
		-									-			-	- Ķ
				- 0											
			+					ASSESSED NO.							
						9									=# -#
	1		-			7	-								
														1	
															- - - - -

	OWN	ISHI	P	29	5 F	RANG	GE_	14	W	w.	M.			*		SECTI	ON_S	5			
	N				N				SI				S	E					2		
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE						
Lot1	LOT Z		TOT	LOT3	LOT4	SUBD	IVISION	40.00	0 W W 0			,				APPLICA- TION NUMBER	PERMIT NUMBER	CERTIFI- CATE NUMBER			
3842	3825			3807	3790		1		01111		THINK E.	PLA									
												3×				18237	13898	13795	- Confliction		
04	~ /	-20							2			2				20090	15653	20828	Corpus		
10	375	V	35													20179	15722	26279 PARTELIN	Conflictigh		
3=	3 =	2=	4-	Frest			Frest									20783	16263	PARACTELLA			
- 10				5 =		3.	38									43000	32295	48119			
4	一大学	2ª T.L.	TE 30 13									5 B					32295	10117) wirdhorst		
12	03	F. H.	132									10				69654			-		
													•								
				L			(51	E BAC	COF CA	RD FO	RPLAT	OF SEC	TION)								

	OWN	ISHII	2	9			E /	4			1.					SECTI	ON	9					
-	INW	VE.				W				W				E									
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	APPLICA- TION NUMBER	PERMIT NUMBER	CERTIFI- CATE NUMBER					
			тот	AL ACRE	AGE IN	SUBDI	VISION	A5 SH	WH O	GOVE	RNMEN	PLAT											
				51			0-									23022	18143	23007	1	0- 1	ing w	K	
		53														35031	27437	36624	Cost	1	11		
	08			63			14									41401	30926	36502	ngroles		V		
				28												42825	32008	36503					
				57			0-									4/401	30926	36502	. 1	L			
30		22														16863	35039	39525	Confl	ieter	g WR		
				10												59907	45731		- Hot rola	1 6			
	the state of			Harries Temp			Harre Timp							Harver!		59907	45731	2	and provide			1	
												4º			222		The second second second second	2		· 1	hurl	(6)	
30	和	73														65471 5488U- 69654			- W	H	hurst		
2.5	Paris d	73														69654		-	- '	1			
									OFCA														


SECTION 32 TOWNSHIP 295 , RANGE 14 W. W. M. NW. NE S W SE APPLICATION NUMBER CERTIFICATE NUMBER NE NW SW SE NE NW SW SE NE NW SW SE NE NW SW SE CARCELLER 10038 CARCELLER 1.5 4.9 3.1 17668 21653 17807 CANCELLED 23631 18645 21685 110 34672 27232 34673 27233 = 42775 31857 28 48118 45 64533 5077. 69654 47286 69654

? Ponds OK
? NE NE
SE NE SIEt
WR Conflict
-? Wardhost

	N	E				W				w				S E APPLICATION		APPLICATION NUMBER	APPLICATION	APPLICATION	APPLICATION PERMIT	CATION PERMIT CE	CERTIFICATE NUMBER	PNCK R63700
E	NW		SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE		1	0.17				
	3.5			2.5												14396	10424	11236	6.0			
	12-			30												20779	16260	21431	7 × 3/2			
									5.5i							21552	16898	21890	- OK porpor			
Î								28								42775	31857	48118				
									Carl Carl							58677	44582		2			
E gr	1000							550	37							58677 59654			windhard 9.3			
				-		10.0								-	-				- (3.1			
-				-				-	-	4	-											
			-	-		-	-															
		-		-									-		-							
	1	-	-	-	-	-	-	-	-				-									

WATER AVAILABILITY-SURFACE WATER APPLICATIONS

Name of Applicant Windhurst Road Water Corp. Application	Number 69654 847 80000
Is there a gaging station at or nearby the point of application that gives a record of water supply?	liversion for this
Yes No	
If yes, how long is the record? years, from 19 thr	ough 19
Does the record include any extremely low flows years?	
Yes No	
If yes, list low flow years.	
2. Have any miscellaneous measurements been made diversion?	at or near the point of
Yes No	
If yes, list measured flows and dates.	
3. Has the stream or basin that is the source for this regulated for prior rights or minimum streamflows:	application ever been
Yes No	
If yes, explain by giving dates and rights involved.	
4. Do you observe this stream system in your routine,	regular field work?
Yes No	
If yes, list number of years of observation.	
5. Based on routine observation, do you think there wavailable in the quantity and at time needed to sup do you think use may be made without harming verights?	oply this application and
Yes No	J.P. Drolet/AT WM BIST XIX
f yes, what would you recommend for conditions for this permit.	WM BIST XIX 08-15-88



Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE

378-3066

August 9, 1988

Windhurst Road Water Corporation PO Box 503 Bandon, OR 97411

REFERENCE: File 69654

We received the application you submitted on June 30, 1988, describing the proposed use of 34.79 cubic feet per second of water from Bill Creek for irrigation and cranberry irrigation, temperature control and harvesting. The supporting data and fees were also received. Our Receipt 55561 was handed to Wayne Sherer. The application has been filed, assigned number 69654 and will be reviewed in detail as time permits.

Applications which are received in proper form with required maps, supporting data and fees, can be considered for approval by issuance of a permit after the 30-day waiting period. Applications which are defective, conflict with existing rights or require additional information will, if necessary, be returned for correction and/or completion. Due to the present backlog of applications and other matters needing attention we have been unable to process applications as rapidly as would be liked. If you feel that a delay in the processing of the application will cause a hardship, please advise.

You will be required to hire a Certified Water Right Examiner to survey the extent of use of water perfected under the terms of a permit that may be issued approving your application. Within one year of application of water to beneficial use or the date to make complete application of water allowed in the permit, you will be required to submit a map of the survey prepared by the Certified Water Right Examiner.

If your application is approved, the project described in the application will be subject to the Water Resources Commission's Basin Program statements, existing minimum flows and demands of prior rights during periods of low water.

Sincerely,

WAYNE J. OVERCASH Water Rights Specialist Application/Permit Section

WJO:lcj

RECEIVED

NAME	T R S 1/4,1/4	IRRIG		ACREAGE UPPL. Q	TEN NEW	IPERATURE Q	CONTROL SUPPL.	9	FLO NEW	OD HARVE	ST SUPPL.	Q	TOTAL ACREAGE	IRRIGATION NEW	: CFS	JUN 3 0 1988
SCHERER, W. R.	29S 14W 5 SE/NE	0.00 0.	.00	(0.30) 0.01	0.30	0.05	0.00	0.00	0.30	0.02	0.00	0.00	0.30			WATER RESOURCES DEPT.
	-NE/SE	1.00 0.		(5.00 0.13	6.00	0.90	0.00	0.00	6.00	0.30	0.00	0.00	6.00	7.764	0.04	SALEM, OREGON
	4 -NW/SW	11.00 0.	.28	6.00 0.15	17.00	2.55	0.00	0.00	17.00	0.85	0.00	0.00	17.00	1.00	0.01	
	SUB TOTAL:	12.00 0	.30	11.30 0.28	23.30	3.49	0,00	0.00	23.30	1.17	0.00	0.00	23.30			
SCHERER, C. G.	29S 14W 5 -NW/NE	0.30 0.	.01	(0.10) 0.00	0.40	0.06	0.00	0.00	0.40	0.02	0.00	0.00	0.40			RECEIVED
	-NE/NE	1.00 0		(0.40) 0.01	1.40	0.21	0.00	0.00	1.40	0.07	0.00	0.00	1.40			DA C. S. C. B. A A.
	∠SW/NE	0.00 0		2.00 0.05	2.00	0.30	0.00	0.00	2.00	0.10	0.00	0.00	2.00	1.00	0.01	JUN - 1 1994
	SE/NE	13,00 0	.33	3.60 0.09	16.60	2.49	0.00	0.00	16.60	0.83	0.00	0.00	16.60			
	SUB TOTAL	14.30 0	.36	6.10 0.15	20.40	3.06	0.00	0.00	20.40	1.02	0.00	0.00	20.40			SALEM, OREGON
HAGA, R. O.	295 14W 3 NW/SW	3.00 0	.08	0.00 0.00	3,00	0.45	0.00	0.00	3.00	0.15	0.00	0.00	3.00			
	4 -NW/SW	0.00 0		0.25 0.01	0.00	0.00	0.25	0.04	0.00	0.00	0.25	0.01	0.25			
	-SW/SW	2.00 0		(13.10) 0.33	2.00	0.30	13.10	1.96	2.00	0.10	13.10	0.66	15.10	1.00	0.01	
	>SE/S₩	0.20 0		0.80 0.02	0.20	0.03	0.80	0.12	0.20	0.01	0.80	0.04	1.00			
	⊳NE/SE	5,00 0		0.00 0.00	5.00	0.75	0.00	0.00	5.00	0.25	0.00	0.00	5.00			
	SUB TOTAL:	10.20 0	.26	14.15 0.35	10.20	1.53	14.15	2.12	10.20	0.51	14.15	0.71	24.35		Appli	cation No. 69654
RICHERT, D. F.	295 14W 9 - NW/NE	5.00 0	12	(0.00) 0.00	5.00	0.75	0.00	0.00	5.00	0.25	0.00	0,00	5.00		Ď	7. NT
Alberta, D. F.	NE/NE	2.50 0		(3.00) 0.08	5.50	0.83	0.00	0.00	5.50	0.28	0.00	0.00	5.50		rer	mit No.
	SW/NE	2.50 0		(7.30) 0.18	9.80	1.47	0.00	0.00	9.80	0.49	0.00	0.00	9.80	1.00	0.01	
	y on the	2100		(10)	7.00					1.0000000		05.6.6.	7 (D. 1947)		175557	
	SUB TOTAL:	10.00 0	.25	10.30 0.26	20.30	3.05	0.00	0.00	20.30	1.02	0.00	0.00	20.30			
MEYER, L. E.	28S 14W 33 Y NW/SW	0.00 0	.00	13.00 0.33	0.00	0.00	13.00	1.95	0.00	0.00	13.00	0.65	13.00			
	₩E/SW	0.00 0	.00	5.00 0.13	0.00	0.00	5.00	0.75	0.00	0.00	5.00	0.25	5.00			
	SUB TOTAL:	0.00 0	.00	18.00 0.45	0.00	0.00	18.00	2.70	0.00	0.00	18.00	0.90	18.00			
WANTENE D. I	AND THE PERMET	4A AA A	ne	2 20 0 02	10.00	1 50	2 00	0.40	10.00	A 50	2.80	0.14	12.80	1.00	0.01	
MANICKE, B. L.	28S 14W 32 NE/NE	10.00 0.		2.80 0.07	10.00	1.50	2.80	0.42	10.00	0.50	2.20	0.14	22.20	1.00	0.01	
	GE/NE	20.00 0	. 30	E.EV V.V0	CV. VV	3,00	E,EV	0.33	20.00	1.00	L.LV	0.11	EC.LU			
	SUB TOTAL:	30.00 0.	.75	5.00 0.13	30.00	4.50	5.00	0.75	30.00	1.50	5.00	0.25	35.00			
	*	*********	*****	***********	***CRANB	ERRY WATE	R USES TOT	ALS***	{ } ? ? } } } } 	*******	********	*******	*******	REGULA TOTALS	AR IRRIGATION	
TOTAL ACREAGE AND	Q FOR SYSTEM:	76.50 1	.91	64.85 1.62	104.20	15.63	37.15	5.57	104.20	5,21	37.15	1.86	141.35		0.05	
		-			501 4555	ar.	188 92			20.000 - 00-	* *****		10/ 50			
	NBERRY IRR.: 76.50			MPERATURE CONT		IbE:	104.20		TOTAL FLOO	D HARVES	ACREAGE:		104.20			
TOTAL PRIMARY CFS	: 1.91	101	IAL PR	IMARY T. C. C	r5:		15.63		TOTAL PRIM	ARY F.H.	CF5:		45.00		/	ed Water Right Eva
TOTAL SUPPL. CRAN	BERRY IRR.: 64.85	TOT	TAL SHE	PPL. T. C. ACR	EAGE:		37.15		TOTAL SUPP	FH	ACREAGE:		37.15		Certif	#054 WRE
TOTAL SUPPL. CRAN				PPI. T. C. CF			5.57		TOTAL SUFF				1.86		1	Maria Valence

TOTAL CFS (BY POLICY): 71.64 cfs APPLICATION:
The application quantity is less because we will not exceed 10 cfs at any
given time for flood harvesting water.

1.62

TOTAL SUPPL. CFS:


TOTAL SUPPL. T. C. CFS:

34.79 cfs, being 10 cfs for flood harvest, 21.20 cfs for temperature control, 3.53 cfs for cranberry irrigation, and 0.05 cfs for irrigation.

1.86

TOTAL SUPPL. F.H. CFS:

5.57



Desse Mr. Overcasu. AUG 22 1988

WE HAVE RECIEVED SHOWEREGON OF AUXUST 9, AND VISURED BRIEFLY WITH JOHN DROLET IN COQUILLE. IT APPEARS THAT OUR 30 DAY WAITING PERIOD HAS PASSED WITHOUT ANY CHALLENGES, SO WE ARE GOING AHEAD WITH THE PURCHASE OF THE PROPERTY INJOURED, AND EXPECT TO CLOSE THE TEANS ACTION ON OR ABOUT AUGUST 31.

IF YOU LEARN OF, DE PORESEE ANY PROBLEMS WITH THIS WATER RIGHT WE WOULD REALLY APPRECIATE BONG COUTACTED BEFORE WE FINALIZE THIS PURCHASE.

THANK YOU FOR YOUR TIME AND ASSISTANCE -

SWEERLY -Wagne R. Schener 347-3062

STATE OF OREGON

WATER RESOURCES DEPARTMENT

Mill Creek Office Park . 555 13th, Street N.E. Salem, Oregon 97310 CHECK CASH EXAMINATION FEES: RECORDING FEES Surface Water Ground Water \$ Transfer \$ MISCELLANEOUS FEES: Copying Certification Misc. Recording Protest Extension of time ADJUDICATION FEE POWER LICENSE FEE HYDROELECTRIC LICENSE FEE . \$_ EXAM FEE S WATER WELL CONSTRUCTOR License Fee LANDOWNER'S WATER WELL PERMIT FEE ALL OTHER: _ QUADRANGLE ACCOUNT RECEIPT NO.

INTERNATIONAL BUSINESS FORMS - EUGENE, OREGON 97401

Sheck 2047 NO Cash_
Surface Application
Reservoir Application 2047
Crownd Water Application
Transfer Application
Power Claim
Copying
Assignment
Extension of Time
Other
Quadrangle
Basin
Protest
Constructors Examination
Constructors License
Adjudication

Applicati	on # <u>S - 69654</u> Permit # <u>S - 53703</u>							
Public Notice Route Slip New Application Extension of Time per Division 315 Rules (Extensions received on July 1, 2001 or after)								
♦ WRIC♦ Exte	Money Receipted on: 9-22-14 nsion Specialist							
	is receipted and app is added to spreadsheet, route to Holmes Publish on Public Notice (initial 30-day comment): Date of notice 10 7 14							
X	Update WRIS Database							
Ø	In the "PNotice Date" field Enter the date the Extension Application was published on the Public Notice.							
⋉ In	the "Ext Filed" field Enter the date the Extension Application was received.							
♥ Yes or □	No: Return file to Extension Specialist after PN							

	STATE OF OREGON			
	WATER RESOURCES DEPARTM	ENT		
EPT#	1 1 2 1 0 2 725 Summer St. N.E. Ste. A			
LIFE	113493 SALEM, OR 97301-4172 (503) 986-0900 / (503) 986-0904 (fax)	INVOICE#		
	49 . /	D-69 100	/	
EIVED FR		APPLICATION S-69654		
	Water Control District	PERMIT		
H:	CHECK:# OTHER: (IDENTIFY)	TRANSFER		400
1	H 1291 -	TOTAL REC'D \$ //50.00		
	*	1112.00		
1083	TREASURY 4170 WRD MISC CASH AC	CT		,
0407	COPIES	S		
	OTHER: (IDENTIFY)	S		
0243 1/5	Lease 0244 Muni Water Mgmt, Plan 0245	Cons. Water		
	4270 WRD OPERATING AC			
	MISCELLANEOUS 4(-11)			
0407		\$575 \$		
0410	RESEARCH FEES 5-6965	\$575 s 4 \$ 575 s		
0408	MISC REVENUE: (IDENTIFY)	S		
TC162	DEPOSIT LIAB. (IDENTIFY)	S		
0240	EXTENSION OF TIME 201575.00	\$ 1150.00		
	WATER RIGHTS: EXAM FEE	RECORD FEE		
0201	SURFACE WATER . S	0202 5		
0203	GROUND WATER S	0204 \$		
0205	TRANSFER			
	WELL CONSTRUCTION EXAM FEE	LICENSE FEE		
0218	WELL DRILL CONSTRUCTOR S	0219 \$		
	LANDOWNER'S PERMIT	0220 \$		
	OTHER (IDENTIFY)			
0536	TREASURY 0437 WELL CONST. START	FEED		
0211	WELL CONST START FEE S MONITORING WELLS S	CARD#		
0210		CARD		
	OTHER (IDENTIFY)			
0607		LIC NUMBER		
0233	POWER LICENSE FEE (FW/WRD)	\$		
0231	HYDRO LICENSE FEE (FW/WRD)	\$		
	HYDRO APPLICATION	\$		
	TREASURY OTHER / RDX			
FUND	TITLE			
	DE VENDOR #			
	PTION	\$		
DESCRIP				

4-18-97 rei see R-69708 Application No. 69654 Parmit No

6-30-88	Termit No.
Name Windhurst Road Water Corp	oration
Address PO Box 503, Bandon, OR 9	7411
Assigned	
Address	
Beginning construction	
Completion of construction	
Extended to	
Complete application of water	
Extended to	