

**CLAIM OF
BENEFICIAL USE
for Transfer with Multiple
Changes – Surface Water and
Groundwater**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$345 must accompany this form for transfers where the application was
submitted on July 9, 1987, or later.

Enter the date the transfer application was submitted:

07/03/2023

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 7" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

**SECTION 1
GENERAL INFORMATION
Type of Authorized Change**

This Claim is being submitted for a transfer involving multiple changes.

YES

Mark all that apply:

- | | |
|--|--|
| 1. <input checked="" type="checkbox"/> Change in POD(s) or Additional POD(s) | 4. <input type="checkbox"/> Change in Character of Use |
| 2. <input type="checkbox"/> Change in POA(s) or Additional POA(s) | 5. <input type="checkbox"/> Change in Character of Use – Reservoir |
| 3. <input checked="" type="checkbox"/> Change in Place of Use | |

A separate section will be completed for each type of change authorized in the transfer final order.

1. File Information

APPLICATION #
T-14274

Received
SEP 19 2025

OWRD

WR

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME City of Brookings; Attn: Anthony Baron		PHONE NO. 541-469-1159	ADDITIONAL CONTACT NO.
ADDRESS 898 Elk Drive			
CITY Brookings	STATE OR	ZIP 97415	E-MAIL abaron@brookings.or.us

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. ***Each transfer holder of record must sign this form.***

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD City of Brookings; Attn: Anthony Baron		
ADDRESS 898 Elk Drive		
CITY Brookings	CITY Brookings	ZIP 97415

4. Date of Site Inspection:

07/10/2025

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Anthony Baron	07/10/2025	Public Works Director

6. County:

Curry

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed


SECTION 2
SIGNATURES

Received
SEP 19 2025
OWRD

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.

Seal and Signature




CWRE NAME Theodore Ressler		PHONE NO. 503-967-7050	ADDITIONAL CONTACT NO.
ADDRESS 4784 SE 17th Ave, Suite 111			
CITY Portland	STATE OR	ZIP 97202	E-MAIL tressler@summitwr.com

Transfer Holder(s) of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Anthony Baron	Public Works Director	8-18-25

Received
SEP 19 2025
OWRD

SECTION 3

Changes Made

Note: The Claim only needs to describe the changes that were authorized in the transfer final order.

Change #1

New or Additional Point of Diversion

Change in POD(s) or Additional POD(s)

Did the transfer order authorize a change in the points of diversion or additional points of diversion?

YES

If "NO", this Section can be deleted.

1. New or additional point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)	SOURCE
POA 1	Chetco River, tributary to Pacific Ocean

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final?

NO

If yes, describe below.

(e.g. "The order allowed three new/additional points of diversion. The water user only developed one of the points.")

N/A

3. Claim Summary:

NEW OR ADDITIONAL POD NAME OR #	MAXIMUM RATE AUTHORIZED IN ORDER	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
POA 1	1.0 cfs	1.27 cfs	1.02 cfs

System Description

Are there multiple new or additional Points of Diversion (POD)?

NO

If "YES" you will need to copy and complete Sections A, B, or C in this Section for each POD.

POD Name or Number this section describes (only needed if there is more than one):

N/A

Received

SEP 19 2025

OWRD

A. POD System Information

Provide the following information concerning the point of diversion. Information provided must describe the equipment used to appropriate water from the point of diversion.

1. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Wolf	8LM8V	--	Submersible	6-inch	6-inch

2. Motor Information

MANUFACTURER	HORSEPOWER
SME	60

3. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
60	120 psi ^A	27.45 ft ^B	1 ^C	1.27

Notes

^A Operating pressure measured on discharge mainline adjacent to the well.

^B Depth to water measured during pumping.

^C One foot of vertical lift from finished floor of well house to the pressure measurement; additional pumping lift downstream of pressure measurement is a component of the measured operational pressure.

4. Provide pump calculations:

$$Q_{\text{pump}} = \frac{(\text{Hp})(\text{conversion factor})}{(\text{lift} + \text{pressure}) \text{ total head in feet}} = \text{cfs}$$

Conversion factor:

$$\text{Centrifugal Pumps, 75\% eff. } \frac{(550 \text{ ft lb/sec/Hp})(.75)}{(62.4 \text{ lb/cu ft})} = 6.61 \text{ ft}^4/\text{sec/Hp}$$

$$Q_{\text{pump}} = \frac{(60)(7.04)}{(28.45 + 120 \times 2.54)} = 1.27 \text{ cfs (570 gpm)}$$

Note: minor frictional losses upstream of the pressure gauge (pump column, etc.) accounted for by the 2.54 ft H₂O/psi conversion factor (versus 2.31 ft H₂O/psi).

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
13,272,721 gallons	13,277,299 gallons	10 minutes	1.02 cfs

Reminder: For pump calculations use the reference information at the end of this document.

Received
SEP 19 2025

OWRD WR

B. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the diversion involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

C. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Does the diversion involve a gravity flow ditch or canal?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

D. Additional notes or comments related to the system:

Groundwater is appropriated from the well using a submersible pump. The appropriated groundwater is conveyed by a 6-inch mainline to a pond (system bulge), from which water is subsequently withdrawn by pump for use by the City.

Change #2

Change in POA(s) or Additional POA(s)

Did the transfer order authorize a change in the points of appropriation or additional points of appropriation?

NO

If "NO", this Section can be deleted.

Change #3

Change in Place of Use

Did the transfer order authorize a change in the place of use?

YES

If "NO", this Section can be deleted.

1. Claim Summary – Authorized Use:

If Irrigation or Nursery Use: **N/A**

THE # OF ACRES ALLOWED	THE # OF ACRES DEVELOPED

If the new use(s) was not irrigation or nursery:

NEW USE(S)	WAS THE NEW PLACE OF USE DEVELOPED TO THE FULL EXTENT AUTHORIZED UNDER THE ORDER? (INCLUDE THE LOCATION OF THE DEVELOPED PLACE USE ON THE CLAIM MAP)
Municipal Uses	YES

Received
SEP 19 2025
OWRD

2. Variations:

Was the use developed differently from what was authorized by the transfer final order?

NO

If yes, describe below.

(e.g. "The order authorized a change in place of use for 40 acres. The water user only developed 38 acres.")

N/A

Change #4

Change in Character of Use

Did the transfer order authorize a change in character of use?

NO

If "NO", this Section can be deleted.

Change #5

Change in Character of Use – Reservoir

Did the transfer order authorize a change in character of use for a reservoir?

NO

If "NO", this Section can be deleted.

Received
SEP 19 2025
OWRD

SECTION 4 CONDITIONS

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE AUTHORIZED CHANGES WERE COMPLETED *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	12/4/2024	
COMPLETENESS DATE FROM ORDER (C)	10/1/2031	07/10/2025 (Date of documented beneficial use of water)

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)?

NO

If "NO", you may delete the following table.

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device?

YES

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of appropriation.

b. Has a meter been installed?

YES

c. Meter Information

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POA 1	Seametrics	12200955	Working	13,270,875 gallons (7/10/2025 9:45 am)	2018

If a meter has been installed, items d through f relating to this section may be deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

NO

Reporting conditions are not specified in Transfer T-14274, or former Certificate 83682, but City of Brookings does report water use to the Department per ORS.537.099.

If "NO", item b relating to this section may be deleted.

Received

SEP 19 2025

OWRD

5. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? **NO**

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to

6. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **NO**

If "NO", items b and c relating to this section may be deleted.

7. Other conditions required by the transfer final order or extension final order:

a. Were there special well construction standards? **NO**

b. Was submittal of a ground water monitoring plan required? **NO**

c. Other conditions? **NO**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

--

SECTION 5 ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Attachment 1	Water Right Information
Attachment 2	Claim of Beneficial Use Map



Received
SEP 19 2025
OWRD

SECTION 6

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

The changes that were authorized under the transfer final order must be mapped based on the developed locations; new or additional points of appropriation and place of use.

In cases where the order involved additional points of appropriation, the additional points should be mapped based on their developed locations. The original points of appropriation should be mapped based on the original right of record at the time the transfer final order was issued.

In cases where the order involved changing the place of use for a portion of a water right, the portion of the place of use being changed should be mapped based on the developed location. If the transfer also included portions of the place of use that were not being modified, but were receiving a new or additional point of appropriation, the place of use for those lands should be mapped based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The new point of appropriation added by Transfer T-14274 and visible system components were visited during the site inspection. The location of the point of appropriation was obtained from a field survey completed during the site inspection. The map was created using Geographic Information System (GIS) software and spatial datasets obtained from Bureau of Land Management (BLM), Oregon Geospatial Enterprise Office (OGEO), ESRI, Oregon Water Resources Department (OWRD), United States Geological Survey (USGS), and Curry County. Additional data and information specific to the property appurtenant to the water right and the use water of under the water right described in this Claim of Beneficial Use report were obtained from the water user.

Received
SEP 19 2025
OWRD

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- ☒ Map on polyester film
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- N/A If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- N/A Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- ☒ Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- ☒ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers
- ☒ Quarter-Quarters illustrated and named (NE NE, NW NE, etc.)
- ☒ Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number
- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature

Received
SEP 19 2025
OWRD

Received
SEP 19 2025
OWRD

Attachment 1
Water Right Information

Received
SEP 19 2025
OWRD

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Transfer Application)	FINAL ORDER APPROVING A CHANGE
T-14274, Curry County)	FROM A SURFACE WATER POINT OF
)	DIVERSION TO A GROUNDWATER POINT
)	OF APPROPRIATION AND A CHANGE IN
)	PLACE OF USE

Authority

Oregon Revised Statutes (ORS) 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of diversion, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF BROOKINGS
ATTN: ANTHONY BARON
898 ELK DR
BROOKINGS, OR 97415

Findings of Fact

1. On July 3, 2023, CITY OF BROOKINGS, ATTN: ANTHONY BARON, filed an application for a change in point of diversion and change in place of use under Certificate 83682. The Department assigned the application number T-14274
2. Notice of the application for transfer was published on July 18, 2023, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. The application indicates that a temporary transfer T-13452 was previously approved by the Department. The applicant has been using the proposed additional point of diversion (POD 2) since August 2020.
4. The application also indicates the POD 2 is a "caisson system with an open bottom... designed for withdrawal of surface water from the Chetco River in a similar fashion to the Ranney Collector at the City's existing authorized surface water point of diversion."

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

5. On September 28, 2023, the Department conducted a site inspection of POD 2 and determined that the caisson system draws groundwater, in a similar fashion as a shallow well. The Department recognizes that groundwater is being drawn from POD 2 per ORS.537.515 (5). As such, the Department has determined that the proper transfer changes to be filed is a surface water to groundwater transfer for 1.0 cfs from Certificate 83682.
6. On November 21, 2023, the applicant's agent was notified that the place of use identified in Table 2 under Certificate 83682, did not match the proposed "to" lands on the transfer application map.
7. On November 22, 2023, the applicant's agent submitted a revised transfer application Table 2 under Certificate 83682.
8. On January 4, 2024, the applicant's agent submitted additional information describing the caisson system.
9. On February 12, 2024, The Department confirmed that the caisson system appropriates groundwater, not surface water.
10. On February 26, 2024, The Department issued a Draft Preliminary Determination proposing to deny the application because the application required a surface water to groundwater change.
11. On May 6, 2024, the agent for the applicant submitted revised pages for a surface water point of diversion (POD) to groundwater point of appropriation (POA) change and to change the place of use under Certificate 83682.
12. On May 6, 2024, the applicant's agent provided the Department with a revised transfer application and map illustrating a change from surface water to groundwater, the required additional fees, and a geologist report for the change in POD to POA.
13. On August 29, 2024, the Department sent a copy of the revised draft Preliminary Determination proposing to approve Transfer Application T-14274 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of September 28, 2024, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

Received
SEP 19 2025
OWRD

14. On October 3, 2024, the Department issued a Preliminary Determination proposing to approve Transfer Application T-14274 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published in the Department's weekly notice on October 9, 2024, and in the Curry Coastal Pilot newspaper on October 9, 2024, and October 16, 2024, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notices.
15. The portion of the right to be transferred is as follows:

Certificate: 83682 in the name of CITY OF BROOKINGS (perfected under Permit S-27610)

Use: MUNICIPAL USES

Priority Date: SEPTEMBER 14, 1961

Rate: 1.0 CUBIC FOOT PER SECOND

Source: CHETCO RIVER, a tributary of the PACIFIC OCEAN

Authorized Point of Diversion:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 S	13 W	WM	35	NE NW	POD 1 - 1290 FEET SOUTH AND 2415 FEET EAST FROM THE NW CORNER OF SECTION 35

Authorized Place of Use:

MUNICIPAL USES				
Twp	Rng	Mer	Sec	Q-Q
41 S	13 W	WM	5	NE NE
41 S	13 W	WM	5	NW NE
41 S	13 W	WM	5	SW NE
41 S	13 W	WM	5	SE NE
41 S	13 W	WM	5	NE NW
41 S	13 W	WM	5	NW NW
41 S	13 W	WM	5	SW NW
41 S	13 W	WM	5	SE NW
41 S	13 W	WM	5	NE SW
41 S	13 W	WM	5	NW SW
41 S	13 W	WM	5	SW SW
41 S	13 W	WM	5	SE SW
41 S	13 W	WM	5	NE SE
41 S	13 W	WM	5	NW SE
41 S	13 W	WM	5	SW SE
41 S	13 W	WM	5	SE SE
41 S	13 W	WM	6	NE NE
41 S	13 W	WM	6	NW NE
41 S	13 W	WM	6	SW NE
41 S	13 W	WM	6	SE NE
41 S	13 W	WM	6	NE NW
41 S	13 W	WM	6	NW NW
41 S	13 W	WM	6	SW NW
41 S	13 W	WM	6	SE NW
41 S	13 W	WM	6	NE SW

Received
SEP 19 2025
OWRD

MUNICIPAL USES				
Twp	Rng	Mer	Sec	Q-Q
41 S	13 W	WM	6	NW SW
41 S	13 W	WM	6	SW SW
41 S	13 W	WM	6	SE SW
41 S	13 W	WM	6	NE SE
41 S	13 W	WM	6	NW SE
41 S	13 W	WM	6	SW SE
41 S	13 W	WM	6	SE SE
41 S	13 W	WM	7	NE NE
41 S	13 W	WM	7	NW NE
41 S	13 W	WM	7	SW NE
41 S	13 W	WM	7	NE NW
41 S	13 W	WM	7	SE NW
41 S	13 W	WM	8	NE NE
41 S	13 W	WM	8	NW NE
41 S	13 W	WM	8	SW NE
41 S	13 W	WM	8	SE NE
41 S	13 W	WM	8	NE NW
41 S	13 W	WM	8	NW NW
41 S	13 W	WM	8	NE SE
41 S	13 W	WM	8	SE SE

16. Transfer Application T-14274 proposes to move the point of diversion to a hydraulically connected point of appropriation approximately 2100 feet downstream to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 S	13 W	WM	35	NW SW	POA 1 - 2570 FEET NORTH AND 1380 FEET WEST FROM THE SOUTH 1/4 CORNER OF SECTION 35

17. Transfer Application T-14274 also proposes to change the place of use of the right to:

MUNICIPAL USES				
Twp	Rng	Mer	Sec	Q-Q
40 S	13 W	WM	35	SW SW
40 S	13 W	WM	35	SE SW
41 S	13 W	WM	2	NW NE
41 S	13 W	WM	2	SW NE
41 S	13 W	WM	2	SE NE
41 S	13 W	WM	2	NE NW
41 S	13 W	WM	2	NW NW
41 S	13 W	WM	2	SE NW
41 S	13 W	WM	2	NE SW
41 S	13 W	WM	2	SE SW
41 S	13 W	WM	2	NE SE
41 S	13 W	WM	2	NW SE
41 S	13 W	WM	2	SW SE
41 S	13 W	WM	2	SE SE
41 S	13 W	WM	11	NE NE
41 S	13 W	WM	11	NW NE

Received
SEP 19 2025
OWRD

Transfer Review Criteria [OAR 690-380-0100(14), 690-380-4010(2), 690-380-2200 and 690-380-2110(2)]

18. Water has been used within the last five years according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
19. A water delivery system sufficient to use the full amount of water allowed under the existing right was present within the five-year period prior to submittal of Transfer Application T-14274.
20. Transfer Application T-14274 proposes to change the point of diversion from surface water to a hydraulically connected well approximately 2100 feet downstream. Because the proposed point of diversion is more than 1000 feet from the authorized point of diversion, ORS 540.531 requires the applicant to provide evidence from a licensed geologist indicating that the new point of diversion meets the requirements of ORS 540.531(2)(a(A)) to (a(C)):
 - (A). The new point of diversion appropriates ground water from an aquifer that is hydraulically connected to the authorized surface water source;
 - (B). The proposed change in point of diversion will not result in enlargement of the original water right or in injury to other water right holders;
 - (C). The use of the new point of diversion will affect the surface water source similarly to the authorized point of diversion specified in the water use subject to transfer.
21. A Department staff member and licensed geologist, reviewed the data and concluded that the proposed point of appropriation, a well, which is located approximately 250 feet from Chetco River, meets the criteria set forth in ORS 540.531(2)(a(A)) to (a(C)).
22. The water right is subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
23. The proposed changes, as conditioned, would not result in enlargement of the right.
24. The proposed changes, as conditioned, would not result in injury to other water rights.
25. All other application requirements are met.

Conclusions of Law:

The change of a surface water point of diversion to a groundwater point of appropriation and change in place of use proposed in Transfer Application T-14274 are consistent with the requirements of ORS 540.505 to 540.580 and OAR 690-380-5000.

Received

SEP 19 2025

OWRD 3

Now, therefore, it is ORDERED:

1. The change of a surface water point of diversion to a groundwater point of appropriation and change in place of use proposed in Transfer Application T-14274 are approved.
2. The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 83682 and any related decree.
3. Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation or the new place of use.
4. Water right Certificate 83682 is cancelled. A new certificate will be issued describing that portion of the right not affected by this transfer.
5. The quantity of water diverted at the new point of appropriation (POA 1), together with that diverted at the original point of diversion (POD 1) shall not exceed the quantity of water lawfully available at the original point of diversion (POD 1).
6. Water shall be acquired from the same source of surface water as the original point of diversion.
7. The former place of use of the transferred right shall no longer receive water under the right.
8. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of diversion (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
9. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2031**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.


Received

SEP 19 2025

OWRD

10. After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on **DEC 4 - 2024**


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

Mailing Date: **DEC 5 - 2024**

Received
SEP 19 2025

OWRD

Received
SEP 19 2025
OWRD

Attachment 2
Claim of Beneficial Use Map


Received

SEP 19 2025

Township 40 South, Range 14 West

https://www.blm.gov/or/landrecords/landsurvey/gPlatView1_2.php?path=POR&name=t40s14w_001.jpg&tr=040-0S013-0W

OWRD



Township 41 South, Range 14 West

https://www.blm.gov/or/landrecords/landsurvey/gPlatView1_2.php?path=POR&name=t41s13w_002.jpg&tr=041-0S013-0W

