
TOWNSHIP 36 S, RANGE 32 ³/₄ E, W. M.

R59597

~~R 8472~~

North

32

RECEIVED

JUN 23 1980

WATER RESOURCES DEPT
SALEM, OREGON

APPLICATION No.
PERMIT No.

COUNTY OF

RECEIVED

PROOF OF APPROPRIATION OF WATER

JAN 19 1986

WATER RESOURCES DEPT
SALEM, OREGON



This is to show evidence that

UNITED STATES BUREAU OF LAND MANAGEMENT acting by and through its Burns Districtoffice of 74 S. Alvord Burns OR 97720 has
Address City State Zipperfected a right to the use of waters within the terms of Application L-59597, Permit R-8472,

Minimal

1. Sources of water supply Spring Seep & Runoff
2. Use Livestock & Wildlife
3. Priority date 12-21-79
4. Amount stored 1.85 Ac. Ft.
5. Location SW 1/4, SW 1/4, Section 32, T. 36S, R. 323/4 W.M.
6. Does application map show correct location of reservoir? yes
If not, please redraft location.

AFFIDAVIT OF APPROPRIATOR

STATE OF OREGON)
County of Horn) ss.I, 75/ JOSHUA L. WARBURTON, being first duly sworn, depose and say that I have read the above and foregoing proof of appropriation of water; that I know the contents thereof, and that facts therein stated are true.IN WITNESS WHEREOF, I have hereunto set my hand this 8 day of January,
1986.Subscribed and sworn to before me this 8 day of January, 1986.
Notary Public for OregonMy commission expires 7-9-88

STRUCTURAL DETAILS

7. If not in channel of a stream, state how it is filled Spring Seeps


8. The maximum height is 17 feet above stream bed or ground surface at the center-line. The top width is 12 feet, slope of upstream face 3:1, slope of downstream face 2:1, and height of dam above water line when full 6 feet.

9. The dam is (check one) ☒ earthfill, ☐ concrete, ☐ flashboard, ☒ other. If "other," give description: A sidehill Dugout (Pit Type - Horseshoe Shaped on side of hill)

10. Give the location, description, and dimensions of the outlet conduit: None

(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time.)

11. Give the location and dimensions of the spillway Around (State whether over or around dam)



The bottom width of the spillway, B, is 18 feet.

The top width of the spillway, T, is 36 feet.

The distance between the crest of the dam and the crest of the spillway, D, is 6' but ground level feet. (Must be at least 2 1/2 feet)

If any other type of spillway, describe and give dimensions:

Not a Constructed Spillway. Natural Flow around end.

Abstract of Permit

This is to certify that I have examined APPLICATION R-59597 and do hereby grant the same SUBJECT TO EXISTING RIGHTS AND THE FOLLOWING LIMITATIONS AND CONDITIONS:

This permit is issued to Bureau of Land Management of 74 South Alvord, Burns, Oregon 97720, phone 573-2071, for the construction of the Eleven Horse Reservoir (09-0726), and storage of water from an unnamed stream for stock use.

The dam will be LOCATED in the: ^{SW}SE 1/4 SW 1/4 of Section 32, Township 36 South, Range 32 3/4 East, WM, in the County of Harney.

The maximum height will be 10.0 feet above the stream bed or ground surface at the centerline. The top width will be 10.0 feet, slope of upstream face 3:1, slope of downstream face 4.0, and height of dam above water line when full 4.0 feet.

The area submerged by the reservoir, when full, will be 0.25 acre, and the maximum depth of water will be 10.0 feet.

The location and dimensions of the spillway are: Around end of dam. The bottom width will be 15.0 feet. The top width will be 20.0 feet. The distance between the crest of the dam and the crest of the spillway will be 4.0 feet.

The location and dimension of the outlet or bypass, and control works are: None.

The structure is in the channel.

The dam will be earthfill construction.

The right hereunder shall be limited to the storage of 1.0 acre-foot, and is subject to the installation and maintenance of an outlet pipe, or to provide other means to evacuate the stored water when determined by the Water Resources Director to be necessary to satisfy prior downstream rights.

The PRIORITY DATE of this permit is December 21, 1979.

Actual construction work shall begin on or before September 9, 1983 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1984.

WITNESS my hand this 9th day of September, 1982.

WATER RESOURCES DIRECTOR

Oregon State Water Filings

SW SW

TOWNSHIP 36 S, RANGE 32 ³/₄ E, W. M.

R 59597

North

R 8172

32



RECEIVED

JUN 23 1980

WATER RESOURCES DEPT
SALEM, OREGON

APPLICATION No.

PERMIT No.

Field's Basin

OK *[Signature]*
7/10/86

R 59597
R 8472
HARRY CO

Eleven Horse Reservoir # 726

Fields Basin

S. Steens 6002 - 726

Alvord Lake


T. 36 S., R. 32 $\frac{3}{4}$ E., Sec. 32, SW SW

Job Market OZ-R-336

Loc. error

A Horseshoe Scoopout on Hillside

17' Hi Embankment



Probably spring s-p *[Signature]*

11/13/93 Getty²

[Signature]
7/8/96

COUNTY OF

RECEIVED

PROOF OF APPROPRIATION OF WATER

JAN 1986



WATER RESOURCES DEPT
SEASIDE, OREGON

This is to show evidence that

UNITED STATES BUREAU OF LAND MANAGEMENT acting by and through its Burns Districtoffice of 74 S. Alvord Burns OR 97720 has
Address City State Zipperfected a right to the use of waters within the terms of Application L-59597, Permit R-8472,
Minimal

1. Sources of water supply Spring Seep & Runoff
2. Use Livestock & Wildlife
3. Priority date 12-21-79
4. Amount stored 1.85 Ac. Ft.
5. Location SW 1/4, SW 1/4, Section 32, T. 36S, R. 32 3/4 W.M.
6. Does application map show correct location of reservoir? yes
If not, please redraft location.

AFFIDAVIT OF APPROPRIATOR

STATE OF OREGON)
County of Horn) ss.I, 75/ JOSHUA L. WARBURTON, being first duly sworn, depose and say that I have read the above and foregoing proof of appropriation of water; that I know the contents thereof, and that facts therein stated are true.IN WITNESS WHEREOF, I have hereunto set my hand this 8 day of January,
1986.Subscribed and sworn to before me this 8 day of January, 1986.
Notary Public for OregonMy commission expires 7-9-88

2355-B

Application No. R-59597

Permit No.

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for a Permit to Construct a Reservoir

RECEIVED
JUN 23 1980
WATER RESOURCES DEPT
SALEM, OREGON

I, Bureau of Land Management
(Name of Applicant)
of 74 S. Alvord, Burns
(Mailing Address) (City)

State of Oregon, 97720, Phone No. 503-573-2071
(Zip Code)

do hereby make application for a permit to construct the Eleven Horse 09-0726 reservoir
and to store the unappropriated waters of the State of Oregon, subject to existing rights.

1. The name of the stream from which the reservoir is to be filled is Unnamed
tributary to Skull Cr.

2. If not in channel of a stream, state how it is to be filled.
.....
.....

3. The dam will be located in the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 32,
Township 36 S, Range 32 $\frac{3}{4}$ E, W. M.

4. The maximum height will be 10 feet above stream bed or ground surface at the
centerline. The top width will be 10 feet, slope of upstream face 3:1,
slope of downstream face 2:1, and height of dam above water line when full
4 feet.

5. The dam will be (check one) ☒ earthfill, ☐ concrete, ☐ flashboard, ☐ other.
If "other", give description:.....
.....
.....

6. Give the location, description, and dimensions of the outlet conduit: N/A

(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

Application No. R-59597


Permit No.

7. The impounded water will be used for Livestock

8. The amount of water to be stored is 1 acre feet.

9. The area submerged by the reservoir, when full, will be 2.5 acres,
and the maximum depth of water will be 10 feet.

10. Give the location and dimensions of the spillway Around and
(State whether over or around dam)



The bottom width of the spillway, B, will be 15 feet.

The top width of the spillway, T, will be 20 feet.

The distance between the crest of the dam and the crest of the spillway, D, will be 4 feet.
(Must be at least 2 1/2 feet)

If any other type of spillway describe and give dimensions:

11. Construction work will begin on or before 1960

12. Construction work will be completed and the reservoir filled by 1960

Remarks: Existing Reservoir

Permit No.....

Application No. R-59597

Permit No.

**Permit to Construct a Reservoir
and Store for Beneficial Use the Public Waters
of the State of Oregon**

This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions. The right herein granted is limited to the construction of

.....
.....
.....
.....
.....
.....
.....

The right hereunder shall be limited to the storage of acre feet.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....

WITNESS my hand this day of, 19.....

.....
Water Resources Director

*Eleven
Horse
Reservoir
(09-0725)
4 storage
of water
from an
unimpaired
stream
for stock*

*10 af.
Dec 21, 1979*

RHY S

Application No. R-59597

Permit No. Superseded

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for a Permit to Construct a Reservoir

RECEIVED

DEC 21 1979

WATER RESOURCES DEPT.
SALEM, OREGON

I, BUREAU OF LAND MANAGEMENT
(Name of Applicant)
of 74 S. ALVORD
(Mailing Address) BURNS
(City)
State of OREGON 97720, Phone No. 503-573-2071
(Zip Code)

do hereby make application for a permit to construct the ELEVEN HORSE 09-0726 reservoir
and to store the unappropriated waters of the State of Oregon, subject to existing rights.

1. The name of the stream from which the reservoir is to be filled is Unnamed

tributary to Skull Creek

2. If not in channel of a stream, state how it is to be filled.

3. The dam will be located in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 5,
Township 37 S, Range 32 $\frac{3}{4}$ E, W. M.

4. The maximum height will be 10 feet above stream bed or ground surface at the
centerline. The top width will be 10 feet, slope of upstream face 3:1,
slope of downstream face 2:1, and height of dam above water line when full
4 feet.

5. The dam will be (check one) ☒ earthfill, ☐ concrete, ☐ flashboard, ☐ other.

If "other", give description:

6. Give the location, description, and dimensions of the outlet conduit: N/A

(All dams across natural stream channels must be provided with an outlet conduit, of such capacity and location to pass the normal flow of the stream at any time)

Application No. R-59597

Permit No.

7. The impounded water will be used for... LIVESTOCK


8. The amount of water to be stored is..... 1 acre feet.

9. The area submerged by the reservoir, when full, will be..... .25 acres,

and the maximum depth of water will be 10 feet.

10. Give the location and dimensions of the spillway AROUND

(State whether over or around dam)



The bottom width of the spillway, B, will be 15 feet.

The top width of the spillway, T, will be 20 feet.

The distance between the crest of the dam and the crest of the spillway, D, will be 4 feet.
(Must be at least 2 1/4 feet)

If any other type of spillway describe and give dimensions:

11. Construction work will begin on or before... 1960

12. Construction work will be completed and the reservoir filled by... 1960

Remarks: EXISTING RESERVOIR

STATE OF OREGON
WATER RESOURCES DEPT.

DEC 1 1960

RECEIVED

Form AI-187
March 1961

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SECTION

5

Oregon State Water Filings

NE 1/4 NW 1/4

TOWNSHIP 37S, RANGE 32 3/4 E, W. M.

4" = 1 MILE

↑
North

ELEVEN HORSE RES. 09-0726

RECEIVED

DEC 21 1979

WATER RESOURCES DEPT.
SALEM, OREGON

Application No. R-59597
Permit No.

Superseded

5

RECEIVED

JUN 23 1980

WATER RESOURCES DEPT
SALEM, OREGON

South

L. C. [Signature]
Signature of Applicant
District Manager

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before.....April 24....., 19...80.....

WITNESS my hand this22nd..... day ofFebruary....., 19...80.....

.....James E. Sexson..... Water Resources Director

By*[Signature]*.....
WAYNE J. OVERCASH

RECEIVED
JUN 23 1980
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
21ST day of DECEMBER, 19 79, at 8:00 o'clock A.M.

Application No. R-59597

Permit No.

Application No. R-59597

Permit No.

*Superseded
June 23, 1980*

**Permit to Construct a Reservoir
and Store for Beneficial Use the Public Waters
of the State of Oregon**

This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions. The right herein granted is limited to the construction of

.....
.....
.....
.....
.....
.....

The right hereunder shall be limited to the storage of acre feet.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....

WITNESS my hand this day of, 19.....

.....
Water Resources Director

October 4, 1982

Bureau of Land Management
74 South Alvord
Burns, OR 97720

R-59597

R-8472



Water Resources Department

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-3066
1-800-452-7813
(message line)

June 15, 1982

Bureau of Land Management
74 South Alvord
Burns, OR 97720

Attention: L. Christian Vosler,
District Manager

Gentlemen:

Reference: File R-59568, R-59569, R-59570, R-59572, R-59597,
R-59649 and R-59650


We have been holding action on the above referenced files since receipt of your letter of June 19, 1980 advising that additional work was required on four of the applications. A copy of your letter of June, 19, 1980 is enclosed.

Will you please advise us of your intentions regarding the applications R-59568, R-59569, R-59570 and R-59572. If you should have any questions, you may call on the above toll-free message line, leave your name, telephone number, file numbers and request that I return your call.

Sincerely,

Wayne J. Overcash
Senior Water Rights Examiner

WJO:slm



Water Resources Department

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-3066

June 2, 1980

Bureau of Land Management
74 South Alvord
Burns, Oregon, 97720

Gentlemen;

Your applications numbered R-59568, R-59569, R-59570, R-59572, R-59597, R-59649, and R-59650 which were returned to you have not been received. They were endorsed so that in order to retain their priority date, they must have been received in this office on or before April 24, 1980.

Your applications have lost their priority, but may be reinstated with new priority dates when they are again received.

Sincerely,

Wayne J. Overcash
Water Rights Engineer

WJO/jw

QUAD SHEET
(FIELDS BASIN)

SHOWS THIS RES.

w/ in SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32
T. 36 S R 32 $\frac{3}{4}$ E

ANOTHER RES. W/RITE
(A=P35679, P=R-4035)
IN LOCATION SHOWN
HERE