

SURFACE WATER REGISTRATION CHECKLIST

(received after July 18, 1990)

CHECK BASIN MAP DUP NAME Vmpava # 16 UNADJUDICATED AREA ? ex DUP
RECEIPT # 95760 S W R NUMBER 439
CHECK ENCLOSURES DUP PRELIMINARY DATA BASE ENTRY DUP
ACKNOWLEDGEMENT LETTER DUP ENTER ON STREAM INDEX _____
CHECK QUADRANGLE MAP _____ CHECK GLO PLATS _____
WATERMASTER CHECKLIST _____ PUBLIC NOTICE PUBLICATION LCSP

FORM REVIEW

_____ blanks filled in
_____ signed
_____ date received stamped

MAP REVIEW

source and trib
 diversion point location
_____ conveyances (pipes, ditch, etc.)
 place of use
 scale
 township, range, section
 north arrow
 CWRE stamp
 disclaimer
 date survey was performed
 P.O.B. of survey
 dimensions and capacity of diversion system
 "beneficial use" type title
 "permanent-quality" paper
 hom sent

WATER RIGHT RECORD CHECK _____ FIELD INSPECTION _____
FINAL FILE REVIEW _____ FINAL DATA BASE ENTRY _____
ENTER ON PLAT CARDS _____

May 28, 1993

WATER
RESOURCES
DEPARTMENT

JOSEPH ASH
412 N HIGHLAND
LOS ANGELES CA 90036

RE : SWR-439

Dear Mr Ash,

This will acknowledge the receipt of the Claim of Beneficial Use and Site Report prepared by Duane Kirby to support your claim to a pre-1909 vested water right. This will be added to your file and reviewed in the future. If you have any questions, please give me a call.

Sincerely,



Don Knauer
Adjudication Specialist

J:\WISIC\4\SWR-0439.003



3850 Portland Rd NE
Salem, OR 97310
(503) 378-3739
FAX 378-8130

May 28, 1993

JOSEPH ASH
412 N HIGHLAND
LOS ANGELES CA 90036

RE : SWR-439

Dear Mr Ash,

This will acknowledge the receipt of the map prepared by Duane Kirby to support your claim to a pre-1909 vested water right. The map will be added to your file and reviewed in the future. If you have any questions, please give me a call.

Sincerely,



Don Knauer
Adjudication Specialist

J:\W\SIC4\SWR-0439.002



April 5, 1993

JOSEPH ASH
412 NORTH HIGHLAND
LOS ANGELES CA 90036

Dear MR ASH,

This will acknowledge that your Surface Water Registration Statement in the name of JOSEPH ASH has been received by our office. The fees in the amount of \$30.00 have been received and our receipt #95760 is enclosed. Your registration statement has been numbered SWR-439.

You failed to submit a map prepared by a Certified Water Right Examiner (CWRE). ORS 539.240 (2) (d) requires the map be prepared by a CWRE. Within 60 days of this letter you must send a letter to this address indicating you have contracted with a CWRE to prepare your map. You should send your letter to my attention. In your letter you must identify the name of the CWRE who will prepare your registration statement map. We will contact the CWRE to arrange a map submittal deadline.

We will not be able to process you claim until we have received your map. If you have any questions regarding this process, please do not hesitate to give me a call.

Please feel free to contact this office if you have any questions.

Sincerely,



Dwight French
Adjudication Section

Enclosure

J:\WP51\SWR\CLAIMANT4\SWR-0439.001



COPIED By DuPont 4/5/93

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Raymond DuPont (Name of applicant)

of Postmaster (Mailing address), Days Creek (City)

State of Oregon, 97429 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River (Name of stream)

, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.11 cfs. cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 110 ft. N. and 1800 ft. W. from the E 1/4 corner of Section 29 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 29, Tp. 30S., (Give smallest legal subdivision) (N. or S.)

R. 3W., W. M., in the county of Douglas (E. or W.)

5. The pipeline to be 1200 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 SE 1/4 of Sec. 29, Tp. 30S., (Smallest legal subdivision) (N. or S.)

R. 3W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5.5 H.P. electric (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
30S.	3W.	29	SW $\frac{1}{4}$ NE $\frac{1}{4}$	0.6 ac.
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	8.0 ac.

(If more space required, attach separate sheet)

(a) Character of soil River loam

(b) Kind of crops raised organic farming

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city _____

(Name of) _____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....2,000.....

12. Construction work will begin on or before _____ Completed

13. Construction work will be completed on or before _____ Completed

14. The water will be completely applied to the proposed use on or before _____ Completed

Raymond Du Pont
(Signature of applicant)

Remarks: _____

This application supersedes No. 48479 which has been lost.

Legal description filed under Application No. 48479.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 5, 1972

Actual construction work shall begin on or before August 6, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976...

Complete application of the water to the proposed use shall be made on or before October 1, 1977...

WITNESS my hand this 6th day of August, 1974.

Chris L. Wheeler

STATE ENGINEER

Application No. 48479
Permit No. 37353

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of July, 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 6, 1974

Recorded in book No. 37353 of permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16, page 301

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **95760**

3850 PORTLAND ROAD NE
SALEM, OR 97310
378-8455/378-8130 (FAX)

RECEIVED FROM: Berg and Asher Tool Supply Co.
BY: _____

APPLICATION	
PERMIT	
TRANSFER	

CASH: CHECK: # 16-21 OTHER: (IDENTIFY)

TOTAL REC'D \$ 30.00

01-00-0 WRD MISC CASH ACCT

842.010	ADJUDICATIONS	\$ <u>30.00</u>
831.087	PUBLICATIONS/MAPS	\$
830.650	PARKING FEES Name/month	\$
_____	OTHER: (IDENTIFY)	\$

REDUCTION OF EXPENSE

CASH ACCT. \$ _____

COST CENTER AND OBJECT CLASS VOUCHER #

03-00-0 WRD OPERATING ACCT

MISCELLANEOUS:

840.001	COPY FEES	\$
850.200	RESEARCH FEES	\$
880.109	MISC REVENUE: (IDENTIFY)	\$
520.000	OTHER (P-6): (IDENTIFY)	\$

WATER RIGHTS:

842.001	SURFACE WATER	EXAM FEE	842.002	RECORD FEE
842.003	GROUND WATER	\$	842.004	\$
842.005	TRANSFER	\$	842.006	\$

WELL CONSTRUCTION

842.022	WELL DRILL CONSTRUCTOR	EXAM FEE	842.023	LICENSE FEE
842.016	WELL DRILL OPERATOR	\$	842.019	\$
	LANDOWNER'S PERMIT		842.024	\$

06-00-0 WELL CONST START FEE

842.013	WELL CONST START FEE	\$	CARD #	
	MONITORING WELLS	\$	CARD #	

45-00-0 LOTTERY PROCEEDS

864.000	LOTTERY PROCEEDS	\$
---------	------------------	----

07-00-0 HYDRO ACTIVITY

842.011	POWER LICENSE FEE(FW/WRD)	LIC NUMBER	\$
842.115	HYDRO LICENSE FEE(FW/WRD)		\$
_____	HYDRO APPLICATION		\$

RECEIPT # **95760**

DATED: 12/31/92

BY: J.S.

RE: SWR-439

page 1 of 4

CLAIM OF BENEFICIAL USE AND SITE REPORT

ATTN: DON KNAUER

RECEIVED

JUN 14 1993

WATER RESOURCES DEPT.
SALEM, OREGON

INFORMATION:

Joseph C. Ash
413 N Highland
Los Angeles California 90036
213 936 0872

SOURCE(S):

South Umpqua River

DIVERSION
POINTS:

50 feet North and 1750 feet west
from E 1/4 corner, section 29

MOTOR:

Brand, Berkeley

type, Electric

HP, 7.5

Max. RPM's 3400

PUMP:

Brand, Berkeley

type, Centrifugal

intake/discharge dia 4" / 4"

size of pulleys.

RECEIVED

JUN 14 1993

WATER RESOURCES DEPT.
SALEM, OREGON

The final proof survey and inspection of the use as found to be completed under the terms and conditions of Registration Statement was completed by me on 5-23-93, and the facts contained in this report and accompanying final proof map are correct to the best of my knowledge.



I, JOSEPH C. ASH agree to the findings of the CWRE and do submit this site report and map as my Claim of Beneficial Use of the water as provided under the terms and conditions of my Registration Statement

Joseph C. Ash

FINAL PROOF CALCULATIONS

For
Joseph C. AshGiven Data:

Duty of water = $1/80$ th cfs per acre
 Acres allowed as irrigated = 4.4
 operating pressure = ?
 pump — 7.5 HP
 suction lift = 8'
 Discharge lift = 7'
 sprinkler heads: 8 rainbird

RECEIVED

JUN 14 1993

WATER RESOURCES DEPT.
SALEM, OREGON

1. Assume 50 PSI

$$Q_{\text{pump}} = \frac{6.61 \times 7.5}{7 + 8 + 127.0} = 0.3491$$

$$2. Q_{\text{heads}} = \frac{8 \times 11.8}{449} = 0.2102$$

Since 4.4 Acres were found to have been Beneficially Irrigated, the maximum Q is: $\frac{4.4}{80} = 0.06$ cfs.

Since the system appears capable of delivering the full Duty amount the Q allowed on the water Right Certificate will be limited by $1/80$ per Acre in this case 0.06 cfs.

James W. Kuby

CERTIFICATE OF
WATER RIGHT

STATE OF OREGON

to

STATE OF OREGON,

County of _____

ss.

I CERTIFY, that the within was received
and duly recorded by me in Volume _____
of Record of Water Right Certificates, at
page _____ on the _____ day
of _____, 19____
STATE OF OREGON)
COUNTY OF DOUGLAS) ss.

I, DORIS L. WADSWORTH, COUNTY CLERK
AND RECORDER OF CONVEYANCES, IN AND FOR
SAID COUNTY, DO HEREBY CERTIFY THAT THE
WITHIN INSTRUMENT WAS RECORDED THIS DATE

1979 JAN 23 AM 8 38

BY _____

DOUGLAS COUNTY CLERK

DEPUTY

No. _____

FEE 2.00

DOUGLAS COUNTY OFFICIAL RECORDS

79-01237

COPIES OF
WATER RIGHTS
CERTIFICATE

WE HAVE ON

HAND. ~~_____~~

~~_____~~

~~_____~~

~~_____~~

Joseph ASIT

DEC 31 1992

WATER RESOURCES DEPT.
SALEM, OREGON

STATE OF OREGON

VOL 705 PAGE 184

COUNTY OF DOUGLAS

CERTIFICATE OF WATER RIGHT

This Is to Certify, That JOSEPH C. ASH

of 4000 Don Felipe Dr., Los Angeles, State of California 90008, has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of South Umpqua River

a tributary of Umpqua River for the purpose of irrigation of 4.4 acres

under Permit No. 37353 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from May 5, 1972

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.06 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the SW 1/4 NE 1/4, as projected within Stenger DLC 37, Section 29, T. 30 S., R. 3 W., W. M., 50 feet North and 1750 feet West from the E 1/2 Corner, Section 29

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-eightieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

4.4 acres NW 1/4 SE 1/4
As projected within Stenger DLC 37
Section 29
T. 30 S., R. 3 W., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place herein described and is subject to the existing minimum flow policies established by the Water Policy Review Board.

WITNESS the signature of the Water Resources Director, affixed this date. December 21, 1978

James C. Seaton
Water Resources Director

RECEIVED

DEC 31 1992

WATER RESOURCES DEPT. SALEM, OREGON

A 484791

RECEIVED

JUN 14 1993

**WATER RESOURCES DEPT.
SALEM, OREGON**

PIPE: 4" metal

HEADS: rainbird

USE(S): Irrigation

LIFT: 8' From river to pump
7' From pump to highest ground level

SURVEY TIE: Assessor T 30 S, R 3 W, sec. 29
And tie to property line.

SPECIAL
CONDITIONS:

REMARKS: