

**CLAIM OF
BENEFICIAL USE
for Transfer New or Additional
POA Only**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$345 must accompany this form for transfers where the application was submitted on July 9, 1987, or later.

Enter the date the transfer application was submitted:

**December 17, 2019; the
required fee is included.**

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

Received

NOV 10 2025

OWRD

**SECTION 1
GENERAL INFORMATION**

Type of Authorized Change

This Claim is being submitted for a transfer where the only authorized change was a change in point(s) of appropriation or additional point(s) of appropriation, or a combination of both. **YES NO**
If additional changes were authorized, you will need to select a different form.

1. File Information

APPLICATION #

T-13313

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME City of Salem, Attn: Jason Pulley		PHONE NO. 503-588-6398	ADDITIONAL CONTACT NO.
ADDRESS 555 Liberty Street SE, Room 325			
CITY Salem	STATE OR	ZIP 97301	E-MAIL jpulley@cityofsalem.net

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. ***Each transfer holder of record must sign this form.***

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD City of Salem, Attn: Jason Pulley		
ADDRESS 555 Liberty Street SE, Room 325		
CITY Salem	STATE OR	ZIP 97301

4. Date of Site Inspection:**5. Person(s) interviewed and description of their association with the project:**

NAME	DATE	ASSOCIATION WITH THE PROJECT
Jason Pulley	9/16/25	Utilities Planning Coordinator

6. County:**7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):**

OWNER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

Received
NOV 10 2025
OWRD

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Robyn Cook		PHONE NO. 971.200.8505	ADDITIONAL CONTACT NO.
ADDRESS 650 NE Holladay Street, Suite 900			
CITY Portland	STATE OR	ZIP 97232	E-MAIL rcook@gsiws.com

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Jason Pulley	Utility Planning Manager	10/30/2025

Received
NOV 10 2025
OWRD

SECTION 3
CLAIM DESCRIPTION

Note: The Claim only needs to describe the new or additional point(s) of appropriation. This Claim does not need to provide information for the original point(s) of appropriation unless the original point of appropriation is either a new or additional point of appropriation on another right involved in this transfer.

1. New or additional point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)	SOURCE (IF LISTED IN TRANSFER FINAL ORDER)
Collector Well 3	MARI 71038	L-134900	-

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

If well logs are available, items A and B below can be deleted. Items A and B were deleted. Well log for MARI 71038 is provided in Attachment B.

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final? YES NO

If yes, describe below.

(e.g. "The order allowed three new/additional points of appropriation. The water user only developed one of the points.")

The order allowed two additional points of appropriation. The City only developed one additional point of appropriation.

3. Claim Summary:

NEW OR ADDITIONAL POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
Collector Well 3	30.0 cfs	5.97 cfs	5.69 cfs

Received
NOV 10 2025
OWRD

SECTION 4

SYSTEM DESCRIPTION

Are there multiple new or additional Points of Appropriation (POA)?

YES NO

If "YES" you will need to copy and complete a separate Section 4.

POA Name or Number this section describes (only needed if there is more than one):

Collector Well 3

A. POA System Information

Provide the following information concerning the point of appropriation. Information provided must describe the equipment used to appropriate water from the point of appropriation.

1. Pump Information:*

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Morrison	VPM-14-14	3358-21-0507	Vertical Turbine	15 inch	15 inch
Morrison	VPM-14-14	3358-21-0508	Vertical Turbine	15 inch	15 inch
Morrison	VPM-14-14	3335-21-0509	Vertical Turbine	15 inch	15 inch

*Three pumps are installed at the well and operated in rotation.

2. Motor Information:

MANUFACTURER	HORSEPOWER
US	75 HP
US	75 HP
US	75 HP

* Three motors, one for each pump, are installed at the well and operated in rotation.

3. Theoretical Pump Capacity – Pump at Well: *

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO GROUND SURFACE (THE DEPTH TO WATER FROM THE GROUND SURFACE MEASURED AT THE WELL DURING PUMPING)	LIFT TO PLACE OF USE (THE LIFT FROM THE GROUND SURFACE AT THE WELL TO THE PLACE OF USE)	TOTAL PUMP OUTPUT (IN CFS)
75 HP	3.3 PSI	30 feet	50 feet	5.97 cfs
75 HP	3.3 PSI	30 feet	50 feet	5.97 cfs
75 HP	3.3 PSI	30 feet	50 feet	5.97 cfs

Reminder: For pump calculations use the reference information at the end of this document.

*Pump calculations are provided for each of the three pumps installed at the well. The pumps are operated in rotation.

Received

NOV 10 2025

OWRD

4. Provide pump calculations:

Pump calculations are provided in Attachment C.

5. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A - Meter reads instantaneous flow rates.			5.69 cfs

6. Theoretical Pump Capacity – Pump at Sump:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO GROUND SURFACE (THE LIFT FROM THE WATER SURFACE TO THE PUMP)	LIFT TO PLACE OF USE (THE LIFT FROM THE PUMP TO THE PLACE OF USE)	TOTAL PUMP OUTPUT (IN CFS)
N/A				

Reminder: For pump calculations use the reference information at the end of this document.

7. Provide pump calculations:

N/A

8. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A			

9. Additional notes or comments related to the system:

None.

B. Groundwater Source Information (Well and Sump)

1. Is the appropriation from a dug well (sump)?

YES NO

If "NO", items 2 through 6 relating to this section may be deleted. Items 2 through 4 were deleted.

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

Received

NOV 10 2025

OWRD

SECTION 5 CONDITIONS

OWRD

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE NEW AND/OR ADDITIONAL POA(S) WERE READY FOR USE *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	May 4, 2021	
COMPLETENESS DATE FROM ORDER (C)	October 1, 2030	April 20, 2023

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)?

YES NO

If "NO", you may delete the following table. *The table was deleted.*

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device?

YES NO

If "NO", items b through f relating to this section may be deleted. *Items b through f were deleted.*

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

YES NO

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted?

YES NO

If the reports have not been submitted, attach a copy of the reports if available.

5. Other conditions required by the transfer final order or extension final order:

a. Were there special well construction standards?

YES NO

b. Was submittal of a ground water monitoring plan required?

YES NO

c. Other conditions?

YES NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

5c. The quantity of water diverted at the new additional points of appropriation, (Collector Well 2 and Collector Well 3), together with that diverted at the original point of appropriation, (Collector Well 1), shall not exceed the quantity of water lawfully available at the original point of appropriation, (Collector Well 1).

The quantity of water diverted at the new additional point of appropriation together with that diverted at the original point of appropriation does not exceed the quantity of water lawfully available at the original point of appropriation.

5c. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.

Water is acquired from the same aquifer as the original point of appropriation.

SECTION 6

ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Attachment A	T-13313 Final Order
Attachment B	MARI 71038
Attachment C	Pump Calculations
Attachment D	Claim of Beneficial Use Map

Received

NOV 10 2025

OWRD

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for additional points of appropriation, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

Collector Well 3 was visited during the site inspection. The map was created using GIS software and spatial datasets obtained from Bureau of Land Management (BLM), Environmental Systems Research Institute (ESRI), Oregon Water Resources Department (OWRD), and United States Geological Survey (USGS). Additional data and information specific to the use of water under the water right described in this Claim of Beneficial Use report were obtained from the City.

Received
NOV 10 2025
OWRD

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- ☒ Map on polyester film
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- N/A If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- N/A Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- ☒ Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- N/A Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.) ***Not required for this type of Claim of Beneficial Use**
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers
- ☒ Quarter-Quarters illustrated and named (NE NE, NW NE, etc.)
- N/A Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number
- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature

Received
NOV 10 2025
OWRD

Received

NOV 10 2025

OWRD

Attachment A

T-13313 Final Order

Claim of Beneficial Use – City of Salem

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application	)	FINAL ORDER APPROVING
T-13313, Marion, Polk County	)	ADDITIONAL POINTS OF
	)	APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF SALEM,
ATTN: JASON PULLEY
555 LIBERTY ST. SE, ROOM 325
SALEM, OR 97301

Received
NOV 10 2025
OWRD

Findings of Fact

1. On December 17, 2019, CITY OF SALEM, ATTN: JASON PULLEY filed an application for additional points of appropriation under Certificate 91526. The Department assigned the application number T-13313.
2. On October 14, 2019, the Marion County Planning Department noted on the Land Use that a flood plan development permit is required for this transfer. At that time, this permit was being pursued. See Finding of Fact (FOF) No. 4.
3. Notice of the application for transfer was published on December 24, 2019, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
4. On November 4, 2020, the Department received Notice of Decision for a Floodplain Development Permit in writing, from the applicant's agent. The Permit is an approval document from Marion County fulfilling the requirement for a floodplain development permit as stated in the Land Use form included in the application. See FOF No. 2.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

5. On December 19, 2020, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-13313 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of January 21, 2021, for the applicant to respond.
6. On January 11, 2021 the agent for the applicant requested that the Department extend the completion date to October 1, 2030 and to proceed with issuance of a Preliminary Determination.
7. On March 17, 2021, the Department issued a Preliminary Determination proposing to approve Transfer T-13313 and mailed a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on March 23, 2021, and in the Statesman Journal newspaper on March 19 and 26, 2021 pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
8. The right to be transferred is as follows:

Certificate: 91526 in the name of CITY OF SALEM (perfected under Permit G-734)
Use: MUNICIPAL USE
Priority Date: JANUARY 2, 1958
Rate: 30.0 CUBIC FEET PER SECOND
Source: STAYTON ISLAND INFILTRATION SYSTEM

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
9 S	1 W	WM	13	NE NW	3	980 FEET SOUTH AND 1450 FEET EAST FROM THE NW CORNER OF SECTION 13

Authorized Place of Use:

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
6 S	2 W	WM	31	SW NW
6 S	2 W	WM	31	NE SW
6 S	2 W	WM	31	NW SW
6 S	2 W	WM	31	SW SW
6 S	2 W	WM	31	SE SW
6 S	2 W	WM	31	NE SE
6 S	2 W	WM	31	NW SE
6 S	2 W	WM	31	SW SE
6 S	2 W	WM	31	SE SE
6 S	2 W	WM	32	NE SW
6 S	2 W	WM	32	SW SW
6 S	2 W	WM	32	SE SW
6 S	2 W	WM	32	SW SE
6 S	3 W	WM	23	SW NE
6 S	3 W	WM	23	SE NE
6 S	3 W	WM	23	SE NW

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
6 S	3 W	WM	23	NE SW
6 S	3 W	WM	23	NW SW
6 S	3 W	WM	23	SW SW
6 S	3 W	WM	23	SE SW
6 S	3 W	WM	23	NE SE
6 S	3 W	WM	23	NW SE
6 S	3 W	WM	23	SW SE
6 S	3 W	WM	23	SE SE
6 S	3 W	WM	25	NW SW
6 S	3 W	WM	25	SW SW
6 S	3 W	WM	25	SE SW
6 S	3 W	WM	25	SW SE
6 S	3 W	WM	25	SE SE
6 S	3 W	WM	26	NE NE
6 S	3 W	WM	26	NW NE
6 S	3 W	WM	26	SW NE

Received

[illegible][illegible]

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
7 S	2 W	W/M	7	SE NE
7 S	2 W	W/M	7	NW NW
7 S	2 W	W/M	7	NW NW
7 S	2 W	W/M	7	SW NW
7 S	2 W	W/M	7	SE NW
7 S	2 W	W/M	7	NE SW
7 S	2 W	W/M	7	NW SW
7 S	2 W	W/M	7	SE SW
7 S	2 W	W/M	7	NW SE
7 S	2 W	W/M	7	SW SE
7 S	2 W	W/M	7	SE SE
7 S	2 W	W/M	8	NW NE
7 S	2 W	W/M	8	SW NE
7 S	2 W	W/M	8	NE NW
7 S	2 W	W/M	8	NW NW
7 S	2 W	W/M	8	SW NW
7 S	2 W	W/M	8	SE NW
7 S	2 W	W/M	8	NE SW
7 S	2 W	W/M	8	SW SW
7 S	2 W	W/M	8	SE SW
7 S	2 W	W/M	8	NW SE
7 S	2 W	W/M	8	SW SE
7 S	2 W	W/M	17	NW NE
7 S	2 W	W/M	17	SW NE
7 S	2 W	W/M	17	NE NW
7 S	2 W	W/M	17	NW NW
7 S	2 W	W/M	17	SW NW
7 S	2 W	W/M	17	SE NW
7 S	2 W	W/M	17	NE SW
7 S	2 W	W/M	17	NW SW
7 S	2 W	W/M	17	SW SW
7 S	2 W	W/M	17	SE SW
7 S	2 W	W/M	18	NE NE
7 S	2 W	W/M	18	NW NE
7 S	2 W	W/M	18	SW NE
7 S	2 W	W/M	18	SE NE
7 S	2 W	W/M	18	NE NW
7 S	2 W	W/M	18	NW NW
7 S	2 W	W/M	18	SW NW
7 S	2 W	W/M	18	SE NW
7 S	2 W	W/M	18	NE SW
7 S	2 W	W/M	18	NW SW
7 S	2 W	W/M	18	SW SW
7 S	2 W	W/M	18	SE SW
7 S	2 W	W/M	18	NE SE
7 S	2 W	W/M	18	NW SE
7 S	2 W	W/M	18	SW SE
7 S	2 W	W/M	18	SE SE

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
7 S	2 W	W/M	19	NE NE
7 S	2 W	W/M	19	NW NE
7 S	2 W	W/M	19	SW NE
7 S	2 W	W/M	19	SE NE
7 S	2 W	W/M	19	NE NW
7 S	2 W	W/M	19	NW NW
7 S	2 W	W/M	19	SW NW
7 S	2 W	W/M	19	SE NW
7 S	2 W	W/M	19	NE SW
7 S	2 W	W/M	19	SW SW
7 S	2 W	W/M	19	SE SW
7 S	2 W	W/M	19	NE SE
7 S	2 W	W/M	19	NW SE
7 S	2 W	W/M	19	SW SE
7 S	2 W	W/M	19	SE SE
7 S	2 W	W/M	20	NE NW
7 S	2 W	W/M	20	NW NW
7 S	2 W	W/M	20	SW NW
7 S	2 W	W/M	20	SE NW
7 S	2 W	W/M	20	NE SW
7 S	2 W	W/M	20	SW SW
7 S	2 W	W/M	20	SE SW
7 S	2 W	W/M	20	NE NW
7 S	2 W	W/M	29	NW NW
7 S	2 W	W/M	29	SW NW
7 S	2 W	W/M	29	SE NW
7 S	2 W	W/M	29	NE NW
7 S	2 W	W/M	29	SW NW
7 S	2 W	W/M	29	SE NW
7 S	2 W	W/M	29	NE SW
7 S	2 W	W/M	29	SW SW
7 S	2 W	W/M	29	SE SW
7 S	2 W	W/M	30	NE NE
7 S	2 W	W/M	30	NW NE
7 S	2 W	W/M	30	SW NE
7 S	2 W	W/M	30	SE NE
7 S	2 W	W/M	30	NE NW
7 S	2 W	W/M	30	NW NW
7 S	2 W	W/M	30	SW NW
7 S	2 W	W/M	30	SE NW
7 S	2 W	W/M	30	NE SW
7 S	2 W	W/M	30	SW SW
7 S	2 W	W/M	30	SE SW
7 S	2 W	W/M	30	NE SE
7 S	2 W	W/M	30	NW SE
7 S	2 W	W/M	30	SW SE
7 S	2 W	W/M	30	SE SE
7 S	2 W	W/M	31	NE NE
7 S	2 W	W/M	31	NW NE
7 S	2 W	W/M	31	SW NE

Received

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	9	SW SE
7 S	3 W	WM	10	NE NE
7 S	3 W	WM	10	NW NE
7 S	3 W	WM	10	SW NE
7 S	3 W	WM	10	SE NE
7 S	3 W	WM	10	NE SE
7 S	3 W	WM	10	NW SE
7 S	3 W	WM	10	SW SE
7 S	3 W	WM	10	SE SE
7 S	3 W	WM	11	NE NE
7 S	3 W	WM	11	NW NE
7 S	3 W	WM	11	SW NE
7 S	3 W	WM	11	SE NE
7 S	3 W	WM	11	NE NW
7 S	3 W	WM	11	NW NW
7 S	3 W	WM	11	SW NW
7 S	3 W	WM	11	SE NW
7 S	3 W	WM	11	NE SW
7 S	3 W	WM	11	NW SW
7 S	3 W	WM	11	SE SW
7 S	3 W	WM	11	NE SE
7 S	3 W	WM	11	NW SE
7 S	3 W	WM	11	SW SE
7 S	3 W	WM	11	SE SE
7 S	3 W	WM	11	NE NE
7 S	3 W	WM	12	NW NE
7 S	3 W	WM	12	SW NE
7 S	3 W	WM	12	SE NE
7 S	3 W	WM	12	NE NW
7 S	3 W	WM	12	NW NW
7 S	3 W	WM	12	SW NW
7 S	3 W	WM	12	SE NW
7 S	3 W	WM	12	NE SW
7 S	3 W	WM	12	NW SW
7 S	3 W	WM	12	SW SW
7 S	3 W	WM	12	SE SW
7 S	3 W	WM	12	NE SE
7 S	3 W	WM	12	NW SE
7 S	3 W	WM	12	SW SE
7 S	3 W	WM	12	SE SE
7 S	3 W	WM	13	NE NE
7 S	3 W	WM	13	NW NE
7 S	3 W	WM	13	SW NE
7 S	3 W	WM	13	SE NE
7 S	3 W	WM	13	NE NW
7 S	3 W	WM	13	NW NW
7 S	3 W	WM	13	SW NW
7 S	3 W	WM	13	SE NW
7 S	3 W	WM	13	NE SW
7 S	3 W	WM	13	NW SW

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	13	SW SW
7 S	3 W	WM	13	SE SW
7 S	3 W	WM	13	NE SE
7 S	3 W	WM	13	NW SE
7 S	3 W	WM	13	SW SE
7 S	3 W	WM	13	SE SE
7 S	3 W	WM	14	NE NE
7 S	3 W	WM	14	NW NE
7 S	3 W	WM	14	SW NE
7 S	3 W	WM	14	SE NE
7 S	3 W	WM	14	NE NW
7 S	3 W	WM	14	NW NW
7 S	3 W	WM	14	SW NW
7 S	3 W	WM	14	SE NW
7 S	3 W	WM	14	NE SW
7 S	3 W	WM	14	NW SW
7 S	3 W	WM	14	SW SW
7 S	3 W	WM	14	SE SW
7 S	3 W	WM	14	NE SE
7 S	3 W	WM	14	NW SE
7 S	3 W	WM	14	SW SE
7 S	3 W	WM	14	SE SE
7 S	3 W	WM	15	NE NE
7 S	3 W	WM	15	NW NE
7 S	3 W	WM	15	SW NE
7 S	3 W	WM	15	SE NE
7 S	3 W	WM	15	SW NW
7 S	3 W	WM	15	NE SW
7 S	3 W	WM	15	NW SW
7 S	3 W	WM	15	SW SW
7 S	3 W	WM	15	SE SW
7 S	3 W	WM	15	NE SE
7 S	3 W	WM	15	NW SE
7 S	3 W	WM	15	SW SE
7 S	3 W	WM	15	SE SE
7 S	3 W	WM	16	NW NE
7 S	3 W	WM	16	SW NE
7 S	3 W	WM	16	SE NE
7 S	3 W	WM	16	NE NW
7 S	3 W	WM	16	NW NW
7 S	3 W	WM	16	SW NW
7 S	3 W	WM	16	SE NW
7 S	3 W	WM	16	NE SW
7 S	3 W	WM	16	NW SW
7 S	3 W	WM	16	SW SW
7 S	3 W	WM	16	SE SW
7 S	3 W	WM	16	NE SE
7 S	3 W	WM	16	NW SE
7 S	3 W	WM	16	SW SE
7 S	3 W	WM	16	SE SE
7 S	3 W	WM	17	NE NE

Received

NOV 10 2025

OWRD

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	17	NW NE
7 S	3 W	WM	17	SW NE
7 S	3 W	WM	17	SE NE
7 S	3 W	WM	17	NE NW
7 S	3 W	WM	17	NW NW
7 S	3 W	WM	17	SW NW
7 S	3 W	WM	17	SE NW
7 S	3 W	WM	17	NE SW
7 S	3 W	WM	17	NW SW
7 S	3 W	WM	17	SW SW
7 S	3 W	WM	17	SE SW
7 S	3 W	WM	17	NE SE
7 S	3 W	WM	17	NW SE
7 S	3 W	WM	17	SW SE
7 S	3 W	WM	17	SE SE
7 S	3 W	WM	18	NW NE
7 S	3 W	WM	18	SW NE
7 S	3 W	WM	18	SE NE
7 S	3 W	WM	18	NE NW
7 S	3 W	WM	18	NW NW
7 S	3 W	WM	18	SW NW
7 S	3 W	WM	18	SE NW
7 S	3 W	WM	18	NE SW
7 S	3 W	WM	18	NW SW
7 S	3 W	WM	18	SW SW
7 S	3 W	WM	18	SE SW
7 S	3 W	WM	18	NE SE
7 S	3 W	WM	18	NW SE
7 S	3 W	WM	18	SW SE
7 S	3 W	WM	18	SE SE
7 S	3 W	WM	19	NE NE
7 S	3 W	WM	19	NW NE
7 S	3 W	WM	19	SW NE
7 S	3 W	WM	19	SE NE
7 S	3 W	WM	19	NE NW
7 S	3 W	WM	19	NW NW
7 S	3 W	WM	19	SW NW
7 S	3 W	WM	19	SE NW
7 S	3 W	WM	19	NE SW
7 S	3 W	WM	19	NW SW
7 S	3 W	WM	19	NE SE
7 S	3 W	WM	19	NW SE
7 S	3 W	WM	19	SE SE
7 S	3 W	WM	20	NE NE
7 S	3 W	WM	20	NW NE
7 S	3 W	WM	20	SW NE
7 S	3 W	WM	20	SE NE
7 S	3 W	WM	20	NE NW
7 S	3 W	WM	20	NW NW
7 S	3 W	WM	20	SW NW
7 S	3 W	WM	20	SE NW

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	20	NE SW
7 S	3 W	WM	20	NW SW
7 S	3 W	WM	20	SW SW
7 S	3 W	WM	20	SE SW
7 S	3 W	WM	20	NE SE
7 S	3 W	WM	20	NW SE
7 S	3 W	WM	20	SW SE
7 S	3 W	WM	20	SE SE
7 S	3 W	WM	21	NE NE
7 S	3 W	WM	21	NW NE
7 S	3 W	WM	21	SW NE
7 S	3 W	WM	21	SE NE
7 S	3 W	WM	21	NE NW
7 S	3 W	WM	21	NW NW
7 S	3 W	WM	21	SW NW
7 S	3 W	WM	21	SE NW
7 S	3 W	WM	21	NE SW
7 S	3 W	WM	21	NW SW
7 S	3 W	WM	21	SW SW
7 S	3 W	WM	21	SE SW
7 S	3 W	WM	21	NE SE
7 S	3 W	WM	21	NW SE
7 S	3 W	WM	21	SW SE
7 S	3 W	WM	21	SE SE
7 S	3 W	WM	22	NE NE
7 S	3 W	WM	22	NW NE
7 S	3 W	WM	22	SW NE
7 S	3 W	WM	22	SE NE
7 S	3 W	WM	22	NE NW
7 S	3 W	WM	22	NW NW
7 S	3 W	WM	22	SW NW
7 S	3 W	WM	22	SE NW
7 S	3 W	WM	22	NE SW
7 S	3 W	WM	22	NW SW
7 S	3 W	WM	22	SW SW
7 S	3 W	WM	22	SE SW
7 S	3 W	WM	22	NE SE
7 S	3 W	WM	22	NW SE
7 S	3 W	WM	22	SW SE
7 S	3 W	WM	22	SE SE
7 S	3 W	WM	23	NE NE
7 S	3 W	WM	23	NW NE
7 S	3 W	WM	23	SW NE
7 S	3 W	WM	23	SE NE
7 S	3 W	WM	23	NE NW
7 S	3 W	WM	23	NW NW
7 S	3 W	WM	23	SW NW
7 S	3 W	WM	23	SE NW
7 S	3 W	WM	23	NE SW
7 S	3 W	WM	23	NW SW
7 S	3 W	WM	23	SW SW

Received

NOV 10 2025

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	23	SE SW
7 S	3 W	WM	23	NE SE
7 S	3 W	WM	23	NW SE
7 S	3 W	WM	23	SW SE
7 S	3 W	WM	23	SE SE
7 S	3 W	WM	24	NE NE
7 S	3 W	WM	24	NW NE
7 S	3 W	WM	24	SW NE
7 S	3 W	WM	24	SE NE
7 S	3 W	WM	24	NE NW
7 S	3 W	WM	24	NW NW
7 S	3 W	WM	24	SW NW
7 S	3 W	WM	24	SE NW
7 S	3 W	WM	24	NE SW
7 S	3 W	WM	24	NW SW
7 S	3 W	WM	24	SW SW
7 S	3 W	WM	24	SE SW
7 S	3 W	WM	24	NE SE
7 S	3 W	WM	24	NW SE
7 S	3 W	WM	24	SW SE
7 S	3 W	WM	24	SE SE
7 S	3 W	WM	25	NE NE
7 S	3 W	WM	25	NW NE
7 S	3 W	WM	25	SW NE
7 S	3 W	WM	25	SE NE
7 S	3 W	WM	25	NE NW
7 S	3 W	WM	25	NW NW
7 S	3 W	WM	25	SW NW
7 S	3 W	WM	25	SE NW
7 S	3 W	WM	25	NE SW
7 S	3 W	WM	25	NW SW
7 S	3 W	WM	25	SW SW
7 S	3 W	WM	25	SE SW
7 S	3 W	WM	25	NE SE
7 S	3 W	WM	25	NW SE
7 S	3 W	WM	25	SW SE
7 S	3 W	WM	25	SE SE
7 S	3 W	WM	26	NE NE
7 S	3 W	WM	26	NW NE
7 S	3 W	WM	26	SW NE
7 S	3 W	WM	26	SE NE
7 S	3 W	WM	26	NE NW
7 S	3 W	WM	26	NW NW
7 S	3 W	WM	26	SW NW
7 S	3 W	WM	26	SE NW
7 S	3 W	WM	26	NE SW
7 S	3 W	WM	26	NW SW
7 S	3 W	WM	26	SW SW
7 S	3 W	WM	26	SE SW
7 S	3 W	WM	26	NE SE
7 S	3 W	WM	26	NW SE

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	26	SW SE
7 S	3 W	WM	26	SE SE
7 S	3 W	WM	27	NE NE
7 S	3 W	WM	27	NW NE
7 S	3 W	WM	27	SW NE
7 S	3 W	WM	27	SE NE
7 S	3 W	WM	27	NE NW
7 S	3 W	WM	27	NW NW
7 S	3 W	WM	27	SW NW
7 S	3 W	WM	27	SE NW
7 S	3 W	WM	27	NE SW
7 S	3 W	WM	27	NW SW
7 S	3 W	WM	27	SW SW
7 S	3 W	WM	27	SE SW
7 S	3 W	WM	27	NE SE
7 S	3 W	WM	27	NW SE
7 S	3 W	WM	27	SW SE
7 S	3 W	WM	27	SE SE
7 S	3 W	WM	28	NE NE
7 S	3 W	WM	28	NW NE
7 S	3 W	WM	28	SW NE
7 S	3 W	WM	28	SE NE
7 S	3 W	WM	28	NE NW
7 S	3 W	WM	28	NW NW
7 S	3 W	WM	28	SW NW
7 S	3 W	WM	28	SE NW
7 S	3 W	WM	28	NE SW
7 S	3 W	WM	28	NW SW
7 S	3 W	WM	28	SW SW
7 S	3 W	WM	28	SE SW
7 S	3 W	WM	28	NE SE
7 S	3 W	WM	28	NW SE
7 S	3 W	WM	28	SW SE
7 S	3 W	WM	28	SE SE
7 S	3 W	WM	29	NE NE
7 S	3 W	WM	29	NW NE
7 S	3 W	WM	29	SW NE
7 S	3 W	WM	29	SE NE
7 S	3 W	WM	29	NE NW
7 S	3 W	WM	29	NW NW
7 S	3 W	WM	29	SW NW
7 S	3 W	WM	29	SE NW
7 S	3 W	WM	29	NE SW
7 S	3 W	WM	29	NW SW
7 S	3 W	WM	29	SW SW
7 S	3 W	WM	29	SE SW
7 S	3 W	WM	29	NE SE
7 S	3 W	WM	30	NE NE
7 S	3 W	WM	31	SE NE
7 S	3 W	WM	31	NE SE
7 S	3 W	WM	32	NE NE
7 S	3 W	WM	32	NW NE
7 S	3 W	WM	32	SW NE

Received

NOV 10 2025

OWRD

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
8 S	2 W	WM	18	SE NE
8 S	2 W	WM	18	NE NW
8 S	2 W	WM	18	NW NW
8 S	2 W	WM	18	SW NW
8 S	2 W	WM	18	SE NW
8 S	2 W	WM	18	NE SW
8 S	2 W	WM	18	SE SW
8 S	2 W	WM	18	NE SE
8 S	2 W	WM	18	NW SE
8 S	2 W	WM	18	SW SE
8 S	2 W	WM	18	SE SE
8 S	2 W	WM	19	NE NE
8 S	2 W	WM	19	NW NE
8 S	2 W	WM	20	SW NE
8 S	2 W	WM	20	SE NE
8 S	2 W	WM	20	NE NW
8 S	2 W	WM	20	NW NW
8 S	2 W	WM	20	SE NW
8 S	2 W	WM	20	NE SW
8 S	2 W	WM	20	SE SW
8 S	2 W	WM	20	NE SE
8 S	2 W	WM	20	NW SE
8 S	2 W	WM	20	SW SE
8 S	2 W	WM	20	SE SE
8 S	2 W	WM	21	NW SW
8 S	2 W	WM	21	SW SW
8 S	2 W	WM	21	SE SW
8 S	2 W	WM	28	SW NW
8 S	2 W	WM	28	SE NW
8 S	2 W	WM	28	NE SW
8 S	2 W	WM	28	NW SW
8 S	2 W	WM	28	SW SW
8 S	2 W	WM	28	SE SW
8 S	2 W	WM	29	NE NE
8 S	2 W	WM	29	NW NE
8 S	2 W	WM	29	SW NE
8 S	2 W	WM	29	SE NE
8 S	2 W	WM	29	NE NW
8 S	2 W	WM	29	SE NW
8 S	2 W	WM	29	NE SW
8 S	2 W	WM	29	NE SE
8 S	2 W	WM	29	NW SE
8 S	2 W	WM	29	SW SE
8 S	2 W	WM	29	SE SE
8 S	2 W	WM	32	NE NE
8 S	2 W	WM	32	NW NE
8 S	2 W	WM	33	NE NW
8 S	2 W	WM	33	NW NW
8 S	3 W	WM	1	NE NE
8 S	3 W	WM	1	NW NE
8 S	3 W	WM	1	SW NE

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
8 S	3 W	WM	1	SE NE
8 S	3 W	WM	1	NE NW
8 S	3 W	WM	1	NW NW
8 S	3 W	WM	1	SW NW
8 S	3 W	WM	1	SE NW
8 S	3 W	WM	1	NE SW
8 S	3 W	WM	1	NW SW
8 S	3 W	WM	1	SW SW
8 S	3 W	WM	1	SE SW
8 S	3 W	WM	1	NE SE
8 S	3 W	WM	1	NW SE
8 S	3 W	WM	1	SW SE
8 S	3 W	WM	1	SE SE
8 S	3 W	WM	2	NE NE
8 S	3 W	WM	2	NW NE
8 S	3 W	WM	2	SW NE
8 S	3 W	WM	2	SE NE
8 S	3 W	WM	2	NE NW
8 S	3 W	WM	2	NW NW
8 S	3 W	WM	2	SW NW
8 S	3 W	WM	2	SE NW
8 S	3 W	WM	2	NE SW
8 S	3 W	WM	2	NW SW
8 S	3 W	WM	2	SW SW
8 S	3 W	WM	2	SE SW
8 S	3 W	WM	2	NE SE
8 S	3 W	WM	2	NW SE
8 S	3 W	WM	2	SW SE
8 S	3 W	WM	2	SE SE
8 S	3 W	WM	3	NE NE
8 S	3 W	WM	3	NW NE
8 S	3 W	WM	3	SW NE
8 S	3 W	WM	3	SE NE
8 S	3 W	WM	3	NE NW
8 S	3 W	WM	3	NW NW
8 S	3 W	WM	3	SW NW
8 S	3 W	WM	3	SE NW
8 S	3 W	WM	3	NE SW
8 S	3 W	WM	3	NW SW
8 S	3 W	WM	3	SW SW
8 S	3 W	WM	3	SE SW
8 S	3 W	WM	3	NE SE
8 S	3 W	WM	3	NW SE
8 S	3 W	WM	3	SW SE
8 S	3 W	WM	3	SE SE
8 S	3 W	WM	4	NE NE
8 S	3 W	WM	4	NW NE
8 S	3 W	WM	4	SW NE
8 S	3 W	WM	4	SE NE
8 S	3 W	WM	4	NE NW
8 S	3 W	WM	4	NW NW

Received

NOV 10 2025

OWRD

MUNICIPAL USE			
Twp	Rng	Mer	Q-Q
8 S	3 W	WM	4 SW NW
8 S	3 W	WM	4 SE NW
8 S	3 W	WM	4 NE SW
8 S	3 W	WM	4 NW SW
8 S	3 W	WM	4 SW SW
8 S	3 W	WM	4 SE SW
8 S	3 W	WM	4 NE SE
8 S	3 W	WM	4 NW SE
8 S	3 W	WM	4 SW SE
8 S	3 W	WM	4 SE SE
8 S	3 W	WM	5 NE NE
8 S	3 W	WM	5 NW NE
8 S	3 W	WM	5 SW NE
8 S	3 W	WM	5 SE NE
8 S	3 W	WM	5 NE NW
8 S	3 W	WM	5 NW NW
8 S	3 W	WM	5 SW NW
8 S	3 W	WM	5 SE NW
8 S	3 W	WM	5 NE SW
8 S	3 W	WM	5 NW SW
8 S	3 W	WM	5 SW SW
8 S	3 W	WM	5 SE SW
8 S	3 W	WM	5 NE SE
8 S	3 W	WM	5 NW SE
8 S	3 W	WM	5 SW SE
8 S	3 W	WM	5 SE SE
8 S	3 W	WM	6 SW NE
8 S	3 W	WM	6 SE NE
8 S	3 W	WM	6 SW NW
8 S	3 W	WM	6 SE NW
8 S	3 W	WM	6 NE SW
8 S	3 W	WM	6 NW SW
8 S	3 W	WM	6 SW SW
8 S	3 W	WM	6 SE SW
8 S	3 W	WM	6 NE SE
8 S	3 W	WM	6 NW SE
8 S	3 W	WM	6 SE SE
8 S	3 W	WM	7 NE NE
8 S	3 W	WM	7 NW NW
8 S	3 W	WM	8 NE NE
8 S	3 W	WM	8 NW NE
8 S	3 W	WM	8 SW NE
8 S	3 W	WM	8 SE NE
8 S	3 W	WM	8 NE NW
8 S	3 W	WM	8 NW NW
8 S	3 W	WM	8 SE SW
8 S	3 W	WM	8 NE SE
8 S	3 W	WM	8 NW SE
8 S	3 W	WM	8 SW SE
8 S	3 W	WM	8 SE SE
8 S	3 W	WM	9 NE NE

Received

MUNICIPAL USE			
Twp	Rng	Mer	Q-Q
8 S	3 W	WM	9 NW NE
8 S	3 W	WM	9 SW NE
8 S	3 W	WM	9 SE NE
8 S	3 W	WM	9 NE NW
8 S	3 W	WM	9 NW NW
8 S	3 W	WM	9 SW NW
8 S	3 W	WM	9 SE NW
8 S	3 W	WM	9 NE SW
8 S	3 W	WM	9 NW SW
8 S	3 W	WM	9 SW SW
8 S	3 W	WM	9 SE SW
8 S	3 W	WM	9 NE SE
8 S	3 W	WM	9 NW SE
8 S	3 W	WM	9 SW SE
8 S	3 W	WM	9 SE SE
8 S	3 W	WM	10 NE NE
8 S	3 W	WM	10 NW NE
8 S	3 W	WM	10 SW NE
8 S	3 W	WM	10 SE NE
8 S	3 W	WM	10 NE NW
8 S	3 W	WM	10 NW NW
8 S	3 W	WM	10 SW NW
8 S	3 W	WM	10 SE NW
8 S	3 W	WM	10 NE SW
8 S	3 W	WM	10 NW SW
8 S	3 W	WM	10 SW SW
8 S	3 W	WM	10 SE SW
8 S	3 W	WM	10 NE SE
8 S	3 W	WM	10 NW SE
8 S	3 W	WM	10 SW SE
8 S	3 W	WM	10 SE SE
8 S	3 W	WM	11 NE NE
8 S	3 W	WM	11 NW NE
8 S	3 W	WM	11 SW NE
8 S	3 W	WM	11 SE NE
8 S	3 W	WM	11 NE NW
8 S	3 W	WM	11 NW NW
8 S	3 W	WM	11 SW NW
8 S	3 W	WM	11 SE NW
8 S	3 W	WM	11 NE SW
8 S	3 W	WM	11 NW SW
8 S	3 W	WM	11 SW SW
8 S	3 W	WM	11 SE SW
8 S	3 W	WM	11 NE SE
8 S	3 W	WM	11 NW SE
8 S	3 W	WM	11 SW SE
8 S	3 W	WM	11 SE SE
8 S	3 W	WM	12 NE NE
8 S	3 W	WM	12 NW NE
8 S	3 W	WM	12 SW NE
8 S	3 W	WM	12 SE NE

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
8 S	3 W	WM	12	NE NW
8 S	3 W	WM	12	NW NW
8 S	3 W	WM	12	SW NW
8 S	3 W	WM	12	SE NW
8 S	3 W	WM	12	NE SW
8 S	3 W	WM	12	NW SW
8 S	3 W	WM	12	SW SW
8 S	3 W	WM	12	SE SW
8 S	3 W	WM	12	NE SE
8 S	3 W	WM	12	NW SE
8 S	3 W	WM	12	SW SE
8 S	3 W	WM	12	SE SE
8 S	3 W	WM	13	NE NE
8 S	3 W	WM	13	NW NE
8 S	3 W	WM	13	SW NE
8 S	3 W	WM	13	SE NE
8 S	3 W	WM	13	NE NW
8 S	3 W	WM	13	NW NW
8 S	3 W	WM	13	SW NW
8 S	3 W	WM	13	SE NW
8 S	3 W	WM	13	NE SW
8 S	3 W	WM	13	NW SW
8 S	3 W	WM	13	SW SW
8 S	3 W	WM	14	NE NE
8 S	3 W	WM	14	NW NE
8 S	3 W	WM	14	SW NE
8 S	3 W	WM	14	SE NE
8 S	3 W	WM	14	NE NW
8 S	3 W	WM	14	NW NW
8 S	3 W	WM	14	SW NW
8 S	3 W	WM	14	SE NW
8 S	3 W	WM	14	NE SW
8 S	3 W	WM	14	NW SW
8 S	3 W	WM	14	SW SW
8 S	3 W	WM	14	SE SW
8 S	3 W	WM	14	NE SE
8 S	3 W	WM	14	NW SE
8 S	3 W	WM	14	SW SE
8 S	3 W	WM	14	SE SE
8 S	3 W	WM	15	NE NE
8 S	3 W	WM	15	NW NE
8 S	3 W	WM	15	SW NE
8 S	3 W	WM	15	SE NE
8 S	3 W	WM	15	NE NW
8 S	3 W	WM	15	NW NW
8 S	3 W	WM	15	SW NW
8 S	3 W	WM	15	SE NW
8 S	3 W	WM	15	NE SW
8 S	3 W	WM	15	NW SW
8 S	3 W	WM	15	SW SW
8 S	3 W	WM	15	SE SW

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
8 S	3 W	WM	15	NE SE
8 S	3 W	WM	15	NW SE
8 S	3 W	WM	15	SW SE
8 S	3 W	WM	15	SE SE
8 S	3 W	WM	16	NE NE
8 S	3 W	WM	16	NW NE
8 S	3 W	WM	16	SW NE
8 S	3 W	WM	16	SE NE
8 S	3 W	WM	16	NE NW
8 S	3 W	WM	16	NW NW
8 S	3 W	WM	16	SW NW
8 S	3 W	WM	16	SE NW
8 S	3 W	WM	16	NE SW
8 S	3 W	WM	16	NW SW
8 S	3 W	WM	16	SW SW
8 S	3 W	WM	16	SE SW
8 S	3 W	WM	16	NE SE
8 S	3 W	WM	16	NW SE
8 S	3 W	WM	16	SW SE
8 S	3 W	WM	16	SE SE
8 S	3 W	WM	17	NE NE
8 S	3 W	WM	17	NW NE
8 S	3 W	WM	17	SW NE
8 S	3 W	WM	17	SE NE
8 S	3 W	WM	17	NE NW
8 S	3 W	WM	17	NE SW
8 S	3 W	WM	17	NE SE
8 S	3 W	WM	17	NW SE
8 S	3 W	WM	17	SW SE
8 S	3 W	WM	17	SE SE
8 S	3 W	WM	21	NE NE
8 S	3 W	WM	21	NW NE
8 S	3 W	WM	21	NE NW
8 S	3 W	WM	22	NE NE
8 S	3 W	WM	22	NW NE
8 S	3 W	WM	22	SW NE
8 S	3 W	WM	22	SE NE
8 S	3 W	WM	22	NE NW
8 S	3 W	WM	22	NW NW
8 S	3 W	WM	22	SW NW
8 S	3 W	WM	22	SE NW
8 S	3 W	WM	22	NE SW
8 S	3 W	WM	22	NW SW
8 S	3 W	WM	22	NE SE
8 S	3 W	WM	23	NE NE
8 S	3 W	WM	23	NW NE
8 S	3 W	WM	23	SW NE
8 S	3 W	WM	23	SE NE
8 S	3 W	WM	23	NE NW
8 S	3 W	WM	23	NW NW
8 S	3 W	WM	23	SW NW

Received

NOV 10 2025

OWRD

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
8 S	3 W	W/M	23	SE NW
8 S	3 W	W/M	23	NE SW
8 S	3 W	W/M	23	NW SW
8 S	3 W	W/M	23	SW SW
8 S	3 W	W/M	23	SE SW
8 S	3 W	W/M	23	NE SE
8 S	3 W	W/M	23	NW SE
8 S	3 W	W/M	23	SW SE
8 S	3 W	W/M	24	SW SW
8 S	3 W	W/M	24	NE NW
8 S	3 W	W/M	26	NW NW
8 S	3 W	W/M	26	SW NE
8 S	4 W	W/M	1	SE NE
8 S	4 W	W/M	1	SE SW
8 S	4 W	W/M	1	NE SE
8 S	4 W	W/M	1	NW SE
8 S	4 W	W/M	1	SW SE
8 S	4 W	W/M	1	SE SE
8 S	4 W	W/M	12	NE NE
8 S	4 W	W/M	12	NW NE
9 S	1 W	W/M	2	SW SW
9 S	1 W	W/M	2	SE SW
9 S	1 W	W/M	3	NW SW
9 S	1 W	W/M	3	SW SW
9 S	1 W	W/M	3	NE SE
9 S	1 W	W/M	3	NW SE
9 S	1 W	W/M	3	SW SE
9 S	1 W	W/M	3	SE SE
9 S	1 W	W/M	4	SE SW
9 S	1 W	W/M	4	NE SE
9 S	1 W	W/M	4	NW SE
9 S	1 W	W/M	4	SW SE
9 S	1 W	W/M	4	SE SE
9 S	1 W	W/M	9	NE NE
9 S	1 W	W/M	9	NW NE
9 S	1 W	W/M	9	SE NE
9 S	1 W	W/M	9	NW NW
9 S	1 W	W/M	9	SW NW
9 S	1 W	W/M	9	SE NW
9 S	1 W	W/M	9	NE SW
9 S	1 W	W/M	9	SW SW
9 S	1 W	W/M	9	SE SW

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
9 S	1 W	W/M	9	NE SE
9 S	1 W	W/M	9	NW SE
9 S	1 W	W/M	9	SW SE
9 S	1 W	W/M	9	SE SE
9 S	1 W	W/M	10	NE NE
9 S	1 W	W/M	10	NW NE
9 S	1 W	W/M	10	SW NE
9 S	1 W	W/M	10	SE NE
9 S	1 W	W/M	10	NW NW
9 S	1 W	W/M	10	SW NW
9 S	1 W	W/M	10	SE NW
9 S	1 W	W/M	10	NE SW
9 S	1 W	W/M	10	SW SW
9 S	1 W	W/M	10	SE SW
9 S	1 W	W/M	10	NE SE
9 S	1 W	W/M	10	NW SE
9 S	1 W	W/M	10	SW SE
9 S	1 W	W/M	10	SE SE
9 S	1 W	W/M	11	SW NE
9 S	1 W	W/M	11	SE NE
9 S	1 W	W/M	11	NE NW
9 S	1 W	W/M	11	NW NW
9 S	1 W	W/M	11	SW NW
9 S	1 W	W/M	11	SE NW
9 S	1 W	W/M	11	NE SW
9 S	1 W	W/M	11	SW SW
9 S	1 W	W/M	11	SE SW
9 S	1 W	W/M	11	NE SE
9 S	1 W	W/M	11	NW SE
9 S	1 W	W/M	11	SW SE
9 S	1 W	W/M	12	SW NW
9 S	1 W	W/M	14	NE NW
9 S	1 W	W/M	14	NW NW
9 S	1 W	W/M	14	NE NE
9 S	1 W	W/M	15	NW NE
9 S	1 W	W/M	15	NW NE
9 S	1 W	W/M	15	NE NW
9 S	1 W	W/M	15	NW NW
9 S	1 W	W/M	15	SW NW
9 S	1 W	W/M	15	NE NE
9 S	1 W	W/M	16	SW NE
9 S	1 W	W/M	16	SE NE
9 S	1 W	W/M	16	NE SW
9 S	1 W	W/M	16	NW SE

Received

NOV 10 2025

OWRD

4. Transfer Application T-13313 proposes additional points of appropriation as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate Distance from Authorized Point of Appropriation, (Collector Well 1), in Miles (mi.)
9 S	1 W	WM	11	SE SE	COLLECTOR WELL 2 - 705 FEET NORTH AND 1200 FEET WEST FROM THE NW CORNER OF SECTION 13	0.59 mi.
9 S	1 W	WM	13	SW NE	COLLECTOR WELL 3 - 1815 FEET SOUTH AND 3155 FEET EAST FROM THE NW CORNER OF SECTION 13	0.36 mi.

Transfer Review Criteria (OAR 690-380-4010)

- Water has been used within the last five years prior to the submittal of Transfer Application T-13313 according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A pump and pipeline system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Transfer Application T-13313.
- The proposed change would not result in enlargement of the right.
- The proposed change would not result in injury to other water rights.
- All other application requirements are met.

Received
NOV 10 2025
OWRD

Conclusions of Law


The additional points of appropriation proposed in Transfer Application T-13313 are consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

- The additional points of appropriation proposed in Transfer Application T-13313 are approved.
- The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 91526 and any related decree.
- Water right Certificate 91526 is cancelled.
- The quantity of water diverted at the new additional points of appropriation, (Collector Well 2 and Collector Well 3), together with that diverted at the original point of appropriation, (Collector Well 1), shall not exceed the quantity of water lawfully available at the original point of appropriation, (Collector Well 1).

5. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
6. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2030**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
7. After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on MAY 04 2021


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing date: MAY 06 2021

Received
NOV 10 2025
OWRD

Received

NOV 10 2025

OWRD

Attachment B

MARI 71038

Claim of Beneficial Use – City of Salem

WELL I.D. LABEL# L134900

134900

START CARD # 1050343

1050343

ORIGINAL LOG #

10/31/2023

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

Material	From	To	Amt	sacks/lbs

(5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL			sacks/ lbs
Dia	From	To	Material	From	To	
					Calculated	
					Calculated	
					Calculated	
					Calculated	

FILTER PACK			
From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
									

(7) PERFORATIONS/SCREENS

[illegible]

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Water Quality Concerns

[illegible]

(10) STATIC WATER LEVEL

[illegible]

(11) WELL LOG

[illegible]

Received

NOV 10 2025

OWRD

Name of person(s) who assisted with construction and Trainee License # / Helper #

Assistant Name

Type

#

Comments/Remarks

Well sealed using twenty 2-inch grouting pipes evenly spaced around caissons to pressure grout cement. Casing wall thickness is 3 feet of concrete for caissons.

SEE ATTACHED DOCUMENTS SUBMITTED BY LAYNE FOR ALL PERTINENT CONSTRUCTION INFO INCLUDING DIMENSIONS SCREEN LENGTHS AND TEST PUMPING

Map of Hole

STATE OF OREGON
WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301
(503)986-0900



LOCATION OF WELL

Latitude: 44.79012200 Datum: WGS84

Longitude: -122.75156100

Township/Range/Section/Quarter-Quarter Section:
WM9.00S1.00W13SWNE

Address of Well:

GEREN ISLAND SOUTH OFF HWY 2700

Well Label: 134900

Printed: October 31, 2023

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



Received

NOV 10 2025

OWRD

Attachment C

Pump Calculations

Claim of Beneficial Use – City of Salem

Collector Well 3, MARI 71038 (Pump 1 of 3)

Pump Capacity Calculation Sheet

using Department designed formula:

$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 75
Efficiency = 7.04
Lift = 80
PSI = 3.3

Results Calculated

(hp)(efficiency) = 528
Head based on psi = 8.4
Total dynamic head = 88.4
(head + lift)

Pump Capacity = 5.97 cubic feet per second

Received
NOV 10 2025
OWRD

Collector Well 3, MARI 71038 (Pump 2 of 3)

Pump Capacity Calculation Sheet

using Department designed formula:

$$(\text{hp})(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 75
Efficiency = 7.04
Lift = 80
PSI = 3.3

Results Calculated

(hp)(efficiency) = 528
Head based on psi = 8.4
Total dynamic head = 88.4
(head + lift)

Pump Capacity = 5.97 cubic feet per second

Received
NOV 10 2025
OWRD

Collector Well 3, MARI 71038 (Pump 3 of 3)

Pump Capacity Calculation Sheet

using Department designed formula:

$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 75
Efficiency = 7.04
Lift = 80
PSI = 3.3

Results Calculated

$(hp)(\text{efficiency}) = 528$
Head based on psi = 8.4
Total dynamic head = 88.4
(head + lift)

Pump Capacity = 5.97 cubic feet per second

Received
NOV 10 2025
OWRD

Received

NOV 10 2025

OWRD

Attachment D

Claim of Beneficial Use Map

Claim of Beneficial Use – City of Salem



October 31, 2025

Gerry Clark
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271

RE: Claim of Beneficial Use for Transfer T-13313

Gerry:

On behalf of City of Salem, please find enclosed a Claim of Beneficial Use report for Transfer T-13313.

Please do not hesitate to contact me at 541-753-0933 with questions about the enclosed COBU.

Sincerely,

A handwritten signature in black ink that reads "Zach Westfall".

Zach Westfall
Water Resources Consultant

A handwritten signature in black ink that reads "Robyn Cook".

Robyn Cook, RG, PG, CWRE
Principal Hydrologist

Enclosures:
Claim of Beneficial Use for Transfer T-13313 and \$345 fee

Received
NOV 10 2025
OWRD