

GR5

6/16-9P

**ASSIGNED**

Name Dude, A.P.  
By Rt. 1 Box 159  
Address Mt. Angel  
Marion Co.

Application No. GR 1425  
Certificate No. GR 1379  
Stream Index, Page No. 2-93G

Date filed April 16, 1959 10:00 AM  
Tentative priority Nov. 6, 1950  
Action suspended until \_\_\_\_\_  
Well log filed \_\_\_\_\_

**CONSTRUCTION**  
Date for completion \_\_\_\_\_  
Extended to \_\_\_\_\_  
  
Date for application of water \_\_\_\_\_  
Extended to \_\_\_\_\_

**PROSECUTION OF WORK**  
Form "B" filed \_\_\_\_\_  
Form "C" filed \_\_\_\_\_

**FEES PAID**

Date	Amount	Receipt No.
<u>4-16-58</u>	<u>22.50</u>	<u>16051</u>

**FEES REFUNDED**

Date	Amount	Check No.


**ASSIGNMENTS**

Date	To Whom	Address	Volume	Page
<u>2-21-78</u>	<u>Harold B. Dieker</u>	<u>Rt. 1, Box 161, Mt. Angel 97362</u>	<u>6</u>	<u>329</u>

**REMARKS**

A well irrigates 80<sup>0</sup> acres near Pudding River - Marion County

R 1 W



## Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, A. P. Duda

Rt 1, Box 159

of McMinn County of MarionState of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.1. Source from which water is withdrawn is Pump Well  
(Flowing well, pump well, infiltration trench, or tunnel)2. Location is: 2 mi. S of McMinn  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 4 1/2 mi. W. of 1/2 corner to Sec. 9 & 16  
(Give distance and bearing to corner of section or other legal subdivision)  
being within SE 1/4 of the NW 1/4 of Sec. 9, Twp. 6 S., Rge. 1 W.  
(smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)County of Marion  
(If within city or town, give name)3. Construction Work was begun on Nov. 6, 1950 (Date); was completed on Oct. 30, 1953 (Date).and the ground water claimed was first used for the purposes set out below on Irrigation (Date)since which time the water has been used Continuously  
(Continuously or intermittently)from April 1, 1950 to September (Date) (Date)4. Quantity of water claimed and used is 350 gallons per minute; 1 acre  
-feet per year.5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 17 1/2 feet. Type Drilled  
(Dug or drilled)  
diameter 8 inches. Elevation of ground at well site \_\_\_\_\_ feet, mean sea level.  
(As near as known)Depth to water table 40 feet.7. Capacity of Well: 50 g.p.m. with 40 feet drawdown.

g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test Oct. 30, 1953

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_ (Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_ (Date)

Water is controlled by \_\_\_\_\_ (Cap, valve, etc.)



## Water Resources Department

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-8508

File No. GR 1425

March 1, 1978

Harold B. Dieker  
Rt. 1, Box 161  
Mt. Angel, OR 97362

Dear Mr. Dieker,

The assignment of Certificate of Registration No. 1379 from A. P. Duda to you has been recorded in the records of the Water Resources Department. Our records have been changed accordingly, and the original is enclosed.

Receipt number 1204 for the \$2.00 assignment recording fee was handed to you on February 21, 1978.

Sincerely,

Thomas E. Shook  
Water Rights Engineer

TES/dw

GR-1425

November 7, 1958

Mr. A. P. Duda  
Rt. 1, Box 159  
Mt. Angel, Oregon

Dear Sir:

GR-1425  
GR-1379

Beginning at the Southeast corner of the George Settlemeier D.L.C. which is the N.E. corner of the William M. Cline D.L.C. reestablish this corner by setting a iron bar from which an apple tree 3 inches in diameter bears South 81° West 28 links distance; an oak 6 in. diameter bears N.22° 30' W., 71 links distance, a thorn 4 inches diameter bears S. 2° W. 50 links distant; West along the line between Settlemeier and Cline D.L.C. 52.75 chains to the middle of the County Road; set an iron bar  $1\frac{1}{2} \times \frac{1}{2} \times 20$  in. long for the N.W. corner from which an oak 22 in. diameter bears E. 52 links distant; then S. 53° E along the County Road 12.24 chains; set an iron bar  $\frac{1}{2} \times 1\frac{1}{2} \times 18$  in. long for corner in Ell; thence South 64° 30' West 9.17 chains, set an iron bar  $\frac{1}{2} \times 1\frac{1}{2} \times 18$  in. long ~~#ft#4/cott#ft/11/41/18/~~ thence South 65° 15' W. 3.63 chains, set an iron bar  $\frac{1}{2} \times 1\frac{1}{2} \times 18$  in. long for a corner in <sup>angle</sup> Ell; thence South 27° West 7.81 chains to Section line between Section 8 and 17; set an iron bar  $\frac{1}{2} \times 1\frac{1}{2} \times 18$  in. long for Southwest corner from which an Ash 30 in. diameter North 89° West 61 links distant; thence East along Section line between Sections 8 and 17 and 9 and 16 25.04 chains; set an iron bar  $\frac{1}{2} \times 1\frac{1}{2} \times 18$  in. long; thence North 38° East 4.70 chains to the middle of County Road, set an iron pipe 20 inches ~~1/2~~ long,  $1\frac{1}{4}$  in. diameter for corner; thence S.53° E. along County Road 6.34 chains to section line between Section 9 and 16; set a piece of gas pipe  $1\frac{1}{4}$  in. diameter, 20 in. long for corner; thence East along section line between section 9 and 16 25.80 chains to the S.E. corner of the Benj. Cleaver D.L.C.; thence North along the west line of said claim 20.18 chains to the place of beginning and containing 103 acres, more or less, except from the above the 22.71 acre tract that has been deeded from Theresa Kirsch ( a widow of John Kirsch and Theresa Kirsch, husband and wife, in Deed recorded

in Marion County, Oregon; records in Vol. I24, page 381, April 26,  
1913, all in Marion County, Oregon

ALSO SAVE AND EXCEPT THEREFROM the following:

Beginning at a point in the center of the County Road, at which point the North line of the Wm. M. Cline D.L.C. intersects the County Road, thence South 53° East along the County Road 6.45 chains to an iron pipe in the center of the road; thence North 3.89 chains to a iron pipe; thence West along the line betwee said Cline D.L.C. and the Geo. Settlemeier D.L.C. 5.15 chains to the point of beginning, containing in all One(1) acre, more or less, all of which lies in the S.W.  $\frac{1}{4}$  of the S.W.  $\frac{1}{4}$  of Section 9, in Township 6 South of Range I West of the Willamette Meridian in Marion County, Oregon

The completed assignment must be submitted to the State Engineer, 1178 Chemeketa Street, N.E., Salem, Oregon 97310, together with a recording fee of \$2.00.

Rec 1204  
\$2.00

RECEIVE

FEB 21 1978

WATER RESOURCES DEPT.  
SALEM, OREGON