

**CLAIM OF
BENEFICIAL USE
for Reservoir Permits by
CWRE's (not self-certified)**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

**A fee of \$345 must accompany this form for permits
with priority dates of July 9, 1987, or later.**

Enter the date the priority date of the permit:

January 4, 2024

Received by OWRD
FEB 04 2026
Salem, OR

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:
<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

1. File Information

APPLICATION # R-89430	PERMIT # (IF APPLICABLE) R-15643	PERMIT AMENDMENT # (IF APPLICABLE) NA
---------------------------------	--	---

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME Fritz Family Ventures LLC		PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS 16842 Alder Circle			
CITY Lake Oswego	STATE OR	ZIP 97034	E-MAIL

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each permit holder of record must sign this form.***

3. Permit holder of record (this may, or may not, be the current property owner)

PERMIT HOLDER OF RECORD Shortland Golf Club AKA Shorty's Golf Course LLC			
ADDRESS 16842 Alder Circle			
CITY Lake Oswego	STATE OR	ZIP 97034	E-MAIL

ADDITIONAL PERMIT HOLDER OF RECORD NA			
ADDRESS			
CITY	STATE	ZIP	E-MAIL

Received by OWRD

4. Date of Site Inspection:

FEB 04 2026

December 30, 2025

Salem, OR

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Steve Merrill	December 30, 2025	General Manager
Dustin Pokony	December 30, 2025	Course supervisor

6. County

Clackamas County

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):


OWNER OF RECORD NA			
ADDRESS			
CITY	STATE	ZIP	E-MAIL

Add additional tables for owners of record as needed

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.





CWRE NAME Doann Hamilton		PHONE NO. (503) 349-6946 cell	ADDITIONAL CONTACT No. 503-931-0210
ADDRESS 15333 Pletzer Rd. SE			
CITY Turner	STATE OR	ZIP 97392	E-MAIL phgdmh@gmail.com

Received by OWRD
FEB 04 2026
Salem, OR

Permit Holder(s) of Record Signature or Acknowledgement

Each permit or transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Michael W. Fritz	Owner	1/19/2026
	Kristin A. Fritz	Owner	1/19/2026

Received by OWRD

FEB 04 2026

Salem, OR

SECTION 3

CLAIM DESCRIPTION

1. Reservoir source and, if from surface water, the tributary:

RESERVOIR NAME OR NUMBER	SOURCE	TRIBUTARY
Unnamed Reservoir	Runoff	Willamette River

2. Developed use(s), period of use, and acre foot (af) for each use:

RESERVOIR NAME OR NUMBER	USES	SEASON OR MONTHS WHEN WATER WAS APPROPRIATED FOR STORAGE	VOLUME STORED (AF)
Unnamed Reservoir	Multipurpose	November 1 through March 31	3.5 AF
Total Quantity of Water Stored			3.5 AF

3. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion to the reservoir:

The pond receives water from surface runoff and two drain tiles locate on the north and north-east side of the reservoir. The drain tiles are approximately 3 feet deep and collect water mainly from an area closer to the pond.

The reservoir is within a golf course which is designed with an undulating course layout with greens, tees and sand traps constructed on synthetic turf. The additional surrounding areas are constructed on natural grounds.

The reservoir is dug out from the surrounding area with edges on the east and southern sides of the pond extending above the pond approximately 1 to 3 feet in places. The north end of the reservoir has an approximate 5 foot high wooden wall supporting one of the raised course layouts. The west end is gently sloped to the water's edge.

1977

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

The water level is maintained by a spillway located on the west south-west corner. The spillway consists of 6 inch minus angular rock extending west approximately 25 feet before spilling over onto one of the golf courses and continuing west into a drainage ditch that extends on out to the west on a gentle slope.

Any evacuation of the water can be done with the 50Hp centrifugal irrigation pump installed in the pond.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLOT), and Quarter-Quarters (QQ).

4. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below. **NO**

(e.g. "The permit allowed the development of three reservoirs. The permit holder only developed one of the reservoirs." or "The permit allowed for the storage of 9 acre feet of water. The reservoir was developed to hold 5.2 acre feet.")

None

5. Claim Summary:

RESERVOIR NAME OR #	MAXIMUM STORAGE AUTHORIZED BY PERMIT (AF)	MAXIMUM STORAGE DEVELOPED (AF)
Unnamed Reservoir	3.5 AF	3.5 AF

Received by OWRD

FEB 04 2026

**SECTION 4
SYSTEM DESCRIPTION**

Salem, OR
NO

Are there multiple reservoirs?

If "YES" you will need to copy and complete Sections A through E for each reservoir.

Reservoir Name or Number this section describes (only needed if there is more than one):

Unnamed Reservoir

A. Reservoir Location

1. Is the reservoir on-channel? **NO**

2. Provide dam outlet location and/or point of diversion(s).

TWP	RNG	MER	SEC	QQ	GLOT	DLC	MEASURED DISTANCES
3S	1E	WM	16	NENW	NA	NA	Unnamed Reservoir Center: 1,185 feet south and 2,100 feet east from the NW corner, Section 16

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLOT), and Quarter-Quarters (QQ).

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport the water from the point(s) of diversion to the reservoir.

1. Is a pump used? NO

If "NO" items 2 through item 5 may be deleted.

C. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe? NO

If "NO", items 2 through 4 relating to this section may be deleted.

D. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? NO

If "NO", items 2 through 4 relating to this section may be deleted.

E. Reservoir

1. Does the reservoir require the submittal of as-built plans and specifications? NO

If "YES", answer item 2; items 3 through 8 relating to this section may be deleted.

If "NO", skip items 2; answer items 3 through 8.

3. If the reservoir stores less than 9.2 acre-feet of water or if the dam is less than 10 feet in height, and as-built plans and specifications are not required, complete the table and items 4 through 8.

MAXIMUM DEPTH	AVERAGE DEPTH	SURFACE AREA (IN ACRES)	VOLUME (IN ACRE FEET)
15 feet – per the client. There is no staff gauge. Note: 5 feet deeper than design.	15 feet	0.58 acres	3.5 AF

4. Provide reservoir volume calculations:

Volume = (surface area in acres) x (maximum depth) x 0.4
Volume = (0.58 acres) x (15 feet) x 0.4
Volume = 3.5 AF

Received by OWRD

FEB 04 2026

Salem, OR

5. Provide the following information concerning the physical characteristics of the dam:

CREST WIDTH (W)	DAM HEIGHT AT CENTERLINE (H)	DISTANCE FROM DOWNSTREAM TOP OF DAM TO DOWNSTREAM TOE (L)	DISTANCE FROM UPSTREAM TOP OF DAM TO UPSTREAM TOE (U)	WATER LEVEL AT INSPECTION	DOWN-STREAM SLOPE	UP-STREAM SLOPE
Level to ground surface – dug out pond	0 feet	0 feet dug out pond	60 feet	~ 14.0 *	0 feet dug out pond	4:1 per design

* This is estimated by measuring the high water mark on the wall on the north side of the pond.

6. Provide a drawing showing the cross section of the dam at the maximum section indicating details and dimensions. The drawing should be drawn at a standard even scale.

<p>See attached:</p> <ol style="list-style-type: none"> 1. Draft Designed Irrigation Pond Plan and Profile by AKS 2. Cross-Section Map A-A' 	<p>Received by OWRD FEB 04 2026 Salem, OR</p>
---	---

7. Describe the outlet works (size and type of the outlet conduit and location):

If water is required to be drained from the pond, the pond is equipped with 6 inch steel pipe positioned on a 3 foot concrete block in the center of the pond connected to a 50 Hp centrifugal pump used to support their irrigation system.

If the water is needed to be removed at a faster rate than the 50 Hp centrifugal pump can supply, a larger portable pump would be rented.

8. Describe the emergency spillway (dimensions and location):

BOTTOM WIDTH (W)	TOP WIDTH (L)	SPILLWAY DEPTH (H)
~ 6 FEET	7 FEET AVERAGE	1.0 FOOT

SECTION 5 CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates; the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or extension final order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	June 14, 2024		
BEGIN CONSTRUCTION (A)	June 14, 2029	July 2024	Construction began on the reservoir July 2024 and was completed by July 2025
COMPLETE CONSTRUCTION (B)	NA	NA	NA
COMPLETE APPLICATION OF WATER (C)	June 14, 2029 or one year after storage begins which would be November 2026	November 2025	Runoff collection began

* must be within period between permit or any extension final order issuance and the date to completely apply water

2. Is there an extension final order(s)? NO

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

NO
Received by OWRD

FEB 04 2026

If "NO", items b through f relating to this section may be deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

Salem, OR
NO

If "NO", item b relating to this section may be deleted.

5. Outlet Pipe

a. Is the water user required to install a minimum 8" outlet pipe/conduit?

YES

If "NO", items b through c relating to this section may be deleted.

b. Has the outlet pipe been installed?

NO

If "YES", items c relating to this section may be deleted.

c. Does the water user have other means to evacuate the reservoir?

YES

DESCRIBE HOW THE WATER USER PLANS TO EVACUATE THE RESERVOIR	HAS THIS PLAN BEEN APPROVED BY THE DEPARTMENT?	BY WHOM?
Onsite 50 Hp centrifugal pump or if need a faster evacuation they can rent a larger portable centrifugal pump	Yes see email attached	Watermaster: Joel Plahn January 14, 2026

6. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

NO

If "NO", items b through e relating to this section may be deleted.

7. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **NO**

If "NO", items b and c relating to this section may be deleted.

8. Other conditions required by permit, permit amendment final order, or extension final order

- a. Was the water user required to restore the riparian area if it was disturbed? **YES**
- b. Was a fishway required? **NO**
- c. Was submittal of a letter from an engineer required prior to storage of water? **NO**
- d. Was submittal of a water management and conservation plan required? **NO**
- e. Other conditions? **YES**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

a) **Condition – Riparian Area Restoration: Permit conditions #8**
If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

Compliance:
The pond was not constructed in any historical drainage area so no riparian areas were disturbed.

e1) **Condition – Fish Stocking: Permit condition #3**
Per ORS 498.222 and OAR 635-007-0600, all persons transporting live fish in Oregon shall have a Fish Transport Permit (FTP) issued by the Oregon Department of Fish and Wildlife (ODFW). The permittee shall not stock fish in the reservoir without and FTP approved by ODFW. As part of the FTP permitting process, the permittee may be required to screen the inlet and outlet of the reservoir to ensure that fish cannot escape into public waters and/or to keep wild fish from entering the reservoir.

Compliance:
No fish are present in the pond.

e2) **Condition – Agricultural Water Quality Management Area Rules: Permit condition #4**
The permittee shall comply with basin-specific Agricultural Water Quality Management Area Rules described in Oregon Administrative Rules Chapter 603-095. The permittee shall protect riparian areas, allowing site capable vegetation to establish and grow along streams, while providing the following functions: shade (or perennial and some intermittent streams), bank stability, and infiltration or filtration of overland runoff.

Received by OWRD

FEB 04 2026

Compliance:

The water spilling out of the pond enters a drainage ditch with native vegetation and rock lined with trees for shade.

e3) Condition – Live Flow: Permit condition #5

Once the allocated volume has been stored, permittee shall pass all live flow downstream at a rate equal to inflow, using methods that prevent instream water quality.

Compliance:

The water leaves the pond over the spillway once the pond. The overflow travels approximately 675 feet with a drop of approximately 12 feet or about 1 foot drop every 56 feet.

e4) Condition – Water Quality: Permit condition #6

All water use under this permit shall comply with state and federal water quality laws. The permittee shall not violate any state and federal water quality standards, shall not cause pollution of any water of the state, and shall not place or cause to be placed any wastes in the location where such wastes are likely to escape or be carried into the waters of the state by any means. The use may be restricted if the quality of source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards. Permittee is responsible for obtaining any necessary state and federal permits.

Compliance:

The course is designed with synthetic turf in many locations reducing the need for additional chemicals.

e5) Condition – Off-Channel Water Releases: Permit condition #7

The permittee shall not release polluted water from this off-channel reservoir into waters of the state except when the release is directed by the State engineer to prevent dam failure.

Compliance:

Drain tiles are used to collect runoff from within the golf course near the pond. These drain tiles are located about 3 feet below ground surface allowing natural filtration before entering the pond. Additionally several of the greens and tees next to the pond are on synthetic turf not requiring any treatment or watering. The spillway is equipped with 6 inch minus angular rock for about 25 feet to the west allowing additional filtration of the water spilling out of the pond. The water spilling out of the pond crosses over one of the golf courses before entering a drainage ditch with native vegetation and rock lined with trees to help filter of any water leaving the pond.

e6) Condition – Installation of an outlet pipe: Permit condition #9

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe (with a minimum diameter of 8" for any in-channel reservoir). This requirement may be waived if the Department determines other means have been provided to evacuate water when necessary.

Received by OWRD

FEB 04 2026

Compliance:

The reservoir is not an in-channel reservoir but if evacuation is needed, an onsite 50 Hp centrifugal pump installed to pump water for their irrigation system can be used or if a faster evacuation is needed they can rent a larger portable centrifugal pump. Method approved by watermaster Joel Plahn January 14, 202. See attached email.

e7) Condition – Pass Live Flow: Permit condition #10

The permittee shall pass all live flow outside the storage season described above.

Compliance:

The reservoir is not an in-channel reservoir.

e8) Condition – Fish dam or fish passage: Permit condition #11

The permittee shall not construct, operate or maintain any dam or artificial obstruction to fish passage in the channel of the subject stream without providing a fishway to ensure adequate upstream and downstream passage for fish unless the permittee has requested and been granted a fish passage waiver by the Oregon Fish and Wildlife Commission. The permittee is hereby directed to contact an Oregon Department of Fish and Wildlife Fish passage Coordinator, Before beginning construction of any in-channel obstruction.

Compliance:

The reservoir is not an in-channel reservoir.

e9) Condition – Fishscreen: Permit condition #12

The permittee may be required in the future to install, maintain, and operate fish screening and by-pass devices to prevent fish from entering the proposed diversion and to provide adequate upstream and downstream passage of fish.

Received by OWRD

Compliance:

The reservoir is not an in-channel reservoir.

FEB 04 2026

Salem, OR

e10) Condition – Out of reservoir use: Permit condition #13

This permit allows an annual appropriation (not to exceed the specified volume). This permit does not provide for the appropriation of water for out-of-reservoir uses, the maintenance of the water level or maintaining a suitable freshwater condition. If any water is to be used for out-of-reservoir purposes, a secondary water right is required. If any additional live flow is to be appropriated to maintain either the water level or suitable freshwater conditions, an additional water right is required.

Compliance:

At this time, there are no surface water permits approved for out-of-reservoir purposes.

At this time there is no additional reservoir permits for either

- a. additional acre-feet to be stored over the 3.5 AF allowed
- b. or for any additional storage period outside the November 1 through March 31 allowed in this permit

At this time, there is no groundwater permit approved to maintain the water level within the pond.

SECTION 6 ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Claim of Beneficial Use Map	Claim of Beneficial Use Map
Cross-Section Map A-A'	Map showing the cross-section of the pond through the spillway
Draft Designed Irrigation Pond Plan and Profile by AKS	Draft of the Pre-construction design of the reservoir
Outlet alternative approval email dated January 14, 2026	Email from Watermaster Joel Plahn approving the alternative methods of evacuating the pond.

SECTION 7 CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The COBU map was prepared using tax assessor's maps 31E 16, 16B and 16BA, overlain by a 2014 aerial photo titled USDA-FSA-APFO NAIP County Mosaic and obtained on line from the Natural Resources Conservation Service, Image Metadata:

<http://datagateway.nrcs.usda.gov/Catalog/ProductDescription/NAIPM.html>.

Along with Google Earth image dated September 25, 2025.

Map Checklist

Received by OWRD

FEB 04 2026

Salem, OR


Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film.
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots

- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- Quarter-Quarters illustrated and named (NE NE, NW NE, etc.)
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

Received by OWRD
FEB 04 2026
Salem, OR

T.3S. R.1E. Section 16, W.M.



Reservoir center is located 1,185 feet south and 2,100 feet east from the NW corner, Section 16.

 Area (0.58 Acres) impounded by Application R-89430, Permit R-15643.


 Tax lot boundary

 Drain Tiles into pond

 Spillway drainage path

 See additional cross-section figure

Scale: 1" = 400'



This map was prepared for the purpose of identifying the location of a water right only and is not intended to provide legal dimensions or location of property ownership lines.

Received by OWRD

FEB 04 2026

Salem, OR



Claim of Beneficial Use Map
Application R-89430, Permit R-15643

Shortland Golf Club LLC c/o Mike Fritz
T.3S. R.1E. Section 16, W.M.


 WILL MCGILL SURVEYING LLC

01/2026


ShortlandR-89430COBUMap.cdr

Looking North-Northwest

Elevation
(Feet, MSL)



Elevation



A

A'

U = 60'

Spillway, 6" minus angular rock

Maximum Water Level 15.0 feet

Up-Slope Toe of Pond

Natural Ground

Vertical Scale: 1 inch = 10 feet
Horizontal Scale: 1 inch = 30 feet



Salem, OR

FEB 04 2026

Received by OWRD

Note: Elevations are estimated from Google Earth 9-25-2025

Cross-Section Map A-A'
Application R-89430, Permit R-15643

WILL MCGILL SURVEYING LLC

Shortland Golf Club AKA Shorty's Golf Course LLC
T.3S. R.1E. Section 16, W.M.
01/2026

Received by OWRD
FEB 04 2026
Salem, OR

EX A
SHEET
10085
JOB NUMBER



IRRIGATION POND
PLAN & PROFILE

SHORTLAND GOLF
WEST-LINN
COURSE
OREGON

AKS
ENGINEERING & DESIGN, LLC
10000 SW KEMAH RD, STE 100
SALISBURY, OR 97138
WWW.AKS-DESIGN.COM
LANDSCAPE ARCHITECTURE
PLANNING
DESIGN
CONSULTING



DATE: 10/23/2021
DESIGNED BY: JMS
CHECKED BY: JMS
DATE: 10/23/2021



GENERAL NOTES:
1. POND WILL BE FILLED WITH A PUMPED BRACKISH SYSTEM TO SERVE THE GOLF COURSE. THIS PUMPED SYSTEM WILL BE MADE TO FLATLY LIFT THE POND IN THE EVENT OF AN EMERGENCY.
2. AN EMERGENCY OUTFLOW IS PROVIDED AT ELEVATION 223.00 FEET. THIS OUTFLOW WILL CONVEY EXCESS WATER TO A NEARBY CREEK/STREAM VIA A GRADES SEWER.

LEGEND

---	EXISTING GROUND CONTOUR (1")
---	EXISTING GROUND CONTOUR (5")
---	FINISHED GRADE CONTOUR (1")
---	FINISHED GRADE CONTOUR (5")

Shortland App R-89430 outlet alternative approval

PLAHN Joel M * WRD <Joel.M.PLAHN@water.oregon.gov> Wed, Jan 14, 2026 at 7:44 AM
To: Doann Hamilton <phgdmh@gmail.com>, "Thane, Lindsay M." <LThane@schwabe.com>, Mike Fritz <mike@shortlandgolfclub.com>, Beth Anderson <bethanderson.fv@gmail.com>, Steve Merrill <steve@shortlandgolfclub.com>, Dustin Pokorny <pokeyjames13@gmail.com>, Grant McGill <grantmcgill.wr@gmail.com>

Hi Doann,

Yes, I approve your proposal for other means of evacuating the water when necessary. The below is sufficient. Let me know if you need anything else.

- there is an onsite 50 Hp centrifugal pump used to pump water from the pond for irrigation purposes
- if evacuation is needed this pump can be used
- but if a faster evacuation is needed they can rent a larger centrifugal pump.

Thanks, Joel Plahn
District 22 Watermaster
Cell 503-508-2394

Received by OWRD
FEB 04 2026
Salem, OR



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

[Quoted text hidden]
[Quoted text hidden]
[Quoted text hidden]

[Redacted signature box]



Received by OWRD
FEB 04 2026
Salem, OR

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Shortland Golf Club aka Shorty's Golf Course LLC 16842 Alder Circle Lak Oswego, OR 9703

Transaction Type: COBU

Fees Received: \$ 345.00

Cash Check: Check No. 2523

Name(s) on Check: Will McGill Surveying LLC

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,
OWRD Customer Service Staff

Submission received by: Sarah Benham
(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (application/other document) in the top drawer of filing cabinet.