

CLAIM OF BENEFICIAL USE for Surface Water Permits claiming more than 0.1 cfs



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

**A fee of \$345 must accompany this form for permits
with priority dates of July 9, 1987, or later.**

Enter the date the priority date of the permit:

February 7, 2000

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Go to "Resources for Water Right Examiners (CWRE)" Page

<https://www.oregon.gov/OWRD/programs/WaterRights/COBU/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

Received
FEB 20 2026
OWRD

SECTION 1 GENERAL INFORMATION

1. File Information:

APPLICATION # S-84335	PERMIT # S-54662	PERMIT AMENDMENT # T-N/A
---------------------------------	----------------------------	------------------------------------

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME BLAINE LIMITED PARTNERSHIP		PHONE NO. 541-806-4551	ADDITIONAL CONTACT NO. N/A
ADDRESS PO BOX 450			
CITY PARKDALE	STATE OR	ZIP 97041	E-MAIL rickblaine2010@yahoo.com avalonorchards@gmail.com

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. **Each** permit holder of record must sign this form.

3. Permit or holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD BLAINE LIMITED PARTNERSHIP			
ADDRESS 4676 HUTSON DR			
CITY PARKDALE	STATE OR	ZIP 97042	

ADDITIONAL PERMIT HOLDER OF RECORD N/A			
ADDRESS N/A			
CITY N/A	STATE N/A	ZIP N/A	

4. Date of Site Inspection:

04/24/2025

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Richard Blaine	04/24/2025	Owner

6. County:

Wasco

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A			
ADDRESS N/A			
CITY N/A	STATE N/A	ZIP N/A	


Add additional tables for owners of record as needed

Received
FEB 20 2026
OWRD

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME JOHN CHRISTIANSEN, PE, CWRE	PHONE NO. 503-563-6151	ADDITIONAL CONTACT NO. N/A
ADDRESS AKS ENGINEERING & FORESTRY, 12965 SW HERMAN RD, SUITE 100		
CITY TUALATIN	STATE OR	ZIP 97062
E-MAIL JOHNC@AKS-ENG.COM		

Permit Holder(s) of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	RICHARD T. BLAINE	Pres	1/22/26

Received
FEB 20 2026
OWRD

App 84335 - Permit - S 54662

**SECTION 3
CLAIM DESCRIPTION**

1. Point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)
Pump 3 & 4

2. Point of diversion source and tributary:

POD NAME OR NUMBER	SOURCE	TRIBUTARY
Pump 3 & 4	A Reservoir	Rock Creek

3. Developed use(s), period of use, and rate for each use:

POD NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
Pump 3 & 4	Supplemental Irrigation	Orchards	04/01-10/31	Unknown
Total Quantity of Water Used				Unknown

4. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of diversion to the place of use:

Two pumps (pump 3 & 4) draw water from a Reservoir originally permitted under R-14054. The pumps are located on the southern end of the reservoir and distribute irrigation water for orchards. The distribution system consists of pipes both buried and above ground. The conveyance pipe ranges in material and diameter size (8" to 2").

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

5. Variations:

Was the use developed differently from what was authorized by the permit, or permit amendment final order? If yes, describe below.

YES NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

Pumps 3 & 4 appropriates water from the permitted reservoir, however it's located in a different location from the location identified within the permit. The permit allows for supplemental irrigation for 462.1 acres. Only 215.70 acres have been developed for this water use.

6. Claim Summary:

POD NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
Pump 3 & 4	N/A	unknown	N/A	Supplemental Irrigation	462.10	215.70

Received

FEB 20 2026

OWRD

WR

SECTION 4
SYSTEM DESCRIPTION

Are there multiple PODs? YES NO

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

Pump 3 & 4

A. Place of Use

1. Is the right for municipal use? YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
4S	12E	W.M.	32	NE NE			Irrigation	0.00	2.57
4S	12E	W.M.	32	NW NE			Irrigation	0.00	27.44
4S	12E	W.M.	32	SW NE			Irrigation	0.00	13.93
4S	12E	W.M.	32	SE NE			Irrigation	0.00	13.49
4S	12E	W.M.	32	NE SE			Irrigation	0.00	13.05
4S	12E	W.M.	32	SE SE			Irrigation	0.00	7.31
5S	12E	W.M.	04	NW NW	4		Irrigation	0.00	12.93
5S	12E	W.M.	04	SW NW			Irrigation	0.00	8.43
5S	12E	W.M.	05	NE NE	1		Irrigation	0.00	20.50
5S	12E	W.M.	05	NW NE	2		Irrigation	0.00	5.66
5S	12E	W.M.	05	SW NE			Irrigation	0.00	29.93
5S	12E	W.M.	05	SE NE			Irrigation	0.00	21.70
5S	12E	W.M.	05	NE NW	3		Irrigation	0.00	13.68
5S	12E	W.M.	05	SE NW			Irrigation	0.00	25.08
Total Acres Irrigated								0.00	215.70

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLOT), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLOT, and QQ.

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion to the place of use.

1. Is a pump used? YES NO

If "NO" items 2 through item 6 may be deleted.

Received
FEB 20 2026

OWRD

WR

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
BERKELEY	B3ZPL	M8301	Centrifugal	4"	3"
BERKELEY	B4EPBM	M18133	Centrifugal	5"	4"

3. Motor Information:

MANUFACTURER	HORSEPOWER
US MOTOR	25 HP
BALDOR	50 HP

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
25	25	10	95	.98
50	25	10	95	1.96

5. Provide pump calculations:

Pump Capacity: (horsepower)(Efficiency) / (lift + psi Head) = capacity in CFS
Pump 3
 Berkeley Pump B3ZPL
 Efficiency for Centrifugal Pump (75%) = 6.61
 $(25)(6.61)/(105+(25 \times 2.54^*)) = .98 \text{ cfs} = 440 \text{ gpm}$

Pump 4
 Berkeley Pump B4EPBM
 Efficiency for Centrifugal Pump (75%) = 6.61
 $(50)(6.61)/(105+(25 \times 2.54^*)) = 1.96 \text{ cfs} = 880 \text{ gpm}$

**Minor Frictional Losses accounted for by the 2.54 ft/psi conversion factor.*

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A	N/A	N/A	N/A

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 13 may be deleted.

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
8"	1670'	Steel and PVC	Partially Buried and Above Ground
6"	8100'	Steel and PVC	Partially Buried and Above Ground

Received
 FEB 20 2026
 OWRD

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
4"	7500'	Steel and PVC	Partially Buried and Above Ground
2" – 3"	6195'	Steel and PVC	Partially Buried and Above Ground

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
N/A	N/A	N/A	N/A	N/A	N/A

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
Unknown	Unknown	Unknown	±20,000	Unknown	0.0006 cfs (17 gph)

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
N/A	N/A	N/A	N/A	N/A	N/A

13. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
Unknown	Unknown	Unknown	60-70	Unknown

*Pivots only used when water is available

C. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

YES NO
YES NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
N/A	N/A	N/A

Received
 FEB 20 2026

OWRD WR

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
Reservoir #2 under permit R-14054	27 FEET	283 ACRE-FEET
Bulge	8 FEET	2.5 ACRE-FEET

D. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

PIPE SIZE	PIPE TYPE	"C" FACTOR	AMOUNT OF FALL	LENGTH OF PIPE	SLOPE	COMPUTED RATE OF WATER FLOW (IN CFS)
N/A	N/A	N/A	N/A	N/A	N/A	N/A

3. Provide calculations:

N/A

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)
N/A	N/A	N/A	N/A

Attach measurement notes.

E. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Received
FEB 20 2026

3. Provide calculations:

N/A

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)
N/A	N/A	N/A	N/A

Attach measurement notes.

F. Additional notes or comments related to the system:

N/A

Received
FEB 20 2026
OWRD

SECTION 5 CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension of time:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	07/22/2010		
BEGIN CONSTRUCTION (A)	N/A	N/A	Reservoir was constructed in 1996
COMPLETE CONSTRUCTION (B)	N/A	2011-2014	Irrigation system constructed, crops irrigated
COMPLETE APPLICATION OF WATER (C)	7/22/2015	2011-2014	Irrigation system constructed, crops irrigated

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)? YES NO

If "NO", items a and b relating to this section may be deleted.

a. Did the Extension Final Order require the submittal of Progress Reports? N/A YES NO

If "NO", item b relating to this section may be deleted.

b. Were the Progress Reports submitted? N/A YES NO

If the reports have not been submitted, attach a copy of the reports if available.

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device? YES NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed? YES NO

c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
N/A	N/A	N/A	N/A	N/A	N/A

If a meter has been installed, items d through f relating to this section may be deleted.

d. If a meter has not been installed, has a suitable measuring device been installed and approved by the Department? YES NO

e. If "YES", provide a copy of the letter approving the device, if available. If the letter is not available provide the name and title of the Water Resources Department employee approving the measuring device, and the approximate date of the approval:

NAME	TITLE	APPROXIMATE DATE
Unknown	Unknown	Unknown

f. Measurement Device Description

DEVICE DESCRIPTION	CONDITION (WORKING OR NOT)	DATE INSTALLED
Staff Guage	Working	Unknown, approx. 2015

Additional Explanation:

Water use in reservoir is measured via a staff gauge and submitted to the Department annually. Applicant has stated that Watermaster Robert Wood has visited the site in the past and has not had concerns with this approach.

4. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department? YES NO

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted? YES NO

If the reports have not been submitted, attach a copy of the reports if available.

5. Fish Screening:

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? YES NO

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed? N/A YES NO

c. When was the fish screening installed?

DATE	BY WHOM
N/A	N/A

Reminder: If the permit was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

Received
FEB 20 2026
OWRD

d. If the diversion **involves a pump** *and* the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:

- Has the self-certification form previously been submitted to the Department? **NA YES NO**

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx> complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not involve a pump** *or* the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? **NA YES NO**

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices:

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **N/A YES NO**

If "NO", items b and c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Have by-pass devices been installed? **N/A YES NO**

c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

DESCRIPTION (E.G. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM
N/A	N/A	N/A

Received
FEB 20 2025

OWRD
WR

7. Other conditions required by some permits, permit amendment final orders, or extension final orders:

- a. Was the water user required to restore the riparian area if it was disturbed? **YES** **NO**
- b. Was a fishway required? **YES** **NO**
- c. Was submittal of a water management and conservation plan required? **YES** **NO**
- d. Other conditions? **YES** **NO**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s) in the box below. If the condition required the approval of a plan, submit documentation that the plan was approved.

Riparian area was not determined to be disturbed.

**SECTION 6
ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
EXHIBIT A	11"x17" Claim of Beneficial Use Map with POA
EXHIBIT B	Permit S-54662 & Map

Received
FEB 20 2026
OWRD

STATE OF OREGON

EXHIBIT B

COUNTY OF WASCO

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

BLAINE LIMITED PARTNERSHIP
P.O. BOX 450
PARKDALE, OREGON 97041

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-84335

SOURCE OF WATER: A RESERVOIR, CONSTRUCTED UNDER PERMIT R-14054,
TRIBUTARY OF GATE CREEK

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 462.1 ACRES

MAXIMUM VOLUME: 200.0 ACRE FEET EACH YEAR

PERIOD OF USE: APRIL 1 THROUGH OCTOBER 31

DATE OF PRIORITY: FEBRUARY 7, 2000

POINT OF DIVERSION LOCATION: PUMP 3 - NE $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 32, T4S, R12E,
W.M.; 330 FEET SOUTH & 35 FEET WEST FROM NE CORNER, SECTION 32

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE $\frac{1}{4}$ NE $\frac{1}{4}$ 7.3 ACRES
NW $\frac{1}{4}$ NE $\frac{1}{4}$ 37.0 ACRES
SW $\frac{1}{4}$ NE $\frac{1}{4}$ 26.9 ACRES
SE $\frac{1}{4}$ NE $\frac{1}{4}$ 22.9 ACRES
NE $\frac{1}{4}$ SE $\frac{1}{4}$ 15.6 ACRES
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 24.5 ACRES
SE $\frac{1}{4}$ SE $\frac{1}{4}$ 15.5 ACRES

SECTION 32

TOWNSHIP 4 SOUTH, RANGE 12 EAST, W.M.

Received

FEB 20 2026

OWRD

THE PLACE OF USE IS LOCATED AS FOLLOWS (CONTINUED):

SW $\frac{1}{4}$ SW $\frac{1}{4}$ 28.7 ACRES
 SE $\frac{1}{4}$ SW $\frac{1}{4}$ 40.0 ACRES
 SECTION 33
 TOWNSHIP 4 SOUTH, RANGE 12 EAST, W.M.

NW $\frac{1}{4}$ NW $\frac{1}{4}$ 40.0 ACRES
 SW $\frac{1}{4}$ NW $\frac{1}{4}$ 8.6 ACRES
 SECTION 4

NE $\frac{1}{4}$ NE $\frac{1}{4}$ 37.6 ACRES
 NW $\frac{1}{4}$ NE $\frac{1}{4}$ 25.4 ACRES
 SW $\frac{1}{4}$ NE $\frac{1}{4}$ 40.0 ACRES
 SE $\frac{1}{4}$ NE $\frac{1}{4}$ 29.8 ACRES
 NE $\frac{1}{4}$ NW $\frac{1}{4}$ 22.3 ACRES
 SE $\frac{1}{4}$ NW $\frac{1}{4}$ 40.0 ACRES
 SECTION 5

TOWNSHIP 5 SOUTH, RANGE 12 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of diversion. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Received
 FEB 20 2026
 OWRD

Notwithstanding that Oregon Department of Fish and Wildlife has made a determination that fish screens and/or by-pass devices are not necessary at the time of permit issuance, the permittee may be required in the future to install, maintain, and operate fish screening and/or by-pass devices to prevent fish from entering the proposed diversion, and to provide adequate upstream and downstream passage for fish.

The permittee shall not construct, operate or maintain any dam or artificial obstruction to fish passage in the channel of the subject stream without providing a fishway to ensure adequate upstream and downstream passage for fish, unless the permittee has requested and been granted a fish passage waiver by the Oregon Fish and Wildlife Commission. The permittee is hereby directed to contact an Oregon Department of Fish and Wildlife Fish Passage Coordinator, before beginning construction of any in-channel obstruction.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of the source stream or downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

Completion of construction and application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.


Issued July 22 , 2010



for Phillip C. Ward, Director
Water Resources Department


Received
FEB 20 2026
OWRD

IN SECTIONS 32 AND 33, TOWNSHIP 4 S., RANGE 12 E. AND
 IN SECTIONS 4 AND 5, TOWNSHIP 5 S., RANGE 12 E. W.M.
 WASCO COUNTY, OREGON



- PUMPS:**
- #1 = 40 H.P., 700 G.P.M. AT 175' HEAD
 - #2 = 40 H.P., 700 G.P.M. AT 175' HEAD
 - #3 = 25 H.P., 550 G.P.M. AT 160' HEAD

LEGEND:



PROPOSED SUPPLEMENTAL IRRIGATION USE AREAS, 462.1 ACRES. PRIMARY IRRIGATION FROM PERMIT 46164 & PENDING TRANSFER, PERMIT G-9254, CERTIFICATE 34533 & T-4402 & PERMIT 47709.

NOTES:

- 1) LOCATION OF PUMP #2 IN GATE CREEK LOCATED 2320' NORTH AND 350' WEST OF THE SOUTHEAST CORNER OF SECTION 32 AS PER FINAL PROOF 6/21/84 BY LARRY TOLL
- 2) PUMP #1 LOCATED 242' NORTH AND 741' EAST OF THE SOUTHEAST CORNER OF SECTION 32.
- 3) WELL 400' NORTH & 250' WEST OF SOUTHEAST CORNER OF SECTION 32.
- 4) DIVERSION POINT LOCATED SOUTH-330' & WEST 35' FROM THE NE. COR. SECTION 32. TWP. 4 SOUTH, RANGE 23 EAST, W.M.

WATER RIGHT APPLICATION MAP

SCALE: 1" = 1320'

RECEIVED

DEC 18 2001

WATER RESOURCES DEPT. SALEM, OREGON

APPLICATION No. 84335

CERTIFICATE No. _____

PERMIT No. _____


IN THE NAME OF:
BLAINE LIMITED PARTNERSHIP

DATE: SEPTEMBER 11, 1998

NOTE:

"THIS MAP IDENTIFIES THE LOCATION OF THE WATER RIGHT ONLY AND IS NOT INTENDED TO PROVIDE DIMENSIONS OR LOCATE PROPERTY OWNERSHIP LINES."

BY: TENNESON ENGINEERING CORP.
 409 LINCOLN STREET,
 THE DALLES, OREGON. 97058
 PH. 541-296-9177
 FAX 541-296-6657



REVISION: 1/11/2000, REVISE DIVERSION POINT, THIS APPLICATION
 REVISION: 5/22/2001, ADD PERMIT No. 47709
 REVISION: 12/17/2001, ADD GOV'T. LOT No. & APPL. No.

Received
 FEB 20 2026
 OWRD