



**BJORK Mary F \* WRD**

---

**From:** BJORK Mary F \* WRD  
**Sent:** Wednesday, October 19, 2022 8:47 AM  
**To:** Mackenzie Hayden  
**Cc:** BJORK Mary F \* WRD  
**Subject:** RE: Application G-15679, Permit- G-15333  
**Attachments:** G-15679 Assignment.pdf

Hi Mackenzie,

Yes, the request for assignment by proof of ownership was determined to be complete and the attached confirmation letter has been mailed by support staff. I am not seeing that the database update has been made yet, but it should be shortly.

Best Regards,

Mary F. Bjork

Water Rights Program Analyst

725 Summer St NE, Suite A, Salem OR 97301 | Phone 503-979-9895



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

---

**From:** Mackenzie Hayden <Mackenzie.Hayden@northwestfcs.com>  
**Sent:** Wednesday, October 19, 2022 7:04 AM  
**To:** BJORK Mary F \* WRD <Mary.F.BJORK@water.oregon.gov>  
**Subject:** RE: Application G-15679, Permit- G-15333

Hello Mary,

I was just wondering if this request made it to you guys up there and if what I sent was acceptable? I overnighted it last week so just wanted to check on it.

Thanks!



**Mackenzie Hayden**

*Financial Specialist*

300 Klamath Ave, Ste 200 | Klamath Falls, OR 97601

o 541.850.7500 | f 541.850.7505

northwestfcs.com



**From:** BJORK Mary F \* WRD <[Mary.F.BJORK@water.oregon.gov](mailto:Mary.F.BJORK@water.oregon.gov)>  
**Sent:** Thursday, October 6, 2022 3:48 PM  
**To:** Mackenzie Hayden <[Mackenzie.Hayden@northwestfcs.com](mailto:Mackenzie.Hayden@northwestfcs.com)>  
**Cc:** BJORK Mary F \* WRD <[Mary.F.BJORK@water.oregon.gov](mailto:Mary.F.BJORK@water.oregon.gov)>  
**Subject:** RE: Application G-1579, Permit- G-15333

Hi Mackenzie,

Thanks for reaching out on this. Unfortunately I will need to get back to you on it early next week. My daughter is getting married and I am off work for the next few days.

Best Regards,

Mary F. Bjork

Water Rights Program Analyst

725 Summer St NE, Suite A, Salem OR 97301 | Phone 503-979-9895



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

---

**From:** Mackenzie Hayden <[Mackenzie.Hayden@northwestfcs.com](mailto:Mackenzie.Hayden@northwestfcs.com)>  
**Sent:** Thursday, October 6, 2022 11:51 AM  
**To:** BJORK Mary F \* WRD <[Mary.F.BJORK@water.oregon.gov](mailto:Mary.F.BJORK@water.oregon.gov)>  
**Subject:** Application G-1579, Permit- G-15333

Hello Mary,

We are trying to get Application G-15679, Permit G-15333 transferred to have Northwest Farm Credit Services, and Balin Farm Trust be the new owner's. Currently on the permit are Balin Farm Trust, Harold Balin, and William Williams. Harold and William are now deceased. Harold's death certificate is recorded in Klamath County and I have attached a screen shot of what comes up for it on the Klamath County Records Office. It will not show a preview of the document due to the fact that it is a death certificate. Will that be enough evidence to provide as proof of death for him? For William, we were only able to find a copy of his obituary that I have attached as well. Scott Balin from Balin Farm Trust has signed a request for assignment. If we submitted these 3 things along with the fees, would the request be able to be processed?


Wanted to check in with you before submission to try and avoid a return. Thank you so much for any help you can give!



## Document Details

[Back](#)

[New Search](#)

<b>Document Number</b>	<b>2022-006338</b>
<b>RecordingDate</b>	05/18/2022 03:17:01 PM 
<b>Document Type</b>	D-DC: Death Certificate
<b>Return To</b>	AMERITITLE - KLAMATH FALLS 300 KLAMATH AVE KLAMATH FALLS, OR 97601-6308
<b>Consideration</b>	

### Parties

#### DIRECT

BALIN, HAROLD EDWARD

#### INDIRECT

*No INDIRECT parties to display*

### Legal Descriptions

*No legal descriptions to display*

**This document does not reference any other document**

*No References to display*

W.M. "Bill" Williams, 91, died in Medford, Wednesday, Aug. 1, 1990.

He was born Dec. 9, 1898, in Lorella.

He married Elizabeth A. (Beth) Dimmitt Dec. 28, 1932, in Klamath Falls.

Mr. Williams was a retired rancher who farmed and ranched in Klamath County from 1906 to 1978. He enjoyed fishing for salmon off the Oregon coast and hunting for deer, elk and game birds.

He was active in the Farm Bureau and Grange, was a past president of the Klamath Cat-



tlemen's Association and was a 20-year board member of Klamath Production Credit Association (Farm Credit Services).

Mr. Williams is survived by his wife, Central Point; sons Dale, Sacramento, Calif., Henry C. (Hank), Central Point; brothers, Bryant, Klamath Falls, and George, Tacoma, Wash.; sister, Dortha Perelli Minetti, Petaluma, Calif.; eight grandchildren; and four great-grandchildren.

Service will be at 2 p.m. Saturday in Medford at Westminster Presbyterian Church.

Memorial contributions may be made to Mount Laki Community Presbyterian Church, 12570 Highway 39, Klamath Falls 97603.



**Mackenzie Hayden**  
*Financial Specialist*

300 Klamath Ave, Ste 200 | Klamath Falls, OR 97601  
o 541.850.7500 | f 541.850.7505  
[northwestfcs.com](http://northwestfcs.com)



CONFIDENTIALITY NOTICE: Unless specifically stated: (i) this email does not create a legal relationship between Northwest FCS, including its subsidiaries and affiliates (collectively "Northwest") and the recipient; (ii) Northwest

disclaims any liability for the content of this email or for the consequences of any actions taken on the basis of the information provided in this email or its attachments; and (iii) Northwest reserves the right to monitor and retain email messages to and from its systems as permitted by law. Email messages may contain defects, may not be accurately replicated for viewing on other systems and may be intercepted, modified, deleted or otherwise interfered with without the knowledge of the sender or the intended recipient. Northwest makes no warranties related to these matters. This email and any attachments are intended solely for the use of the intended recipient(s) and may contain information that is confidential, privileged, proprietary, private or otherwise protected from disclosure. If you are not the intended recipient of this email, please notify the sender and delete it from your system. In communicating via email with Northwest, you consent to the foregoing. This institution is an equal opportunity provider and employer.

CONFIDENTIALITY NOTICE: Unless specifically stated: (i) this email does not create a legal relationship between Northwest FCS, including its subsidiaries and affiliates (collectively "Northwest") and the recipient; (ii) Northwest disclaims any liability for the content of this email or for the consequences of any actions taken on the basis of the information provided in this email or its attachments; and (iii) Northwest reserves the right to monitor and retain email messages to and from its systems as permitted by law. Email messages may contain defects, may not be accurately replicated for viewing on other systems and may be intercepted, modified, deleted or otherwise interfered with without the knowledge of the sender or the intended recipient. Northwest makes no warranties related to these matters. This email and any attachments are intended solely for the use of the intended recipient(s) and may contain information that is confidential, privileged, proprietary, private or otherwise protected from disclosure. If you are not the intended recipient of this email, please notify the sender and delete it from your system. In communicating via email with Northwest, you consent to the foregoing. This institution is an equal opportunity provider and employer.

**STATE OF OREGON  
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A  
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **139293**

INVOICE # \_\_\_\_\_

RECEIVED FROM: Northwest Farm Credit

APPLICATION 4-15679

BY: Services

PERMIT \_\_\_\_\_

CASH:  CHECK: # 44014190 OTHER: (IDENTIFY)

TRANSFER \_\_\_\_\_

TOTAL REC'D \$ 120.00

**1083 TREASURY 4170 WRD MISC CASH ACCT**

0407 COPIES \$ \_\_\_\_\_

OTHER: (IDENTIFY) \$ \_\_\_\_\_

0243 I/S Lease \_\_\_\_\_ 0244 Muni Water Mgmt. Plan \_\_\_\_\_ 0245 Cons. Water \_\_\_\_\_

**4270 WRD OPERATING ACCT**

MISCELLANEOUS 4611

0407 COPY & TAPE FEES \$ \_\_\_\_\_

0410 RESEARCH FEES \$ \_\_\_\_\_

0408 MISC REVENUE: (IDENTIFY) \$ \_\_\_\_\_

TC162 DEPOSIT LIAB. (IDENTIFY) \$ \_\_\_\_\_

0240 EXTENSION OF TIME \$ \_\_\_\_\_

WATER RIGHTS:

0201 SURFACE WATER 

EXAM FEE
\$ _____

 0202 \$ \_\_\_\_\_

0203 GROUND WATER 

EXAM FEE
\$ _____

 0204 \$ \_\_\_\_\_

0205 TRANSFER 

EXAM FEE
\$ _____

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR 

EXAM FEE
\$ _____

 0219 \$ \_\_\_\_\_

LANDOWNER'S PERMIT

0220 \$ \_\_\_\_\_

0250 OTHER (IDENTIFY) Assignment \$ 120.00

**0536 TREASURY 0437 WELL CONST. START FEE**

0211 WELL CONST START FEE \$ \_\_\_\_\_ CARD# \_\_\_\_\_

0210 MONITORING WELLS \$ \_\_\_\_\_ CARD# \_\_\_\_\_

OTHER (IDENTIFY) \_\_\_\_\_

**0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER**

0233 POWER LICENSE FEE (FW/WRD) \$ \_\_\_\_\_

0231 HYDRO LICENSE FEE (FW/WRD) \$ \_\_\_\_\_

HYDRO APPLICATION \$ \_\_\_\_\_

**TREASURY OTHER / RDX**

FUND \_\_\_\_\_ TITLE \_\_\_\_\_

OBJ. CODE \_\_\_\_\_ VENDOR # \_\_\_\_\_

DESCRIPTION \_\_\_\_\_

**RECEIVED  
OVER THE COUNTER**

RECEIPT: **139293**

DATED: 10-10-2022 BY: [Signature]

Control No.: 44014190

Paid To:

OEGON WATER RESOURCES DEPARTMENT  
725 SUMMER STREET NE, SUITE A  
SALEM, OR 97301

Comments:

Check to OWRD for assignment/MLH

Mail To:

RECEIVED

OCT. 10 2022

OWRD

Customer No. Account No.

Amount  
\$120.00

Date: 10/06/2022

Amount:

\$120.00

Memo:

DETACH BEFORE DEPOSITING



# Oregon

Kate Brown, Governor

## Water Resources Department

North Mall Office Building

725 Summer St NE, Ste A

Salem, OR 97301

Phone: 503-986-0900

Fax: 503-986-0904

[www.Oregon.gov/OWRD](http://www.Oregon.gov/OWRD)

October 13, 2022

Northwest Farm Credit Services  
300 Klamath Ave., Ste 200  
Klamath Falls, OR 97603

Reference: Application G-15679, Permit G-15333

The assignment by proof from Balin Farm Trust, Harold Balin and William Williams to Balin Farm Trust and Northwest Farm Credit Services, FLCA has been recorded in the records of the Water Resources Department.

The Departments records will now show Balin Farm Trust and Northwest Farm Credit Services, FLCA as the permit holders of record.

Our records have been changed accordingly and the original request is enclosed. Receipt number 139293 covering the recording fee is also enclosed.

A permit is not a perfected water right, and has conditions and timelines that must be satisfied prior to a Certificate of Water Right being issued. Please review the permit to be familiar with the conditions and timelines contained in the permit.

Sincerely,

Mary F. Bjork  
Water Rights Program Analyst  
Water Right Services Division

Enclosure: Original Request and Receipt #139293

cc: Balin Farm Trust – 13600 Homedale Rd., Klamath Falls, OR 97603  
Data Center, OWRD (cover letter & request)  
File



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301  
 (503) 986-0900  
 www.wrd.state.or.us

# Request for Assignment

If the Department determines that the application is incomplete, fees have not been paid, or the required documents are not acceptable, the application and all fees submitted will be returned to the applicant. If for multiple rights, a separate form and fee for each right will be required.

I, Balin Farm Trust  
 (Name of Current Holder of Record)

13600 Homedale Rd Klamath Falls, OR 97603  
 (Mailing Address) (City) (State) (Zip) (Phone #)

- hereby assign all my interest in and to the entire application/permit/transfer order/limited license/groundwater statement; (example, sold all the land authorized under the right)
- hereby assign all my interest in and to a portion of application/permit/transfer order/limited license/groundwater statement; (You must include a map showing the portion of the application/permit/transfer order/limited license/groundwater statement to be assigned. Example, sold a portion of the land authorized under the right)
- hereby assign a portion of my interest in and to the entire application/permit/transfer order/limited license/groundwater statement; (example, adding an additional person)

Application # G-15679 ; Permit # G-15333 ; Transfer Order # \_\_\_\_\_ ;  
 Limited License # \_\_\_\_\_ ; Groundwater Statement # \_\_\_\_\_ ;

as filed in the office of the Water Resources Director, to:

Northwest Farm Credit Services, FLCA  
 (Name of New Owner)  
300 Klamath Ave, Ste 200, Klamath Falls, OR 97601-6308  
 (Mailing Address) (City) (State) (Zip)

RECEIVED  
 MAY 27 2022  
 OWRD

Balin Farm Trust  
 (Name of New Owner)

13600 Homedale Rd Klamath Falls, OR 97603  
 (Mailing Address) (City) (State) (Zip) (Phone #)

**Note:** If there are other owners of the property described in this application, permit, transfer order, limited license, or groundwater statement, you must provide a list of all other owners' names and mailing addresses and attach it to this form. Write the initials (first letters) of your first and last names at the spot indicated below \_\_\_\_\_.

JB I hereby certify that I have notified all other owners of the property described in this application, permit, transfer order, limited license, or groundwater statement of this Request for Assignment

Witness my hand this 17 day of May, 20 22  
 (Day) (Month) (Year)

Signature of Current Holder of Record [Signature]

**Failure to provide any of the required information will result in the return of your application.**

I This certifies assignment and record change at Oregon Water Resources Department effective 8:00 a.m. on date of receipt at Salem, Oregon. Fee receipt # 139293 For Director by Mary F. Bjork, Program Analyst in Water Rights Division. MJB

The completed "Request for Assignment" form *must* be submitted to the Department along with the recording fee of \$120.

Ass. by proof - Approve  
 WRS 10-14-2022

RECEIVED  
 OCT 10 2022  
 OWRD



300 Klamath Ave, Ste 200  
Klamath Falls, OR 97601-6308  
Voice: 541.850.7500 Fax: 541.850.7505

October 7, 2022

Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, OR 97301

RE: Application G-15679, Permit G-15333

To Whom It May Concern,

Please find enclosed (1) fully executed Request for Assignment for the above referenced Application and Permit number, Documentation to prove the death of Harold Balin and William Williams, and our check to cover your assignment costs.

The assignment requests an assignment of all of the interest from Balin Farm Trust to Balin Farm Trust and Northwest Farm Credit Services, FLCA.

Please send the original assignments and correspondence affecting the above referenced permit to the following:

Northwest Farm Credit Services, FLCA  
300 Klamath Ave, STE 200  
Klamath Falls, OR 97601

Please don't hesitate to call or e-mail if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Mackenzie Hayden", written over a white background.

Mackenzie Hayden  
Financial Specialist  
[Mackenzie.hayden@northwestfcs.com](mailto:Mackenzie.hayden@northwestfcs.com)  
541-890-7500

Enclosures

RECEIVED

OCT 10 2022

OWRD



# Oregon

Kate Brown, Governor

## Water Resources Department

North Mall Office Building  
725 Summer St NE, Ste A  
Salem, OR 97301  
Phone: 503-986-0900  
Fax: 503-986-0904  
[www.Oregon.gov/OWRD](http://www.Oregon.gov/OWRD)

June 8, 2022

Northwest Farm Credit Services  
300 Klamath Ave., Ste 200  
Klamath Falls, OR 97603

Reference: Application G-15679, Permit G-15333

The requested assignment from Balin Farm Trust to Balin Farm Trust and Northwest Farm Credit Services, FLCA cannot be performed at this time.

The Request for Assignment must be signed by the permit holder(s) of record or proof of ownership must be provided. The permit is in the names of Balin Farm Trust, Harold Balin and William Williams. The Request for Assignment is missing signatures for Harold Balin and William Williams.

Please return the Request with the required items so that the Department may process it in a timely manner.

Should you have any questions, please contact me at 503-979-9895 or [mary.f.bjork@water.oregon.gov](mailto:mary.f.bjork@water.oregon.gov).

Sincerely,

Mary F. Bjork  
Water Rights Program Analyst  
Water Right Services Division

Enclosures: Original Request and Fee

cc: File

RECEIVED

JUN 10 2022

OWRD



Records have been redacted or withheld pursuant to the exemption for vital records specified in ORS 432.350.

W.M. "Bill" Williams, 91, died in Medford, Wednesday, Aug. 1, 1990.

He was born Dec. 9, 1898, in Lorella.

He married Elizabeth A. (Beth) Dimmitt Dec. 28, 1932, in Klamath Falls.

Mr. Williams was a retired rancher who farmed and ranched in Klamath County from 1906 to 1978. He enjoyed fishing for salmon off the Oregon coast and hunting for deer, elk and game birds.



He was active in the Farm Bureau and Grange, was a past president of the Klamath Cat-

tlemen's Association and was a 20-year board member of Klamath Production Credit Association (Farm Credit Services).

Mr. Williams is survived by his wife, Central Point; sons Dale, Sacramento, Calif., Henry C. (Hank), Central Point; brothers, Bryant, Klamath Falls, and George, Tacoma, Wash.; sister, Dortha Perelli Minetti, Petaluma, Calif.; eight grandchildren; and four great-grandchildren.

Service will be at 2 p.m. Saturday in Medford at Westminster Presbyterian Church.

Memorial contributions may be made to Mount Laki Community Presbyterian Church, 12570 Highway 39, Klamath Falls 97603.

RECEIVED

OCT 10 2022

OWRD

ORIGIN ID: LMTA (541) 850-7500  
MACKENZIE HAYDEN  
NORTHWEST FCS MAIL CENTER  
300 KLAMATH AVE, STE 200

SHIP DATE: 07OCT22  
ACTWGT: 0.20 LB  
CAD: 251681538/NET4530

KLAMATH FALLS, OR 97601  
UNITED STATES US

BILL SENDER

TO OREGON WATER RESOURCES DEPARTMENT

725 SUMMER STREET NE  
SUITE A  
SALEM OR 97301

(503) 986-0900

REF:

INV:  
PO:

DEPT:

581 J1AC5F-FE2D

FedEx Ship Manager - Print Your Label(s)



FedEx  
Express



JZZ2022011201 US

MON - 10 OCT 10:30A

PRIORITY OVERNIGHT

TRK#

0201


7701 4729 6112

86 SLEA

97301

OR-US

PDX



RECEIVED

OCT. 1-0 2022

OWRD

10/7/22, 11:18 AM


---

**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



Date Received (Date Stamp Here)

**OWRD Over-the-Counter Submission Receipt**

Applicant Name(s) & Address: Balin Farm Trust  
13600 Homedale Rd. Klamath Falls, OR 97603

Transaction Type: Assignment

Fees Received: \$ 120.00

Cash  Check: Check No. 44014190

Name(s) on Check: NW Farm Credit Services

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,  
OWRD Customer Service Staff

Submission received by: Conie Lornien  
(Name of OWRD staff)

**Instructions for OWRD staff:**

- Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (application/other document) in the top drawer of filing cabinet.



RECEIVED

OCT 10 2022

OWRD

Date Received (Date Stamp Here)

## OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Balin Farm Trust  
13600 Homedale Rd. Klamath Falls, OR 97603

Transaction Type: Assignment

Fees Received: \$ 120.00

Cash

Check:

Check No. 44014190

Name(s) on Check: NW Farm Credit Services

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,

OWRD Customer Service Staff

Submission received by: Corie Lornien

(Name of OWRD staff)

### Instructions for OWRD staff:

- Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (application/other document) in the top drawer of filing cabinet.

HOME

OREGON SECRETARY OF STATE  
Corporation Division



Business Xpress

business name search

oregon business guide

license directory

business registry/renewal

forms/fees

notary public

uniform commercial code

uniform commercial code search

documents & data services

Business Name Search

[New Search](#)

[Printer Friendly](#)

Business Entity Data

10-12-2022

15:01

Registry Nbr	Entity Type	Entity Status	Jurisdiction	Registry Date	Next Renewal Date	Renewal Due?
134823-85	DBT	ACT	OREGON	11-09-1988	11-09-2023	
Entity Name	BALIN FARM TRUST					
Foreign Name						

[New Search](#)

[Printer Friendly](#)

Associated Names

Type	PPB	PRINCIPAL PLACE OF BUSINESS				
Addr 1	13600 HOMEDALE RD					
Addr 2						
CSZ	KLAMATH FALLS	OR	97603	Country	UNITED STATES OF AMERICA	

Please click [here](#) for general information about registered agents and service of process.

Type	AGT	REGISTERED AGENT	Start Date	10-28-2019	Resign Date	
Name	SCOTT	E	BALIN			
Addr 1	13600 HOMEDALE RD					
Addr 2						
CSZ	KLAMATH FALLS	OR	97603	Country	UNITED STATES OF AMERICA	

Type	MAL	MAILING ADDRESS				
Addr 1	13600 HOMEDALE RD					
Addr 2						
CSZ	KLAMATH FALLS	OR	97603	Country	UNITED STATES OF AMERICA	

Type	TRU	TRUSTEE				
Name	JOAN	L	STAUNTON			
Addr 1	11539 KESTREL RD					
Addr 2						
CSZ	KLAMATH FALLS	OR	97603	Country	UNITED STATES OF AMERICA	

Word 2014











Type	TRU TRUSTEE			Resign Date	
Name	SCOTT		BALIN		
Addr 1	13600 HOMEDALE RD				
Addr 2					
CSZ	KLAMATH FALLS	OR	97603	Country	UNITED STATES OF AMERICA

[New Search](#)   [Printer Friendly](#)   [Name History](#)

Business Entity Name	Name Type	Name Status	Start Date	End Date
BALIN FARM TRUST	EN	CUR	11-09-1988	

Please read before ordering Copies.

[New Search](#)   [Printer Friendly](#)   [Summary History](#)

Image Available	Action	Transaction Date	Effective Date	Status	Name/Agent Change	Dissolved By
	AMENDED ANNUAL REPORT	09-26-2022		FI		
	AMENDED ANNUAL REPORT	09-30-2021		FI		
	AMENDED ANNUAL REPORT	10-12-2020		FI		
	AMENDED ANNUAL REPORT	10-28-2019		FI	Agent	
	REACTIVATION AMENDED	10-18-2018		FI		
	AMENDED ANNUAL REPORT	11-06-2016		FI		
	AMENDED ANNUAL REPORT	11-04-2015		FI		
	AMENDED ANNUAL REPORT	11-05-2014		FI	Agent	
	AMENDED ANNUAL REPORT	11-01-2013		FI		
	AMENDMENT TO BUSINESS TRUST	07-30-2013		FI	Agent	
	ANNUAL REPORT PAYMENT	11-01-2012		SYS		
	ANNUAL REPORT PAYMENT	11-03-2011	11-02-2011	SYS		
	ANNUAL REPORT PAYMENT	10-13-2010		SYS		
	ANNUAL REPORT PAYMENT	11-10-2009		SYS		
	ANNUAL REPORT PAYMENT	11-04-2008	11-03-2008	SYS		
	ANNUAL REPORT	10-11-2007		SYS		

PAYMENT					
ANNUAL REPORT PAYMENT	10-16-2006		SYS		
CHANGE OF MAILING ADDRESS	11-22-2005		FI		
ANNUAL REPORT PAYMENT	10-24-2005		SYS		
ANNUAL REPORT	11-18-2004		FI		
CHANGE OF REGISTERED AGENT/ADDRESS	10-13-2004		FI	Agent	
ANNUAL REPORT PAYMENT	11-10-2003		SYS		
ANNUAL REPORT	10-21-2002		FI		
ANNUAL REPORT PAYMENT	11-09-2001		SYS		
STRAIGHT RENEWAL	11-02-2000		FI		
CHANGED RENEWAL	11-09-1999		FI		
AGENT/AUTH REP CHNG	11-09-1999		FI		
STRAIGHT RENEWAL	10-28-1999		FI		
AMENDED RENEWAL	10-26-1998		FI		
STRAIGHT RENEWAL	10-14-1997		FI		
STRAIGHT RENEWAL	11-04-1996		FI		
STRAIGHT RENEWAL	11-16-1995		FI		
AMENDED RENEWAL	11-10-1994		FI		
STRAIGHT RENEWAL	11-08-1993		FI		
NB AMENDMENT	06-03-1993		FI		
ASSOCIATED NAME CHNG	06-03-1993		FI		
STRAIGHT RENEWAL	10-13-1992		FI		
AMENDED RENEWAL	10-17-1991		FI		
AMENDED RENEWAL	11-05-1990		FI		
AMENDED RENEWAL	10-06-1989		FI		
NEW FILING	11-09-1988		FI		

---

[About Us](#) | [Announcements](#) | [Laws & Rules](#) | [Feedback Policy](#) | [SOS Home](#) | [Oregon Blue Book](#) | [Oregon.gov](#)

For comments or suggestions regarding the operation of this site, please contact : [corporation.division@sos.oregon.gov](mailto:corporation.division@sos.oregon.gov)

## BJORK Mary F \* WRD

---

**From:** Mackenzie Hayden <Mackenzie.Hayden@northwestfcs.com>  
**Sent:** Thursday, October 6, 2022 11:51 AM  
**To:** BJORK Mary F \* WRD  
**Subject:** Application G-1579, Permit- G-15333

Hello Mary,

We are trying to get Application G-15679, Permit G-15333 transferred to have Northwest Farm Credit Services, and Balin Farm Trust be the new owner's. Currently on the permit are Balin Farm Trust, Harold Balin, and William Williams. Harold and William are now deceased. Harold's death certificate is recorded in Klamath County and I have attached a screen shot of what comes up for it on the Klamath County Records Office. It will not show a preview of the document due to the fact that it is a death certificate. Will that be enough evidence to provide as proof of death for him? For William, we were only able to find a copy of his obituary that I have attached as well. Scott Balin from Balin Farm Trust has signed a request for assignment. If we submitted these 3 things along with the fees, would the request be able to be processed?

Wanted to check in with you before submission to try and avoid a return. Thank you so much for any help you can give!



## Document Details

[Back](#)

[New Search](#)

<b>Document Number</b>	2022-006338
<b>RecordingDate</b>	05/18/2022 03:17:01 PM ⓘ
<b>Document Type</b>	D-DC: Death Certificate
<b>Return To</b>	AMERITITLE - KLAMATH FALLS 300 KLAMATH AVE KLAMATH FALLS, OR 97601-6308
<b>Consideration</b>	

### Parties

**DIRECT**

BALIN, HAROLD EDWARD

**INDIRECT**

*No INDIRECT parties to display*

### Legal Descriptions

*No legal descriptions to display*

This document does not reference any other document

*No References to display*

W.M. "Bill" Williams, 91, died in Medford, Wednesday, Aug. 1, 1990.

He was born Dec. 9, 1898, in Lorella.

He married Elizabeth A. (Beth) Dimmitt Dec. 28, 1932, in Klamath Falls.

Mr. Williams was a retired rancher who farmed and ranched in Klamath County from 1906 to 1978. He enjoyed fishing for salmon off the Oregon coast and hunting for deer, elk and game birds.

He was active in the Farm Bureau and Grange, was a past president of the Klamath Cat-



tlemen's Association and was a 20-year board member of Klamath Production Credit Association (Farm Credit Services).

Mr. Williams is survived by his wife, Central Point; sons Dale, Sacramento, Calif., Henry C. (Hank), Central Point; brothers, Bryant, Klamath Falls, and George, Tacoma, Wash.; sister, Dortha Perelli Minetti, Petaluma, Calif.; eight grandchildren; and four great-grandchildren.

Service will be at 2 p.m. Saturday in Medford at Westminster Presbyterian Church.

Memorial contributions may be made to Mount Laki Community Presbyterian Church, 12570 Highway 39, Klamath Falls 97603.



**Mackenzie Hayden**  
*Financial Specialist*

300 Klamath Ave, Ste 200 | Klamath Falls, OR 97601  
o 541.850.7500 | f 541.850.7505  
[northwestfcs.com](http://northwestfcs.com)



CONFIDENTIALITY NOTICE: Unless specifically stated: (i) this email does not create a legal relationship between Northwest FCS, including its subsidiaries and affiliates (collectively "Northwest") and the recipient; (ii) Northwest

disclaims any liability for the content of this email or for the consequences of any actions taken on the basis of the information provided in this email or its attachments; and (iii) Northwest reserves the right to monitor and retain email messages to and from its systems as permitted by law. Email messages may contain defects, may not be accurately replicated for viewing on other systems and may be intercepted, modified, deleted or otherwise interfered with without the knowledge of the sender or the intended recipient. Northwest makes no warranties related to these matters. This email and any attachments are intended solely for the use of the intended recipient(s) and may contain information that is confidential, privileged, proprietary, private or otherwise protected from disclosure. If you are not the intended recipient of this email, please notify the sender and delete it from your system. In communicating via email with Northwest, you consent to the foregoing. This institution is an equal opportunity provider and employer.



# Oregon

Kate Brown, Governor

## Water Resources Department

North Mall Office Building  
725 Summer St NE, Ste A  
Salem, OR 97301  
Phone: 503-986-0900  
Fax: 503-986-0904  
[www.Oregon.gov/OWRD](http://www.Oregon.gov/OWRD)

June 8, 2022

Northwest Farm Credit Services  
300 Klamath Ave., Ste 200  
Klamath Falls, OR 97603

Reference: Application G-15679, Permit G-15333

The requested assignment from Balin Farm Trust to Balin Farm Trust and Northwest Farm Credit Services, FLCA cannot be performed at this time.

The Request for Assignment must be signed by the permit holder(s) of record or proof of ownership must be provided. The permit is in the names of Balin Farm Trust, Harold Balin and William Williams. The Request for Assignment is missing signatures for Harold Balin and William Williams.

Please return the Request with the required items so that the Department may process it in a timely manner.

Should you have any questions, please contact me at 503-979-9895 or [mary.f.bjork@water.oregon.gov](mailto:mary.f.bjork@water.oregon.gov).

Sincerely,

Mary F. Bjork  
Water Rights Program Analyst  
Water Right Services Division

Enclosures: Original Request and Fee

cc: File





300 Klamath Ave, Ste 200  
Klamath Falls, OR 97601-6308  
Voice: 541.850.7500 Fax: 541.850.7505

May 24, 2022

Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, OR 97301

Re: Water Permit G 15333  
Balin Farm Trust

To Whom It May Concern,

Please find enclosed (1) fully executed Request for Assignment for the above-referenced permit and our check to cover your Assignment costs.

The Assignment requests an assignment of all of the interest from the above owner(s) to Balin Farm Trust and Northwest Farm Credit Services, FLCA.

Please send the original assignments and correspondence affecting the above referenced permits to the following:

Northwest Farm Credit Services, FLCA  
300 Klamath Ave, Ste 200  
Klamath Falls, OR 97601

Please don't hesitate to call or e-mail if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Mackenzie Hayden", written over a white background.

Mackenzie Hayden  
Financial Specialist  
mackenzie.hayden@northwestfcs.com

**RECEIVED**

**MAY 27 2022**

**OWRD**

Enclosures



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301  
 (503) 986-0900  
 www.wrd.state.or.us

# Request for Assignment

If the Department determines that the application is incomplete, fees have not been paid, or the required documents are not acceptable, the application and all fees submitted will be returned to the applicant. If for multiple rights, a separate form and fee for each right will be required.

I, Balin Farm Trust  
 (Name of Current Holder of Record)

13600 Homedale Rd Klamath Falls, OR 97603  
 (Mailing Address) (City) (State) (Zip) (Phone #)

- hereby assign all my interest in and to the entire application/permit/transfer order/limited license/groundwater statement; (example, sold all the land authorized under the right)
- hereby assign all my interest in and to a portion of application/permit/transfer order/limited license/groundwater statement; (You must include a map showing the portion of the application/permit/transfer order/limited license/groundwater statement to be assigned. Example, sold a portion of the land authorized under the right)
- hereby assign a portion of my interest in and to the entire application/permit/transfer order/limited license/groundwater statement; (example, adding an additional person)

Application # G-15679 ; Permit # G-15333 ; Transfer Order # \_\_\_\_\_ ;  
 Limited License # \_\_\_\_\_ ; Groundwater Statement # \_\_\_\_\_ ;

as filed in the office of the Water Resources Director, to:

Northwest Farm Credit Services, FLCA  
 (Name of New Owner)  
300 Klamath Ave, Ste 200, Klamath Falls, OR 97601-6308  
 (Mailing Address) (City) (State) (Zip)

RECEIVED  
 MAY 27 2022  
 OWRD

Balin Farm Trust  
 (Name of New Owner)

13600 Homedale Rd Klamath Falls, OR 97603  
 (Mailing Address) (City) (State) (Zip) (Phone #)

**Note:** If there are other owners of the property described in this application, permit, transfer order, limited license, or groundwater statement, you must provide a list of all other owners' names and mailing addresses and attach it to this form. Write the initials (first letters) of your first and last names at the spot indicated below \_\_\_\_\_.


JB I hereby certify that I have notified all other owners of the property described in this application, permit, transfer order, limited license, or groundwater statement of this Request for Assignment

Witness my hand this 17 day of May, 20 22  
 (Day) (Month) (Year)

Signature of Current Holder of Record [Signature]

**Failure to provide any of the required information will result in the return of your application.**

**DO NOT WRITE IN THIS BOX**



The completed "Request for Assignment" form *must* be submitted to the Department along with the recording fee of \$120.



**Northwest**  
FARM CREDIT SERVICES

300 Klamath Ave, Ste 200  
Klamath Falls, OR 97601-6308

MEDEFORD OR 975

25 MAY 2022 PM 4

NEOPOST FIRST-CLASS MAIL

05/24/2022


US POSTAGE \$000.53<sup>00</sup>



ZIP 97601  
041M10278011



9730181266





**Northwest**  
FARM CREDIT SERVICES

300 Klamath Ave, Ste 200  
Klamath Falls, OR 97



## MONEY SLIP

DATE: 05/27/2022	RECEIPT #: 138285
------------------	-------------------

RECEIVED FROM: Northwest Farm Credit Services

APPLICATION	
PERMIT	
TRANSFER	

CASH  CHECK #  44014176 OTHER (IDENTIFY)

TOTAL REC'D	\$ 120.00
-------------	-----------

1083 TREASURY	4170 MISC CASH ACCT.
---------------	----------------------

0407 COPIES	\$
OTHER: (IDENTIFY)	\$

0243 Instream Lease \_\_\_\_\_ 0244 Muni Water Mgmt. Plan \_\_\_\_\_ 0245 Cons. Water \_\_\_\_\_

1083 TREASURY	4270 WRD OPERATING ACCT.
---------------	--------------------------

MISCELLANEOUS		
0407 COPY & TAPE FEES		\$
0410 RESEARCH FEES		\$
0408 MISC REVENUE (IDENTIFY)		\$
TC162 DEPOSIT LIAB. (IDENTIFY)		\$
0240 EXTENSION OF TIME		\$

WATER RIGHTS		EXAM FEE		RECORD FEE
0201 SURFACE WATER		\$	0202	\$
0203 GROUND WATER		\$	0204	\$
0205 TRANSFER		\$		

WELL CONSTRUCTION		EXAM FEE		RECORD FEE
0218 WELL DRILL CONSTRUCTOR		\$	0219	\$
LANDOWNER'S PERMIT			0220	\$
OTHER (IDENTIFY)				


0607 TREASURY	0467 HYDROELECTRIC
---------------	--------------------

		LIC NUMBER	
0233 POWER LICENSE FEE (FW/WRD)			\$
0231 HYDRO LICENSE FEE (FW/WRD)			\$
HYDRO APPLICATION			\$

**SPECIAL INSTRUCTIONS:**

RETURN TO APPLICANT-- LETTER ATTACHED

RECORDED - 05/27/22  
25 MAY 2022 PM 4:17



NEOPUS  
05/24/2022  
US POSTAGE \$000.63

ZIP 97601  
041M10278011

---

---

MEMORANDUM

---

---

TO: JUSTIN IVERSON, GROUND WATER SECTION  
FROM: CERTIFICATE SECTION – CONNIE VANCE  
SUBJECT: PUMP TEST FOR PERMIT G-15333 APPLICATION G-15679  
DATE: 12/12/2016

The attached pump test was recently received. We have retained the original for the application file.

S:\groups\wr\certs\Resource Center\pump test memo normal.doc

Oregon Water Resources Department  
**PUMP TEST FORM COVER SHEET**

**Well Owner:**

Name: BALIN FARM TRUST.  
 Address: 13600 HOMEDALE RD  
 County: KLAMATH  
 City: KLAMATH FALLS State: OR Zip: 97603  
 Original owner (from well log): \_\_\_\_\_

**Well Location:**

Township: \_\_\_\_\_ (N/S) Range: \_\_\_\_\_ (E/W)  
 Section: \_\_\_\_\_ 1/4: \_\_\_\_\_ 1/16: \_\_\_\_\_ 1/64: \_\_\_\_\_  
 Well depth: \_\_\_\_\_ Date drilled: \_\_\_\_\_  
 Owners well no. (if any): \_\_\_\_\_  
 POD ID: \_\_\_\_\_

**Water Right Information:**

Application: G-15679 Permit: G-15333 Certificate: \_\_\_\_\_  
 Is this well listed on more than one water right?  Yes If yes, list additional water rights below:  
 Application: \_\_\_\_\_ Permit: \_\_\_\_\_ Certificate: \_\_\_\_\_  
 Application: \_\_\_\_\_ Permit: \_\_\_\_\_ Certificate: \_\_\_\_\_

**Pump Test:**

Test Conducted by: SCOTT BALIN Well Owner?  Yes  
 Company: BALIN RANCHES  
 Address: 13600 HOMEDALE RD. Date of Test: 2-24-11  
 City: KLAMATH FALLS State: OR Zip: 97603  
 Daytime phone: \_\_\_\_\_

Method of discharge measurement (see our brochure for acceptable methods): FLOW METER.  
 Method of water-level measurement (pick one or enter other method used): E-TAPE  
 Length of air line (if used): \_\_\_\_\_

Pump type (pick one or enter other method used): 2 STAGE TURBINE  
 Was the pump test conducted during normal use of the well?  Yes Note: \_\_\_\_\_

Are you aware of any wells, other than domestic or stock wells, pumping within 1000 feet of the tested well during the test or within 24 hours prior to the test?  Yes Note: \_\_\_\_\_  
 If yes, give approximate distances to each and approximate pumping rate of each. If possible, indicate if they were turned on or off during the test: \_\_\_\_\_

Is there a lake, stream or other surface water body within 1/4 mile of the tested well?  Yes If yes, give approximate distance from the well and approximate elevation difference between the surface water and the well head. Approx. distance: \_\_\_\_\_ ft Approx. elevation difference: \_\_\_\_\_ ft

Well elevation is \_\_\_\_\_ surface water body.

Description of measuring point (e.g. top port of 1 inch port pipe, west side) 3" HOLE ON SOUTHEAST SIDE OF PUMP 6" ABOVE GROUND LEVEL  
 Measuring point distance ABOVE land surface 0.5 feet.

**Static water level measurements:** (A minimum of three measurements are required in the hour before pumping begins at no less than 20 minutes apart):

Time	Depth to water below meas. point	Depth to water below land surface
<u>9:00 AM</u>	<u>57.3 FEET</u>	<u>56.8 FEET.</u>
<u>9:20 AM</u>	<u>57.3 FEET</u>	<u>56.8 FEET</u>
<u>9:40 AM</u>	<u>57.3 FEET</u>	<u>56.8 FEET.</u>

**Discharge measurements:** (A discharge measurement is required at the start of pumping and at least once an hour during the test; additional measurements should be noted on the Pump Test Data Sheet):

Time	Discharge Rate	Discharge Units (e.g. gpm, cfs, etc)
<u>10:00 AM</u>	<u>0 TO 4000</u>	<u>GPM</u>
<u>11:00 AM</u>	<u>4,000</u>	<u>GPM</u>
<u>12:00 PM</u>	<u>4,000</u>	<u>GPM</u>
<u>1:00 PM</u>	<u>4,000</u>	<u>GPM</u>
<u>2:00 PM</u>	<u>4,000</u>	<u>GPM</u>

**Time pump turned on:** Date 2-24-2011  
**Time pump turned off:** Date 2:24-2011  
**Total pumping time:** 4 hours 00 minutes

Time 10:00 AM  
 Time 2:00 PM  
 JUN 30 2011  
 WATER RESOURCES DEPT  
 SALEM, OREGON

**Note:** Well must be idle for at least 16 hours prior to the test.

Additional forms can be obtained from our web site at: <http://www.wrd.state.or.us>

Required Signature: \_\_\_\_\_

**RECEIVED**

JUL 1 1 2011

EXHIBIT 4  
 WATER RESOURCES DEPT  
 SALEM, OREGON



## CLARK Gerald E \* WRD

---

**From:** CLARK Gerald E \* WRD  
**Sent:** Thursday, February 09, 2017 8:07 AM  
**To:** 'Hollie Cannon'  
**Cc:** Scott Balin (balinranches@gmail.com); Cathy Waters  
**Subject:** RE: Certificate for Permit G-15333

Hollie,

We have not reviewed the file because the pump test has not yet been reviewed. Once the pump test has been approved, we will then be able to review the file to determine beneficial use. I do not have a time line for the review of the test.

Please let me know if you have any additional questions.

Gerry

Gerry Clark  
Water Right Services Division  
Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301

Phone: 503-986-0811

---

**From:** Hollie Cannon [<mailto:hcannon@waterrightsolutions.com>]  
**Sent:** Thursday, February 09, 2017 7:30 AM  
**To:** CLARK Gerry E  
**Cc:** Scott Balin ([balinranches@gmail.com](mailto:balinranches@gmail.com)); Cathy Waters  
**Subject:** Certificate for Permit G-15333

Gerry

I am doing some work for Scott Balin and was asked to check on the status of the certificate for Permit G-15333. Scott submitted two COBUs at the same time and has received the certificate for one some months ago. He is wondering if there is a problem with G-15333 and whether there is something he needs to do.

Thanks for your help.

Hollie Cannon  
Water Right Solutions, LLC  
Office: 409 Pine St, #304  
Klamath Falls, OR  
Mail: 3246 Hammer St  
Klamath Falls, OR 97603  
Phone: 541-821-5848



Date Received 1/20/2011 7/11/2011 Application # G15679  
CWRE Name Dennis Ensos Claim Logged \_\_\_\_\_  
File Marked yes  
Oversized Map # \_\_\_\_\_  
Read the file and attach a copy of the permit or transfer final order. \_\_\_\_\_

Map Review:

- Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b))
- Application & permit #; or transfer # (OAR 690-014-0100(1))
- Disclaimer (OAR 690-014-0170(5))
- North arrow (OAR 690-310-0050(2)(c))
- CWRE stamp and signature (OAR 690-014 & 310-0050)
- Appropriate scale (1" = 1320', 1" = 400', or the original full-size scale of the county assessor map) (014 & 310)
- Township, range, section, and tax lot numbers (OAR 690-310-0050(4))
- Source illustrated if surface water (OAR 690-014-0170(3))
- Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050)
- Point(s) of diversion or appropriation (coordinates)(OAR 690-014(4) & 690-310-0050)
- Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050)
- Description of the location, in relation to the point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices required (OAR 690-014(4))
- Place of use (1/4 1/4, or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dwelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010)

Report Review:

- On form or format provided by the Department (OAR 690-014-0100(1))
- Application & permit #; or transfer # (OAR 690-014)
- Ownership information (OAR 690-014)
- Date of survey (OAR 690-014)
- Person interviewed (OAR 690-014)
- County (OAR 690-014)
- Tax lot information (OAR 690-014)
- Description of conveyances system (from POD to POU) (OAR 690-014-0100)
- Source(s) of water (OAR 690-014-0100)
- Point of diversion/appropriation location (OAR 690-014-0100)
- Use, period of use, and rate for use (OAR 690-014-0100)
- Place of use location (OAR 690-014-0100)
- Type of use (OAR 690-014-0100)
- Extent of use (OAR 690-014-0100)
- Rate and Duty (OAR 690-014-0100)
- Diversion rate for each use (OAR 690-014-0100)
- Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100)
- System capacity (OAR 690-014-0100)
  - Calculated capacity of system (required)
  - Measured amount of use (optional)
- Permit/Transfer Final Order Conditions (OAR 690-014-0100)
  - Time limits
  - Initial water level measurements
  - Annual static water level measurements
  - Measurement, recording, and reporting
    - Meter/measuring device
    - Water use reporting
  - Fish screening and/or by-pass
  - Pump test (ground water)
  - Other conditions
- CWRE stamp and signature (OAR 690-014-0100)
- Signature(s) of permittee of transfer holder (OAR 690-014-0100)

DEF = deficient  
N/A = Not Applicable

# Certificate Issuance Processing Checklist

- Map and COBU reviewed
- Conflict check (include copy of plat card printout) Any Conflicts? \_\_\_\_\_
- Check for ownership

## Staff Recommendations:

- Proof to the Satisfaction has been established to the full extent as described in the permit or transfer order.
- Proof to the Satisfaction has been not been established to the full extent as described in the permit or transfer order and the right should be limited as follows: \_\_\_\_\_
- Proof to the Satisfaction has not been established for the following reasons: \_\_\_\_\_  
**Proposed Actions:**  
Send letter requesting the following items/information: \_\_\_\_\_  
Send letter recommending extension to cure deficiencies: \_\_\_\_\_

Can certificate be processed further?

Yes

If "Yes":

Proposed

Final

Certificate # \_\_\_\_\_

Mailing list:

Proposed:

Final:

# CLAIM OF BENEFICIAL USE

## for Permits claiming more than 0.1 cfs and All Transfers



**Oregon Water Resources Department**  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
[www.wrd.state.or.us](http://www.wrd.state.or.us)

**A fee of \$150 must accompany this form to be accepted for permits  
with a priority date of July 9, 1987, or later. (ORS 536.050(1))**

**A separate form shall be completed for each permit.**

*In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.*

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:  
[http://www.wrd.state.or.us/OWRD/WR/cwre\\_info.shtml#](http://www.wrd.state.or.us/OWRD/WR/cwre_info.shtml#).

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see [http://www.wrd.state.or.us/OWRD/mgmt\\_reimbursement\\_authority.shtml](http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml).

### SECTION 1

### GENERAL INFORMATION

**1. File Information**

APPLICATION # (G, R, S or T) <i>G-15679</i>	PERMIT # (IF APPLICABLE) <i>G-15333</i>	PERMIT AMENDMENT # (IF APPLICABLE)
--	--	------------------------------------

**2. Property Owner (current owner information)**

APPLICANT/BUSINESS NAME <i>BALIN FARM TRUST.</i>		PHONE NO. <i>541-281-7909</i>	ADDITIONAL CONTACT No.
ADDRESS <i>13600 HOMEDALE ROAD</i>			
CITY <i>KLAMATH FALLS</i>	STATE <i>OREGON</i>	ZIP <i>97633</i>	E-MAIL <i>BalinRanch13600@AOL.COM</i>

If the current property owner is not the permit or transfer holder of record, it is recommended that an assignment be filed with the Department. **The COBU must be signed by the permit or transfer holder of record.**

3. Is the Property Owner the permit or transfer holder of record?

YES NO

If "YES" the remainder of this item may be deleted.

Permit or transfer holder of record (this may, or may not, be the current property owner)

PERMIT OR TRANSFER HOLDER OF RECORD HAROLD BALIN		
ADDRESS 13600 HOMEDALE ROAD		
CITY KLAMATH FALLS	STATE OREGON	ZIP 97603

Are there additional permit or transfer holders of record?

YES NO

If "NO" the following box may be deleted.

ADDITIONAL PERMIT OR TRANSFER HOLDER OF RECORD HANK WILLIAMS		
ADDRESS 1009 STEAMBOAT DRIVE		
CITY CENTRAL POINT	STATE OREGON	ZIP 97502

4. Date of Site Inspection: JANUARY + FEBRUARY, 2011

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
SCOTT BALIN	FEB-APRIL 2011	SHAREHOLDER / MANAGER.

6. County: KLAMATH

7. If any property described in the place of use of the permit or transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(4)):

\*\*Mark "NA" if there are no owners of property not included in this claim

OWNER OF RECORD	RECEIVED		RECEIVED
ADDRESS	JUL 11 2011		JUN 8 0 2011
CITY	STATE	ZIP	ZIP
		WATER RESOURCES DEPT SALEM, OREGON	WATER RESOURCES DEPT SALEM, OREGON

Are there additional Owners of Record?

YES NO

If "NO" the following box may be deleted.

ADDITIONAL OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

**SECTION 2**  
**SYSTEM DESCRIPTION**

**A. Points of Diversion/Appropriation**

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID# FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG# (IF APPLICABLE)
EXISTING WELL (NO. 1)	L 29451	

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
NO. 1 (WELL)	WELL IN LOST RIVER BASIN	

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	RATE OR VOLUME FOR USE (CFS, GPM, OR AF)
NO 1 (WELL)	IRRIGATION AND LIVESTOCK WATERING	HAY, GRAIN, AND ALL CROPS GROWN IN KLAMATH BASIN.	APRIL - OCTOBER 31	4,000 GPM.
<b>Total Quantity of Water Used</b>				

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion or appropriation to the place of use:

**RECEIVED**

JUL 1 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

**RECEIVED**

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

BALIN RANCH 125HP WELL IS DESIGNED AS A CLOSED ON DEMAND SYSTEM. THE WELL SUPPLIES 3-75HP PRESSURE PUMP STATIONS VIA 16" BURIED MAINLINE. THE WELL USES ABB FREQUENCY DRIVE THAT MAINTAINS 17PSI HEAD PRESSURE USING A POTENTIOMETER. THE SYSTEM PERFORMS AS AN ON DEMAND SYSTEM. IT RANGES FROM 1200 GPM TO 4200 GPM DEPENDING ON DEMAND AT ANY GIVEN TIME. THIS SYSTEM CONSERVES GROUNDWATER AND POWER CONSUMPTION DURING THE IRRIGATION SEASON. WE HAVE ALSO NOTICED MORE EFFICIENCY TO THE 75HP PRESSURE CENTRIFUGAL PUMP STATIONS BECAUSE THEY DO NOT HAVE TO LIFT WATER TO SUPPLY THEM THEY HAVE POSITIVE HEAD PRESSURE.

**RECEIVED**

JUL 11 2011


WATER RESOURCES DEPT  
SALEM, OREGON

**RECEIVED**

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

Balin Ranch 125 Hp US Motor Well



03:29:2011 07:58

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED


JUL 1 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

3 B



<b>Fairbanks Morse</b> Pump Group	No. Stages	Eff. Change	MATERIAL	Eff. Change	14 I	1770 R.P.M.
	1	-3	IMP - C.I.	-1	SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 4 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 4 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.	
	2	-1.5	IMP - NI-RI	-1		
	3	-1	BOWL - BRZ.	-2		
	4	0	BOWL - NI-R.	-2		



N.P.S.H. REQUIRED - FEET


**RECEIVED**  
JUL 11 2011

WATER RESOURCES DEPT  
SALEM, OREGON


**RECEIVED**  
JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

Maximum Operating Speed	1800	Maximum Sphere Size - Inches	1.25
Shaft Diameter - Inches	2.188	Thrust Factor - $K_t$	23.20
Weight, 1st Stage - Lbs.	650	$WR^2$	2.90
Weight, Ea. Add. Stage - Lbs.	240	Running Position (above seat) - In.	0.125
Shaft Stretch - Inches	0.56	Submergence - Inches	36
Maximum Working Pressure - PSI	400	Max. Bowl Brg Clearance - In. Dia.	.010/.011
Maximum Hydro Pressure - PSI	600	Max Wear Ring Clearance - In. Dia.	0.023
Filter Eye Area - Sq. In.	56.00	Max Bowl O.D. - Inches	13.63
Weight 1st/add stages - ( $K_a$ )	85/45	Suct Bell O.D. - Inches	17
12.313" per additional stage.		Maximum Number of Stages	9
Change - Inches	12	Suction - Inches	12



Bairn Ranch 1-75 Hpo Baldor on 4HH 75-4  
Carnell  
Pressure Station



RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

3 E


RECEIVED

JUL 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

03-29-2011 08:02

Baldor on 4HH73-4 Pressure Station  
Cemex



RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED


JUL 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

3 F

03:29:2011 08:09

Baldin Ranch 2-75Hp Baldor on 4HA 73-4  
Pressure Station  
Cornell  
CENTRIFUGAL



36

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON


RECEIVED

JUN 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

03.29.2011 08:08

Balm Ranch 9' 5" H Balm ABB Freq. Well Drive



03.29.2011 07:59

RECEIVED

JUL 11 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

3 H

## SECTION 2

### SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES  NO

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

#### B. Place of Use

1. Is the right for municipal use?

YES  NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	Q-Q	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
405	9E	W	11	NE SE					39.1
			11	NW SE					40.0
			11	SW SE					40.0
			11	SE SE					34.5
			12	NW NE					3.7
			12	SW NE					14.0
			12	NE NW					35.6
			12	NW NW					33.7
			12	SW NW					38.1
			12	SE NW					40.0
			12	NE SW					40.0
			12	NW SW					39.1
			12	SW SW					38.2
			12	SE SW					36.0
			12	NW SE					19.2
			12	SW SE					8.8
			13	NW NE					40.0
405	9E	W	13	NE NW					26.8
405	9E	W	13	NW NW					27.0
<b>Total Acres Irrigated</b>									<b>593.8</b>

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

JUL 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

WR

5. Provide pump calculations:

$$\frac{125 \times 7.04}{82.5 + (5 \times 2.54)} = \frac{880}{95.2} = \frac{9.24 \text{ CFS}}{248.3} = \frac{4142 \text{ GPM}}{985 \text{ (EFFICIENCY OF 2 STAGE)}} = 4080 \text{ GPM}$$

6. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
466.889	469.836	44 CO MIN.	8.92 CFS.

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
5"	4460 FT	PVC	BURIED
6"	700 FT	PVC	BURIED
8"	10,700 FT	PVC	BURIED
8"	1320 FT	ALUMINUM	ABOVE GROUND
10"	7796 FT	PVC	BURIED
15"	700 FT	PVC	BURIED
18"	400 FT	STEEL	ABOVE GROUND.

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
4"	3/4 MILE	ALUMINUM - WHEEL	LINE
5"	1 1/4 MILES	ALUMINUM - WHEEL	LINE
5"	3/4 MILE	ALUMINUM - HAND	LINE ABOVE GROUND.

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
3/16	60	7.8	363	176	3.06

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
VALMONT.	11,556 FT.	60	1520 GPM	3.39
VALMONT.	9,778 FT.	60	1106 GPM	2.47

RECEIVED

JUL 1 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

WR

Parent Order#: 10248599  
Order Date: 04/28/2003  
Dealer PO: BR424

Order No: 10249159  
Plant: Valley Systems/Parts  
Promise Date: 05/02/2003  
Routing: W/SYS

Dealer: 00003766/J.W. KERNS, INC.  
Customer: BALIN RANCH  
13600 HOMEDALE RD.  
KLAMATH FALLS, OR 97603

Model:	8098	Pivot Pressure (PSI):	60
Machine Length:	1448.69	Gallonage (GPM):	1106
End Gun Radius:	107.55	GPM/Acre:	6.41
Total Acres:	174.67	App Rate (In/Day):	0.34

Precision Corner

Model	Qty	Length(ft)	Dia(in)	Spacing	Profile	Tire	C-Factor
8000	2	180.0	6 5/8	108 in	Standard	14.9 x 24 High Float	
8000	5	160.0	6 5/8	108 in	Standard	14.9 x 24 High Float	
8098	1	287	6 5/8	120 in	Standard	14.9 x 24 High Float	

Sprinkler Configuration

Criteria	Component	Configuration
All	U-pipe	Vanmar, 6, PVC, 3/4 M NPT x 3/4 F NPT
	Variable Drop	Vanmar, PVC, 84, 3/4 M NPT
	Regulator	Nelson, Blue Acme, 20, Auto, 3/4 F NPT x 3/4 M Acme
	Sprinkler	Nelson, R3000, D6 - Red, 3/4 F Acme

Pressure:

Pressure = 35 PSI  
Measured at = End  
Pressure Loss = 22.66 PSI

Field Elevation Change

Highest Elevation = 1 ft  
Lowest Elevation = 1 ft

Endgun Summary:

Usage = Standard  
Model = Nelson SR100  
Endgun Valve = 9390228  
Booster Pump = 2 HP

Timer Chart Settings:

Center Drive Output = 56 RPM  
Motor Frequency = 60 Hz  
Wheel Gearbox Ratio = 52:1  
Tires Size = 14.9 x 24 High Float

Options:

Drain Sprinkler = Senninger Directional  
Last Sprinkler Coverage = 1 ft  
Use Last Coupler = YES  
Minimum Mainline Pressure = 6 PSI  
Using Standard Package

Messages:

Warning: Endgun underwatering by more than 10%

Shipping Options:

Do not ship Drop Hardware  
Ship Endgun Nozzle  
Ship Endgun Hardware  
Do not ship Endgun Valve / Nozzle Valve Hardware  
Do not ship Boosterpump Hardware

RECEIVED

JUL 1 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

Parent Order#: 10248599

Order No: 10249159

Dealer: 00003766/J.W. KERNS, INC.  
Customer: BALIN RANCH

**WARRANTY**

The information presented in the attached Dealer Sprinkler Report, Setup Sprinkler Report, and Percent Timer Report is based on variables which cannot be totally controlled by Valmont (including, but not limited to; pivot pressure, inside pipeline surface, end gun throw, end gun arc setting, tire slippage, tire pressure, field slopes, soil variations, sprinkler package installation, well capacity, center drive motor voltage, center drive motor frequency, climatic conditions and other elements and circumstances beyond Valmont's reasonable control). Valmont makes no warranty for this sprinkler package's uniformity and/or distribution of water or chemicals, accuracy or consistency of the application depth, and machine rotation time. Furthermore, Valmont makes no representations or recommendations as to percentage timer settings, water application rates, irrigation scheduling, and other similar or dissimilar irrigation/farm management decisions.

**LIABILITY**

The responsibility and obligations lie with the end user to determine if the sprinkler package/report received matches the machine configuration and field conditions (including but not limited to: sprinkler type, sprinkler spacing, sprinkler height, pressure regulator type, crop, soil type, span lengths, last regular drive unit tire type, last regular drive unit motor, and pipe diameters). VALMONT ASSUMES NO LIABILITY OF WHATSOEVER NATURE OR KIND FOR CROP LOSSES OR OTHER DAMAGES (INCLUDING CONSEQUENTIAL DAMAGES) CAUSED BY THIS SPRINKLER PACKAGE.

**SPRINKLER REPORT GENERAL INFORMATION**

Sprinkler reports are created using information from the Sprinkler Order Transmittal received or as given verbally to a Valmont Customer Service/Parts Representative and is considered by Valmont to be accurate.

Pivot span length begins at the center of the riser pipe inlet and ends at the center of a flex joint. Intermediate length span begins and ends at the center of a flex joint. Last span length begins at the center of a flex joint and ends at the last pipe flange.

Pivot pressure begins at the first coupler on the pipeline downstream of the pivot elbow. End pressure stated by the report will be within a range of -0 to +1.1 PSI of the specified end pressure at the end of the machine pipeline. Calculated pressure stated by the report will be within a range of -0 to +1.1 PSI of the minimum sprinkler pressure specified by Valmont or its sprinkler suppliers.

Pipeline pressure and drop length stated by the report for a bowstring span are adjusted for elevation change due to crown height, tire size and drive unit profile.

Calculated sprinkler ground clearance extends from the ground surface up to the point where the water exits the sprinkler.

Highest elevation stated by the report is prorated over the first 30% of machine length with the remaining machine length at the highest elevation and is only used with sprinkler packages containing pressure regulators.

Non-pressure regulated machines are considered to be on level ground. Pressure regulators will have a minimum inlet pressure of 5 PSI plus their nominal pressure rating.

Auxiliary end gun will be specified by the sprinkler program only when it is requested by the customer and the primary end gun cannot meet the end gun required flow. End gun coverage area can be over watering or under watering based upon end gun nozzle size and/or booster pump flow limitations.

The Percentage Timer Data report is based upon typical operating conditions. Valmont recommends monitoring the machine for at least one revolution to obtain an accurate rotation time.

Water application rates and rotation times may vary with a corner machine operating in chemigate mode.

**RECEIVED**


JUL 11 2011

WATER RESOURCES DEPT  
SALEM, OREGON

**RECEIVED**

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON



Valley Dealer

J.W. KERNS, INC.  
4360 Highway 39  
Klamath Falls, OR 97603  
USA



Customer

BALIN RANCH  
13600 HOMEDALE RD.  
KLAMATH FALLS, OR 97603  
USA

Dealer No.

00003766

Field Name

RECEIVED  
JUN 30 2011  
WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED  
JUL 11 2011  
WATER RESOURCES DEPT  
SALEM, OREGON

Parent Order No. 10485612  
Sprinkler Order No. 10494491  
Plant Valley Systems/Parts

Dealer PO Balin Corner  
Order Date 3/7/2006  
Promise Date 03/10/2006  
Method Of Shipment W/SYS

10 Span Valley Precision Corner 8098  
Machine Flow 1520 GPM  
Pivot Pressure 60 PSI

Valley Precision Corner 8098 Machine Summary

**RECEIVED**  
 JUN 30 2011  
 WATER RESOURCES DEPT  
 SALEM, OREGON

Span and Overhang

Model	Qty	Length Pipe		Coupler		D. U.	
		Ft	O.D. In	Spacing	Qty	Profile	Tire
8000	4	135.2	8 5/8	108	15	Standard	14.9 x 24 High Float
8000	5	180.0	6 5/8	108	20	Standard	14.9 x 24 High Float
8098	1	287.0	6 5/8	120	118	Standard	14.9 x 24 High Float

Field Area

Acres Total	150.5
Acres: Pivot 360°	1732.2
Acres: EG On 100%	107.0
1732.2 Ft. Machine Length	
107.0 Ft. End Gun Radius	

Flow

1520 Gallons Per Minute
6.23 GPM/Acre
0.33 In/Day App Rate
0.167 In. App Depth @ 100%
150.2 GPM End Gun

Messages

**Caution:**  
 1. Warning: Endgun underwatering by more than 10%

**Dealer:**  
 None

Pressure


60 PSI Pivot Pressure
28 = End Pressure
1.0 Ft. Highest Elevation
1.0 Ft. Lowest Elevation

LRDU Drive Train

56 RPM Center Drive @ 60 Hz freq.
14.9 x 24 High Float Tire
52:1 Wheel GB Ratio, LRDU Dist 1444.4 Ft.
12.0 Hrs/360° @ 100% ( 12.63 ) Ft/Min

Sprinkler -- Computer Spacing

Sprinkler Configuration	Range (ft)
Vanmar U-Pipe 6 PVC 3/4 M NPT x 3/4 F NPT	All
Vanmar PVC Drop Variable Length 84" Ground Clr	
Nelson Regulator Blue Acme 20 3/4 F NPT	
Nelson R3000 D6 - Red 3/4 F Acme	



**RECEIVED**  
 JUL 1 1 2011  
 WATER RESOURCES DEPT  
 SALEM, OREGON

Customer **BALIN RANCH**  
 Field Name

Valley Precision Corner 8098 Machine Summary


Pressure Loss

Pipe Length Ft	Pipe I.D. In	Pipe Finish	C-Factor	Loss PSI
542.4	8.41	Galvanized	150	5.2
1162.4	6.42	Galvanized	150	24.5
27.4	3.79	Galvanized	150	0.6
Total =				30.3


Span Flow

Span Number	Irrigated Length	Irrigated Acres	Rqd GPM	Act GPM	Rqd GPM/Acre	Act GPM/Acre	% Deviation
1	135.0	1.4	8.4	10.6	6.17	7.79	26.3
2	135.2	4.0	24.6	24.4	6.17	6.12	-0.7
3	135.2	6.6	40.9	41.0	6.17	6.18	0.2
4	136.7	9.4	57.9	58.0	6.17	6.18	0.2
5	180.1	16.5	101.6	101.9	6.17	6.18	0.2
6	180.1	21.2	130.5	130.3	6.17	6.16	-0.1
7	180.1	25.8	159.3	159.5	6.17	6.17	0.1
8	180.1	30.5	188.2	187.9	6.17	6.16	-0.1
9	179.8	35.1	216.7	217.0	6.17	6.17	0.1
10	204.4		291.1	291.0			
O/H	82.3		133.9	134.2			
EG	107.0		171.8	150.2			
<b>Totals</b>			<b>150.5</b>	<b>1506</b>			
Drain Sprinkler			14.8	14.8			
<b>Total Machine Flow</b>			<b>1520.8</b>				

End Gun & Booster Pump



Nelson SR100 End Gun  
 0.8 Nozzle  
 Berkeley 2 HP Booster Pump



Rainbird 65 Aux End Gun  
 3/8 Nozzle

Advanced Options

Drain Sprinkler = Senninger Directional  
 Last Sprinkler Coverage = 1.0 ft  
 Sprinkler Coverage Length = 1733.2 ft  
 Use Last Coupler= NO  
 Minimum Mainline Pressure = 6.0 PSI

Shipping Options

Do not ship Drop Hardware  
 Ship Endgun Nozzle  
 Ship Endgun & Hardware  
 Do not ship Endgun Valve / Nozzle Valve Hardware  
 Do not ship Boosterpump Hardware

**RECEIVED**  
 JUN 30 2011  
 WATER RESOURCES DEPT  
 SALEM, OREGON

**RECEIVED**  
 JUL 11 2011  
 WATER RESOURCES DEPT  
 SALEM, OREGON

Customer BALIN RANCH

Field Name

Valley Precision Corner 8098 Sprinkler Chart Disclaimer

**WARRANTY**

The information presented in the attached Default Sprinkler Report, Setup Sprinkler Report, and Percent Timer Report is based on variables which cannot be totally controlled by Valmont (including, but not limited to; pivot pressure, inside pipeline surface, end gun throw, end gun arc setting, tire slippage, tire pressure, field slopes, soil variations, sprinkler package installation, well capacity, center drive motor voltage, center drive motor frequency, climatic conditions and other elements and circumstances beyond Valmont's reasonable control). Valmont makes no warranty for this sprinkler package's uniformity and/or distribution of water or chemicals, accuracy or consistency of the application depth, and machine rotation time. Furthermore, Valmont makes no representations or recommendations as to percentage timer settings, water application rates, irrigation scheduling, and other similar or dissimilar irrigation/farm management decisions.

**LIABILITY**

The responsibility and obligations lie with the end user to determine if the sprinkler package/report received matches the machine configuration and field conditions (including but not limited to: sprinkler type, sprinkler spacing, sprinkler height, pressure regulator type, crop, soil type, span lengths, last regular drive unit tire type, last regular drive unit motor, and pipe diameters). VALMONT ASSUMES NO LIABILITY OF WHATSOEVER NATURE OR KIND FOR CROP LOSSES OR OTHER DAMAGES (INCLUDING CONSEQUENTIAL DAMAGES) CAUSED BY THIS SPRINKLER PACKAGE.

**SPRINKLER REPORT GENERAL INFORMATION**

Sprinkler reports are created using information from the Sprinkler Order Transmittal received or as given verbally to a Valmont Customer Service/Parts Representative and is considered by Valmont to be accurate.

Pivot tower length begins at the center of the riser pipe inlet and ends at the center of a flex joint. Intermediate length span begins and ends at the center of a flex joint. Last span length begins at the center of a flex joint and ends at the last pipe flange.

Pivot pressure begins at the first coupler on the pipeline downstream of the pivot elbow. End pressure stated by the report will be within a range of -0 to +1.1 PSI of the specified end pressure at the end of the machine pipeline. Calculated pressure stated by the report will be within a range of -0 to +1.1 PSI of the minimum sprinkler pressure specified by Valmont or its sprinkler suppliers.

Pipeline pressure and drop length stated by the report for an under truss span are adjusted for elevation change due to crown height, tire size and drive unit profile.

Calculated sprinkler ground clearance extends from the ground surface up to the point where the water exits the sprinkler.

Highest elevation stated by the report is prorated over the first 30% of machine length with the remaining machine length at the highest elevation and is only used with sprinkler packages containing pressure regulators.

Non-pressure regulated machines are considered to be on level ground. Pressure regulators will have a minimum inlet pressure of 5 PSI plus their nominal pressure rating.

End gun coverage area can be over watering or under watering based upon end gun nozzle size and/or booster pump flow limitations. An auxiliary end gun will be specified by the sprinkler report when requested by the customer and the end gun required flow is at least 10% greater than the maximum flow of the primary end gun.

The Percent Timer report is based upon typical operating conditions. Valmont recommends monitoring the machine for at least one pass through field to obtain an accurate rotation time.

Water application rates and rotation times may vary with a corner machine operating in chemigate mode.

Disclaimer - 3/7/2006

RECEIVED  
JUN 30 2011  
WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED  
JUL 11 2011  
WATER RESOURCES DEPT  
SALEM, OREGON

12. Additional notes or comments related to the system:

THIS SYSTEM IS AN ON DEMAND CLOSED SYSTEM WHICH UTILIZES A FREQ VARIABLE SPEED DRIVE

**D. Groundwater Source Information (Well and Sump)**

1. Is the appropriation from ground water (well or sump)?

YES NO

If "NO", items 2 through 8 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

3" HOLE ON SOUTH EAST SIDE OF PUMP ON BASE PLATE 6" ABOVE GROUND.

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY

SEE ATTACHED WELL LOG.

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

5. Is the appropriation from a dug well (sump)?

YES NO  
**RECEIVED**

If "NO", items 6 through 8 relating to this section may be deleted.

JUL 11 2011

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

WATER RESOURCES DEPT  
SALEM, OREGON

**E. Storage**

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)

**RECEIVED** YES NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a:           Storage Tank  
                                  Bulge in System / Reservoir

JUN 30 2011  
WATER RESOURCES DEPT  
SALEM, OREGON      YES NO  
                                  YES NO

Complete appropriate table(s) below, unused table may be deleted.

STATE OF OREGON  
**WATER SUPPLY WELL REPORT**  
 (as required by ORS 537.765)

JNR

WELL I.D. # L29451  
 START CARD # 107251

Instructions for completing this report are on the last page of this form.

(1) OWNER: Well Number  
 Name BALIN RANCHES  
 Address 13600 HOMEDALE RD  
 City LAKEVIEW State ORE Zip 97035

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:  
 Special Construction approval  Yes  No Depth of Completed Well 1414 ft.  
 Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or pounds
	0	201	CEMENT	0	50	60 SKS
	15	1083		170	201	25 SKS
	12	1083				

How was seal placed Method  A  B  C  D  E  
 Other 8 3/4" HOLE 1108-1414  
 Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
 Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	16				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) 202 FEET

(7) PERFORATIONS/SCREENS:

From	To	Slot size	Number	Diameter	Material	Tele/pipe size	Casing	Liner
							<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

<input checked="" type="checkbox"/> Pump	<input type="checkbox"/> Bailor	<input type="checkbox"/> Air	<input type="checkbox"/> Artesian
Yield gal/min	Drawdown	Drill stem at	Time
			1 hr.

Temperature of water 77.5 Depth Artesian Flow Found \_\_\_\_\_  
 Was a water analysis done?  Yes By whom \_\_\_\_\_  
 Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
 Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:  
 County KUMATHA Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
 Township 40 S N or S Range 9 E E or W. WM.  
 Section 12 SW 1/4 SW 1/4  
 Tax Lot 4009 Lot 01200 Block 01200 Subdivision 000  
 Street Address of Well (or nearest address) 13600 HOMEDALE K. FALLS ORE

(10) STATIC WATER LEVEL:  
46 ft. below land surface. Date 7/20/01  
 Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
 Depth at which water was first found 1121 FT

From	To	Estimated Flow Rate	SWL
1121	1414	3000 GPM	46

(12) WELL LOG:  
 Ground Elevation \_\_\_\_\_

Material	From	To	SWL
SEE ATTACHED LOG			
RECEIVED			
JUL 11 2011			
WATER RESOURCES DEPT SALEM, OREGON			
RECEIVED			
JUN 30 2011			
WATER RESOURCES DEPT SALEM, OREGON			

Date started 6/26/01 Completed 7/20/01

(unbonded) Water Well Constructor Certification:  
 I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.  
 WWC Number \_\_\_\_\_  
 Signed \_\_\_\_\_ Date \_\_\_\_\_

(bonded) Water Well Constructor Certification:  
 I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.  
 WWC Number 601  
 Signed \_\_\_\_\_ Date 7/20/01

6 A

# STOREY DRILLING SERVICES

P.O. Box 98 • MIDLAND, OREGON 97634  
(541) 884-3990 • (800) 245-8122  
Fax #: (530) 528-2562

22560 ADOBE ROAD • RED BLUFF, CALIFORNIA 96080  
CONTRACTOR'S LICENSES:  
OR #601 • CA #583153 • NV #38199

Balin Ranches  
13600 Homedale Road  
Klamath Falls, Oregon 97603



START: June 24, 2001  
FINISH: July 20, 2001

**WELL LOCATION:** ¼ mile North of the O'Connor RD. & Homedale Rd. intersection; ¼ mile east of Homedale Rd.  
SW¼ SW¼ S12 T40S R9E

## LOG

0 - 3	Brown top soil
3 - 9	Brown shale & hard pan
9 - 12	Hard pan with brown clay & fine gravel
12 - 19	Brown shale
19 - 32	Sandy yellow clay
32 - 98	Brown sandstone
98 - 138	Brown sandy clay
138 - 1070	Gray clay
1070 - 1076	Decomposed black lava with streaks black clay
1076 - 1114	Black basalt
1114 - 1116	Gray basalt
1116 - 1142	Black basalt
1142 - 1145	Gray basalt
1145 - 1146	Black basalt
1146 - 1147	Hard broken black basalt
1147 - 1160	Black basalt
1160 - 1177	Gray basalt
1177 - 1180	Black basalt
1180 - 1187	Hard gray basalt
1187 - 1201	Black basalt
1201 - 1208	Hard gray basalt
1208 - 1210	Hard broken gray basalt
1210 - 1216	Hard gray basalt
1216 - 1221	Black basalt
1221 - 1224	Hard gray basalt
1224 - 1231	Hard broken gray basalt
1231 - 1236	Black basalt
1236 - 1238	Gray basalt
1238 - 1248	Brown basalt
1248 - 1249	Hard black basalt
1249 - 1259	Black basalt
1259 - 1269	Gray basalt
1269 - 1278	Brown basalt with bubbly black basalt
1278 - 1292	Hard gray basalt
1292 - 1295	Broken gray basalt

RECEIVED

JUL 1 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

# STOREY DRILLING SERVICES

P.O. Box 98 • MIDLAND, OREGON 97634  
(541) 884-3990 • (800) 245-8122  
Fax #: (530) 528-2562

22560 ADOBE ROAD • RED BLUFF, CALIFORNIA 96080  
CONTRACTOR'S LICENSES:  
OR #601 • CA #583153 • NV #38199

Balin Ranches  
13600 Homedale Road  
Klamath Falls, Oregon 97603



START: June 24, 2001  
FINISH: July 20, 2001

**WELL LOCATION:** ¼ mile North of the O'Connor RD. & Homedale Rd. intersection; ¼ mile east of Homedale Rd.  
SW¼ SW¼ S12 T40S R9E

## LOG

(Continued from page 1)

1295 - 1299	Brown lava
1299 - 1302	Black basalt
1302 - 1331	Brown Ash rock
1331 - 1335	Gray basalt
1335 - 1359	Brown ash rock
1359 - 1364	Broken gray basalt
1364 - 1369	Black basalt
1369 - 1376	Hard gray basalt
1376 - 1380	Black basalt
1380 - 1384	Gray basalt
1384 - 1398	Black basalt
1398 - 1414	Brown & black basalt

202 feet 6 inches of 16 inch O. D. x .250 wall steel casing set and cemented at 201½ feet.  
22 inch diameter hole drilled from 0 - 201 feet to set casing; 16 inch diameter hole from 201 - 1083 feet;  
12¼ inch diameter hole from 1083 - 1108 feet; 8¼ inch diameter hole from 1108 - 1414 feet.  
Static water level 46 feet; Temperature 77° Fahrenheit  
Test pumped 3000 GPM at 79 feet: Specific capacity is 91 gallons per minute per foot of drawdown.

RECEIVED

JUL 11 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

## SECTION 3 CONDITIONS

Please pay special attention to this section. All conditions contained in the permit, permit amendment, transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

### 1. Time Limits:

Permits, transfer final orders, and any extension final orders contain any or all of the following dates; the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use is to be completed by. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit, extension or transfer final order:

	DATE FROM PERMIT OR TRANSFER	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	1-7-2002		
BEGIN CONSTRUCTION (A)		2001 FOR DROUGHT PERMIT	THE WELL WAS DRILLED AND ATTACHED TO AN EXISTING IRRIGATION SYSTEM WHICH USED CANAL WATER
COMPLETE CONSTRUCTION (B)		2001	
COMPLETE APPLICATION OF WATER (C)	10-1-2007	IMPROVED SYSTEM SINCE 2001 BY REPLACING WHEEL LINES WITH 2 PIVOTS AND ADDING FREQ DRIVE.	

\* MUST BE WITHIN PERIOD BETWEEN PERMIT, TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

### 2. Is there an extension final order(s)?

YES  NO

If "NO", you may delete item 3 in this section.

### 3. If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO

### 4. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement?

YES  NO

If "NO", items 4b through 4d relating to this section may be deleted.

RECEIVED

b. What month was the initial measurement to be taken in?

JUL 1 1 2011

MARCH

c. Was the measurement submitted to the Department?

WATER RESOURCES DEPT  
SALEM, OREGON

YES  NO

d. If the initial measurement was not submitted, provide that measurement now, if available:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

5. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements?

YES  NO

If "NO", items 5b through 5e relating to this section may be deleted.

b. Provide the month in which the static water level measurement was to be made:

MARCH

c. Were the static water level measurements taken in the month required?

YES  NO

d. If "YES", were those measurements submitted to the Department?

YES  NO

e. If the annual measurements were not submitted, provide the measurements now:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT

6. Pump Test (Required for most ground water permits prior to issuance of a certificate)

a. Did the permit require the submittal of a pump test?

YES  NO

If "NO", items 6b through 6d relating to this section may be deleted.

b. Has the pump test been previously submitted to the Department?

YES  NO

c. Is the pump test attached to this claim?

YES  NO

d. Has the pump test been approved by the Department?

YES  NO

7. Measurement Conditions:

a. Does the permit, permit amendment, transfer final order, or any extension final order require the installation of a meter or approved measuring device?

YES  NO

If "NO", items 7b through 7f relating to this section may be deleted.

**Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.**

b. Has a meter been installed?

YES  NO

c. Meter Information

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
NO. 1	MC CROMETER	?	WORKING.	469.836	2001
		COULD NOT READ.			

d. If a meter has not been installed, has a suitable measuring device been installed and approved by the Department?

YES  NO

If a meter has been installed, items 7e through 7g relating to this section may be deleted.

RECEIVED

JUL 1 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

WR

e. If "YES", provide a copy of the letter approving the device, if available. If the letter is not *NA* available provide the name and title of the Water Resources Department employee approving the measuring device, and the approximate date of the approval:

NAME	TITLE	APPROXIMATE DATE

f. Measurement Device Description *NA*

DEVICE DESCRIPTION	CONDITION (WORKING OR NOT)	DATE INSTALLED

8. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

YES  NO

If "NO", item 8b relating to this section may be deleted.

b. Have the reports been submitted?

YES  NO

METHOD OF SUBMITTING REPORT (PAPER OR ELECTRONIC)	WATER USER REPORTING ID
PAPER	27627

If the reports have not been submitted, attach a copy of the reports if available.

9. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

YES  NO

If "NO", items 9b through 9e relating to this section may be deleted.

**Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.**

b. Has the fish screening been installed?

YES  NO

c. When was the fish screening installed?

DATE	BY WHOM

d. If the diversion involves a pump *and* the total diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs):

- Has the self-certification form previously been submitted to the Department?  NA  YES  NO
- If not, go to <http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml>, complete and attach a copy of the self-certification form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

**Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.**

RECEIVED

JUL 11 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

"EXHIBIT 6"

RECORDING & REPORTING CONDITIONS

METER WAS INSTALLED ON BALIN RANCH WELL PERMIT G-15333 BEFORE WATER WAS PUMPED FOR SUPPLEMENTAL USE.

THE WELL WAS DRILLED BECAUSE IN 2001 WATER WAS SHUT OFF BECAUSE OF ENDANGERED SPECIES ACT ENFORCED BY THE UNITED STATES GOVERNMENT AND ENVIRONMENTALIST TO PROTECT LISTED SUCKER FISH IN UPPER KLAMATH LAKE. SINCE THEN WE HAVE UNCERTAIN WATER AVAILABILITY FROM YEAR TO YEAR. THE BUREAU OF RECLAMATION (KLAMATH PROJECT) AND KLAMATH WATER AND POWER ASSOCIATION (KWAPA) HAVE WORKED WITH US AND OREGON WATER RESOURCE TO USE SUPPLEMENTAL WELL WATER TO SUBSTITUTE KLAMATH PROJECT WATER. THE AMOUNT OF WATER PUMPED FROM OUR WELL WAS CONTRACTED THROUGH THESE AGENCIES AND WAS REPORTED TO THE STATE BEFORE EACH SPRING. NED GATES OF THE OREGON WATER RESOURCE DEPARTMENT WOULD OVERSEE WHICH APPLICATION FROM FARMERS IN THE KLAMATH PROJECT WOULD MEET THE STATES REQUIREMENT OF WATER PUMPED BECAUSE OF DOMESTIC WATER PROBLEMS SINCE 2001. THE BOR OR KWAPA WOULD REPORT HOW MUCH WATER WAS GOING TO BE PUMPED FROM OUR WELL TO OWRD BEFORE PUMPING TOOK PLACE.

THE CONTRACTS TO PUMP OUR WELL IS VARIABLE FROM YEAR TO YEAR BECAUSE EMERGENCY DROUGHT PERMITS WOULD BE TIED TO EXISTING SUPPLEMENTAL WELLS. THE ACRE FEET PUMPED FROM OUR WELL SINCE 2001 WAS TO MATCH THESE CONTRACTS THAT BOR OR KWAPA SUBMITTED TO OWRD BEFORE PUMPING COULD TAKE PLACE. BECAUSE OF THIS UNUSUAL SCENARIO WE ASSUMED QUANTITIES OF WATER TO BE FROM OUR WELL WAS BEING HANDLED BETWEEN THESE AGENCIES YEAR TO YEAR. METERED WELL WATER WAS CONFIRMED BY THE AGENCIES WE HAD CONTRACTS THROUGH TO BE SURE WE HAVE MET OUR REQUIREMENTS TO FULFILL OUR CONTRACT.

WE (SCOTT BALIN) SUBMITTED ANNUAL STATIC MEASUREMENTS AND SOMETIMES HAVE NED GATES CONFIRM OUR MEASUREMENT IF WE ARE UNSURE.

SINCE 2001 WE KEEP CLOSE CONTACT WITH NED GATES ON GROUND WATER DECLINES OR LEVELS TO INSURE WE HAVE ADEQUATE RECHARGE IF WE ARE FORCED TO USE IT THE FOLLOWING YEAR.

RECEIVED

JUL 1 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

e. If the diversion does **not involve a pump** *or* the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted?  NA  YES  NO
- If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at <http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml>

**Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.**

**10. By-pass Devices**

- a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? YES  NO

*If "NO", items 10b and 10c relating to this section may be deleted.*

**Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.**

- b. Has the by-pass device been installed? YES  NO

- c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

DESCRIPTION (IE. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM

**11. Other conditions required by permit, permit amendment final order, extension final order, or transfer final order**

- a. Were there special well construction standards?  YES  NO
- b. Was submittal of a ground water monitoring plan required? YES  NO
- c. Was the water user required to restore the riparian area if it was disturbed? YES  NO
- d. Was a fishway required? YES  NO
- e. Was submittal of a letter from an engineer required prior to storage of water? YES  NO
- f. Was submittal of a water management and conservation plan required? YES  NO
- g. Other conditions?  YES  NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

RECEIVED  
RECEIVED  
JUN 30 2011  
WATER RESOURCES DEPT  
SALEM, OREGON

119 - A USABLE ACCESS PORT AND FLOW METER HAVE BEEN INSTALLED  
 119 - 7 YEARS OF STATIC LEVEL MEASUREMENTS - THE WELL IS ONLY USED WHEN IRRIGATION DISTRICT WATER IS NOT AVAILABLE AND REPORTS WERE SUBMITTED IN THOSE YEARS.

### SECTION 4 VARIATIONS

Include a description of variations from the permit, permit amendment final order, extension final order, or transfer final order. (i.e. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

THE PERMIT ALLOWED 595.4 ACRES AND 593.8 ACRES WERE DEVELOPED.

### SECTION 5 ATTACHMENTS

If you are attaching any documents to this report, provide a list:

ATTACHMENT NAME	DESCRIPTION
SEE PAGE 14 A	

### SECTION 6 CLAIM SUMMARY

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
NO.1 WELL	7.44CFS.	8.92	8.92	IRRIGATION + STOCK WATERING	595.4	593.8

### SECTION 7 CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

RECEIVED

RECEIVED

JUL 1 1 2011

JUN 30 2011

SECTION 5 -- ATTACHMENTS  
PAGE 14A

- EXHIBIT 1            DISTRIBUTION WORKS - PAGES 3A THRU 3H
- EXHIBIT 2            CENTER PIVOT INFORMATION - PAGES 5A THRU 5F
- EXHIBIT 3            WELL LOG INFORMATION - PAGES 6A THRU 6C
- EXHIBIT 4            PUMP TEST
- EXHIBIT 5            FINAL PROOF MAP - PAGE 14B
- EXHIBIT 6            RECORDING & REPORTING CONDITIONS

**RECEIVED**

JUL 1 1 2011

WATER RESOURCES DEPT  
SALEM, OREGON

**RECEIVED**


JUN 30 2011

WATER RESOURCES DEPT  
SALEM, OREGON

**SECTION 8  
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME, <i>DENNIS A ENSOR</i>		PHONE NO. <i>541-798-1636</i>	ADDITIONAL CONTACT NO.	
ADDRESS <i>P. O. BOX 496</i>				
CITY <i>MERRILL</i>	STATE <i>OR.</i>	ZIP <i>97633</i>	E-MAIL	

Permit or Transfer Holder's of Record Signature or Acknowledgement

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	DATE
<i>[Handwritten Signature]</i>	<i>Scott Baker / Manager Baker Forest</i>	<i>6/27/11</i>

**RECEIVED**

*JUL 11 2011*

WATER RESOURCES DEPT  
SALEM, OREGON

**RECEIVED**

*JUN 30 2011*

# FINAL PROOF SURVEY


SITUATED IN THE E1/2 OF SECTION 11, THE W1/2 E1/2 AND THE W1/2 OF SECTION 12, AND THE NW1/4 OF SECTION 13, T40S, R9EWM, KLAMATH COUNTY, MAY, 2011

MAP PREPARED FOR

--BALIN RANCH--



SCALE  
1" = 1320'



NOTES:

1. MAP PREPARED FROM: ASSESSORS MAP AND AERIAL PHOTOGRAPH.
2. WELL IS 1212 FEET EAST AND 93 FEET SOUTH OF THE NORTHEAST CORNER OF SECTION 13.
3. PUMP #1 IS 1689 FEET EAST AND 58 FEET SOUTH OF THE NORTHEAST CORNER OF SECTION 13.
4. PUMP #2 IS 1719 FEET EAST AND 541 FEET NORTH OF THE NORTHEAST CORNER OF SECTION 13.
5. PUMP #3 IS 1655 FEET WEST AND 2675 FEET NORTH OF THE NORTHEAST CORNER OF SECTION 13.
4. TOTAL AREA THIS APPLICATION: 593.8 ACRES
5. APPLICATION # G-15679
6. PERMIT # G-15333
7. TAX LOT #'S: R-4009-01200-400, 401, 402, 500, 600, 1100, 1200, 1300, 1400, R-4009-01100-00600-000 AND R-4009-01300-00200-000.
8. AREAS NOT HATCHED ARE "OUT".



LANDS SUPPLEMENTAL TO  
KLAMATH BASIN IMPROVEMENT DISTRICT




LANDS SUPPLEMENTAL TO  
WARREN ACT



LANDS SUPPLEMENTAL TO  
KLAMATH IRRIGATION DISTRICT



ACREAGE PER 1/4 1/4 SECTION



THE PURPOSE OF THIS MAP IS TO IDENTIFY THE LOCATION OF THE WATER RIGHT APPLICATION. IT IS NOT INTENDED TO PROVIDE INFORMATION RELATIVE TO THE LOCATION OF PROPERTY OWNERSHIP BOUNDARY LINES.

TRU SURVEYING INC. LINE  
2333 SUMMERS LANE  
KLAMATH FALLS, OREGON 97603



# Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department  
North Mall Office Building  
725 Summer Street NE, Suite A  
Salem, OR 97301-1271  
503-986-0900  
FAX 503-986-0904

July 5, 2011

BALIN FARM TRUST  
SCOTT BALIN  
13600 HOMEDALE RD  
KLAMATH FALLS, OR 97603

RE: Application File G-15679, Permit G-15333

Dear Mr. Balin,

On June 30, 2011, the Department received the Claim of Beneficial Use (Claim) submitted for the above referenced file and permit. A review of the information submitted, identified the following items that need to be addressed before the Department can file the Claim:

1. The map submitted with the Claim was not on polyester film or stamped and signed by Mr. Ensor, the CWRE. Please submit a new map with the Claim that is on polyester film and that bears the stamp and signature of Dennis Ensor, CWRE.

2. Governor Theodore Kulongoski signed SB788 on July 23, 2009, which, in part, raised the fee for many of the Department's water right related processes and created fees for processes not previously requiring fees. The Bill created a fee for the submittal of a Claim of Beneficial Use (Claim). The Claim that you recently submitted to the Department was not accompanied by the required \$150.00 Claim of Beneficial Use filing fee. Please submit the required \$150.00 fee.

The Department has not retained a copy of your Claim. Please resubmit the Claim with the items listed above.

Please feel free to call me at 503-986-0811 if you have any questions.

Sincerely,

Gerry Clark  
Water Right Specialist  
Certificates

Cc: file  
Dennis Ensor, CWRE

**RECEIVED**

JUL 11 2011

WATER RESOURCES DEPT  
SALEM, OREGON



# Oregon

John A. Kitzhaber, MD, Governor

## Water Resources Department

North Mall Office Building  
725 Summer Street NE, Suite A  
Salem, OR 97301-1271  
503-986-0900  
FAX 503-986-0904

July 13, 2011

Balin Farm Trust  
Scott Balin  
13600 Homedale RD  
Klamath Falls OR 97603

On July 11, 2011, the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file(s):

Application G-15679 Permit G-15333

The COBU included a report and map. In the future the Department will review your submittal. At that time we will review these items and provide a final certificate, proposed certificate, or a request for additional information.

If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: [http://www.wrd.state.or.us/OWRD/mgmt\\_reimbursement\\_authority.shtml](http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml)

Customer Service phone: (503) 986-0801

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Your receipt is enclosed.



# Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department  
North Mall Office Building  
725 Summer Street NE, Suite A  
Salem, OR 97301-1271  
503-986-0900  
FAX 503-986-0904

July 5, 2011

BALIN FARM TRUST  
SCOTT BALIN  
13600 HOMEDALE RD  
KLAMATH FALLS, OR 97603

RE: Application File G-15679, Permit G-15333

Dear Mr. Balin,


On June 30, 2011, the Department received the Claim of Beneficial Use (Claim) submitted for the above referenced file and permit. A review of the information submitted, identified the following items that need to be addressed before the Department can file the Claim:

1. The map submitted with the Claim was not on polyester film or stamped and signed by Mr. Ensor, the CWRE. Please submit a new map with the Claim that is on polyester film and that bears the stamp and signature of Dennis Ensor, CWRE.
2. Governor Theodore Kulongoski signed SB788 on July 23, 2009, which, in part, raised the fee for many of the Department's water right related processes and created fees for processes not previously requiring fees. The Bill created a fee for the submittal of a Claim of Beneficial Use (Claim). The Claim that you recently submitted to the Department was not accompanied by the required \$150.00 Claim of Beneficial Use filing fee. Please submit the required \$150.00 fee.

The Department has not retained a copy of your Claim. Please resubmit the Claim with the items listed above.

Please feel free to call me at 503-986-0811 if you have any questions.

Sincerely,

  
Gerry Clark  
Water Right Specialist  
Certificates

Cc: file  
Dennis Ensor, CWRE

**Jerry Gainey**

---

**From:** sandencon@centurytel.net  
**Sent:** Tuesday, February 01, 2011 3:05 PM  
**To:** Jerry Gainey  
**Subject:** FINAL PROOF SURVEYS IN PROGRESS

OREGON WATER RESOURCES DEPT.  
JERRY GAINNEY,

I HAVE BEEN RETAINED TO DO THE FINAL PROOF WORK ON THE FOLLOWING PERMITS.

BALIN FARM TRUST

APPLICATION G-12972	PERMIT G-12458
APPLICATION G-13184	PERMIT G-13184
APPLICATION G-15679	PERMIT G-15333

SCOTT & CINDY BALIN

APPLICATION G-15480	PERMIT G-15224
---------------------	----------------

FRANK & PEGGY WALLACE

APPLICATION G-13535	PERMIT G-12979
---------------------	----------------

DENNIS A. ENSOR  
CWRE 271




2004

Oregon Water Resources Department  
October 2004 through September 2005  
Annual Water Use - Monthly Quantities Form

USER-ID 27027

2005



Facility <input type="checkbox"/>	SLR	LVR West	LVR SE	Permit # LVR	
POD-ID <input type="checkbox"/>	61351	36962	36954	6-11430	N <sub>1</sub>
October - 2004	<del>61351</del> 0	<del>36962</del> 0	0	0	
November - 2004	0	0	0	0	
December - 2004	0	0	0	0	
January - 2005	0	0	0	0	
February - 2005	0	0	0	0	
March - 2005	0	0	0	0	
April - 2005	283	100	80	50	
May - 2005	283	50	50	50	
June - 2005	283	100	50	50	
July - 2005	283	30	20	50	
August - 2005	283	80	0	30	
September - 2005	283	0	0	15	
TOTAL *	1203 AF	360 AcFt	200 AcFt	245 AcFt	

\* Describe the units of measure as G (gallons), KG (thousand gallons), MG (million gallons), CF (cubic feet), MCF (million cubic feet), or AF (acre-feet)

Describe method of measuring the water used: AcFt Meters. If use is irrigation, total number acres irrigated 1800 Acres  
I certify this information is true and accurate to the best of my knowledge.

[Signature]  
Signature

Manager Balin Farm Trust  
Title Reporting Entity  
Balin Ranches

12/29/05  
Date

COPY

Scott Balin  
Name - Please Print

Please complete and mail to: Water Resources Department; Water Use Reporting Program;  
725 Summer Street NE; Suite A, Salem, OR 97301-1271, or Fax 503-986-0902.



# Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building

725 Summer Street NE, Suite A

Salem, OR 97301-1271

503-986-0900

FAX 503-986-0904

October 18, 2005

SCOTT BALIN,  
BALIN RANCH  
13600 HOMEDALE RD  
KLAMATH FALLS, OR 97603

REFERENCE: USER\_ID 27627

Dear Water User:

We have appreciated your cooperation with the Water Use Reporting program in the past. And now, with the loss of the water use coordinator position through budget reductions, we hope you can help us even more. We are requesting all who need to report monthly quantities and have Internet access to report those quantities online through our website. For the time being, the water use reporting database will not be updated with new water right information. If you need to report on a new water right not in the reporting database, you will need to submit a hard copy form. A 2005 monthly quantities form is printed on the reverse you can copy for your use.

To report monthly quantities data online, go to our web page at [www.wrd.state.or.us](http://www.wrd.state.or.us) and click on the link 'Water Use Reporting' under 'current topics'. Then, click on 'Submit your water use report data' on the Water Use Reporting page. A logon screen then appears and you use your USER\_ID for both the Username and Password. To submit data for a point of diversion, scroll down to the point of diversion and click on 'Insert' to add data for that diversion. Be sure to be careful to choose the correct units, enter the monthly amounts diverted, and then click the 'Update' button. You will then be given the opportunity to review the data for that diversion to make sure it is correct. Please do so, as once data has been submitted by clicking the 'Submit' button, you cannot edit it. Also, please remember to enter zeros if you did not use a diversion. At present, the system can receive data only for the 2005 water year (October 2004 - September 2005). If you wish to submit data for another year, you will need to submit a hard copy. Thank you in advance for your cooperation. The data you provide is valuable for water management in Oregon.

Finally, if you have small water rights (less than 0.1 cfs or 9.2 AF) and do not report monthly quantities for them, we will assume that you have used water according to those rights.

Yours truly,

Gary L. Ball, PE, PLS  
Hydrographics/Measurement & Reporting Manager  
Voice: 503-986-0831, Fax: 503-986-0902  
[Gary.L.BALL@wrd.state.or.us](mailto:Gary.L.BALL@wrd.state.or.us)



# STOREY DRILLING SERVICES

P.O. Box 98 • MIDLAND, OREGON 97634  
 (541) 884-3990 • (800) 245-8122  
 Fax #: (530) 528-2562

22560 ADOBE ROAD • RED BLUFF, CALIFORNIA 96080  
 CONTRACTOR'S LICENSES:  
 OR #601 • CA #583153 • NV #38199

Balin Ranches  
 13600 Homedale Road  
 Klamath Falls, Oregon 97603




START: June 20, 2001  
 FINISH: July 20, 2001

**WELL LOCATION:** ¼ mile North of the O'Connor RD. & Homedale Rd. intersection; ¼ mile east of Homedale Rd.  
 SW¼ SW¼ S12 T40S R9E

## LOG

0 - 3	Brown top soil
3 - 9	Brown shale & hard pan
9 - 12	Hard pan with brown clay & fine gravel
12 - 19	Brown shale
19 - 32	Sandy yellow clay
32 - 98	Brown sandstone
98 - 138	Brown sandy clay
138 - 1070	Gray clay
1070 - 1076	Decomposed black lava with streaks black clay
1076 - 1114	Black basalt
1114 - 1116	Gray basalt
1116 - 1142	Black basalt
1142 - 1145	Gray basalt
1145 - 1146	Black basalt
1146 - 1147	Hard broken black basalt
1147 - 1160	Black basalt
1160 - 1177	Gray basalt
1177 - 1180	Black basalt
1180 - 1187	Hard gray basalt
1187 - 1201	Black basalt
1201 - 1208	Hard gray basalt
1208 - 1210	Hard broken gray basalt
1210 - 1216	Hard gray basalt
1216 - 1221	Black basalt
1221 - 1224	Hard gray basalt
1224 - 1231	Hard broken gray basalt
1231 - 1236	Black basalt
1236 - 1238	Gray basalt
1238 - 1248	Brown basalt
1248 - 1249	Hard black basalt
1249 - 1259	Black basalt
1259 - 1269	Gray basalt
1269 - 1278	Brown basalt with bubbly black basalt
1278 - 1292	Hard gray basalt
1292 - 1295	Broken gray basalt



# STOREY DRILLING SERVICES

P.O. Box 98 • MIDLAND, OREGON 97634  
 (541) 884-3990 • (800) 245-8122  
 Fax #: (530) 528-2562

22560 ADOBE ROAD • RED BLUFF, CALIFORNIA 96080  
 CONTRACTOR'S LICENSES:  
 OR #601 • CA #583153 • NV #38199

Balin Ranches  
 13600 Homedale Road  
 Klamath Falls, Oregon 97603




START: June 20, 2001  
 FINISH: July 20, 2001

**WELL LOCATION:** ¼ mile North of the O'Connor RD. & Homedale Rd. intersection; ¼ mile east of Homedale Rd.  
 SW¼ SW¼ S12 T40S R9E

**LOG**  
 (Continued from page 1)

1295 - 1299	Brown lava
1299 - 1302	Black basalt
1302 - 1331	Brown Ash rock
1331 - 1335	Gray basalt
1335 - 1359	Brown ash rock
1359 - 1364	Broken gray basalt
1364 - 1369	Black basalt
1369 - 1376	Hard gray basalt
1376 - 1380	Black basalt
1380 - 1384	Gray basalt
1384 - 1398	Black basalt
1398 - 1414	Brown & black basalt



202 feet 6 inches of 16 inch O. D. x .250 wall steel casing set and cemented at 201½ feet.  
 22 inch diameter hole drilled from 0 - 201 feet to set casing; 16 inch diameter hole from 201 - 1083 feet;  
 12¼ inch diameter hole from 1083 - 1108 feet; 8¼ inch diameter hole from 1108 - 1414 feet.  
 Static water level 46 feet; Temperature 77° Fahrenheit  
 Test pumped 3000 GPM at 79 feet: Specific capacity is 91 gallons per minute per foot of drawdown.

TO: Water Rights Section

January 24, 2002

FROM: Groundwater/Hydrology Section Michael Zwart

Reviewer's Name

SUBJECT: Application G- 15679

GROUNDWATER/SURFACE WATER CONSIDERATIONS

- 1. PER THE \_\_\_\_\_ Basin rules, one or more of the proposed POA's is/is not within \_\_\_\_\_ feet/mile of a surface water source ( \_\_\_\_\_ ) and taps a groundwater source hydraulically connected to the surface water.
- 2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed groundwater use
  - a. \_\_\_ will, or \_\_\_\_\_ have the potential for substantial interference with the nearest
  - b. \_\_\_ will not \_\_\_\_\_ surface water source, namely \_\_\_\_\_; or
  - c.  will if properly conditioned, adequately protect the surface water from interference:
    - i.  The permit should contain condition #(s) 7B;
    - ii. \_\_\_ The permit should contain special condition(s) as indicated in "Remarks" below;
    - iii. \_\_\_ The permit should be conditioned as indicated in item 4 below; or
  - d. \_\_\_ will, with well reconstruction, adequately protect the surface from substantial interference.

GROUNDWATER AVAILABILITY CONSIDERATIONS

- 3. BASED UPON available data, I have determined that groundwater for the proposed use
  - a. \_\_\_ will, or \_\_\_\_\_ likely be available in the amounts requested without injury to prior rights
  - b. \_\_\_ will not \_\_\_\_\_ and/or within the capacity of the resource; or
  - c.  will if properly conditioned, avoid injury to existing rights or to the groundwater resource:
    - i.  The permit should contain condition #(s) 7C;
    - ii. \_\_\_ The permit should contain special condition(s) as indicated in "Remarks" below;
    - iii. \_\_\_ The permit should be conditioned as indicated in item 4 below; or
- 4.
  - a. \_\_\_ THE PERMIT should allow groundwater production from no deeper than \_\_\_\_\_ ft. below land surface;
  - b. \_\_\_ The permit should allow groundwater production from no shallower than \_\_\_\_\_ ft. below land surface;
  - c. \_\_\_ The permit should allow groundwater production only from the \_\_\_\_\_ groundwater reservoir between approximately \_\_\_\_\_ ft. and \_\_\_\_\_ ft. below land surface;
  - d. \_\_\_ Well reconstruction is necessary to accomplish one or more of the above conditions.
  - e. \_\_\_ One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(Well Construction Considerations on Reverse Side)

15679

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.)

5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon:
- a. \_\_\_ review of the well log;
  - b. \_\_\_ field inspection by \_\_\_\_\_;
  - c. \_\_\_ report of CWRE \_\_\_\_\_;
  - d. \_\_\_ other: (specify) \_\_\_\_\_

6. THE WELL construction deficiency:
- a. \_\_\_ constitutes a health threat under Division 200 rules;
  - b. \_\_\_ commingles water from more than one groundwater reservoir;
  - c. \_\_\_ permits the loss of artesian head;
  - d. \_\_\_ permits the de-watering of one or more groundwater reservoirs;
  - e. \_\_\_ other: (specify) \_\_\_\_\_

7. THE WELL construction deficiency is described as follows: \_\_\_\_\_  
\_\_\_\_\_

8. THE WELL
- a. \_\_\_ was, or \_\_\_\_\_ constructed according to the standards in effect at the time of
  - b. \_\_\_ was not \_\_\_\_\_ original construction or most recent modification.
  - c. \_\_\_ I don't know if it met standards at the time of construction.

RECOMMENDATION:

- A. \_\_\_ I recommend including the following condition in the permit:  
"No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department."
- B. \_\_\_ I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department.
- C. \_\_\_ REFER this review to Enforcement Section for concurrence.

THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit  
\_\_\_\_\_, 199\_\_\_\_  
(Signature)

I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_, 199\_\_\_\_  
(Signature)



**OREGON WATER RESOURCES DEPARTMENT  
INTEROFFICE MEMO**

To: Ground Water files Date: January 24, 2002

From: Michael J. Zwart

Subject: Application Review: G-15679, Balin Farm Trust, Dba Balin Ranch,  
Harold Balin & William Williams

This application (also see G-15426 & LL-554) proposes to use about 7.44 cfs from one well (KLAM 52824) for supplemental irrigation of 595.4 acres. The well is 1414 feet deep and produces water from a confined to semiconfined aquifer developed in Tertiary basalt rocks, likely the Basalt of Basin and Range (Tb2) as mapped by Sherrod and Pickthorn (1992). The basalt is overlain by about 1070 feet of Quaternary surficial deposits (Qs) and continental sedimentary rocks (Tcs).

The well is about 250 feet from the C Canal and about 6600 feet from Spring Lake. There is no potential for substantial interference with surface water sources, based on the confined to semiconfined nature of the targeted aquifer and the distance in the case of Spring Lake.

I recommend permit conditions 7B & 7C.



G-15425  
G-15415

G-15429  
LL-5579

G-15426  
LL-5574

G-15426  
LL-5574

G-15435

G-15502  
G-15356

G-15480  
G-15362  
LL-555


LL-467  
LL-567  
LL-480  
G-15448  
LL-562 24

G-15589

45227  
4500

# Wells in the vicinity of application G 15679

- Application well(s) in this 1/4-1/4 section
- Well(s) identified in this section from OWRD's well log database within 1 mi. radius of application well(s)
- Well(s) identified in this 1/4-1/4 section from OWRD's well log database within 1 mi. radius of application well(s)
- ⊗ Permitted well(s) in this 1/4-1/4 section within 1 mi. radius of application well(s)
- Conditioned, permitted well(s) in this 1/4-1/4 section within 5 mi. radius of application well(s)
- ▲ OWRD Observation well and well-id within 5 mi. radius of application well(s)
- Critical GW Area
- - - Regulated GW Area



WELLS WITHIN 1 MILE OF G 15679

DO	45
DS	3
IR	1
LV	3

PERMITTED WELLS WITHIN 1 MILE OF APPLICATION G 15679

\$RECNO	APPLICATION	PERMIT	LOC-QQ	USE	RATE	DIV-UNITS
1	G 13007	G 11570	40.00S 9.00E12SWSW	IS	1.0000	C
2	G 641	G 557	40.00S 9.00E24NWSE	IR	1.0000	C
2	G 3048	G 2844	40.00S 9.00E24NWSE	IS	0.5250	C

\*\*\*\*\*

CONDITIONED WELLS WITHIN 5 MILES OF APPLICATION G 15679

\$RECNO	APPLICATION	PERMIT	LOC-QQ	CONDITION-CODE
1	G 12011	G 11083	39.00S10.00E30SE	4D
2	G 13007	G 11570	40.00S 9.00E12SWSW	DRF
3	G 12954	G 11541	40.00S10.00E29SWNE	DRF
4	G 12841	G 11514	40.00S10.00E30NESE	DRF
4	G 12959	G 11542	40.00S10.00E30NESE	DRF

\*\*\*\*\*

APPLICATION G 15679 FALLS WITHIN THESE QUAD(S)

LOST RIVER

\*\*\*\*\*

**Water Right Conditions  
Tracking Slip**

*Groundwater/Hydrology Section*

FILE ## G-15679

ROUTED TO: Water Rights

TOWNSHIP/

RANGE-SECTION: 40S/9E-13 66

CONDITIONS ATTACHED?  Yes  No

REMARKS OR FURTHER INSTRUCTIONS:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Reviewer: Michael Zwart

# MAP TO ACCOMPANY GROUND WATER APPLICATION

SITUATED IN THE SE1/4 OF SECTION 11, THE W1/2 E1/2 AND THE W1/2 OF SECTION 12, AND THE NW1/4 OF SECTION 13, T40S, R9EWM, KLAMATH COUNTY, OREGON, AUGUST, 2001

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
SALEM, OREGON



MAP PREPARED FOR  
--BALIN RANCH--  
--WILLIAM WILLIAMS--




MAP PREPARED FROM  
--ASSESSORS MAP--  
--AERIAL PHOTOGRAPH--  
--IRRIGATION DISTRICT MAP--

Application No. G-15679  
Permit No. G-15333

**TAX LOTS**  
40 09 11 - 600  
40 09 12 - 400, 500, 600  
          1200, 1300  
40 09 13 - 200

**WELL LOCATION**  
200 FEET SOUTH AND 1320 FEET EAST  
OF THE NORTHWEST CORNER OF  
SECTION 13



-  LANDS SUPPLEMENTAL TO WARREN ACT --228.9--
-  LANDS SUPPLEMENTAL TO KLAMATH BASIN IMPROVEMENT DISTRICT --228.5--
-  LANDS SUPPLEMENTAL TO KLAMATH IRRIGATION DISTRICT --138.0--

(NOTE: AREAS BY IRRIGATION DISTRICT MAPS)

TOTAL AREA THIS APPLICATION  
--595.4 Ac.--

THE PURPOSE OF THIS MAP IS TO IDENTIFY THE LOCATION OF THE WATER RIGHT APPLICATION. IT IS NOT INTENDED TO PROVIDE INFORMATION RELATIVE TO THE LOCATION OF PROPERTY OWNERSHIP BOUNDARY LINES.

TRU-LINE SURVEYING, INC.  
2333 SUMMERS LANE  
KLAMATH FALLS, OREGON 97603

Oregon Water Resources Department  
Water Rights Division

Water Rights Application  
Number G-15679

**Final Order**

*Application History*


On JANUARY 7, 2002, BALIN FARM TRUST; HAROLD BALIN; WILLIAM WILLIAMS submitted an application to the Department for a water use permit. The Department issued a Proposed Final Order on October 29, 2002. The protest period closed December 13, 2002, and no protest was filed.

The proposed use would not impair or be detrimental to the public interest.

**Order**

Application G-15679 therefore is approved as proposed by the Proposed Final Order, and Permit G-15333 is issued as limited by the conditions proposed by the Proposed Final Order.

DATED February 20, 2003

  
Paul R. Cleary, Director

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review of this order must be filed within the 60 day time period specified by ORS 183.484(2).

This statement of judicial review rights does not create a right to judicial review of this order, if judicial review is otherwise precluded by law. Where no changes have been made to a Proposed Final Order on a water right application and no protests have been filed during the protest period, the final order is not subject to judicial review.

*This document was prepared by Anita Huffman. If you have any questions about any of the statements contained in this document I am the most likely the best person to answer your questions. You can reach me at 1-503-378-8455 extension 229.*

*If you have questions about how to file a protest or if you have previously filed a protest and want to know the status, please contact Renee Moulun. Her extension number is 239.*

*If you have other questions about the Department or any of its programs please contact our Water Rights Information Group at extension 201. Address all other correspondence to: Water Rights Section, Oregon Water Resources Department, 158 12th ST. NE Salem, OR 97301-4172, Fax: (503)378-2496*

STATE OF OREGON

COUNTY OF KLAMATH

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

BALIN FARM TRUST;  
HAROLD BALIN; WILLIAM WILLIAMS  
13600 HOMEDALE RD  
KLAMATH FALLS, OREGON 97603

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15679

SOURCE OF WATER: A WELL IN LOST RIVER BASIN

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 595.4 ACRES

MAXIMUM RATE: 7.44 CUBIC FEET PER SECOND

PERIOD OF USE: APRIL 1 THROUGH OCTOBER 31

DATE OF PRIORITY: JANUARY 7, 2002

WELL LOCATION: NW  $\frac{1}{4}$  NW  $\frac{1}{4}$ , SECTION 13, T40S, R9E, W.M.; 200 FEET SOUTH & 1320 FEET EAST FROM NW CORNER, SECTION 13

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE  $\frac{1}{4}$  SE  $\frac{1}{4}$  37.6 ACRES  
NW  $\frac{1}{4}$  SE  $\frac{1}{4}$  40.0 ACRES  
SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  40.0 ACRES  
SE  $\frac{1}{4}$  SE  $\frac{1}{4}$  35.6 ACRES  
SECTION 11  
NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  3.7 ACRES  
SW  $\frac{1}{4}$  NE  $\frac{1}{4}$  14.0 ACRES  
NE  $\frac{1}{4}$  NW  $\frac{1}{4}$  35.6 ACRES  
NW  $\frac{1}{4}$  NW  $\frac{1}{4}$  33.7 ACRES  
SW  $\frac{1}{4}$  NW  $\frac{1}{4}$  39.1 ACRES

SE ¼ NW ¼ 42.7 ACRES

NE ¼ SW ¼ 41.9 ACRES

NW ¼ SW ¼ 40.4 ACRES

SW ¼ SW ¼ 39.4 ACRES

SE ¼ SW ¼ 36.0 ACRES

NW ¼ SE ¼ 19.2 ACRES

SW ¼ SE ¼ 8.8 ACRES

SECTION 12

NW ¼ NE ¼ 40.0 ACRES

NE ¼ NW ¼ 20.8 ACRES

NW ¼ NW ¼ 26.9 ACRES

SECTION 13

TOWNSHIP 40 SOUTH, RANGE 9 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

**Before Use of Water Takes Place**

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

**After Use of Water has Begun****Seven Consecutive Annual Measurements**

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more

than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

If it is determined there are no underlying rights for these same lands after the adjudication of claims in the Klamath Basin, a certificate resulting from use of water under this permit may allow primary, rather than supplemental, irrigation of the lands described above. However, the right evidenced by such a certificate will be limited to the actual use made under this permit.

#### STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Complete application of the water to the use shall be made on or before October 1, 2007. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued February 20, 2003

  
 Paul R. Cleary, Director  
 Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground-disturbing activities should be aware of federal and state cultural resources protection laws. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470, Section 106, National Historic Preservation Act of 1966

requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-378-4168, extension 232.



# FO CHECKLIST

FILE # G15679  
 PFO WEEK # 379  
 FO WEEK # 364

PFO TO FO CONVERSION

REVIEW DATE: 1/30/03  
 INITIALS: AW  
 WM District: 17  
 Region Mgr:       
 ODFW Bio:     

Y/ N Has applicant name and/or address changed; or has the file been assigned?

If new: \_\_\_\_\_

**In preparing to create the FO, you should check the following:**

1. Y/ N Were comments received? If so, from whom and when? \_\_\_\_\_  
 Respond to significant comments, issues, or disputes related to the proposed use of water (see notes, if any, listed above)

2.  On the PFO CC list, verify names and mailing addresses of ALL commentors (regardless of comment date, affected landowners, and those who paid the \$10 fee.  
WRE - Iron line Surveying; send to William Williams  
104 Victoria Way; Central Pt  
OR 97502

3. Y/N/ NA Have affected land owners been notified? If not, refer to #8.

4. Y/N/ NA Has ODFW asked for self certification of screening condition? If yes, include fish screening form.

5.  Correct PFO errors (such as POD or POU location (verify from map)

6.  Are requested GW conditions included in permit? If no, add condition(s): \_\_\_\_\_

7.  Verify Payment of recording fees (circle the appropriate option)

(1) Issue FO w/permit if fees are paid — Prepare refund request for excess fees, including standing fees if no protest is filed and no modifications are being made to the PFO.

(2) Issue FO w/o permit if fees are lacking.

Exam Fee Paid	<u>250</u>
Q fee	<u>675</u>
<b>Subtotal</b>	<u>925</u>
Recording Fee	<u>175</u>
<b>Total</b>	<u>1100</u>
Amount Paid	<u>1300</u>
Amount due <u>(refund)</u>	<u>200</u>

7.44cb  
7(75)

1<sup>st</sup> CFS/AF 150  
 Addnl. 525  
**TOTAL Q** 675

8.  Y/ N Is further processing possible? If not state reason: \_\_\_\_\_

FO Type: (circle types) DENIAL

FO w/o PERMIT (REASON: Lacks Fees    Lacks Easement    Lacks Approved Dam Plans and Specifications)

FO & PERMIT (Permit # 15333 )

**Once FO document is completed:**

9.  Save WordPerfect document in S:\GROUPS\WR\FO\WEEK 364.

10.  Print final draft of document and submit for peer review.    Peer Reviewer: Russ.

11. Complete routing list

The purpose of this checklist is to be used as a working document by Department staff to aid in the production of the related Initial Review, Proposed Final Order, or Final Order. It is not intended to be a complete record of all factors which were considered to produce the document, nor is it intended to serve any purpose other than that stated above.  
 The related Initial Review, Proposed Final Order, or Final Order is intended to stand alone as the record of factors considered in its production

# Mailing List for PFO Copies

---

Application #G-15679

PFO Date October 29, 2002

**Original mailed to:**

~~Applicant: BALIN FARM TRUST; HAROLD BALIN; WILLIAM WILLIAMS, 13600 HOMEDALE RD, KLAMATH FALLS, OREGON 97603~~

Copies sent to:

- ~~1. WRD - File # G-15679~~
- ~~2. Water Availability: Ken Stahr~~

PFO and Map Copies sent to:

- ~~3. WRD - Watermaster # 17~~

Copies sent to Other Interested Persons (*CWRE, Agent, Well Driller, Commenter, etc.*)

~~TRU-LINE SURVEYING, 2333 SUMMERS LANE, KLAMATH FALLS, OR 97603~~

"\$10 LETTER" sent to Interested Persons who have not protested or paid for copies

<p>Copies Mailed By: <u>WR</u> (SUPPORT STAFF) on: <u>10/29/02</u> (DATE)</p>
---

CASEWORKER: huffmaam- WEEK 379

Oregon Water Resources Department  
Water Rights Division

Water Rights Application  
Number G-15679

**Proposed Final Order**

*Summary of Recommendation:* The Department recommends that the attached draft permit be issued with conditions.

*Application History*

On JANUARY 7, 2002, BALIN FARM TRUST; HAROLD BALIN; WILLIAM WILLIAMS submitted an application to the Department for the following water use permit:

- Amount of Water: 7.44 CUBIC FEET PER SECOND
- Use of Water: SUPPLEMENTAL IRRIGATION OF 595.4 ACRES
- Source of Water: A WELL IN LOST RIVER BASIN
- Area of Proposed Use: KLAMATH County within SECTIONS 11, 12 AND 13  
TOWNSHIP 40 SOUTH, RANGE 9 EAST, W.M.

On May 31, 2002, the Department mailed the applicant notice of its Initial Review, determining that "The use of 7.44 CUBIC FEET PER SECOND from A WELL IN LOST RIVER BASIN for IRRIGATION OF 595.4 ACRES is allowable from April 1 through October 31 of each year." The applicant did not notify the Department to stop processing the application within 14 days of that date.

On June 18, 2002, the Department gave public notice of the application in its weekly notice. The public notice included a request for comments, and information for interested persons about both obtaining future notices and a copy of the proposed final order.

No written comments were received within 30 days.

In reviewing applications, the Department may consider any relevant sources of information, including the following:

- comments by or consultation with another state agency
- any applicable basin program
- any applicable comprehensive plan or zoning ordinance
- the amount of water available
- the rate and duty for the proposed use

- pending senior applications and existing water rights of record
- designations of any critical groundwater areas
- the Scenic Waterway requirements of ORS 390.835
- applicable statutes, administrative rules, and case law
- any general basin-wide standard for flow rate and duty of water allowed
- the need for a flow rate and duty higher than the general standard
- any comments received

*Findings of Fact*

The Klamath River Basin Compact allows IRRIGATION.

A WELL IN LOST RIVER BASIN is not within or above a State Scenic Waterway.

The Groundwater Section finds, per OAR 390.835(9), there is not a preponderance of evidence that the proposed use of groundwater will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife.

The Department determined, based upon OAR 690-09, that the proposed groundwater use will, if properly conditioned, adequately protect the surface water from interference.

An assessment of groundwater availability has been completed by the Department's Groundwater/Hydrology section. A copy of this assessment is in the file. The proposed use of groundwater will, if properly conditioned, avoid injury to existing rights and the resource.

The Department finds that the amount of water requested, 7.44 CFS, is an acceptable amount.

The proposed well is not within a designated critical ground water area.

*Conclusions of Law*

Under the provisions of ORS 537.153, the Department must presume that a proposed use will not impair or be detrimental to the public interest if the proposed use is allowed in the applicable basin program established pursuant to ORS 536.300 and 536.340 or given a preference under ORS 536.310(12) (i.e. the use of water is human consumption or livestock), if water is available, if the proposed use will not injure other water rights and if the proposed use complies with rules of the Water Resources Commission.

The proposed use requested in this application is allowed in the Klamath River Basin compact, or a preference for this use is granted under the provisions of ORS 536.310(12).

Water is available for the proposed use.

The proposed use will not injure other water rights.

The proposed use complies with other rules of the Water Resources Commission not otherwise described above.

The proposed use complies with the State Agency Agreement for land use.

No proposed flow rate and duty of water higher than the general basin-wide standard is needed.

For these reasons, the required presumption has been established.

Under the provisions of ORS 537.621, once the presumption has been established, it may be overcome by a preponderance of evidence that either:

- (a) One or more of the criteria for establishing the presumption are not satisfied; or
- (b) The proposed use would not ensure the preservation of the public welfare, safety and health as demonstrated in comments, in a protest . . . or in a finding of the department that shows:
  - (A) The specific aspect of the public welfare, safety and health under ORS 537.525 that would be impaired or detrimentally affected; and
  - (B) Specifically how the identified aspect of the public welfare, safety and health under ORS 537.525 would be impaired or be adversely affected.


In this application, all criteria for establishing the presumption have been satisfied, as noted above. The presumption has not been overcome by a preponderance of evidence that the proposed use would impair or be detrimental to the public interest.

The Department therefore concludes that water is available in the amount necessary for the proposed use; the proposed use will not result in injury to existing water rights; and the proposed use would ensure the preservation of the public welfare, safety and health as described in ORS 537.525.

Recommendation

The Department recommends that the attached draft permit be issued with conditions.

DATED October 29, 2002

  
Dwight French  
Water Rights Section Manager

*If you have any questions,  
please check the information  
box on the last page for the  
appropriate names and  
phone numbers.*

*Protest Rights and Standing*

Under the provisions of 537.621(7), you have the right to protest this proposed final order. Your protest must be in writing, and must include the following:

- Your name, address, and telephone number;
- A description of your interest in the proposed final order, and, if you claim to represent the public interest, a precise statement of the public interest represented;
- A detailed description of how the action proposed in this proposed final order would impair or be detrimental to your interest;
- A detailed description of how the proposed final order is in error or deficient, and how to correct the alleged error or deficiency;
- Any citation of legal authority to support your protest, if known; and
- If you are not the applicant, the \$200 protest fee required by ORS 536.050 and proof of service of the protest upon the applicant.
- If you are the applicant, a statement of whether or not you are requesting a contested case hearing. If you do not request a hearing, the Department will presume that you do not wish to contest the findings of the proposed final order.
- If you do not protest this Proposed Final Order and if no substantive changes are made in the final order, you will not have an opportunity for judicial review, protest or appeal of the final order when it is issued.

Requests for Standing

Under the provisions of 537.621(6), persons other than the applicant who

support a proposed final order may request standing for purposes of participating in any contested case proceeding on the proposed final order or for judicial review of a final order. A request for standing shall be in writing, include a statement that the requester supports the proposed final order, and a statement of how the requester would be harmed if the proposed final order is modified. The fee required at the time of submitting this request is \$50.00. If a hearing is scheduled, an additional fee of \$150.00 must be submitted along with a request for intervention. Forms to request standing are available from the Department.

Your protest or request for standing must be received in the Water Resources Department no later than **December 13, 2002**.

After the protest period has ended, the Director will either issue a final order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been submitted and if

- upon review of the issues, the director finds that there are significant disputes related to the proposed use of water, or
- the applicant requests a contested case hearing within 30 days after the close of the protest period.

*This document was prepared by Anita Huffman. If you have any questions about any of the statements contained in this document I am most likely the best person to answer your questions. You can reach me at 1-503-378-8455 extension 229.*

*If you have questions about how to file a protest or if you have previously filed a protest and want to know the status, please contact Renee Moulun. Her extension number is 239.*

*If you have other questions about the Department or any of its programs please contact our Water Rights Information Group at extension 201.*

*Address all other correspondence to:*

Water Rights Section, Oregon Water Resources Department, 158 12th ST NE SALEM, OR 97301  
Fax: (503)378-6203

DRAFT

This is not a permit!!!  
STATE OF OREGON

DRAFT

COUNTY OF KLAMATH

DRAFT PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS DRAFT PERMIT IS HEREBY ISSUED TO

BALIN FARM TRUST; HAROLD BALIN; WILLIAM WILLIAMS  
13600 HOMEDALE RD  
KLAMATH FALLS, OREGON 97603

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15679

SOURCE OF WATER: A WELL IN LOST RIVER BASIN

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 595.4 ACRES

MAXIMUM RATE: 7.44 CUBIC FEET PER SECOND

PERIOD OF USE: APRIL 1 THROUGH OCTOBER 31

DATE OF PRIORITY: JANUARY 7, 2002

WELL LOCATION: NW ¼ NW ¼, SECTION 13, T40S, R9E, W.M.; 200 FEET SOUTH &  
1320 FEET EAST FROM NW CORNER, SECTION 13

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE ¼ SE ¼ 37.6 ACRES  
NW ¼ SE ¼ 40.0 ACRES  
SW ¼ SE ¼ 40.0 ACRES  
SE ¼ SE ¼ 35.6 ACRES  
SECTION 11  
NW ¼ NE ¼ 3.7 ACRES  
SW ¼ NE ¼ 14.0 ACRES  
NE ¼ NW ¼ 35.6 ACRES  
NW ¼ NW ¼ 33.7 ACRES  
SW ¼ NW ¼ 39.1 ACRES

SE ¼ NW ¼ 42.7 ACRES

NE ¼ SW ¼ 41.9 ACRES

NW ¼ SW ¼ 40.4 ACRES

SW ¼ SW ¼ 39.4 ACRES

SE ¼ SW ¼ 36.0 ACRES

NW ¼ SE ¼ 19.2 ACRES

SW ¼ SE ¼ 8.8 ACRES

SECTION 12

NW ¼ NE ¼ 40.0 ACRES

NE ¼ NW ¼ 20.8 ACRES

NW ¼ NW ¼ 26.9 ACRES

SECTION 13

TOWNSHIP 40 SOUTH, RANGE 9 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

**Before Use of Water Takes Place**

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

**After Use of Water has Begun****Seven Consecutive Annual Measurements**

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more

than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

If it is determined there are no underlying rights for these same lands after the adjudication of claims in the Klamath Basin, a certificate resulting from use of water under this permit may allow primary, rather than supplemental, irrigation of the lands described above. However, the right evidenced by such a certificate will be limited to the actual use made under this permit.

#### STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Complete application of the water to the use shall be made on or before October 1, 2007. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued \_\_\_\_\_, 2002

DRAFT - THIS IS NOT A PERMIT

\_\_\_\_\_  
Paul R. Cleary, Director  
Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground-disturbing activities should be aware of federal and state cultural resources protection laws. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470, Section 106, National Historic Preservation Act of 1966

requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-378-4168, extension 232.

# MAP TO ACCOMPANY GROUND WATER APPLICATION

SITUATED IN THE SE1/4 OF SECTION 11, THE W1/2 E1/2 AND THE W1/2 OF SECTION 12, AND THE NW1/4 OF SECTION 13, T40S, R9EWM, KLAMATH COUNTY, OREGON, AUGUST, 2001

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
SALEM, OREGON

MAP PREPARED FOR

~~BALIN RANCH~~

~~WILLIAM WILLIAMS~~

MAP PREPARED FROM

--ASSESSORS MAP--


--AERIAL PHOTOGRAPH--

--IRRIGATION DISTRICT MAP--


Application No. G-15679  
Permit No.

TAX LOTS

40 09 11 - 600  
40 09 12 - 400, 500, 600  
                  1200, 1300  
40 09 13 - 200



SCALE  
1" = 1320'



WELL LOCATION

200 FEET SOUTH AND 1350 FEET EAST  
OF THE NORTHWEST CORNER OF  
SECTION 13



LANDS SUPPLEMENTAL TO  
WARREN ACT

--228.5--



LANDS SUPPLEMENTAL TO  
KLAMATH BASIN IMPROVEMENT  
DISTRICT

--228.5--



LANDS SUPPLEMENTAL TO  
KLAMATH IRRIGATION DISTRICT

--138.0--

(NOTE: AREAS BY IRRIGATION DISTRICT MAPS)

TOTAL AREA THIS  
APPLICATION

--595.4 Ac--

THE PURPOSE OF THIS MAP IS TO IDENTIFY THE LOCATION OF THE WATER RIGHT APPLICATION. IT IS NOT INTENDED TO PROVIDE INFORMATION RELATIVE TO THE LOCATION OF PROPERTY OWNERSHIP BOUNDARY LINES.

TRU-LINE SURVEYING, INC.  
2333 SUMMERS LANE  
KLAMATH FALLS, OREGON 97603

**PFO CHECKLIST**

Application #: C 152079

Basin: Klam

WID: N/A

County Klam

Township 40S

Range 9E

Section 11, 12, 13 1/4 1/4 multiple

- 1. Is the file complete by the Minimum Requirements Checklist? (Y) / N
- 2. Shortcomings (items needed before a permit and/or FO can be issued) Y / (N)  
Check file for indicators that the process **should not** continue until a later date (ie - protest, letter to file indicating hold, or other)
- 3. Groundwater Review A B C D River/Stream Name \_\_\_\_\_ Conditions TC
  - a. Groundwater Availability A B C
  - b. Is second groundwater review necessary? (comments) Y / (N)
  - c. Is HB 1033 review complete? Y / N
  - d. Is the well located in a GWLA or CA? (If applicable, include map with POD) Y / (N)
- 4. Is use from a B.O.R. or Douglas County project? Y / (N) Contract in file? Y / N Contract # \_\_\_\_\_
- 5. Is the use allowed by the Basin Program? Y / N Limited? Y / N \_\_\_\_\_
- 6. Water Availability Data OK / REDONE / (NA) (50% before July 17, 1992; 80% live flow & 50% storage after July 17, 1992)
- 7. Is the source withdrawn or limited by statute or Department withdrawal order? Y / (N)
- 8. Is the Proposed Use located in or above a Scenic Waterway? Y / (N)
- 9. Division 33: Above Bonn (after July 17, 1992) Y / N / (NA)  
Below Bonn (after April 8, 1994; June 3, 1994) Y / N / (NA)  
Statewide - (in shaded areas on T, E, and S Map - after June 3, 1994) Y / N / (NA)
- 10. Per the IR, is the Proposed Source on the DEQ 303d List? Y / (N) If so, any comments received? Y / N  
Is the Proposed Use in an existing or draft Dept of Ag. Water Quality Management Plan Area? Y / (N)
- 11. Have conflicts been addressed? Y / N no conflicts requested IS
- 12. Rate 1/20 Duty 30 Irrigation Season 3/1-10/31
- 13. Period of Allowed Use 4/1-10/31 requested
- 14. Allowed Rate of Use 7.44 cfs (5954) / 80 = 7.44
- 15. Is the use **Small** ( $\leq 0.1$ cfs,  $\leq 9.2$ AF), **Medium** ( $> 0.1$  or  $< 1.5$ cfs,  $> 9.2$  or  $< 100$ AF) or **Large** ( $\geq 1.5$  cfs,  $\geq 100$  AF)?  
If the use is Municipal and  $\leq 0.1$  CFS, use **Large** condition.
- 16. Conditions TC  
Is the proposed use within the New River Basin? Y / (N) If yes, include New River Agreement Conditions.
- 17. IR Public Notice Date 7/18/02 Comments Received? Y / (N)
- 18. Was the application filed on or after October 23, 1999? (Y) / N If yes, then no A date.
- 19. Final Report Checklist
  - Documents used in determination are attached to this checklist and highlighted
  - Fill out PFO CC List (don't forget to check for other property owners)
    - a. Re-notify Water Availability? (Rate, Duty and Period of Allowed Use changes) Y / N
    - b. **Check Watermaster Dist. on the CC list and draft permit.**
  - Spell Check and Accuracy Check
  - Final PFO report hard copy check (format, margins, etc.)
  - Final PFO has been saved to m:\groups\wr\pfo\done\week#\application #

Name: \_\_\_\_\_ Date: \_\_\_\_\_

IR CHECKLIST

Application #: G15679

Diversion Info:

County Klam Basin: Klam WID: N/A  
Township 40S Range 9E Section 13 1/4 1/4 NENW  
POA

- 40. Groundwater Review
  - a. PSI A B  D River/Stream Name \_\_\_\_\_
  - b. Groundwater Availability A B  C
  - c. Is the well located in a GWLA or CGWA or T1N R3E Sec 20, 21, 28, 29? Y /  N (If in an area include map showing POD)
- 30. Allowed under Basin Program  Y  N Limitations? Y  N Klam compact
- 40. Withdrawn? Y /  N season allowed \_\_\_\_\_
- 50. SWW Y / N (if Y notify state parks) \_\_\_\_\_
- 60. Surface Water Availability (80% live flow / 50% storage)  NA
- 70. DIVISION 33 Y / N  NA Above Bonn Y / N (7/17/92) Below Bonn Y / N (4/8/94) Statewide Y / N (6/3/94) map date \_\_\_\_\_
- 80. Rate/Duty/Season Requested 595<sup>4</sup> AC 7.44 cfs 4/1-10/31  
Allowable same
- 90. B.O.R. or Doug Co. project Y /  N contract # \_\_\_\_\_
- 100. Condition S ( $\leq 0.1, \leq 9.2$ ), M ( $\geq 0.1$  or  $\leq 1.5$  CFS, or  $\geq 9.2$  or  $\leq 100$  AF),  L ( $\geq 1.5, \geq 100$ ), BOR, GW, etc. Y / N TC
- 110. Land use approval  OK'd needs approval county notified NA
- 120. Watermaster Dist: (1 2 16 18 20 - NWR) (3 4 5 21 - NCR) (6 8 9 10 - ER) (11 12  17 - SCR) (13 14 15 19 - SWR)
- 130. DOA 1010 Y  N 303D Y  N CTUIR Y  N
- 140. Is the use located within Oregon Streamflow Restoration Area? Y / N /  NA
- 150. Letter format =  Good = Limited = Bad = Bad w/ IRshort = Bad w/ HC Opportunity
- 160. CWRE, representative, etc. to notify? Y / N TRU-line surveying

Name: [Signature] Date: 5/14/02

The purpose of this checklist is to be used as a working document by Department staff to aid in the production of the related Initial Review, Proposed Final Order, or Final Order. It is not intended to be a complete record of all factors which were considered to produce the document, nor is it intended to serve any purpose other than that stated above.

The related Initial Review, Proposed Final Order, or Final Order is intended to stand alone as the record of factors considered in its production.

**Water Right Conditions  
Tracking Slip**

*Groundwater/Hydrology Section*

FILE ## Q-15679

ROUTED TO: Water Rights

TOWNSHIP/

RANGE-SECTION: 40S/9E-1366

CONDITIONS ATTACHED?  Yes  No

REMARKS OR FURTHER INSTRUCTIONS:

---

---

---

Reviewer: Michael Zwart

TO: Water Rights Section

January 24, 2002

FROM: Groundwater/Hydrology Section

Michael Zwart

Reviewer's Name

SUBJECT: Application G-15679

GROUNDWATER/SURFACE WATER CONSIDERATIONS

1. PER THE \_\_\_\_\_ Basin rules, one or more of the proposed POA's is/is not within \_\_\_\_\_ feet/mile of a surface water source (\_\_\_\_\_) and taps a groundwater source hydraulically connected to the surface water.
  
2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed groundwater use
  - a. \_\_\_ will, or \_\_\_\_\_ have the potential for substantial interference with the nearest
  - b. \_\_\_ will not \_\_\_\_\_ surface water source, namely \_\_\_\_\_; or
  - c.  will if properly conditioned, adequately protect the surface water from interference:
    - i.  The permit should contain condition #(s) 7B;
    - ii. \_\_\_ The permit should contain special condition(s) as indicated in "Remarks" below;
    - iii. \_\_\_ The permit should be conditioned as indicated in item 4 below; or
  - d. \_\_\_ will, with well reconstruction, adequately protect the surface from substantial interference.

GROUNDWATER AVAILABILITY CONSIDERATIONS

3. BASED UPON available data, I have determined that groundwater for the proposed use
  - a. \_\_\_ will, or \_\_\_\_\_ likely be available in the amounts requested without injury to prior rights
  - b. \_\_\_ will not \_\_\_\_\_ and/or within the capacity of the resource; or
  - c.  will if properly conditioned, avoid injury to existing rights or to the groundwater resource:
    - i.  The permit should contain condition #(s) 7C;
    - ii. \_\_\_ The permit should contain special condition(s) as indicated in "Remarks" below;
    - iii. \_\_\_ The permit should be conditioned as indicated in item 4 below; or
  
4.
  - a. \_\_\_ THE PERMIT should allow groundwater production from no deeper than \_\_\_\_\_ ft. below land surface;
  - b. \_\_\_ The permit should allow groundwater production from no shallower than \_\_\_\_\_ ft. below land surface;
  - c. \_\_\_ The permit should allow groundwater production only from the \_\_\_\_\_ groundwater reservoir between approximately \_\_\_\_\_ ft. and \_\_\_\_\_ ft. below land surface;
  - d. \_\_\_ Well reconstruction is necessary to accomplish one or more of the above conditions.
  - e. \_\_\_ One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(Well Construction Considerations on Reverse Side)

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.)

5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon:
- a. \_\_\_ review of the well log;
  - b. \_\_\_ field inspection by \_\_\_\_\_;
  - c. \_\_\_ report of CWRE \_\_\_\_\_;
  - d. \_\_\_ other: (specify) \_\_\_\_\_
6. THE WELL construction deficiency:
- a. \_\_\_ constitutes a health threat under Division 200 rules;
  - b. \_\_\_ commingles water from more than one groundwater reservoir;
  - c. \_\_\_ permits the loss of artesian head;
  - d. \_\_\_ permits the de-watering of one or more groundwater reservoirs;
  - e. \_\_\_ other: (specify) \_\_\_\_\_
7. THE WELL construction deficiency is described as follows: \_\_\_\_\_
8. THE WELL
- a. \_\_\_ was, or constructed according to the standards in effect at the time of
  - b. \_\_\_ was not original construction or most recent modification.
  - c. \_\_\_ I don't know if it met standards at the time of construction.

RECOMMENDATION:

- A. \_\_\_ I recommend including the following condition in the permit:  
"No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department."
- B. \_\_\_ I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department.
- C. \_\_\_ REFER this review to Enforcement Section for concurrence.

THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit  
\_\_\_\_\_, 199\_\_  
(Signature)

I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_, 199\_\_  
(Signature)



## New Application Route Slip

**CASEWORKER  
ASSIGNED:**  
*ANITA HUFFMAN*

Receipting C.U.

Data Center M.R. 1-10-02


Ground Water YES  NO

Bill Fujii  YES  NO  → If for "Municipal" or "Quasi-Muni,"

John Falk  YES  NO  → Please Note — if application is for:

A "Standard Reservoir" storing 9.2 acre-feet or more of water, or has a dam height of 10.0 feet or greater, make a copy of application & supplemental forms and Route to: John Falk, Dam Safety

**Water Rights  
Support**

  
Mark contents of Application File; Update Powerbuilder with caseworker, etc.; **Route to filing cabinet**

*Mike*

# Analysis for Application: G15679

**Location: 40.00 S-9.00 E-11-swse**

Uses: AG 0.000 (P) , IL 40.000 (S)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area**

DIV33
In a Div33 area

Records Found: 1

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-11-sese**

Uses: AG 0.000 (P) , IL 35.600 (S)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area**

DIV33
In a Div33 area

**Records Found: 1**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-11-nwse**

Uses: AG 0.000 (P) , IR 40.000 (S)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

**Records Found: 1**

**WaterMaster Districts**

WATERDIST	REGION
17	SC

**Records Found: 1**

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

**Records Found: 1**

**Groundwater Restricted Records Found: 0**

**Divison 33 Area**

DIV33
In a Div33 area

**Records Found: 1**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-11-nese**

Uses: AG 0.000 (P) , IL 37.600 (S)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

**Records Found: 1**

**WaterMaster Districts**

WATERDIST	REGION
17	SC

**Records Found: 1**

**WAB Records Found: 0**

County

COUNTY	FIPS
Klamath	41035

Records Found: 1

Groundwater Restricted Records Found: 0

Divison 33 Area

DIV33
In a Div33 area

Records Found: 1

Rule 4D Records Found: 0

303D Streams Records Found: 0

303D Lakes Records Found: 0

**Location: 40.00 S-9.00 E-12-sws**

Uses: IL 39.400 (S) , AG 0.000 (P)

Basins

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

WaterMaster Districts

WATERDIST	REGION
17	SC

Records Found: 1

WAB Records Found: 0

County

COUNTY	FIPS
Klamath	41035

Records Found: 1

Groundwater Restricted Records Found: 0

Divison 33 Area

DIV33
In a Div33 area

Records Found: 1

Rule 4D Records Found: 0

303D Streams Records Found: 0

303D Lakes Records Found: 0

**Location: 40.00 S-9.00 E-12-ses**

Uses: IL 36.000 (S) , AG 0.000 (P)

Basins

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-nws**

Uses: IL 40.400 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area**

DIV33
In a Div33 area

Records Found: 1

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-nes**

Uses: IL 41.900 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-swnw**

Uses: IL 39.100 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area**

DIV33
In a Div33 area

Records Found: 1

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-senw**

Uses: IL 42.700 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-nwnw**

Uses: IL 33.700 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area**

DIV33
In a Div33 area

Records Found: 1

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-nenw**

Uses: IL 35.600 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-swse**

Uses: IL 8.800 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-nwse**

Uses: IL 19.200 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-swne**

Uses: IL 14.000 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-12-nwne**

Uses: IL 3.700 (S) , AG 0.000 (P)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-13-nwnw**

Uses: AG 0.000 (P) , IL 26.900 (S)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area**

DIV33
In a Div33 area

Records Found: 1

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

**Location: 40.00 S-9.00 E-13-nenw**

Uses: AG 0.000 (P) , IL 20.800 (S)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

*POA Location*

**Location: 40.00 S-9.00 E-13-nwne**

Uses: AG 0.000 (P) , IL 40.000 (S)

**Basins**

BASIN_NUM	BASIN_NAME
14	Klamath

Records Found: 1

**WaterMaster Districts**

WATERDIST	REGION
17	SC

Records Found: 1

**WAB Records Found: 0**

**County**

COUNTY	FIPS
Klamath	41035

Records Found: 1

**Groundwater Restricted Records Found: 0**

**Divison 33 Area Records Found: 0**

**Rule 4D Records Found: 0**

**303D Streams Records Found: 0**

**303D Lakes Records Found: 0**

NE SE 38.7  
 NW SE 38<sup>9</sup>  
 SW SE 40<sup>2</sup>  
 SE SE 35<sup>6</sup>

SEC 11

NWNE 37  
 SWNE 14<sup>0</sup>  
 NENE 35<sup>6</sup>  
 NWNW 33<sup>7</sup>  
~~NWNW~~ 39<sup>4</sup>  
 SENW 42<sup>7</sup>  
 NESW 41<sup>9</sup>  
 NWSW 40<sup>4</sup>  
 SWSW 39<sup>4</sup>  
 SESW 36<sup>0</sup>  
 NWSE 19<sup>2</sup>  
 SWSE 8<sup>8</sup>

SEC 12

NWNE 40<sup>0</sup>  
 NENE 20<sup>8</sup>  
 NWNW 26<sup>9</sup>

SEC 13

SEC 11 153<sup>2</sup>  
 SEC 12 354<sup>5</sup>  
 SEC 13 87<sup>7</sup>  


---

 595<sup>4</sup>



# Oregon


John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building  
158 12th Street NE  
Salem, OR 97301-4172  
(503) 378-3739  
FAX (503) 378-8130  
www.wrd.state.or.us

May 31, 2002

BALIN FARM TRUST;  
HAROLD BALIN; WILLIAM WILLIAMS  
13600 HOMEDALE RD  
KLAMATH FALLS, OREGON 97603



Reference: File G-15679

Dear Applicant:

**THIS IS NOT A PERMIT AND IS  
SUBJECT TO CHANGE AT THE NEXT PHASE OF PROCESSING.**

This letter is to inform you of the preliminary analysis of your water use permit application and to describe your options. In determining whether a water use permit application may be approved, the Department must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information you have supplied, the Water Resources Department has made the following preliminary determinations:

Initial Review Determinations:

1. The proposed use is not prohibited by law or rule.
2. The use of water from A WELL IN LOST RIVER BASIN for IRRIGATION OF 595.4 ACRES is **allowable** under ORS 542.610, the Klamath Compact, the Klamath River Basin Program.
3. The Department has determined, based upon OAR 690-09, that the proposed groundwater use will, if properly conditioned, adequately protect the surface water from interference.
4. The Department has also determined, based upon available data, that the use of groundwater in the amount of 7.44 CUBIC FEET PER SECOND for IRRIGATION OF 595.4 if properly conditioned, will not injure existing rights or the groundwater resource.

**Summary of Initial Determinations**

**The use of 7.44 CUBIC FEET PER SECOND from A WELL IN LOST RIVER BASIN for IRRIGATION OF 595.4 ACRES is allowable from April 1 through October 31 of each year.**



Because of these favorable determinations, the Department can now move your application to the next phase of the water rights application review process. This phase is where public interest factors will be evaluated.

Please reference the application number when sending any correspondence regarding the conclusions of this initial review. Comments received within the comment period will be evaluated at the next phase of the process.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a proposed final order.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$50 processing charge per application.) To accomplish this you must notify the Department in writing by **Friday, June 14, 2002**. For your convenience you may use the enclosed "STOP PROCESSING" form.

If A Permit Is Issued It Will Likely Include The Following Conditions:

1. Measurement, recording and reporting conditions:
  - A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
  - B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
2. To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

**Before Use of Water Takes Place**

**Initial and Annual Measurements**

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

**After Use of Water has Begun**

**Seven Consecutive Annual Measurements**

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than


one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

3. The priority date for this application is JANUARY 7, 2002.

If you have any questions:

Questions about the status of your application, processing timelines, or your upcoming Proposed Final Order should be directed to our Water Right Information Group at (503) 378-8455 extension 201. Feel free to call me at (503) 378-8455 extension 229 if you have any questions regarding the contents of this letter. Please have your application number available if you call. Address all other correspondence to: Water Rights Section, Oregon Water Resources Department, 158 12th ST. NE Salem, OR 97301-4172, Fax: (503)378-6203.

Sincerely,

A handwritten signature in black ink, appearing to read 'Anita M. Huffman', written in a cursive style.

Anita M. Huffman  
Senior Water Rights Technician

enclosures: Flow Chart of Water Right Process  
Stop Processing Form

G-15679  
wab 14-  
pou 14-  
gw c

# APPLICATION FACT SHEET

Mail to: *Applicant, Watermaster, District Biologist (ODFW)*  
If necessary, also mail to : *Regional Water quality manager (DEQ), and DOA*

Application File Number: G-15679

Applicant: BALIN FARM TRUST; BALIN, HAROLD; WILLIAMS, WILLAIM

County: KLAMATH

Watermaster: 17

Priority Date: JANUARY 7, 2002

Source: A WELL IN LOST RIVER BASIN

Use: IRRIGATION OF 595.4 ACRES

Quantity: 7.44 CUBIC FEET PER SECOND

Basin Name & Number: Klamath, #14

Stream Index Reference: Volume 2 LOST R MISC

Point of Diversion Location: NWNW, SECTION 13, T40S, R9E, W.M.; 200 FEET SOUTH & 1320 FEET EAST FROM NW CORNER, SECTION 13

Place of Use: NESE 38.7 ACRES NWSE 38.9 ACRES SWSE 40.0 ACRES SESE 35.6 ACRES, SECTION 11 NWNE 3.7 ACRES SWNE 14.0 ACRES NENW 35.6 ACRES NWNW 33.7 ACRES SWNW 39.1 ACRES SENW 42.7 ACRES NESW 41.9 ACRES NWSW 40.4 ACRES SWSW 39.4 ACRES SESW 36.0 ACRES NWSE 19.2 ACRES SWSE 8.8 ACRES, SECTION 12 NWNE 40.0 ACRES NENW 20.8 ACRES NWNW 26.9 ACRES, SECTION 13, TOWNSHIP 40 SOUTH, RANGE 9 EAST, W.M.

14 DAY STOP PROCESSING DEADLINE DATE: Friday, June 14, 2002

PUBLIC NOTICE DATE: Tuesday, June 18, 2002

30 DAY COMMENT DEADLINE DATE: Thursday, July 18, 2002

# MAP TO ACCOMPANY GROUND WATER APPLICATION

SITUATED IN THE SE 1/4 OF SECTION 11, THE W 1/2 E 1/2 AND THE W 1/2 OF SECTION 12, AND THE NW 1/4 OF SECTION 13, T40S, R9EWM, KLAMATH COUNTY, OREGON, AUGUST, 2001

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
SALEM, OREGON

MAP PREPARED FOR

--BALIN RANCH--

--WILLIAM WILLIAMS--

MAP PREPARED FROM

--ASSESSORS MAP--

--AERIAL PHOTOGRAPH--


--IRRIGATION DISTRICT MAP--

Application No. G-15679  
Permit No.

TAX LOTS  
40 09 11 - 600  
40 09 12 - 400, 500, 600  
1200, 1300  
40 09 13 - 200



SCALE  
1" = 1320'



WELL LOCATION

200 FEET SOUTH AND 1320 FEET EAST OF THE NORTHWEST CORNER OF SECTION 13



LANDS SUPPLEMENTAL TO WARREN ACT --226.9--



LANDS SUPPLEMENTAL TO KLAMATH BASIN IMPROVEMENT DISTRICT --226.5--



LANDS SUPPLEMENTAL TO KLAMATH IRRIGATION DISTRICT --138.0--

(NOTE: AREAS BY IRRIGATION DISTRICT MAPS)

TOTAL AREA THIS APPLICATION

--595.4 Ac.--

THE PURPOSE OF THIS MAP IS TO IDENTIFY THE LOCATION OF THE WATER RIGHT APPLICATION. IT IS NOT INTENDED TO PROVIDE INFORMATION RELATIVE TO THE LOCATION OF PROPERTY OWNERSHIP BOUNDARY LINES.

TRU-LINE SURVEYING, INC.  
2333 SUMMERS LANE  
KLAMATH FALLS, OREGON 97603

# Mailing List for IR Copies

Application #G-15679

IR Date: May 31, 2002

## Original mailed to:

✓ Applicant: BALIN FARM TRUST; BALIN, HAROLD; WILLIAMS, WILLIAM, 13600 HOMEDALE RD, KLAMATH FALLS, OREGON 97603

## Copies sent to:

- ✓ 1. WRD - File # G-15679
- ✓ 2. WRD - Water Availability: Ken Stahr

## IR, Map, and Fact Sheet Copies sent to:

- ✓ 3. WRD - Watermaster # 17

Copies Mailed By: <u>JR</u> (SUPPORT STAFF) on: <u>5/31/02</u> (DATE)
---

Copies sent to Other Interested Persons (*CWRE, Agent, Well Driller, Commenter, etc.*)

✓ 4. \_ Tru-Line Surveying, 2333 Summers Lane, Klamath Falls, OR 97603

✓ 5. \_ William Williams 104 Victoria Wy, Central Point, OR 97502 \_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_



State of Oregon  
**Water Resources Department**  
 158 12th Street NE, Salem, OR 97310  
 (503)378-8455 • (800)624-3199  
 www.wrd.state.or.us

# Application for a Permit to Use Ground Water

Please type or print in dark ink. If your application is found to be incomplete or inaccurate, we will return it to you. If any requested information does not apply to your application, insert "n/a." Please read and refer to the instructions when completing your application. Thank you.

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
 SALEM, OREGON

## 1. APPLICANT INFORMATION

### A. Individuals

Applicant: BALIN FARM TRUST DBA BALIN RANCH  
First Last

Co-applicant: WILLIAM WILLIAMS, BY BALIN RANCH AS LEASE HOLDER  
First Last

Mailing address: \_\_\_\_\_  
 \_\_\_\_\_  
City State Zip

Phone: \_\_\_\_\_  
Home Work Other

\*Fax: \_\_\_\_\_ \*E-Mail address: \_\_\_\_\_

### B. Organizations

*(Corporations, associations, firms, partnerships, joint stock companies, cooperatives, public and municipal corporations)*

Name of organization: BALIN FARM TRUST DBA BALIN RANCH

Name and title of person applying: HAROLD BALIN TRUSTEE

Mailing address of organization: 13600 HOMEDALE ROAD  
KLAMATH FALLS OR 97603  
City State Zip

Phone: (541) 891-7909 CELL (541) 884-2452  
Day Evening

\*Fax: \_\_\_\_\_ \*E-Mail address: \_\_\_\_\_

\*Optional information

For Department Use		
App. No. <u>G-15679</u>	Permit No. _____	Date <u>1-7-02</u>

6-15679

**Application No.** \_\_\_\_\_  
**2. PROPERTY OWNERSHIP**  
**Permit No.** \_\_\_\_\_

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
SALEM, OREGON

Do you own all the land where you propose to divert, transport, and use water?

- Yes (Skip to section 3 "Ground water Development.")
- No Please check the appropriate box below.
- I have a recorded easement or written authorization permitting access.
- I do not currently have written authorization or easement permitting access.

List the names and mailing addresses of all affected landowners.\*

<u>WILLIAM WILLIAMS</u>	<u>BALIN FARM TRUST</u>
<u>104 VICTORIA WAY</u>	<u>13600 HOMEDALE RD.</u>
<u>CENTRAL POINT, OR</u>	<u>KLAMATH FALLS, OR</u>
<u>97502</u>	<u>97603</u>
<u>BY BALIN RANCH AS</u>	
<u>LEASE HOLDER</u>	

\*If more than 25 landowners are involved, a list is not required. See instructions.

**3. GROUND WATER DEVELOPMENT**

A. Number of well(s): 1 B. Name of nearest surface water body: SPRING LAKE

C. Distance from well(s) to nearest stream or lake: 1) 1.5 MILES

2) \_\_\_\_\_ 3) \_\_\_\_\_ 4) \_\_\_\_\_

D. If distance from surface water is less than one mile, indicate elevation difference between nearest surface water and well head. 1) \_\_\_\_\_

2) \_\_\_\_\_ 3) \_\_\_\_\_ 4) \_\_\_\_\_

**E. Well Characteristics**

*Wells must be constructed according to standards set by the Department for the construction and maintenance of water wells. If the well is already constructed, please enclose a copy of the well constructor's log and the well ID number, if available, for each well with this application. Identify each well with a number corresponding to the wells designated on the map and proceed to question F in this section of the form. If the well has not been constructed, or if you do not have a well log, please complete the following:*

Well(s) will be constructed by: STOREY DRILLING SERVICES

Address: P.O. BOX 98 MIDLAND, OR. 97634

Completion date: JULY 20, 2001

Application No. G-15679

Permit No.

2. Please provide a description of your well development. (Attach additional sheets if needed.)

Well No.	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
L 29451	16"	STEEL	202.6'		201'	46'	1121'	AIRLINE	1414'

**F. Artesian Flows**

If your water well is flowing artesian, describe your water control and conservation works:

NO ARTESIAN FLOW.

---



---



---



---



---

**4. WATER USE**

Please read the instruction booklet for more details on "type of use" definitions, how to express how much water you need and how to identify the water source you propose to use. You must fill out a supplemental form for some uses as they require specific information for that type of use.

**A. Type(s) of Use(s)**

See list of beneficial uses provided in the instructions.

- If your proposed use is **domestic**, indicate the number of households to be supplied with water: \_\_\_\_\_
- If your proposed use is **irrigation**, please attach Form I
- If your proposed use is **mining**, attach Form R
- If your proposed use is **municipal or quasi-municipal**, attach Form M
- If your proposed use is **commercial/industrial**, attach Form Q

RECEIVED  
 JAN 07 2002  
 WATER RESOURCES DEPT.  
 SALEM, OREGON

**B. Amount of Water** Permit No.

Provide the production rate in gallons per minute (gpm) and the total annual amount of water you need from each well, from each source or aquifer, for each use. You do not need to provide source information if you are submitting a well log with your application.

Well No.	Source or aquifer	Type of use	Total rate of water requested (In gpm)	Total annual quantity (in gallons)	Production rate of well (in gpm)
L29451		AGRICULTURAL	3340 gpm	5.8212 <sup>10<sup>9</sup></sup>	4000 gpm

**C. Maximum Rate of Use Requested**

What is the maximum, instantaneous rate of water that will be used? 7.44 CFS  
 (The fees for your application will be based on this amount.)

**D. Period of Use**

Indicate the time of year you propose to use the water: APRIL 1 - OCTOBER 31  
 (For seasonal uses like irrigation give dates when water use would begin and end, e.g. March 1–October 31.)

**E. Acreage**

If you will be applying water to land, please give the total number of acres where water will be applied or used: 595.4 AC.  
 (This number should be consistent with you application map.)

**5. WATER MANAGEMENT**

**A. Diversion**

What equipment will you use to pump water from your well(s)?

- Pump (give horsepower and pump type) 125hp TURBINE
- Other means (describe) \_\_\_\_\_

**B. Transport**

How will you transport water to your place of use?

- Ditch or canal (give average width and depth)  
 Width \_\_\_\_\_ Depth \_\_\_\_\_  
 Is the ditch or canal to be lined?  Yes  No
- Pipe (give diameter and total length) CLOSED SYSTEM  
 Diameter 18", 15" AND 8" Length 18" X 380', 15" X 680', 8" X 9800'
- Other (describe) \_\_\_\_\_

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
 SALEM, OREGON

Application No. 6-15679

Permit No.

C. Application/Distribution Method

What equipment will you use to apply water to your place of use? SPRINKLE SYSTEM

Irrigation or land application method (check all that apply):

- Flood
- Drip
- Hand lines
- Siphon tubes or gated pipe with furrows
- Other, describe \_\_\_\_\_
- High-pressure sprinkler
- Water cannons
- Wheel lines
- Low pressure sprinkler
- Center pivot system

Distribution method

- Direct pipe from source
- In-line storage (tank or pond)
- Open canal

D. Conservation

What methods will you use to conserve water? Why did you choose this distribution or application method? For example, if you are using sprinkler irrigation rather than drip irrigation, explain. If you need additional space, attach a separate sheet.

CLOSED SYSTEM - SPRINKLER - MOST EFFICIENT FOR TYPE  
OF CROPS IN THIS AREA.

6. PROJECT SCHEDULE

Indicate the anticipated dates that the following construction tasks should begin. If construction has already begun, or is completed, please indicate that date.

Proposed date construction will begin JUNE 24, 2001

Proposed date construction will be completed AUG 21, 2001

Proposed date beneficial water use will begin AUG 21, 2001

7. REMARKS

If you would like to clarify any information you have provided in the application, please do so here and reference the specific application question you are addressing.

---



---



---



---



---



---

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
SALEM, OREGON

Application No. 6-15679  
Permit No.

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
SALEM, OREGON

### 8. MAP REQUIREMENTS


The Department cannot process your application without accurate information showing the source of water and location of water use. You must include a map with this application form that clearly indicates the township, range, section, and quarter/quarter section of the proposed well location and place of use. The map must provide tax lot numbers. See the map guidelines sheet for detailed map specifications.

### 9. SIGNATURE

By my signature below I confirm that I understand:

- I am asking to use water specifically as described in this application.
- Evaluation of this application will be based on information provided in the application packet.
- I cannot legally use water until the Water Resources Department issues a permit to me.
- If I get a permit, I must not waste water.
- If development of the water use is not according to the terms of the permit, the permit can be canceled.
- The water use must be compatible with local comprehensive land use plans.
- Even if the Department issues a permit to me, I may have to stop using water to allow senior water right holders to get water they are entitled to, and

I swear that all information provided in this application is true and correct to the best of my knowledge:

  
Signature of Applicant

Aug 29, 2001  
Date

\_\_\_\_\_  
Signature of Co-applicant

\_\_\_\_\_  
Date

**Before you submit your application be sure you have:**

- Answered each question completely.
- Attached a legible map which includes township, range, section, quarter/quarter and tax lot number.
- Included a Land Use Information Form or receipt stub signed by a local official.
- Included the legal description of all the property involved with this application. You may supply a copy of the deed, land sales contract, or title insurance policy, to meet this requirement.
- Included a check payable to the Oregon Water Resources Department for the appropriate amount.

Owner  
DENNIS A. ENSOR L.S., WRE

# TRU SURVEYING, INC LINE



2333 Summers Lane  
Klamath Falls, Ore. 97603  
Phone (541) 884-3691

NOTE: LEGAL

DATE 1-10

TO ROGER

FROM SAND

NUMBER OF PAGE

REF:

DENNIS, From

203

True Line Surveying  
will be fixing the  
legal description in.

Roger Wright

1-9-02

His #541-884-3691

EGALS

79

Owner  
DENNIS A. ENSOR L.S., WRE

# TRU SURVEYING, INC LINE



2333 Summers Lane  
Klamath Falls, Ore. 97603  
Phone (541) 884-3691

## FACSIMILE TRANSMITTAL FORM

DATE 1-10-02 TIME \_\_\_\_\_  
TO ROGER WRIGHT FAX 1-503-378-6203  
FROM SANDIE PHONE 884-3691  
FAX 884-3691  
NUMBER OF PAGES (INCLUDING THIS SHEET) 3

### COMMENTS

REF: G 15679 - BALIN FARMS - LEGALS

Application No. 6-15679  
Permit No.

Application No. G-15679  
Permit No.

6055

DEED

Vol. 179 Page 19128

WILLIAM M. WILLIAMS and ELIZABETH A. WILLIAMS, husband and wife, convey to WILLIAM M. WILLIAMS, ELIZABETH A. WILLIAMS and HENRY C. WILLIAMS, Trustees, the following described real property situated in Klamath County, Oregon, to-wit:

That portion of the NW1/4 of Section 12, Township 40 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, lying Westerly of the West boundary line of the United States Canal, ~~including thereon~~ all that portion lying South of a line parallel to and 677 feet South of the County Road known as Cross Road.

The true and actual consideration for this conveyance is null.

DATED this 15 day of October, 1981.

William M. Williams  
WILLIAM M. WILLIAMS

Elizabeth Williams  
ELIZABETH A. WILLIAMS

STATE OF OREGON )  
                          ) ss.  
County of Douglas )

The foregoing instrument was acknowledged before me this 15th day of October, 1981, by WILLIAM M. WILLIAMS and ELIZABETH A. WILLIAMS.

Donald A. Dole  
Notary Public for Oregon  
My commission expires: 9-16-84

Until Further Notice, Send  
All Tax Statements To:  
William M. Williams, Elizabeth  
A. Williams and Henry C. Williams,  
Trustees  
65 Weaver Road  
Myrtle Creek, OR 97457

After Recording, Return To:  
Donald A. Dole  
Attorney at Law  
P.O. Box 1205  
Roseburg, OR 97470

STATE OF OREGON,  
County of Klamath )

Filed for record at request of

On this 15 day of November, 19 81

at 11:04 o'clock A. M. and duly

recorded in Vol. 181 of Deeds

at 10178

EVELYN BIEHN, County Clerk

Severely & Litch Recorder

Fee \$4.00--

NO LINE ? FOR 18

ck  
408



K-44987

STATUTORY WARRANTY DEED  
(Individual or Corporation)

HAROLD E. BALIN AND JOAN L. BALIN STAUNTON

conveys and warrants to HAROLD E. BALIN AND JOAN L. BALIN STAUNTON, Initial Trustees of the BALIN FARM TRUST, an Oregon Business Trust, dated October 21, 1988 the following described real property in the County of Klamath and State of Oregon.

Township 40 South, Range 9 E.W.M.

Section 11: SE1

Section 12: SW1NW1, NW1SW1, SW1SW1, portion of the SE1SW1 lying North of the canal and that portion of the SE1SW1 lying South of Canal.

Section 13: NW1NE1 and

Beginning at the Northwest corner of the NW1NW1 of Section 13; thence South along the West line of said Section 13, 990 feet; thence East 2640 feet to a point 990 feet South of the Northeast corner of the NE1NW1 of Section 13; thence North 990 feet; thence West 2640 feet to the point of beginning, being 60 acres off the North side of the N1NW1 of Section 13, Township 40 South, Range 9 E.W.M.

SAVING AND EXCEPTING any portion lying within Homedale Road.

Application No. G-15679  
Permit No.

This property is free of liens and encumbrances, EXCEPT:

Subject to reservations and restrictions of record, rights of way, and easements of record and those apparent upon the land, contracts and/or liens for irrigation and/or drainage.

The true consideration for this conveyance is \$ -0- there comply with the requirements of ORS 500.001.

THIS INSTRUMENT WILL NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING THE PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY APPROVED USES.

DATED this 31st day of March 19 93 If a corporate grantor, it has caused its name to be signed by resolution of its board of directors.


*Harold E. Balin*  
HAROLD E. BALIN

*Joan L. Balin Staunton*  
JOAN L. BALIN STAUNTON

STATE OF OREGON, County of Klamath  
The foregoing instrument was acknowledged before me this 31st day of March 19 93 by Harold E. Balin and Joan L. Balin Staunton

CORPORATE ACKNOWLEDGEMENT  
STATE OF OREGON, County of \_\_\_\_\_  
The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_ 19 \_\_\_\_\_ and by \_\_\_\_\_ of \_\_\_\_\_

*Debra Bucy Thomas*  
Notary Public for Oregon  
My Commission expires 12-19-96



Balin Farm Trust  
13131 Homedale Rd.  
Klamath Falls, Oregon 97603

NAME ADDRESS ZIP

Balin Farm Trust  
13131 Homedale Rd.  
Klamath Falls, Oregon 97603

STATE OF OREGON, County of Klamath

Filed for record at request of:

Klamath County Title  
on this 7th day of April A.D. 19 93  
at 9:57 o'clock A.M. and duly recorded  
in Vol. 93 of Deeds Page 7031  
Evelyn Bighn County Clerk  
By \_\_\_\_\_ Deputy

Fee, \$30.00

Owner  
DENNIS A. ENSOR L.S., WRE

# TRU ~~SURVEYING, INC~~ LINE



2333 Summers Lane  
Klamath Falls, Ore. 97603  
Phone (541) 884-3691

### FACSIMILE - TRANSMITTAL FORM

DATE 1-10-02 TIME \_\_\_\_\_

TO ROGER WRIGHT FAX 1-503-378-6203

FROM SANDIE PHONE 884 - 3691

FAX 884 - 3691

NUMBER OF PAGES (INCLUDING THIS SHEET) 3

### COMMENTS

REF. G 15679 - BALIN FARMS - LEGALS

**Application No. G-15679**  
**Permit No.**

# Application No. G-15679 Permit No.

6065

DEED

Vol. mg1 Page 19128

WILLIAM M. WILLIAMS and ELIZABETH A. WILLIAMS, husband and wife, hereby as WILLIAM M. WILLIAMS, ELIZABETH A. WILLIAMS and HENRY C. WILLIAMS, Trustees, the following described real property situated in Klamath County, Oregon, to-wit:

That portion of the N $\frac{1}{2}$ NW $\frac{1}{4}$  of Section 12, Township 40 South, Range 9 East of the Willamette Meridian, Klamath County, Oregon, lying Westerly of the West boundary line of the United States C Canal, EXCEPTING THEREFROM all that portion lying South of a line parallel to and 677 feet South of the County Road known as Cross Road.

The true and actual consideration for this conveyance is null.

DATED this 15 day of October, 1981.

William M. Williams  
WILLIAM M. WILLIAMS

Elizabeth Williams  
ELIZABETH A. WILLIAMS

STATE OF OREGON )  
                          ) ss.  
County of Douglas )

The foregoing instrument was acknowledged before me this 15th day of October, 1981, by WILLIAM M. WILLIAMS and ELIZABETH A. WILLIAMS.

Notary Public for Oregon  
My commission expires: 7-10-81



All Tax Statements To:  
William M. Williams, Elizabeth  
A. Williams and Henry C. Williams,  
Trustees  
65 Weaver Road  
Myrtle Creek, OR 97457

STATE OF OREGON )  
County of Klamath )

on this 15th day of November, A.D. 19 81  
at 11:04 o'clock A. M. and day  
recorded in Vol. 881 of Deeds  
page 19128  
EVELYN BIEHN, County Clerk  
Evelyn Biehn Secy

After Recording, Return To:  
Donald A. Dole  
Attorney at Law  
P.O. Box 1205  
Roseburg, OR 97470

ck  
4/8

59523

APR 7 1993

KLAMATH COUNTY TITLE COMPANY

Vol. 93 Page 2031



Application No. 6-15679  
Permit No.

K-44987

STATUTORY WARRANTY DEED  
(Individual or Corporation)

HAROLD E. BALIN AND JOAN L. BALIN STAUNTON

conveys and warrants to HAROLD E. BALIN AND JOAN L. BALIN STAUNTON, Initial Trustees of...  
the BALIN FARM TRUST, an Oregon Business Trust, dated October 21, 1988  
the following described real property in the County of Klamath and State of Oregon:

Township 40 South, Range 9 E.W.M.

Section 11: SE1/4

Section 12: SW1/4NW1/4, NW1/4SW1/4, SW1/4SW1/4, portion of the SE1/4SW1/4 lying North of the canal and that portion of the SE1/4SW1/4 lying South of Canal.

Section 13: NW1/4NE1/4 and

Beginning at the Northwest corner of the NW1/4 of Section 13; thence South along the West line of said Section 13, 990 feet; thence East 2640 feet to a point 990 feet South of the Northeast corner of the NE1/4NW1/4 of Section 13; thence North 990 feet; thence West 2640 feet to the point of beginning, being 60 acres off the North side of the N1/4NW1/4 of Section 13, Township 40 South, Range 9 E.W.M.

SAVING AND EXCEPTING any portion lying within Homedale Road.

This property is free of liens and encumbrances, EXCEPT:

Subject to reservations and restrictions of record, rights of way, and easements of record and those apparent upon the land, contracts and/or liens for irrigation and/or drainage.

The true consideration for this conveyance is \$ -0- (Here comply with the requirements of ORS 93.030)

THIS INSTRUMENT WILL NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING THE PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY APPROVED USES.

DATED this 31st day of March, 1993. If a corporate grantor, it has caused its name to be signed by resolution of its board of directors.


*Harold E. Balin*  
HAROLD E. BALIN

*Joan L. Balin Staunton*  
JOAN L. BALIN STAUNTON

STATE OF OREGON, County of Klamath  
The foregoing instrument was acknowledged before me this 31st day of March, 1993 by Harold E. Balin and Joan L. Balin Staunton

CORPORATE ACKNOWLEDGEMENT  
STATE OF OREGON, County of Klamath  
The foregoing instrument was acknowledged before me this 31st day of March, 1993 by Harold E. Balin and Joan L. Balin Staunton

*William B. Buchanan*  
My commission expires 12-17-98



After recording return to:  
13131 Homedale Rd.  
Klamath Falls, Oregon 97603

NAME, ADDRESS, ZIP  
13131 Homedale Rd.  
Klamath Falls, Oregon 97603

STATE OF OREGON, County of Klamath  
Klamath County Title  
on this 7th day of April, A.D. 1993  
at 9:57 o'clock A.M. and duly recorded  
in Vol. M93 of Deeds Page 2031  
Evelyn Biehn County Clerk  
By *Carol A. Biehn* Deputy.  
Fee, \$30.00



# STOREY DRILLING SERVICES

P.O. Box 98 • MIDLAND, OREGON 97634  
(541) 884-3990 • (800) 245-8122  
Fax #: (530) 528-2562

22560 ADOBE ROAD • RED BLUFF, CALIFORNIA 96080  
CONTRACTOR'S LICENSES:  
OR #601 • CA #583153 • NV #38199

Balin Ranches  
13600 Homedale Road  
Klamath Falls, Oregon 97603



START: June 20, 2001  
FINISH: July 20, 2001

**WELL LOCATION:** ¼ mile North of the O'Connor RD. & Homedale Rd. intersection; ¼ mile east of Homedale Rd.  
SW¼ SW¼ S12 T40S R9E

## LOG

0 - 3	Brown top soil
3 - 9	Brown shale & hard pan
9 - 12	Hard pan with brown clay & fine gravel
12 - 19	Brown shale
19 - 32	Sandy yellow clay
32 - 98	Brown sandstone
98 - 138	Brown sandy clay
138 - 1070	Gray clay
1070 - 1076	Decomposed black lava with streaks black clay
1076 - 1114	Black basalt
1114 - 1116	Gray basalt
1116 - 1142	Black basalt
1142 - 1145	Gray basalt
1145 - 1146	Black basalt
1146 - 1147	Hard broken black basalt
1147 - 1160	Black basalt
1160 - 1177	Gray basalt
1177 - 1180	Black basalt
1180 - 1187	Hard gray basalt
1187 - 1201	Black basalt
1201 - 1208	Hard gray basalt
1208 - 1210	Hard broken gray basalt
1210 - 1216	Hard gray basalt
1216 - 1221	Black basalt
1221 - 1224	Hard gray basalt
1224 - 1231	Hard broken gray basalt
1231 - 1236	Black basalt
1236 - 1238	Gray basalt
1238 - 1248	Brown basalt
1248 - 1249	Hard black basalt
1249 - 1259	Black basalt
1259 - 1269	Gray basalt
1269 - 1278	Brown basalt with bubbly black basalt
1278 - 1292	Hard gray basalt
1292 - 1295	Broken gray basalt

*6-15679*

**Application No.**  
**Permit No.**

<b>RECEIVED</b>
JUL 31 2001
WATER RESOURCES DEPT SALEM, OREGON

# STOREY DRILLING SERVICES

P.O. Box 98 • MIDLAND, OREGON 97634  
(541) 884-3990 • (800) 245-8122  
Fax #: (530) 528-2562

22560 ADOBE ROAD • RED BLUFF, CALIFORNIA 96080  
CONTRACTOR'S LICENSES:  
OR #601 • CA #583153 • NV #38199

Balin Ranches  
13600 Homedale Road  
Klamath Falls, Oregon 97603




START: June 20, 2001  
FINISH: July 20, 2001

**WELL LOCATION:** ¼ mile North of the O'Connor RD. & Homedale Rd. intersection; ¼ mile east of Homedale Rd.  
SW¼ SW¼ S12 T40S R9E

### LOG

(Continued from page 1)

1295 - 1299	Brown lava
1299 - 1302	Black basalt
1302 - 1331	Brown Ash rock
1331 - 1335	Gray basalt
1335 - 1359	Brown ash rock
1359 - 1364	Broken gray basalt
1364 - 1369	Black basalt
1369 - 1376	Hard gray basalt
1376 - 1380	Black basalt
1380 - 1384	Gray basalt
1384 - 1398	Black basalt
1398 - 1414	Brown & black basalt



202 feet 6 inches of 16 inch O. D. x .250 wall steel casing set and cemented at 201½ feet.  
22 inch diameter hole drilled from 0 - 201 feet to set casing; 16 inch diameter hole from 201 - 1083 feet;  
12¼ inch diameter hole from 1083 - 1108 feet; 8¾ inch diameter hole from 1108 - 1414 feet.  
Static water level 46 feet; Temperature 77° Fahrenheit  
Test pumped 3000 GPM at 79 feet: Specific capacity is 91 gallons per minute per foot of drawdown.

Application No. G-15679  
Permit No.



Oregon Water Resources Department

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
SALEM, OREGON

FORM I

FOR IRRIGATION WATER USE

1. Please indicate whether you are requesting a primary or supplemental irrigation water right.

Primary  Supplemental

If supplemental, please indicate the number of acres that will be irrigated for each type of use.

Primary: \_\_\_\_\_ Acres

Secondary: 595.4 Acres

List the permit or certificate number of the primary water right: No. \_\_\_\_\_

2. Please list the anticipated crops you will grow and whether you will be irrigating them for a full or partial season:

- |                            |   |   |
|----------------------------|---|---|
| 1. <u>LIVESTOCK CATTLE</u> | <input checked="" type="checkbox"/> Full season | <input type="checkbox"/> Partial season (from: <u>4/1</u> to <u>10/31</u> ) |
| 2. <u>ALFALFA</u>          | <input checked="" type="checkbox"/> Full season | <input type="checkbox"/> Partial season (from: <u>4/1</u> to <u>10/31</u> ) |
| 3. <u>GRASS HAY</u>        | <input checked="" type="checkbox"/> Full season | <input type="checkbox"/> Partial season (from: <u>4/1</u> to <u>10/31</u> ) |
| 4. <u>POTATO</u>           | <input checked="" type="checkbox"/> Full season | <input type="checkbox"/> Partial season (from: <u>4/1</u> to <u>10/31</u> ) |

3. Indicate the maximum total number of acre-feet you expect to use in an irrigation season:

1786.2 acre-feet

(1 acre-foot equals 12 inches of water spread over 1 acre, or 43,560 cubic feet, or 325,851 gallons.)

4. How will you schedule your applications of water? Will you be applying water in the evenings, twice a week, daily?

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Daily during daytime hours    | <input type="checkbox"/> Daily during nighttime hours               |
| <input type="checkbox"/> Two or three times weekly during daytime | <input type="checkbox"/> Two or three times weekly during nighttime |
| <input type="checkbox"/> Weekly, during daytime hours             | <input type="checkbox"/> Weekly, during nighttime hours             |
| <input type="checkbox"/> Other, explain: _____                    |   |

Application No. 6-15679  
Permit No.



Application No. G-15679  
 Permit No.

Oregon Water Resources Department  
 Land Use Information Form

RECEIVED

JAN 07 2002

WATER RESOURCES DEPT.  
 SALEM, OREGON

This information is needed to determine compatibility with local comprehensive plans as required by ORS 197.180. The Water Resources Department will use this and other information to evaluate the water use application. DO NOT fill out this form if water is to be diverted, conveyed, or used only on federal lands.

**To Be Completed By Applicant**

The following section includes information about proposed water use. This section must be completed by the individual or group that is filing an application for a water right with the Water Resources Department.

**A. Applicant**

Name: BALIN RANCHES + WILLIAM WILLIAMS

Address: 13600 HOMEDALE ROAD

City: Klamath Falls State: OR Zip: 97603 Day Phone: 882-0747

**B. Land and Location**

Please provide information as requested below for all tax lots on or through which water will be diverted, conveyed, or used. Check "diverted" if water is diverted (taken) from its source on tax lot, "conveyed" if water is conveyed (transported) on tax lot, and "used" if water will be put to beneficial use on tax lot. More than one box may be checked. (Attach extra sheets as necessary.) Applicants for municipal use, or irrigation uses within irrigation districts, may substitute existing and proposed service area boundaries for the tax lot information requested below.

Tax Lot I.D.	Plan Designation (e.g. Rural Residential/RR-5)	Water to be: (check all that apply)		
40 09 11 - 600	agriculture EFUC	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used
40 09 12 - 400, 500, 600, 1200, 1300	agriculture EFUC	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used
40 09 13 - 200	— / —	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used

List counties and cities where water is proposed to be diverted, conveyed, or used. Klamath

**C. Description of Water Use**

Indicate what the water will be used for. Include the beneficial use (found in the instruction booklet for your water right application) and use the space below to describe the key characteristics of the project.

Beneficial Use(s): IRRIGATION OF CROPS

Briefly describe: IRRIGATION OF ALL CROPS GROWN IN THE KLAMATH BASIN. I.E. ALFALFA, PASTURE, POTATOES, GRAIN, ETC.

**D. Source**

Indicate the source for the proposed water use:

Reservoir/Pond  Ground Water  Surface Water \_\_\_\_\_ (source)

**E. Quantity**

Indicate the estimated quantity of water the use will require:

3,300  CFS  GPM  Acre-Feet

**For Local Government Use Only**

The following section must be completed by a planning official from each county and city listed unless your project will be located entirely within the city limits. In this case, only the city planning agency must complete this form. Please request additional forms as needed or feel free to copy.

**A. Allowed Use**

Check the appropriate box below and provide requested information.

- Land uses to be served by proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s); Article 54. Go to section B "Approval" below  
Section 59.020 A of Kamath County Land Development Code
- Land uses to be served by proposed water uses (including proposed construction) involve discretionary land use approvals as listed in the table below.

Type of Land Use Approval Needed (e.g. plan amendments, rezones, conditional use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Check the item that applies: Land Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being pursued <input type="checkbox"/> Not being pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being pursued <input type="checkbox"/> Not being pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being pursued <input type="checkbox"/> Not being pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being pursued <input type="checkbox"/> Not being pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being pursued <input type="checkbox"/> Not being pursued


**Note:** Please attach documentation of applicable local land use approvals which have already been obtained. (Record of Action plus accompanying findings is sufficient.)

**B. Approval**

Please provide printed name and written signature.

Name: Jacob A. Graichen Date: 8/16/01

Title: Planner Phone: (541) 883-4200

Signature: 

**C. Additional Comments**

Local governments are invited to express special land use concerns or make recommendations to the Department regarding this proposed use of water below, or on a separate sheet.

---



---



---



---

**Note:** If this form cannot be completed while the applicant waits, sign and detach the receipt stub as instructed below. You will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD will presume the land use associated with the proposed water right is compatible with local comprehensive plans. (See attached letter.)



OVER PAID BY \$200<sup>00</sup>

# Standard Application "Completeness" Checklist

Minimum Requirements (OAR 690-310-040)

Application # - <u>G-15679</u>	County: <u>KCAM</u>
Priority Date: <u>1-7-02</u>	Township: <u>40 South</u>
Use(s): <u>IRRIGATION/LV</u> <u>5.95.4 AC</u>	Range: <u>9 East</u>
Rate: <u>7.44 CFS</u>	Section: <u>11, 12, 13</u>
	POD ¼ ¼: <u>SE NW of Sect. 13</u>
	POU ¼ ¼: <u>SEE MAP</u> <u>SE ¼ of Sect 11</u> <u>NW ¼ &amp; SW ¼ of Sect 12</u> <u>W ½ of NE ¼ of Sect 12</u> <u>W ½ of SE ¼ of Sect 12</u> <u>N ½ of NW ¼ of Sect 13</u> <u>and the NW/NE ¼ ¼ of Sect. 13</u>

- Applicant/Organization Name, Mailing Address and Telephone Number. If applicant is other than a private landowner, Organizations section must be completed.
- Source and tributary listed? \_\_\_\_\_
- Property ownership indicated? If applicant does not own all the land, is the affected landowner's name and mailing address listed? (Including: Lands, not owned by applicant, upon which the source is located .....or..... any Lands, not owned by applicant, which are crossed by the diversion works.) **NOTE: An easement or agreement DOES NOT need to be submitted at this time, but will be required before a permit will be issued.**
- If a groundwater application...is the groundwater development section completed? \_\_\_\_\_
- Proposed Use of the water.... Is each proposed use identified? \_\_\_\_\_
- Has the appropriate "Supplemental Form" for each proposed use been completed?
  - Form I (Irrigation)      \_\_\_ Form M (Municipal or Quasi-Municipal)
  - \_\_\_ Form R (Mining)      \_\_\_ Form Q (Commercial or Industrial)
  - \_\_\_ Spring Description Sheet (if source is a Spring)
- Amount of water from each source listed in GPM, CFS or AF? 7.44
- Acreage being proposed, if applicable. 5.95<sup>4</sup> AC

Season being requested by applicant. \_\_\_\_\_

The **water management section** has been completed? If system has not been designed, the applicant may estimate this information. \_\_\_\_\_

**Resource protection system** completed on Surface Water application? \_\_\_\_\_

Are the **dates of construction** indicated? \_\_\_\_\_  
If system already completed, applicant should indicate **existing**.

Is the **application signed in ink by the applicant**? If the application is in the name of an organization or corporation, the authorized agent must sign the application.

Is a **copy of the deed, land sales contract or title insurance policy included**? We cannot accept a copy of the tax bill.

A **completed Land-Use Form** or receipt signed by the appropriate planning department officials enclosed? *Does the use on land-use form match the proposed use on the application?*

Does the **map meet map requirements** of OAR 690-310-050? \_\_\_\_\_

- Town, Range, Sec, ¼¼ and Tax Lot #
- Scale of the Map
- Reference corner on map
- North Directional Symbol
- ¼ ¼'s clearly identified
- POD clearly identified
- POU clearly identified
- Location Coordinates for each POD
- Location of House, if Domestic
- Number of acres per ¼ ¼, if Irrigation
- Location of Bldg, if Comm/Indus
- Location of Stock Tanks, if Livestock
- Muni/Quasi-Muni Service Boundaries
- Other \_\_\_\_\_

**Correct fees enclosed?** Refer to worksheet to calculate fees.

Total Paid \$ 1300<sup>00</sup>

Base Fee \$ 250<sup>00</sup>

plus 150<sup>00</sup>

plus 525<sup>00</sup>

Total Exam Fee \$ 925<sup>00</sup>

Total Amount of Water Requested: 7.44 CFS

*"OVER PAID BY \$200<sup>00</sup>"*

**Total Exam Fee \$ 925<sup>00</sup> PAID Recording Fee \$ 175<sup>00</sup> PAID**

Completeness Check by: R. W.

Date: 1-8-02

**STATE OF OREGON  
WATER RESOURCES DEPARTMENT**

RECEIPT # **50307**

158 12TH ST. N.E.  
SALEM, OR 97310-0210  
378-8455 / 378-8130 (FAX)

INVOICE # \_\_\_\_\_

RECEIVED FROM: Balin Ranches  
BY: \_\_\_\_\_

APPLICATION	
PERMIT	
TRANSFER	

CASH:  CHECK: #  24-22 OTHER: (IDENTIFY)

TOTAL REC'D \$ 1500.00

**0417 WRD MISC CASH ACCT**

ADJUDICATIONS	\$
PUBLICATIONS / MAPS	\$
OTHER: (IDENTIFY)	\$
OTHER: (IDENTIFY)	\$

**REDUCTION OF EXPENSE**

CASH ACCT. \$

PCA AND OBJECT CLASS

VOUCHER # 6611

**0427 WRD OPERATING ACCT**

<b>MISCELLANEOUS</b>			
0407	COPY & TAPE FEES		\$
0410	RESEARCH FEES		\$
0408	MISC REVENUE: (IDENTIFY)		\$
(New) TC162	DEPOSIT LIAB. (IDENTIFY)		\$
<b>WATER RIGHTS:</b>			
0201	SURFACE WATER	EXAM FEE \$	RECORD FEE 0202 \$
0203	GROUND WATER	\$ <u>925.00</u>	0204 \$ <u>315.00</u>
0205	TRANSFER	\$	0206 \$
<b>WELL CONSTRUCTION</b>			
0218	WELL DRILL CONSTRUCTOR	EXAM FEE \$	LICENSE FEE 0219 \$
	LANDOWNER'S PERMIT		0220 \$
	OTHER (IDENTIFY)		

**0437 WELL CONST. START FEE**

0211	WELL CONST START FEE	\$	CARD #
0210	MONITORING WELLS	\$	CARD #
	OTHER (IDENTIFY)		

**0539 LOTTERY PROCEEDS**

1302	LOTTERY PROCEEDS	\$
------	------------------	----

**0467 HYDRO ACTIVITY**

0233	POWER LICENSE FEE (FW/WRD)	LIC NUMBER	\$
0231	HYDRO LICENSE FEE (FW/WRD)		\$
	HRDRO APPLICATION		\$

RECEIPT # **50307**

DATED: 1/07/02 BY: C. Vance

BALIN RANCHES

326

<u>Description</u>	<u>Quantity</u>	<u>Price</u>	<u>Amount</u>
SLR Supplemental Water	587.40	\$2.2131	\$1,300.00
			<hr/>
			\$1,300.00

Application No. 6-15679  
Permit No.

RECEIVED  
JAN 07 2002  
WATER RESOURCES DEPT.  
SALEM, OREGON

**STATE OF OREGON  
WATER RESOURCES DEPARTMENT**

RECEIPT # **103365**

725 Summer St. N.E. Ste. A  
SALEM, OR 97301-4172  
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # \_\_\_\_\_

RECEIVED FROM: BALIN RANCHES

APPLICATION G15649

BY: \_\_\_\_\_

PERMIT \_\_\_\_\_

CASH:  CHECK:# 6114 OTHER: (IDENTIFY)

TRANSFER \_\_\_\_\_

TOTAL REC'D \$ 15000

**1083 TREASURY 4170 WRD MISC CASH ACCT**

0407 COPIES \$ \_\_\_\_\_

OTHER: (IDENTIFY) \_\_\_\_\_ \$ \_\_\_\_\_

0243 I/S Lease \_\_\_\_\_ 0244 Muni Water Mgmt. Plan \_\_\_\_\_ 0245 Cons. Water \_\_\_\_\_

**4270 WRD OPERATING ACCT**

**MISCELLANEOUS**

0407 COPY & TAPE FEES 46111 \$ \_\_\_\_\_

0410 RESEARCH FEES \$ \_\_\_\_\_

0408 MISC REVENUE: (IDENTIFY) \_\_\_\_\_ \$ \_\_\_\_\_

TC162 DEPOSIT LIAB. (IDENTIFY) \_\_\_\_\_ \$ \_\_\_\_\_

0240 EXTENSION OF TIME \$ \_\_\_\_\_

**WATER RIGHTS:**

0201 SURFACE WATER EXAM FEE \$ \_\_\_\_\_ 0202 RECORD FEE \$ \_\_\_\_\_

0203 GROUND WATER \$ \_\_\_\_\_ 0204 \$ \_\_\_\_\_

0205 TRANSFER \$ \_\_\_\_\_

**WELL CONSTRUCTION**

0218 WELL DRILL CONSTRUCTOR EXAM FEE \$ \_\_\_\_\_ 0219 LICENSE FEE \$ \_\_\_\_\_

LANDOWNER'S PERMIT 0220 \$ \_\_\_\_\_

0200 OTHER (IDENTIFY) COBU \$ 15000

**0536 TREASURY 0437 WELL CONST. START FEE**

0211 WELL CONST START FEE \$ \_\_\_\_\_ CARD # \_\_\_\_\_

0210 MONITORING WELLS \$ \_\_\_\_\_ CARD # \_\_\_\_\_

OTHER (IDENTIFY) \_\_\_\_\_

**0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER**

0233 POWER LICENSE FEE (FWWRD) \$ \_\_\_\_\_

0231 HYDRO LICENSE FEE (FWWRD) \$ \_\_\_\_\_

HYDRO APPLICATION \$ \_\_\_\_\_

**TREASURY OTHER / RDX**

FUND \_\_\_\_\_ TITLE \_\_\_\_\_

OBJ. CODE \_\_\_\_\_ VENDOR # \_\_\_\_\_

DESCRIPTION \_\_\_\_\_ \$ \_\_\_\_\_

RECEIPT: **103365**

DATED: 7-11-11 BY: \_\_\_\_\_

FILE#: G 15679  
BALIN FARM TRUST; BALIN, HAROLD;  
WILLIAMS, WILLAIM  
13600 HOMEDALE RD  
KLAMATH FALLS, OR 97603

FILE#: G 15679  
BALIN FARM TRUST; BALIN, HAROLD;  
WILLIAMS, WILLAIM  
13600 HOMEDALE RD  
KLAMATH FALLS, OR 97603

FILE#: G 15679  
BALIN FARM TRUST; BALIN, HAROLD;  
WILLIAMS, WILLAIM  
13600 HOMEDALE RD  
KLAMATH FALLS, OR 97603

FILE#: G 15679  
BALIN FARM TRUST; BALIN, HAROLD;  
WILLIAMS, WILLAIM  
13600 HOMEDALE RD  
KLAMATH FALLS, OR 97603



Address Labels

Laser 5960™