

Name William G. Dick
By _____
Address Vogt Block, The Dalles, Oregon

Application No. G 134
Permit No. G 38
Certificate No. 28140

Stream Index, Page No. 4-35 37

11/13-36 K11)

(hold for proof on additional land same well G-406)

FEEES PAID

Date	Amount	Receipt No.
<u>9-22-55</u>	<u>25.70</u>	<u>4766</u>
<u>1-13-61</u>	<u>\$1 Cert. Fee</u>	<u>28267</u>

FEEES REFUNDED

Date	Amount	Check No.

Date filed September 22, 1955
Priority September 22, 1955
Action suspended until _____
Returned to applicant _____
Date of approval October 31, 1955

ASSIGNMENTS

Date	To Whom	Address	Volume	Page

CONSTRUCTION

Date for beginning October 31, 1956
Date for completion 10-1-57
Extended to _____
Date for application of water 10-1-58
Extended to _____

REMARKS


1.29 cts from Dick Bros. well for irrig. 103.38 acres

PROSECUTION OF WORK

Form "A" filed _____
Form "B" filed _____
Form "C" filed _____

FINAL PROOF

Blank mailed DECEMBER 23 1960
Proof received _____
Date certificate issued FEBRUARY 10 1961



Application by William G. Dick, for Dick Brothers Partnership, The Dalles, Oregon.

I, Roger J. Wilhelm, of The Dalles, Oregon, do hereby certify that this map was made from notes taken on an actual survey, made by me, on September 8th and 14th 1955. The Initial Point consists of an iron pipe 2" in diameter, driven in the ground at a point located 1263.2 feet East and 4194 feet North from the Southwest Corner of Section 36, T. 1 N., R. 13 E. W. M., in Wasco County, Oregon. The location of the Well site is 3378 feet East and 1412 feet North of the same Section corner.

Roger J. Wilhelm

RECEIVED
SEP 22 1955
STATE ENGINEER
SALEM, OREGON

REGISTERED
OREGON
LAND SURVEYOR
Roger J. Wilhelm
JULY 7, 1944
Roger J. Wilhelm
42

Application No. G-134
Permit No. G-38

251 FINANCE BUILDING
170 12TH STREET S.E.

STATE OF OREGON
STATE ENGINEER
WATER RESOURCES DEPARTMENT
SALEM

REFER TO
FILE NO. G-134

December 23, 1960

Mr. William G. Dick
Vogt Block
The Dalles, Oregon

Dear Mr. Dick:

On the reverse side of this paper is a copy of a draft of water right certificate to confirm the right under Permit No. G-38. You are requested to examine this draft and if you find it correctly describes the appropriation of water made, execute the following certificate. You should return this paper, along with a fee of \$1.00 for recording your water right certificate, when issued, in the office of the County Clerk.

Very truly yours,

LEWIS A. STANLEY
State Engineer

Return this paper to the State Engineer. Do not record in County Clerk's office.

FINAL PROOF

I have read the draft of water right certificate shown on the reverse side of this paper and as final proof of appropriation of water I hereby certify that the water has been used as described in said draft.

January 12, 1961
(Date)

William G. Dick
(Signature)

STATE OF OREGON
COUNTY OF WASCO

RECEIVED
JAN 18 1961
STATE ENGINEER
SALEM, OREGON

CERTIFICATE OF WATER RIGHT

This Is to Certify, That **WILLIAM G. DICK**

of **Vogt Block, The Dalles**, State of **Oregon**, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of **Dick Brothers Well**

a tributary of **Fifteenmile Creek** for the purpose of irrigation of **103.4 acres**

under Permit No. **G-38** of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon, that the priority of the right hereby confirmed dates from **September 22, 1955**

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed **1.29 cubic foot per second**

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the **NE 1/4 SE 1/4, Section 36, T. 1 N., R. 13 E., W.M.** Well is located **1600 Ft. N. and 3350 Ft. E.** from the SW corner Section 36.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to **one-eightieth** of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed **3 acre feet** per acre for each acre irrigated during the irrigation season of each year,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

5.8 acres	NE 1/4	SW 1/4
0.5 acre	SW 1/4	SW 1/4
15.6 acres	SE 1/4	SW 1/4
16.2 acres	NE 1/4	SE 1/4
20.2 acres	NE 1/4	SE 1/4
23.8 acres	SW 1/4	SE 1/4
21.3 acres	SE 1/4	SE 1/4
Section 36		
T. 1 N., R. 13 E., W.M.		

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

THIS IS A DRAFT OF WATER RIGHT CERTIFICATE

See other side for instructions and final proof to be executed by permittee.

Description of Dropery, that has been conveyed to Applicants.
117- page 747.

Commencing at a point 264 feet West from the Southeast corner of Section 36, T. 1 N., R. 13 E.W.M.; thence North 3960 feet; thence West 258 feet; thence South 3960 feet; thence East 258 feet, to the place of beginning.

Also, commencing at a point 790 feet East of the Northwest corner of Section 1, T. 1 S., R. 13 E.W.M.; thence South 220 feet; thence S. 67° W., 288 feet; thence North 325 feet; thence East 258 feet, to the place of beginning.

Also, commencing at a point 522 feet West of the Southeast corner of Section 36, T. 1 N., R. 13 E.W.M.; thence North 3960 feet; thence West 251 feet; thence South 3960 feet; thence East 251 feet to the place of beginning.

Also, commencing at a point 532 feet East from the Northwest corner of Section One, T. 1 S., R. 13 E.W.M.; thence South 325 feet; thence S. 67° W., 275 feet; thence North 433 feet; thence East 251 feet, to the place of beginning. Containing 50 acres, more or less, in Wasco County, Oregon.

RECEIVED
SEP 22 1955
STATE ENGINEER
SALEM, OREGON

Description of Property, that has been conveyed to Applicants.

Book 79, page 149.

Commencing at a point 1054 feet West of the Southeast Corner of Section Thirty-six, Township One North, Range 13 East of the Willamette Meridian, thence North 3960 feet; thence West 266 feet; thence South 3960 feet; thence East 266 feet to the place of beginning.

Also, commencing at the Northeast corner of Section two, Township One South, Range 13 E.W.M.; thence South 895.6 feet; thence West 266 feet; thence North 895.6 feet; thence East 266 feet to the place of beginning.

Also commencing at a point 773 feet West of the Southeast corner of Section 36, T. 1 N., R. 13 E.W.M.; thence North 3960 feet; thence West 281 feet; thence South 3960 feet; thence East 281 feet to the place of beginning.

Also, commencing at the Northwest corner of Section 1, T. 1 South, Range 13 E.W.M.; thence East 281 feet; thence South 433 feet; thence S. 67° W., 300 feet; thence North 539 feet, to the place of beginning.

Also, commencing at a point in the center of Dry Hollow Road on line between Sections 31 and 36, 1966.8 feet North of the corner of Township One North, Ranges 13 and 14 E.W.M.; thence along center of Dry Hollow Road, S. 41° 15' E., 2.00 chains; thence S. 56° 15' E., 10.00 chains; thence S. 42° 05' E., 4.50 chains; thence S. 4° 25' W., 1.30 chains; thence S. 37° 15' E., 3.55 chains; thence N. 62° E., 0.75 chain; thence N. 40° W., 3.06 chains; thence N. 87° 25' E., 9.33 chains; thence 1.25 chains on course to center of Dry Hollow Road; thence along center of said road to intersection with center of Endersby Road; thence along the center of said road N. 25° 35' E. 9.88 chains; thence along center line of Northwest quarter of Section 31, T. 1 N., R. 14 E.W.M., North 32.30 chains to the Northeast corner of the Southwest quarter of the Northwest quarter of said Section 31; thence S. 89° 45' W., 27.00 chains to the Northwest corner of the Southwest quarter of the Northwest quarter of said Section 31; thence along Range line between Sections 31 and 36, 29.66 chains to the point of beginning. Containing 101.28 acres.

Book 69 page 434.

Also, commencing at a point 1320 feet West from the Southeast corner of Section 36, T. 1 N., R. 13 E.W.M. Thence North 5280 feet; thence West 352 feet; thence South 5280 feet; thence East 352 feet to the place of beginning.

Also, commencing at a point 266 feet West from the Northeast corner of Section 2, T. 1 S., R. 13 E.W.M.; thence South 895.6 feet; thence West 352 feet; thence North 895.6 feet; thence East 352 feet to the place of beginning.

Also, commencing at a point 618 feet West from the Northeast corner of Section 2, T. 1 S., R. 13 E.W.M.; thence South 895.6 feet; thence West 2344 feet; thence North 5175.6 feet; thence N. 43° E., 1365 feet, to the North boundary of Section 36, T. 1 N., R. 13 E.W.M.; thence East along the North boundary of said Section 36, 1408 feet; thence South 5280 feet, to the place of beginning, which is a point 1672 feet West from the Southeast corner of said Section 36. Containing in all 321.56 acres.

DICK & DICK

ATTORNEYS-AT-LAW

VOGT BLOCK
TELEPHONE 2152

THE DALLES, OREGON

WILLIAM G. DICK
ROGER L. DICK
EDGAR M. DICK

September 20, 1955

Mr. Lewis A. Stanley
State Engineer
303 State Office Building
Salem, Oregon

RECEIVED
SEP 22 1955
STATE ENGINEER
SALEM, OREGON

Dear Mr. Stanley:

I am writing on behalf of Dick Brothers, a partnership, of which I am a member, and enclosing to you an application for a permit to appropriate underground waters.

We plan to drill a well as quickly as possible on the real property described in the permit.

Mr. Roger Wilhelm, the Wasco County Surveyor, has prepared the descriptions and done all of the surveying necessary. He advises me that under separate cover he has forwarded to you a map of the premises.

We have engaged the services of a well driller and in view of the fact that it will be imperative for us to be prepared to irrigate next April we would like to have the application approved at the earliest possible date so that the drilling operation can begin without delay and before the winter season arrives.

Yours truly,

William G. Dick
By EMD

Enclosure

WGDlp

5 2570

RECEIVED
Form U-1-1M-6-52
SEP 22 1955
STATE ENGINEER
SALEM, OREGON

Permit No.
APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

I, William G. Dick, partner of Dick Brothers Partnership,
(Name of applicant)
of Vogt Block, The Dalles, county of Wasco,
(Mailing address)
state of Oregon, do hereby make application for a permit to appropriate the
following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Eightmile Creek
(Name of stream)
tributary of Fifteenmile Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.3 cubic
feet per second.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1412 ft. N. and 3398 ft. E. from the SW
(N. or S.) (E. or W.)
corner of Section 36, T. 1 N., R. 13 E. W.M.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 36, Twp. 1 N., R. 13 E.,
W. M., in the county of Wasco

5. The pipe line to be 1 miles
(Canal or pipe line)
in length, terminating in the NW 1/4 SE 1/4 of Sec. 36, Twp. 1 N.,
(Smallest legal subdivision)
R. 13 E. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Dick Bros. Well.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

If artesian water is found, the well will be cased and capped, in
accordance with law.

8. The development will consist of One well having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 300 feet.

The nearest well to this site, is the domestic well on this same
farm and about 1/4 mile distant. No irrigation wells in this vicinity.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 5000 ft.; size at intake, 6 in.; in size at 2000 ft. from intake 4 in.; size at place of use 4 in.; difference in elevation between intake and place of use, 32 ft. Is grade uniform? no Estimated capacity, 1.3 sec. ft.

10. If pumps are to be used, give size and type deep well rotary, anticipated
4"

Give horsepower and type of motor or engine to be used 40 H.P. electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

The nearest natural stream is Eightmile Creek, about 1 1/2 mile distant. The ravine, shown on map conveys only the winter run-off from near vicinity, and is dry during irrigation season.

12. Location of area to be irrigated, or place of use 103.38 acres in Sec. 36, T. 1 N., R. 13 E.W.M.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N.	13 E.	36	NE 1/4 SW 1/4	5.19 ✓
1 N.	13 E.	36	SW 1/4 SW 1/4	1.00 ✓
1 N.	13 E.	36	SE 1/4 SW 1/4	16.34 ✓
1 N.	13 E.	36	NW 1/4 SE 1/4	19.07 ✓
1 N.	13 E.	36	SW 1/4 SE 1/4	24.61 ✓
1 N.	13 E.	36	NE 1/4 SE 1/4	14.97 ✓
1 N.	13 E.	36	SE 1/4 SE 1/4	22.20 ✓

(If more space required, attach separate sheet)

(a) Character of soil volcanic loam

(b) Kind of crops raised alfalfa and permanent pasture grass.

MUNICIPAL SUPPLY—

13. (a) To supply the city of

(Name of) county, having a present population of

and an estimated population of in 19.....

14. Estimated cost of proposed works, \$8,000.....

15. Construction work will begin on or before October 1, 1956.....

16. Construction work will be completed on or before October 1, 1957.....

17. The water will be completely applied to the proposed use on or before October 1, 1957.....

Winnifred Dick Peters
(Signature of applicant)

Vogt Block

The Dalles, Oregon.

Remarks: Description of property, that has been conveyed to applicant and is involved in this application, is enclosed on separate sheets, because of the lengthy description.....

..... There being no other irrigation wells in this vicinity, the quantity of water and the depth of well, is a matter of conjecture.....

..... The ravine shown on map, and known as "Dry Hollow" or "Jap Hollow" is completely dry from May until late autumn, and can be disregarded as a stream to be harmed by irrigation from this proposed well.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 6th, 19 55..

WITNESS my hand this 6th day of October, 19 55..

RECEIVED
OCT 14 1955
STATE ENGINEER
SALEM, OREGON

LEWIS A. STANLEY
STATE ENGINEER

By *Chris L. Wheeler*
Chris L. Wheeler, Assistant

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be so cased as to prevent the loss of underground water.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....

Complete application of the water to the proposed use shall be made on or before October 1, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 6-134

Permit No.

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of September, 1955, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

4-38

DICK & DICK

ATTORNEYS-AT-LAW

5TH & WASHINGTON

TELEPHONE CYPRESS 6-2152

THE DALLES, OREGON

WILLIAM G. DICK
ROGER L. DICK
EDGAR M. DICK

January 12, 1961


Mr. Lewis A. Stanley
State Engineer
251 Finance Building
170 - 12th Street S. E.
Salem, Oregon

Re: Dick Brothers, G-406

Dear Mr. Stanley:

Enclosed find two Certificates of Water Right sent to me December 23, 1960, executed in accordance with your instructions, together with our check for \$2.00 to cover the recording fees.

Yours truly,



Enclosures

WGDlpp

RECEIVED
JAN 13 1961
STATE ENGINEER
SALEM, OREGON

December 9, 1960

DICK & DICK
Attorneys-At-Law
5th & Washington
The Dalles, Oregon

Gentlemen:

We are in the process of preparing drafts of the proposed certificates in connection with your permits numbered G-38 and G-281. These, together with a print of the final proof survey map, will be mailed to you for examination and signature in the near future.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:kr

WILLIAM G. DICK
ROGER L. DICK
EDGAR M. DICK

DICK & DICK

ATTORNEYS-AT-LAW
5TH & WASHINGTON
TELEPHONE CYPRESS 6-2152
THE DALLES, OREGON

December 5, 1960


Oregon State Engineer
Water Resources Department
251 Finance Building
Salem, Oregon

Attention: Mr. Sceva

Dear Sir:

I am enclosing to you a copy of a letter which I received from E. V. Benson relative to our well at the ranch. I would greatly appreciate receiving the final papers so that we would know that our water right is perfected on all the property served by the well.

Yours truly,



WGDlpp

E. V. BENSON CO. Pumping Specialists
Atlantic 2-9589
4240 N. E. 37th AVE. — PORTLAND 11, ORE.

To Bill Dick

At Dick & Dick

Subject Access Hole for well at Dick Ranch

Date 10/28/60

Dear Bill: This time I bear you good tidings. On checking into the design of your pump, we find that 6" column was installed in the well. This column comes in 10 Ft. lengths and is connected by a coupling at each joint. Now, this coupling that connects the 10 ft. lengths is 7 5/8" diameter, which would only leave 5/16" clearance on each side or around the column. This means that the State man, would only have 5/16" space to let his tape down into the well to measure the water level. I phoned the State Office in Salem today and fortunately talked to Mr. Sceva, the man who tried to check your well. I explained to him, that he can use the Pre-Lube hole for checking the water level and he had noticed this. He stated that in lieu of the closeness of available space to drop his tape into, ^{Signed} that any access hole would not serve his purpose, and therefore, it would not be necessary to put one in and that he would take the necessary steps to get you a clearance for your Certificate. Best regards to all.

E. V. Benson
E. V. Benson

P. S. There will be no billing to you for this service.

Date

Signed

Rediform
45 469

SEND PARTS 1 AND 3 WITH CARBONS INTACT.
PART 3 WILL BE RETURNED WITH REPLY.

November 5, 1956

Dick & Dick
Attorneys-at-Law
Vogt Block
The Dalles, Oregon

Gentlemen:

We wish to acknowledge the receipt of the 1956 annual well report for the well covered by Permits G-38 and G-281.

For your convenience in recording data for the 1957 report, we are enclosing an annual well report form.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Jack E. Sceva, Geologist

JES:lac

Encl.

G-134

DICK & DICK

ATTORNEYS-AT-LAW

VOGT BLOCK

TELEPHONE CYPRESS 6-2152

THE DALLES, OREGON

WILLIAM G. DICK
ROGER L. DICK
EDGAR M. DICK

October 25, 1956


State Engineer
Salem, Oregon

RECEIVED
OCT 26 1956
STATE ENGINEER
SALEM, OREGON

Dear Sir:

Find enclosed Annual Report on Wells for Dick Brothers' well.

Yours truly,



Enclosure

RLDlp

Answers approximate

Application No. G-134 & G-406
Permit No. G-38 & G-281
Reg. Certificate No. _____
Well No. _____

RECEIVED
OCT 26 1956
STATE ENGINEER
SALEM, OREGON

ANNUAL REPORT ON WELLS

(ORS 537.715 requires that an annual report for each well be submitted to the State Engineer, Salem, Oregon)

Report covers period from October 1 to September 30 of following year.

1. Have any changes been made in the well or pump during the past year? None
If so, explain: _____
2. What was the maximum pumping rate at any time during the past year? 600 gpm
Date _____ Observed drawdown 55 feet _____ feet
3. In your opinion is the level of water in this well affected by other pumping operations in your vicinity? No Explain: No other pumping in the area.
4. If an irrigation well, how many acres were irrigated this past season? 100
What date did pumping begin? May, 1956 Cease? _____
Number of days of pump operation 150 Average pumping rate 500 gpm
Depth to water while pumping, 175 feet below land surface. Date _____
5. Power consumption for entire year or season _____ Kwh
6. Quantity of water pumped during year or season 66,000,000 gallons or acre-feet)
7. What was the cost of pumping per acre irrigated? \$5.00
8. Do you consider use of water from this source profitable? Yes
9. Will you operate this well next season? Yes
10. Measured water levels (one measurement in spring and one in fall)
_____ feet below land surface. Date of measurement _____
_____ feet below land surface. Date of measurement _____
Additional water level measurements:

Feet below land surface	Date	Remarks
11. Remarks: _____

Date October 25, 1956

*Can't measure water depth until Pump, Pipe & Power Co. figures method to accomplish this.

Report prepared by _____
(See other side)

Dick Bras
by Roger L. Decker

ATTENTION WELL OWNERS

Ground water is one of our most valuable resources, and you, the well owner, have a personal responsibility in helping to preserve these resources so that they will still be available for future generations. Your most important duty in this regard is the keeping of accurate records of changes in water levels, quantities of water pumped, and all other changes in the characteristics of our ground-water resources. It is chiefly through your observations that we know what is happening and are able to prevent depletion or contamination of our ground-water supplies.

The measurement of water levels in wells is the only way we can tell if the ground-water resources of an area are being depleted. For that reason, water level measurements given in your annual reports should be as accurate as possible.

We will be glad to supply you with any information we have in regard to methods of measuring water levels, or in measuring quantities of water pumped. Your cooperation in making the annual well report a document of value will be greatly appreciated.

June 14, 1956

Dick & Dick
Attorneys At Law
The Dalles, Oregon

Gentlemen:

This will acknowledge receipt of your letter stating that complete application of water has been made under the terms of Permit No. G-38.

As requested, we are enclosing the application blank to make application for the additional land as described in your letter. I assume that the source of water is to be the same well described in Permit No. G-38, however, the location of the well as well as the 120 acres to be irrigated should be shown on the map accompanying the new application.

There is no method whereby the present permit can be enlarged to include the additional land and another application for a permit is necessary.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:ld
enc. app. blank

June 25, 1956

Mr. William G. Dick
Vogt Block
The Dalles, Oregon

Dear Mr. Dick:

This will acknowledge receipt of your notice to the effect that complete application of water has been made under Permit No. ^{G-38}.

Pursuant to your report and in line with the general practice of this office, a survey will be made at a later date. After this survey, proof may be made and certificate issued covering the actual use of water as found by the engineer. In the case of irrigation, any lands described in the permit that have not been irrigated will be automatically eliminated from the water right.

In the meantime, the permit which you hold will be valid evidence of the water right in question so long as you continue to use the water.

Very truly yours,

Lewis A. Stanley

LEWIS A. STANLEY
State Engineer

M G. DICK
GER L. DICK
EDGAR M. DICK

DICK & DICK
ATTORNEYS-AT-LAW
VOGT BLOCK
TELEPHONE CYPRESS 6-2152
THE DALLES, OREGON

June 12, 1956

RECEIVED
JUN 13 1956
STATE ENGINEER
SALEM, OREGON

Oregon State Engineer
Water Resources Department
Salem, Oregon

Attention: Mr. Trevor Jones, Assistant

Gentlemen:


6.
134
In your letter of November 16, 1955, you advised as follows: "According to our records Permit No. G-38 is in good standing and the only necessary correspondence will be submitting the notices of beginning of construction, completion of construction and complete application of water to a beneficial use, when these items have been accomplished on or before October 1, 1956, October 1, 1957 and October 1, 1958, respectively."

This is to advise you that construction of the irrigation system has been completed and water from the well has been used through a sprinkler system consisting of 100 sprinklers to irrigate the acreage previously described to you in our application for a permit.

We are continuing to use the water for irrigating a crop of alfalfa and pasture grass.

We desire to have our water right apply to an additional 120 acres in the same field and would appreciate your advice concerning what must be done to accomplish this.

Yours truly,



WGDlp

G. DICK
ER L. DICK
EDGAR M. DICK

DICK & DICK
ATTORNEYS-AT-LAW
VOGT BLOCK
TELEPHONE 2152
THE DALLES, OREGON

November 1, 1955

Mr. Trevor Jones
Assistant State Engineer
Water Resources Department
Salem, Oregon

RECEIVED
NOV 3 1955
STATE ENGINEER
SALEM, OREGON


Dear Sir:

We have drilled the well and have tested same and it produces 800 gallons plus per minute. We do not know exactly how much over 800 gallons a minute because the test pump was running at capacity and we were unable to pump the well completely down.

We do not know what your further requirement is with reference to perfecting our water right and would greatly appreciate it if you would advise us concerning same.

The well will be cased this week and we are making immediate plans to set up our irrigation system so would greatly appreciate information from you indicating that we have complied with the requirements of the ground water law. Naturally we do not want to expend large sums of money and find that we will not be able to keep our water right.

Yours truly,



WGD:njs

November 16, 1955

Dick & Dick
Attorneys-at-law
The Dalles Oregon

Attention: Mr. William G. Dick

Gentlemen:

This will acknowledge receipt of the well drillers report for the well drilled under the terms of permit No. G-38.

According to our records, Permit No. G-38 is in good standing and the only necessary correspondence will be submitting the notices of beginning of construction, completion of construction and complete application of water to a beneficial use, when these items have been accomplished on or before October 1, 1956, October 1, 1957, and October 1, 1958, respectively.

If a sprinkler system is contemplated, completion of construction would mean obtaining the required equipment in addition to drilling a well.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:ld

DICK & DICK

ATTORNEYS-AT-LAW

VOGT BLOCK
TELEPHONE 2152

THE DALLES, OREGON

November 10, 1955

DICK
R. L. DICK
GAR M. DICK

RECEIVED
NOV 14 1955
STATE ENGINEER
SALEM, OREGON

Mr. Trevor Jones
Assistant State Engineer
Water Resources Department
Salem, Oregon

Re: Dick Brothers' Well, Wasco County, Oregon


Dear Sir:

Find enclosed the original and duplicate of your form entitled, "Water Well Drillers Report". This form has been signed by Bert Clayton, the well driller, and accepted by Dick Brothers. I believe the information contained therein should suffice.

I would like very much to know what the next step is in perfecting the water right. Whatever information you can give me along this line will be greatly appreciated.

For your information, we are in the process now of obtaining bids for a pump and irrigation pipe and equipment to irrigate a field containing 225 acres. You can imagine that this is rather expensive and I would like to know that I am complying with all of your requirements before expending such a large sum of money. Please advise.

Yours truly,



Enclosures

WGDlp

November 10, 1955

G-134

Mr. William G. Dick
Vogt Block
The Dalles, Oregon

Dear Mr. Dick:

G-134

G-38,

together with blueprint.

October 14, 1955

Dick and Dick
Attorneys-at-law
The Dalles, Oregon

Attention: Mr. William G. Dick

Gentlemen:

This is to notify you that your application No. G-134 for a permit to construct a well and to appropriate therefrom 1.3 cubic foot of water per second for irrigation now appears to be in satisfactory form.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:ld

DICK & DICK

ATTORNEYS-AT-LAW

VOGT BLOCK
TELEPHONE 2152

THE DALLES, OREGON

October 12, 1955

RECEIVED
OCT 14 1955
STATE ENGINEER
SALEM, OREGON


Mr. Trevor Jones
Assistant State Engineer
Water Resources Department
Salem, Oregon

Dear Sir:

You will find enclosed both the old and new applications as directed by your letter of October 5, 1955.

With reference to the questions concerning the amount of well casing and the depth of the estimated water level, I am informed that it is almost impossible to make an educated guess because there are no other irrigation wells in the area. Therefore, the figures that we have inserted are mostly guesswork, but we would be happy to inform you of the depth of the water table and amount of well casing used after we have drilled the well.

Yours truly,



Enclosures

WGDlp

S. DIC
L. DIC
GAR M. D.

G-134

October 5, 1955

Dick and Dick
Attorneys-at-law
The Dalles, Oregon

Attention: Mr. William G. Dick

Gentlemen:

This will acknowledge receipt of an application for a permit to construct a well and appropriate therefrom 1.3 cubic feet of water per second for irrigation, accompanying map and fees in the amount of \$25.70 for which our receipt No. 4766 is enclosed.

The application has been examined, and given No. G-134 and appears to be in satisfactory form except that the old type form was used. The application has been re-typed on the new type form and is returned herewith for necessary signature. Your attention is invited to item 8, which requires some additional information on this form.

Both the old and the new applications must be returned to this office on or before December 5, 1955, in order that they may retain their date of priority.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:ld
enc. old app., new app., receipt.

DICK & DICK

ATTORNEYS-AT-LAW

VOGT BLOCK

TELEPHONE 2152

THE DALLES, OREGON

G. DICK
R. L. DICK
GAR M. DICK

September 21, 1955

Mr. Lewis A. Stanley
State Engineer
303 State Office Building
Salem, Oregon

RECEIVED
SEP 22 1955
STATE ENGINEER
SALEM, OREGON

Dear Mr. Stanley:

We overlooked forwarding the application fee in our letter yesterday in which our application was enclosed. You will find our check in the sum of \$25.70 for application fee herewith enclosed.

Yours truly,

W. L. Dick

Enclosure

WGDlp

Permit No. G-38

Application No. G-134

County Wasco

Preliminary Data for Proof of Appropriation of Water

- Name William G. Dick, partner of Dick Brothers Partnership 2. Address Vogt Block, The Dalles, Oregon
- Source of supply Dick Brothers well
Tributary of Fifteenmile Creek
- Amount of water 1.29 cfs. 5. Priority date September 22, 1955
- Use irrigation 1/80th & 3 a.f.

- Location of point of diversion NW $\frac{1}{4}$ SE $\frac{1}{4}$ (Legal Subdivision) Sec. 36 Tp. 1 N Rg. 13 E, W. M.
- The description of land given below corresponds to that shown in the permit covering land to be irrigated, or, if for other purposes, the place of use.
Well is located 1400 ft N & 13350 ft E from the SW Cor. Sec. 36


Township	Range	Section	Legal Subdivision	No. Acres Described in Permit	No. Acres Actually Irrigated
1 N	13 E	36	NE $\frac{1}{4}$ SW $\frac{1}{4}$	5.19	5.8
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	1.00	0.5
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	16.34	15.6
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	19.07	20.2
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	24.61	23.8
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	14.97	16.2
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	22.20	21.3
				103.38	103.4

See G-406

Land on which water is to be used is part of the property described by appropriator as follows:

Section 36

35 36



sub-divisor line

Property Line

Initial Point

100 feet

419.4 feet

126.3 feet

339.8 feet

141.2 feet

141.2 feet

NE 1/4 SW 1/4

5.19 Acres

16.34 Acres

SE 1/4 SW 1/4

Wheat Field

County Road

19.07 Acres

Road known as Dry Hollow or Tap Hollow

Well

24.6 Acres

SW 1/4 SE 1/4

14.97 Acres

22.20 Acres

SE 1/4 SE 1/4

NE 1/4 SE 1/4

Willamette Base Line

Range 13 E W 1/4
Range 14 E W 1/4

36 31

T 1 N
T 1 S

Application by William G. Dick, for Dick Brothers Partnership, The Dalles, Oregon

I, Roger J. Wilhelm, of The Dalles, Oregon, do hereby certify that this map was made from notes taken on an actual survey, made by me, on September 8th and 14th 1955. The Initial Point consists of an iron pipe 2" in diameter, driven in the ground at a point located 126.35 feet East and 419.4 feet North from the southwest corner of Section 36, T. 1 N., R. 13 E. W. 1/4, in Wasco County, Oregon. The location of the well site is 339.8 feet East and 141.2 feet North of the same section corner.

Roger J. Wilhelm

REGISTERED
OREGON
LAND SURVEYOR
Roger J. Wilhelm
July 7, 1959
Roger J. Wilhelm
41