


**Application for
Extension of Time
for a Water Right Permit
(NON-Municipal/ NON-Quasi-Municipal)**



Criteria for a Permit Extension of Time

The Department can accept requests for an extension of time on permits to (1) complete construction, and/or to (2) apply water to beneficial use.

In order to approve a permit extension request the Department must be able to find:

1) Construction has begun:

A. For Groundwater Permits

Construction of the well(s), *authorized by the permit*, began within 5 years of the date the permit was issued or by the actual construction date specified in the permit.

B. For Surface Water or Reservoir Permits

Construction of the water system began within 5 years of the date the permit was issued or by the actual construction date specified in the permit.

The Department will also confirm that:

- 2) If required, a fish screen, fish passage or fish by-pass device was installed before or prior to diversion of any water. An exception to the need to confirm installation prior to diversion of any water would be a waiver submitted to the Department from ODFW stating that a fish screen, fish passage or fish by-pass device was not required, provided your permit allows for a waiver.

If you have questions, please call the Department at (503)-986-0900 and ask to speak with a permit extension specialist.

Received by OWRD

MAR 20 2026

Salem, OR

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT
***A separate extension application must be submitted for each permit as per
OAR 690-315-0020(2).***

We, 3J CATTLE COMPANY

NAME OF PERMIT HOLDER [OAR 690-315-0020(1) and (3)(a)]

32872 Airport Ln
ADDRESS

Burns
CITY

OR
STATE

97720
ZIP

541-589-2772
PHONE



jerryttemple@gmail.com
E-MAIL ADDRESS

the permit holder of: Application Number G-18193

Permit Number G-18226
[OAR 690-315-0020(3)(b)]

do hereby request that the date by which the water development will be completed and
water put to full beneficial use, which time now expires on Month: June Day: 26 Year: 2024,
be extended to October 1, 2031, [OAR 690-315-0020(3)(i)]

I am the permit holder, and may apply for an extension of time under this permit. I understand that false or misleading
statements in this extension application are grounds for OWRD to suspend processing of the request and/or reason to deny
the extension.

 Signature	<u>03/09/2026</u> Date
<u>Jerry Temple</u> Printed Name	<u>Permit Holder/Secretary</u> <u>3J Cattle Company</u> Title
The agent below is authorized to represent the applicant in all matters relating to THIS application.	
<u>Bryce M. Withers / Water Right Services, LLC</u> Authorized Agent (Print Agent Name)	<u>541-389-2837 brycewrs@gmail.com</u> Agent contact
 Permit Holder Initials	

Received by OWRD
MAR 20 2026
Salem, OR

Before submitting your Application for Extension of Time, make sure the following items are included:

- This completed Application for Extension of Time.
- Statutory fee of \$1,170
- Signature page (Second page of this Application for Extension of Time).
- Letter granting an agent authority to act on behalf of the permit holder (*if applicable*)
- All supporting documentation and/or evidence referenced in the Application for Extension of Time. (ODFW Fish screen approval or waiver, contract for stored water, etc)

MAIL COMPLETED APPLICATION

along with the Supporting documents and/ or evidence and correct fee to:

Water Resources Department
Attn: Water Right Permit Extensions
725 Summer Street NE, Suite A
Salem, Oregon 97301

Received by OWRD

MAR 20 2026

Salem, OR

GENERAL TIPS:

- Permit holders of **municipal or quasi-municipal water use permits DO NOT use this form**. The correct form is APPLICATION FOR EXTENSION OF TIME FOR MUNICIPAL AND QUASI-MUNICIPAL WATER USE PERMITS.
- Request the reasonable amount of time necessary to fully complete construction of the water project and/or to fully use the permitted quantity of water under the terms and conditions of your permit. Should this request be approved, it will be OWRD's expectation that you will complete your project within the new time period allowed. Future extensions may not be granted.
- A separate APPLICATION FOR EXTENSION OF TIME must be submitted for each permit. OAR 690-315-0020(2).
- Permit extensions are evaluated under OAR Chapter 690, Division 315. These rules may be viewed at the State of Oregon, Secretary of State Website. To be granted an extension of time, the Department must make four specific findings; 1) the application is complete, 2) construction of the water system began within the time specified in the permit and applicable statute, 3) there is good cause, and 4) the project can be completed within the time being requested. If the Department cannot make all four findings, the extension of time cannot be approved.
- You may provide OWRD with any additional information or evidence that will aid us in making our decision. Please note that OWRD may require other information that is necessary to evaluate the application. OAR 690-315-0020(3)(n).
- After careful review of the Application for Extension of Time, you may contact OWRD at (503) 986-0900, to ask questions and request assistance from a Permit Extensions Specialist in the Water Rights Services Division.

- An Application for an Extension of Time will be reviewed for completeness. A response is required for each item contained in the application. OWRD will return any incomplete or deficient applications to the applicant. OAR 690-315-0040(1)(a).

Reference Materials Needed to Complete this Application:

- **The water right permit.** If needed, a copy of the water right permit can be downloaded from the Department's Website, or, a copy of the permit may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).
- **Previous Applications and Orders.** Copies of previous applications and orders that may inform the completion of the Application for Extension of Time, if available, may be downloaded from the Department's Website. **NOTE: If the document requested is not available on the Department's website, you may be required to submit a Public Record Request.**
- **Documentation which demonstrates compliance with permit conditions** (for example, well construction logs; static water level measurement reports; annual water use reports; ODFW fish screen certification; a plan to monitor the effect of water use on ground water aquifers utilized under the permit; etc.).

Questions to complete this application for an Extension of Time

Please see the instruction sheet to help you answer these items.

1. **Beginning Construction within required deadlines.** OAR 690-315-0020(3)(d)

For Groundwater Permits

Has construction of the point of appropriation (well) authorized under this permit begun?

☒ Yes ☐ No

Date construction began Month: 4 Day: 20 Year: 1981

Details of construction and attach documentation: See attached Well Log HARN 52466

For Surface/Reservoir Permit

Has construction of the water system begun? ☐ Yes ☐ No

Date construction began Month: Day: Year:

Details of construction and attach documentation:

Received by OWRD

MAR 20 2026

Salem, OR

2a. Permits typically contain standard or special conditions that must be fully satisfied to lawfully develop and use permitted water. Review the permit subject to this extension to identify which of the conditions listed in the 2nd column are contained within it. Using the extra row labeled "other" to specify any other additional conditions included in the permit, or specified in a final order approving a permit amendment or prior extension of time. In the 1st column check the box for each condition (row) identified as relevant. In the 3rd column check "Yes" if you have completed or met the permit condition. Check "No" if the condition is not yet satisfied. In the 4th column, give the date when the condition was satisfied or will be satisfied. Attach any pertinent documentation. Note: a pump test condition does not need to be addressed here however; you must submit the results of the test to the Department for approval prior to certification.

CHART-A

Permit Conditions in this Permit		Have Completed or Met?	Date satisfied/ or will be satisfied
Checkbox	Ground water Check those included on this permit		
☒	Installation of a meter/totalizing flow meter	☒ Yes ☐ No	Totalizing flow meter installed 2020
☒	Submittal of annual water usage report	☒ Yes ☐ No	Water User Reporting has been completed for 2019-2025
☒	Submittal of static water level measurements in the month required	☒ Yes ☐ No	A March SWL was completed in 2020, 2024, & 2025. A measurement was taken in April of 2021.
☐	Special well construction conditions	☐ Yes ☐ No	
☐	Submittal of a monitoring plan	☐ Yes ☐ No	
☒	Well ID tag assigned and installed: 2016	☒ Yes ☐ No	2016
☒	Other (Specify): Pump Test Condition	☐ Yes ☒ No	Prior to Certificate Issuance
☒	Other (Specify): Dedicated Measuring Tube Condition	☒ Yes ☐ No	1982
Surface Water or Reservoir			
☐	Installation of a meter/ totalizing flow meter	☐ Yes ☐ No	
☐	Submittal of annual water use report	☐ Yes ☐ No	
☐	Installation of a fish screen	☐ Yes ☐ No	
☐	Installation of a fish by-pass device	☐ Yes ☐ No	
☐	Installation of a fish passage	☐ Yes ☐ No	
☐	Installation of an outlet gate/pipe/ conduit	☐ Yes ☐ No	
☐	Submittal of a letter from ODFW that fish screen, fish by-pass device, and or fish passage is not required	☐ Yes ☐ No	
☐	Submit as-built plans and specification	☐ Yes ☐ No	
☐	Submittal of a letter from an engineer prior to storage	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	

Received by OWRD

MAR 20 2026

Salem, OR

2b. If you have identified that you have NOT complied with Permit conditions, explain the reasons why and indicate a date certain, when you will be in compliance.

A March Static Water Level Measurement was taken late in 2021 (April 15th), and the 2022 & 2023 measurements were mistakenly overlooked. We took the measurement first in March of 2020, and again in 2024 and 2025 and will continue to take the measurements to stay in compliance. We plan to complete the required pump test prior to certificate issuance to be compliant, this will likely occur around the time of the Claim of Beneficial Use.

[OAR 690-315-0020(3)(e)]

3. Provide evidence of physical work made toward completion of the water system, and of progress made toward making beneficial use of water within the permitted time period (CHART-B); and if applicable, within the time period of the most recent extension granted (CHART-C). CHART-B (below) must be completed for all Application for Extension of Time requests. Use *chronological order*. Itemize each work item, and do not combine multiple work actions in one area. (Planning, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, surveying, clearing land, or planting crops *is not considered work in the development of the water system. Work accomplished under other water rights may not be considered work under this permit.*)

CHART-B

DATE	WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED <i>List any work done before the permit was issued – eg. well drilled.</i>	COST*
1981-1982	Well (HARN 52466) drilled	\$20,000 est
1986	Pump, pipeline, and pivot installed	\$49,666
DATE	WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER <i>List work/actions done during the permitted time period.</i>	COST*
June 26, 2019	Date the permit was signed - find date above signature on last page of permit.	
April 2020	Totalizing flow meter installed	\$3,562
2019-2025	Irrigated pivot to beneficial use	n/a
June 26, 2024	Date the permit specified complete application of water to the use shall be made- all permits contain this date.	
DATE	WORK ACCOMPLISHED AFTER the date the permit specified complete application of water and prior to any previous extension order <i>COMPETE ONLY IF THIS IS YOUR 1st APPLICATION FOR AN EXTENSION OF TIME: List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.</i>	COST*
Total Cost for Chart-B		\$73,228

* If exact cost is not known, you must provide your best estimate.

Received by OWRD

MAR 20 2026

Salem, OR

4. If this is not your 1st Application for Extension of Time request, fill out CHART-C below in addition to CHART-B above. Use *chronological order*.

CHART-C		
DATE	WORK ACCOMPLISHED <u>DURING</u> THE LAST EXTENSION PERIOD <i>List all work done during the last authorized extension period.</i>	COST*
	"Extended From" date for complete application of water used in the most recent Final Order on Extension of Time.	
	"Extended To" date for complete application of water resulting from the most recent Final Order on Extension of Time.	
DATE	WORK ACCOMPLISHED <u>AFTER</u> THE LAST EXTENSION PERIOD EXPIRED <i>List all work done after the last authorized date for complete application of water up to the date of this Application for Extension of Time.</i>	COST*
Total Cost of Chart-C		

* If exact cost is not known, you must provide your best estimate. [OAR 690-315-0020(3)(f)]

5. Cost of project to date: **\$73,228**

(The total combined cost from CHART-B and CHART-C) [OAR 690-315-0020(f)]

[OAR 690-315-0020(3)(e)(B)]

Provide evidence of the maximum rate (or duty, if applicable) of water diverted for beneficial use under this permit made to date.

TIP: Report the rate used to date. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.

6. For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):

TIP: Report the rate in the same units of measurement as specified in the permit.

Maximum rate used to date = _____ cfs (cubic feet per second) or,

Maximum rate used to date = _____ gpm (gallons per minute) or,

Maximum volume of stored water used to date = _____ AF or,

Maximum volume stored annually to date = _____ AF

7. For Ground Water Permit Extensions (e.g. G-XXXX):

TIP: Include information from ALL wells that pertain to this permit, including drilled wells not currently used.

Received by OWRD

MAR 20 2026

Salem, OR

CHART-D

Well # as identified on Permit	Water User's Well #	Has this well been drilled?	IF DRILLED					
			Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	Is the actual drilled location authorized on this permit or on a permit amendment?	Maximum instantaneous rate used to date from this well -- under <u>this permit</u> only (CFS or GPM)	Is this well authorized or utilized under any OTHER water rights?	If yes, provide the Permit, Certificate, or Transfer No.
Well 1	#1	Yes ☒ No ☐	HARN 52466	L- 121027	Yes ☒ No ☐	2.0 CFS	Yes ☐ No ☒	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
Total instantaneous rate from all wells utilized under this permit						2.0 CFS		

8. Has a Permit Amendment Application been filed? Yes ☐ No ☒ **NOTE: Permit holder will file permit amendment application immediately upon approval of extension.**

If yes, identify Transfer No. T-_____

[OAR 690-315-0020(3)(e)(C)]

9. **For Irrigation and Nursery Use Permits Extensions**

Provide the total number of acres irrigated to date under this permit.

a) Total acres irrigated to date: 62.0 ACRES

b) List by year, the number of acres irrigated each year since permit issuance.

Year	Acres
2019-2025	62.0

c) Provide a copy of the application map identifying the acres irrigated.

d) Please specify the number of acres irrigated by each Point of Diversion/Point of Appropriation (POD/POA).

(POD/POA)#1 Acres: 62.0 (POD/POA) #_____ Acres_____

(POD/POA) #_____ Acres_____ (POD/POA) #_____ Acres_____

[OAR 690-315-0020(3)(i)(j)]

10. In the chart below provide a summary of your future plans and schedule to complete the construction of the water system, and/or apply water to full beneficial use under the terms and conditions of the permit.

Received by OWRD
MAR 20 2026
Salem, OR

CHART-E

APPROXIMATE DATE RANGE (projected)	WORK OR ACTION TO BE ACCOMPLISHED (projected)	ESTIMATED COST (projected)
Immediately after extension approval	Apply for a Permit Amendment requesting additional well locations.	\$4000
Within two years after extension approval	Build new wells and associated systems including pumps, totalizing flow meters, and pipelines to pivot.	\$100,000
Within two years after extension approval	Perform March SWL measurements and water use reporting on Well #1 & New Wells upon approval/construction.	\$2000
Within two years after extension approval	Irrigate 160.0 acres to beneficial use utilizing both Wells	n/a
Within two years after extension approval	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
Total Cost		\$106,000

[OAR 690-315-0020(3)(g)]

11. Estimated remaining cost to complete the project: \$106,000

(The total cost from CHART-E)

[OAR 690-315-0020(3)(j)]

12. Provide a summary of your plan to complete construction, meeting all permit conditions and apply the water to beneficial use: *(List all tasks or steps needed to complete the project, the date when each task will be completed, and the cost associated with each task; attach additional pages if necessary.)* As soon as the extension is granted, the water user will apply for a Permit Amendment to authorize at least 2 additional well locations. Upon approval of the additional well locations, the new wells will be constructed along with totalizing flow meters, pumping systems and pipeline sto the existing pivot. Following the construction of the new approved wells, we will perform the required March Static Water Level Measurements and Water Use Reporting on all wells. Ongoing March SWL measurements will be taken and water use reporting will continue each year for the already authorized Well #1. Upon approval of the permit amendment and the construction of the new well, irrigation will occur in the next available season and full beneficial use will occur.

[OAR 690-315-0020(3)(k)]

13. Justify the time requested to complete the project and/or apply the water to full beneficial use. *(Include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested.)*

The time requested is needed in order to obtain approval for the additional well locations through the permit amendment process. We expect the extension process to take approximately 2 years from the date this application is filed (est 2028) and the permit amendment process to take another 1-2 years from the date an extension is approved (est 2030). Once an extension and permit amendment are approved, a reasonable amount of time is needed to complete the new wells, complete the March Static Water Level Measurement condition, complete the water use reporting, and irrigate to beneficial use with all the wells on the full 160 acre pivot. Upon approval of the permit amendment (est 2030), the final permit conditions can be met in approximately 1 year depending on the date of approval relative to the

irrigation season and the month of March for the static water level measurement. In total, 7 years from the expired C-date of 6/26/2024 is being requested and is needed for full development and beneficial use (proposed new C-date is 10/1/2031).

[OAR 690-315-0020(3)(l)]

14a. Will a denial of the extension result in undue hardship? *(Describe the hardship and the effects.)* Yes, the sunk costs will be a significant financial hardship. We have invested a significant amount in this project, the loss of the water right would be devastating. Additionally, the hay produced by the ranch for cattle feed will need to be sourced elsewhere, at a significant cost compared to producing on-site.

14b. Are there any other reasonable alternatives that exist for meeting your water use needs? *(Explain in detail, consider other potential sources of water, and describe their feasibility)* No, there are no other reasonable alternatives as there is not any surface water available and a new groundwater permit may not be approved given recent changes to OWRD's groundwater allocation rules.

[OAR 690-315-0020(3)(h)]

15. Was the delay in the timely completion of this water development project and/or timely application of water to full beneficial use caused by any additional government requirements, other than the conditions contained within the permit, which significantly delayed the completion and perfection of this right? *(Explain in detail, including how much time did this delay the project; list dates.)* No.

[OAR 690-315-0020(3)(h)]

16. Describe any unforeseen events which contributed to the delay of completion of this project that you had no control over. *(Explain in detail what the unforeseen events were (i.e. health issues, natural disaster) and how much time was spent addressing the unforeseen events. Delays caused by business decisions are not considered unforeseen events)* Well #1 - constructed in 1982, originally produced a sustained 1000-1200 gpm (2.23-2.67 CFS), enough water for a 160 acres pivot system, which was constructed to match the well production. Soon after our water right application and permit approval in 2019, the well production started to decrease. We adjusted the pivot so that it irrigated approximately 62 acres beneficially to match the reduced well production. The reduction in well production was unforeseen, and had the well maintained production we could have fully developed the permit during the permit window and made the Claim of Beneficial Use for the full permitted 160 acres. The COVID-19 global pandemic began during the first year of the permit window and had a significant impact on the project. The ensuing market uncertainty and overall supply chain disruptions affected our decision making and our cattle ranching operations, including addressing the need for additional water for our pivot and obtaining the needed capital, materials, and labor to complete a permit amendment and construct a new well and pumping system. These events were unforeseen, and there was no way to predict these circumstances.

Received by OWRD

MAR 20 2026

Salem, OR

[OAR 690-315-0020(3)(h)]

17. Describe any additional reasons why the construction was not completed, and/or water was not beneficially used within permit time limits. (Provide supporting information for the reason(s) that best fits your circumstances.)

N/A

[OAR 690-315-0020(3)(m)(n)]

18. Provide any other information you wish OWRD to consider while evaluating your Application for Extension of Time.

Once it became evident that the reduced well production was permanent and the likelihood of the well production increasing to original levels, we realized we need to obtain approval for a new well location and obtain the funding to move forward with the project – and it was already too late to apply for permit amendment due to the looming C-date. We are now requesting the extension so that we can move forward with the project, and we have the funding to complete the project.

[OAR 690-315-0040(2)(f)]

19. Will the income or use of the water project provide a fair and reasonable return on your investment? (Explain in detail) Yes, the hay produced by the ranch for cattle feed will provide a fair and reasonable return on our investment.

[OAR 690-315-0040(4)(d)]

20. Describe in detail if there are other economic interest, beyond those of the permit holder, which are dependent upon the completion of this project. (Who will be effected and how?) The development of the water right and continued farming will contribute economically to the local area through the spending on labor, contractors, equipment, and supplies needed to complete and maintain the project. After completion, farm goods and services will contribute to the economy.

Attach permit, and documentation to the application

Received by OWRD

MAR 20 2026

Salem, OR

Facility Water Use Report



HARN 52466/L-121027
Report ID 68150

HARN 52466/L121027;
1393 FEET SOUTH AND 1280 FEET EAST FROM NW CORNER, SECTION 36
(27S-34E-36-SW NW)
[Permit: G 18226 *](#)
[3J CATTLE CO](#)

Records per page: 10

Water Year*	Method of Measurement	Acre-feet (AF) of Water Used												Total Water Used	Irrigated Acres
		Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep		
2025	VLM	26.18	0.00	0.00	0.00	0.00	0.00	0.00	22.62	40.69	36.34	40.54	38.88	205.25	
2024	VLM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.27	38.85	40.88	40.94	39.56	169.50	
2023	VLM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	31.46	30.32	22.77	22.53	22.31	129.38	
2022	VLM	0.00	0.00	0.00	0.00	0.00	0.00	13.81	26.45	22.96	20.56	20.56	19.92	124.26	
2021	VLM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24.67	19.89	20.56	20.56	19.89	105.57	
2020	VLM	19.89	0.00	0.00	0.00	0.00	0.00	0.00	27.40	26.52	27.40	27.40	26.52	155.11	
2019	VLM								26.52	26.52	41.10	41.10	39.77	175.00	

*The water year is named for the calendar year in which it ends. Example: the 2014 water year begins Oct. 1, 2013 and ends Sep. 30, 2014.

Method(s) of Measurement:

VLM Volume of water pumped per time unit x time of operation (ex: gpm x minutes used per month = gallons)

- Monthly amounts indicate:
 - For diverted rights, the total amount diverted during the month;
 - For storage rights, the amount generally stored in the reservoir/pond during the month, as represented by the volume of water impounded on approximately the same day each month.
- Water Use amounts have all been converted to "acre-feet" (AF), regardless of the original measurement unit reported. One AF is the volume of water that will cover an acre of ground one foot deep = 325,850 gallons.
- Zeroes indicate that a report was received, stating that no water was used during those months; if a year is not listed, no report of water use was received for that year.

Received by OWRD

MAR 20 2026

Salem, OR



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.wrd.state.or.us

Application for Well ID Number

RECEIVED

JAN 14 2016

Do not complete if the well already has a Well Identification Number.

**WATER RESOURCES DEPT
SALEM, OREGON**

I. OWNER INFORMATION

Current Owner Name (please print): 3J Cattle Company

Mailing Address: 32872 Airport Lane

City, State, Zip: Burns, OR. 97720

Mail Well ID Tag to: ☒ SAME AS ABOVE ☐ In Care Of (C/O)

Name & Address: _____

City, State, Zip: _____

II. WELL LOCATION INFORMATION (Please fill out as completely as possible)

Township: 27 S (North / South) Range: 34E (East / West) Section: 36

Tax Lot: 4100 County Harney SW 1/4 NW 1/4

GPS Coordinates: Lat- 43° 11' 7.95" N Long- 118° 28' 50.44" W

Street Address of Well, City: 56818 Anderson Valley Rd. Princeton, OR. 97721

If the property had a different street address in the past: _____

III. GENERAL WELL INFORMATION (Please fill out as completely as possible)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): Irrigation

Date Well Constructed (or properly built): 1977 Total Well Depth: 275' Casing Diameter: 12"

Owner at time the well was constructed (if known): 3J Cattle Company

Other Information: Tested 1200 gpm by driller, pivot irrigated 160 acres originally, well log was never submitted

SUBMITTED BY (please print): 3J Cattle Company, Jerry Temple, sec. 1/12/2016

PHONE: 541 573 1853 EMAIL &/or FAX: jtemple@centuritel.net

Send application to: Oregon Water Resources Department 725 Summer St NE, Suite A, Salem, Oregon 97301; or fax to (503) 986-0902. Applications are processed in the order they are received, and Well ID Numbers are mailed within 4-5 business days.

For Official Use Only by the Oregon Water Resources Department:

Received Date:

1-14-16

Well Log Number:

HARN 52466

Well Identification #:

L-121027

Last Update: 4/30/14

- NO WELL LOG -
Well I.D. Number/2

Received by **WCC** **OWRD**

MAR 20 2016


Salem, OR

Site Identification (Click to Collapse...)

GW LogID: HARN 52466 [Well Log Database](#)
GW Well Tag Number: 121027
Tag Verified on Well: No
Site Type: WELL
Primary Use:
Unused Status:
Site Source Organization:
Site Source OWRD:
Established By: boschmde
Established Date: 03/24/2016
Bonded Company:
Stage: COMPLETE

Location (Click to Collapse...)

Latitude/Longitude
Latitude: 43.18555037 **Horiz. Error:** 250.00
Longitude: -118.48071301 **Datum:** WGS1984
Lat/Long Source: WR APPL MAP
Location
TRSQQ: WM 27.00S34.00E36SWNW
Tax Map:
Taxlot:
24 Quad:
Basin: 10 - Malheur
County: Harney
WM District: 10
WM Region: E
LSD Elev: 4158.00 **Accy:** 10.00 **Datum:** NGVD1929
Elev Source: 7.5-MINUTE MAP
[Groundwater Mapping Tool](#)



Water Rights (Click to Expand...)

Well Construction History (Click to Collapse...)

Well Construction History

Well Log Id	Well Log	Work Type	Startcard	Well Tag	Owner Name	First Water	Max Case Diam.	Max Case Depth.	Max Seal Depth.	Max
HARN 52466	Log	WELL ID FORM		121027	3J CATTLE COMPANY		12			

Well Log	Aquifer	Aq at Max Depth	System Aquifer	Regional USGS Aquifer
HARN 52466				

Well Test

No data matches search criteria.

Lithology (Click to Expand...)

Well Construction (Click to Expand...)

Measured Water Level (Click to Collapse...)

Records/Page: 20 [Find](#)

Measured Water Level

Date	Time	Water Level (BLSD)	WL Elev (ft AMSL)	Organization	OWRD	Method	Status	MP Height
3/30/2025		63.70	4094.30	DRILLER	PERMIT CONDITION PROGRAM	ETAPE	STATIC	0.50
3/7/2024		60.50	4097.50	DRILLER	PERMIT CONDITION PROGRAM	OTHER	STATIC	0.50
4/15/2021		60.50	4097.50	DRILLER	PERMIT CONDITION PROGRAM	UNKNOWN	STATIC	0.50
3/15/2020		60.80	4097.20	DRILLER	PERMIT CONDITION PROGRAM	UNKNOWN	STATIC	0.20

Available Data (Click to Expand...)

Other Documents/Images (Click to Expand...)

[View Hydrograph](#)

Received by OWRD

MAR 20 2026

Salem, OR

HARNEY COUNTY FARM SUPPLY

Phone (503) 573-2031

97720

QUOTATION

3 J Cattle Co.

Date 7/7 19 86

St Rt 2 1582 Buchanan Rd

By JMc

Burns, Oregon 97720
State

Date
Interested

SER	WEIGHT	PRICE
Add 100' over original estimate		
200' from Pump to Pivot 10"PVC Conduit, wire, ditch and installation		542.00
1740' 3" PVC Conduit		939.60
1100' Trenching for secondary wire		462.00
Installation of 5300' of 350MCM secondary wire in 3" Conduit. Includes picking up wire and materials at Harney Electric, Transportation to site, stringing wire, splicing & tape, string and give conduit, pulling wire into conduit, and placing completed wire in ditch. (75% x 1025.00 = 768.75)		768.75
Complete set of spray head drops installed		1488.00
	Total	4200.35

Received by OWRD

MAR 20 2026

Salem, OR

Received by OWRD

MAR 20 2026

Salem, OR

P. O. Box 751
BURNS, OREGON 97720**HARNEY COUNTY
FARM SUPPLY**

Phone (503) 573-2031

QUOTATION

To 3 J Cattle Co. Date 7/7 86
St. Rt. 2 1582 Buchanan Rd By JVMc
 Address Burns, Oregon 97720 Date Interested
 City Burns, Oregon 97720 State

QUANTITY	NUMBER		WEIGHT	PRICE
1		Valley 4765 Center Pivot		
		1481' Total Length		
		8 - 182.9' Spans		
		1 - 18.1' Overhang		
		Running Light		
		Valley 10 psi Spray System		
		Freight - Concrete Pivot Pad erection		
		200' 10" PVC Pipe		
		Pump to Mainline Transition		
		Mainline to Pivot Transition		
		200' 1½" PVC Conduit		
		800' No. 6 Burial type AL Wire		
		200' Ditch		
		Install 10" Pipe, wire in conduit		
		Deepwell Turbine Pump		
		4 stages MIMC		
		100' 8"x2½"x1½" Column - Tube - Shaft		
		8x16 HD Discharge Assembly		
		60 H.P. Vertical Hollowshaft Motor w/NRR		
		60 H.P. Pumping Plant Panel		
		14 KVAR Power Factor Correction capacitor		

As Quoted

45,485.00

+ 200.00

45,685.00

pd

Printed: 6/12/2020 11:08:03 AM
Store: 1

Work Order #6721

Ordered: 4/23/2020
Associate: TOD
Page 1

Harney Pump & Irrigation, INC

13103 Hwy 20
Burns, OR 97720
541-573-2400
541-573-5400 fax
harneypump-irr@centurytel.net

Bill To: FARM PLAN
3 J CATTLE CO
32872 AIRPORT LN
BURNS, OR 97720
541-573-1853

Ship To: TEMPLE

INSTRUCTIONS: TEMPLE RANCH
SERVICE TRUCK AND CREW TO CUT RISOR PIPE AT PIVOT CENTER . WELD IN FLANGES AND INSTALL FLOW METER .
QUOTED TO TY ----- 4-23-20 ----- \$ 3217.28
SERVICE TRUCK AND CREW TO CHANGE BAD SPAN GASKET ON 5 TH TOWER AND WELD STRESS CRACKS ON 5TH AND 6TH
TOWERS . --- WAS NOT IN QUOTE -----

Order Status: CLOSED

Due Date:

Item #	Description 1	Qty	Price	Ext Price
242	STEEL FLANGE 2105 8"	2	\$42.00	\$84.00
247	GASKET 2107 8" FULL FACE	2	\$12.14	\$24.28
712	BOLTS & NUTS	1	\$23.00	\$23.00
712	8 " SPARLING FLOW METER	1	\$2,526.00	\$2,526.00
2	IRRIGATION SERVICE	1	\$560.00	\$560.00
1994	VALLEY HARD RUBBER GSKT 6-5/8"	1	\$14.78	\$14.78
712	BOLTS & NUTS	1	\$10.00	\$10.00
3	PIVOT SERVICE	1	\$320.00	\$320.00
Total Qty Ordered:		1C 10 0		

Percent Unfilled: 0

TAXES
Subtotal: \$3,562.06
0 % Tax + \$0.00
TOTAL: \$3,562.06
Deposit Balance: \$0.00
Balance Due: \$0.00

Thank you for your patronage!

DUE UPON RECIEPT

STATE OF OREGON

COUNTY OF HARNEY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

3J CATTLE COMPANY
32872 AIRPORT LN
BURNS OR 97720

Received by OWRD

MAR 20 2026

Salem, OR

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-18193

SOURCE OF WATER: WELL 1 (HARN 52466/L121027) IN MALHEUR BASIN

PURPOSE OR USE: IRRIGATION OF 160.0 ACRES

MAXIMUM RATE: 2.0 CUBIC FEET PER SECOND

PERIOD OF USE: MAY 1 THROUGH OCTOBER 31

DATE OF PRIORITY: FEBRUARY 19, 2016

WELL LOCATION:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	34 E	WM	36	SW NW	1393 FEET SOUTH AND 1280 FEET EAST FROM NW CORNER, SECTION 36

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	34 E	WM	25	SW SW	8.0
27 S	34 E	WM	25	SE SW	2.0
27 S	34 E	WM	26	SE SE	1.0
27 S	34 E	WM	35	NE NE	14.0
27 S	34 E	WM	35	SE NE	14.0
27 S	34 E	WM	36	NE NW	21.0
27 S	34 E	WM	36	NW NW	40.0
27 S	34 E	WM	36	SW NW	40.0
27 S	34 E	WM	36	SE NW	20.0

1. Water Use Measurement, Recording, and Reporting Condition:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water used each month, and shall submit an annual report which includes the recorded water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

2. Static Water Level Condition:

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

3. Dedicated Measuring Tube Condition:

Wells with pumps shall be equipped with a minimum 3/4-inch diameter, unobstructed, dedicated measuring tube pursuant to figure 200-5 in OAR 690-200. If a pump has been installed prior to the issuance of this permit, and if static water levels and pumping levels can be measured using an electrical tape, then the installation of the measuring tube can be delayed until such time that water levels cannot be measured or the pump is repaired or replaced.

4. Well Identification Tag Condition:

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

Received by OWRD

MAR 20 2026

Salem, OR

STANDARD CONDITIONS

1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
2. If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.
3. If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.
4. The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Supply Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.
5. Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.
6. Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.
7. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
8. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.
9. Construction of the well shall begin within five years of the date of permit issuance. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the construction deadline to begin is missed.
10. Complete application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Received by OWRD

MAR 20 2026

Salem, OR

11. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued JUN 26 2019



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department



Received by OWRD

MAR 20 2026

Salem, OR

Received by OWRD

MAR 20 2026


SECTION PLAT

 = 62 acres irrigated

Salem, OR

Section 25, 26, 35, 36 Township T 27 S Range R 34 E

County of Harney State of Oregon



RECEIVED BY OWRD

FEB 12 2016

SALEM, OR

G-18193

4"=1 mile

Received by OWRD
MAR 20 2026
Salem, OR

25

36

T27S R34E

26

35