

**Application for  
Extension of Time  
for a Water Right Permit  
(NON-Municipal/ NON-Quasi-Municipal)**

**Criteria for a Permit Extension of Time**

The Department can accept requests for an extension of time on permits to (1) complete construction, and/or to (2) apply water to beneficial use.

In order to approve a permit extension request the Department must be able to find:

**1) Construction has begun:**

**A. For Groundwater Permits**

Construction of the well(s), *authorized by the permit*, began within 5 years of the date the permit was issued or by the actual construction date specified in the permit.

**B. For Surface Water or Reservoir Permits**

Construction of the water system began within 5 years of the date the permit was issued or by the actual construction date specified in the permit.

The Department will also confirm that:

- 2) If required, a fish screen, fish passage or fish by-pass device was installed before or prior to diversion of any water. An exception to the need to confirm installation prior to diversion of any water would be a waiver submitted to the Department from ODFW stating that a fish screen, fish passage or fish by-pass device was not required, provided your permit allows for a waiver.

If you have questions, please call the Department at (503)-986-0900 and ask to speak with a permit extension specialist.

Received by OWRD

MAR 20 2026

Salem, OR

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT  
***A separate extension application must be submitted for each permit as per  
 OAR 690-315-0020(2).***

**We, Crystal Peaks Youth Ranch**

NAME OF PERMIT HOLDER [OAR 690-315-0020(1) and (3)(a)]

19344 Innes Market Rd  
 ADDRESS

Bend  
 CITY

OR  
 STATE

97703  
 ZIP

541-639-7009  
 PHONE

emcbride@cpyr.org  
 E-MAIL ADDRESS

the permit holder of: Application Number G-17521

Permit Number G-16986  
 [OAR 690-315-0020(3)(b)]

do hereby request that the date by which the water development will be completed and water put to full beneficial use, which time now expires on Month: Nov. Day: 29 Year: 2017, be extended to October 1, 2031, [OAR 690-315-0020(3)(i)]

I am the permit holder, and may apply for an extension of time under this permit. I understand that false or misleading statements in this extension application are grounds for OWRD to suspend processing of the request and/or reason to deny the extension.

Signature

Date

Printed Name

Title

The agent below is authorized to represent the applicant in all matters relating to THIS application.

Permit Holder Initials

Bryce M. Withers / Water Right Services, LLC  
 Authorized Agent (Print Agent Name)

541-389-2837 brycewrs@gmail.com  
 Agent contact

Received by OWRD

MAR 20 2026

Salem, OR

Before submitting your Application for Extension of Time, make sure the following items are included:

- This completed Application for Extension of Time.
- Statutory fee of \$1,170
- Signature page (Second page of this Application for Extension of Time).
- Letter granting an agent authority to act on behalf of the permit holder (*if applicable*)
- All supporting documentation and/or evidence referenced in the Application for Extension of Time. (ODFW Fish screen approval or waiver, contract for stored water, etc)

**MAIL COMPLETED APPLICATION**

along with the Supporting documents and/ or evidence and correct fee to:

**Water Resources Department  
Attn: Water Right Permit Extensions  
725 Summer Street NE, Suite A  
Salem, Oregon 97301**

GENERAL TIPS:

- Permit holders of **municipal or quasi-municipal water use permits DO NOT use this form**. The correct form is APPLICATION FOR EXTENSION OF TIME FOR MUNICIPAL AND QUASI-MUNICIPAL WATER USE PERMITS.
- Request the reasonable amount of time necessary to fully complete construction of the water project and/or to fully use the permitted quantity of water under the terms and conditions of your permit. Should this request be approved, it will be OWRD's expectation that you will complete your project within the new time period allowed. Future extensions may not be granted.
- A separate APPLICATION FOR EXTENSION OF TIME must be submitted for each permit. OAR 690-315-0020(2).
- Permit extensions are evaluated under OAR Chapter 690, Division 315. These rules may be viewed at the State of Oregon, Secretary of State Website. To be granted an extension of time, the Department must make four specific findings; 1) the application is complete, 2) construction of the water system began within the time specified in the permit and applicable statute, 3) there is good cause, and 4) the project can be completed within the time being requested. If the Department cannot make all four findings, the extension of time cannot be approved.
- You may provide OWRD with any additional information or evidence that will aid us in making our decision. Please note that OWRD may require other information that is necessary to evaluate the application. OAR 690-315-0020(3)(n).
- After careful review of the Application for Extension of Time, you may contact OWRD at (503) 986-0900, to ask questions and request assistance from a Permit Extensions Specialist in the Water Rights Services Division.

Received by OWRD

MAR 20 2026

Salem, OR

- An Application for an Extension of Time will be reviewed for completeness. A response is required for each item contained in the application. OWRD will return any incomplete or deficient applications to the applicant. OAR 690-315-0040(1)(a).

**Reference Materials Needed to Complete this Application:**

- **The water right permit.** If needed, a copy of the water right permit can be downloaded from the Department's Website, or, a copy of the permit may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).
- **Previous Applications and Orders.** Copies of previous applications and orders that may inform the completion of the Application for Extension of Time, if available, may be downloaded from the Department's Website. **NOTE: If the document requested is not available on the Department's website, you may be required to submit a Public Record Request.**
- **Documentation which demonstrates compliance with permit conditions** (for example, well construction logs; static water level measurement reports; annual water use reports; ODFW fish screen certification; a plan to monitor the effect of water use on ground water aquifers utilized under the permit; etc.).

**Questions to complete this application for an Extension of Time**

Please see the instruction sheet to help you answer these items.

1. **Beginning Construction within required deadlines.** OAR 690-315-0020(3)(d)

For Groundwater Permits

**Has construction of the point of appropriation (well) authorized under this permit begun?**

Yes  No

**Date construction began Month: May Day: 7 Year: 1992**

**Details of construction and attach documentation: See attached Well Log DESC 1422**

For Surface/Reservoir Permit

**Has construction of the water system begun?  Yes  No**

**Date construction began Month:      Day:      Year:**

**Details of construction and attach documentation:**

Received by OWRD  
MAR 20 2026  
Salem, OR

2a. Permits typically contain standard or special conditions that must be fully satisfied to lawfully develop and use permitted water. Review the permit subject to this extension to identify which of the conditions listed in the 2<sup>nd</sup> column are contained within it. Using the extra row labeled "other" to specify any other additional conditions included in the permit, or specified in a final order approving a permit amendment or prior extension of time. In the 1<sup>st</sup> column check the box for each condition (row) identified as relevant. In the 3<sup>rd</sup> column check "Yes" if you have completed or met the permit condition. Check "No" if the condition is not yet satisfied. In the 4<sup>th</sup> column, give the date when the condition was satisfied or will be satisfied. Attach any pertinent documentation. Note: a pump test condition does not need to be addressed here however; you must submit the results of the test to the Department for approval prior to certification.

Received by OWRD

MAR 20 2026

Salem, OR

CHART-A

Permit Conditions in this Permit		Have Completed or Met?	Date satisfied/ or will be satisfied
Checkbox	Ground water Check those included on this permit		
<input checked="" type="checkbox"/>	Installation of a meter/totalizing flow meter	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	A totalizing flow meter was installed in 2014
<input checked="" type="checkbox"/>	Submittal of annual water usage report	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water User Reports completed for years 2013-2025
<input checked="" type="checkbox"/>	Submittal of static water level measurements in the month required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	A March SWL was completed in 2013 & 2024 for Well 1. A March SWL was completed after the C-date in 2024 for Well 2.
<input type="checkbox"/>		<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Special well construction standards	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Submittal of a monitoring plan	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Well ID tag assigned and installed:	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input checked="" type="checkbox"/>	Other (Specify): Groundwater Mitigation Condition	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.2 mitigation credits were obtained via MP-27
<input checked="" type="checkbox"/>	Other (Specify): Useable Access Port Condition	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Both wells were constructed with usable access ports in 1992 for Well 1; 2013 for Well 2; turtleback covers.
<b>Surface Water or Reservoir</b>			
<input type="checkbox"/>	Installation of a meter/ totalizing flow meter	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Submittal of annual water use report	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Installation of a fish screen	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Installation of a fish by-pass device	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Installation of a fish passage	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Installation of an outlet gate/pipe/ conduit	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Submittal of a letter from ODFW that fish screen, fish by-pass device, and or fish passage is not required	<input type="checkbox"/> Yes <input type="checkbox"/> No	

<input type="checkbox"/>	Submit as-built plans and specification	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Submittal of a letter from an engineer prior to storage	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Other (Specify):	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Other (Specify):	<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	Other (Specify):	<input type="checkbox"/> Yes <input type="checkbox"/> No	

**2b. If you have identified that you have NOT complied with Permit conditions, explain the reasons why and indicate a date certain, when you will be in compliance.**

For Well #2 (DESC 59759/60189), a March Static Water Level Measurement was mistakenly not taken prior to the C-date due to confusion about the permit condition, we had the measurement taken in March 2024 after installing an airline. We did the March SWL for permitted Well #1 in 2013 & 2024. Following the approval of an extension, the measurements taken in March of 2024 & beyond for Well #2 will bring us into compliance for the SWL condition.

[OAR 690-315-0020(3)(e)]

**3. Provide evidence of physical work made toward completion of the water system, and of progress made toward making beneficial use of water within the permitted time period (CHART-B); and if applicable, within the time period of the most recent extension granted (CHART-C). CHART-B (below) must be completed for all Application for Extension of Time requests. Use chronological order. Itemize each work item, and do not combine multiple work actions in one area. (Planning, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, surveying, clearing land, or planting crops is not considered work in the development of the water system. Work accomplished under other water rights may not be considered work under this permit.)**

Received by OWRD

MAR 20 2026

Salem, OR

**CHART-B**

DATE	WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED <i>List any work done before the permit was issued – eg. well drilled.</i>	COST*
May 1992	Well #1 (DESC 1422) Drilled	\$36,000 est
1992	Pump and Cistern for Well #1 Installed	\$6,500 est
1992-2012	A portion of the irrigation system was completed.	\$25,000 est
DATE	WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER <i>List work/actions done during the permitted time period.</i>	COST*
Nov. 29, 2012	Date the permit was signed - find date above signature on last page of permit.	
Aug. 2013	Well #2 (DESC 59759) drilled	\$18,947
Oct. 2013	Well #2 Pump installed	\$7,033
Apr. 2014	Cisterns, secondary pumps, and electrical work	\$9,651
Apr. 2014	Totalizing Flowmeter installed	\$1,000 est
Feb. 2015	Well #2 Deepened	\$2,225
2012-2017	We built out additional irrigation system zones for efficiency, including buried lines and sprinklers/emitters.	\$125,000 est
2012-2017	Irrigation of 1.77 acres	n/a

Nov. 29, 2017	Date the permit specified complete application of water to the use shall be made- all permits contain this date.	
<b>DATE</b>	<b>WORK ACCOMPLISHED AFTER</b> the date the permit specified complete application of water and prior to any previous extension order <i>COMPETE ONLY IF THIS IS YOUR 1st APPLICATION FOR AN EXTENSION OF TIME: List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.</i>	<b>COST*</b>
Mar. 2024	New airlines were installed on Wells #1 & #2	\$3,822
<b>Total Cost for Chart-B</b>		<b>\$235,178</b>

\* If exact cost is not known, you must provide your best estimate.

4. If this is **not** your 1st Application for Extension of Time request, fill out CHART-C below in addition to CHART-B above. *Use chronological order.*

**CHART-C**

<b>DATE</b>	<b>WORK ACCOMPLISHED DURING THE LAST EXTENSION PERIOD</b> <i>List all work done during the last authorized extension period.</i>	<b>COST*</b>
	"Extended From" date for complete application of water used in the most recent Final Order on Extension of Time.	
	"Extended To" date for complete application of water resulting from the most recent Final Order on Extension of Time.	
<b>DATE</b>	<b>WORK ACCOMPLISHED AFTER THE LAST EXTENSION PERIOD EXPIRED</b> <i>List all work done after the last authorized date for complete application of water up to the date of this Application for Extension of Time.</i>	<b>COST*</b>
<b>Total Cost of Chart-C</b>		

\* If exact cost is not known, you must provide your best estimate. [OAR 690-315-0020(3)(f)]

5. Cost of project to date: **\$235,178**

(The total combined cost from CHART-B and CHART-C) [OAR 690-315-0020(f)]

[OAR 690-315-0020(3)(e)(B)]

**Provide evidence of the maximum rate (or duty, if applicable) of water diverted for beneficial use under this permit made to date.**

*TIP: Report the rate used to date. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.*

6. **For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):**

*TIP: Report the rate in the same units of measurement as specified in the permit.*

Received by OWRD  
MAR 20 2026  
Salem, OR

Maximum rate used to date = \_\_\_\_\_ cfs (cubic feet per second) or,

Received by OWRD

Maximum rate used to date = \_\_\_\_\_ gpm (gallons per minute) or,

MAR 20 2026

Maximum volume of stored water used to date = \_\_\_\_\_ AF or,

Salem, OR

Maximum volume stored annually to date = \_\_\_\_\_ AF

**7. For Ground Water Permit Extensions (e.g. G-XXXX):**

*TIP: Include information from ALL wells that pertain to this permit, including drilled wells not currently used.*

**CHART-D**

Well # as identified on Permit	Water User's Well #	Has this well been drilled?	IF DRILLED					If yes, provide the Permit, Certificate, or Transfer No.
			Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	Is the actual drilled location authorized on this permit or on a permit amendment?	Maximum instantaneous rate used to date from this well - - under this permit only (CFS or GPM)	Is this well authorized or utilized under any OTHER water rights?	
Well #1		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	DESC 1422		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	0.02 CFS	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	-
Well #2		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	DESC 59759	L- 112202	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	0.02 CFS	Yes <input type="checkbox"/> No <input type="checkbox"/>	-
		Yes <input type="checkbox"/> No <input type="checkbox"/>			Yes <input type="checkbox"/> No <input type="checkbox"/>		Yes <input type="checkbox"/> No <input type="checkbox"/>	-
Total instantaneous rate from all wells utilized under this permit						0.02		

8. Has a Permit Amendment Application been filed? Yes  No   
If yes, identify Transfer No. T-\_\_\_\_\_

[OAR 690-315-0020(3)(e)(C)]

**9. For Irrigation and Nursery Use Permits Extensions**

Provide the total number of acres irrigated to date under this permit.

a) Total acres irrigated to date: 1.77 acres

b) List by year, the number of acres irrigated each year since permit issuance.

Year	Acres	Year	Acres	Year	Acres
2013-2025	1.77				

c) Provide a copy of the application map identifying the acres irrigated.

d) Please specify the number of acres irrigated by each Point of Diversion/Point of Appropriation (POD/POA).

(POD/POA)#1 Acres: 1.77

(POD/POA) #2 Acres 1.77

(POD/POA) # \_\_\_\_\_ Acres \_\_\_\_\_

(POD/POA) # \_\_\_\_\_ Acres \_\_\_\_\_

[OAR 690-315-0020(3)(i)(j)]

10. In the chart below provide a summary of your future plans and schedule to complete the construction of the water system, and/or apply water to full beneficial use under the terms and conditions of the permit.

CHART-E

APPROXIMATE DATE RANGE (projected)	WORK OR ACTION TO BE ACCOMPLISHED (projected)	ESTIMATED COST (projected)
Within two years after extension approval	Perform March SWL measurements and water use reporting on Well #1 & 2	\$500
Within two years after extension approval	Irrigate to beneficial use utilizing Well #1 & 2	n/a
Year:	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
Total Cost		\$500

[OAR 690-315-0020(3)(g)]

11. Estimated remaining cost to complete the project: \$500

(The total cost from CHART-E)

Received by OWRD

MAR 20 2026

Salem, OR

[OAR 690-315-0020(3)(j)]

12. Provide a summary of your plan to complete construction, meeting all permit conditions and apply the water to beneficial use: (List all tasks or steps needed to complete the project, the date when each task will be completed, and the cost associated with each task; attach additional pages if necessary.) Upon approval of an extension, the required March SWL measurements condition for Well #2 will come into compliance. Ongoing March SWL measurements will be taken and water use reporting will continue each year. Upon approval of the extension, irrigation will occur in the next available season and full beneficial use will occur.

[OAR 690-315-0020(3)(k)]

13. Justify the time requested to complete the project and/or apply the water to full beneficial use. (Include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested.)

The time requested is needed in order to allow time for the permit holder to meet March Static Water Level condition requirement and make beneficial use using both wells during the extended permit window. We expect the extension process to take approximately 2 years from the date this application is filed (est 2028). Once an extension and is approved, a reasonable amount of time is needed to complete the final conditions and complete beneficial use during the new extended permit window using the

approved wells and place of use. Upon approval of the extension (est 2028), the final permit conditions can be met in approximately 1-2 years depending on the date of approval relative to the irrigation season and the month of March for the static water level measurement. In total, 14 years from the expired C-date of 11/29/2017 is being requested and is needed for full development and beneficial use (proposed new C-date is 10/1/2031).

[OAR 690-315-0020(3)(l)]

**14a. Will a denial of the extension result in undue hardship?** *(Describe the hardship and the effects.)* Yes, the sunk costs will be a significant financial hardship. We have invested a large sum into this project, the loss of the water right would be devastating.

**14b. Are there any other reasonable alternatives that exist for meeting your water use needs?** *(Explain in detail, consider other potential sources of water, and describe their feasibility)* No, there are no other reasonable alternatives as there is not any surface water available and a new groundwater permit may not be approved given recent changes to OWRD's groundwater allocation rules.

[OAR 690-315-0020(3)(h)]

**15. Was the delay in the timely completion of this water development project and/or timely application of water to full beneficial use caused by any additional government requirements, other than the conditions contained within the permit, which significantly delayed the completion and perfection of this right?** *(Explain in detail, including how much time did this delay the project; list dates.)* No.

[OAR 690-315-0020(3)(h)]

**16. Describe any unforeseen events which contributed to the delay of completion of this project that you had no control over.** *(Explain in detail what the unforeseen events were (i.e. health issues, natural disaster) and how much time was spent addressing the unforeseen events. Delays caused by business decisions are not considered unforeseen events)* N/A.

[OAR 690-315-0020(3)(h)]

**17. Describe any additional reasons why the construction was not completed, and/or water was not beneficially used within permit time limits.** *(Provide supporting information for the reason(s) that best fits your circumstances.)*  
We were unaware of the ongoing March Static Water Level measurement requirement, and following taking the Well #1 measurement in 2013, we simply lost track of things and mistakenly overlooked the requirement until March 2024.

[OAR 690-315-0020(3)(m)(n)]

**18. Provide any other information you wish OWRD to consider while evaluating your Application for Extension of Time.**

Crystal Peaks Youth Ranch operates as non-profit corporation with a unique mission. We provide horse rescue services in conjunction with a youth mentorship program for local youth in need, aged 6-18, pairing children with animals in a process that promotes healing and growth.

Received by OWRD

MAR 20 2026

Salem, OR

It is critical that Well #2 be included in our water right, and due to the missed March Static Water Level requirement until after the C-date, it cannot be included at this time. Our long-term plan is for Well #2 to primarily function as our main irrigation well, while Well #1 will primarily be used for domestic purposes. Although water can be co-mingled from either well.

[OAR 690-315-0040(2)(f)]

**19. Will the income or use of the water project provide a fair and reasonable return on your investment? (Explain in detail)** Yes, the landscaping areas adds value to our property, the pasture areas provide forage for our horses and other farm animals offsetting feed costs, and the garden produces crops that provide a fair and reasonable return on our investment.

[OAR 690-315-0040(4)(d)]

**20. Describe in detail if there are other economic interest, beyond those of the permit holder, which are dependent upon the completion of this project. (Who will be effected and how?)** The development of the water right and continued farming will contribute economically to the local area through the spending on labor, contractors, equipment, and supplies needed to complete and maintain the project. After completion, farm goods and services will contribute to the economy. Additionally, the mission of Crystal Peaks Youth Ranch will be furthered by the completion of the project, which will benefit horse rescues and provide youth mentorship, a service to the community at-large.

**Attach permit, and documentation to the application**

Received by OWRD

MAR 20 2026

Salem, OR

STATE OF OREGON

COUNTY OF DESCHUTES

PERMIT TO APPROPRIATE PUBLIC WATERS

Received by OWRD

MAR 20 2026

Salem, OR

THIS PERMIT IS HEREBY ISSUED TO:

CRYSTAL PEAKS YOUTH RANCH  
1934 INNES MARKET RD  
BEND OR 97701

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17521

SOURCE OF WATER: WELL 1 (DESC 1422) AND WELL 2 IN DESCHUTES RIVER BASIN

RATE: 0.02 CUBIC FOOT PER SECOND

USE: IRRIGATION OF 1.77 ACRES

DATE OF PRIORITY: DECEMBER 27, 2011

PERIOD: APRIL 1 THROUGH OCTOBER 31

**Authorized Point of Diversion:**

	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
WELL 1 (DESC 1422)	16 S	11 E	WM	12	SE SW	358 FEET NORTH AND 424 FEET WEST FROM S1/4 CORNER, SECTION 12
WELL 2	16 S	11 E	WM	12	SE SW	395 FEET NORTH AND 582 FEET WEST FROM S1/4 CORNER, SECTION 12

**Authorized Place of Use:**

Twp	Rng	Mer	Sec	Q-Q	Acres
16 S	11 E	WM	12	SE SW	1.61
16 S	11 E	WM	13	NE NW	0.16

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

**Measurement, Recording and Reporting Conditions:**

A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation, and maintain the device(s) in good working order. The permittee shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.

B. The permittee shall allow the watermaster access to the meter; where the meter is located within a private structure, the watermaster shall request access upon reasonable notice.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to obtain, from a qualified individual (see below), and report annual static water level

measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Received by OWRD  
MAR 20 2026  
Salem, OR

Measurements must be made according to the following schedule:

**Before Use of Water Takes Place**

Initial and Annual Measurements

The Department requires the permittee to report an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

**After Use of Water has Begun**

Reference Water Level Determination

Following the first year of water use, the user shall report one static water level measurement in the month specified above which will establish the reference level against which future annual measurements will be compared. The Director may require the user to obtain and report additional water levels after the reference level has been determined. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- A. Identify each well with its associated measurement; and
- B. Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method used to obtain each well measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water level measurements reveal an average water level decline of three or more feet per year for five consecutive years; or
- B. Annual water level measurements reveal a water level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water level measurements reveal a water level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non-use or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

**Ground Water Mitigation Conditions:**

1. Mitigation Obligation: 3.2 acre-feet of mitigation water in the General Zone of Impact (located anywhere in the Deschutes Basin above the Madras gage, which is located below Lake Billy Chinook).
2. Mitigation Source: 3.2 mitigation credits from Mitigation Project MP-27, established by instream water right certificate 81324, within the General Zone of Impact.
3. Mitigation water must be legally protected instream in the General Zone of Impact for the life of the permit and subsequent certificate(s). Regulation of the use and/or cancellation of the permit, or subsequent certificate(s) will occur if the required mitigation is not maintained.
4. The permittee shall provide additional mitigation if the Department determines that average annual consumptive use of the subject appropriation has increased beyond the originally mitigated amount.
5. If mitigation is from a secondary right for stored water from a storage project not owned or operated by the permittee, the use of water under this right is subject to the maintenance and terms and conditions of a valid contract or satisfactory replacement, with the owner/operator of the storage project, a copy of which must be on file in the records of the Water Resources Department.
6. Failure to comply with these mitigation conditions shall result in the Department regulating the ground water permit, or subsequent certificate(s), proposing to deny any permit extension application for the ground water permit, and proposing to cancel the ground water permit, or subsequent certificate(s).

**Scenic Waterway Condition:**

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right, or as those quantities may be reduced subsequently. However, the use of ground water allowed under the terms of this permit will not be subject to regulation for Scenic Waterway flows, provided the required mitigation is maintained.

**STANDARD CONDITIONS**

1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
2. If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.
3. If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an

Received by OWRD

MAR 20 2026

Salem, OR

alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

4. The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.
5. Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.
6. Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.
7. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best-practice technologies or conservation practices to achieve this end.
8. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged comprehensive land-use plan.
9. Completion of construction and application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.
10. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued November 29, 2012



for Phillip C. Ward, Director  
Water Resources Department

Received by OWRD  
MAR 20 2026  
Salem, OR

STATE OF OREGON  
**WATER WELL REPORT**  
 (as required by ORS 537.765)

DESC  
 1422

**RECEIVED**

AUG - 7 1992

165/11E/12

(START CARD) # 38990

WATER RESOURCES DEPT.

(1) OWNER:  
 Name Mr. Troy Meeder  
 Address 144 NW Vicksburg  
 City Bend, State OR Zip 97701

(2) TYPE OF WORK:  
 New Well  Deepen  Recondition  Abandon

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Other

(5) BORE HOLE CONSTRUCTION:  
 Special Construction approval  Yes  No Depth of Completed Well 700 ft.  
 Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
10	0	134	Cement	0	134	65 sacks
6	134	700				

How was seal placed: Method  A  B  C  D  E  
 Other

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
 Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6"	+2	134	250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS:

Perforations Method \_\_\_\_\_  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
						<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailor  Air  Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
20+	-0-	695	1 hr.

Temperature of Water 56 Depth Artesian Flow Found \_\_\_\_\_  
 Was a water analysis done?  Yes. By whom \_\_\_\_\_  
 Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
 Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:  
 County Des. Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
 Township 16 N or S. Range 11 E or W. WM.  
 Section 12 1/4 \_\_\_\_\_ 1/4 \_\_\_\_\_  
 Tax Lot 1700 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Street Address of Well (or nearest address) \_\_\_\_\_  
Innes Mkt. Rd.

(10) STATIC WATER LEVEL:  
652 ft. below land surface. Date 5/21/92  
 Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
 Depth at which water was first found 652

From	To	Estimated Flow Rate	SWL
652	700	20+	652

(12) WELL LOG: Ground elevation \_\_\_\_\_

Material	From	To	SWL
Red Cinders	0	126	
Grey basalt	126	235	
Brown Lava	235	310	
Sandstone	310	423	
Grey basalt	423	465	
Sandstone	465	652	
Fractured Lava WB	652	700	652

Date started 5/7/92 Completed 5/21/92

(unbonded) Water Well Constructor Certification:  
 I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.  
 Signed M. A. Boudet WWC Number 1371  
 Date 6/1/92

(bonded) Water Well Constructor Certification:  
 I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.  
 Signed M. A. Boudet WWC Number 1371  
 Date 6/1/92


Well #1

Site Identification [\(Click to Collapse...\)](#)

**GW LogID:** DESC 1422   [Well Log Database](#)  
**GW Well Tag Number:**  
**Tag Verified on Well:** No  
**Site Type:** WELL  
**Primary Use:**  
**Unused Status:**  
**Site Source Organization:**  
**Site Source OWRD:**  
**Established By:** WOZNAK  
**Established Date:** 02/26/2017  
**Bonded Company:** GALE BROCKETT  
**Stage:** COMPLETE

Location [\(Click to Collapse...\)](#)

**Latitude/Longitude**  
**Latitude:** 44.19716000   **Horiz. Error:** 50.00  
**Longitude:** -121.35493000   **Datum:** WGS1984  
**Lat/Long Source:** WR APPL MAP EXISTING WELL  
**Location**  
**TRSQQ:** WM 16.00S11.00E12SESW  
**Tax Map:** 1611120001700  
**Taxlot:** 1700  
**24 Quad:** TUMALO  
**Basin:** 5 - Deschutes  
**County:** Deschutes  
**WM District:** 11  
**WM Region:** C  
**LSD Elev:** 3352.00 Accy: 5.00 Datum: NGVD1929  
**Elev Source:** 7.5-MINUTE MAP  
[Groundwater Mapping Tool](#)



Vantor | Oregon Water Resources Department

Water Rights [\(Click to Expand...\)](#)

Well Construction History [\(Click to Collapse...\)](#)

Well Construction History

Well Log Id	Well Log	Work Type	Startcard	Well Tag	Owner Name	First Water	Max Case. Diam.	Max Case. Depth.	Max Seal Depth.	Max D
DESC 1422	Log	NEW	38990		MRTROY MEEDER	652.00	6	134.00	134.00	

Well Log	Aquifer	Aq at Max Depth	System Aquifer	Regional USGS Aquifer
DESC 1422				

Well Test

No data matches search criteria.

Measured Water Level [\(Click to Collapse...\)](#)

Records/Page: 20

Measured Water Level

Date	Time	Water Level (BLSL)	WL Elev (ft AMSL)	Organization	OWRD	Method	Status	MP Height
3/8/2024		646.85	2705.15	PUMP INSTALLER	PERMIT CONDITION PROGRAM	ETAPE	STATIC	0.25
3/15/2013		625.98	2726.02	CWRE	PERMIT CONDITION PROGRAM	ETAPE	STATIC	0.25
5/21/1992		652.00	2700.00	DRILLER	WELL LOG	REPORTED	UNKNOWN	

Available Data [\(Click to Expand...\)](#)

Other Documents/Images [\(Click to Expand...\)](#)

Received by OWRD  
 MAR 20 2026  
 Salem, OR

Well #1 GWIS Report

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765 & OAR 690-205-0210)

DESC 59759

WELL I.D. LABEL# L112202

START CARD # 1020532

8/16/2013

ORIGINAL LOG #

(1) LAND OWNER  
Owner Well I.D. \_\_\_\_\_  
First Name TROY Last Name MEEDER  
Company \_\_\_\_\_  
Address 19344 INNES MARKET RD  
City BEND State OR Zip 97701

(2) TYPE OF WORK  New Well  Deepening  Conversion  
 Alteration (complete 2a & 10)  Abandonment (complete 5a)

(2a) PRE-ALTERATION  
Dia + From To Gauge Stl Plstc Wld Thrd  
Casing: \_\_\_\_\_  
Material From To Amt sacks/lbs  
Seal: \_\_\_\_\_

(3) DRILL METHOD  
 Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Reverse Rotary  Other \_\_\_\_\_

(4) PROPOSED USE  Domestic  Irrigation  Community  
 Industrial/ Commercial  Livestock  Dewatering  
 Thermal  Injection  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION Special Standard  (Attach copy)  
Depth of Completed Well 672.00 ft.  
BORE HOLE SEAL  
Dia From To Material From To Amt lbs  
12 0 39 Bentonite Chips 0 39 24 S  
8 39 672

How was seal placed: Method  A  B  C  D  E  
 Other POURED DRY  
Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Filter pack from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_ Size \_\_\_\_\_  
Explosives used:  Yes Type \_\_\_\_\_ Amount \_\_\_\_\_

(5a) ABANDONMENT USING UNHYDRATED BENTONITE  
Proposed Amount \_\_\_\_\_ Actual Amount \_\_\_\_\_

(6) CASING/LINER  
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd  
8 1 39 .250  
6 10 672 .188  
Shoe  Inside  Outside  Other Location of shoe(s) \_\_\_\_\_  
Temp casing  Yes Dia \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

(7) PERFORATIONS/SCREENS  
Perforations Method FACTORY  
Screens Type \_\_\_\_\_ Material \_\_\_\_\_  
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/  
Screen Liner Dia From To width length slots pipe size  
Perf Liner 6 652 672 .125 0.3 228

(8) WELL TESTS: Minimum testing time is 1 hour  
 Pump  Bailer  Air  Flowing Artesian  
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)  
20 \_\_\_\_\_ 672 1

Temperature 53 °F Lab analysis  Yes By \_\_\_\_\_  
Water quality concerns?  Yes (describe below) TDS amount  
From To Description Amount Units

(9) LOCATION OF WELL (legal description)  
County DESCHUTES Twp 16.00 S N/S Range 11.00 E E/W WM  
Sec 12 SE 1/4 of the SW 1/4 Tax Lot 1700  
Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_  
Lat \_\_\_\_\_ " or \_\_\_\_\_ DMS or DD  
Long \_\_\_\_\_ " or \_\_\_\_\_ DMS or DD  
 Street address of well  Nearest address  
19344 INNES MARKET RD

(10) STATIC WATER LEVEL  
Date SWL(psi) + SWL(ft)  
Existing Well/ Pre-Alteration \_\_\_\_\_  
Completed Well 8/15/2013 569  
Flowing Artesian?  Dry Hole?

WATER BEARING ZONES Depth water was first found 618.00

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
8/15/2013	618	672	20		569

(11) WELL LOG Ground Elevation \_\_\_\_\_

Material	From	To
SANDY PUMICE	0	4
MILD BROWN LAVA WEATHERED	4	31
SANDSTONE RED	31	119
BROWN SANDSTONE	119	245
RED SANDSTONE	245	345
GRAY LAVA	345	383
BROWN LAVA	383	407
BROWN SANDSTONE	407	618
SANDSTONE CONGLOMERATE	618	663
FRACTURED GRAY LAVA	663	672

Date Started 8/13/2013 Complete 8/15/2013

(unbonded) Water Well Constructor Certification  
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.  
License Number \_\_\_\_\_ Date \_\_\_\_\_  
Signed \_\_\_\_\_

(bonded) Water Well Constructor Certification  
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.  
License Number 1720 Date 8/16/2013  
Signed JACK ABBAS (E-filed)  
Contact Info (optional) JACK ABBAS

Well # 2 Original




Site Identification (Click to Collapse...)

**GW LogID:** DESC 59759 [Well Log Database](#)  
**GW Well Tag Number:** 112202  
**Tag Verified on Well:** No  
**Site Type:** WELL  
**Primary Use:**  
**Unused Status:**  
**Site Source Organization:**  
**Site Source OWRD:**  
**Established By:** BOUCHIAC  
**Established Date:** 05/23/2017  
**Bonded Company:** ABBAS WELL DRILLING CO  
**Stage:** COMPLETE

Location (Click to Collapse...)

**Latitude/Longitude**  
**Latitude:** 44.19724000 **Horiz. Error:** 50.00 ft  
**Longitude:** -121.35550000 **Datum:** WGS1984  
**Lat/Long Source:** WR APPL MAP  
**Location**  
**TRSQQ:** WM 16.00S11.00E12SESW  
**Tax Map:**  
**Taxlot:** 1700  
**24 Quad:** TUMALO  
**Basin:** 5 - Deschutes  
**County:** Deschutes  
**WM District:** 11  
**WM Region:** C  
**LSD Elev:** 3343.62 Accy: 1.00 Datum: NAVD1988  
**Elev Source:** LIDAR  
[Groundwater Mapping Tool](#)



Water Rights (Click to Expand...)

Well Construction History (Click to Collapse...)

Well Construction History

Well Log Id	Well Log	Work Type	Startcard	Well Tag	Owner Name	First Water	Max Case Diam.	Max Case Depth	Max Seal Depth	Max De
DESC 59759	Log	NEW	1020532	112202	TROY MEEDER	618.00	8	39.00	39.00	
DESC 60189	Log	DEEPENING	1025556	112202	TROY MEEDER	672.00	8	39.00	39.00	

Well Log	Aquifer	Aq at Max Depth	System Aquifer	Regional USG
DESC 59759	Quaternary-Late Tertiary Vol & Volcaniclastic Aq	Quaternary-Late Tertiary Vol & Volcaniclastic Aq	Quaternary-Late Tertiary Volcanic and Volcaniclastic Rock Aquifers	
DESC 60189				

Well Test

No data matches search criteria.

Measured Water Level (Click to Collapse...)

Records/Page: 20

Measured Water Level

Date	Time	Water Level (BLSL)	WL Elev (t AMSL)	Organization	OWRD	Method	Status	MP Height
3/8/2024		599.95	2743.67	PUMP INSTALLER	PERMIT CONDITION PROGRAM	AIRLINE	STATIC	3.00
3/8/2024		599.95	2743.67	PUMP INSTALLER	PERMIT CONDITION PROGRAM	AIRLINE	STATIC	
2/10/2015		580.00	2763.62	DRILLER	WELL LOG	REPORTED	UNKNOWN	
2/9/2015		580.00	2763.62	DRILLER	WELL LOG	REPORTED	UNKNOWN	
8/15/2013		569.00	2774.62	DRILLER	WELL LOG	REPORTED	UNKNOWN	

Available Data (Click to Expand...)

Other Documents/Images (Click to Expand...)

Received by OWRD  
 MAR 20 2026  
 Salem, OR

Well #2 GWIS Report

# Facility Water Use Report



**WELL 1 (DESC 1422)  
Report ID 65362**

WELL 1 (DESC 1422);  
358 FEET NORTH AND 424 FEET WEST FROM S1/4 CORNER, SECTION 12  
(16S-11E-12-SE SW)

Permit: G 16986 \*

CRYSTAL PEAKS YOUTH RANCH

Records per page: 100

Water Year*	Method of Measurement	Acre-feet (AF) of Water Used												Total Water Used	Irrigated Acres
		Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep		
2025	FMT	0.06	0.01	0.01	0.01	0.01	0.02	0.08	0.14	0.22	0.27	0.30	0.17	1.30	
2024	FMT	0.06	0.01	0.00	0.01	0.01	0.02	0.06	0.15	0.23	0.25	0.30	0.22	1.32	
2023	FMT	0.06	0.01	0.00	0.00	0.00	0.02	0.08	0.17	0.24	0.26	0.30	0.19	1.32	
2022	FMT	0.08	0.02	0.01	0.00	0.01	0.03	0.10	0.17	0.24	0.29	0.31	0.19	1.44	
2021	FMT	0.06	0.01	0.00	0.00	0.01	0.02	0.08	0.14	0.21	0.25	0.29	0.14	1.21	
2020	FMT	0.06	0.01	0.00	0.00	0.00	0.02	0.09	0.14	0.20	0.24	0.29	0.18	1.23	
2019	FMT	0.10	0.01	0.00	0.00	0.00	0.02	0.10	0.18	0.24	0.25	0.31	0.21	1.42	
2018	FMT	0.10	0.01	0.00	0.00	0.00	0.02	0.10	0.18	0.24	0.25	0.31	0.21	1.42	
2016	FMT	0.08	0.01	0.00	0.00	0.01	0.02	0.09	0.20	0.21	0.24	0.29	0.20	1.35	
2015	FMT	0.07	0.01	0.01	0.00	0.01	0.02	0.12	0.16	0.21	0.25	0.28	0.20	1.33	
2014	FMT	0.15	0.01	0.00	0.00	0.01	0.02	0.35	0.42	0.81	1.05	1.23	0.69	4.75	
2013		0.17	0.00	0.00	0.00	0.00	0.37	0.33	1.21	1.13	1.22	0.85		5.27	

\*The water year is named for the calendar year in which it ends. Example: the 2014 water year begins Oct. 1, 2013 and ends Sep. 30, 2014.

Method(s) of Measurement:

FMT Flowmeter (recording monthly readings and then reporting the difference between one month's reading and the next)

- Monthly amounts indicate:
  - For diverted rights, the total amount diverted during the month;
  - For storage rights, the amount generally stored in the reservoir/pond during the month, as represented by the volume of water impounded on approximately the same day each month.
- Water Use amounts have all been converted to "acre-feet" (AF), regardless of the original measurement unit reported. One AF is the volume of water that will cover an acre of ground one foot deep = 325,850 gallons.
- Zeroes indicate that a report was received, stating that no water was used during those months; if a year is not listed, no report of water use was received for that year.

Received by OWRD  
MAR 20 2026  
Salem, OR

**Abbas Pump Service**

PO Box 2130 8888 11th Street  
Terrebonne, OR 97760  
Phone (541) 548-2787 Fax (541) 923-7509  
info@abbaswelldrilling.com  
WWC #: 1720 CCB #158451 PI# 39CPI

**INVOICE 218914**

Date: 3/13/2024  
Terms: 30 Days

CRYSTAL PEAKS YOUTH RANCH

19344 INNES MARKET RD  
BEND, OR 97703

Pulled and added airline for

Service Location

Address: 19344 INNES MARKET RD 6"  
WELL IN LAWN  
City: BEND  
Job/Well #  
Purchase Order

(316) 640-6607 BRYSON  
(541) 639-7009 TROY

Page 1 of 1

Quantity	Unit	Item	Unit Price	Extended Price
1.00	Feet	1 1/4" GALVANIZED PIPE 42'	\$179.00	\$179.00
1.00	Each	SWL MEASUREMENT	\$295.00	\$295.00
1.00	Each	1 1/4" CHECK VALVE	\$42.00	\$42.00
1.00	Each	AIRLINE 1/4" TUBING 680'	\$272.00	\$272.00
1.00	Each	LABOR FOR INSTALLATION	\$1,181.00	\$1,181.00
				<b>\$1,969.00</b>
Corp Act. Tax				\$11.22
Finance Charges				\$48.25
<b>Please pay this amount</b>				<b>\$2,028.47</b>

WELL HEAD IS 1/2" ABOVE GROUND. SET 675' FROM TOP OF WELL TO BOTTOM OF AIR LINE. SWL 647.1'

Received by OWRD  
MAR 20 2026  
Salem, OR

**Thank you for the opportunity to work for you.**

Invoice due 30 days from date of invoice. Interest rate at 18% per annum on unpaid balance.

**Abbas Pump Service**

PO Box 2130 8888 11th Street  
Terrebonne, OR 97760  
Phone (541) 548-6887 Fax (541) 923-7509  
info@abbaswelldrilling.com  
WWC #: 1720 CCB #158451 PI# 39CPI

**INVOICE 28762**

Date: 7/24/2017  
Terms: 30 Days

CRYSTAL PEAKS YOUTH RANCH

19344 INNES MARKET RD  
BEND, OR 97703

(316) 640-6607 BRYSON  
(541) 639-7009 TROY

Replaced the

Service Location

Address: 19344 INNES MARKET RD  
City: BEND  
Job/Well #  
Purchase Order

Page 1 of 1

Quantity	Unit	Item	Unit Price	Extended Price
1.00	Feet	1 1/4" GALVANIZED PIPE 18'	\$39.00	\$39.00
3.00	Each	1 1/4" CHECK VALVE	\$38.00	\$114.00
1.00	Each	3HP 10GPM PUMP & MOTOR (NO BOX) 900LB	\$2,658.00	\$2,658.00
1.00	Each	REMOVE & REPLACE	\$1,176.00	\$1,176.00
				<b>\$3,987.00</b>

Less payments received  
8/11/2017 Check 0000007315 (\$3,987.00)

**Please pay this amount \$0.00**

3 YEAR WARRANTY ON PUMP & MOTOR ONLY  
SET- 672' SWL- 586' WELL- 748'  
7/14/17

Received by OWRD  
MAR 20 2026  
Salem, OR

**Thank you for the opportunity to work for you.**  
Invoice due 30 days from date of invoice. Interest rate at 18% per annum on unpaid balance.

# Abbas Pump Service

PO Box 2130 8888 11th Street  
Terrebonne, OR 97760  
Phone (541) 548-2787 Fax (541) 923-7509  
info@abbaswelldrilling.com  
WWC #: 1720 CCB #158451 PI# 39CPI

**INVOICE 219036**

Date: 3/13/2024  
Terms: 30 Days

CRYSTAL PEAKS YOUTH RANCH

19344 INNES MARKET RD  
BEND, OR 97703

(316) 640-6607 BRYSON  
(541) 639-7009 TROY

Well 2 Pull line for

### Service Location

Address: 19344 INNES MARKET RD 8"  
WELL BY HORSE PEN  
City: BEND  
Job/Well # L112202  
Purchase Order

Page 1 of 1

Quantity	Unit	Item	Unit Price	Extended Price
1.00	Each	AIRLINE 1/4" TUBING 674'	\$276.00	\$276.00
1.00	Each	LABOR FOR INSTALLATION	\$1,171.00	\$1,171.00
1.00	Each	SWL MEASUREMENT	\$295.00	\$295.00

**\$1,742.00**

Corp Act. Tax \$9.93

Finance Charges \$42.70

**Please pay this amount \$1,794.63**

WELL HEAD IS 3" ABOVE GROUND. SET 669.25' FROM TOP OF WELL HEAD TO BOTTOM OF AIRLINE.  
SWL 600.22'

Received by OWRD

MAR 20 2026

Salem, OR

**Thank you for the opportunity to work for you.**

Invoice due 30 days from date of invoice. Interest rate at 18% per annum on unpaid balance.



63002 Sherman Rd. • Bend, Oregon 97701  
 2425 SW Highway 97 • Madras, Oregon 97741

(541) 382-1438 • CCB # 56341

TO:

Meeder, Troy  
 PO BOX 897  
 Sisters, OR 97759-0897

# Statement

DATE

9/27/2013

TERMS: NET DUE ON THE 10TH  
 WE ACCEPT VISA, MASTERCARD  
 AND DISCOVER

Received by OWRD

MAR 20 2026

Salem, OR

AMOUNT DUE	AMOUNT ENC.
\$7,033.03	

DETACH AND RETURN TOP PORTION WITH YOUR PAYMENT

DATE	TRANSACTION	AMOUNT	BALANCE		
08/31/2013	Balance forward		0.00		
09/20/2013	INV #4394.	7,033.03	7,033.03		
We appreciate your buisness.					
CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	AMOUNT DUE
7,033.03	0.00	0.00	0.00	0.00	\$7,033.03

**THOMPSON PUMP & IRRIGATION, INC.**  
 63002 SHERMAN RD. • BEND, OREGON 97701  
 (541) 382-1438

# THOMPSON PUMP & IRRIGATION, INC.

CCB #56341

63002 Sherman Rd.  
Bend, OR 97701  
(541) 382-1438

2425 SW Hwy. 97  
Madras, OR 97741  
(541) 475-1215

CUSTOMER'S ORDER NO.		PHONE		DATE	
		541 639 7009		9/20/13	
NAME Troy Meeder <span style="float: right;">3 speaks</span>					
ADDRESS 19344 Innes Mkt Bend 97702					
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RETD.
AK			✓		
QTY.	DESCRIPTION			PRICE	AMOUNT
655'	10 Awg Sub Cable			812.00	812.00
1	230 V 3 Hp submersible			4005.00	4005.00
1	Heavy duty pitless <del>cap</del> adapter			235.00	235.00
1	8" well cap			95.00	95.00
650'	1/4 galvanized pipe			1696.50	1696.50
3	Check valves			174.00	174.00
1	1 1/4" galv Tee			8.06	8.06
1	3/4" Bleeder drain			7.47	7.47
Net 10th of month. A finance charge of 1 1/2% per month (18% per year) will be charged on past due accounts over 30 days. All materials remain property of THOMPSON PUMP until paid in full.					TAX
RECEIVED BY					TOTAL
					7053.03

Received by OWRD  
MAR 20 2026  
Salem, OR

4394

**Thank You**

All claims and returned goods MUST be accompanied by this bill.

*By Pump House*

**THOMPSON PUMP & IRRIGATION, INC.**

CCB #56341

63002 Sherman Rd.  
Bend, OR 97701  
(541) 382-1438

2425 SW Hwy. 97  
Madras, OR 97741  
(541) 475-1215

CUSTOMER'S ORDER NO.		PHONE		DATE <i>4-25-14</i>	
NAME <i>Tray meeder crystal Peates youth</i>					
ADDRESS					
<input checked="" type="radio"/> SOLD BY <input type="radio"/> CASH <input type="radio"/> C.O.D. <input checked="" type="radio"/> CHARGE <input type="radio"/> ON ACCT. <input type="radio"/> MDSE. RETD.	PAID OUT				
QTY.	DESCRIPTION			PRICE	AMOUNT
<i>13 HR</i>	<i>LABOR</i>			<i>65.00</i>	<i>855.00</i>
	<i>BW SETUP</i>				<i>347.03</i>
<i>1</i>	<i>FLOAT</i>				<i>55.00</i>
	<i>Sub Pump + Breaker's</i>				<i>250.00</i>
	<i>MISC VALVE</i>				<i>95.00</i>
	<i>MISC Pvc</i>				<i>55.00</i>
<i>2</i>	<i>1/4 check valves</i>				<i>47.00</i>
<i>1</i>	<i>1/2 check valve</i>				<i>26.00</i>
<i>1</i>	<i>1HP 25</i>				<i>989.60</i>
<i>1</i>	<i>1HP Control Box</i>				<i>137.00</i>
<i>1</i>	<i>Induction stand</i>				<i>150.00</i>
	<i>Sub cable</i>				<i>25.00</i>
<i>1</i>	<i>20 Gal Tank</i>				<i>238.91</i>
<i>1</i>	<i>Tree set up</i>				<i>150.00</i>
<small>Net 10th of month. A finance charge of 1 1/2% per month (18% per year) will be charged on past due accounts over 30 days. All materials remain property of THOMPSON PUMP until paid in full.</small>				TAX	
RECEIVED BY				TOTAL	<i>3403.09</i>

All claims and returned goods MUST be accompanied by this bill.

5711

*NEXT Page*

*Thank You*

Received by OWRD

MAR 20 2026

Salem, OR

# THOMPSON PUMP & IRRIGATION

63002 Sherman Rd.  
Bend, OR 97701  
(541) 382-1438

CCS #56341

*East  
Pump House*

CUSTOMER'S ORDER NO.	PHONE	DATE
NAME <i>Troy Meeder Crystal</i>		
ADDRESS		

SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MOSE. RETD.	PAID C
<i>(S)</i>			<i>X</i>			
QTY.	DESCRIPTION					PRIC
<i>180</i>	<i>AT #10 Tuba</i>					
<i>400</i>	<i>AT #8 Tuba</i>					
<i>15 FT</i>	<i>2" Conduit</i>					
<i>1</i>	<i>2" Sweep</i>					
<i>2</i>	<i>30" Sumps + Lid</i>					
	<i>Electrical fittings</i>					
	<i>+ out let</i>					
	<i>+ Flex Con</i>					

Received by OWRD  
MAR 20 2026  
Salem, OR

# THOMPSON PUMP & IRRIGATION

OCB #56341

6300 Sherman Rd.  
Bend, OR 97701  
(541) 332-1438

CUSTOMER'S ORDER NO.		PHONE		DATE	
NAME <i>CRYSTAL PEAKS YOUTH</i>					
ADDRESS					
SOLD BY <i>Rmj</i>	CASH	C.O.D.	CHARGE <i>X</i>	ON ACCT.	MDSE. RETD.
PAID					
QTY.	DESCRIPTION				PRI.
<i>1</i>	<i>WESTERN 1/2 CPLR</i>				
<i>1</i>	<i>BAND</i>				
<i>1</i>	<i>FLAPPER</i>				
<i>1</i>	<i>PIPE REPAIR</i>				


**ENTERED**

Received by OWRD  
MAR 20 2026  
Salem, OR

# THOMPSON PUMP & IRRIGATI

CCB #56341

63002 Sherman Rd.  
Bend, OR 97701  
(541) 382-1438

CUSTOMER'S ORDER NO.		PHONE		DATE		
NAME <i>Crystal Peaks</i>						
ADDRESS						
SOLD BY <i>mark</i>	CASH	C.O.D.	CHARGE <input checked="" type="checkbox"/>	ON ACCT.	MDSE. RETD.	PAID
QTY.	DESCRIPTION				PR.	
<i>2</i>	<i>5" couplers</i>				<i>10.</i>	
<i>2</i>	<i>5x4 bush</i>				<i>10.</i>	
<i>1</i>	<i>4" slip fix</i>					
<i>1 pt</i>	<i>705 glue</i>					
<i>1 pt</i>	<i>primer</i>					
<i>Wesley Ranch Oregon</i>						
						

Received by OWRD

MAR 20 2026

Salem, OR

DETACH AND RETURN TOP PORTION WITH YOUR PAYMENT

DATE	TRANSACTION
05/31/2014	Balance forward
06/12/2014	INV #9272.
06/12/2014	INV #9240.
06/23/2014	PMT #0020060560.

**ENTERED**  
7/10/14

We appreciate your business.

CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE
153.98	36.00	0.00	0.00

Id342041-14

**THOMPSON PUMP & IRRIGATION, INC**  
63002 SHERMAN RD. • BEND, OREGON 97701  
(541) 382-1438

Received by OWRD  
MAR 20 2026  
Salem, OR

Received by OWRD  
MAR 20 2026  
Salem, OR

**POINTS OF APPROPRIATION  
AND TAXLOT MAP 1401 & 1700**

Located in SE¼-SW¼ of Section 12 and  
Located in NE¼-NW¼ of Section 13  
T.16S., R.11E., W.M.

Deschutes County, Oregon

**NOTES**

1. This map was prepared for the purpose of identifying the location of water rights only and is not intended to provide legal dimensions or locations of property ownership lines.

N23°36'28"W 824.46  
FROM S1/4 COR

23

1319.33

905.76

Taxlot (1401)

541.17

798.37

Taxlot (1700)

Proposed Well #2

582 FT

424 FT

Existing Well #1

212.93

Innes Market Rd

753.95

395 FT

358 FT

763.89

764.42

454.75

2000

Taxlot (1700)

401.17

75.63



Vicinity Map



SCALE: 1" = 100'

**RECEIVED**

DEC 27 2011

WATER RESOURCES DEPT  
SALEM, OREGON

12

SE1/4SW

187.11

13

NE1/4W

Received by OWRD

MAR 20 2026

Salem, OR

# GROUNDWATER PERMIT APPLICATION TAX LOT 1401 & 1700

Located in SE¼-SW¼ of Section 12 and  
Located in NE¼-NW¼ of Section 13  
T.16S., R.11E., W.M.  
Deschutes County, Oregon

## NOTES

1. This map was prepared for the purpose of identifying the location of water rights only and is not intended to provide legal dimensions or locations of property ownership lines.

Place of Use  
Irrigated  
to-date


Acres	Sq. Ft.
A	4790.17034
B	6318.16052
C	1358.18279
D	173.07127
E	290.08239
F	1360.08686
G	38.81680
H	743.53923
I	30.00000
J	10.88684
K	14.00000
L	18.63485
M	2173.58240
N	3083.73064
O	60.00000
P	867.87431
Q	147.02827
R	16.00000
S	16.00000
T	204.59523
U	350.00000
V	64.00000
1	2415.12791
2	2080.16918
3	690.81018
4	2062.16918
5	1850.42800
6	1355.08735
7	281.78649
8	2205.60548
9	880.50009
10	521.92311
11	844.54431
12	718.15015
13	140.00000
P1	16963.28964
P2	33368.59188
P3	1563.14707
P4	1240.38745
P5	1818.81112
Total Sq. Ft.	38054.03964
	77170.88208

Section	Qtr. Qtr.	Tax Lot	T
12	SE-SW	1401	
12	SE-SW	1700	
13	NE-NW	1700	
		TOTAL	



RECEIVED  
DEC 27  
WATER RESOUF  
SALEM, OR

12 SE-SW  
12 SE-SW  
13 NE-NW  
13 NE-NW



Received by OWRD

MAR 20 2026

Salem, OR