

**CLAIM OF
BENEFICIAL USE
for Transfer New or Additional
POD Only**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$345 must accompany this form for transfers where the application was submitted on July 9, 1987, or later.

Enter the date the transfer application was submitted:

**February 11, 2019; the \$345
fee is included.**

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:
<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

Received

MAY 04 2026

OWRD

**SECTION 1
GENERAL INFORMATION**

Type of Authorized Change

This Claim is being submitted for a transfer where the only authorized change was a change in either point(s) of diversion or additional point(s) of diversion, or a combination of both. **YES NO**
If additional changes were authorized, you will need to select a different form.

1. File Information

APPLICATION #
T-13121

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME City of Amity		PHONE NO. 503-835-3711	ADDITIONAL CONTACT NO.
ADDRESS PO Box 159			
CITY Amity	STATE OR	ZIP 97101	E-MAIL nfrarck@amityoregon.gov

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. ***Each transfer holder of record must sign this form.***

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD City of Amity		
ADDRESS PO Box 159		
CITY Amity	STATE OR	ZIP 97101

4. Date of Site Inspection:

April 7, 2026

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Nathan Frarck	April 7, 2026	City Administrator
Clint Hatch	April 7, 2026	Utility Worker

6. County:

Yamhill

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

Received
MAY 04 2026
OWRD

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Robyn Cook		PHONE No. 971-200-8505	ADDITIONAL CONTACT No.
ADDRESS GSI Water Solutions, Inc., 650 NE Holladay Street, Suite 900			
CITY Portland	STATE OR	ZIP 97232	E-MAIL rcook@gsiws.com

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
<i>Nathan Frarck</i>	Nathan Frarck	City Administrator	4/16/2026

Received
MAY 04 2026
OWRD

**SECTION 3
CLAIM DESCRIPTION**

Note: The Claim only needs to describe the new or additional point(s) of diversion. This Claim does not need to provide information for the original point(s) of diversion unless the original point of diversion is either a new or additional point of diversion on another right involved in this transfer.

1. New or additional point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)	SOURCE
POD 2*	South Yamhill River

*The transfer map labeled the additional point of diversion "Proposed APOD." In this COBU, the points of diversion have been numbered for clarity. The original point of diversion is labeled POD 1 and the additional point of diversion is labeled POD 2.

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, **YES** **NO** or extension final? If yes, describe below.

(e.g. "The order allowed three new/additional points of diversion. The water user only developed one of the points.")

N/A

3. Claim Summary:

NEW OR ADDITIONAL POD NAME OR #	MAXIMUM RATE AUTHORIZED IN ORDER	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
POD 2	0.475 cfs	1.3 cfs	1.0 cfs

Received
MAY 04 2026
OWRD

SECTION 4
SYSTEM DESCRIPTION

Are there multiple new or additional Points of Diversion (POD)s? YES NO

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

POD 2

A. POD System Information

Provide the following information concerning the point of diversion. Information provided must describe the equipment used to appropriate water from the point of diversion.

1. Pump Information*

PUMP NUMBER	MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Pump 1	Flygt	3127.070	2270071	Centrifugal	8 in	8 in
Pump 2	Flygt	3127.070	2270072	Centrifugal	8 in	8 in
Pump 3	Flygt	3127.070	2270073	Centrifugal	8 in	8 in

*Three pumps are installed at POD 2 and can be operated independently or simultaneously based on demand.

2. Motor Information

PUMP NUMBER	MANUFACTURER	HORSEPOWER
Pump 1	Flygt	11 HP
Pump 2	Flygt	11 HP
Pump 3	Flygt	11 HP

3. Theoretical Pump Capacity

PUMP NUMBER	HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
Pump 1	11 HP	48 PSI	0 ft	43 ft	0.44 cfs
Pump 2	11 HP		0 ft	43 ft	0.44 cfs
Pump 3	11 HP		0 ft	43 ft	0.44 cfs

4. Provide pump calculations:

Pump calculations are provided in Attachment B.

Received

MAY 04 2026

OWRD

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
-----------------------	----------------------	---------------------------	----------------------------

A rate of 1.0 cfs was measured during the site visit by the City's SCADA system while all three pumps were operating at full capacity.

Reminder: For pump calculations use the reference information at the end of this document.

B. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM’S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the diversion involve a gravity flow pipe? YES NO

If “NO”, items 2 through 4 relating to this section may be deleted. Items 2 through 4 were deleted.

C. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING’S FORMULA FOR CANALS AND DITCHES)

1. Does the diversion involve a gravity flow ditch or canal? YES NO

If “NO”, items 2 through 4 relating to this section may be deleted. Items 2 through 4 were deleted.

D. Additional notes or comments related to the system:

None.

**SECTION 5
CONDITIONS**

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE NEW AND/OR ADDITIONAL POD(S) WERE READY FOR USE *THIS DATE MUST FALL BETWEEN THE “ISSUANCE DATE” AND THE “COMPLETENESS DATE”
ISSUANCE DATE	January 29, 2020	
COMPLETENESS DATE FROM ORDER (C)	October 1, 2025	May 2025

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)? YES NO

If “NO”, you may delete the following table. The table was deleted.

Received
MAY 04 2026
OWRD

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device? YES NO*

***The transfer final order does not require the installation of a meter; however, a meter has been installed and is described here.**

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed? YES NO

c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POD 2	Endress-Hauser Promag 400	V804A216000	Working	9,091,409 gal	March 2025

If a meter has been installed, items d through f relating to this section may be deleted. Items d through f were deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department? YES NO

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted? YES NO

If the reports have not been submitted, attach a copy of the reports if available.

5. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? YES NO

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed? YES NO

c. When was the fish screening installed?

DATE	BY WHOM
June 2024	Strider Construction

Received
MAY 04 2026

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

ODFW's fish screen approval letter is provided in Attachment C.

- d. If the diversion **involves a pump** *and* the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:
- Has the self-certification form previously been submitted to the Department? **NA** **YES** **NO**

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>, complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

- e. If the diversion does **not involve a pump** *or* the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:
- Has the ODFW approval been previously submitted? **NA** **YES** **NO**

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at: <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices

- a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **YES** **NO**

If "NO", items b and c relating to this section may be deleted. Items b and c were deleted. The ODFW letter dated February 2, 2021 (provided in Attachment C) specifies that a by-pass device is not required.

7. Other conditions required by the transfer final order or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? **YES** **NO**
- b. Was a fishway required? **YES** **NO**
- c. Other conditions? **YES** **NO**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 61988 and any related decree.

Water is used within the place of use described and in compliance with the conditions and limitations of Certificate 61988.

The quantity of water diverted at the new additional point of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.

The quantity of water diverted at the new point of diversion, together with that diverted at the original point of diversion, does not exceed the quantity of water lawfully available.

SECTION 6

ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Attachment A	Transfer T-13121 Final Order
Attachment B	Pump Calculations
Attachment C	Fish Screen Approval Letter
Attachment D	Claim of Beneficial Use Map

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for additional points of diversion, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the

Received
MAY 04 2026

OWRD

basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The location of the additional point of diversion was confirmed during the site inspection using a handheld GPS. The map was created using Geographic Information System (GIS) software and spatial datasets obtained from Bureau of Land Management, Environmental Systems Research Institute, Oregon Department of Transportation, Oregon Water Resources Department, and United States Geological Survey. Additional information specific to the use of water under the water right described in this Claim of Beneficial Use report was obtained from the water right holder.

Received
MAY 04 2026
OWRD

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- N/A If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- N/A Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.) ***Not required for this type of Claim of Beneficial Use**
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- Quarter-Quarters illustrated and named (NE NE, NW NE, etc.)
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

Received
MAY 04 2026
OWRD

Received

MAY 04 2026

OWRD

Attachment A

Transfer T-13121 Final Order

Claim of Beneficial Use Report - City of Amity

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application) FINAL ORDER APPROVING AN
T-13121, Yamhill County) ADDITIONAL POINT OF DIVERSION

Authority

Oregon Revised Statutes (ORS) 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of diversion, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF AMITY
ATTN: JUSTIN HOGUE
PO BOX 159
AMITY, OR 97101

Received
MAY 04 2026
OWRD

Findings of Fact

1. On February 11, 2019, CITY OF AMITY filed an application for an additional point of diversion under Certificate 61988. The Department assigned the application number T-13121.
2. Notice of the application for transfer was published on February 19, 2019, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. On August 26, 2019 the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-13121 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of September 25, 2019, for the applicants to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination.
4. On September 24, 2019, the Department recognized a scrivener's error in the draft Preliminary Determination dated August 26, 2019. The Authorized Place of Use table was missing on the draft Preliminary Determination.
5. On October 10, 2019, the Department sent a copy of the revised draft Preliminary Determination proposing to approve Transfer Application T-13121 to the applicant. The

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

revised draft Preliminary Determination cover letter set forth a deadline of November 17, 2019, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination.

6. On December 20, 2019, the Department issued a Preliminary Determination proposing to approve Transfer Application T-13121 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published in the Department's weekly notice on December 24, 2019, and in the News-Register newspaper on December 24 and December 31, 2019, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.

7. The right to be transferred is as follows:

Certificate: 61988 in the name of CITY OF AMITY, CITY HALL (perfected under Permit S-13455)
Use: MUNICIPAL USE
Priority Date: JANUARY 24, 1939
Rate: 0.475 CUBIC FOOT PER SECOND AND NOT MORE THAN 95 ACRE-FEET DURING THE PERIOD APRIL 1 TO SEPTEMBER 30 OF EACH YEAR
Source: SOUTH YAMHILL RIVER, tributary of YAMHILL RIVER

Authorized Point of Diversion:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
5 S	5 W	WM	26	NE NE	1	AUTHORIZED POD -.500 FEET SOUTH AND 250 FEET WEST FROM THE NE CORNER OF SECTION 26

Authorized Place of Use:

MUNICIPAL				
Twp	Rng	Mer	Sec	Q-Q
5 S	4 W	WM	19	SW SW
5 S	4 W	WM	19	SE SW
5 S	4 W	WM	19	SW SE
5 S	4 W	WM	19	SE SE
5 S	4 W	WM	20	SW NE
5 S	4 W	WM	20	SE NE
5 S	4 W	WM	20	NE SW
5 S	4 W	WM	20	SW SW
5 S	4 W	WM	20	SE SW
5 S	4 W	WM	20	NE SE
5 S	4 W	WM	20	NW SE
5 S	4 W	WM	20	SW SE
5 S	4 W	WM	20	SE SE
5 S	4 W	WM	21	SW SW
5 S	4 W	WM	21	SE SW
5 S	4 W	WM	21	SW SE
5 S	4 W	WM	21	SE SE
5 S	4 W	WM	27	NE NE
5 S	4 W	WM	27	NW NE
5 S	4 W	WM	27	SW NE
5 S	4 W	WM	27	SE NE

MUNICIPAL				
Twp	Rng	Mer	Sec	Q-Q
5 S	4 W	WM	27	NE NW
5 S	4 W	WM	27	NW NW
5 S	4 W	WM	27	SW NW
5 S	4 W	WM	27	SE NW
5 S	4 W	WM	28	NE NE
5 S	4 W	WM	28	NW NE
5 S	4 W	WM	28	NE NW
5 S	4 W	WM	28	NW NW
5 S	4 W	WM	29	NE NE
5 S	4 W	WM	29	NW NE
5 S	4 W	WM	29	SW NE
5 S	4 W	WM	29	SE NE
5 S	4 W	WM	29	NE NW
5 S	4 W	WM	29	NW NW
5 S	4 W	WM	30	NE NE
5 S	4 W	WM	30	NW NE
5 S	4 W	WM	30	NE NW
5 S	4 W	WM	30	NW NW
5 S	5 W	WM	24	SE SE
5 S	5 W	WM	25	NE NE

Received
MAY 04 2026
OWRD

8. The Department received information from the applicant that better describes the location of the authorized point of diversion for Certificate 61988 (perfected under Permit S-13455) as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
5 S	5 W	WM	26	NE NE	1	AUTHORIZED POD - 515 FEET SOUTH AND 425 FEET WEST FROM THE NE CORNER OF SECTION 26

9. Transfer Application T-13121 proposes an additional point of diversion approximately 0.4 mile upstream from the existing point of diversion to:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
5 S	5 W	WM	26	SE NE	69	PROPOSED POD - 2650 FEET SOUTH AND 650 FEET WEST FROM THE NE CORNER OF SECTION 26

10. The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new point of diversion to prevent fish from entering the diversion and/or safely transport fish back to the body of water from which the fish were diverted and that the diversion is not currently equipped with an appropriate fish screening and/or by-pass device. This diversion may be eligible for screening cost share funds.

Transfer Review Criteria [OAR 690-380-4010(2)]

11. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
12. A diversion structure and ditch sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Transfer Application T-13121.
13. The proposed change would not result in enlargement of the right.
14. The proposed change would not result in injury to other water rights.
15. All other application requirements are met.

Conclusions of Law

The additional point of diversion proposed in Transfer Application T-13121 is consistent with the requirements of ORS 540.505 to 540.580 and OAR 690-380-5000.

Received
MAY 04 2026

OWRD

Received
MAY 04 2026

OWRD

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Now, therefore, it is ORDERED:

1. The additional point of diversion proposed in Transfer Application T-13121 is approved.
2. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 61988 and any related decree.
3. Water right Certificate 61988 is cancelled.
4. The quantity of water diverted at the new additional point of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.
5. Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass device meets ODFW's criteria. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that the required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass device, as appropriate, at the point of diversion consistent with ODFW's operational and maintenance standards.
6. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2025**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
7. After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on

JAN 29 2020


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing date: JAN 30 2020

Received

MAY 04 2026

OWRD

Received

MAY 04 2026

OWRD

Attachment B

Pump Calculations

Claim of Beneficial Use Report – City of Amity

POD 2 - Pump 1

Pump Capacity Calculation Sheet

using Department designed formula:

$$(\text{hp})(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 11
Efficiency = 6.61
Lift = 43
PSI = 48

Results Calculated

(hp)(efficiency) = 72.71
Head based on psi = 121.9
Total dynamic head = 164.9
(head + lift)

Pump Capacity = 0.44 cubic feet per second

Received
MAY 04 2026
OWRD

POD 2 - Pump 2

Pump Capacity Calculation Sheet

using Department designed formula:

$$(\text{hp})(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 11
Efficiency = 6.61
Lift = 43
PSI = 48

Results Calculated

(hp)(efficiency) = 72.71
Head based on psi = 121.9
Total dynamic head = 164.9
(head + lift)

Pump Capacity = 0.44 cubic feet per second

Received
MAY 04 2026
OWRD

POD 2 - Pump 3

Pump Capacity Calculation Sheet

using Department designed formula:

$$(\text{hp})(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 11
Efficiency = 6.61
Lift = 43
PSI = 48

Results Calculated

(hp)(efficiency) = 72.71
Head based on psi = 121.9
Total dynamic head = 164.9
(head + lift)

Pump Capacity = 0.44 cubic feet per second

Received

MAY 04 2026

OWRD

Received

MAY 04 2026

OWRD

Attachment C

Fish Screen Approval Letter

Claim of Beneficial Use Report - City of Amity




Oregon

Kate Brown., Governor

Department of Fish and Wildlife The Dalles Screen Shop

3561 Klindt Drive
The Dalles, OR 97058
(541) 296-8026
FAX (541) 296-7889
odfw.com



February 2, 2021

Attn. Michael Thomas
City of Amity
PO BOX 159
Amity, OR 97101

RE: Transfer T-13121 and Application S-50474 / Permit S-39599

To whom it may concern,

This letter is in regards to fish screening and bypass device requirements set forth by the Oregon Water Resources Department for S-39599 and T-13121. These two water rights are for the city's proposed new water intake, and will meet the cities projected 40-year water demand of 1.43 cfs or 640 gpm. The new city intake is proposed to be located west of the town of Amity (N45.10889, W123.26176), and it will withdraw water from the South Yamhill River.

The fish screen design that has been selected is an ISI model 18-24PA, and meets National Marine Fisheries Service fish screening criteria. This model of self-cleaning screen, when installed and maintained properly is capable of effectively screening up to 1689 gpm, while protecting all age classes of anadromous salmonids from entrapment and impingement. A by-pass device is not required at this point of diversion as this is an end of pipe fish screen.

If there are any questions regarding the approval of this screen for the proposed City of Amity's water intake, please call me at 541-296-8026

Sincerely,

Bryce Macnab

Fish Screens and Passage Coordinator

CC. Elizabeth Thorley : Keller Associates

Received
MAY 04 2026
OWRD

Received

MAY 04 2026

OWRD

Attachment D

Claim of Beneficial Use Map

Claim of Beneficial Use Report – City of Amity



April 17, 2026

Jonnine Skaug
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271

RE: Claim of Beneficial Use for Transfer T-13121

Jonnine:

On behalf of the City of Amity, please find enclosed a Claim of Beneficial Use (COBU) report for Transfer T-13121.

Please do not hesitate to contact me at 541-753-0933 with questions about the enclosed COBU.

Sincerely,

A handwritten signature in black ink that reads "Zach Westfall".

Zach Westfall
Water Resources Consultant

A handwritten signature in black ink that reads "Robyn Cook".

Robyn Cook, RG, PG, CWRE
Principal Hydrologist

Enclosures:
Claim of Beneficial Use for Transfer T-13121 and \$345 fee

Received
MAY 04 2026
OWRD