

Name Edward L. Kendall
By _____
Address Prescent City, Ore.
Date filed _____
Action suspended until _____

Returned to applicant _____
Date completed _____
Date of approval _____

CONSTRUCTION

Date for beginning Sept. 8, 1929
Date for completion June 1, 1930
Extended to 10/1/30
Date for application of water Oct. 1, 1931
Extended to _____

PROSECUTION OF WORK

Form "A" filed _____
Form "B" filed _____
Form "C" filed _____

FINAL PROOF

Blank mailed 9-19-30 wmw
Proof received _____
Date certificate issued Nov. 28, 1930
Receipt for recording fee No. 12345

Application No. 12231
Permit No. 8622
Certificate No. 8917

Stream Index, Page No. _____
Application Record, Book No. _____

FEES PAID

Date	Amount	Receipt No.
_____	_____	_____
_____	_____	_____
Total	_____	_____

FEES REFUNDED

Date	Amount	Check No.
_____	_____	_____

ASSIGNMENTS

Date	To whom	Address	Volume	Page
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

REMARKS

0.05 sec. ft. from a tunnel, trip to Illinois R. for don.
6-5-30 - Card for B
1-21-32 - 1-27-32 - granted

WRDT-0982-01

*** OREGON WATER RESOURCES DEPARTMENT ***
*** WATER RIGHTS DIVISION ***PAGE 1,229
RUN ON; 11/03/83 AT; 13:49

*** WATER RIGHT DATA INPUT FORM ***

WATER RIGHT NO. A000122311 PERMIT NO. 008622 CERTIF. NO. 0008917

NAME: Edward L. Kendall

ORIG. NO.

PREV. NO.

SUPER. NO.

ADDRESS: xxx

CITY/STATE/ZIP/COUNTY: Crescent City CA 95531/17

STREAM-ID 15-1680-0440-0710-090-030

RIV.MI. 0.0

WM.DIST.

W.R.TYPE SA

STATUS V

CANCEL YEAR--->

CONSTR.COMPLT-->

YR.LAST USED----->

NEXT ACTION DUE-->

PRIORITY----->

PUT TO USE----->

LAST TRANS.DATE-->

LAST TRANS.TYPE-->

APPLICATION--->

SURVEYED-----> 10/20/1938

EXAM.FEE----->

RECORDING FEE----->

PERMIT ISSUE-->

CONCURRENCE----->

CYCLE STATUS----->

REPORTED FLAG----->

CONSTR.STRT.-->

CERTIFIED-----> 11/28/1930

CORRES.INIT.----->

CORRES.DATE----->

POINT-OF-DIVERSION DATA;
TWNSP RNGE SECT QTR/QTR STREAM-ID

RIV.MI.

RATE

STATUS

S OR P

** REMARKS; - - - - -
** DATED-->

400S 070W 05 DA 15168004400710090030

0.0

0.050

V

P

**-----

0.0

0.000

**-----

0.0

0.000

**-----

PLACE-OF-USE DATA:

TWNSP RNGE SECT QTR/QTR CNTY

USE % CNSMTV

ACRES

STATUS

S OR P

400S 070W 05 DA

DO

.00

.00

V

P

**-----

.00

.00

**-----

.00

.00

**-----

Crescent City
Calif.

OFFICE: H at Second St.
Phone 727 P. O. Box 764

Real Estate

THE ENGINEER
RECEIVED
AUG 1 - 1929
SALEM, OREGON

PLEASURES

Bathing, Hunting and
Fishing

Crescent City, California July 22 1929

REDWOOD EMPIRE

Mr Rhea Luper

Salam Ore.

Dear Sir ;

Re. to application # 12231, permit # 8622
Edward L. Kendall I wish to report that the water
applied for in said application is being used .

The first 130 feet to the reservoir is
carried in an open wooden trough "V" shape but is
made of 1 inch boards instead of 2 by 8 as required
by the instructions furnished by your office Sept.
30 1928.

The balance of the distance 540 feet, the
water is carried in a 3/4 inch pipe while your
specifications call for a 2 inch pipe.

I did not realize that the time for
commencement of this work had so nearly expired.

If Necessary the pipe can be ~~px~~
delivered on the ground before July ~~31st~~ 30th but
of not I would prefer to delay all the work until
the farm work is over for this year and then build
a reservoir of cement and make the changes to comply
with the specifications furnished.

I do not wish to lose my filings and hope
to receive an early reply .

Thanking you I am

Very Truly Yours

E L Kendall



8917

COUNTYJosephine

STATE ENGINEER
RECEIVED
OCT 24 1930
SALEM, OREGON

- This column must be filled in if water is used for irrigation.

(Attach separate sheet if necessary)

DESCRIPTION OF WORKS

9. (a) If a dam has been constructed, give description: Height, 1 ft.; length on top, 4 ft.
length on bottom 4 ft.; material used and character of construction, Earth
- (b) Give description of headgate: Width, _____ ft.; depth, _____ ft.; material used and character
of construction, No headgate
- (c) Size of canal: Width on top (at waterline) 6" x 8" - 5 in ft.; width on bottom, 0 ft.; depth of
water, $\frac{1}{2}$ ft.; grade, 10 ft. fall per 1,000 ft. Actual capacity, _____
sec.-ft. Give general description, "V" trough made of 2"x6" boards
500 feet in length
- (d) Pipe line: Description of intake, _____
- Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake, _____ in.; size
at place of use, _____ in. Difference in elevation between intake and place of use, _____ ft.
Is grade uniform? _____ Actual capacity of pipe line, _____ sec.-ft.
Give general description: _____
(Material: Steel, wrought, cast iron, wood stave, etc.)
- (e) Pumping plant: Give size and type of pump, _____
- Suction lift, _____ ft.; discharge lift, _____ ft. Type of motor used _____
- Horse power rating, _____ H. P. Actual capacity of pump, _____ sec.-ft.
10. During what months is water beneficially used Full year
11. State character of soil _____
Kind of crops raised _____
12. Does the accompanying map, filed with your application, show correctly the point of diversion, area
of land irrigated, or place of use? Yes
13. If not, wherein is such map in error? _____
14. Domestic use: Give number of families actually using water at this time One
15. If for power, mining, municipal, manufacturing, storage or any other purpose than irrigation, give
extent and method of such use _____

COPY

AFFIDAVIT OF APPROPRIATOR

STATE OF OREGON,

County of Josephine } ss.

Edward L. Kendall

I, _____, being first duly sworn, depose and say that I have read the above and foregoing proof of appropriation of water; that I know the contents thereof, and that the facts therein stated are true.

IN WITNESS WHEREOF, I have hereunto set my hand this 20th day of October, 1930

Edward L. Kendall

Subscribed and sworn to before me this 20th day of October, 1930

Walter B. Pearce

Notary Public for Oregon

[NOTARIAL SEAL]

My commission expires March 3, 1932

AFFIDAVIT OF WITNESSES

STATE OF OREGON,

County of _____ } ss.

We, _____, and _____

of _____, being first duly sworn, depose and say that

we are well acquainted with the facts and conditions set forth in the foregoing statement relative to proof of appropriation of water under Permit No. _____; that we and each of us have been over and upon each tract described in said proof, and from such personal inspection have knowledge that all necessary ditches, dams and other diversion and distributing works have been constructed, and water used as stated therein; that we have carefully read such proof of appropriation, and that each and every statement contained therein is true to the best of our knowledge and belief.

Subscribed and sworn to before me this _____ day of _____, 193_____

Notary Public for Oregon

[NOTARIAL SEAL]

My commission expires _____

REPORT OF PERSON MAKING INSPECTION

(For use by representative of State Engineer)

COPY

I, Tom R. Pearce, do hereby certify that I have made
an inspection of the works described herein and in Permit No. 8622, on the 20th day
of October, 1930, and found the foregoing statements and descriptions of works to
be accurate. In my opinion the appropriation has been completed to the extent of 0.05 sec.ft.
(Quantity of water in
second-feet or acre-feet)
and I recommend the issuance of a water right certificate for this amount.

NOTE TO INSPECTORS

If conditions do not justify the above report by you, please return the proof without your signature, with a full report by letter.

Tom R. Pearce
(Name)

Watermaster Dist. No. 16.
(Title)

PROOF OF APPROPRIATION

Permit No.

Recording fee paid

Receipt No. 12848


COPY

Edward L. Kendall

Scale 2"=1 Mi. July 1928

T. 40 S., R. 7 W., W. M.

• Holland



Application No. 12231
Permit No. 18622

COPY

October 28, 1930

Mr. Edward L. Kendall,
Crescent City,
California.

Dear Sir:

Your final proof of appropriation of water under Permit No. 3622 has been received in this office and found acceptable. Receipt is also acknowledged of the certificate recording fee of \$1.00 for which I am enclosing my official receipt No. 12848.

The matter of final confirmation of your right by issuance of a water right certificate will soon be given consideration. When the certificate is issued, it will be mailed to the County Clerk of Josephine County for recording and then delivered by him to you.

Yours very truly,

CHAS. E. STRICKLIN,
State Engineer.

By
Assistant.

HB
Encl.

COPY

September 19, 1930.

Mr. Fred N. Cummings,
Watermaster,
Medford, Oregon.

Dear Sir:

I am enclosing a blank for making final
proof under Permit No. 8622 in the name of Edward L.
Kendall.

You are requested to make an inspection
at your convenience.

Yours very truly,

RHEA LUPER
State Engineer

By
Office Assistant.

L

SEP 19 1930

September 19, 1930.

Edward L. Kendall,
Crescent City,
California.


Dear Sir:

We have received and filed the notices of completion of construction work and complete application of water under Permit No. 3622. The blank for making final proof has been sent to the watermaster in Josephine County for his inspection and report. The blank will then be sent to you for your affidavit and the \$1.00 fee for recording the water right certificate in the county records.

Yours very truly,

RHEA LUPER
State Engineer

By
Office Assistant



E. L. KENDALL

Real Estate

RESOURCES
Dairying and Lumbering

—

PLEASURES
Bathing, Hunting and
Fishing

Crescent City
Calif.

OFFICE: H at Second St.
Phone 727. P. O. Box 764

Crescent City, California June 24th 1930

Mr L.A. Stanley
Salem Ore.

Dear Sir :-

Yours of the 21st recd. and thank you
for the extension of time .

This will give plenty of time to complete the
work and do a good job .

Since writing you find that the 2 inch pipe has been
laid .the requirements call for a reservoir at the
intake which I prefer to build of concrete .

Presame this will make no difference to you .

Very Truly Yours

E. L. Kendall

STATE ENGINEER
RECEIVED
JUN 26 1930
SALEM, OREGON



COPY

June 21, 1930

Mr. E. L. Kendall,
P. O. Box 764,
Crescent City, California.

Dear Sir:

In response to the request contained in your letter of June 17th I am extending the time for completion of construction under your Permit No. 3622 until October 1, 1930. In view of the statements made in your letter, I believe this extension will give you ample time to complete the appropriation.

Yours very truly,

RHEA LUPR,
State Engineer.

LAS:HB

By

Office Assistant.

COPY

E. L. KENDALL
Real Estate

PLEASURES
Bathing, Hunting and
Fishing

Crescent City
Calif.
OFFICE: H at Second St.
Phone 727. P. O. Box 764

12231

Crescent City, California June 17th 1930

Mr Rhea Luper
State Engineer
Salem Ore.

STATE ENGINEER
RECEIVED
JUN 20 1930
SALEM, OREGON

Dear Sir :-

Your letter of recent date re: the
completion of work under permit No.8622 to Edward
L.Kendall recd.

All the material for this work is on the ground and
it will not take more than five days to complete
the work .

I was under the impression
that the extension of time gave me until June 30th
but on re-reading the correspondence find the work
should have been completed June 1st.

Its quite important to me that I hold this water
right but was depending on my memory as to the dates
and have let the time lapse.

If there is any way that I can be re-instated hope
you will ~~XXXX~~ favor me that much . and allow me
until June 30th to complete the work.

This ranch has been using the water from this
supply for more than 40 years and is now using it.

We have a 3/4 inch galvanized pipe and the permit
calls for 2 inch . all that is necessary to be done
is fo install a new storage tank and change the
size of the



COPY

August 1, 1929

STATE ENGINEER
RECEIVED

OREGON

Mr. A. C. Hough,
Attorney,
Grants Pass, Oregon.

Dear Sir:

You requested an extension of time
in your letter of July 31st.

I presume you meant the time limit for
beginning of construction. This will advise that
this time limit is fixed as one year from the
date the permit is issued and the State Engineer
does not have authority to extend it. If no
construction work whatsoever will be done under
Permit No. 8622 before September 8th, it will
be necessary that it be cancelled. If you send
in Form A on or before that time, the permit
will be in good standing until June 1, 1930.

Yours very truly,

RHEA LUPER,
State Engineer.

By

Assistant.

HB

COPY

July 31, 1929

Crescent City
Calif.

OFFICE: H. A. ...
Phone 123 4 5 6 7 8 9

REWOOD

Hon Rhea Lupér,
State Engineer,
Salem, Oregon.

Dear Sir:

I wish to add my recommendation of
Mr. E. L. Kendall, of Crescent City, to the
enclosed report and request from him to you.

Mr. Kendall stated to me recently
that owing to the difficulty of securing
labor during the crop season it was almost
impossible for him to put in the pipe line
and the other works required by you, but
assured me that it would be attended to as
soon as the crops were off the land.

I have always found Mr. Kendall
worthy and I hope you can extend his right
to install until about the 15th of October,
when he assures me that the work will be
completed.

Yours very truly,

ACH:G
Encl.

STATE ENGINEER
RECEIVED
AUG 1 - 1929
SALEM, OREGON

Crescent City
Calif.

OFFICE: Hat Second St.
Phone 727 P. O. Box 764

REDWOOD EMPIRE



Real Estate
COPY

ENGINEER
RECEIVED
AUG 1 - 1929
SALEM, OREGON

PLEASURES

Bathing, Hunting and
Fishing

Crescent City, California July 22 1929

Mr Rhea Luper

Salam Ore.

Dear Sir ;

Re. to application # 12231, permit # 3622
Edward L. Kendall I wish to report that the water
applied for in said application is being used .

The first 130 feet to the reservoir is
carried in an open wooden trough "V" shape but is
made of 1 inch boards instead of 2 by 8 as required
by the instructions furnished by your office Sept.
30 1928.

The balance of the distance 540 feet, the
water is carried in a 3/4 inch pipe while your
specifications call for a 2 inch pipe.

I did not realize that the time for
commencement of this work had so nearly expired.

If Necessary the pipe can be ~~by~~
delivered on the ground before July ~~30th~~ 30th but
of not I would prefer to delay all the work until
the farm work is over for this year and then build
a reservoir of cement and make the changes to comply
with the specifications furnished.

I do not wish to lose my filings and hope
to receive an early reply .

Thanking you I am

Very Truly Yours

E L Kendall

COPY

September 20, 1928

Edward L. Kendall,
Crescent City, Calif.

Enclosed please find Application No. 12231, Mining Permit No. 8622,
together with blue print.

This application has been approved and recorded in this office.

August 1, 1928

COPY

Mr. Tom R. Pearce,
Water Master, District No. 16,
Grants Pass, Oregon.

Dear Sir:

This will acknowledge receipt of the application for permit to appropriate water which you submitted for Mr. Edward L. Kendall, together with maps and fees in the amount of \$10.00. Official receipt No. 8543, covering this remittance is enclosed.

The application has been given No. 12251 and on first inspection seems to be complete. It is being placed in line for approval and issuance of a permit.

Yours very truly,

Rhea Luper,
State Engineer.

HB
Encl.

NOTICE OF BEGINNING OF CONSTRUCTION

I, Edward L. Kendall, the holder of Application No. 12231, being
Reservoir and enlargement Permit No. 8622, issued by the State Engineer of the State of Oregon
 (Reservoir or Enlargement)
 for the appropriation of 0.05 cubic second-feet of the waters of Tunnel
 in accordance with the tenor of such permit and the limitations endorsed thereon by the State Engineer,
 began the actual construction of the works described therein on the 28th day of August, 19 29
 being within the time limitation as fixed in said permit for the beginning of construction work.

By placing on the ground 550 feet of 2 inch water pipe
 The appropriator should state the manner of beginning construction work, number of men and teams employed, the amount of work completed up to the date of this
 statement, and any additional information which may tend to show the beginning of work in good faith.
We are now using the water conducting it through a 3/4 inch pipe and
a V LUMBER trough made of inch lumber and a sump made of lumber

IN WITNESS WHEREOF, I have hereunto set my hand this 6th day of September, 19 29
Crescent City Calif.
 (Present Address) Edward L. Kendall
 (Signature of Applicant)

Fill out, detach, and mail to the State Engineer, Salem, Oregon.

NOTICE OF COMPLETION OF CONSTRUCTION

I, Edward L. Kendall, the holder of Application No. 12231, being
Reservoir Permit No. 8622, issued by the State Engineer of the State of Oregon
 (Reservoir or Enlargement)
 for the appropriation of 0.05 second-feet of the waters of Tunnel
 in accordance with the tenor of such permit and the limitations endorsed thereon by the State Engineer,
 have completed the construction of the works described therein the 15th day of September, 19 30
 being within the time limitation as fixed in said permit or as extended by the State Engineer for the
 completion of construction work.

Remarks: _____
 If the works have a less capacity than as described in the permit, or you have definitely abandoned your plan of irrigating any of the lands described

in your permit, you should so state in order that our records may not be unnecessarily encumbered.

IN WITNESS WHEREOF, I have hereunto set my hand this 15th day of September, 19 30
Crescent City Calif.
 (Present Address) Edward L. Kendall
 (Signature of Applicant)

Fill out, detach, and mail to the State Engineer, Salem, Oregon.

Form D should be used in reporting progress of work if more than one year has been allowed for completion.

NOTICE OF COMPLETE APPLICATION OF WATER TO A BENEFICIAL USE

OK for proof
 I, Edward L. Kendall, the holder of Application No. 12231, being
Reservoir Permit No. 8622, issued by the State Engineer of the State of Oregon
 (Reservoir or Enlargement)
 for the appropriation of 0.05 second-feet of the waters of Tunnel
 in accordance with the tenor of such permit and the limitations endorsed thereon by the State Engineer,
 completely applied the water to a beneficial use, on the 15th day of September, 19 30,
 being the time limitation as fixed in said permit or as extended by the State Engineer for the complete
 application of water to a beneficial use.

Remarks: The two inch pipe does not carry all the water that comes
 If all of the water granted in the permit had not been fully applied to beneficial use, you should so state, so that delinquent appropriators may
through the 4" X 4" opening and have put in an overflow that carries
the surplus water back to the creek.
 have notice.

IN WITNESS WHEREOF, I have hereunto set my hand this 15th day of September, 19 30
Crescent City Calif.
 (Present Address) Edward L. Kendall
 (Signature of Applicant)


Fill out, detach, and mail to the State Engineer, Salem, Oregon.

Edward L. Kendall

Scale 2"=1 Mi. July 1928

T. 40 S., R. 7 W., W. M.

• Holland



Application No. 12231
Permit No. 18622

Edward L. Kendall

Scale 2"=1 Mi. July 1928

T. 40 S., R. 7 W., W. M.

• Holland



Application No. 12231
Permit No. 18622

October 28, 1930

Mr. Edward L. Kendall,
Crescent City,
California.

Dear Sir:

Your final proof of appropriation of water under Permit No. 3622 has been received in this office and found acceptable. Receipt is also acknowledged of the certificate recording fee of \$1.00 for which I am enclosing my official receipt No. 12848.

The matter of final confirmation of your right by issuance of a water right certificate will soon be given consideration. When the certificate is issued, it will be mailed to the County Clerk of Josephine County for recording and then delivered by him to you.

Yours very truly,

CHAS. E. STRICKLIN,
State Engineer.

By
Assistant.

HB
Encl.

September 19, 1930.

Mr. Fred N. Cummings,
Watermaster,
Medford, Oregon.

Dear Sir:

I am enclosing a blank for making final
proof under Permit No. 8622 in the name of Edward L.
Kendall.

You are requested to make an inspection
at your convenience.

Yours very truly,

RHEA LUPER
State Engineer

By
Office Assistant.

L

September 19, 1950.

Edward L. Kendall,
Grescent City,
California.

Dear Sir:

We have received and filed the notices of completion of construction work and complete application of water under Permit No. 8622. The blank for making final proof has been sent to the watermaster in Josephine County for his inspection and report. The blank will then be sent to you for your affidavit and the \$1.00 fee for recording the water right certificate in the county records.

Yours very truly,

RHEA LUPER
State Engineer

By
Office Assistant

L

RESOURCES
Dairying and Lumbering

PLEASURES
Bathing, Hunting and
Fishing

E. L. KENDALL

Real Estate

Crescent City
Calif.

OFFICE: H at Second St.
Phone 727. P. O. Box 764

Crescent City, California June 24th 1930

Mr L.A. Stanley

Salem Ore.

Dear Sir :-

Yours of the 21st recd. and thank you
for the extension of time .

This will give plenty of time to complete the
work and do a good job .

Since writing you find that the 2 inch pipe has been
laid .the requirements call for a reservoir at the
intake which I prefer to build of concrete .

Presume this will make no difference to you .

Very Truly Yours

E. L. Kendall



June 21, 1930

Mr. E. L. Kendall,
P. O. Box 764,
Crescent City, California.

Dear Sir:


In response to the request contained in your letter of June 17th I am extending the time for completion of construction under your Permit No. 8622 until October 1, 1930. In view of the statements made in your letter, I believe this extension will give you ample time to complete the appropriation.

Yours very truly,

RIEA LUPER,
State Engineer.

LAS:HB

By
Office Assistant.



Crescent City
Calif.

OFFICE: H at Second St.
Phone 727. P. O. Box 764

E. L. KENDALL Real Estate

SOURCES
and Lumbering

PLEASURES
Bathing, Hunting and
Fishing

12231

Crescent City, California June 17th 1930

Mr Rhea Luper
State Engineer
Salem Ore.

Dear Sir :-

STATE ENGINEER
RECEIVED
JUN 20 1930
SALEM, OREGON

Your letter of recent date re: the
completion of work under permit No.8622 to Edward
L.Kendall recd.

All the material for this work is on the ground and
it will not take more than five days to complete
the work .

I was under the impression
that the extension of time gave me until June 30th
but on re-reading the correspondence find the work
should have been completed June 1st.

Its quite important to me that I hold this water
right but was depending on my memory as to the dates
and have let the time lapse.

If there is any way that I can be re-instated hope
you will ~~XXXX~~ favor me that much . and allow me
until June 30th to complete the work.

This ranch has been using the water from this
supply for more than 40 years and is now using it.

We have a 3/4 inch galvanized pipe and the permit
calls for 2 inch . all that is necessary to be done

is to install a new storage tank and change the
size of the pipes. Hoping you may be able to assist
me I am Very Truly Yours
E L Kendall



O T A O O D H I

RESC
Dairyine

August 1, 1929

Mr. A. C. Hough,
Attorney,
Grants Pass, Oregon.

Dear Sir:

You requested an extension of time
in your letter of July 31st.

I presume you meant the time limit for
beginning of construction. This will advise that
this time limit is fixed as one year from the
date the permit is issued and the State Engineer
does not have authority to extend it. If no
construction work whatsoever will be done under
Permit No. 8622 before September 8th, it will
be necessary that it be cancelled. If you send
in Form A on or before that time, the permit
will be in good standing until June 1, 1930.

Yours very truly,

RHEA LUPER,
State Engineer.

By
Assistant.

HB

LAWYER
GRANTS PASS, OREGON

July 31, 1929

Hon Rhea Luper,
State Engineer,
Salem, Oregon.

STATE ENGINEER
RECEIVED
AUG 1 - 1929
SALEM, OREGON

Dear Sir:

I wish to add my recommendation of Mr. E. L. Kendall, of Crescent City, to the enclosed report and request from him to you.

Mr. Kendall stated to me recently that owing to the difficulty of securing labor during the crop season it was almost impossible for him to put in the pipe line and the other works required by you, but assured me that it would be attended to as soon as the crops were off the land.

I have always found Mr. Kendall worthy and I hope you can extend his right to install until about the 15th of October, when he assures me that the work will be completed.

Yours very truly,



ACE:G
Encl.



Crescent City
Calif.

OFFICE: Hat Second St.
Phone 727 P. O. Box 764

A.C. HOUGH
E. L. KENDALL
Real Estate

STATE ENGINEER
RECEIVED
JUL 1 - 1929
SALEM, OREGON

Dairy and Lumbering
PLEASURES
Bathing, Hunting and
Fishing

Crescent City, California July 22 1929

REDWOOD EMPIRE



Mr Rhea Luper

Salam Ore.

Dear Sir ;

Re. to application # 12231, permit # 8622
Edward L. Kendall I wish to report that the water
applied for in said application is being used .

The first 130 feet to the reservoir is
carried in an open wooden trough "V" shape but is
made of 1 inch boards instead of 2 by 8 as required
by the instructions furnished by your office Sept.
30 1928.

The balance of the distance 540 feet, the
water is carried in a 3/4 inch pipe while your
specifications call for a 2 inch pipe.

I did not realize that the time for
commencement of this work had so nearly expired.

If Necessary the pipe can be ~~XX~~
delivered on the ground before July ~~31st~~ 30th but
of not I would prefer to delay all the work until
the farm work is over for this year and then build
a reservoir of cement and make the changes to comply
with the specifications furnished.

I do not wish to lose my filings and hope
to receive an early reply .

Thanking you I am

Very Truly Yours

E. L. Kendall

September 20, 1928

Edward L. Kendall,
Crescent City, Calif.

Enclosed please find Application No. 12231, being Permit No. 8622,
together with blue print.

This application has been approved and recorded in this office.

August 1, 1928

Mr. Tom R. Pearce,
Water Master, District No. 16,
Grants Pass, Oregon.

Dear Sir:

This will acknowledge receipt of the application for permit to appropriate water which you submitted for Mr. Edward L. Kendall, together with maps and fees in the amount of \$10.00. Official receipt No. 8545, covering this remittance is enclosed.

The application has been given No. 12251 and on first inspection seems to be complete. It is being placed in line for approval and issuance of a permit.

Yours very truly,

Rhea Luper,
State Engineer.

HB
Encl.

PERMIT No. 8622.....

APPLICATION No. 12231

COUNTYJosephine.....

PROOF OF APPROPRIATION OF WATER

1. Name Edward L. Kendall 2. Address Crescent City, Cal.

3. Source of supply Tunnel

Tributary of Illinois River

4. Amount of water 0.05 5. Priority date July 30, 1928

6. Use Domestic

7. Location of point of diversion, NE¹SE¹ Sec. 5, Twp. 40 S, Range 7 W W. M.
(Legal Subdivision)

8. The description of land given below corresponds to that found in your permit covering land to be irrigated, or, if for other purposes, the place of use. In the blank column on the right, headed "No. acres actually irrigated," fill in the number of acres you have irrigated in each of the tracts described:

[illegible]

(Attach separate sheet if necessary)

DESCRIPTION OF WORKS

9. (a) If a dam has been constructed, give description: Height, 1 ft.; length on top, 4 ft.
length on bottom 4 ft.; material used and character of construction, Earth
- (b) Give description of headgate: Width, _____ ft.; depth, _____ ft.; material used and character
of construction, No headgate
- (c) Size of canal: Width on top (at waterline) 6" 15" - 50" ft.; width on bottom, 0 ft.; depth of
water, 1 1/2 ft.; grade, 10 ft. fall per 1,000 ft. Actual capacity, _____
sec.-ft. Give general description, "V" trough made of 2"x6" boards
300 feet in length
- (d) Pipe line: Description of intake, _____
Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake, _____ in.; size
at place of use, _____ in. Difference in elevation between intake and place of use, _____ ft.
Is grade uniform? _____ Actual capacity of pipe line, _____ sec.-ft.
Give general description: _____
(Material: Steel, wrought, cast iron, wood stave, etc.)
- (e) Pumping plant: Give size and type of pump, _____
Suction lift, _____ ft.; discharge lift, _____ ft. Type of motor used _____
Horse power rating, _____ H. P. Actual capacity of pump, _____ sec.-ft.
10. During what months is water beneficially used Full year
11. State character of soil _____
Kind of crops raised _____
12. Does the accompanying map, filed with your application, show correctly the point of diversion, area
of land irrigated, or place of use? Yes
13. If not, wherein is such map in error? _____
14. Domestic use: Give number of families actually using water at this time One
15. If for power, mining, municipal, manufacturing, storage or any other purpose than irrigation, give
extent and method of such use _____

AFFIDAVIT OF APPROPRIATOR

STATE OF OREGON,

County of Josephine } ss.

Edward L. Kendall

I, _____, being first duly sworn, depose and say that I have read the above and foregoing proof of appropriation of water; that I know the contents thereof, and that the facts therein stated are true.

IN WITNESS WHEREOF, I have hereunto set my hand this 20th day of October, 1930.

Edward L. Kendall

Subscribed and sworn to before me this 20th day of October, 1930.

Walter B. Pearce

Notary Public for Oregon

[NOTARIAL SEAL]

My commission expires March 5, 1932

AFFIDAVIT OF WITNESSES

STATE OF OREGON,

County of _____ } ss.

We, _____, and _____ of _____, being first duly sworn, depose and say that we are well acquainted with the facts and conditions set forth in the foregoing statement relative to proof of appropriation of water under Permit No. _____; that we and each of us have been over and upon each tract described in said proof, and from such personal inspection have knowledge that all necessary ditches, dams and other diversion and distributing works have been constructed, and water used as stated therein; that we have carefully read such proof of appropriation, and that each and every statement contained therein is true to the best of our knowledge and belief.

Subscribed and sworn to before me this _____ day of _____, 193_____.

Notary Public for Oregon

[NOTARIAL SEAL]

My commission expires _____

REPORT OF PERSON MAKING INSPECTION

(For use by representative of State Engineer)

I, Tom R. Pearce, do hereby certify that I have made an inspection of the works described herein and in Permit No. 8622, on the 20th day of October, 1930, and found the foregoing statements and descriptions of works to be accurate. In my opinion the appropriation has been completed to the extent of 0.05 sec.ft.
(Quantity of water in second-feet or acre-feet)
and I recommend the issuance of a water right certificate for this amount.

NOTE TO INSPECTORS

If conditions do not justify the above report by you, please return the proof without your signature, with a full report by letter.

Tom R. Pearce
(Name)

Watermaster Dist. No. 16.
(Title)

PROOF OF APPROPRIATION

Permit No.

Recording fee paid

Receipt No. 12848

NOTICE OF BEGINNING OF CONSTRUCTION

I, Edward L. Kendall, the holder of Application No. 12231, being
Reservoir and enlargement Permit No. 8622, issued by the State Engineer of the State of Oregon
 (Reservoir or Enlargement)
 for the appropriation of 0.05 cubic second-feet of the waters of Tunnel
 in accordance with the tenor of such permit and the limitations endorsed thereon by the State Engineer,
 began the actual construction of the works described therein on the 28th day of August, 19 29,
 being within the time limitation as fixed in said permit for the beginning of construction work.

By placing on the ground 550 feet of 2 inch water pipe
 The appropriator should state the manner of beginning construction work, number of men and teams employed, the amount of work completed up to the date of this
We are now using the water conducting it through a 3/4 inch pipe and
 statement, and any additional information which may tend to show the beginning of work in good faith.
a V LUGG trough made of inch lumber and a sump made of lumber

IN WITNESS WHEREOF, I have hereunto set my hand this 6th day of September, 19 29
Crescent City Calif.
 (Present Address) *Edward L. Kendall*
 (Signature of Applicant)

Fill out, detach, and mail to the State Engineer, Salem, Oregon.

Form B

NOTICE OF COMPLETION OF CONSTRUCTION

I, Edward L. Kendall, the holder of Application No. 12231, being
reservoir Permit No. 8622, issued by the State Engineer of the State of Oregon
 (Reservoir or Enlargement)
 for the appropriation of 0.05 second-feet of the waters of Tunnel
 in accordance with the tenor of such permit and the limitations endorsed thereon by the State Engineer,
 have completed the construction of the works described therein the 15th day of September, 19 30,
 being within the time limitation as fixed in said permit or as extended by the State Engineer for the
 completion of construction work.

Remarks: If the works have a less capacity than as described in the permit, or you have definitely abandoned your plan of irrigating any of the lands described
in your permit, you should so state in order that our records may not be unnecessarily encumbered.

IN WITNESS WHEREOF, I have hereunto set my hand this 15th day of September, 19 30
Crescent City Calif.
 (Present Address) *Edward L. Kendall*
 (Signature of Applicant)

Fill out, detach, and mail to the State Engineer, Salem, Oregon.

Form D should be used in reporting progress of work if more than one year has been allowed for completion.

Form C

NOTICE OF COMPLETE APPLICATION OF WATER TO A BENEFICIAL USE

I, Edward L. Kendall, the holder of Application No. 12231, being
Reservoir Permit No. 8622, issued by the State Engineer of the State of Oregon
 (Reservoir or Enlargement)
 for the appropriation of 0.05 second-feet of the waters of Tunnel
 in accordance with the tenor of such permit and the limitations endorsed thereon by the State Engineer,
 completely applied the water to a beneficial use, on the 15th day of September, 19 30,
 being the time limitation as fixed in said permit or as extended by the State Engineer for the complete
 application of water to a beneficial use.

Remarks: The two inch pipe does not carry all the water that comes
through the 4" X 4" opening and have put in an overflow that carries
the surplus water back to the creek.
 have notice.

IN WITNESS WHEREOF, I have hereunto set my hand this 15th day of September, 19 30
Crescent City Calif.
 (Present Address) *Edward L. Kendall*
 (Signature of Applicant)

Fill out, detach, and mail to the State Engineer, Salem, Oregon.