

G3

ASSIGNED

JACK SPARROWK
PO BOX 657
CLEMETS, CA

Application No. G13313
Permit No. G11880
Certificate No. 95227 95227

Application No. G13313
Permit No. G11880
Certificate No. _____

FEES PAID		
Date	Amount	Receipt No.
3/5/02	1200.00	97624
Record 12/20/93	1364.00	108183
7/5/02	25.00	53977
9/29/23	230.00	141704

Stream Index, Page No. _____

Vol. 1 DRENCH CREEK #11200
13-0040-0050
See map cabinet + Lin #84

FEES REFUNDED		
Date	Amount	Check No.

Date filed
Priority
Action suspended until FPD

Return to applicant
Date of approval DEC 6 1994

CONSTRUCTION

Date for beginning DEC 6 1995
Date for completion OCT 1 1996
Extended to
Date for application of water OCT 1 1997
Extended to 10/1/2018

PROSECUTION OF WORK

Form "A" filed
Form "B" filed
Form "C" filed 10-1-97

FINAL PROOF

Blank mailed
Proof received
Date certificate issued

ASSIGNMENTS

Date	To Whom	Address	Volume	Page
7/5/2002	South Valley Bank & Trust Assigned and Jack Sparrowk	PO Box 190 Lakeview OR 97630 PO Box 657, Clemets CA 95227	9	212
8/11/14	Jack Sparrowk PO Box 657 Clemets, CA 95227			

REMARKS

A- Form 90 sent 1-3-96
B sent 12/18/96
No payment as of 7/30/08

COBU MAP # 2077 A-5

FOR 2002

DATE FRT 6-7 TIME PM

FROM KATHY ANENEE

FIRM BANK LAKEVIEW

PHONE (541)-947-3200

FAX AREA CODE G NUMBER 13313 EXTENSION
 MOBILE AREA CODE NUMBER TIME TO CALL


TELEPHONED	<input checked="" type="checkbox"/>	PLEASE CALL	<input checked="" type="checkbox"/>
RETURNED YOUR CALL		WILL CALL AGAIN	
CAME TO SEE YOU		RUSH	
WANTS TO SEE YOU		SPECIAL ATTENTION	
WAITING TO SEE YOU		HOLDING LINE	

MESSAGE Dennis GENDR

Permit # 11880

JACK SPARROWK

New

SIGNED Blouf  FORM 4007 MADE IN U.S.A.

SPOKE W/ JARRELL
(MANAGER?)
759-3311

WORKS FOR JACK

HE WILL SEND
JAN STATEMENT

ABOUT
OWNERSHIP

QUEST. # 7
UNANSWERED

MESSAGE

CLARK Gerald E * WRD

From: CLARK Gerald E * WRD
Sent: Wednesday, November 13, 2024 10:15 AM
To: IVERSON Justin T * WRD
Cc: FISH Grayson C * WRD
Subject: RE: COBU and Pump Test for Groundwater Permit G-17289

Justin,

Thanks for the information. I will place a copy of the message chain in the file (G-13313).

Have a great day!

Gerry

Gerry Clark

He/Him/His

Program Analyst, Certificate Section, Water Right Services Division | Phone 503-979-9103

From: IVERSON Justin T * WRD <Justin.T.IVERSON@water.oregon.gov>
Sent: Wednesday, November 13, 2024 9:53 AM
To: CLARK Gerald E * WRD <Gerald.E.CLARK@water.oregon.gov>
Cc: FISH Grayson C * WRD <Grayson.C.FISH@water.oregon.gov>
Subject: FW: COBU and Pump Test for Groundwater Permit G-17289

Morning Gerry,

Wanted to make you aware of this communication that relates to a permit with a filed COBU. May be good to print and drop in the file to ensure the caseworker is aware when it comes up for processing.

Please reach out to Grayson if you have any questions on the content.

Thanks,

Justin Iverson, RG

GROUNDWATER SECTION MANAGER

Oregon Water Resources Department

Cell: 503-302-9728

Justin.T.Iverson@water.oregon.gov

Pronouns: He/Him

Please Note: under Oregon law, messages to and from this e-mail address may be made available to the public

We're hiring! See the full list of OWRD recruitments [here](#). Search for "owrd".

From: FISH Grayson C * WRD <Grayson.C.FISH@water.oregon.gov>
Sent: Friday, November 8, 2024 4:43 PM
To: ANDERSON Matthew A * WRD <Matthew.A.ANDERSON@water.oregon.gov>
Cc: SKILES Tom D * WRD <Tom.D.SKILES@water.oregon.gov>; IVERSON Justin T * WRD <Justin.T.IVERSON@water.oregon.gov>; SEYMOUR Timothy R * WRD <Timothy.R.SEYMOUR@water.oregon.gov>
Subject: Groundwater Permit G-17289

Hello Matt,

I am contacting you because I just rejected a pump test on POA 3 (LAKE 52593) on Permit 17289 which was submitted along with a COBU for not meeting multiple requirements of the pump test program. So you may get a call about that (usually I do).

However, upon review of the permit I noticed the following conditions:

Proposed point of appropriation POA #2 shall be reconstructed to casing and continuous seal from land surface to 137 feet depth to the predominantly volcanic/basalt unit.

Proposed point of appropriation POA #3 shall be constructed with and continuous seal from land surface through the entire valley-fill

POAs are as follows:

POA 1 = LAKE 1945

POA 2 = LAKE 1946/LAKE 52093

POA 3 = LAKE 52593/ LAKE 52593



POA 2 has not been reconstructed to meet the requirements of the above listed permit condition.

POA 3 appears to meet the requirements of the above listed permit condition.

The COBU submitted on 9/29/23 includes the following on page 5:

There are numerous errors on the issued permit.

The permit alternates between numbers 3 and 5 for a single well through initially called well 3 in the declaration of total primary and supplemental in the well location table. Then the well is referred to as POA #3 in the application map refers to the Well as #5.

The total number of primary acres and supplemental acres listed on the number of acres listed on the place of use table on page 2. The table is proof.

The permit does not authorize any rate of water out of Well 5, but does well.

Based on my review of the well logs and Jerry's PA review (attached), I do not agree that the construction conditions contradict each other as stated in the COBU.

Happy to discuss further if you need any additional information or if water rights needs to be informed/involved.

Thank you,

Grayson Fish, RG

Hydrogeologist – Groundwater Section

Mobile 971-283-1039 | grayson.c.fish@water.oregon.gov

Pronouns: he/him/his



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1271
 (503) 986-0900
 www.wrd.state.or.us

Ground Water Review Form:

- Water Right Transfer
- Permit Amendment
- GR Modification
- Other

Application: T- 11817

Applicant Name: Sparrowk Livestock

Proposed Changes: POA APOA
 USE POU

SW→GW RA
 OTHER

Reviewer(s): Gerald H. Grondin

Date of Review: 25 June 2014

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- Other _____

1. Basic description of the changes proposed in this transfer: _____

This permit amendment application (T-11817) relates to permit G-11880 (file G-13313) that authorizes the use of two wells to irrigate 134.22 primary acres and 507.74 supplemental acres. Well 1 is authorized to pump at a maximum rate of 1.56 cfs (700 gpm) for primary irrigation and 2.649 cfs (1,189 gpm) for supplemental irrigation. Well 2 is authorized to pump at a maximum rate of 0.118 cfs (53 gpm) for primary irrigation and 3.698 cfs (1,660 gpm) for supplemental irrigation.

The permit amendment seeks to change the Well 2 POA and to add a third well.

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
 Yes No Comments: _____

The groundwater source is the predominantly volcanic/basalt unit below the valley-fill sediments. Authorized POA 1 (LAKE 1945) is continuously cased and continuously sealed into the predominantly volcanic/basalt unit. There is 2 feet of sediment only at this POA well site. Proposed POA 2 (LAKE 1946 original, LAKE 52093 deepening) is not continuously cased nor continuously sealed into the predominantly volcanic/basalt unit. Continuous casing and continuous seal needs to extend from land surface to 137 feet depth minimum. Proposed POA 3 is not drilled yet. Its construction needs to include continuous casing and continuous seal from land surface through the entire valley-fill sediment and into the predominantly volcanic/basalt unit.

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
 Yes No _____

Authorized POA 1 (LAKE 1945) is constructed to obtain groundwater solely from the predominantly volcanic/basalt unit.

Proposed POA 2 (LAKE 1946 original, LAKE 52093 deepening) is currently constructed to obtain groundwater from the valley-fill sediments and the predominantly volcanic/basalt unit below. It needs to be reconstructed to have continuous casing and continuous seal from land surface to 137 feet depth minimum to obtain groundwater solely from the predominantly volcanic/basalt unit.

Proposed POA 3 is not drilled yet. Its construction needs to include continuous casing and continuous seal from land surface through the entire valley-fill sediment and into the predominantly volcanic/basalt unit to obtain groundwater solely from the predominantly volcanic/basalt unit.

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____

4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another ground water right?

Yes No Comments: _____

The proposed changes moves the authorized pumping further away from the nearest other groundwater right well.

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

Yes No If yes, explain: _____

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source?

Yes No Comments: _____

Interference will be with the same surface water bodies, Howard Creek and Drews Creek.

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change?

Stream: Howard Creek Minimal Significant
 Stream: Drews Creek Minimal Significant

Provide context for minimal/significant impact: _____

See part a above.

6. What conditions or other changes in the application are necessary to address any potential issues identified above: _____

The following conditions are recommended:

Condition 7P (well tag condition) applied to all the POA wells.

Condition 7T (measurement tube) applied to all the POA wells.

"Large" condition (flow meter) applied to all the POA wells.

"Proposed POA 2 (LAKE 1946 original, LAKE 52093 deepening) shall be reconstructed to have at minimum continuous casing and continuous seal from land surface to 137 feet depth to obtain groundwater solely from the predominantly volcanic/basalt unit."

"Proposed POA 3 (not drilled yet) shall be constructed with at minimum continuous casing and continuous seal from land surface through the entire valley-fill sediment into the predominantly volcanic/basalt unit to obtain groundwater solely from the predominantly volcanic/basalt unit."

7. Any additional comments: _____

No additional comments.



Groundwater Permit Amendment T-11817 Sparrowk Livestock



Yellow = Application Noted Well(s)
Red = Other Existing or Proposed Wells
Blue and Other = surface water rights



Groundwater Permit Amendment T-11817 Sparrowk Livestock



Yellow = Application Noted Well(s)
Red = Other Existing or Proposed Wells

Blue and Other = surface water rights



NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

Lake 1945

State Well No. 385/17E-16cd

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

APR 30 1979

Write above this line

State Permit No. _____

WATER RESOURCES DEPT. SALEM, OREGON

SE SW 16 385 17 E

(1) OWNER:

Name JACK SPARROWK
Address DREWS VALLEY LAKEVIEW, OREGON 97630

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
14 " Diam. from 0 ft. to 41.5 ft. Gage 250
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No.
Type of perforator used FACTORY-CUT
Size of perforations 1/8, 3/16 in. by 3 in.
2,080 perforations from 115 ft. to 375 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? Contractor
Yield: 1,000 gal./min. with 108 ft. drawdown after 25 hrs.
900 " 84 " 25 "
" 800 " 77 " 25 "
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water 58° Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement-Bentonite Slurry
Well sealed from land surface to _____ 20 ft.
Diameter of well bore to bottom of seal 24 in.
Diameter of well bore below seal 20 in.
Number of sacks of cement used in well seal 21 sacks
Number of sacks of bentonite used in well seal 3 sacks
Brand name of bentonite Baroid Quick-Gel
Number of pounds of bentonite per 100 gallons of water 15 lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: 1/2 to 1/4 "
Gravel placed from 20 ft. to 407 ft.

(10) LOCATION OF WELL:

County LAKE Driller's well number AR-543-78
1/4 1/4 Section T. R. W.M.

Bearing and distance from section or subdivision corner

SEE ATTACHED DOCUMENT

(11) WATER LEVEL: Completed well.

Depth at which water was first found 115 ft.
Static level 47 ft. below land surface. Date 11/1/78
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 8 Inch
Depth drilled 860 ft. Depth of completed well 860 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil Zone (Adobe & Sm. Bould)	0	2	
Basalt Boulders (Cemented)	2	22	
Obsidian Boulders (Cemented)	22	60	
Silicate Bonded Sedimentary			
Rock (Very Hard)	60	70	
Faulted, Angular Basalt (Pink)	70	120	
H2O Aquifer 30 G.P.M.			47
Fractured Basalt With Ginders	120	160	
Silicate-Cemented Quartz			
With Loose, Fine White Sand			
H2O Zone 300-400 G.P.M.	160	300	
Fractured Obsidian Cemented			
With Silicate			
H2O Zone 500-600 G.P.M.	300	400	
Obsidian (solid)	400	610	
Silicate-Cemented Obsidian			
H2O Zone 150-200 G.P.M.	610	730	
Basalt, Fractured, Red	730	800	
Basalt, Fractured, Brown	800	860	

Work started 9/20/1978 Completed 11/1/1978
Date well drilling machine moved off of well 10/16/1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Gary Stoksbury Date 11/1/1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 801

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name RAPID WATER WELL DRILLING COMPANY
(Person, firm or corporation) (Type or print)

Address 545 NORTH G ST., Lakeview, Oregon

[Signed] Gary Stoksbury
(Water Well Contractor)

Contractor's License No. 652 Date 11/1/1978

NOTICE TO WATER WELL CONTRACTOR:
The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON within 30 days from date of well completion.

RECEIVED
MAY 7 1968
STATE ENGINEER
SALEM, OREGON

WATER WELL REPORT

Lake 1946
State Well No. 38/7-17 R
State Permit No. _____

(1) OWNER:
Name Clarence Dallas-Drew Valley Ranch
Address Lakeview Oregon

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:
Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):
Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:
Threaded Welded
" Diam. from 0 ft. to 95 ft. Gage 1/4
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS: Perforated? Yes No.
Type of perforator used torch
Size of perforations 1/4 in. by 10 in.
30 perforations from 95 ft. to 75 ft.
20 perforations from 45 ft. to 30 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WATER LEVEL: Completed well.
Static level 3 ft. below land surface Date 4/5/68
Artesian pressure _____ lbs. per square inch Date _____

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
gal./min. with _____ ft. drawdown after _____ hrs.
" " " " " " "
" " " " " " "
Bailer test 70 gal./min. with 110 ft. drawdown after 2 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water 56 Was a chemical analysis made? Yes No

(10) CONSTRUCTION:
Well seal—Material used Bentonite
Depth of seal 25 ft.
Diameter of well bore to bottom of seal 20 in.
Were any loose strata cemented off? Yes No Depth _____
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(11) LOCATION OF WELL:
County Lake Driller's well number 11
SE 1/4 SE 1/4 Section 17 T. 38 R. 17 W.M.
Bearing and distance from section or subdivision corner SE

(12) WELL LOG: 14" to 125' -- 10" to 225'
Diameter of well below casing _____
Depth drilled 225 ft. Depth of completed well 225 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Clay, gravel brown	0	31	5 5
Sandstone, brown carrying water	31	38	
Gravel, sand	38	72	5
Sandstone, yellow	72	87	
Black glass	87	132	
Black glass	87	132	5
Gray basalt	132	220	
Gravel small carrying some water	220	222	
Gray basalt	222	225	3

Work started 1/19/68 19 Completed 4/5/68 19
Date well drilling machine moved off of well 4/5/68 19

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Denny McClane Date 4/29, 1968
(Drilling Machine Operator)

Drilling Machine Operator's License No. 107

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Denny M. McClane Well Drilling
(Person, firm or corporation) (Type of print)
Address 1607 Austin
[Signed] Denny McClane
(Water Well Contractor)
Contractor's License No. 176 Date 4/29, 1968

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

LAKE 52093
08-18-2008

WELL LABEL # L 92038
START CARD # 1001929

(1) LAND OWNER Owner Well I.D.
First Name JACK Last Name SPARROWK
Company
Address 16684 HWY 140E
City LAKEVIEW State OR Zip 97630

(2) TYPE OF WORK New Well Deepening Conversion
 Alteration (repair/recondition) Abandonment

(3) DRILL METHOD
 Rotary Air Rotary Mud Cable Auger Cable Mud
 Reverse Rotary Other

(4) PROPOSED USE Domestic Irrigation Community
 Industrial/ Commercial Livestock Dewatering
 Thermal Injection Other

(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)
Depth of Completed Well 664.00 ft.

BORE HOLE			Material	SEAL		To	Amt	sacks/ lbs
Dia	From	To		From	To			
14	131	201						
10	216	664						

How was seal placed: Method A B C D E

Other
Backfill placed from _____ ft. to _____ ft. Material _____
Filter pack from _____ ft. to _____ ft. Material _____ Size _____

Explosives used: Yes Type _____ Amount _____

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Shoe Inside Outside Other Location of shoe(s) _____

Temp casing Yes Dia _____ From _____ To _____

(7) PERFORATIONS/SCREENS

Perforations Method _____
Screens Type _____ Material _____

Perf/S creen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
500	135	147	4

Temperature 59 °F Lab analysis Yes By _____

Water quality concerns? Yes (describe below)

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County Lake Twp 38.00 S N/S Range 17.00 E E/W WM
Sec 17 SE 1/4 of the SE 1/4 Tax Lot 500
Tax Map Number _____ Lot _____
Lat _____ " or _____ DMS or DD
Long _____ " or _____ DMS or DD
 Street address of well Nearest address

16684 HWY 140E LAKEVIEW OR

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+	SWL(ft)
Existing Well / Predeepening	08-17-2007			12
Completed Well	08-01-2008			12

Flowing Artesian? Dry Hole?

WATER BEARING ZONES

Depth water was first found _____

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
08-01-2008	542	574	300			12

(11) WELL LOG

Ground Elevation _____

Material	From	To
MEDIUM HARD RIOLITE	131	542
BROKEN HARD RIOLITE	542	574
HARD RIOLITE	574	664

Date Started 08-17-2007 Completed 08-01-2008

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1758 Date 08-18-2008

Electronically Filed

Signed RYON FREEMAN (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 693 Date 08-18-2008

Electronically Filed

Signed ROGER W CHANCELLOR (E-filed)

Contact Info (optional)

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

RECEIPT #

141704

(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM: Beverly Sparrow
BY: _____

APPLICATION	6-13313
PERMIT	
TRANSFER	

CASH: CHECK: # X 902 OTHER: (IDENTIFY)

TOTAL REC'D \$ 230.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407	COPIES		\$
_____	OTHER: (IDENTIFY)	_____	\$
0243 I/S Lease	_____	0244 Muni Water Mgmt. Plan	_____
		0245 Cons. Water	_____

4270 WRD OPERATING ACCT

MISCELLANEOUS			
0407	COPY & TAPE FEES		\$
0410	RESEARCH FEES		\$
0408	MISC REVENUE: (IDENTIFY)	_____	\$
TC162	DEPOSIT LIAB. (IDENTIFY)	_____	\$
0240	EXTENSION OF TIME		\$
WATER RIGHTS:		EXAM FEE	RECORD FEE
0201	SURFACE WATER	\$ _____	0202 \$ _____
0203	GROUND WATER	\$ _____	0204 \$ _____
0205	TRANSFER	\$ _____	
WELL CONSTRUCTION		EXAM FEE	LICENSE FEE
0218	WELL DRILL CONSTRUCTOR	\$ _____	0219 \$ _____
	LANDOWNER'S PERMIT		0220 \$ _____
<u>0200</u>	OTHER (IDENTIFY) <u>CD36</u>		\$ <u>230.00</u>

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$ _____	CARD# _____
0210	MONITORING WELLS	\$ _____	CARD# _____
_____	OTHER (IDENTIFY)	_____	

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)		\$
0231	HYDRO LICENSE FEE (FW/WRD)		\$
_____	HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND _____	TITLE _____
OBJ. CODE _____	VENDOR # _____
DESCRIPTION _____	\$ _____

RECEIPT:

141704

DATED: 9/24/23

BY: [Signature]

Checklist for Claims of Beneficial Use Received at CSG Counter

Application #:G-13313	WRD Reviewer:Corie
Transfer #:	
Date Received:9/29/23	
CWRE Name:Darryl Anderson	
Priority Date (s): 3/5/1993	

Fees Required:

- YES NO A fee of \$230 must accompany this form for permits with priority dates of July 9, 1987, or later.
- YES NO A fee of \$230 must accompany this form for any transfers including a water right with a priority date of July 9, 1987, or later.
 Example – A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

Fill in App or Transfer Number

Map Review:

- Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b))
- Application & permit #; or transfer # (OAR 690-014-0100(1))
- Disclaimer (OAR 690-014-0170(5))
- North arrow (OAR 690-310-0050(2)(c))
- CWRE stamp and signature (OAR 690-014 & 310-0050)
- Appropriate scale (1" = 1320', 1" = 400', or the original full-size scale of the county assessor map) (014 & 310)
- Township, range, section, and tax lot numbers (OAR 690-310-0050(4))

Report Review:

- On form provided by the Department (OAR 690-014-0100(1))
- Application & permit #; or transfer # (OAR 690-014)
- Ownership information (OAR 690-014)
- Date of survey (OAR 690-014)
- Person interviewed (OAR 690-014)
- County (OAR 690-014)
- CWRE stamp and signature (OAR 690-014-0100)
- Signature(s) of all permittee of transfer holder (OAR 690-014-0100)

MONEY SLIP

DATE: _____		RECEIPT #: _____	
RECEIVED FROM: _____		APPLICATION: _____	
CASH <input type="checkbox"/> CHECK # _____ OTHER (IDENTIFY) _____		PERMIT <input type="checkbox"/> TRANSFER <input type="checkbox"/>	
TOTAL RECEIVED: _____		TOTAL RECEIVED: _____	
0100 TREASURY 4100 MISC CASH ACCT			
0407 COPIES _____		OTHER (IDENTIFY) _____	
0143 Instream Lease _____		0241 Water Right Permit _____	
0245 Other Water _____		0245 Other Water _____	
0200 TREASURY 4100 MISC OPERA TRANS ACCT			
MISCELLANEOUS			
0407 COPY & TRAFFIC FEES	4611		
0410 RESEARCH FEES			
0408 MISC REVENUE (IDENTIFY)			
TC 102 DEPOSIT (LAND IDENTIFY)			
0240 EXTENSION OF TIME			
WATER RIGHTS			
0201 SURFACE WATER	EXAM FEE	0202	RECORD FEE
0203 GROUND WATER		0204	
0205 TRANSFER			
WELL CONSTRUCTION			
0210 WELL DRILL CONSTRUCTION	EXAM FEE	0210	RECORD FEE
LANDOWNER'S PLANET		0220	
0200 OTHER (IDENTIFY)	COBU		3200.00
0200 TREASURY 4100 MISC HYDROELECTRIC			
0210 POWER LICENSE FEE (FURNISH)		HYDRO LICENSE FEE (FURNISH)	
0220 HYDRO LICENSE FEE (FURNISH)			
HYDRO APPLICATION			
SPECIAL INSTRUCTIONS:			

RETURN TO APPLICANT - LETTER ATTACHED

Groundwater File Review:

- Pump Test not required (Priority Date prior to December 20, 1988) *If no, include pump test flyer w/acknowledgment letter
- Pump Test required (Priority Date on or after December 20, 1988)
- Pump Test submitted
- Pump Test not submitted



Oregon

Tina Kotek, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

www.oregon.gov/owrd

October 2, 2023

Jack Sparrowk
PO Box 657
Clements, CA 95227

On September 29, 2023, the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file:

Application G-13313

Permit G-17289

The COBU included a report and map. In the future the Department will review your submittal. At that time we will review these items and provide a final certificate, proposed certificate, or a request for additional information.

If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: <https://www.oregon.gov/owrd/programs/WaterRights/RA/Pages/default.aspx>

Customer Service phone: (503) 986-0900

Enclosed is your receipt for the \$230.00 COBU recording fee.

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Cc: file G-13313

**CLAIM OF
BENEFICIAL USE
for Groundwater Permits
claiming more than 0.1 cfs**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED
AUG 21 2023
OWRD

**A fee of \$230 must accompany this form for permits
with priority dates of July 9, 1987, or later.**

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see
<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

RECEIVED
SEP 29 2023
OWRD

**SECTION 1
GENERAL INFORMATION**

1. File Information:

APPLICATION # G-13313	PERMIT # (IF APPLICABLE) G-17289	PERMIT AMENDMENT # (IF APPLICABLE) T-11817
---------------------------------	--	--

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME Sparrowk Family Ranches, LP		PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS PO Box 657			
CITY Clements	STATE CA	ZIP 95227	E-MAIL

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each permit holder of record must sign this form.***

3. Permit holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD Jack Sparrowk			
ADDRESS PO Box 657			
CITY Clements	STATE CA	ZIP 95227	RECEIVED AUG 21 2023

OWRD

ADDITIONAL PERMIT HOLDER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection:

08/02/2023

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Derek Herndon	08/02/2023	Manager

6. County:

Lake

7. If any property described in the place of use of the permit is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

RECEIVED

SEP 29 2023


OWRD

Add additional tables for owners of record as needed

**SECTION 2
SIGNATURES**

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



RECEIVED
AUG 21 2023
OWRD

CWRE NAME Darryl Anderson		PHONE NO. 541-947-4407	ADDITIONAL CONTACT NO.	
ADDRESS 17681 Highway 395				
CITY Lakeview	STATE OR	ZIP 97630	CITY Lakeview	

Permit Holder of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Beverly Sparrowk	General Partner owner	8/14/2023
	Jack Sparrowk	owner	9/25/2023

RECEIVED
SEP 29 2023

WR

OWRD

SECTION 3
CLAIM DESCRIPTION

1. Point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
Well 1	LAKE 1945	
Well 2	LAKE 1946, LAKE 52093	L92038
Well 5	LAKE 52593, LAKE 52772	L117153

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of appropriation source, if indicated on permit:

POA NAME OR NUMBER	SOURCE BASIN LOCATED WITHIN	TRIBUTARY
Well 1	Drews Creek Basin	
Well 2	Drews Creek Basin	
Well 5	Drews Creek Basin	

3. Developed use(s), period of use, and rate for each use:

POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
Well 1	Irrigation	Pasture/grass	Apr 1 – Sept 30	
Well 2	Irrigation	Pasture/grass	Apr 1 – Sept 30	
Well 5	Irrigation	Pasture/grass	Apr 1 – Sept 30	
Total Quantity of Water Used				

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of appropriation to the place of use:

Water is pumped from Well 1 into a ditch that flows into Howard Creek. Water is pumped from Well 2 directly into a pond that is on channel of Howard Creek. Water is pumped from Well 5 through a pipe that discharges into Howard Creek. All water flows into a pond from which it is diverted multiple directions into distribution ditches that run throughout the place of use. Water is applied to the place of use by flooding from these ditches.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD

5. Variations:

Was the use developed differently from what was authorized by the permit, YES, See Below

permit amendment final order, or extension final order? If yes, describe below.

(e.g. "The permit allowed three points of appropriation. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

There are numerous errors on the issued permit.

The permit alternates between numbers 3 and 5 for a single well throughout the permit. The well is initially called well 3 in the declaration of total primary and supplemental acres. It is then called Well 5 in the well location table. Then the well is referred to as POA #3 in the permit conditions. The application map refers to the Well as #5.

The total number of primary acres and supplemental acres listed on the first page does not match the number of acres listed on the place of use table on page 2. The table was used for the purpose of this proof.

The permit does not authorize any rate of water out of Well 5, but does authorize a place of use for this well.

The conditions list that Well 2 will be reconstructed and sealed to 137 feet. Well 5 is to be sealed to the volcanic/basalt unit. No similar conditions are made on Well 1. There also a condition that states that the water shall be acquired from the same aquifer as the original points of appropriation. Well 1 is an original point of appropriation, and the per the well log is only sealed to 20 feet and is receiving water from an aquifer above the volcanic/basalt unit. These conditions contradict each other.

6. Claim Summary:

POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
Well 1	4.209	2.34	NA	Irrigation	336.74	336.74
Well 2	3.816	1.56	NA	Irrigation	295.82	305.22
Well 5	8.025	3.12	850 gpm	Irrigation	641.96	641.96

RECEIVED
 RECEIVED
 SEP 29 2023
 OWRD
 RECEIVED
 AUG 21 2023
 OWRD

**SECTION 4
SYSTEM DESCRIPTION**

Are there multiple POAs?

YES

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Well 1

RECEIVED

AUG 21 2023

OWRD

A. Place of Use

1. Is the right for municipal use?

NO

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
38S	17E	WM	17	SE SE			irrigation		0.9
38S	17E	WM	17	SW SE			irrigation		6.37
38S	17E	WM	20	NE NE			irrigation	9.13	18.9
38S	17E	WM	20	NE NW			irrigation		22.32
38S	17E	WM	20	NE SE			irrigation	12.72	18.0
38S	17E	WM	20	NW NE			irrigation		40
38S	17E	WM	20	NW SE			irrigation		10.23
38S	17E	WM	20	SE NE			irrigation	22	18
38S	17E	WM	20	SE NW			irrigation		16.13
38S	17E	WM	20	SE SE			irrigation		9.93
38S	17E	WM	20	SW NE			irrigation		39.55
38S	17E	WM	21	NW SW			irrigation	31.59	
38S	17E	WM	21	SE SW			irrigation	0.8	10.79
38S	17E	WM	21	SW NW			irrigation	10.18	
38S	17E	WM	21	SW SW			irrigation	39.2	
Total Acres Irrigated								125.62	211.12

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Glot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Glot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES

2. Describe the access port (type and location) or other means to measure the water level in the well:

No visible access port, installation deferred until pump is repaired or replaced per permit.

RECEIVED

SEP 29 2023

OWRD

WR

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY
14"	0-415'	860'	11/1/78	NA	Jack Sparrowk	Rapid Water Well Drilling Company

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

Well Log LAKE 1945 attached

C. Groundwater Source Information (Sump)

RECEIVED

1. Is the appropriation from a dug well (sump)?

AUG 21 2023

NO

OWRD

D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Aurora Pump	Verti-line	3R9-70311	Turbine	10"	8"

3. Motor Information:

MANUFACTURER	HORSEPOWER
General Electric	75

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
75	10	200	0	2.34

5. Provide pump calculations:

See Attached

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
NA			

Reminder: For pump calculations use the reference information at the end of this document.

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD

7. Is the distribution system piped?

YES

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
8"	8'	Steel	Above ground

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
NA			

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
NA					

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
NA					

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
NA					

13. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
NA				

E. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES

If "YES" is it a: Storage Tank
Bulge in System / Reservoir

NO

YES

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
Pond 1	6	7.46
Pond 2	4	2.16

RECEIVED

SEP 29 2023

WR

OWRD

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe? NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? YES

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)
Grass/dirt	7	2	1.5	0.045	79.51	14092	0.6%	15.2 cfs

3. Provide calculations:

See Attached, calculations are average for site, approx. 18.5 miles of ditch present

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)
NA			

Attach measurement notes.

H. Additional notes or comments related to the system:

NA

RECEIVED

AUG 21 2023

OWRD

RECEIVED

SEP 29 2023

OWRD

**SECTION 4
SYSTEM DESCRIPTION**

Are there multiple POAs?

YES

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Well 2

A. Place of Use

1. Is the right for municipal use?

NO

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
T38S	R17E	WM	28	NE NW			irrigation		23.29
T38S	R17E	WM	28	NE SW			irrigation		40
T38S	R17E	WM	28	NW NW			irrigation		40
T38S	R17E	WM	28	NW SE			irrigation		7.86
T38S	R17E	WM	28	NW SW			irrigation		26
T38S	R17E	WM	28	SE NW			irrigation		32.39
T38S	R17E	WM	28	SE SW			irrigation		40
T38S	R17E	WM	28	SW NW			irrigation		39.74
T38S	R17E	WM	28	SW SE			irrigation	9.4	18
T38S	R17E	WM	28	SW SW			irrigation		9.3
T38S	R17E	WM	29	NE NE			irrigation		14.75
T38S	R17E	WM	29	SE NE			irrigation		4.49
Total Acres Irrigated								9.4	295.82

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Glot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Glot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES

2. Describe the access port (type and location) or other means to measure the water level in the well:

1" pvc pipe on NE corner of well head

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY
14"	0-95'	664'	4/5/1968	8/1/2008	Clarence Dallas - Drew Valley Ranch	Denny M McClane Well Drilling

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

Well Logs LAKE 1946 and LAKE 52093 attached

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)?

RECEIVED

AUG 21 2023

NO

D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

OWRD

1. Is a pump used?

RECEIVED

SEP 29 2023

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

OWRD

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Unknown					

3. Motor Information:

MANUFACTURER	HORSEPOWER
unknown	25

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
50	10	200	5	1.56

5. Provide pump calculations:

See Attached

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
NA			

Reminder: For pump calculations use the reference information at the end of this document.

RECEIVED

YES

7. Is the distribution system piped?

If "NO" items 8 through item 13 may be deleted.

AUG 21 2023

8. Mainline Information:

OWRD

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
6"	7'	Steel	Above ground
4"	107'	Steel	Above Ground

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
NA			

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
NA					

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
NA					

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
NA					

13. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
NA				

E. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

If "YES" is it a: Storage Tank
Bulge in System / Reservoir

RECEIVED

YES

SEP 29 2023

NO

YES

OWRD

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
Pond 1	6	7.46
Pond 2	4	2.16

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)
Grass/dirt	7	2	1.5	0.045	79.51	14092	0.6%	15.2 cfs

3. Provide calculations:

See Attached, calculations are average for site, approx. 18.5 miles of ditch present

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)
NA			

Attach measurement notes.

H. Additional notes or comments related to the system:

NA

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD

SECTION 4
SYSTEM DESCRIPTION

Are there multiple POAs?

YES

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Well 5

RECEIVED
SEP 29 2023
OWRD

RECEIVED
AUG 21 2023
OWRD

A. Place of Use

1. Is the right for municipal use?

NO

TWP	RNG	MER	SEC	QQ	GLot	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
38S	17E	WM	17	SE SE			irrigation		0.9
38S	17E	WM	17	SW SE			irrigation		6.37
38S	17E	WM	20	NE NE			irrigation	9.13	18.9
38S	17E	WM	20	NE NW			irrigation		22.32
38S	17E	WM	20	NE SE			irrigation	12.72	18.0
38S	17E	WM	20	NW NE			irrigation		40
38S	17E	WM	20	NW SE			irrigation		10.23
38S	17E	WM	20	SE NE			irrigation	22	18
38S	17E	WM	20	SE NW			irrigation		16.13
38S	17E	WM	20	SE SE			irrigation		9.93
38S	17E	WM	20	SW NE			irrigation		39.55
38S	17E	WM	21	NW SW			irrigation	31.59	
38S	17E	WM	21	SE SW			irrigation	0.8	10.79
38S	17E	WM	21	SW NW			irrigation	10.18	
38S	17E	WM	21	SW SW			irrigation	39.2	
T38S	R17E	WM	28	NE NW			irrigation		23.29
T38S	R17E	WM	28	NE SW			irrigation		40
T38S	R17E	WM	28	NW NW			irrigation		40
T38S	R17E	WM	28	NW SE			irrigation		7.86
T38S	R17E	WM	28	NW SW			irrigation		26
T38S	R17E	WM	28	SE NW			irrigation		32.39
T38S	R17E	WM	28	SE SW			irrigation		40
T38S	R17E	WM	28	SW NW			irrigation		39.74
T38S	R17E	WM	28	SW SE			irrigation	9.4	18
T38S	R17E	WM	28	SW SW			irrigation		9.3
T38S	R17E	WM	29	NE NE			irrigation		14.75
T38S	R17E	WM	29	SE NE			irrigation		4.49
Total Acres Irrigated								135.02	506.94

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

RECEIVED

AUG 21 2023

OWRD

YES

RECEIVED

SEP 29 2023

2. Describe the access port (type and location) or other means to measure the water level in the well:

1-1/2" plug in pump body on south side

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY
20" 14"	+1.8-68' +2-418'	768'	2/18/2015	4/28/2017	Jack Sparrowk	Aurthur L Fry

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

Well Logs LAKE 52593 and LAKE 52772 attached

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)? NO

D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used? YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Goulds Water Technology	10 D11HC	M G1521	Turbine	8"	6"

3. Motor Information:

MANUFACTURER	HORSEPOWER
Midec Motor Corporation/US Motors	100

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
100	10	200	0	3.12

5. Provide pump calculations:

See Attached

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
850 gpm	850 gpm	Instant	1.89

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped? YES

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
8"		Steel	Buried and above ground

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
NA			

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
NA					

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
NA					

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
NA					

13. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
NA				

E. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES

If "YES" is it a: Storage Tank
Bulge in System / Reservoir

NO

YES

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
Pond 1	6	7.46
Pond 2	4	2.16

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe? NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? YES

2. Complete the table:

CANAL OR DITCH TYPE (MATERIAL)	TOP WIDTH OF CANAL OR DITCH	BOTTOM WIDTH OF CANAL OR DITCH	DEPTH	"N" FACTOR	AMOUNT OF FALL	LENGTH OF CANAL / DITCH	SLOPE	COMPUTED RATE (IN CFS)
Grass/dirt	7	2	1.5	0.045	79.51	14092	0.6%	15.2 cfs

3. Provide calculations:

See Attached, calculations are average for site, approx. 18.5 miles of ditch present

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)
NA			

Attach measurement notes.

H. Additional notes or comments related to the system:

NA

RECEIVED
SEP 29 2023
OWRD

RECEIVED
AUG 21 2023
OWRD

RECEIVED

SEP 29 2023

OWRD

SECTION 5
CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	Sept 14, 2014		
BEGIN CONSTRUCTION (A)	Dec 6, 1995	2/2015	Well 5 drilled
COMPLETE CONSTRUCTION (B)	Oct 1, 2018	4/2017	Alteration work on well 5 completed
COMPLETE APPLICATION OF WATER (C)	Oct 1, 2018	4/2017	Water used

* MUST BE WITHIN PERIOD BETWEEN PERMIT, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)? YES

a. Did the Extension Final Order require the submittal of Progress Reports? NO

If the reports have not been submitted, attach a copy of the reports if available.

3. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement? NO

4. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements? NO

5. Pump Test:

a. Did the permit require the submittal of a pump test? YES

Ground water permits with priority dates on or after **December 20, 1988**, require the submittal of a pump test prior to issuance of a certificate. In some cases, the permit holder may qualify for a multiple well exemption or an unreasonable burden exemption.

For additional information regarding pump tests see:

<https://www.oregon.gov/OWRD/programs/GWWL/GW/Pages/PumpTestProgram.aspx>

b. Has the pump test been previously submitted to the Department? NO

c. Is the pump test attached to this claim? YES

d. Has the pump test been approved by the Department? NO

e. Has a pump test exemption been approved by the Department? NO

RECEIVED

AUG 21 2023

OWRD

** Claims will not be reviewed until a pump test or exemption has been approved by the Department

6. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device? **YES**

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed? **YES**

c. Meter Information

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Well 1	McCrometer	17-05588-08	Working	481 218 ac ft x .001	2017
Well 2	McCrometer	07-09696-06	Working	098728 gal x 100	2007
Well 5	McCrometer	04-01605-08	Workign	221 023 ac ft x .001	2004

7. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department? **YES**

b. Have the reports been submitted? **YES**

8. Other conditions required by permit, permit amendment final order, or extension final order:

a. Were there special well construction standards? **YES**

b. Was submittal of a ground water monitoring plan required? **NO**

c. Was submittal of a water management and conservation plan required? **NO**

d. Was a Well Identification Number (Well ID tag) assigned and attached **NO**

to the well?

WELL ID #	DATE ATTACHED TO WELL
Well 1	Not attached
Well 2 - L-92038	Not Attached
Well 5 - L-117153	2017

RECEIVED

AUG 21 2023

OWRD

RECEIVED

SEP 29 2023

OWRD

e. Other conditions? **YES**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

"Prior to using water from any well listed on this permit, the permittee shall ensure that the wells have been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the wells. The Well ID shall be used as a reference in any correspondence regarding the wells, including any reports of water use, water level, or pump test data."

No casing visible on well 1 for tag, well 2 no tag visible, well 5 has tag on casing

"Dedicated Measuring Tube: Wells with pumps shall be equipped with a minimum 3/4-inch

diameter, unobstructed, dedicated measuring tube pursuant to figure 200-5 in OAR 690-200. If a pump has been installed prior to the issuance of this permit, and if static water levels and pumping levels can be measured using an electrical tape, then the installation of the measuring tube can be delayed until such time that water levels cannot be measured or the pump is repaired or replaced."

Well 1, no port, installation deferred until pump is repaired or replaced. Well 2 has tube installed. Well 5 has access port in pump body.

"Proposed point of appropriation POA #2 shall be reconstructed to have at minimum continuous casing and continuous seal from land surface to 137 feet depth to obtain groundwater solely from the predominantly volcanic/basalt unit."

Well 2 cased to 95 feet, sealed to 25 feet.

"Proposed point of appropriation POA #3 shall be constructed with at minimum continuous casing and continuous seal from land surface through the entire valley-fill sediment into the predominantly volcanic/basalt unit to obtain groundwater solely from the predominantly volcanic/basalt unit."

Well 5 sealed to 68 feet, rhyolite layer as per well log

RECEIVED

**SECTION 6
ATTACHMENTS**

AUG 21 2023

OWRD

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
COBU Map	Claim of Beneficial Use map
Photos	Site photos
Well Logs	Well logs for Wells 1, 2 and 5
Pump Capacity Calculation Sheet - Well 1	Pump capacity calculations for Well 1
Pump Capacity Calculation Sheet - Well 2	Pump capacity calculations for Well 2
Pump Capacity Calculation Sheet - Well 5	Pump capacity calculations for Well 5
Ditch Capacity Calculator	Calculated ditch flow capacity
Pump Test	Pump test data from well driller on Well 5, completed 3/19/15

**SECTION 7
CLAIM OF BENEFICIAL USE MAP**

RECEIVED

SEP 29 2023

OWRD

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

Survey performed with Real Time GPS – Corner tie is a GLO brass cap located at the northeast corner of Section 20, T28S 17E, W.M.

RECEIVED
SEP 29 2023
OWRD

RECEIVED
AUG 21 2023
OWRD

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

RECEIVED

AUG 21 2023

OWRD

RECEIVED

SEP 29 2023

OWRD

STATE OF OREGON
WATER SUPPLY WELL REPORT
 (as required by ORS 537.765 & OAR 690-205-0210)

LAKE 52593

2/25/2015

WELL I.D. LABEL# ~~1024840~~ **11753**
 START CARD # 1024840
 ORIGINAL LOG #

(1) **LAND OWNER** Owner Well I.D. _____
 First Name JACK Last Name SPARROWK
 Company _____
 Address P.O. BOX 657
 City CLEMENTS State CA Zip 97630

(2) **TYPE OF WORK** New Well Deepening Conversion
 Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) **PRE-ALTERATION**
 Dia + From To Gauge Stl Plstc Wld Thrd
 Casing: _____
 Material From To Amt sacks/lbs
 Seal: _____

(3) **DRILL METHOD**
 Rotary Air Rotary Mud Cable Auger Cable Mud
 Reverse Rotary Other _____

(4) **PROPOSED USE** Domestic Irrigation Community
 Industrial/ Commercial Livestock Dewatering
 Thermal Injection Other _____

(5) **BORE HOLE CONSTRUCTION** Special Standard (Attach copy)
 Depth of Completed Well 768.00 ft.

BORE HOLE			SEAL			sacks/
Dia	From	To	Material	From	To	lbs
20	0	68	Cement w/2% Bentonite	0	68	98 S
16	68	420			Calculated	34.8
12	420	768			Calculated	

How was seal placed: Method A B C D E
 Other _____
 Backfill placed from _____ ft. to _____ ft. Material _____
 Filter pack from _____ ft. to _____ ft. Material _____ Size _____
 Explosives used: Yes Type _____ Amount _____

(5a) **ABANDONMENT USING UNHYDRATED BENTONITE**
 Proposed Amount _____ Actual Amount _____

(6) **CASING/LINER**
 Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
 16 2 68 .250
 12 3 417 .250
 Shoe Inside Outside Other Location of shoe(s) _____
 Temp casing Yes Dia _____ From _____ To _____

(7) **PERFORATIONS/SCREENS** Perforations Method factory

Perf	Casing/ Screen Liner	Dia	From	To	Sern/slot width	Slot length	# of slots	Tele/ pipe size
		12	217	417	125	3	6080	

(8) **WELL TESTS: Minimum testing time is 1 hour**
 Pump Bafler Air Flowing Artesian
 Yield gpm 1100 Drawdown _____ Drill stem/Pump depth 380 Duration (hr) 1
 Cooperage 60 °F Lab analysis Yes By _____
 Water quality concerns? Yes (describe below) TDS amount _____
 From _____ To _____ Description _____ Amount _____ Units _____

(9) **LOCATION OF WELL (legal description)**
 County LAKE Twp 38.00 S N/S Range 17.00 E E/W WM
 Sec 16 SW 1/4 of the SW 1/4 Tax Lot 500
 Tax Map Number _____ Lot _____
 Lat _____ " or _____ " DMS or DD
 Long _____ " or _____ " DMS or DD
 Street address of well Nearest address
84039 HIGHWAY 140 WEST
LAKEVIEW, OR. 97630

(10) **STATIC WATER LEVEL**

Existing Well / Pre-Alteration	Date	SWL (psi)	+ SWL (ft)
Completed Well	2/18/2015		95

Flowing Artesian? Dry Hole?

WATER BEARING ZONES Depth water was first found 320.00

SWL Date	From	To	Est Flow	SWL (psi)	+ SWL (ft)
2/18/2015	320	768	1100		95

(11) **WELL LOG** Ground Elevation 5000.00

Material	From	To
top soil	0	2
gravel-sandy clay	2	7
sandy clay with boulders	7	45
sand and gravel	45	57
obsidian	57	65
ryolite	65	105
ryolite with obsidian and cinder layers	105	188
broken ryolite	188	440
fractured obsidian	440	457
obsidian and broken claystone	457	490
broken grey claystone	490	546
fractured ryolite	546	552
fractured ryolite and claystone	552	570
broken grey claystone	570	705
broken ryolite	705	768

RECEIVED BY OWRD
 APR 23 2015
 SALEM, OR

Date Started 11/3/2014 Completed 2/18/2015

(unbonded) Water Well Constructor Certification
 I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
 License Number 1940 Date 2/25/2015
 Signed BENJAMIN FRY (I-filed)

(bonded) Water Well Constructor Certification
 I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
 License Number 1355 Date 2/25/2015
 Signed ARTHUR FRY (I-filed)

Pump Capacity Calculation Sheet - Well 1

using Department designed formula:

$$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 75
Efficiency = 7.04
Lift = 200
PSI = 10

Results Calculated

(hp)(efficiency) = 528
Head based on psi = 25.4
Total dynamic head = 225.4
(head + lift)

Pump Capacity = 2.34 feet per second

RECEIVED
SEP 29 2023
OWRD

RECEIVED
AUG 21 2023
OWRD

Pump Capacity Calculation Sheet - Well 2

using Department designed formula:

$$(\text{hp})(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 50
Efficiency = 7.04
Lift = 200
PSI = 10

Results Calculated

(hp)(efficiency) = 352
Head based on psi = 25.4
Total dynamic head = 225.4
(head + lift)

Pump Capacity = 1.56 feet per second

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD

Pump Capacity Calculation Sheet - Well 5

using Department designed formula:

$$(\text{hp})(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 100
Efficiency = 7.04
Lift = 200
PSI = 10

Results Calculated

(hp)(efficiency) = 704
Head based on psi = 25.4
Total dynamic head = 225.4
(head + lift)

Pump Capacity = 3.12 feet per second

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD

well # 45

4360 Highway 39
Klamath Falls, OR 97603

J.W. Kerns, Inc.
Irrigation Equipment Sales & Service

(800)598-6205
(541)884-4129

Well Test Report

Name Drews Valley Ranch Date Tested 3/19/15
Address HWY 140 Lakeview

Location of Well _____

Inside Diameter _____ Depth _____

_____ Feet of _____ Inch Casing Driller _____

390' Feet of 8" Inch Casing and 11 Stage 9 5/8" Inch Bowls

Test Done By JR

Static Water Level at Start of Test 94'

Capacity GPM	Pumping Level	Time	Condition of Water
1100	150'	3:00	orange
1000	167'	3:02	orange
1000	175'	3:05	orange
1100	217'	3:11	orange
1100	230'	3:17	orange
1200	260'	3:19	orange
1200	287'	3:23	orange
1000	289'	3:27	orange
1000	289'	3:34	orange
1000	292'	3:41	orange
1000	294'	3:46	orange
1000	289'	3:57	orange
1000	303'	4:10	orange
1000	304'	4:20	orange
1000	307'	4:31	orange
1000	322'	4:49	orange
1000	322'	4:50	orange
1000	322'	5:00	orange
1000	322'	5:10	orange
1100	323'	5:20	orange
1200	323'	5:30	orange
1200	?	5:40	orange
1700	?	5:40-7:00	orange

Temperature _____

Static Water Level After Pump Removed _____

Remarks: _____

RECEIVED

AUG 21 2023

Signed by _____ OWRD

RECEIVED

SEP 29 2023

OWRD

Ditch Capacity Calculator

using Manning's Formula

Data Entry (fill in underlined blanks)

Top Width = 7 feet
Bottom Width = 2 feet
Depth = 1.5 feet
Fall = 79.51 feet per 14092 feet of distance
Grade = 0.00564221, or 0.6%
n Factor = 0.05

Results calculated

Area of cross-section = 6.75 square feet
Wetted Perimeter = 7.83095 feet
Hydraulic Radius = 0.86196
Velocity = 2.247 feet per second

Calculated Ditch Capacity = 15.2 cubic feet per second

RECEIVED

AUG 21 2023

OWRD

RECEIVED

SEP 29 2023

OWRD

CLAIM OF BENEFICIAL USE
Inspection Photographs
Permit G-17289

Job: 2023-005
Date: 8/02/2023



Well #1



Well #1 Flowmeter & Discharge

RECEIVED
SEP 29 2023
OWRD

RECEIVED
AUG 21 2023
OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

CLAIM OF BENEFICIAL USE
Inspection Photographs
Permit G-17289

Job: 2023-005
Date: 8/02/2023



Well #1 Flowmeter



Well #1 Flowmeter

RECEIVED
SEP 29 2023
OWRD

RECEIVED
AUG 21 2023
OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

CLAIM OF BENEFICIAL USE

Inspection Photographs

Permit G-17289

Job: 2023-005

Date: 8/02/2023



Well #5



Well #5 Tag

RECEIVED

SEP 29 2023

OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

RECEIVED

AUG 21 2023

OWRD

CLAIM OF BENEFICIAL USE

Inspection Photographs

Permit G-17289

Job: 2023-005
Date: 8/02/2023



Well #5 Access Port



Well #5 Flowmeter

RECEIVED

AUG 21 2023

OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

RECEIVED

SEP 29 2023

OWRD

CLAIM OF BENEFICIAL USE
Inspection Photographs
Permit G-17289

Job: 2023-005
Date: 8/02/2023



Well #5 Flowmeter



Well #2, Access Port

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023


OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

ANDERSON
ENGINEERING & SURVEYING, INC.

TRANSMITTAL
LETTER



PO Box 28
17681 Hwy 395
Lakeview, Oregon 97630
541-947-4407
541-947-2321 FAX



RECEIVED

AUG 21 2023

OWRD

Oregon Water Resources Department

725 Summer Street NE
Suite A
Salem, Oregon 97301-1266

DATE: 8/16/23	JOB NO: 2022-119
ATTENTION: Tonya L. Miller	
RE: Sparrowk G-13313, Permit G-17289 T-11817	

WE ARE SENDING YOU ATTACHED:

- PRINTS PLANS
 OTHER _____

COPIES	DATE	DESCRIPTION
1		Claim of Beneficial Use for Groundwater Permits claiming more than 0.1 cfs
1		Water Use Map
1		Attachments: Well Logs, Etc.
1		Photographs
1		Fee Check - \$230.00 - Check # 902

THESE ARE TRANSMITTED AS CHECKED BELOW:

- FOR APPROVAL FOR REVIEW AND COMMENT
 AS REQUESTED FOR SIGNATURE
 OTHER _____

REMARKS _____

RECEIVED

SEP 29 2023

OWRD

Please send any comments to:
darryla@andersonengineering.com
rvanc@andersonengineering.com

Thank you;

COPY TO _____

SIGNED Barb Thompson


If enclosures are not as noted, please notify us at once

CLAIM OF BENEFICIAL USE
Inspection Photographs
Permit G-17289

Job: 2023-005
Date: 8/02/2023



Well #2 Flowmeter



Well #2 Flowmeter

RECEIVED
SEP 29 2023
OWRD

RECEIVED
AUG 21 2023
OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

CLAIM OF BENEFICIAL USE

Inspection Photographs

Permit G-17289

Job: 2023-005
Date: 8/02/2023



Well #2 Discharge



Well #5 Discharge to Howard Creek

RECEIVED

SEP 29 2023

OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

RECEIVED

AUG 21 2023

OWRD

CLAIM OF BENEFICIAL USE

Inspection Photographs

Permit G-17289

Job: 2023-005
Date: 8/02/2023



Pond 1



Pond 2

RECEIVED

SEP 29 2023

OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

RECEIVED

AUG 21 2023

OWRD

CLAIM OF BENEFICIAL USE
Inspection Photographs
Permit G-17289

Job: 2023-005
Date: 8/02/2023



Typical Ditch



Typical Ditch

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

CLAIM OF BENEFICIAL USE
Inspection Photographs
Permit G-17289

Job: 2023-005
Date: 8/02/2023



Place of Use



Place of Use

RECEIVED

SEP 29 2023

OWRD

RECEIVED

AUG 21 2023

OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

CLAIM OF BENEFICIAL USE

Inspection Photographs

Permit G-17289

Job: 2023-005

Date: 8/02/2023



Place of Use



Place of Use

RECEIVED
SEP 29 2023

OWRD

RECEIVED
AUG 21 2023

OWRD



Anderson Engineering & Surveying, Inc.
P.O. Box 28
17681 Hwy 395
Lakeview, Oregon 97630

SPARROWK

L I V E S T O C K

September 25, 2023


Oregon Department of Water Resources
725 Summer St. NE, Suite A
Salem, OR 97301

RE: Application 13313, Permit G-17289
ATTN: Nick Reece

Enclosed please find the signature page for the Claim of Beneficial Use for the above referenced Application and Permit. This is the original signature for Jack Sparrowk for the Claim of Beneficial Use. The Claim is coming to your office with all the paperwork but the signature page is an electronic copy of Jack Sparrowk's signature.

Thank you.

Sincerely,



Bev Sparrowk


RECEIVED
SEP 28 2023
OWRD
SALEM, OREGON

SECTION 2
SIGNATURES

RECEIVED
SEP 28 2023
OWRD
SALEM, OREGON

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



RECEIVED
AUG 21 2023
OWRD

CWRE NAME Darryl Anderson		PHONE NO. 541-947-4407	ADDITIONAL CONTACT NO.	
ADDRESS 17681 Highway 395				
CITY Lakeview	STATE OR	ZIP 97630	CITY Lakeview	

Permit Holder of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Beverly Sparrowk	General Partner owner	8/14/2023
	Jack Sparrowk	owner	9/25/2023

MILLER Tonya L * WRD

From: Darryl Anderson <darryla@andersonengineering.com>
Sent: Monday, July 31, 2023 9:48 AM
To: MILLER Tonya L * WRD
Subject: FW: Permit G-17289

Darryl Anderson PE PLS
Anderson Engineering and Surveying, Inc.
541-947-4407 office
541-219-0378 mobile

From: Darryl Anderson
Sent: Monday, July 31, 2023 9:43 AM
To: Tonya.L.Miller@water.oregon
Cc: Barb Thompson <barbt@andersonengineering.com>; Ryan Conn <ryanc@andersonengineering.com>; Karah McCulley <KarahM@andersonengineering.com>
Subject: Permit G-17289

Tonya

We have been retained by the Sparrowk's To complete the proof. We will be in contact soon

Thanks

Darryl Anderson PE PLS
Anderson Engineering and Surveying, Inc.
541-947-4407 office
541-219-0378 mobile

MILLER Tonya L * WRD

From: Beverly Sparrowk <beverly@sparrowk.com>
Sent: Friday, July 21, 2023 10:06 AM
To: MILLER Tonya L * WRD
Subject: Application 13313, Permit 17289

You don't often get email from beverly@sparrowk.com. [Learn why this is important](#)

We have received your letter in reference to Application G-13313, Permit G-17289 (formerly 11817 I believe). We thought all the work had been done on the development of our water use. Would you please contact me to let me know what else is required to complete what needs to be one. You can contact me either by email or at 209 601-4080. Thank you

MILLER Tonya L * WRD

From: MILLER Tonya L * WRD
Sent: Tuesday, July 25, 2023 6:44 AM
To: Beverly Sparrowk
Subject: RE: G-13313 G-17288
Attachments: Permit G-11880.pdf; Resource Sheet-CWRE.pdf

Hi Beverly,

I apologize for the delayed response. I have been out of the office.

To get your permit into compliance you will need to hire a Certified Water Rights Examiner (CWRE). The CWRE will work with you on what you will need to do to file a Claim of Beneficial Use (COBU) report. If you are still needing time to develop your water right you may also file for an extension of time. A CWRE would also be able to help you with this. I have attached a copy of your water right Permit G-11880. I also attached a resource sheet that will help you find information on hiring a CWRE or filing for an extension of time. I will be in the office for the rest of the week, please let me know if you have any other questions.

Thanks,

Tonya L. Miller | Water Rights Support

Water Resources Department | 725 Summer St. NE, Suite A | Salem, Oregon 97301

Fax: (503) 986-0901 | Ph: (503) 979-9983

Email: Tonya.L.Miller@water.Oregon.gov

From: Beverly Sparrowk <beverly@sparrowk.com>
Sent: Monday, July 24, 2023 4:22 PM
To: MILLER Tonya L * WRD <tonya.l.miller@water.oregon.gov>
Subject: G-13313 G-17288

You don't often get email from beverly@sparrowk.com. [Learn why this is important](#)

Still trying to reach you regarding the above application and permit to see what else is required to complete our water use permit. Please contact me at 209 759 3521 until July 26 or at 209 601 4080 anytime.

Get [Outlook for iOS](#)

Mailing List for 60-Day Letter

Application: G-13313

Permit: G-17289

Permit Holder(s):

JACK SPARROWK
PO BOX 657
CLEMENTS, CA 95227

Copies Mailed	
by: <u>TM</u>	(STAFF)
on: <u>6.30.2023</u>	(DATE)

Is the Permit Holder(s) of record currently identified as a landowner of any tax lots involved as confirmed by the County records? **YES**

Copies of Cancellation Order to be sent to Permit Holder(s) and following:

1. Watermaster District #12 (auto email)
2. File

Other persons to receive copies:

- 1.



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301

Phone: 503-986-0900

Fax: 503-986-0904

www.Oregon.gov/OWRD

NOTE: For water rights information and useful forms, please see our web site at

www.oregon.gov/OWRD

Certified mail number 7021 1970 0001 3950 4553

Return receipt requested

June 30, 2023

JACK SPARROWK
PO BOX 657
CLEMETS, CA 95227

Reference: Application G-13313, Permit G-17289

Dear Permit Holder:

This letter is in regard to your water use permit as referenced above. Your permit required you to complete the development of your water use by October 1, 2018.

In order for the Department to consider issuance of a certificate of water right, you are required by law to hire a certified water right examiner to prepare and submit a claim of beneficial use that includes a final proof survey map of the development. The map and claim of beneficial use were to have been submitted to our Department within one year of October 1, 2018. The fee for submitting a claim of beneficial use is \$230.00. Please see the enclosed 'Resource Sheet' for our current database of CWRE's.

If you are not finished with the development of your permit, you need to file an application for an extension of time to complete your development. The fee for filing an extension of time is \$780.00. Please see the enclosed 'Resource Sheet' to access the extension of time form.

In the event that you are no longer using water as allowed by this permit, you should cancel it so that we may clear our records. Please see the enclosed 'Resource Sheet' to access the cancellation form, if you are interested in this option.

If you have not submitted either a Claim of Beneficial Use or a request for an extension of time for your permit within 60 days of the date of this letter (September 5, 2023) the Department may issue a Final Order to cancel your permit without further notice. If the Department issues a Final Order to cancel your permit, and you request reconsideration of the final order and reinstatement of your permit, there is a \$610.00 reinstatement fee that is charged in addition to the claim of beneficial use or extension of time fee.

Should you have any questions, please contact me at Tonya.L.Miller@water.oregon.gov, the address above or by telephone at 503-979-9983.

Sincerely,

Tonya L. Miller
Backlog Reduction Caseworker

Enclosures (1)

cc: File
OWRD Watermaster District 12



Please visit our Department's website at www.oregon.gov/owrd to locate the following information and forms:

Voluntary Cancellation of a Permit

Whenever the owner of a permit wishes to cancel a permit due to inability to develop the permit or the permit is no longer usable for any reason, the owner may cancel the permit by submitting a form to authorize the cancellation of a permit.

Additional information and links to the forms are available at:

www.oregon.gov/owrd/programs/WaterRights/Permits/Pages/CancelPermit.aspx

- For questions related to Voluntary Cancellation of a Permit, contact Mary Bjork by phone at 503-979-9895 or by email at Mary.F.Bjork@water.oregon.gov

Application for Permit Extension of Time

An Extension of Time is a process in which the Department can approve additional time for a permit holder to perfect the beneficial use of water as authorized by the permit. An Extension of Time may be approved if the permit holder has demonstrated reasonable diligence in developing the beneficial use of water as authorized under the permit and the Department can find good cause to do so. Each Application is reviewed on a case-by-case basis. An Extension of Time may provide the ability for a permit holder to extend their completion of construction date (B-date) and complete application of water date (C-date).

Additional information and links to the forms are available at:

www.oregon.gov/owrd/programs/WaterRights/Permits/Pages/Extension.aspx

- For questions related to Extensions of Time, contact Jeffrey Pierceall by phone at 503-979-3213 or by email at Jeffrey.D.Pierceall@water.oregon.gov

Assignments

An Assignment is a formal process to change the name of the holder of an application, permit, limited license, transfer, permit amendment or groundwater registration claim (i.e., non-perfected, non-certificated rights). This process is similar to changing the name on the title of a car. An Assignment ensures that the Department knows who the water right record belongs to and who will be responsible for finalizing the right.

Additional information and links to the forms are available at:

www.oregon.gov/owrd/programs/WaterRights/Permits/Assignment/Pages/default.aspx

- For questions related to Assignments, contact Mary Bjork by phone at 503-979-9895 or by email at Mary.F.Bjork@water.oregon.gov

Self-Certification Form (for qualifying Alternate Review reservoirs only)

Certain qualifying reservoir permits allow the permit holder to self-certify their reservoir permit. For a reservoir permit to qualify for this process, the reservoir must meet each of the following criteria:

- 1) The permit was issued under the authority of ORS 537.409; and
- 2) No secondary permit exists for the use of water stored in the reservoir; and
- 3) The developed capacity of the reservoir is less than 9.2 acre-feet; and
- 4) The water was stored by the date required in the permit

Additional information and links to the forms are available at:

www.oregon.gov/owrd/programs/WaterRights/Cert/Pages/default.aspx

- To locate the Claim form, follow the above link, click on "Forms", and next on "Claims of Beneficial Use for Reservoirs (storing less than 9.2 acre-feet permitted under ORS 537.409)
- For questions related to Self Certification of a qualifying reservoir, please call the staff member identified on the letter you received.

Find a Certified Water Right Examiners (CWRE)

CWREs are engineers, surveyors, and registered geologists who have passed a certification to perform water right related functions including the preparation of Claims of Beneficial Use (COBU). The COBU is both a report that describes the extent to which the use authorized under the permit has been developed and a map that identifies where the use and point of diversion or well is located. In addition, the COBU describes how conditions have been timely complied with.

Additional information and links to the forms are available at:

www.oregon.gov/owrd/programs/WaterRights/Cert/Pages/default.aspx

- To locate a CWRE, follow the above link and click on "Find a CWRE"
- For questions related to locating a CWRE, contact the Department at 503-986-0900; and then select 2 for Customer Service Staff

Reimbursement Authority Program For Certificates

Reimbursement Authority is a program that provides the Department the ability to enter into a voluntary agreement with an applicant for expedited the processing of the Claim of Beneficial Use. Under such an agreement, the applicant pays the cost for expedited services not otherwise available.

Additional information and links to the forms are available at:

<https://www.oregon.gov/owrd/programs/WaterRights/RA/Pages/Certificate.aspx>

For questions related to expediting the review of your Claim of Beneficial Use through the Reimbursement Authority Program, contact Kerry Kavanagh by phone at 503-979-3208 or by email at Kerry.L.Kavanagh@water.oregon.gov

Account 11222 [Assessment Summary](#)

[Account Paid](#)

[Account](#) [Taxes](#) [Sales History](#) [Value History](#) [Reports](#) [Files](#)

[Search](#)

[Search History](#)

[Cart \(0\)](#)

[GIS](#)

[OR Map](#)

Real Property

Situs Address

84030 HWY 140 WEST LAKEVIEW OR 97630

Mailing Address

SPARROWK FAMILY RANCHES, LP
PO BOX 657
CLEMENTS CA 95227

Map and Taxlot

38S17E00-00-00500

Owner

SPARROWK FAMILY RANCHES, LP

[Related Accounts](#)

[Name Ledger](#) [Names](#)

Assessment

Assessment Year

[Assessment Summary](#)

	RMV	MAV	AV
Land	\$3,849,350		
Improvements	\$199,380		
Total	\$4,048,730	\$137,440	\$655,052

Account Status

Active

Size

2,608.89 Acre(s)

Property Class

581 - FARM WITH SOME FOREST SPCL ASSMT IMPROVED

Legal Description

[See Record](#)

Improvements

	Bldg #	Year Built	Description	Livable Size	Stat Class	Code Area
Bldg	9	0	GP BUILDING	1056	517	0711
Bldg	13	0	FEEDER BARN	3040	515	0711
Bldg	11	0	TRUCK SCALES 60 TON	600	551	0711
Bldg	12	0	FEEDER BARN	3920	515	0711
Bldg	7	0	MP SHED	108	518	0711
Bldg	14	0	GRAIN BIN	2500	519	0711
Bldg	1	0	RES One story	1920	121	0711
Bldg	6	0	MACHINE SHED	1800	528	0711
Bldg	8	0	MP SHED	160	518	0711
Bldg	1	0	RES One story	660	111	0711

	Bldg #	Year Built	Description	Livable Size	Stat Class	Code Area
⌘	10	0	GP BUILDING	2176	517	0711

ORMap Tool

G-13313, Permit G-17289



WRMap Tool

G-13313, Permit G-17289



FINAL PROOF SURVEY


FOR JACK SPARROWK
 PERMIT G-11880
 LOCATED IN SECTIONS 16, 17, 20 AND 21
 TOWNSHIP 38 SOUTH, RANGE 17 EAST, W.M.
 LAKE COUNTY, OREGON

REVISION	BY

ANDERSON ENGINEERING AND SURVEYING, INC.
 P.O. BOX 28
 LAKEVIEW, OREGON 97630
 (541) 947-4407
 P.O. BOX 419
 REDMOND, OREGON 97756
 (541) 923-4307
 FAX 947-2321
 FAX 923-4308


PREPARED FOR: JACK SPARROWK
 P.O. BOX 657
 CLEMENTS, CA 95227

DATE: 8/19/98
 SCALE: 1"=1320'
 JOB: 98032
 DWG. BY: R.F.C.
 FILE: 98032
 SHEET 1 OF 1



LEGEND

- SECTION LINES
- 1/4 SECTION LINES
- 1/16 SECTION LINES
- EXISTING DITCHES AND FLOW DIRECTION.
- FOUND 1938 GENERAL LAND OFFICE BRASS CAP ON AN IRON PIPE.
- EXISTING WELL, LOCATION AS NOTED.



SCALE: 1"=1320'

CROSS HATCH LEGEND

- 260.20 ACRES TO BE IRRIGATED SUPPLEMENTALLY FROM WELL #1, PRIMARY WATER RIGHTS UNDER CERTIFICATE #5178, GOOSE LAKE DECREE.
- DENOTES SUPPLEMENTAL IRRIGATION ACREAGES.
- 51.12 ACRES PRIMARY WATER RIGHTS FROM WELL #1.
- DENOTES PRIMARY IRRIGATION ACREAGES.

NOTES

- 1) ALL LANDS SHOWN AS BEING EITHER PRIMARY OR SUPPLEMENTAL IRRIGATION ARE BEING FLOOD IRRIGATED.
- 2) PREPARATION OF THIS MAP IS FOR IDENTIFYING PROPOSED WATER RIGHTS ONLY. IT HAS NO INTENT TO PROVIDE LOCATIONS OR DIMENSIONS OF PROPERTY BOUNDARIES.

RECEIVED
 SEP 2 1998

WATER RESOURCES DEPT.
 SALEM, OREGON

**Oregon Water Resources Department
Water Right Services Division**

Water Rights Application
Number G-13313

**Final Order
Extension of Time for Permit Number G-11880
Permit Holder: Jack Sparrowk**

Permit Information

Application File G-13313 Permit G-11880

Basin: 13 – Goose and Summer Lakes / Watermaster District 12
Date of Priority: March 5, 1993

Authorized Use of Water

Source of Water: Two Wells within the Drew Creek Basin

Purpose of Use: Irrigation of 135.02 Acres;
Supplemental Irrigation of 506.94 Acres

Maximum Rate: 8.025 cfs, being 1.56 cfs for primary irrigation and 2.649 cfs for supplemental irrigation from Well 1, and 0.118 cfs for primary irrigation and 3.698 cfs for supplemental irrigation from Well 2

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315

Appeal Rights

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. A request for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either file for judicial review, or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit G-11880 was issued by the Department on December 6, 1994. The permit called for completion of construction by October 1, 1996 and complete application of water to beneficial use by October 1, 1997. On December 5, 2013, Jack Sparrowk submitted to the Department an Application for Extension of Time for Permit G-11880. In accordance with OAR 690-315-0050(2), on March 18, 2014, the Department issued a Proposed Final Order proposing to extend the time to complete construction to October 1, 2018, and the time to fully apply water to beneficial use to October 1, 2018. The protest period closed May 2, 2014, in accordance with OAR 690-315-0060(1). No protest was filed.

Findings of Fact

The Department adopts and incorporates by reference the findings of fact in the Proposed Final Order dated March 18, 2014.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to no additional conditions.


CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

Order

The extension of time for Application G-13313, Permit G-11880, therefore, is approved. The deadline for completing construction is extended to from October 1, 1996 to October 1, 2018. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 1997 to October 1, 2018.

DATED: May 9, 2014



Dwight W. French, Administrator, Water Right Services Division,
for PHILLIP C. WARD, DIRECTOR

-
- If you have any questions about statements contained in this document, please contact Ann Reece at (503) 986-0834.
 - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-

Mailing List for Extension FO Copies

Note: Include a copy of the "Important Notice" document along with the original copy of the Final Order being sent to the permit holder.

FO Date: May 9, 2014

Copies Mailed

**Application G-13313
Permit G-11880**

By: BW
On: 5/9/14

Original mailed to permit holder

Jack Sparrowk
PO Box 657
Clements, CA 95227

Copies sent to:

1. WRD - App. File G-13313/ Permit G-11880
2. South Valley Bank & Trust; PO Box 190, Lakeview, OR 97630
3. Dennis R. Glender, Glender Hydro Tech Services, 8664 SW Sand Ridge Rd, Crooked River Ranch, OR 97760

Receiving notification via e-mail - FO available in WRIS for review

(DONE BY EXTENSION SPECIALIST)

4. WRD - Watermaster District 12, Brian Mayer ✓
**NOTE: Send to Tony Justus only if denied.*
5. WRD - SCR Regional Manager, Kyle Gorman ✓
**NOTE: Send FO's Region Managers ONLY if denied.*

CASEWORKER: ALR

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment)	FINAL ORDER
T-11817, Lake County)	APPROVING A CHANGE IN POINT
)	OF APPROPRIATION AND AN
)	ADDITIONAL POINT OF
)	APPROPRIATION

Authority

ORS 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

JACK SPARROWK
SPARROWK LIVESTOCK
PO BOX 657
CLEMENTS, CA 95227

Findings of Fact

1. On May 19, 2014, JACK SPARROWK, SPARROWK LIVESTOCK, filed an application to change the point of appropriation and add an additional point of appropriation under Permit G-11880. The Department assigned the application number T-11817.
2. On July 5, 2002, the Department approved a partial assignment of the permit to lienholder, South Valley Bank and Trust.
3. On May 9, 2014, the Department approved an extension of time for complete application of water to October 1, 2018.
4. Notice of the application for the permit amendment was published in the Department's weekly notice on May 27, 2014, and in the Lake County Examiner newspaper on September 3 and 10, 2014, pursuant to ORS 540.520(5). No comments were filed in response to the notices.
5. On August 4, 2014, the Department contacted the applicant and applicant's agent, Dennis Glender, by written correspondence that an Affidavit of Consent is needed from the South Valley Bank and Trust. On August 5, 2014, the Department received the Affidavit of Consent needed to resolve the deficiency.

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-080 and OAR 690-01-005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

6. On August 12, 2014, the Department approved a partial assignment of the permit to Jack Sparrowk from the lienholder, South Valley Bank and Trust.
7. Permit Amendment Application T-11817 proposes to move the authorized point of appropriation Well 2 approximately 1.59 miles from the existing point of appropriation and add an additional point of appropriation Well 5 approximately 1.46 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
38 S	17 E	WM	17	SE SE	WELL 2: 480 FEET NORTH AND 45 FEET WEST FROM THE SE CORNER OF SECTION 17
38 S	17 E	WM	16	SW SW	WELL 5: 260 FEET NORTH AND 1170 FEET EAST FROM THE SW CORNER OF SECTION 16

Permit Amendment Review Criteria

8. The changes would not result in injury to other water rights.
9. The proposed place of use is owned and/or controlled by the permit holder.
10. The changes do not enlarge the permit.
11. The changes do not alter any other terms of the permit.
12. The proposed place of use is contiguous to the authorized place of use.

Conclusions of Law

The change in point of appropriation and additional point of appropriation proposed by Permit Amendment Application T-11817 is consistent with the requirements of ORS 537.211.


Now, therefore, it is ORDERED:

1. The change in point of appropriation and additional point of appropriation proposed by Permit Amendment Application T-11817 are approved.
2. Permit G-17289, in the name of JACK SPARROWK AND SOUTH VALLEY BANK AND TRUST, is issued to replace Permit G-11880, and incorporates the amendments approved by this order and the extension of time. Permit G-11880, in the name of JACK SPARROWK, is no longer of any force or effect.
3. The combined quantity of water diverted at the new points of appropriation, together with that diverted at the old point of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.
4. Measurement, recording and reporting conditions:
 - a. Before water use may begin under this permit, the permittee shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device

at each point of appropriation (new and existing). The permittee shall maintain the meters or measuring devices in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

- b. The permittee shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
5. Prior to using water from any well listed on this permit, the permittee shall ensure that the wells have been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the wells. The Well ID shall be used as a reference in any correspondence regarding the wells, including any reports of water use, water level, or pump test data.
6. Dedicated Measuring Tube: Wells with pumps shall be equipped with a minimum 3/4-inch diameter, unobstructed, dedicated measuring tube pursuant to figure 200-5 in OAR 690-200. If a pump has been installed prior to the issuance of this permit, and if static water levels and pumping levels can be measured using an electrical tape, then the installation of the measuring tube can be delayed until such time that water levels cannot be measured or the pump is repaired or replaced.
7. Proposed point of appropriation Well #2 shall be reconstructed to have at minimum continuous casing and continuous seal from land surface to 137 feet depth to obtain groundwater solely from the predominantly volcanic/basalt unit.
8. Proposed point of appropriation Well #3 shall be constructed with at minimum continuous casing and continuous seal from land surface through the entire valley-fill sediment into the predominantly volcanic/basalt unit to obtain groundwater solely from the predominantly volcanic/basalt unit.
9. Water shall be acquired from the same aquifer as the original points of appropriation.
10. All other terms and conditions of Permit G-17289 remain the same.

Dated at Salem, Oregon this 17 day of September, 2014.



Dwight French, Water Right Services Division Administrator, for
Director, Oregon Water Resources Department

Mailing Date: SEP 22 2014

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

JACK SPARROWK
P.O. BOX 657
CLEMENTS, CALIFORNIA 95227

This superseding permit is issued to describe an amendment for a change in point of appropriation and an additional point of appropriation proposed under Permit Amendment Application T-11817 and approved by Special Order Vol. 93, Page 453, entered Sept. 17 2014, and to describe an extension of time for complete application of water approved May 9, 2014, and partial assignment to a new permittee approved July 5, 2002, and August 12, 2014. This permit supersedes Permit G-11880.

to use the waters of WELLS 1, 2 and 3 in the DREWS CREEK BASIN for IRRIGATION OF 134.22 ACRES AND SUPPLEMENTAL IRRIGATION OF 507.74 ACRES.

This permit is issued approving Application G-13313. The date of priority is MARCH 5, 1993. The use is limited to not more than 8.025 CUBIC FEET PER SECOND (CFS); 1.56 CFS FOR PRIMARY IRRIGATION AND 2.649 CFS FOR SUPPLEMENTAL IRRIGATION FROM WELL 1, BEING 0.118 CFS FOR PRIMARY AND 3.698 CFS FOR SUPPLEMENTAL IRRIGATION FROM WELL 2, or its equivalent in case of rotation, measured at the wells.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
38 S	17 E	WM	16	SE SW	WELL 1: 1257 FEET NORTH AND 3524 FEET WEST FROM THE SE CORNER OF SECTION 16
38 S	17 E	WM	17	SE SE	WELL 2: 480 FEET NORTH AND 45 FEET WEST FROM THE SE CORNER OF SECTION 17
38 S	17 E	WM	16	SW SW	WELL 5: 260 FEET NORTH AND 1170 FEET EAST FROM THE SW CORNER OF SECTION 16

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year. The use of water during this period shall be limited to April 1 through September 30 of each year.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the proposed place of use under this permit is as follows:

WELLS 1 & 5 IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
38 S	17 E	WM	20	NE NE	9.13
38 S	17 E	WM	20	SE NE	22.00
38 S	17 E	WM	20	NE SE	12.72
38 S	17 E	WM	21	SW NW	10.18
38 S	17 E	WM	21	NW SW	31.59
38 S	17 E	WM	21	SW SW	39.20
38 S	17 E	WM	21	SE SW	0.80

WELLS 1 & 5 SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
38 S	17 E	WM	17	SW SE	6.37
38 S	17 E	WM	17	SE SE	0.90
38 S	17 E	WM	20	NE NE	18.90
38 S	17 E	WM	20	NW NE	40.00
38 S	17 E	WM	20	SW NE	39.55
38 S	17 E	WM	20	SE NE	18.00
38 S	17 E	WM	20	NE NW	22.32
38 S	17 E	WM	20	SE NW	16.13
38 S	17 E	WM	20	NE SE	18.00
38 S	17 E	WM	20	NW SE	10.23
38 S	17 E	WM	20	SE SE	9.93
38 S	17 E	WM	21	SE SW	10.79

WELLS 2 & 5 IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
38 S	17 E	WM	28	SW SE	9.40

WELLS 2 & 5 SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
38 S	17 E	WM	28	NE NW	23.29
38 S	17 E	WM	28	NW NW	40.00
38 S	17 E	WM	28	SW NW	39.74
38 S	17 E	WM	28	SE NW	32.39
38 S	17 E	WM	28	NE SW	40.00
38 S	17 E	WM	28	NW SW	26.00
38 S	17 E	WM	28	SW SW	9.30
38 S	17 E	WM	28	SE SW	40.00
38 S	17 E	WM	28	NW SE	7.86
38 S	17 E	WM	28	SW SE	18.00
38 S	17 E	WM	29	NE NE	14.75
38 S	17 E	WM	29	SE NE	4.49

Permit Amendment T-11817 Conditions

Prior to using water from any well listed on this permit, the permittee shall ensure that the wells have been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the wells. The Well ID shall be used as a reference in any correspondence regarding the wells, including any reports of water use, water level, or pump test data.

Dedicated Measuring Tube: Wells with pumps shall be equipped with a minimum 3/4-inch diameter, unobstructed, dedicated measuring tube pursuant to figure 200-5 in OAR 690-200. If a pump has been installed prior to the issuance of this permit, and if static water levels and pumping levels can be measured using an electrical tape, then the installation of the measuring tube can be delayed until such time that water levels cannot be measured or the pump is repaired or replaced.

Proposed point of appropriation POA #2 shall be reconstructed to have at minimum continuous casing and continuous seal from land surface to 137 feet depth to obtain groundwater solely from the predominantly volcanic/basalt unit.

Proposed point of appropriation POA #3 shall be constructed with at minimum continuous casing and continuous seal from land surface through the entire valley-fill sediment into the predominantly volcanic/basalt unit to obtain groundwater solely from the predominantly volcanic/basalt unit.

Water shall be acquired from the same aquifer as the original points of appropriation.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the wells at all times.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device at each point of appropriation (new and existing). The permittee shall maintain the meters or measuring devices in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

- B. The permittee shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Actual construction work began on or before DECEMBER 6, 1995 and shall be completed on or before October 1, 2018. Complete application of the water shall be made on or before October 1, 2018.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.


This permit is for beneficial use of water without waste. The water user is advised that new regulations may require use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director of the Water Resources Department has found that the proposed use of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Issued this date, Sept 17, 2014.



Dwight French, Water Right Services Division Administrator, for
Director, Oregon Water Resources Department



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301
 (503) 986-0900
 www.wrd.state.or.us

Request for Assignment

RECEIVED BY OWRD

AUG 11 2014

SALEM, OR

If for multiple rights, a separate form and fee for each right will be required.

I, Leigh Ann Evans as officer/representative of Washington Federal (previously South Valley Bank)
(Name of Applicant / Permit / Transfer Holder / License Holder/GR Certificate of Registration)

P.O. Box 190 Lakeview OR 97630 541-947-3142
(Mailing Address) (City) (State) (Zip) (Phone #)

- hereby assign all my interest in and to application/permit/transfer/license/GR Certificate of Registration;
- hereby assign all my interest in and to a portion of application/permit/transfer/license/GR Certificate of Registration; *(You must include a map showing the portion of the application/permit/transfer/license/GR Certificate of Registration to be assigned.)*
- hereby assign a portion of my interest in and to the entire application/permit/transfer/license/GR Certificate of Registration:

Application # G-13313 ; Permit # G-11880 ; Transfer # T-11817
 -OR-
 License # _____ ; GR Statement # _____ ; GR Certificate of Registration # _____

As filed in the office of the Water Resources Director, to:

JACK SPARROWK
(Name of New Owner)

PO BOX 657 CLEMENTS OR 95227
(Mailing Address) (City) (State) (Zip) (Phone #)

Note: If there are other owners of the property described in the Application, Permit, Transfer, License, or GR Certificate of Registration, you must provide a list of all other owners' names and mailing addresses and attach it to this form.

I hereby certify that I have notified all other owners of the property described in this Application, Permit, Transfer, License, or GR Certificate of Registration of this Request for Assignment

Witness my hand this 7th day of August, 2014.

Applicant/Permit Holder _____

Applicant/Permit Holder _____

South Valley Bank's Trust and its assigns, Washington Federal

ASS/GIN 8/12/2014

DO NOT WRITE IN THIS BOX
 WATER RIGHTS DIVISION

- This certifies assignment and record change at Oregon Water Resources Department, effective 8:00a.m. on date of receipt at Salem, Oregon.
- Fee receipt # 113036
- For Director by Jerry Sauter, Program Analyst in Water Rights Division

The completed "Request for Assignment" form *must* be submitted to the Department along with the recording fee of \$85.



Oregon

John A. Kitzhaber, MD, Governor

August 12, 2014

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone (503) 986-0900

Fax (503) 986-0904

www.wrd.state.or.us

Washington Federal
Attn: Leigh Ann Evans
P.O. Box 190
Lakeview, Oregon 97630

Reference: Transfer T-11817

The assignment from Washington Federal (previously South Valley Bank) to Jack Sparrowk has been recorded in the records of the Water Resources Department.

The Departments records will now show Jack Sparrowk as the transfer holder of record.

Our records have been changed accordingly and the original request is enclosed. Receipt number 113036 covering the recording fee is also enclosed.

Sincerely,

Jerry Sauter
Water Rights Program Analyst
Water Right Services Division

Enclosure: Receipt 113036

cc: Watermaster 12
Jack Sparrowk
Financial Institution
Data Center, OWRD (cover letter & request)
Hydrographics
File


June 13, 2002

Oregon Water Resources Department
158 12th Street NE
Salem, OR 97301

Re: Request for Assignment of Permit G-1180

This letter is intended to clarify South Valley Bank & Trust's intentions for the assignment requested. The assignment of Permit to Appropriate the Public Waters (Permit G-1180), issued to Jack Sparrowk on December 6, 1994 serves as partial security for an indebtedness between Jack Sparrowk (Borrower) and South Valley Bank & Trust (Lender). We request that the Oregon Water Resources Department list South Valley Bank & Trust as Lienholder on the assignment.

Sincerely,



Leigh Ann Evans
Commercial Loan Officer

RECEIVED
JUL 05 2002
WATER RESOURCES DEPT.
SALEM, OREGON



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97301-4172
(503) 378-3739
FAX (503) 378-8130
www.wrd.state.or.us

August 21, 2002

PERMIT LIENHOLDER:
SOUTH VALLEY BANK & TRUST
ATTN: L. EVANS, COMMERCIAL LOAN OFFICER
PO BOX 190
LAKEVIEW OR 97630

REFERENCE: File G13313

Partial assignment of Permit G11880 from JACK SPARROWK to you has been recorded in the records of Oregon Water Resources Department.

The original request for assignment is enclosed.

Sincerely,

Jerry Sauter
Water Rights Program Analyst

JS/jd

Enclosure

cc:
WRD Watermaster District #12
WRD Data Center

CWRE:
ANDERSON ENGINEERING AND SURVEYING INC.
PO BOX 28
LAKEVIEW OR 97630

PERMIT HOLDER:
JACK SPARROWK
PO BOX 657
CLEMENTS CA 95227

RECEIPT #53977 TO:
FIRST AMERICAN TITLE INSURANCE
540 CENTER STREET
LAKEVIEW OR 97630

EXTENSION REIMBURSEMENT AUTHORITY
PROJECT R12161-11
FOR
APPLICATION G-13313 PERMIT G-11880

Reimbursement Authority Process

Itemized Estimate Sheet

for

Extensions

	Est. Time (hr)	Individual	Est. Cost	Date	Act. Time (hr)	Actual Cost	Difference
1. Review Extension Request (Completeness Checklist)		Ann	\$0		0.5	\$46	\$46
2. Preparation of deficiency letter		Ann	\$0			\$0	\$0
3. Ground Water Review		Mike Z	\$0			\$0	\$0
4. Proposed Final Order		Ann			3.0	\$275	\$275
4a. Peer review		Ann				\$0	\$0
4b. Peer review		Dwight			0.1	\$12	\$12
5. Final Order		Ann			0.5	\$36	\$36
6. Project Management		Ann			0.5	\$46	\$46
7. Water right data record update		Cody			0.5	\$29	\$29
Total						\$442	\$442

Application #: G-13313

Permit #: G-11880

Transfer #

Name of RA Applicant: RA#
Jack Sparrowk R12161-11

Reimbursement Authority Process
Itemized Estimate Sheet
for

Extensions

	Est. Time (hr)	Individual	Est. Cost	Date	Act. Time (hr)
1. Review Extension Request (Completeness Checklist)	0.50	Ann	\$46	3-18	.5
2. Preparation of deficiency letter		Craig	\$0		
3. Ground Water Review		Mike Z	\$0		
4. Proposed Final Order	3.00	Ann	\$275	3-18	3
4a. Peer review	0.00	Ann	\$0		
4b. Peer review	0.10	Dwight	\$12	5-6	.1
5. Final Order	0.50	Craig Ann	\$36	3-18	.5
6. Project Management	0.50	Craig Ann	\$46	2-19 2-4	.25 .25
7. Water right data record update	0.50	Cody	\$29	5-9	.5
Total	5.10		\$442		

\$450

Notes:



**OREGON WATER RESOURCES DEPARTMENT
EXTENSION REIMBURSEMENT AUTHORITY
APPLICANT'S AGREEMENT**



Contract Number: **R12161-11**

This Agreement is between the **Oregon Water Resources Department**, hereafter OWRD, and **Jack & Beverly Sparrowk** hereafter Applicants, hereafter known together as the parties.

OWRD Information	Applicant's Information	Applicant's Representative
Project Contact: Ann L. Reece	Name: Jack Sparrowk	Name: Beverly Sparrowk
Reimbursement Authority	Title:	Title:
Oregon Water Resources Department	Company:	Company:
725 Summer Street, NE	Address: PO Box 657	Address: PO Box 657
Salem, OR 97301-1271	Clements, CA 95227	Clements, CA 95227
Phone: 503-986-0834	Phone: 209-759-3530	Phone: 209-759-3530
Email: reeceal@wrdd.state.or.us	Email:	Email: beverly@sparrowk.com

1. **Purpose.** The purpose of this Agreement is to expedite the processing of the **Water Right Extension Application. (Application Number: G-13313)**

2. **Authority.** ORS 536.055 authorizes the OWRD to enter into a voluntary agreement with any applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.

3. **Restrictions.** Jack & Beverly Sparrowk and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.

4. **Effective Date and Duration.** Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service has been received by OWRD.

5. **Consideration.** Jack & Beverly Sparrowk shall pay OWRD in advance for actual costs incurred by OWRD. Jack & Beverly Sparrowk agrees to pay the full amount of **\$ 450** to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost. The costs stated in this Agreement do not include the statutory application processing and filing fees.

6. **Confidentiality.** Jack & Beverly Sparrowk agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.

7. **Indemnity.** Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.

PCA 47126

8. **Termination.** Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by the Reimbursement Authority personnel up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance after paying the Reimbursement Authority personnel for the work done.
9. **Funds Authorized and Available.** By its execution of this Agreement, Applicants certifies that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
10. **Duration of Estimate.** The Estimate of Time to complete the work (including the required public notice and protest periods) is no later than one-hundred twenty (120) days once this Agreement has been fully executed and payment of the estimated cost deposited. However, this estimate is contingent on the Applicant's expeditious resolution of any deficiency and may be affected by the Department's work load. This Estimate of Time may become null and void after thirty (30) days from the date the Applicant's Agreement is mailed. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate.
11. **Completion Date.** OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
12. **Captions.** The captions or headings in this Agreement are for the convenience only and in no way define limit or describe the scope or intent of any provision of this Agreement.
13. **Amendment and Merger.** The terms of this Agreement shall not be waived, altered, modified, supplemented or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.
14. **Signatures.** All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

Applicant: _____
 Name: Jack or Beverly Sparrowk
 Date: 2/27/14

For OWRD: Ann L. Reece
 Name: Ann L. Reece
 Water Rights and Adjudication Division
 Date: 3/4/2014 - abr

Mail signed Agreement to:

Ann L. Reece
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1271

PCA 47126

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **111264**

INVOICE # _____

RECEIVED FROM: SPARROWK

APPLICATION G-13313

BY: _____

PERMIT _____

TRANSFER _____

CASH: CHECK: # 58664 OTHER: (IDENTIFY) _____

TOTAL REC'D \$ 450.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 47126 R-12161-11 \$ 450.00
0408 OTHER: (IDENTIFY) Reimbursement authority \$ _____

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES	\$
0410	RESEARCH FEES	\$
0408	MISC REVENUE: (IDENTIFY) _____	\$
TC162	DEPOSIT LIAB. (IDENTIFY) _____	\$
0240	EXTENSION OF TIME	\$

WATER RIGHTS:

0201	SURFACE WATER	EXAM FEE \$	0202	RECORD FEE \$
0203	GROUND WATER	\$	0204	\$
0205	TRANSFER	\$		

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	EXAM FEE \$	0219	LICENSE FEE \$
	LANDOWNER'S PERMIT		0220	\$
	OTHER (IDENTIFY) _____			

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD #	
0210	MONITORING WELLS	\$	CARD #	
	OTHER (IDENTIFY) _____			

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)	\$
0231	HYDRO LICENSE FEE (FW/WRD)	\$
	HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND _____ TITLE _____
 OBJ. CODE _____ VENDOR # _____
 DESCRIPTION _____ \$ _____

RECEIPT: **111264** DATED: 3.3.14 BY: Amil DVM

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **111264**

INVOICE # _____

RECEIVED FROM: <u>SPARROWK</u>	APPLICATION <u>G-13313</u>
BY: _____	PERMIT _____
	TRANSFER _____

CASH: CHECK:# 58664 OTHER: (IDENTIFY) _____

TOTAL REC'D \$ 450.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407	COPIES	<u>47126 R-12161-11</u>	\$ <u>450.00</u>
<u>0408</u>	OTHER:	(IDENTIFY) <u>Reimbursement Authority</u>	\$ _____

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS			
0407	COPY & TAPE FEES		\$ _____
0410	RESEARCH FEES		\$ _____
0408	MISC REVENUE: (IDENTIFY)		\$ _____
TC162	DEPOSIT LIAB. (IDENTIFY)		\$ _____
0240	EXTENSION OF TIME		\$ _____
WATER RIGHTS:			
0201	SURFACE WATER	EXAM FEE	RECORD FEE
0203	GROUND WATER	\$ _____	\$ _____
0205	TRANSFER	\$ _____	\$ _____
		EXAM FEE	LICENSE FEE
WELL CONSTRUCTION			
0218	WELL DRILL CONSTRUCTOR	\$ _____	\$ _____
	LANDOWNER'S PERMIT		\$ _____
	OTHER (IDENTIFY)		

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$ _____	CARD # _____
0210	MONITORING WELLS	\$ _____	CARD # _____
	OTHER (IDENTIFY)		

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)	\$ _____	
0231	HYDRO LICENSE FEE (FW/WRD)	\$ _____	
	HYDRO APPLICATION		\$ _____

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT: **111264** DATED: 3-3-14 BY: Anil DM

REECE Ann L

From: REECE Ann L <ann.l.reece@state.or.us>
Sent: Tuesday, March 04, 2014 4:09 PM
To: beverly@sparrowk.com
Cc: ann.l.reece@state.or.us
Subject: RA Agreement for contract R12161-11_Permit Extension for G-13313
Attachments: RA Contract executed.PDF; Receipt.PDF

Beverly,

Attached are copies of the fully executed Applicant's Agreement signed by the required parties and receipt for the monies paid for the expedited services for processing your pending Water Right Extension Application. The terms and conditions of the contract are detailed in the signed Applicant's Agreement.

Best Regards,

Ann Reece

Water Right Services Division
Hydroelectric Analyst / Municipal Extension Specialist
Oregon Water Resources Department
725 Summer St. NE Suite A
Salem, OR 97301
503-986-0834
reeceal@ wrd.state.or.us



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department

North Mall Office Building

725 Summer Street NE, Suite A

Salem, OR 97301-1271

503-986-0900

FAX 503-986-0904

February 19, 2014

Jack and Beverly Sparrowk

PO Box 657

Clements, CA 95227

RE: Reimbursement Authority Extension of Time Estimate for R12161-11
involving application G-13313

Please find the attached estimate and agreement to process the extension application for permit holder Jack Sparrowk. If the proposed agreement is acceptable to you, please return a signed copy to our office along with the payment of the estimated cost to process the application.

If you have any question, please call me at 503-986-0834.

Sincerely,

Ann L. Reece

Water Rights Analyst

Enclosure

CC: File G-13512



**OREGON WATER RESOURCES DEPARTMENT
EXTENSION REIMBURSEMENT AUTHORITY
APPLICANT'S AGREEMENT**



Contract Number: **R12161-11**

This Agreement is between the **Oregon Water Resources Department**, hereafter OWRD, and **Jack & Beverly Sparrowk** hereafter Applicants, hereafter known together as the parties.

OWRD Information

Project Contact: Ann L. Reece
Reimbursement Authority
Oregon Water Resources Department
725 Summer Street, NE
Salem, OR 97301-1271
Phone: 503-986-0834
Email: reeceal@wrdd.state.or.us

Applicant's Information

Name: Jack Sparrowk
Title:
Company:
Address: PO Box 657
Clements, CA 95227
Phone: 209-759-3530
Email:

Applicant's Representative

Name: Beverly Sparrowk
Title:
Company:
Address: PO Box 657
Clements, CA 95227
Phone: 209-759-3530
Email: beverly@sparrowk.com

1. **Purpose.** The purpose of this Agreement is to expedite the processing of the **Water Right Extension Application. (Application Number: G-13313)**
2. **Authority.** ORS 536.055 authorizes the OWRD to enter into a voluntary agreement with any applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
3. **Restrictions.** Jack & Beverly Sparrowk and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.
4. **Effective Date and Duration.** Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service has been received by OWRD.
5. **Consideration.** Jack & Beverly Sparrowk shall pay OWRD in advance for actual costs incurred by OWRD. Jack & Beverly Sparrowk agrees to pay the full amount of **\$ 450** to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost. The costs stated in this Agreement do not include the statutory application processing and filing fees.
6. **Confidentiality.** Jack & Beverly Sparrowk agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
7. **Indemnity.** Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.

PCA 47126

8. **Termination.** Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by the Reimbursement Authority personnel up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance after paying the Reimbursement Authority personnel for the work done.
9. **Funds Authorized and Available.** By its execution of this Agreement, Applicants certifies that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
10. **Duration of Estimate.** The Estimate of Time to complete the work (including the required public notice and protest periods) is no later than one-hundred twenty (120) days once this Agreement has been fully executed and payment of the estimated cost deposited. However, this estimate is contingent on the Applicant's expeditious resolution of any deficiency and may be affected by the Department's work load. This Estimate of Time may become null and void after thirty (30) days from the date the Applicant's Agreement is mailed. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate.
11. **Completion Date.** OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
12. **Captions.** The captions or headings in this Agreement are for the convenience only and in no way define limit or describe the scope or intent of any provision of this Agreement.
13. **Amendment and Merger.** The terms of this Agreement shall not be waived, altered, modified, supplemented or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.
14. **Signatures.** All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

Applicant: _____
 Name: Jack or Beverly Sparrowk
 Date: _____

For OWRD: _____
 Name: Ann L. Reece
 Water Rights and Adjudication Division
 Date: _____

Mail signed Agreement to:

Ann L. Reece
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1271

PCA 47126



OREGON WATER RESOURCES DEPARTMENT
EXTENSION REIMBURSEMENT AUTHORITY
ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.

The purpose of this application is to obtain estimates of the cost and time required to process a Water Right Extension Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST	TYPE	FILE NUMBER
<input checked="" type="checkbox"/>	Extension Request	Application Number G-13313 Permit Number G-11880

Applicant Information		Applicant's Representative/Contact
Name:	Beverly Sparrowk	
Title (optional):		
Address:	PO Box 657 Clements, CA 95227	
Phone:	209/759-3530	
E-Mail Address:	beverly@sparrowk.com	

I certify that I (check one):

- have previously filed an application for Extension of Time for a Water Right Permit.
- am attaching the application for Extension of Time for a Water Right Permit and have included the appropriate application fee.

I understand the following:

- That upon receipt of my non-refundable application fee in the amount of \$ 125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimates of cost and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That upon receiving the estimate I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- An incomplete or inaccurate application for Extension of Time for a Water Right Permit may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.

You may request a one-hour conference with OWRD staff. The conference would only occur after you have signed the contract and paid the estimated cost of processing your application. Please indicate your preference (check one):

- I do not want to schedule a one-hour conference with OWRD staff.
- I want to schedule a one-hour conference with OWRD staff to discuss my project. I understand that I will be billed for this time, and that it may affect my total costs.

RECEIVED BY OWRD

FEB 18 2014

SALEM, OR

Send completed Application and payment to:
Oregon Water Resources Department
Extension Reimbursement Authority Program
725 Summer St. NE, Suite A
Salem, OR 97301-1271

I certify that I am the (check one):

- Applicant
- Applicant's Representative
- Other (Please specify) _____

Name: Beverly Sparrowk

Signature: Beverly Sparrowk

OWRD USE ONLY: Reimbursement Authority Number: R12 161 11

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **111159**

INVOICE # _____

RECEIVED FROM: Sparrowk Livestock
BY: _____

APPLICATION	G-13313
PERMIT	
TRANSFER	

CASH: CHECK:# 58625 OTHER: (IDENTIFY) _____

TOTAL REC'D \$ 125.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 47126 R12161-11 \$
0408 OTHER: (IDENTIFY) Reimbursement Authority \$ 125.00

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES		\$
0410	RESEARCH FEES		\$
0408	MISC REVENUE: (IDENTIFY)	_____	\$
TC162	DEPOSIT LIAB. (IDENTIFY)	_____	\$
0240	EXTENSION OF TIME		\$

WATER RIGHTS:

0201	SURFACE WATER	EXAM FEE \$	0202	RECORD FEE \$
0203	GROUND WATER	EXAM FEE \$	0204	RECORD FEE \$
0205	TRANSFER	EXAM FEE \$		

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	EXAM FEE \$	0219	LICENSE FEE \$
	LANDOWNER'S PERMIT		0220	LICENSE FEE \$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD #	
0210	MONITORING WELLS	\$	CARD #	
	OTHER (IDENTIFY)			

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)		\$
0231	HYDRO LICENSE FEE (FW/WRD)		\$
	HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND _____	TITLE _____	
OBJ. CODE _____	VENDOR # _____	
DESCRIPTION _____		\$

RECEIPT: **111159**

DATED: 2-18-14 BY: [Signature]

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **111159**

INVOICE # _____

RECEIVED FROM: Sparrowk Livestock
BY: _____

APPLICATION	6-13313
PERMIT	
TRANSFER	

CASH: CHECK:# 58625 OTHER: (IDENTIFY)

TOTAL REC'D \$ 125.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 47126 R12161-11 \$
0408 OTHER: (IDENTIFY) Reimbursement Authority \$ 125.00

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES	\$
0410	RESEARCH FEES	\$
0408	MISC REVENUE: (IDENTIFY)	\$
TC162	DEPOSIT LIAB. (IDENTIFY)	\$
0240	EXTENSION OF TIME	\$

WATER RIGHTS:

0201	SURFACE WATER	EXAM FEE	0202	RECORD FEE
0203	GROUND WATER	\$	0204	\$
0205	TRANSFER	\$		\$

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	EXAM FEE	0219	LICENSE FEE
	LANDOWNER'S PERMIT	\$	0220	\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD #
0210	MONITORING WELLS	\$	CARD #
	OTHER (IDENTIFY)		

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)	\$
0231	HYDRO LICENSE FEE (FW/WRD)	\$
	HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION _____ \$ _____

RECEIPT: **111159**

DATED: 2-18-14 BY: [Signature]

KOHANEK Craig

From: SUMPTION Mishelle K
Sent: Wednesday, February 19, 2014 8:33 AM
To: MARTIN Duff A; TODD Sandra K
Cc: KOHANEK Craig; REECE Ann L; OPEIFA Salem B
Subject: RE: EXTENTION REQUEST

Correction: Project number is 12161-11 and PCA is 47126

Sorry for the error!

Mishelle

From: SUMPTION Mishelle K
Sent: Wednesday, February 19, 2014 7:38 AM
To: MARTIN Duff A; TODD Sandra K
Cc: KOHANEK Craig; REECE Ann L; OPEIFA Salem B
Subject: RE: EXTENTION REQUEST

Duff,

Your project number is R11089-11 and the PCA is 47124.

Thank you.

Mishelle

From: MARTIN Duff A
Sent: Tuesday, February 18, 2014 4:49 PM
To: TODD Sandra K
Cc: KOHANEK Craig; REECE Ann L; OPEIFA Salem B; SUMPTION Mishelle K
Subject: EXTENTION REQUEST

Hello,

Applicant: Beverly Sparrowk

Related Application #: G-13313

Receipt #: 111159

Thanks,

Duff Martin | Executive Support, Administrative Services Division
Water Resources Department | 725 Summer St. NE, Suite A | Salem, Oregon 97301
Email: duff.a.martin@wrds.state.or.us | Ph: 503.986.0928 | Fax: 503.986.0904

KOHANEK Craig

From: SUMPTION Mishelle K
Sent: Wednesday, February 19, 2014 7:38 AM
To: MARTIN Duff A; TODD Sandra K
Cc: KOHANEK Craig; REECE Ann L; OPEIFA Salem B
Subject: RE: EXTENTION REQUEST

Duff,

Your project number is R11089-11 and the PCA is 47124.

Thank you.

Mishelle

From: MARTIN Duff A
Sent: Tuesday, February 18, 2014 4:49 PM
To: TODD Sandra K
Cc: KOHANEK Craig; REECE Ann L; OPEIFA Salem B; SUMPTION Mishelle K
Subject: EXTENTION REQUEST

Hello,

Applicant: Beverly Sparrowk

Related Application #: G-13313

Receipt #: 111159

Thanks,

Duff Martin | Executive Support, Administrative Services Division

Water Resources Department | 725 Summer St. NE, Suite A | Salem, Oregon 97301

Email: duff.a.martin@wrd.state.or.us | Ph: 503.986.0928 | Fax: 503.986.0904

KOHANEK Craig

From: MARTIN Duff A
Sent: Tuesday, February 18, 2014 4:49 PM
To: TODD Sandra K
Cc: KOHANEK Craig; REECE Ann L; OPEIFA Salem B; SUMPTION Mishelle K
Subject: EXTENTION REQUEST

Hello,

Applicant: Beverly Sparrowk

Related Application #: G-13313

Receipt #: 111159

Thanks,

Duff Martin | Executive Support, Administrative Services Division

Water Resources Department | 725 Summer St. NE, Suite A | Salem, Oregon 97301

Email: duff.a.martin@wrd.state.or.us | Ph: 503.986.0928 | Fax: 503.986.0904

**Oregon Water Resources Department
Water Right Services Division**

Application for Extension of Time

In the Matter of the Application for an Extension of Time)
for Permit G-11880, Water Right Application G-13313) PROPOSED FINAL ORDER
in the name of Jack Sparrowk)

Permit Information

Application File G-13313 Permit G-11880

Basin: 13 – Goose and Summer Lakes / Watermaster District 12
Date of Priority: March 5, 1993

Authorized Use of Water

Source of Water: Two Wells within the Drew Creek Basin
Purpose of Use: Irrigation of 135.02 Acres;
 Supplemental Irrigation of 506.94 Acres
Maximum Rate: 8.025 cfs, being 1.56 cfs for primary irrigation and 2.649
 cfs for supplemental irrigation from Well 1, and 0.118 cfs
 for primary irrigation and 3.698 cfs for supplemental
 irrigation from Well 2

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315

Please read this Proposed Final Order in its entirety.

This Proposed Final Order applies only to Permit G-11880, water right Application G-13313.

Summary of Proposed Final Order for Extension of Time

The Department proposes to:

- Grant an extension of time for complete construction of the water system from October 1, 1996 to October 1, 2018.
- Grant an extension of time to apply water to full beneficial use from October 1, 1997 to October 1, 2018.

ACRONYM QUICK REFERENCE

Department – Oregon Department of Water Resources
PFO – Proposed Final Order

Units of Measure

cfs – cubic feet per second
gpm – gallons per minute

AUTHORITY

Generally, see ORS 537.630 and OAR Chapter 690 Division 315.

ORS 537.630(1) provides in pertinent part that the Oregon Water Resources Department (Department) may, for good cause shown, order an extension of time within which: irrigation or other works shall be completed; the well or other means of developing and securing ground water shall be completed; or the right perfected. In determining the extension, the Department shall give due weight to the considerations described under ORS 539.010(5) and to whether other governmental requirements relating to the project have significantly delayed completion of construction or perfection of the right.

ORS 539.010(5) provides in pertinent part that the Water Resources Director, for good cause shown, may extend the time within which the full amount of the water appropriated shall be applied to a beneficial use. This statute instructs the Director to consider: the cost of the appropriation and application of the water to a beneficial purpose; the good faith of the appropriator; the market for water or power to be supplied; the present demands therefore; and the income or use that may be required to provide fair and reasonable returns upon the investment.

OAR 690-315-0040 provides in pertinent part that the Water Resources Department shall make findings to determine if an extension of time may be approved to complete construction and/or apply water to full beneficial use.

FINDINGS OF FACT

Background

1. Permit G-11880 was granted by the Department on December 6, 1994. The permit authorizes the use of up to 8.025 cfs, being 1.56 cfs for primary irrigation of 125.62 acres and 2.649 cfs for supplemental irrigation of 211.12 acres from Well 1, and 0.118 cfs for primary irrigation of 9.4 acres and 3.698 cfs for supplemental irrigation of 295.82 acres from Well 2. Both wells are within the Drew Creek Basin. The permit specified construction of the water system was to be completed by October 1, 1996, and complete application of water was to be made on or before October 1, 1997.
2. The permit holder submitted an "Application for Extension of Time" to the Department on December 5, 2013, requesting the time to complete construction of the water system be extended from October 1, 1996 to October 1, 2018, and the time to apply water to full beneficial use under the terms and conditions of Permit G-11880 be extended from October 1, 1997 to October 1, 2018. This is the first permit extension requested for Permit G-11880.
3. Notification of the Application for Extension of Time for Permit G-11880 was published in the Department's Public Notice dated December 10, 2013. No public comments were received regarding the extension application.

Review Criteria [OAR 690-315-0040]

The time limits to complete construction and/or apply water to full beneficial use may be extended if the Department finds that the permit holder has met the requirements set forth under OAR 690-315-0040. This determination shall consider the applicable requirements of ORS 537.230¹, 537.248², 537.630³ and/or 539.010(5)⁴.

Complete Extension of Time Application [OAR 690-315-0040(1)(a)]

4. On December 5, 2013, the Department received a completed Application for Extension of Time and the fee specified in ORS 536.050 from the permit holder.

Start of Construction [OAR 690-315-0040(1)(b) and 690-315-0040(5)]

5. Actual construction of the well began prior to the December 5, 1995 deadline specified in the permit.

Duration of Extension [OAR 690-315-0040(1)(c)]

Under OAR 690-315-0040(1)(c), in order to approve an extension of time for water use permits the Department must find that the time requested is reasonable and the applicant can complete the project within the time requested.

¹ORS 537.230 applies to surface water permits only.

²ORS 537.248 applies to reservoir permits only.

³ORS 537.630 applies to ground water permits only.

⁴ORS 539.010(5) applies to surface water and ground water permits.

6. As of December 5, 2013, the remaining work to be completed consists of applying for a permit amendment to change an existing point of appropriation (Well 2), and to add an additional point of appropriation (Well 3); constructing Well 3, installing pumps and meters in Wells 2 and 3; installing a power supply to the pumps; and completing construction of the water system and applying water to full beneficial use.
7. Given the amount of development left to occur, the Department has determined that the permit holder's request to have until October 1, 2018, to complete construction of the water system and to accomplish the application of water to beneficial use under the terms and conditions of Permit G-11880 is both reasonable and necessary.

Good Cause [OAR 690-315-0040(1)(d)]

The Department's determination of good cause shall consider the requirements set forth under OAR 690-315-0040(2).

Reasonable Diligence of the Appropriator [OAR 690-315-0040(2)(a)]

The Department's determination of reasonable diligence shall consider the requirements set forth under OAR 690-315-0040(3)(a-d). In accordance with OAR 690-315-0040(3), the Department shall consider, but is not limited to, the following factors when determining whether the applicant has demonstrated reasonable diligence in previous performance under the permit:

Amount of Construction [OAR 690-315-0040(3)(a)]

8. Work was accomplished within the time allowed in the permit or previous extension as follows:
 - a. Construction of the well and water system began prior to the December 6, 1995 deadline specified in the permit.
 - b. Well 1 was constructed and a flow meter was installed on this well during the original development time frame under Permit G-11880.
 - c. After October 1, 1997, the permit holder reconstructed a well (Well 2) that will become a change in point of appropriation if approved through the permit amendment process. In addition, a pump was installed on this well.

Beneficial Use of Water [OAR 690-315-0040(3)(b)]

9. The following beneficial use of water was made during the permit or previous extension time limits:
 - a. Since the issuance of Permit G-11880 on December 6, 1994, a maximum rate of 1.9 cfs from Well 1 was used for primary irrigation of 51.0 acres, and supplemental irrigation of 260.2 acres. (See FINAL PROOF SURVEY and FINAL PROOF SURVEY MAP submitted September 29, 1998.) The permit only authorizes up to 211.12 acres of supplemental irrigation from Well 1.

Compliance with Conditions [OAR 690-315-0040(3)(c)]

10. The water right permit holder's conformance with the permit or previous extension conditions.
 - a. The Department has considered the permit holder's compliance with conditions, and has identified the concern that the record shows that water from Well 1 was used on more acres than authorized under the permit for supplemental irrigation.

Financial Investments [OAR 690-315-0040(3)(d)]

11. Financial investments made toward developing the beneficial water use.
 - a. As of December 5, 2013, the permit holder has invested approximately \$67,813 which is approximately 58 percent of the total projected cost for complete development of this project. The permit holder anticipates an additional \$50,000 investment is needed for the completion of this project.

Cost to Appropriate and Apply Water to a Beneficial Purpose [OAR 690-315-0040(2)(b)]

12. As of December 5, 2013, the permit holder has invested approximately \$67,813 which is approximately 58 percent of the total projected cost for complete development of this project. The permit holder anticipates an additional \$50,000 investment is needed for the completion of this project.

Good Faith of the Appropriator [OAR 690-315-0040(2)(c)]

13. The Department has found good faith of the appropriator under Permit G-11880.

The Market and Present Demands for Water [OAR 690-315-0040(2)(d-e)]

The Department's determinations of market and present demand for water or power to be supplied shall consider the requirements set forth under OAR 690-315-0040(4)(a-f). In accordance with OAR 690-315-0040(4), the Department shall consider, but is not limited to, the following factors when determining the market and the present demand for water or power to be supplied:

14. The amount of water available to satisfy other affected water rights and scenic waterway flows; special water use designations established since permit issuance, including but not limited to state scenic waterways, federal wild and scenic rivers, serious water management problem areas or water quality limited sources established under 33 U.S.C. 1313(d); or the habitat needs of sensitive, threatened or endangered species, in consultation with the Oregon Department of Fish and Wildlife [OAR 690-315-0040(4)(a-c)].
 - a. The amount of water available to satisfy other affected water rights and scenic waterway flows was determined at the time of issuance of Permit G-11880; furthermore, water availability for other affected water rights and scenic waterway flows after the permit was issued is determined at such time that such application for a new water right is submitted. The points of appropriation for Permit G-11880, located within the Drews Creek Basin, are not located within a limited or critical ground water area. Drews Creek is not located within or above

any state or federal scenic waterway, however it is located within an area ranked "low" for stream flow restoration needs as determined by the Department in consultation with the Oregon Department of Fish and Wildlife, and is located within a Sensitive, Threatened or Endangered Fish Species Area as identified by the Department in consultation with Oregon Department of Fish and Wildlife. The points of appropriation are not in an area listed by the Department of Environmental Quality as a water quality limited stream.

15. Economic investment in the project to date [OAR 690-315-0040(4)(d)].
 - a. As of December 5, 2013, the permit holder has invested approximately \$67,813.
16. Other economic interests dependent on completion of the project [OAR 690-315-0040(4)(e)].
 - a. None have been identified.
17. Other factors relevant to the determination of the market and present demand for water and power [OAR 690-315-0040(4)(f)].
 - a. None have been identified.

Fair Return Upon Investment [OAR 690-315-0040(2)(f)]

18. Use and income from the permitted water development will likely result in reasonable returns upon the investment made to date.

Other Governmental Requirements [OAR 690-315-0040(2)(g)]

19. Delay in the development of this project was not caused by any other governmental requirements.

Unforeseen Events [OAR 690-315-0040(2)(h)]

20. Unforeseen events extended the length of time needed to fully develop and perfect Permit G-11880, in that financial resources prevented the permit holder from completing development of the project in a timely manner; and the wells did not produce sufficient water to supply the amount of water needed to perfect the permit, and thus the permit holder must apply for a permit amendment to change an existing point of appropriation and add an additional point of appropriation.

CONCLUSIONS OF LAW

1. The applicant is entitled to apply for an extension of time to complete construction and/or completely apply water to the full beneficial use pursuant to ORS 537.630(1).
2. The applicant has submitted a complete extension application form and the fee specified in ORS 536.050, as required by OAR 690-315-0040(1)(a).
3. The applicant complied with begin actual construction timeline requirements pursuant to

ORS 537.630 as required by OAR 690-315-0040(1)(b) and OAR 690-315-0040(5).

4. Completion of construction and full application of water to beneficial use can be accomplished by October 1, 2018⁵, as required by OAR 690-315-0040(1)(c).
5. The Department has considered the reasonable diligence and good faith of the appropriator, the cost to appropriate and apply water to a beneficial purpose, the market and present demands for water to be supplied, the financial investment made and fair and reasonable return upon the investment, the requirements of other governmental agencies, and unforeseen events over which the permit holder had no control, whether denial of the extension will result in undue hardship to the applicant and whether there are no other reasonable alternatives for meeting water use needs, any other factors relevant to a determination of good cause, and has determined that the applicant has shown that good cause exists for an extension of time to apply water to full beneficial use pursuant to OAR 690-315-0040(1)(d).


Proposed Order

Based upon the foregoing Findings of Fact and Conclusions of Law, the Department proposes to issue an order to:

Extend the time for complete construction of the water system under Permit G-11880 from October 1, 1996 to October 1, 2018.

Extend the time to apply water to beneficial use under Permit G-11880 from October 1, 1997 to October 1, 2018.

DATED: March 18, 2014


Dwight W. French, Administrator,
Water Right Services Division

*If you have any questions,
please check the information
box on the last page for the
appropriate names and
phone numbers.*

⁵Pursuant to ORS 537.630(4), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and a new or revised claim of beneficial use as deemed appropriate by the Department.

Mailing List for Extension PFO Copies

PFO Date: March 18, 2014

Copies Mailed

**Application G-13313
Permit G-11880**

By: BW
On: 3/18/14

Original mailed to Applicant:

Jack Sparrowk
PO Box 657
Clements, CA 95227

Copies sent to:

1. WRD - App. File G-13313/ Permit G-11880
2. South Valley Bank & Trust; PO Box 190, Lakeview, OR 97630
3. Dennis R. Glender, Glender Hydro Tech Services, 8664 SW Sand Ridge Rd, Crooked River Ranch, OR 97760

Receiving via e-mail (10 AM Tuesday of signature date)
(DONE BY EXTENSION SPECIALIST)

4. WRD - Watermaster District 12, Brian Mayer ✓ ALR

CASEWORKER: ALR

Extension PFO Checklist for Other than Muni or Quasi-Municipal

Water Use Permits
(OAR 690-315-0010 through OAR 690-315-0060)

Application: G- 13313 Permit: G- 11880 Permit Amendment? No Yes T- _____ pending approved

Permit Holder's Name: Jack Sparrowk

Permit Holder's Mailing Address: PO Box 657, Clements, CA 95227 email beverly@sparrowk.com

Phone Number: 209-759-3530

POD Location: Township 38S Range 17E Section 16, SESW; 28, SWNE ¼ _____

Drainage Basin: 13 County: Lake Watermaster District: 12 Watermaster: Brian Mayer

Date Permit was issued: 12/6/1994 Priority Date: 3/5/1993 Date of PN: 12/10/2013

Source: Wells 1 and 2 within Drew Creek Basin

Use: Irrigation on 140.3 acres; Supplemental Irrigation on 490.87 acres

"Q": 8.025 cfs; being 4.209 from Well 1 (IR-1.56 cfs, IS 2.649 cfs; 3.816 from Well 2 (IR 0.118 cfs, IS 3.698 cfs)

Orig "A" Date: 12/6/1995 Orig "B" Date: 10/1/1996 Orig "C" Date: 10/1/1997

Extension request rec'd: 12/5/2013 Last Authorized "B" Date: 10/1/1996 Last Authorized "C" Date: 10/1/1997

Request Number (1, 2, 3...): 1st Proposed "B" Date: 10/1/2018 Proposed C Date: 10/1/2018

Conditions of Permit:

Condition Met?	Condition Not Met?	Permit Condition
<input checked="" type="checkbox"/>	<input type="checkbox"/>	install meter prior to water use
<input type="checkbox"/>	<input type="checkbox"/>	submit annual water use reports
<input checked="" type="checkbox"/>	<input type="checkbox"/>	met A date
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	

Factors to consider in determining "Reasonable Diligence" [OAR 690-315-0040(3)]:

Yes No

- Work was accomplished within the time allowed in the permit or previous extension
- Water right permit holder conformed with the permit or previous extension conditions
- Financial investments were made toward developing the beneficial water use.
 - Amount Invested to date: \$67,813 Estimated Remaining Cost: \$50,000
- Beneficial use made of the water during the permit or previous extension time limits
 - Permit holder has beneficially used 1.9 based on CBU cfs gpm af of the total permitted quantity of water on 311.32 acrs, being 260.2 IS; 51 IR acres

GW REVIEW: Y N _____

MITIGATION REVIEW: Y N _____

Has the applicant pursued perfection of the right in good faith and with reasonable diligence? Yes No

Determination of the market and the present demand for water or power to be supplied:

Identify the closest surface water or localized water basin. Drews Creek
Ground Water Permits: Is the POA located...
Surface Water Permits: Is the POD located...

- Yes No
- above a state scenic waterway? Name _____ Source: OWRD "Areas Above State Scenic Waterways" Map
 - within a stream segment designated as a federal wild and scenic river? Source: www.rivers.gov/wildriverslist.html
 - within a sensitive, threatened or endangered species area Source: "/gisdata/dcv/projects/salmon/div33map.aml"
 - within a critical or limited Ground Water Area? Name of area _____
 - within a Withdrawn Area? Name of area _____
 - in a waterbody listed on the DEQ Section 303(d) List of Water Quality Limited Areas? Date added to list _____
 - within an area ranking low / moderate / high / highest for stream flow restoration needs Source: OWRD "Streamflow Restoration Needs" Maps (by region)

Based on the written record, can the Department make a finding of "Good Cause" to approve the extension request?

Yes... "Good Cause" can be found. Approval of Extension Request
No ... "Good Cause" cannot be found. Denial of Extension Request

Conditions to be included in Extension PFO (if applicable)? Yes No

(NOTE: Check the file record for documentation to add a condition(s) at the extension stage.)

- 5-year Progress Report Checkpoints (Years: _____)
- Other: _____

Footnote regarding Claim of Beneficial Use. Choose the appropriate language below and insert as a footnote in the PFO:

- COBU Requirement - Surface/Ground Water - on or prior to July 9, 1987**
"For permits applied for or received on or before July 9, 1987, upon complete development of the permit, you must notify the Department that the work has been completed and either: (1) Hire a water right examiner certified under ORS 537.798 to conduct a survey, the original to be submitted as required by the Water Resources Department, for issuance of a water right certificate; or (2) Continue to appropriate water under the water right permit until the Water Resources Department conducts a survey and issues a water right certificate under ORS 537.250 or 537.625."
- COBU Requirement - Surface Water - post July 9, 1987**
"Pursuant to ORS 537.230(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use."
- COBU Requirement - Ground Water - post July 9, 1987**
"Pursuant to ORS 537.630(4), upon the completion of beneficial use of water allowed under the permit, the permit holder shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permit holder shall submit a map of the survey and the claim of beneficial use."

NOTES:

cc: Permit Holder of Record: South Valley Bank & Trust; PO Box 190, Lakeview, OR 97630
cc: Dennis R. Glender, Glender Hydro Tech Services, 8664 SW Sand Ridge Rd, Crooked River Ranch, OR 97760 (541-219-0806)

Extension "PFO" Dates

Mailing / Issuance Date: _____ Date: _____ Protest Deadline

Reviewer's Name: _____ Date: _____

Application # G-13313 Permit # G-11880

Public Notice Route Slip ... New Application Extension of Time
Per Division 315 Rules... (Extensions received on July 1, 2001 or after)

◆ **WRIG...**

Money Received on: 12/5/2013

◆ **Extension Specialist ...**

Added to tracking spreadsheet

After fee is receipted and app info is added to spreadsheet, route to...

◆ **Codi Holmes...**

Publish on Public Notice (initial 30-day comment): Date of notice 12/10/13

Update WRIS Database

In the "PNotice Date" field... Enter the date the Extension Application was published on the Public Notice.

In the "Ext Filed" field... Enter the date the Extension Application was received.

Yes or No: Return file to Extension Specialist after PN Audra

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **110643**

INVOICE # _____

RECEIVED FROM: <u>SPARROWK LIVESTOCK</u>	APPLICATION <u>G-13313</u>
BY: _____	PERMIT _____
	TRANSFER _____

CASH: CHECK: # 58375 OTHER: (IDENTIFY) _____

TOTAL REC'D \$ 575.00

1083 TREASURY	4170 WRD MISC CASH ACCT
0407 COPIES _____	\$ _____
OTHER: (IDENTIFY) _____	\$ _____
0243 I/S Lease _____	0244 Muni Water Mgmt. Plan _____
	0245 Cons. Water _____

4270 WRD OPERATING ACCT	
MISCELLANEOUS	
0407 COPY & TAPE FEES <u>46111</u>	\$ _____
0410 RESEARCH FEES	\$ _____
0408 MISC REVENUE: (IDENTIFY) _____	\$ _____
TC162 DEPOSIT LIAB. (IDENTIFY) _____	\$ _____
0240 EXTENSION OF TIME	\$ <u>575.00</u>
WATER RIGHTS:	
0201 SURFACE WATER	EXAM FEE \$ _____ 0202
0203 GROUND WATER	\$ _____ 0204
0205 TRANSFER	\$ _____
WELL CONSTRUCTION	
0218 WELL DRILL CONSTRUCTOR	EXAM FEE \$ _____ 0219
LANDOWNER'S PERMIT	\$ _____ 0220
OTHER (IDENTIFY) _____	

0536 TREASURY	0437 WELL CONST. START FEE
0211 WELL CONST START FEE	\$ _____ CARD # _____
0210 MONITORING WELLS	\$ _____ CARD # _____
OTHER (IDENTIFY) _____	

0607 TREASURY	0467 HYDRO ACTIVITY	LIC NUMBER
0233 POWER LICENSE FEE (FW/WRD)		\$ _____
0231 HYDRO LICENSE FEE (FW/WRD)		\$ _____
HYDRO APPLICATION		\$ _____

TREASURY	OTHER / RDX
FUND _____	TITLE _____
OBJ. CODE _____	VENDOR # _____
DESCRIPTION _____	\$ _____

RECEIPT: **110643** DATED: 12-5-13 BY: MCM



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

December 6, 2013

REFERENCE: Application for Extension of Time

Dear Extension of Time Applicant:

The Water Right Services Division has received your application for an extension of time for **APPLICATION FILE #:** G-13313 (Permit G-1880). Your application will be reviewed in the future. Following the review, you will receive a Proposed Final Order either approving or rejecting the extension of time request. A 45-day protest period begins upon issuance of the Proposed Final Order. After the protest period closes, a Final Order is issued.

If you are interested in having your application reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml

You may continue the use of water under your water right until the Water Resources Department formally takes action on your extension application. If your permit includes conditions, water use reporting, water level measurement reporting, etc., you are required to comply with the conditions.

Any additional development that occurs after the expired completion date, identified on the permit or an extension order, can only be claimed upon an approved extension application.

If you have questions concerning your extension of time application, please contact Audra Martin at (503) 986-0825. For general information about the Water Resources Department, you may contact the Water Resources' Customer Service Group at (503) 986-0801 or you may access the Department's website at: www.wrd.state.or.us.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.wrd.state.or.us

Application for
Extension of Time
For a Water Right Permit
(Non-Municipal / Non-Quasi-municipal Water Use)

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

A separate extension application must be submitted for each permit as per
OAR 690-315-0020(2).

This application and a summary of review criteria and procedures that are generally applicable to this
application are available at http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

I, Jack Sparrowk, SPARROWK LIVESTOCK

NAME OF PERMIT HOLDER [OAR 690-315-0020(1) and (3)(a)]

PO Box 657 ADDRESS CITY Clements STATE CA ZIP 95227
209-759-3530 PHONE E-MAIL ADDRESS beverly@sparrowk.com

the permit holder of: Application Number G-13313
Permit Number G-11880 [OAR 690-315-0020(3)(b)]

RECEIVED BY OWRD
DEC 05 2013
SALEM, OR

do hereby request that the time in which to:

X complete construction (of diversion/appropriation works and/or purchase and installation of the
equipment necessary to the use of water), which time now expires on October 1, 1997, be
extended to October 1, 2018,

[] N/A (Check this box if the permit does not specify a date by when construction must be completed.)

and/or the time in which to:

X apply water to full beneficial use under the terms and conditions of the permit, which time now
expires on October 1, 1997, be extended to October 1, 2018.

Before submitting your Application for Extension of Time, make sure the following items are included:

- This completed Application for Extension of Time.
- Statutory fee of \$575.
- Signature page (last page of this Application for Extension of Time).
- All supporting documentation and/or evidence referenced in the Application for Extension of Time.

MAIL COMPLETED APPLICATION

along with the

\$575 STATUTORY FEE TO:

**Water Resources Department
Attn: Water Right Permit Extensions
725 Summer Street NE, Suite A
Salem, Oregon 97301**

RECEIVED

DEC 05 2013

WATER RESOURCES DEPT
SALEM, OREGON



GENERAL TIPS:

- Permit holders of **municipal or quasi-municipal water use permits DO NOT use this form.** The correct form is *Application for Extension of Time for Municipal and Quasi-Municipal Water Use Permits*, available at the following link:
<http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml#other>
- Request the reasonable amount of time necessary to fully complete construction of the water project and/or to fully use the permitted quantity of water under the terms and conditions of your permit. Should this request be approved, it will be OWRD's expectation that you will complete your project within the new time period allowed. Future extensions may not be granted.
- A separate Application for Extension of Time must be submitted for each permit. OAR 690-315-0020(2).
- An instruction sheet, Instructions for Completing an Application for Extension of Time for a Water Right Permit (attached), provides details that will help you answer each question on the application. Permit extensions are evaluated under OAR Chapter 690, Division 315. These rules may be viewed at: <http://www.wrd.state.or.us/OWRD/LAW/index.shtml>.

- You may provide OWRD with any additional information or evidence that will aid us in making our decision. Please note that OWRD may require other information that is necessary to evaluate the application. OAR 315-0020(3)(n).
- After careful review of the Application for Extension of Time, you may contact OWRD at (503) 986-0900, to ask questions and request assistance from a Permit Extensions Specialist in the Water Rights Services Division.
- Once an Application for an Extension of Time is received by OWRD it will be reviewed for completeness. OWRD will return any incomplete or deficient applications to the applicant. OAR 690-315-0040(1)(a).

Reference Materials Needed to Complete this Application:

- **The water right permit.** If needed, a copy of the water right permit can be downloaded from the Department's Website at <http://www.wrd.state.or.us> (using the link to the Water Rights Information System (WRIS)). Or, a copy of the permit (or other documents) may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).
- **Documentation which demonstrates compliance with permit conditions** (for example, well construction logs; static water level measurement reports; annual water use reports; ODFW fish screen certification; a plan to monitor the effect of water use on ground water aquifers utilized under the permit; etc.).

Answer the Following Questions to Complete this Application for Extension of Time

[OAR 690-315-0020(3)(d)]

1. **Did the actual construction of the water system/well drilling begin within the time specified in the permit?** Yes No



TIP: *Not all permits specify a date by which construction was to begin.*

Date construction began is: 1978

Details of construction: Construction of Well 1 began on 9/20/1978. A water right Application was received by OWRD on 3-5-1993 and a Permit was issued 12-6-1994. See Well log LAKE 1945.

RECEIVED
DEC 05 2013
 WATER RESOURCES DEPT
 SALEM, OREGON

2. Permits typically contain standard or special conditions that must be satisfied to lawfully develop and use permitted water. In the development of this water right, have you satisfied the conditions contained in your permit? Yes No

2-A) Describe how you have complied with each condition contained in the original permit [and, if applicable, each condition contained in any order approving a permit amendment and/or a final order approving a prior extension of time]. Include the date when the condition was satisfied.



TIP: The instruction sheet for the Application for Extension of Time provides an explanation of the typical conditions that must be addressed in this question.

CHART-A

Condition No. **	Date Satisfied	Describe How Permit Condition Has Been Satisfied
1	1978	Well 1 constructed under General Construction Standards
3	12-6-1994	OWRD staff always welcome at Sparrowk Lievestaock – Drews Valley, Or
5	1978	Well 1 constructed
	1994	Flow Meter installed in Well 1.

** **Condition No:** Hand-number each condition on a copy of your permit (and, if applicable, any permit amendment and/or prior extension). Include a copy of your hand-numbered permit with the application.

2-B) If you have NOT complied with all applicable conditions, explain the reasons why and indicate with a date certain (in the near future) when compliance will occur.

CHART-B

Condition No.**	Date Will Comply	Explain Why Each Permit Condition Has NOT Been Satisfied
2	April 2014	Not aware of condition due to lack of understanding of permit process
4		Will comply with pump test requirement when project is complete.
5A	10-1-2018	Complete application of water

RECEIVED
 DEC 05 2013
 WATER RESOURCES DEPT
 SALEM, OREGON
 WRSD

Condition No: *Hand-number each condition on a copy of your permit (and, if applicable, any permit amendment and/or prior extension. Include a copy of your hand-numbered permit with the application.*

RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON

WELL 2

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NE 1/4 NW 1/4		23.29 ACRES
NW 1/4 NW 1/4		40.00 ACRES
SW 1/4 NW 1/4		39.74 ACRES
SE 1/4 NW 1/4		32.39 ACRES
NE 1/4 SW 1/4		40.00 ACRES
NW 1/4 SW 1/4		26.00 ACRES
SW 1/4 SW 1/4		9.30 ACRES
SE 1/4 SW 1/4		40.00 ACRES
NW 1/4 SE 1/4		7.86 ACRES
SW 1/4 SE 1/4	9.40 ACRES	18.00 ACRES
SECTION 28		
NE 1/4 NE 1/4		14.75 ACRES
SE 1/4 NE 1/4		4.49 ACRES
SECTION 29		
TOWNSHIP 38 SOUTH, RANGE 17 EAST, W.M.		

RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

① The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Measurement, recording and reporting conditions:

② A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

③ B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

④ Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

⑤ Actual construction work shall begin on or before DECEMBER 6, 1995 and shall be completed on or before October 1, 1996. Complete application of the water shall be made on or before October 1, 1997.

⑤A Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

3. Provide evidence of physical progress made toward completion of the water system, and of progress made toward making beneficial use of water within the permitted time period (CHART-C); and if applicable, within the time period of the most recent extension granted (CHART-D).

3-A) CHART-C (below) must be completed for all Application for Extension of Time requests. Use chronological order.

CHART-C

DATE	WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED <i>List any work done before the permit was issued – eg. well drilled.</i>	COST*
9-20-1978	Well 1 construction began – completed 11-1-1978 Estimate cost	\$20,000
1991	Electrical Power installed	\$7,816

DATE	WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER <i>List work/actions done during the permitted time period.</i>	COST*
	Date the permit was signed - find date above signature on last page of permit.	
12-6-1994	Permit issued - estimated cost	\$2,000
	Date the permit specified "Actual Construction Work" shall begin ("A-Date") -not all permits contain this date.	
12-6-1995	Construction to begin	
10/1/1997	Date the permit specified complete application of water to the use shall be made ("C-Date") - all permits contain this date.	

RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON

CHART-C (continued)

DATE	WORK ACCOMPLISHED AFTER "C-DATE" <u>COMPETE ONLY IF THIS IS YOUR 1st APPLICATION FOR AN EXTENSION OF TIME:</u> <i>List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.</i>	COST*
8-18-2008	Well 2, LAKE 1946 reconstructed See LAKE 52093 from 8/17/2001-8/1/2008	\$22,077
2013	Professional services to locate an additional well location	\$3,500
8/6/2008	Pump installed	\$12,420
Total Cost for Chart-C		\$67,813

* If exact cost is not known, you must provide your best estimate.

3-B) If this is not your 1st Application for Extension of Time request, fill out CHART-D below in addition to CHART-C above. Use chronological order.

CHART-D

DATE	WORK ACCOMPLISHED DURING THE LAST EXTENSION PERIOD <i>List all work done during the last authorized extension period.</i>	COST*
10/1/	"Extended From" date for complete application of water used in the 1 st (or the most recent) Application for Extension of Time.	
10/1/	"Extended To" date for complete application of water resulting from the 1 st (or the most recent) Application for Extension of Time.	

CHART-D (Continued)

DATE	WORK ACCOMPLISHED AFTER THE LAST EXTENSION PERIOD EXPIRED <i>List all work done after the last authorized date for complete application of water up to the date of this Application for Extension of Time.</i>	COST*
Total Cost of Chart-D		

* If exact cost is not known, you must provide your best estimate.

[OAR 690-315-0020(3)(f)]

4. Cost of project to date: _____
 (The total combined cost from CHART-C and CHART-D)

RECEIVED
 DEC 05 2013
 WATER RESOURCES DEPT
 SALEM, OREGON
 WRSD

5. Provide evidence of the maximum rate (or duty, if applicable) of water diverted for beneficial use under this permit and/or prior extensions of time (if any) made to date.



TIP: Report the rate used to date. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.

5-A) For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):



TIP: Report the rate in the same units of measurement as specified in the permit.

Maximum rate used to date = _____ cfs (cubic feet per second) or,

Maximum rate used to date = _____ gpm (gallons per minute) or,

Acre-feet stored to date = _____ AF

RECEIVED

DEC 05 2013

WATER RESOURCES DEPT
SALEM, OREGON

5-B) For Ground Water Permit Extensions (e.g. G-XXXX):



TIP: Include information from ALL wells that pertain to this permit, including drilled wells not currently used.

CHART-E

Well # as identified on Permit	Water User's Well #	Has this well been drilled?	IF DRILLED					
			Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	Is the actual drilled location authorized on this permit or on a permit amendment? (See 5-C below)	Maximum instantaneous rate used from this well -- under this permit only (CFS or GPM)	Is this well authorized or utilized under any OTHER water rights?	If yes, provide the Permit, Certificate, or Transfer No.
1	1	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	LAKE 1945	N/A	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	4,209 cfs 1.9	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	- -
2	2	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	LAKE 1946, 52093	52093-L-92038	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	3,816 cfs 0	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	- -
		Yes <input type="checkbox"/> No <input type="checkbox"/>			Yes <input type="checkbox"/> No <input type="checkbox"/>		Yes <input type="checkbox"/> No <input type="checkbox"/>	- -
		Yes <input type="checkbox"/> No <input type="checkbox"/>			Yes <input type="checkbox"/> No <input type="checkbox"/>		Yes <input type="checkbox"/> No <input type="checkbox"/>	- -
Total instantaneous rate from all wells utilized under this permit						8.025 cfs		

Changes per phone call with Dennis of Sparhawk. 541-219-0806 AK2 3-13-2014

5-C) If the drilled location of a well is not authorized on this permit, please specify its location below, or provide a map showing its location. Has or will a Permit Amendment Application been/be filed? Yes No - App under construction

If a Permit Amendment Application has not, to date, been filed: Transfer No. T- _____

Well # 2: Actual location: T 38 S, R 17 E, Sec 17, SE SE, 480' N & 45' W from the SE Corner, Sec 17.

Well # _____: Actual location: _____

RECEIVED
DEC 05 2019
WATER RESOURCES DEPT
SALEM, OREGON

6. Provide the total number of acres irrigated to date under this permit (if applicable).

Total acres irrigated to date: 311.32

Ground Water Permits: Please specify which wells are being utilized for this irrigation.

Well #1 Acres 311.32 Well # Acres

Well # Acres Well # Acres

7. Provide a summary of your future plans and schedule to complete the construction of the water system, and/or apply water to full beneficial use under the terms and conditions of the permit.

CHART-F

APPROXIMATE DATE RANGE (projected)	WORK OR ACTION TO BE ACCOMPLISHED (projected)	ESTIMATED COST (projected)
December 2013	Submit an application for Permit Amendment for G-11880	\$5,000
April 2014	Install turbine pump into proposed new location well 2	\$7,500
2015	Construct well 3 that will be requested in Permit Amendment application	\$20,000
2015	Install turbine pump into proposed new location well 3	\$7,500
2014 & 2015	Install power supply to new pumps	\$10,000
Year: 2018	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
Total Cost		\$50,000

8. Estimated remaining cost to complete the project: \$50,000
(The total cost from CHART-F)

9. List the reasons why the project was not constructed, and/or water was not beneficially used within permit time limits. Provide supporting information for the reason(s) that best fits your circumstances (A, B, C or D).

9-A) The project is of a size and scope that was originally planned to be phased in over a time frame longer than the one allowed in the permit.

X

RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON
WRSD

9-B) The financial resources needed to develop the project precluded completion of the project within authorized time frames.

Financial resources needed to complete the project prevented in part the completion of the project

9-C) Good faith attempts to comply with permit conditions and/or acquire permits from other agencies, or otherwise comply with government regulations, delayed completion of the project.

9-D) Acts of God or other unforeseen events delayed full development of the water system and use of water within the authorized time frames.

[OAR 690-315-0020(3)(k)]

10. Justify the time requested to complete the project and/or apply the water to full beneficial use. Your justification should combine information from your answers from Questions 2-B, 7, 8, and 9 of this Application for Extension of Time, and should also include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested.

Another issue was the lack of understanding of the permit process in regards to the completion of this project.

11. Provide any other information you wish OWRD to consider while evaluating your Application for Extension of Time.

RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON

I am the permit holder, or have written authorization from the permit holder (attached to this Application for Extension of Time), to apply for an extension of time under this permit. I understand that false or misleading statements in this extension application are grounds for OWRD to suspend processing of the request and/or reason to deny the extension.

Signature

Date

12/2/2013

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

JACK SPARROWK
P.O. BOX 657
CLEMENTS, CALIFORNIA 95227

to use the waters of WELLS 1 & 2 in the DREWS CREEK BASIN for IRRIGATION OF 134.22 ACRES AND SUPPLEMENTAL IRRIGATION OF 507.74 ACRES.

This permit is issued approving Application G-13313. The date of priority is MARCH 5, 1993. The use is limited to not more than 8.025 CUBIC FEET PER SECOND (CFS); 1.56 CFS FOR PRIMARY IRRIGATION AND 2.649 CFS FOR SUPPLEMENTAL IRRIGATION FROM WELL 1, BEING 0.118 CFS FOR PRIMARY AND 3.698 CFS FOR SUPPLEMENTAL IRRIGATION FROM WELL 2, or its equivalent in case of rotation, measured at the wells.

The wells are located as follows:

WELL 1 - SE 1/4 SW 1/4, SECTION 16, T 38 S, R 17 E, W.M.; 1257 FEET NORTH AND 3524 FEET WEST FROM THE SE CORNER OF SECTION 16.

WELL 2 - SW 1/4 NE 1/4, SECTION 28, T 38 S, R 17 E, W.M.; 1752 FEET SOUTH AND 1772 FEET WEST FROM THE NE CORNER OF SECTION 28.

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year. The use of water during this period shall be limited to April 1 through September 30 of each year.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the proposed place of use under this permit is as follows:

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
SW 1/4 SE 1/4		6.37 ACRES
SE 1/4 SE 1/4		0.90 ACRE
SECTION 17		
NE 1/4 NE 1/4	9.13 ACRES	18.90 ACRES
NW 1/4 NE 1/4		40.00 ACRES
SW 1/4 NE 1/4		39.55 ACRES
SE 1/4 NE 1/4	22.00 ACRES	18.00 ACRES
NE 1/4 NW 1/4		22.32 ACRES
SE 1/4 NW 1/4		16.13 ACRES
NE 1/4 SE 1/4	12.72 ACRES	18.00 ACRES
NW 1/4 SE 1/4		10.23 ACRES
SE 1/4 SE 1/4		9.93 ACRES
SECTION 20		
SW 1/4 NW 1/4	10.18 ACRES	
NW 1/4 SW 1/4	31.59 ACRES	
SW 1/4 SW 1/4	39.20 ACRES	
SW 1/4 SW 1/4	0.08 ACRE	
SE 1/4 SW 1/4		10.79 ACRES
SECTION 21		

RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON

WELL 2

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NE 1/4 NW 1/4		23.29 ACRES
NW 1/4 NW 1/4		40.00 ACRES
SW 1/4 NW 1/4		39.74 ACRES
SE 1/4 NW 1/4		32.39 ACRES
NE 1/4 SW 1/4		40.00 ACRES
NW 1/4 SW 1/4		26.00 ACRES
SW 1/4 SW 1/4		9.30 ACRES
SE 1/4 SW 1/4		40.00 ACRES
NW 1/4 SE 1/4		7.86 ACRES
SW 1/4 SE 1/4	9.40 ACRES	18.00 ACRES
SECTION 28		
NE 1/4 NE 1/4		14.75 ACRES
SE 1/4 NE 1/4		4.49 ACRES
SECTION 29		
TOWNSHIP 38 SOUTH, RANGE 17 EAST, W.M.		

RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

- ① The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Measurement, recording and reporting conditions:

- ② A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- ③ B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

- ④ Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

- ⑤ Actual construction work shall begin on or before DECEMBER 6, 1995 and shall be completed on or before October 1, 1996. Complete application of the water shall be made on or before October 1, 1997.

- ⑤A Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for beneficial use of water without waste. The water user is advised that new regulations may require use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director of the Water Resources Department has found that the proposed use of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Issued this date, December 6, 1994.

/s/ MARTHA O. PAGEL

Water Resources Department
Martha O. Pagel
Director

RECEIVED

DEC 05 2013

WATER RESOURCES DEP
SALEM, OREGON

Application G-13313
Basin 13

Water Resources Department
Volume 1
DREWS CREEK & MISC.

PERMIT G-11880
District 12

APR 29 REC'D

AGPUMP

ELECTRIC SERVICE CONTRACT
AGRICULTURAL PUMPING

R.C. No. 41370
Acct Dst 300-614
W.O. No. 2515

This contract, dated April 03, 1991 is between PACIFIC POWER & LIGHT COMPANY (Pacific) and JACK SPARROWK (You or Your).

All provisions of this contract are subject to the rates, rules and regulations of Pacific's filed tariffs and the jurisdiction of the Public Utility Commission of Oregon. Pacific's tariffs are available for review upon Your request.

Pacific agrees to provide facilities for furnishing 277/4803 volt, 3 phase electric service for Your facilities located at: Drews Valley Ranch, Highway 140, Lakeview, Oregon

You agree:

- (a) To make a cash advance to Pacific of \$7,816.00, as Your share of Pacific's investment in service facilities; and
- (b) To provide rights-of-way at no cost to Pacific, in a form acceptable to Pacific, properly cleared and prepared; and
- (c) To take service for not less than thirty-six (36) months from the date that Pacific is ready to supply service; and
- (d) To comply with all other specifications and requirements of Pacific's extension tariffs and procedures.

You may receive partial refunds of Your advance up to \$3,908.00 if, during the first thirty-six (36) months after completion of the extension, up to 2 additional customers connect to the new line. The refund for each additional customer shall equal twenty five percent of the cost of the shared portion of the line beyond the original free line allowance. These partial refunds will not be paid to You until Pacific has received any required advance from the additional customer. Pacific shall make a reasonable attempt to inform You when a refund is due. However, it shall be Your ultimate responsibility to request a refund.

The minimum annual charge for service under this contract during the first thirty six (36) months following the date Pacific is ready to supply service shall be the greater of (1) the total of the schedule billings for the year or (2) \$1,156.00 plus eighty percent (80%) of the total of the schedule billings for the year computed in accordance with Rate Schedule No. 41 and superseding schedules.

This contract shall benefit and be binding upon the respective successors and assigns of You and Pacific, provided however, that no assignment by You shall be effective without Pacific's prior written consent. Pacific's consent will not be unreasonably withheld.

If service is provided by underground facilities, Pacific reserves the right to abandon underground cables in place, should any or all of the cables installed under this contract cease to be useful to Pacific.

75 HP pump
last year \$
less 4%

RECEIVED

DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON

BILL

CHANCELLOR DRILLING & PUMP

5437 ALTAMONT DRIVE
 KLAMATH FALLS, OR 97603
 CCB#72750



BILL TO
JACK SPARROWK P.O. BOX 657 18780 HIGHWAY 88 CLEMENTS, CA 95227

PAID
 09/27/2008

DATE	INVOICE #
8/6/2008	1838

Phone #	Fax #	E-mail	TERMS
(541)884-7907	(541)882-5791	chancellordrilling@gmail.com	1 1/2% per month on unpaid bal.

DESCRIPTION	# of FEET	RATE	AMOUNT
REAM 10" TO 14" FROM 131' TO 201'	70	32.00	2,240.00
USED 40 HP PUMP & MOTOR INSTALLED IN WELL. SET ON 6" BLACK PIPE, RUN FOUR HOUR FLOW TEST	1	12,420.00	12,420.00
DISCHARGE LINE TO POND	1	2,500.00	2,500.00
FLOW METER		837.00	837.00

RECEIVED
 DEC 05 2013
 WATER RESOURCES DEPT
 SALEM, OREGON

Thank you for your business.	Total	\$17,997.00
	Payments/Credits	-\$17,997.00
	Balance Due	\$0.00

BILL

CHANCELLOR DRILLING & PUMP

5437 ALTAMONT DRIVE
 KLAMATH FALLS, OR 97603
 CCB#72750

PAID
 10/11/2007



BILL TO
JACK SPARROWK P.O. BOX 657 18780 HIGHWAY 88 CLEMENTS, CA 95227

DATE	INVOICE #
9/12/2007	1760

Phone #	Fax #	E-mail	TERMS
(541)884-7907	(541)882-5791	chancellordrilling@gmail.com	1 1/2% per month on unpaid bal.

DESCRIPTION	# of FEET	RATE	AMOUNT
REPAIR 14" IRRIGATION WELL		0.00	0.00
Move Rig in and out of job	1	1,000.00	1,000.00
10" Drilling	368	40.00	14,720.00
STATE WELL PERMIT FEE	1	200.00	200.00
DRILL FOAM	6	96.80	580.80

RECEIVED
 DEC 05 2007
 WATER RESOURCES DEPT
 SALEM, OREGON

THANK YOU	Total	\$16,500.80
	Payments/Credits	-\$16,500.80
	Balance Due	\$0.00

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

08-18-2008

WELL LABEL # L 92038

START CARD # 1001929

(1) LAND OWNER
Owner Well I.D.
First Name JACK Last Name SPARROWK
Company
Address 16684 HWY 140E
City LAKEVIEW State OR Zip 97630

(2) TYPE OF WORK
New Well [] Deepening [x] Conversion []
Alteration (repair/recondition) [] Abandonment []

(3) DRILL METHOD
Rotary Air [x] Rotary Mud [] Cable [] Auger [] Cable Mud []
Reverse Rotary [] Other []

(4) PROPOSED USE
Domestic [] Irrigation [x] Community []
Industrial/ Commercial [] Livestock [] Dewatering []
Thermal [] Injection [] Other []

(5) BORE HOLE CONSTRUCTION
Special Standard [] (Attach copy)
Depth of Completed Well 664.00 ft.

Table with columns: Dia, From, To, Material, SEAL, To, Amt, lbs. Contains data for hole sections.

How was seal placed: Method [] A [] B [] C [] D [] E []
Backfill placed from ft. to ft. Material
Filter pack from ft. to ft. Material Size
Explosives used: [] Yes Type Amount

(6) CASING/LINER
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
Shoe [] Inside [] Outside [] Other Location of shoe(s)
Temp casing [] Yes Dia From To

(7) PERFORATIONS/SCREENS
Perforations Method
Screens Type Material
Table with columns: Perf/Sreen, Casing/Liner, Dia, From, To, Scrm/slot width, Slot length, # of slots, Tele/pipe size

(8) WELL TESTS: Minimum testing time is 1 hour
Pump [x] Bailer [] Air [] Flowing Artesian []
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)
500 135 147 4

Temperature 59 °F Lab analysis [] Yes By
Water quality concerns? [] Yes (describe below)
Table with columns: From, To, Description, Amount, Units

(9) LOCATION OF WELL (legal description)
County Lake Twp 38.00 S N/S Range 17.00 E E/W WM
Sec 17 SE 1/4 of the SE 1/4 Tax Lot 500
Tax Map Number Lot
Lat ' " or DMS or DD
Long ' " or DMS or DD
Street address of well [x] Nearest address []
16684 HWY 140E LAKEVIEW OR

(10) STATIC WATER LEVEL
Date SWL(psi) + SWL(ft)
Existing Well / Predeepening 08-17-2007 12
Completed Well 08-01-2008 12
Flowing Artesian? [] Dry Hole? []

WATER BEARING ZONES
Depth water was first found
Table with columns: SWL Date, From, To, Est Flow, SWL(psi), + SWL(ft)


(11) WELL LOG
Ground Elevation
Material From To
MEDIUM HARD RIOLITE 131 542
BROKEN HARD RIOLITE 542 574
HARD RIOLITE 574 664
RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON

Date Started 08-17-2007 Completed 08-01-2008

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
License Number 1758 Date 08-18-2008
Electronically Filed
Signed RYON FREEMAN (E-filed)


(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
License Number 693 Date 08-18-2008
Electronically Filed
Signed ROGER W CHANCELLOR (E-filed)
Contact Info (optional)

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY



T.38S. R.17E. W.M.
LAKE COUNTY
1" = 2000'

38S17E
CANCELLED:



RECEIVED
DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON


Revised: MA
9/21/2009

38S17E

To Whom It May Concern:

I Jack Sparrowk, Sparrowk Livestock authorize Dennis R. Glender, dba Glender's Hydro Tech Services, to act as my agent in the processing of a Water Right Extension of Time application for Water Right Permit G-11880. Please forward all communication concerning the application to 8664 SW Sand Ridge Rd, Crooked River Ranch, Oregon 97760, telephone (541) 219-0806. E-mail - djglender@msn.com


Thank you

A handwritten signature in blue ink, appearing to be 'Dennis R. Glender', written over a horizontal line. The signature is somewhat stylized and includes a vertical stroke on the left side.

12/2/2013
Date

Date

RECEIVED BY OVR
DEC 05 2013
SALEM, OR



DATE:

**Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301**

RECEIVED

**DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON**


RE: Water Right Permit in the name of Jack Sparrowk – G-11880, File # G-13313

To whom it may concern:

I, Jack Sparrowk of Sparrowk Livestock, request that the Claim of Beneficial Use Report submitted by Anderson Engineering on September 29, 1998 be withdrawn. This report was submitted prematurely and did not represent the entire scope of Permit G-11880. This report did not include a major portion of irrigated area that I intended to include in the project.

I am submitting with this letter, an application for an Extension of Time to properly complete this project.

Respectfully,


Jack Sparrowk

**FINAL PROOF SURVEY
CLAIM OF ADDITIONAL BENEFICIAL USE AND SITE REPORT**

GENERAL INFORMATION

Permit/Certificate Holder : Jack Sparrowk
P.O. Box 657
Clements, CA 95227
Application: G-13313
Permit: G-11880

WATER SOURCE

One well in the Drews Creek Basin.

LOCATION OF AREA INVOLVED

Located in a portion of sections 17, 20, and 21, Townships 38 South, Range 17 East, W.M., Lake County, Oregon. See Final Proof Survey Map for a more detailed look at areas involved.

DIVERSION POINT

One existing well located 1111.3 feet North and 1506.9 feet East from the Southwest corner of Section 16, Township 38 South, Range 17 East, W. M.

USE OF WATER

Use of water is for irrigation of crops and pasture land.

DESCRIPTION OF WATER DELIVERY SYSTEM

Water is pumped from well into a ditch that runs Northerly into Howard Creek or it can be pumped into an existing ditch that runs Southerly from well location.

Pump at well is a General Electric Motor, Model: 5K3650P6007XD413025; 75 HP; 1775 R.P.M. No access port visible. No flow meter visible.

Water is pumped from well into a 6 foot section of 8" diameter pipe into creek and ditches as described above.

Water is then diverted through a series of existing ditches and the lands as shown on Final Proof Map are flood irrigated. Average ditch size is 4 feet wide by 2 feet deep. Well was pumping water and the existing ditches had water running in them at time of final proof inspection.

See attached Map for pump flow rate computations.

SURVEY TIE

Found 1938 General Land Office brass cap on an iron pipe at the Southwest corner of Section 16 as noted on Final Proof Survey Map.

RECEIVED

SEP 2 9 1998

WATER RESOURCES DEPT.
SALEM, OREGON


RECEIVED

SEP 2 10 1998


WATER RESOURCES DEPT.
SALEM, OREGON

CERTIFICATION

The final proof survey and inspection of the use as found to be completed under the terms and conditions of Permit # G-11880 was completed on August 19, 1998 and the facts contained in this report and accompanying Final Proof Map are correct to the best of my knowledge.




9/21/98
Date


Darryl J. Anderson
Certified Water Right Examiner NO. 005

I, Jack Sparrowk, agree to the findings of the CWRE and do submit this site report and map as my claim of beneficial use of the water as provided under the terms and conditions of Permit # G-11880.

9-25-98
Date


Jack Sparrowk

RECEIVED

SEP 29 1998

WATER RESOURCES DEPT.
SALEM, OREGON


FINAL PROOF SURVEY
FOR
JACK SPARROWK
PERMIT NO. G-11880

RECEIVED

SEP 28 1998

WATER RESOURCES DIVISION
SALEM, OREGON

PUMP FLOW RATE COMPUTATIONS
(BASED ON DISCHARGE TRAJECTORY)



$$Y = 1/2GT^2$$

$$T = \sqrt{\frac{2Y}{G}} = \sqrt{\frac{2(2.5\text{FT})}{32.2\text{FT/S}^2}} = 0.39\text{S}$$

$$X = VT$$

$$V = X/T = \frac{3.0\text{FT}}{0.39\text{S}} = 7.69\text{FT/S}$$

$$Q = AV$$

$$8\text{\"/>$$

$$Q = (0.2477\text{FT}^2)(7.69\text{FT/S}) = 1.90\text{FT}^3/\text{S}$$

$$Q = 853 \text{ GPM PLUS OR MINUS}$$

DATE: 9/21/98
SCALE: NONE
JOB: 98032
DWG. BY: R.F.C.
FILE: 98032V
SHEET 1 OF 1

PREPARED FOR: JACK SPARROWK
P.O. BOX 657
CLEMETS, CA 95227

ANDERSON ENGINEERING
AND SURVEYING, INC.

P.O. BOX 28 LAKEVIEW, OREGON 97630 (541) 947-4407 FAX 947-2321
P.O. BOX 419 REDMOND, OREGON 97756 (541) 923-4307 FAX 923-4308

**SPARROWK
PERMIT #G-11880 & APPLICATION G-13313**



IRRIGATED LAND



IRRIGATED LAND

RECEIVED

SEP 29 1998
WATER RESOURCES DEPT.
SALEM, OREGON

**SPARROWK
PERMIT #G-11880 & APPLICATION G-13313**



IRRIGATED LAND



IRRIGATED LAND

RECEIVED

SEP 29 1998
WATER RESOURCES DEPT.
SALEM, OREGON

**SPARROWK
PERMIT #G-11880 & APPLICATION G-13313**



DITCH FROM WELL



PASTURE AND CROP LAND BEING IRRIGATED

RECEIVED

SEP 29 1998

WATER RESOURCES DEPT.
SALEM, OREGON

SPARROWK
PERMIT #G-11880 & APPLICATION G-13313



DITCH FROM WELL



DITCH FROM WELL

RECEIVED

SEP 29 1998

WATER RESOURCES DEPT.
SALEM, OREGON

**SPARROWK
PERMIT #G-11880 & APPLICATION G-13313**



DISTRIBUTION DITCH



DISTRIBUTION DITCH AND CROP LAND

RECEIVED

SEP 29 1998

WATER RESOURCES DEPT.
SALEM, OREGON

SPARROWK
PERMIT #G-11880 & APPLICATION G-13313



DISTRIBUTION DITCH



DISTRIBUTION DITCH

RECEIVED

SEP 29 1998

WATER RESOURCES DEPT.
SALEM, OREGON

**SPARROWK
PERMIT #G-11880 & APPLICATION G-13313**



DISTRIBUTION DITCH



DISTRIBUTION DITCH

RECEIVED

SEP 29 1998
WATER RESOURCES DEPT.
SALEM, OREGON

**SPARROWK
PERMIT #G-11880 & APPLICATION G-13313**



DISTRIBUTION DITCH



DISTRIBUTION DITCH

RECEIVED

SEP 29 1998
WATER RESOURCES DEPT.
SALEM, OREGON

**SPARROWK
PERMIT #G-11880 & APPLICATION G-13313**



WELL AND PUMP



WELL AND PUMP

RECEIVED

SEP 29 1998
WATER RESOURCES DEPT.
SALEM, OREGON

**SPARROWK
PERMIT #G-11880 & APPLICATION G-13313**



WELL AND PUMP



WELL AND PUMP

RECEIVED

SEP 29 1998

WATER RESOURCES DEPT.
SALEM, OREGON







FINAL PROOF SURVEY

FOR JACK SPARROWK





PERMIT G-11880

LOCATED IN SECTIONS 16, 17, 20 AND 21
TOWNSHIP 38 SOUTH, RANGE 17 EAST, W.M.
LAKE COUNTY, OREGON

LEGEND


-  SECTION LINES
-  1/4 SECTION LINES
-  1/16 SECTION LINES
-  EXISTING DITCHES AND FLOW DIRECTION.
-  FOUND 1938 GENERAL LAND OFFICE BRASS CAP ON AN IRON PIPE.
-  EXISTING WELL, LOCATION AS NOTED.

CROSS HATCH LEGEND


-  260.20 ACRES TO BE IRRIGATED SUPPLEMENTALLY FROM WELL #1, PRIMARY WATER RIGHTS UNDER CERTIFICATE #5178, GOOSE LAKE DECREE.
-  DENOTES SUPPLEMENTAL IRRIGATION ACREAGES.
-  51.12 ACRES PRIMARY WATER RIGHTS FROM WELL #1.
-  DENOTES PRIMARY IRRIGATION ACREAGES.

NOTES

- 1) ALL LANDS SHOWN AS BEING EITHER PRIMARY OR SUPPLEMENTAL IRRIGATION ARE BEING FLOOD IRRIGATED.
- 2) PREPARATION OF THIS MAP IS FOR IDENTIFYING PROPOSED WATER RIGHTS ONLY. IT HAS NO INTENT TO PROVIDE LOCATIONS OR DIMENSIONS OF PROPERTY BOUNDARIES.



SCALE: 1"=1320'



RECEIVED

SEP 28 1998

WATER RESOURCES DEPT.
SALEM, OREGON

REVISION	BY

ANDERSON ENGINEERING AND SURVEYING, INC.
P.O. BOX 28
LAKEVIEW, OREGON 97630
(541) 947-4407
FAX 947-2321

P.O. BOX 419
REDMOND, OREGON 97756
(541) 923-4307
FAX 923-4308

PREPARED FOR: **JACK SPARROWK**
P.O. BOX 657
CLEMENTS, CA 95227

DATE: 8/19/98
SCALE: 1"=1320'
JOB: 98032
DWG. BY: R.F.C.
FILE: 98032
SHEET 1 OF 1

REECE Ann L

From: REECE Ann L
Sent: Tuesday, March 25, 2014 9:28 AM
To: beverly@sparrowk.com
Subject: Proposed Final Order Extension of Time for Permit G-11880
Attachments: 49768

Ms. Sparrowk,

I just wanted to let you know we recently mailed a copy of the attached Proposed Final Order to your authorized agent, Dennis Glender of Glender Hydro-Tech Services. It was returned to the Department as "temporarily away." Thus he did not receive his copy.

Best Regards,

Ann Reece

Water Right Services Division
Hydroelectric Analyst / Municipal Extension Specialist
Oregon Water Resources Department
725 Summer St. NE Suite A
Salem, OR 97301
503-986-0834
reeceal@ wrd.state.or.us

BW
Oregon

Water Resources Department
Water Right Services Division
725 Summer St NE Ste A
Salem, OR 97301-1266

RETURN SERVICE REQUESTED

**PRESORTED
FIRST CLASS**




UNITED STATES POSTAGE

PITNEY BOWES
02 1R **\$ 00.38¹**
0006555310 MAR 19 2014
MAILED FROM ZIP CODE 97301

Dennis R. Glender G-13313
Glender Hydro-Tech Services
8664 SW Sand Ridge Rd.
Crooked River Ranch, OR 97760

RECEIVED
MAR 24 2014
OWRD

T 973 NFE 1266813C0083/23/14
RETURN TO SENDER
GLENDER
TEMPORARILY AWAY
RETURN TO SENDER
BC: 97301126673 *2929-01036-23-26



~~BLB-758 737760~~ 1266

**Oregon Water Resources Department
Water Right Services Division**

Application for Extension of Time

In the Matter of the Application for an Extension of Time)
for Permit G-11880, Water Right Application G-13313)
in the name of Jack Sparrowk) **PROPOSED FINAL ORDER**

Permit Information

Application File G-13313 Permit G-11880

Basin: 13 – Goose and Summer Lakes / Watermaster District 12
Date of Priority: March 5, 1993

Authorized Use of Water

Source of Water: Two Wells within the Drew Creek Basin
Purpose of Use: Irrigation of Irrigation of 135.02 Acres;
 Supplemental Irrigation of 506.94 Acres
Maximum Rate: 8.025 cfs, being 1.56 cfs for primary irrigation and 2.649
 cfs for supplemental irrigation from Well 1, and 0.118 cfs
 for primary irrigation and 3.698 cfs for supplemental
 irrigation from Well 2

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315

Please read this Proposed Final Order in its entirety.

This Proposed Final Order applies only to Permit G-11880, water right Application G-13313.

Summary of Proposed Final Order for Extension of Time

The Department proposes to:

- Grant an extension of time for complete construction of the water system from October 1, 1996 to October 1, 2018.
- Grant an extension of time to apply water to full beneficial use from October 1, 1997 to October 1, 2018.

ACRONYM QUICK REFERENCE

Department – Oregon Department of Water Resources
PFO – Proposed Final Order

Units of Measure

cfs – cubic feet per second
gpm – gallons per minute

AUTHORITY

Generally, see ORS 537.630 and OAR Chapter 690 Division 315.

ORS 537.630(1) provides in pertinent part that the Oregon Water Resources Department (Department) may, for good cause shown, order an extension of time within which: irrigation or other works shall be completed; the well or other means of developing and securing ground water shall be completed; or the right perfected. In determining the extension, the Department shall give due weight to the considerations described under ORS 539.010(5) and to whether other governmental requirements relating to the project have significantly delayed completion of construction or perfection of the right.

ORS 539.010(5) provides in pertinent part that the Water Resources Director, for good cause shown, may extend the time within which the full amount of the water appropriated shall be applied to a beneficial use. This statute instructs the Director to consider: the cost of the appropriation and application of the water to a beneficial purpose; the good faith of the appropriator; the market for water or power to be supplied; the present demands therefore; and the income or use that may be required to provide fair and reasonable returns upon the investment.

OAR 690-315-0040 provides in pertinent part that the Water Resources Department shall make findings to determine if an extension of time may be approved to complete construction and/or apply water to full beneficial use.

FINDINGS OF FACT

Background

1. Permit G-11880 was granted by the Department on December 6, 1994. The permit authorizes the use of up to 8.025 cfs, being 1.56 cfs for primary irrigation of 125.62 acres and 2.649 cfs for supplemental irrigation of 211.12 acres from Well 1, and 0.118 cfs for primary irrigation of 9.4 acres and 3.698 cfs for supplemental irrigation of 295.82 acres from Well 2. Both wells are within the Drew Creek Basin. The permit specified construction of the water system was to be completed by October 1, 1996, and complete application of water was to be made on or before October 1, 1997.
2. The permit holder submitted an "Application for Extension of Time" to the Department on December 5, 2013, requesting the time to complete construction of the water system be extended from October 1, 1996 to October 1, 2018, and the time to apply water to full beneficial use under the terms and conditions of Permit G-11880 be extended from October 1, 1997 to October 1, 2018. This is the first permit extension requested for Permit G-11880.
3. Notification of the Application for Extension of Time for Permit G-11880 was published in the Department's Public Notice dated December 10, 2013. No public comments were received regarding the extension application.

Review Criteria [OAR 690-315-0040]

The time limits to complete construction and/or apply water to full beneficial use may be extended if the Department finds that the permit holder has met the requirements set forth under OAR 690-315-0040. This determination shall consider the applicable requirements of ORS 537.230¹, 537.248², 537.630³ and/or 539.010(5)⁴.

Complete Extension of Time Application [OAR 690-315-0040(1)(a)]

4. On December 5, 2013, the Department received a completed Application for Extension of Time and the fee specified in ORS 536.050 from the permit holder.

Start of Construction [OAR 690-315-0040(1)(b) and 690-315-0040(5)]

5. Actual construction of the well began prior to the December 5, 1995 deadline specified in the permit.

Duration of Extension [OAR 690-315-0040(1)(c)]

Under OAR 690-315-0040(1)(c), in order to approve an extension of time for water use permits the Department must find that the time requested is reasonable and the applicant can complete the project within the time requested.

¹ ORS 537.230 applies to surface water permits only.

² ORS 537.248 applies to reservoir permits only.

³ ORS 537.630 applies to ground water permits only.

⁴ ORS 539.010(5) applies to surface water and ground water permits.

6. As of December 5, 2013, the remaining work to be completed consists of applying for a permit amendment to change an existing point of appropriation (Well 2), and to add an additional point of appropriation (Well 3); constructing Well 3, installing pumps and meters in Wells 2 and 3; installing a power supply to the pumps; and completing construction of the water system and applying water to full beneficial use.
7. Given the amount of development left to occur, the Department has determined that the permit holder's request to have until October 1, 2018, to complete construction of the water system and to accomplish the application of water to beneficial use under the terms and conditions of Permit G-11880 is both reasonable and necessary.

Good Cause [OAR 690-315-0040(1)(d)]

The Department's determination of good cause shall consider the requirements set forth under OAR 690-315-0040(2).

Reasonable Diligence of the Appropriator [OAR 690-315-0040(2)(a)]

The Department's determination of reasonable diligence shall consider the requirements set forth under OAR 690-315-0040(3)(a-d). In accordance with OAR 690-315-0040(3), the Department shall consider, but is not limited to, the following factors when determining whether the applicant has demonstrated reasonable diligence in previous performance under the permit:

Amount of Construction [OAR 690-315-0040(3)(a)]

8. Work was accomplished within the time allowed in the permit or previous extension as follows:
 - a. Construction of the well and water system began prior to the December 6, 1995 deadline specified in the permit.
 - b. Well 1 was constructed and a flow meter was installed on this well during the original development time frame under Permit G-11880.
 - c. After October 1, 1997, the permit holder reconstructed a well (Well 2) that will become a change in point of appropriation if approved through the permit amendment process. In addition, a pump was installed on this well.

Beneficial Use of Water [OAR 690-315-0040(3)(b)]

9. The following beneficial use of water was made during the permit or previous extension time limits:
 - a. Since the issuance of Permit G-11880 on December 6, 1994, a maximum rate of 1.9 cfs from Well 1 was used for primary irrigation of 51.0 acres, and supplemental irrigation of 260.2 acres. (See FINAL PROOF SURVEY and FINAL PROOF SURVEY MAP submitted Septmeber 29, 1998.) The permit only authorizes up to 211.12 acres of supplemental irrigation from Well 1.

- Compliance with Conditions [OAR 690-315-0040(3)(c)]
10. The water right permit holder's conformance with the permit or previous extension conditions.
 - a. The Department has considered the permit holder's compliance with conditions, and has identified the concern that the record shows that water from Well 1 was used on more acres than authorized under the permit for supplemental irrigation.

- Financial Investments [OAR 690-315-0040(3)(d)]
11. Financial investments made toward developing the beneficial water use.
 - a. As of December 5, 2013, the permit holder has invested approximately \$67,813 which is approximately 58 percent of the total projected cost for complete development of this project. The permit holder anticipates an additional \$50,000 investment is needed for the completion of this project.

Cost to Appropriate and Apply Water to a Beneficial Purpose [OAR 690-315-0040(2)(b)]

12. As of December 5, 2013, the permit holder has invested approximately \$67,813 which is approximately 58 percent of the total projected cost for complete development of this project. The permit holder anticipates an additional \$50,000 investment is needed for the completion of this project.

Good Faith of the Appropriator [OAR 690-315-0040(2)(c)]

13. The Department has found good faith of the appropriator under Permit G-11880.

The Market and Present Demands for Water [OAR 690-315-0040(2)(d-e)]

The Department's determinations of market and present demand for water or power to be supplied shall consider the requirements set forth under OAR 690-315-0040(4)(a-f). In accordance with OAR 690-315-0040(4), the Department shall consider, but is not limited to, the following factors when determining the market and the present demand for water or power to be supplied:

14. The amount of water available to satisfy other affected water rights and scenic waterway flows; special water use designations established since permit issuance, including but not limited to state scenic waterways, federal wild and scenic rivers, serious water management problem areas or water quality limited sources established under 33 U.S.C. 1313(d); or the habitat needs of sensitive, threatened or endangered species, in consultation with the Oregon Department of Fish and Wildlife [OAR 690-315-0040(4)(a-c)].
 - a. The amount of water available to satisfy other affected water rights and scenic waterway flows was determined at the time of issuance of Permit G-11880; furthermore, water availability for other affected water rights and scenic waterway flows after the permit was issued is determined at such time that such application for a new water right is submitted. The points of appropriation for Permit G-11880, located within the Drews Creek Basin, are not located within a limited or critical ground water area. Drews Creek is not located within or above

any state or federal scenic waterway, however it is located within an area ranked "low" for stream flow restoration needs as determined by the Department in consultation with the Oregon Department of Fish and Wildlife, and is located within a Sensitive, Threatened or Endangered Fish Species Area as identified by the Department in consultation with Oregon Department of Fish and Wildlife. The points of appropriation are not in an area listed by the Department of Environmental Quality as a water quality limited stream.

15. Economic investment in the project to date [OAR 690-315-0040(4)(d)].
 - a. As of December 5, 2013, the permit holder has invested approximately \$67,813.
16. Other economic interests dependent on completion of the project [OAR 690-315-0040(4)(e)].
 - a. None have been identified.
17. Other factors relevant to the determination of the market and present demand for water and power [OAR 690-315-0040(4)(f)].
 - a. None have been identified.

Fair Return Upon Investment [OAR 690-315-0040(2)(f)]

18. Use and income from the permitted water development will likely result in reasonable returns upon the investment made to date.

Other Governmental Requirements [OAR 690-315-0040(2)(g)]

19. Delay in the development of this project was not caused by any other governmental requirements.

Unforeseen Events [OAR 690-315-0040(2)(h)]

20. Unforeseen events extended the length of time needed to fully develop and perfect Permit G-11880, in that financial resources prevented the permit holder from completing development of the project in a timely manner; and the wells did not produce sufficient water to supply the amount of water needed to perfect the permit, and thus the permit holder must apply for a permit amendment to change an existing point of appropriation and add an additional point of appropriation.

CONCLUSIONS OF LAW

1. The applicant is entitled to apply for an extension of time to complete construction and/or completely apply water to the full beneficial use pursuant to ORS 537.630(1).
2. The applicant has submitted a complete extension application form and the fee specified in ORS 536.050, as required by OAR 690-315-0040(1)(a).
3. The applicant complied with begin actual construction timeline requirements pursuant to

ORS 537.630 as required by OAR 690-315-0040(1)(b) and OAR 690-315-0040(5).

4. Completion of construction and full application of water to beneficial use can be accomplished by October 1, 2018⁵, as required by OAR 690-315-0040(1)(c).
5. The Department has considered the reasonable diligence and good faith of the appropriator, the cost to appropriate and apply water to a beneficial purpose, the market and present demands for water to be supplied, the financial investment made and fair and reasonable return upon the investment, the requirements of other governmental agencies, and unforeseen events over which the permit holder had no control, whether denial of the extension will result in undue hardship to the applicant and whether there are no other reasonable alternatives for meeting water use needs, any other factors relevant to a determination of good cause, and has determined that the applicant has shown that good cause exists for an extension of time to apply water to full beneficial use pursuant to OAR 690-315-0040(1)(d).


Proposed Order

Based upon the foregoing Findings of Fact and Conclusions of Law, the Department proposes to issue an order to:

Extend the time for complete construction of the water system under Permit G-11880 from October 1, 1996 to October 1, 2018.

Extend the time to apply water to beneficial use under Permit G-11880 from October 1, 1997 to October 1, 2018.

DATED: March 18, 2014


Dwight W. French, Administrator,
Water Right Services Division

*If you have any questions,
please check the information
box on the last page for the
appropriate names and
phone numbers.*

⁵Pursuant to ORS 537.630(4), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and a new or revised claim of beneficial use as deemed appropriate by the Department.

Oregon Water Resources Department PUMP TEST FORM COVER SHEET

Well Owner: Name: Jack Sparrowk Well Location: Township: 38 (N/S) Range: 17 (EW) Address: 82039 Hwy 140W Section: 17 1/4: 1/16: 1/64: County: Lake Well depth: 66-1 Date drilled: 6-1-06 City: Lakeview State: OR Zip: 97630 Owners well no. (if any): L 92038 Original owner (from well log): Jack Sparrowk POD ID:

Water Right Information: Application: G-13313 Permit: G-11880 Certificate: Is this well listed on more than one water right? Yes If yes, list additional water rights below: Application: Permit: Certificate: Application: Permit: Certificate:

Pump Test: Test Conducted by: Chancellor Drilling & Pump Well Owner? Yes Company: Chancellor Drilling & Pump Address: 1220 W 5437 Altamont dr Date of Test: 8-7-08 City: Klamath Falls State: OR Zip: 97603 Daytime phone: 541-884-7907

Method of discharge measurement (see our brochure for acceptable methods): Flow meter Method of water-level measurement (pick one or enter other method used): Static Line Length of air line (if used):

Pump type (pick one or enter other method used): Submersible Was the pump test conducted during normal use of the well? Yes Note:

Are you aware of any wells, other than domestic or stock wells, pumping within 1000 feet of the tested well during the test or within 24 hours prior to the test? Yes Note: If yes, give approximate distances to each and approximate pumping rate of each. If possible, indicate if they were turned on or off during the test:

Is there a lake, stream or other surface water body within 1/4 mile of the tested well? Yes If yes, give approximate distance from the well and approximate elevation difference between the surface water and the well head. Approx. distance: 100 ft Approx. elevation difference: 78 ft Well elevation is not surface water body.

Description of measuring point (e.g. top port of 1 inch port pipe, west side) 3/4" port pipe East side Measuring point distance land surface 0 feet.

Static water level measurements: (A minimum of three measurements are required in the hour before pumping begins at no less than 20 minutes apart):

Table with 3 columns: Time, Depth to water below meas. point, Depth to water below land surface. Rows for 20, 40, 60 minutes.

Discharge measurements: (A discharge measurement is required at the start of pumping and at least once an hour during the test; additional measurements should be noted on the Pump Test Data Sheet):

Table with 3 columns: Time, Discharge Rate, Discharge Units (e.g. gpm, cfs, etc). Rows for 1hr, 2hr, 3hr, 4hr.

Time pump turned on: Date 8-7-08 Time 11:00 AM Time pump turned off: Date 8-7-08 Time 3:00 pm Total pumping time: 4 hours 0 minutes

Note: Well must be idle for at least 18 hours prior to the test. Additional forms can be obtained from our web site at: http://www.wrd.state.or.us OWRD 2/8/2000

Required Signature: [Signature]

RECEIVED

TOTAL P.03

NOV 28 2008

WATER RESOURCES DEPT SALEM, OREGON

MEMORANDUM

TO: DOUG WOODCOCK, GROUND WATER SECTION MANAGER
FROM: CERTIFICATE SECTION
SUBJECT: PUMP TEST FOR PERMIT G-15529 APPLICATION G-15711
DATE: 12/1/2008

The attached pump test was recently received. We have retained the original for application file.

Permit G-11880 Application G-13313

S:\groups\wr\certs\Resource Center\pump test memo normal.doc

The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

STATE OF OREGON

State Well No. 385/17E-16cd

STATE ENGINEER, SALEM, OREGON STATE within 30 days from the date of well completion.

APR 30 1979

(Please type or print)

State Permit No. _____

WATER RESOURCES DEPT. SALEM, OREGON

SE SW 16 385 17E

(1) OWNER:

Name JACK SPAROWK
Address DREWS VALLEY LAKEVIEW, OREGON 97630

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug
Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
14" Diam. from 0 ft. to 415 ft. Gage 250
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No.

Type of perforator used FACTORY-CUT
Size of perforations 1/8, 3/16 in. by 3 in.
2,080 perforations from 115 ft. to 375 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? Contractor

Yield: 1,000 gal./min. with 108 ft. drawdown after 25 hrs.
900 " 84 " 25 "
" 800 " 77 " 25 "

Baller test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.

Temperature of water 58° Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement-Bentonite Slurry
Well sealed from land surface to _____ ft.
Diameter of well bore to bottom of seal 24 in.
Diameter of well bore below seal 20 in.
Number of sacks of cement used in well seal 21 sacks
Number of sacks of bentonite used in well seal 3 sacks
Brand name of bentonite Baroid Quick-Gel
Number of pounds of bentonite per 100 gallons of water 15 lbs./100 gals.

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No

Type of water? _____ depth of strata _____
Method of sealing strata off _____

Was well gravel packed? Yes No Size of gravel: 1/2 to 3/4 "
Gravel placed from 20 ft. to 407 ft.

(10) LOCATION OF WELL:

County LAKE Driller's well number AR-543-78
1/4 1/4 Section T. R. W.M.

Bearing and distance from section or subdivision corner

SEE ATTACHED DOCUMENT

(11) WATER LEVEL: Completed well.

Depth at which water was first found 115 ft.
Static level 47 ft. below land surface. Date 11/1/78
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 8 Inch

Depth drilled 860 ft. Depth of completed well 860 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil Zone (Adobe & Sm. Bould)	0	2	
Basalt Boulders (Cemented)	2	22	
Obsidian Boulders (Cemented)	22	60	
Silicate Bonded Sedimentary			
Rock (Very Hard)	60	70	
Faulted, Angular Basalt (Pink)	70	120	
H ₂ O Aquifer 30 G.P.M.			47
Fractured Basalt With Ginders	120	160	
Silicate-Cemented Quartz			
With Loose, Fine White Sand			
H ₂ O Zone 300-400 G.P.M.	160	300	
Fractured Obsidian Cemented			
With Silicate			
H ₂ O Zone 500-600 G.P.M.	300	400	
Obsidian (solid)	400	610	
Silicate-Cemented Obsidian			
H ₂ O Zone 150-200 G.P.M.	610	730	
Basalt, Fractured, Red	730	800	
Basalt, Fractured, Brown	800	860	

Work started 9/20/1978 Completed 11/1/1978

Date well drilling machine moved off of well 10/16/1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Gary Stoksbury Date 11/1/1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 801

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name RAPID WATER WELL DRILLING COMPANY
(Person, firm or corporation) (Type or print)

Address 545 NORTH G ST., Lakeview, Oregon

[Signed] Gary Stoksbury
(Water Well Contractor)

Contractor's License No. 652 Date 11/1/1978

2001


Oregon Water Resources Department
 October 2001 through September 2002
 Annual Water Use - Monthly Quantities Form

USER-ID 28794

2002



Facility <input type="checkbox"/>	<u>36504</u>				
POD-ID <input type="checkbox"/>	<u>G11880</u>				
October - 2001					
November - 2001					
December - 2001					
January - 2002					
February - 2002					
March - 2002					
April - 2002					
May - 2002					
June - 2002					
July - 2002	<u>84.5 ACFT</u>				
August - 2002	<u>85.25 ACFT</u>				
September - 2002	<u>30.25 ACFT</u>				
TOTAL *	<u>200 ACFT</u>				



* Describe the units of measure as G (gallons), KG (thousand gallons), MG (million gallons), CF (cubic feet), MCF (million cubic feet), or AF (acre-feet)

Describe method of measuring the water used: determined by pump test ^{Est. 1000 gpm} If use is irrigation, total number acres irrigated 314.37
 I certify this information is true and accurate to the best of my knowledge.

[Signature]
 Signature

mgr
 Title

Drews Valley Ranch / Sparrowick Livestock 1/13/02
 Reporting Entity Date

Derek Herndon
 Name - Please Print

Please complete and mail to: Water Resources Department; Water Use Reporting Program;
 158 12th Street NE; Salem, OR 97310-0210




OREGON WATER RESOURCES DEPARTMENT SUMMARY OF WATER RIGHTS FOR WATER USE REPORT



Dear Water User: It is a new water year! All water use reports for October 2001 to September 2002 are requested to be submitted by January 1, 2003. This information is important for water management in Oregon. Please complete the form on the reverse side for the water rights listed below. If you have questions, or need more time please, contact me at 503-378-8455 ext. 333. Thank you for your attention to this matter. Mary Graine

JACK SPARROWK USER-ID 28794
PO BOX 657
CLEMENS CA 98227

POD-ID	FACILITY	CERT	PERMIT	APPL	PRIORITY	USE	L/S	TWP	RANGE	SEC	Q/Q	RATE	SOURCE	TRIBUTARY TO						
36504		0	G	11880	G	13313	3/5/1993	IS	L	38	S	17	E	16	SESW	2.649	C	S	WELL 1	DREWS CR
36504		0	G	11880	G	13313	3/5/1993	IR	L	38	S	17	E	16	SESW	1.56	C	P	WELL 1	DREWS CR
36505		0	G	11880	G	13313	3/5/1993	IS	L	38	S	17	E	28	SWNE	3.698	C	S	WELL 2	DREWS CR
36505		0	G	11880	G	13313	3/5/1993	IR	L	38	S	17	W	28	SWNE	0.118	C	P	WELL 2	DREWS CR





2000


Oregon Water Resources Department
October 2000 through September 2001
Annual Water Use - Monthly Quantities Form

USER-ID 28794

2001



Facility					
POD-ID	<u>36504</u>				
October - 2000					
November - 2000					
December - 2000					
January - 2001					
February - 2001					
March - 2001					
April - 2001					
May - 2001					
June - 2001					
July - 2001	<u>116.25 ACFT</u>				
August - 2001	<u>85.25 ACFT</u>				
September - 2001	<u>41.25 ACFT</u>				
TOTAL *	<u>242.75 AC/PT</u>				



* Describe the units of measure as G (gallons), KG (thousand gallons), MG (million gallons), CF (cubic feet), MCF (million cubic feet), or AF (acre-feet)

Describe method of measuring the water used: determined by pump test. If use is irrigation, total number acres irrigated 314.37^{1000 gpm}

I certify this information is true and accurate to the best of my knowledge.

[Signature]
Signature

mgr
Title

Dixie Valley Ranch / Sparrow Livestock
Reporting Entity

Date

RECEIVED
 MAR 17 2004
 WATER RESOURCES DEPT
 SALEM, OREGON

APP G 13313 /

2002

Oregon Water Resources Department
 October 2002 through September 2003
 Annual Water Use - Monthly Quantities Form

USER-ID 28794

2003



Facility	36504	36505			
Facility	well # 1	well # 2			
POD-ID	G-11880	not drilled			
October - 2002					
November - 2002					
December - 2002					
January - 2003					
February - 2003					
March - 2003					
April - 2003					
May - 2003					
June - 2003	46 ² ACFt				
July - 2003	Ø				
August - 2003	102 ³ ACFt				
September - 2003	46 ² ACFt				
TOTAL *	194 ⁷ ACFt				

* Describe the units of measure as G (gallons), KG (thousand gallons), MG (million gallons), CF (cubic feet), MCF (million cubic feet), or AF (acre-feet)

Describe method of measuring the water used: determined by measured. If use is irrigation, total number acres irrigated 314^{3.7}
Flow @ 760 GPM

I certify this information is true and accurate to the best of my knowledge.

[Signature]
 Signature

mgrm
 Title

Tate Sparrowle/Sparrowle Livestock
Drews Valley Ranch Reporting Entity
3/16/04 Date

Derek Herndon
 Name - Please Print

Please complete and mail to: Water Resources Department; Water Use Reporting Program;
 725 Summer Street NE, Suite A; Salem, OR 97301-1271



OREGON WATER RESOURCES DEPARTMENT SUMMARY OF WATER RIGHTS FOR WATER USE REPORT

Dear Water User: Water year 2003 has ended! All water use reports for October 2002 to September 2003 are requested to be submitted. We are a little late this year due to our efforts to develop a website from which you may submit your data, if you so choose. If you would like to test the new site go to the web address listed below. You will not need to mail in this completed form. This information is important for water management in Oregon. Please, complete the form on the reverse side for the water rights listed below by March 1, 2004. If you have questions, or need more time please, contact me at 503-986-0833. Thank you for your attention to this matter.
Mary Graine



JACK SPARROWK
PO BOX 657
CLEMENTS CA 98227

<http://stamp.wrd.state.or.us/apps/wr/wateruse/wateruse.php>

User-ID 28794
Password: 28794

36504	0 G 11880 G 13313	3/5/1993 IR L	38 S 17 E 16	SESW	1.56 C P WELL 1	DREWS CR
36504	0 G 11880 G 13313	3/5/1993 IS L	38 S 17 E 16	SESW	2.649 C S WELL 1	DREWS CR
36505	0 G 11880 G 13313	3/5/1993 IR L	38 S 17 W 28	SWNE	0.118 C P WELL 2	DREWS CR
36505	0 G 11880 G 13313	3/5/1993 IS L	38 S 17 E 28	SWNE	3.698 C S WELL 2	DREWS CR

app 6-13313 (permit 6-11880)

USER-ID 28794

2007

Oregon Water Resources Department
 October 2007 through September 2008
 Annual Water Use - Monthly Quantities Form

2008

Facility →	wu 1 30509				
Report ID →	G11880 ✓				
October - 2007					
November - 2007					
December - 2007					
January - 2008					
February - 2008					
March - 2008					
April - 2008					
May - 2008					
June - 2008					
July - 2008	22 ACFT				
August - 2008	85.25 ACFT				
September - 2008	77 ACFT				
Total *	184.25 ACFT				

RECEIVED

JAN 23 2009

WATER RESOURCES DEPT
 SALEM, OREGON

* Describe the units of measurement as G (gallons), KG (thousand gallons), MG (million gallons), CF (cubic feet), MCF (million cubic feet), or AF (acre-feet)

Describe the method of measurement used: Pump test 100gpm If used for irrigation, total number of acres irrigated: 314.37
 I certify this information is true and accurate to the best of my knowledge.

[Signature]
 Signature

mgr
 Title

Drew's Valley Ranch/Sparrow 4/15/09
 Reporting Entity Date

Derek Herndon
 Name

84032 Hwy 140w Lakeview OR 97630
 Mailing Address

541 947 2804
 Phone Number

Please complete and mail to: Oregon Water Resources Department; Water Use Reporting Program;
 725 Summer Street NE, Suite A; Salem, OR 97301-1266.

SPARROWK

L I V E S T O C K

DATE:

**Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301**

RECEIVED

DEC 05 2013
WATER RESOURCES DEPT
SALEM, OREGON


RE: Water Right Permit in the name of Jack Sparrowk – ^{Permit #} G-11880, File # ^{app #} G-13313

To whom it may concern:


I, Jack Sparrowk of Sparrowk Livestock, request that the Claim of Beneficial Use Report submitted by Anderson Engineering on September 29, 1998 be withdrawn. This report was submitted prematurely and did not represent the entire scope of Permit G-11880. This report did not include a major portion of irrigated area that I intended to include in the project.

I am submitting with this letter, an application for an Extension of Time to properly complete this project.

Respectfully,


Jack Sparrowk

MAP TO ACCOMPANY APPLICATION TO APPROPRIATE GROUND WATER TOWNSHIP 38 SOUTH, RANGE 17 EAST, WILLAMETTE MERIDIAN, LAKE COUNTY OREGON



LEGEND

- SECTION LINE
- 1/4 SECTION LINE
- 1/16 SECTION LINE
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.

NOTE: PREPARATION OF THIS MAP IS FOR IDENTIFYING PROPOSED WATER RIGHTS ONLY. IT HAS NO INTENT TO PROVIDE LOCATIONS OR DIMENSIONS OF PROPERTY BOUNDARIES..

THE WATER FROM THE WELLS WILL BE DISCHARGED INTO DRAINAGES AND CHANELED THROUGH EXISTING DITCHES ONTO THE AREAS SHOWN.



Application No. **G-13313**
Permit No. **G-11880**



PREPARED FOR:
DREWS VALLEY RANCH
JACK SPARROWK
P.O. BOX 657
CLEMENTS, CA. 95227

PREPARED BY:
ANDERSON ENGINEERING AND SURVEYING
618 SOUTH FIRST STREET
P.O. BOX 28
LAKEVIEW, OREGON 97630
(503) 947-4407 FAX 947-2321

rev'd 3/5/93 OWRD



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

November 15, 2008

JACK SPARROWK
PO BOX 657
CLEMENTS CA 95227

Subject: Water Right Permit Number G- 11880

Dear Permit holder,

Oregon Administrative Rule 690-217-0020(1) requires that ground water permit holders with a priority date after December 20, 1988, submit the results of a pump test before the Water Resources Department can issue a water right certificate. A copy of your permit is enclosed. The purpose of this letter is to remind you of the pump test requirement.

Pump tests are intended to provide aquifer and well information for ground water resource characterization and to help solve well problems. There is no penalty for not submitting a pump test.

If there is a reason why a pump test cannot be performed on a well, the owner may request from the Director an exemption from the pump test requirement. Requests shall be in writing and include the reason why a pump test cannot be performed. Exemptions, or conditioned exemptions, shall be granted if the reasons are found to be valid and eliminating the problem would place an unreasonable burden on the well owner. Exemptions shall be granted for public water supply wells if pump testing will cause interruption of service to customers.

Pump tests shall not be required of wells with diameters greater than 36 inches and depths less than 30 feet. Pump tests shall not be required of collector-type wells or infiltration galleries. If your well meets one of these two requirements please let us know.

If you are interested in conducting the pump test yourself, you should first review the requirements at http://arcweb.sos.state.or.us/rules/OARS_600/OAR_690/690_217.html or ask that a copy of the rules be sent to you.

A copy of the pump test form has been included. If you have questions, if you are not the owner of a ground water permit or if you have moved, please call the Department at 503-986-0900.

Sincerely,

Diana Durbin
Water Rights Certificate Staff

C: Permit File

690-217-0050

Qualifications for Conducting Pump Tests

Only pump tests conducted by the well owner, a full-time employee of the well owner who routinely works with and is familiar with wells and pumps, or a qualified individual authorized by the well owner shall be accepted by the Director. Individuals in the following groups will be considered qualified and authorized provided they have significant experience conducting pump tests:

- (1) Oregon licensed water well constructors.
- (2) Oregon registered professional geologists or certified engineering geologists.
- (3) Certified water rights examiners.
- (4) Oregon registered professional engineers.
- (5) Individuals whose primary occupation involves, wholly or in significant part, pump installation, service or testing.

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

JACK SPARROWK
P.O. BOX 657
CLEMENTS, CALIFORNIA 95227

to use the waters of WELLS 1 & 2 in the DREWS CREEK BASIN for IRRIGATION OF 134.22 ACRES AND SUPPLEMENTAL IRRIGATION OF 507.74 ACRES.

This permit is issued approving Application G-13313. The date of priority is MARCH 5, 1993. The use is limited to not more than 8.025 CUBIC FEET PER SECOND (CFS); 1.56 CFS FOR PRIMARY IRRIGATION AND 2.649 CFS FOR SUPPLEMENTAL IRRIGATION FROM WELL 1, BEING 0.118 CFS FOR PRIMARY AND 3.698 CFS FOR SUPPLEMENTAL IRRIGATION FROM WELL 2, or its equivalent in case of rotation, measured at the wells.

The wells are located as follows:

WELL 1 - SE 1/4 SW 1/4, SECTION 16, T 38 S, R 17 E, W.M.; 1257 FEET NORTH AND 3524 FEET WEST FROM THE SE CORNER OF SECTION 16.

WELL 2 - SW 1/4 NE 1/4, SECTION 28, T 38 S, R 17 E, W.M.; 1752 FEET SOUTH AND 1772 FEET WEST FROM THE NE CORNER OF SECTION 28.

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year. The use of water during this period shall be limited to April 1 through September 30 of each year.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the proposed place of use under this permit is as follows:

WELL 1		
	PRIMARY	SUPPLEMENTAL
SW 1/4 SE 1/4		6.37 ACRES
SE 1/4 SE 1/4		0.90 ACRE
SECTION 17		
NE 1/4 NE 1/4	9.13 ACRES	18.90 ACRES
NW 1/4 NE 1/4		40.00 ACRES
SW 1/4 NE 1/4		39.55 ACRES
SE 1/4 NE 1/4	22.00 ACRES	18.00 ACRES
NE 1/4 NW 1/4		22.32 ACRES
SE 1/4 NW 1/4		16.13 ACRES
NE 1/4 SE 1/4	12.72 ACRES	18.00 ACRES
NW 1/4 SE 1/4		10.23 ACRES
SE 1/4 SE 1/4		9.93 ACRES
SECTION 20		
SW 1/4 NW 1/4	10.18 ACRES	
NW 1/4 SW 1/4	31.59 ACRES	
SW 1/4 SW 1/4	39.20 ACRES	
SW 1/4 SW 1/4	0.08 ACRE	
SE 1/4 SW 1/4		10.79 ACRES
SECTION 21		

WELL 2

<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NE 1/4 NW 1/4	23.29 ACRES
NW 1/4 NW 1/4	40.00 ACRES
SW 1/4 NW 1/4	39.74 ACRES
SE 1/4 NW 1/4	32.39 ACRES
NE 1/4 SW 1/4	40.00 ACRES
NW 1/4 SW 1/4	26.00 ACRES
SW 1/4 SW 1/4	9.30 ACRES
SE 1/4 SW 1/4	40.00 ACRES
NW 1/4 SE 1/4	7.86 ACRES
SW 1/4 SE 1/4	18.00 ACRES
9.40 ACRES	
SECTION 28	
NE 1/4 NE 1/4	14.75 ACRES
SE 1/4 NE 1/4	4.49 ACRES
SECTION 29	
TOWNSHIP 38 SOUTH, RANGE 17 EAST, W.M.	

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Actual construction work shall begin on or before DECEMBER 6, 1995 and shall be completed on or before October 1, 1996. Complete application of the water shall be made on or before October 1, 1997.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for beneficial use of water without waste. The water user is advised that new regulations may require use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director of the Water Resources Department has found that the proposed use of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Issued this date, December 6, 1994.

/s/ MARTHA O. PAGEL

Water Resources Department
Martha O. Pagel
Director



Application G-13313
Basin 13

Water Resources Department
Volume 1
DREWS CREEK & MISC.

PERMIT G-11880
District 12

Oregon Water Resources Department
PUMP TEST FORM COVER SHEET

Well Owner:

Name: _____
 Address: _____
 County: _____
 City: _____ State: _____ Zip: _____
 Original owner (from well log): _____

Well Location:

Township: _____ (N/S) Range: _____ (E/W)
 Section: _____ 1/4 : _____ 1/16 : _____ 1/64 : _____
 Well depth: _____ Date drilled: _____
 Owners well no. (if any): _____
 POD ID: _____

Water Right Information:

Application: _____ Permit: _____ Certificate: _____
 Is this well listed on more than one water right? Yes If yes, list additional water rights below:
 Application: _____ Permit: _____ Certificate: _____
 Application: _____ Permit: _____ Certificate: _____

Pump Test:

Test Conducted by: _____ Well Owner? Yes
 Company: _____
 Address: _____ Date of Test: _____
 City: _____ State: _____ Zip: _____
 Daytime phone: _____

Method of discharge measurement (see our brochure for acceptable methods): _____
 Method of water-level measurement (pick one or enter other method used): _____
 Length of air line (if used): _____

Pump type (pick one or enter other method used): _____

Was the pump test conducted during normal use of the well? Yes Note: _____

Are you aware of any wells, other than domestic or stock wells, pumping within 1000 feet of the tested well during the test or within 24 hours prior to the test? Yes Note: _____

If yes, give approximate distances to each and approximate pumping rate of each. If possible, indicate if they were turned on or off during the test: _____

Is there a lake, stream or other surface water body within 1/4 mile of the tested well? Yes If yes, give approximate distance from the well and approximate elevation difference between the surface water and the well head. Approx. distance: _____ ft Approx. elevation difference: _____ ft

Well elevation is _____ surface water body.

Description of measuring point (e.g. top port of 1 inch port pipe, west side) _____

Measuring point distance _____ land surface _____ feet.

Static water level measurements: (A minimum of three measurements are required in the hour before pumping begins at no less than 20 minutes apart):

Time	Depth to water below meas. point	Depth to water below land surface
_____	_____	_____
_____	_____	_____
_____	_____	_____

Discharge measurements: (A discharge measurement is required at the start of pumping and at least once an hour during the test; additional measurements should be noted on the Pump Test Data Sheet):

Time	Discharge Rate	Discharge Units (e.g. gpm, cfs, etc)
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Time pump turned on: Date _____ Time _____
 Time pump turned off: Date _____ Time _____
 Total pumping time: _____ hours _____ minutes

Note: Well must be idle for at least 16 hours prior to the test.

Additional forms can be obtained from our web site at: <http://www.wrd.state.or.us>

OWRD 2/9/2000

Required Signature: _____

WATER RESOURCES DEPARTMENT MEMORANDUM

TO: Groundwater/Hydrology Files

Date June 14 1993

FROM: Karl C. Wozniak

SUBJECT: Groundwater Application G- 13313

Phone: _____

Name: Jack Sporewuk

Applicant(s) seek 753/2848 gpm (1.678/6.347 cfs) from 2 well(s) in the

Proposed use: Irrig. of 134.22 acres 502.74 " Drews Creek basin
sub basin
sub basin.

Pertinent 7 1/2 - minute quads

Cougar Peak (53)

1.56 cfs (700 gpm) primary
2.649 cfs (1159 gpm) suppl.

Drews Reservoir (72)

Well 1 WRD# _____ T 38S R 17E S 16 QQ SE/SW County Lake

Existing

Legal Description 1257' N 1 35 24' W fr SE cor S. 16.

Well is 175 ft from Howard Creek (river/stream)

Well is 6900 ft from Drews Creek (river/stream)

Well elevation 5093 ft. River/stream elevation 5093/4950 ft.

Well elevation - river/stream elevation 0' (143')

Well depth 860' SWL 47' on 11-1-78

Sealed to Cement/Leak to 20' Depth first water found 115'

Cased to 14" to 415' Perforations/screens 115'-375'

Lined to Gravel-packed fr 20-407' Perforations/screens _____

Well tests and types Pump test: 1000 gpm w/108' dd 25 hrs

Confined or unconfined? Confined Hydraulically connected? ?

Potential to cause substantial interference? Prob. not

0.118 cfs (53 gpm) primary } 1713 gpm total
3.698 cfs (1660 gpm) suppl. }

Well 2 WRD# _____ T 38S R 17E S 28 QQ SW/NE County _____

Proposed

Legal Description 1752' S 1 17 2' W fr NE cor S. 28.

Well is 100 ft from unnamed tributary to Drews CK. (river/stream)

Well is 3500 ft from Drews Creek (river/stream)

Well elevation _____ ft. River/stream elevation _____ ft.

Well elevation - river/stream elevation _____

Well depth _____ SWL _____ on _____

Sealed to _____ Depth first water found _____

Cased to _____ Perforations/screens _____

Lined to _____ Perforations/screens _____

Well tests and types _____

Confined or unconfined? _____ Hydraulically connected? _____

Potential to cause substantial interference? _____

Conditioned water rights in area: None

Other nearby water rights of record: None within 1 mile radius

Density of nearby wells of record: Very sparse

Comments: _____

References used: _____

6-13313
44

TO: Water Rights Section

June 14, 1993

FROM: Groundwater/Hydrology Section Karl C. Wozniak
Reviewer's Name

SUBJECT: Application G- 13313

1. PER THE _____ Basin rules, one or more of the proposed POA's is/is not within _____ feet/mile of a surface water source (_____) and taps a groundwater source hydraulically connected to the surface water.

2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed groundwater use
a. ___ will, or _____ have the potential for substantial interference with the nearest surface water
b. ___ will not _____ source, namely Draws Creek; or
c. will, if properly conditioned, adequately protect the surface water from interference:
i. ___ The permit should contain condition #(s) 41;
ii. ___ The permit should contain special condition(s) as indicated in "Remarks" below;
iii. ___ The permit should be conditioned as indicated in item 4 below; or
d. ___ will, with well reconstruction, adequately protect the surface water from substantial interference.

3. BASED UPON available data, I have determined that groundwater for the proposed use
a. will, or _____ likely be available in the amounts requested without injury to prior rights and/or
b. ___ will not _____ within the capacity of the resource; or
c. ___ can, if properly conditioned, avoid injury to existing rights or to the groundwater resource;
i. ___ The permit should contain condition #(s) _____;
ii. ___ The permit should contain special condition(s) as indicated in "Remarks" below;
iii. ___ The permit should be conditioned as indicated in item 4 below.

4. a. ___ THE PERMIT should allow groundwater production from no deeper than _____ ft. below land surface;
b. ___ The permit should allow groundwater production from no shallower than _____ ft. below land surface;
c. ___ The permit should allow groundwater production only from the _____ groundwater reservoir between approximately _____ ft. and _____ ft. below land surface;
d. ___ Well reconstruction is necessary to accomplish one or more of the above conditions.
e. ___ One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: _____

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.)

5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon:
- a. ___ review of the well log;
 - b. ___ field inspection by _____;
 - c. ___ report of CWRE _____;
 - d. ___ other: (specify) _____
6. THE WELL construction deficiency:
- a. ___ constitutes a health threat under Division 200 rules;
 - b. ___ commingles water from more than one groundwater reservoir;
 - c. ___ permits the loss of artesian head;
 - d. ___ permits the de-watering of one or more groundwater reservoirs;
 - e. ___ other: (specify) _____
7. THE WELL construction deficiency is described as follows: _____
8. THE WELL
- a. ___ was, or constructed according to the standards in effect at the time of
 - b. ___ was not original construction or most recent modification.
 - c. ___ I don't know if it met standards at the time of construction.

RECOMMENDATION:

- A. ___ I recommend including the following condition in the permit:
"No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department."
- B. ___ I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department.
- C. ___ REFER this review to Enforcement Section for concurrence.

THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit.

_____, 1993.
(Signature)

I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons: _____

_____, 1993.
(Signature)

(WRFORM8\91)

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **53977**

158 12TH ST. N.E.
SALEM, OR 97310-0210
378-8455 / 378-8130 (FAX)

INVOICE # _____

RECEIVED FROM: First American Title Insurance Co. of OR
BY: _____

APPLICATION	G13313
PERMIT	
TRANSFER	

CASH: CHECK: # 96-7030 OTHER: (IDENTIFY) _____

TOTAL REC'D \$ 25.00

0417 WRD MISC CASH ACCT

ADJUDICATIONS	\$
PUBLICATIONS / MAPS	\$
OTHER: (IDENTIFY) _____	\$
OTHER: (IDENTIFY) _____	\$

REDUCTION OF EXPENSE

CASH ACCT.	\$
VOUCHER #	

0427 WRD OPERATING ACCT

MISCELLANEOUS	
0407 COPY & TAPE FEES	\$
0410 RESEARCH FEES	\$
0408 MISC REVENUE: (IDENTIFY) <u>Assign</u>	\$ <u>25.00</u>
(New) TC162 DEPOSIT LIAB. (IDENTIFY) _____	\$

WATER RIGHTS:	EXAM FEE		RECORD FEE
0201 SURFACE WATER	\$	0202	\$
0203 GROUND WATER	\$	0204	\$
0205 TRANSFER	\$	0206	\$
WELL CONSTRUCTION	EXAM FEE		LICENSE FEE
0218 WELL DRILL CONSTRUCTOR	\$	0219	\$
LANDOWNER'S PERMIT		0220	\$

OTHER (IDENTIFY) _____

0437 WELL CONST. START FEE

0211 WELL CONST START FEE	\$	CARD #	
0210 MONITORING WELLS	\$	CARD #	
OTHER (IDENTIFY) _____			

0539 LOTTERY PROCEEDS

1302 LOTTERY PROCEEDS	\$
-----------------------	----

0467 HYDRO ACTIVITY

	LIC NUMBER	
0233 POWER LICENSE FEE (FW/WRD)		\$
0231 HYDRO LICENSE FEE (FW/WRD)		\$
HRDRO APPLICATION		\$

RECEIPT # **53977**

DATED: 7/15/02 BY: Connie Vance



LAKE COUNTY OFFICE
540 Center St.
Lakeview, Oregon 97630



Water Resources Dept.
158 12th St. NE
Salem, OR 97301-4172

97301+4172 03



First American Title Insurance Company of Oregon

007820

DATE	DESCRIPTION	AMOUNT
07/02/02	Escrow No: L72680-SH assignment fee Funds due on above escrow. BUYER: JACK E. SPARROWK SELLER: Property: Hwy. 140 West Lakeview, OR 97630	\$ 25.00 RECEIVED JUL 05 2002 WATER RESOURCES DEPT. SALEM, OREGON

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

JACK SPARROWK
P.O. BOX 657
CLEMENTS, CALIFORNIA 95227

to use the waters of WELLS 1 & 2 in the DREWS CREEK BASIN for IRRIGATION OF 134.22 ACRES AND SUPPLEMENTAL IRRIGATION OF 507.74 ACRES.

This permit is issued approving Application G-13313. The date of priority is MARCH 5, 1993. The use is limited to not more than 8.025 CUBIC FEET PER SECOND (CFS); 1.56 CFS FOR PRIMARY IRRIGATION AND 2.649 CFS FOR SUPPLEMENTAL IRRIGATION FROM WELL 1, BEING 0.118 CFS FOR PRIMARY AND 3.698 CFS FOR SUPPLEMENTAL IRRIGATION FROM WELL 2, or its equivalent in case of rotation, measured at the wells.

The wells are located as follows:

WELL 1 - SE 1/4 SW 1/4, SECTION 16, T 38 S, R 17 E, W.M.; 1257 FEET NORTH AND 3524 FEET WEST FROM THE SE CORNER OF SECTION 16.

WELL 2 - SW 1/4 NE 1/4, SECTION 28, T 38 S, R 17 E, W.M.; 1752 FEET SOUTH AND 1772 FEET WEST FROM THE NE CORNER OF SECTION 28.

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year. The use of water during this period shall be limited to April 1 through September 30 of each year.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the proposed place of use under this permit is as follows:

WELL 1

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
SW 1/4 SE 1/4		6.37 ACRES
SE 1/4 SE 1/4		0.90 ACRE
SECTION 17		
NE 1/4 NE 1/4	9.13 ACRES	18.90 ACRES
NW 1/4 NE 1/4		40.00 ACRES
SW 1/4 NE 1/4		39.55 ACRES
SE 1/4 NE 1/4	22.00 ACRES	18.00 ACRES
NE 1/4 NW 1/4		22.32 ACRES
SE 1/4 NW 1/4		16.13 ACRES
NE 1/4 SE 1/4	12.72 ACRES	18.00 ACRES
NW 1/4 SE 1/4		10.23 ACRES
SE 1/4 SE 1/4		9.93 ACRES
SECTION 20		
SW 1/4 NW 1/4	10.18 ACRES	
NW 1/4 SW 1/4	31.59 ACRES	
SW 1/4 SW 1/4	39.20 ACRES	
SW 1/4 SW 1/4	0.08 ACRE	
SE 1/4 SW 1/4		10.79 ACRES
SECTION 21		

WELL 2

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NE 1/4 NW 1/4		23.29 ACRES
NW 1/4 NW 1/4		40.00 ACRES
SW 1/4 NW 1/4		39.74 ACRES
SE 1/4 NW 1/4		32.39 ACRES
NE 1/4 SW 1/4		40.00 ACRES
NW 1/4 SW 1/4		26.00 ACRES
SW 1/4 SW 1/4		9.30 ACRES
SE 1/4 SW 1/4		40.00 ACRES
NW 1/4 SE 1/4		7.86 ACRES
SW 1/4 SE 1/4	9.40 ACRES	18.00 ACRES
SECTION 28		
NE 1/4 NE 1/4		14.75 ACRES
SE 1/4 NE 1/4		4.49 ACRES

SECTION 29

TOWNSHIP 38 SOUTH, RANGE 17 EAST, W.M.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Actual construction work shall begin on or before DECEMBER 6, 1995 and shall be completed on or before October 1, 1996. Complete application of the water shall be made on or before October 1, 1997.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.


This permit is for beneficial use of water without waste. The water user is advised that new regulations may require use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director of the Water Resources Department has found that the proposed use of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Issued this date, December 6, 1994.



Water Resources Department
Martha O. Pagel
Director

December 3, 1993

JACK SPARROWK
PO BOX 657
CLEMENTS, CA 98227

Reference: File G 13313

Hello:

This letter informs you of the current status of your application for a water use permit and accompanies the Satisfactory Report of Technical Review For Water Use Permit(s). We apologize for the delay in transmitting this information and Report to you and for any inconvenience the wait may have caused you.

The enclosed Report of Technical Review is the Department's summary of a specialized analysis of various legal and scientific aspects of your application and proposed water use. We are required by the state of Oregon's administrative rules (in OAR 690-11-160) to conduct this official technical review of each application submitted to the Oregon Water Resources Department for a water use permit. This process was designed to insure that your application receives a fair evaluation and to secure protection of existing water rights and of the public at large.

AS THE RESULT OF OUR TECHNICAL EVALUATION OF YOUR APPLICATION, WE HAVE DETERMINED THAT YOUR APPLICATION SATISFIES THE REQUIREMENTS OF THE TECHNICAL REVIEW.

The Department will now move your application to the next phase of processing. This phase includes a public interest review of your proposed water use. No final action may be taken on your application until the public interest review is completed.

You should also note that the Report of Technical Review describes conditions currently anticipated which may limit the water use proposed in your application.

If you wish to object to any of the analyses contained in the Report, you must submit your objection to the Department in writing within 60 days of the date of mailing of this Report or by the date specified below. Your objection must allege that the technical review is defective and you may also submit evidence which demonstrates that your proposed water use will not impair or be detrimental to the public interest.

Copies of the Report of Technical Review will be distributed to all persons who have filed comments or otherwise expressed an interest in the water use proposed in your application. Interested parties must also submit their objections within the prescribed objection period. Those objections must allege that the technical review is defective and/or that the proposed water use may impair or be detrimental to the public interest.



If an objection contains allegations that the technical review is defective, it must be accompanied by facts which support such allegations. If an objection contains allegations that the proposed water use may impair or be detrimental to the public interest, the objection must specify the particular public interest standards which apply as set out in Oregon Revised Statutes (ORS 537.170(5)) and Oregon Administrative Rules (OAR 690-11-195) and state facts showing how such standards would be violated.


All evidence and objections must be received by our Salem office no later than 5:00 p.m. on or before February 14, 1994 or the Department may presume there is no opposition to any of the analyses set out in the technical review report. Evidence and objections must be addressed and delivered to: Oregon Water Resources Department, Water Rights Section, 3850 Portland Road, Northeast, Salem, Oregon 97310.

If objections and evidence are submitted on or before the above time and date, the Director of the Water Resources Department will evaluate each issue raised in the objections and either accept or deny them. Objectors are encouraged to indicate whether they would be interested in resolving their concerns through alternative dispute resolution.

If any of the objections are denied, the objector will be allowed thirty days to submit a protest to the denial. The protest must meet the standards set forth in OAR 690-02-030 through 080.

If you have any questions, please feel free to telephone me or any of the Department's Water Rights Section staff. My telephone number is 378-3739, in Salem, or you may call toll free from within the state to 1-800-624-3199.

Sincerely,



STEVE BROWN
Manager
Water Rights Division

Enclosures
SB/ts

Report Date: December 3, 1993

OREGON WATER RESOURCES DEPARTMENT

SATISFACTORY REPORT OF TECHNICAL REVIEW

FOR WATER USE PERMIT(S)

OBJECTIONS TO THE PROPOSED WATER USE AS DESCRIBED BELOW MUST BE RECEIVED IN WRITING BY THE OREGON WATER RESOURCES DEPARTMENT, 3850 PORTLAND ROAD N.E., SALEM, OREGON 97310, BY 5 P.M. ON OR BEFORE: February 14, 1994

1. APPLICATION FILE NUMBER - G 13313
2. MINIMUM APPLICATION INFORMATION

Applicant name/address/county/phone:

JACK SPARROWK
PO BOX 657
CLEMENTS, CA 98227
LAKE COUNTY

Date application received for filing and/or tentative date of priority: MARCH 5, 1993

SOURCE: TWO WELLS TRIBUTARY TO: DREWS CREEK

Purpose and/or use: IRRIGATION

Flow: 8.025 CUBIC FEET PER SECOND (CFS)

Point of Diversion Location:

WELL 1 - SE 1/4 SW 1/4, SECTION 16, T 38 S, R 17 E, W.M.; 1257 FEET NORTH AND 3524 FEET WEST FROM THE SE CORNER OF SECTION 16.

WELL 2 - SW 1/4 NE 1/4, SECTION 28, T 38 S, R 17 E, W.M.; 1752 FEET SOUTH AND 1772 FEET WEST FROM THE NE CORNER OF SECTION 28.

Place of use:

		WELL 1	
		PRIMARY	SUPPLEMENTAL
SW 1/4	SE 1/4		6.37 ACRES
SE 1/4	SE 1/4		0.90 ACRE
		SECTION 17	
NE 1/4	NE 1/4	9.13 ACRES	18.90 ACRES
NW 1/4	NE 1/4		40.00 ACRES
SW 1/4	NE 1/4		39.55 ACRES

SE 1/4 NE 1/4	22.00 ACRES	18.00 ACRES
NE 1/4 NW 1/4		22.32 ACRES
SE 1/4 NW 1/4		16.13 ACRES
NE 1/4 SE 1/4	12.72 ACRES	18.00 ACRES
NW 1/4 SE 1/4		10.23 ACRES
SE 1/4 SE 1/4		9.93 ACRES

SECTION 20

SW 1/4 NW 1/4	10.18 ACRES	
NW 1/4 SW 1/4	31.59 ACRES	
SW 1/4 SW 1/4	39.20 ACRES	0.80 ACRE
SE 1/4 SW 1/4		10.79 ACRES

SECTION 21

WELL 2

PRIMARY

SUPPLEMENTAL

NE 1/4 NW 1/4		23.29 ACRES
NW 1/4 NW 1/4		40.00 ACRES
SW 1/4 NW 1/4		39.74 ACRES
SE 1/4 NW 1/4		32.39 ACRES
NE 1/4 SW 1/4		40.00 ACRES
NW 1/4 SW 1/4		26.00 ACRES
SW 1/4 SW 1/4		9.30 ACRES
SE 1/4 SW 1/4		40.00 ACRES
NW 1/4 SE 1/4		7.86 ACRES
SW 1/4 SE 1/4	9.40 ACRES	18.00 ACRES

SECTION 28

NE 1/4 NE 1/4		14.75 ACRES
SE 1/4 NE 1/4		4.49 ACRES

SECTION 29

TOWNSHIP 38 SOUTH, RANGE 17 EAST, W.M.

GROUNDWATER AVAILABILITY

This is an application for use of groundwater. The Groundwater/Hydrology Section report indicates that:

Pursuant to OAR 690-09-040, the proposed groundwater use will, if properly conditioned, adequately protect the surface water from interference.

In addition, the Groundwater/Hydrology Section has reported the water is likely to be available to supply the proposed use.

CONFLICTS WITH OTHER WATER RIGHTS:

There are no existing rights from these points of diversion.

There are existing water rights appurtenant to the lands described in the application. See proposed permit conditions.

REPORT CONCLUSIONS:

Water in the amount of 8.025 CFS is likely available for 6 months of the 6 months normal period of use. Therefore, the Director finds that water is available in sufficient amount and during periods which will reasonably support the proposed use.

THE PROPOSED WATER USE, AS CONDITIONED, SATISFIES THE REQUIREMENTS OF THIS TECHNICAL REVIEW.

This Report of Technical Review sets out the Director's technical analysis of the application. In addition to this technical analysis, the Director will evaluate this application to determine whether the proposed water use might impair or be detrimental to the public interest under the standards set out in ORS 537.170(5) and OAR 690-11-195. Matters relating to public interest in the proposed water use which are raised in objections will be evaluated following the 60-day objection period.

PROPOSED PERMIT CONDITIONS

Application: G 13313

The following conditions will apply to water use under the permit, and will appear in the permit.

1. Use of water under this permit is subject to all prior rights.
2. Period of allowed use: APRIL 1 TO SEPTEMBER 30
3. Rate: 8.025 CFS
4. The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3 acre-feet for each acre irrigated during the irrigation season of each year.
5. Water use development requirements:
 - A. Begin construction by (one year from issuance of permit).
 - B. Complete construction by October 1, 1995.
 - C. Completely apply the water to beneficial use by October 1, 1996.
6. The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.
7. Measurement, recording and reporting conditions:
 - A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
8. Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.
 9. This right is limited to any deficiency in the available supply of any prior right existing for the same land.
 10. Failure to comply with any of the provisions of the permit may result in action including, but not limited to, restrictions on the use, penalties, or cancellation of the permit.
 11. The permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
 12. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.
 13. The use of water shall be limited when it interferes with any prior surface or ground water rights.
 14. If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

December 3, 1998

JACK SPARROWK
PO BOX 657
CLEMENTS, CA 98227

REFERENCE: File G-13313

This will acknowledge that your claim of beneficial use and map in the name of JACK SPARROWK were received on SEPTEMBER 29, 1998. These will be reviewed in the future to insure they are complete and correct.

If you have any questions please contact me at (503) 378-8455, extension 263, or dial toll free (within Oregon only) at 1-800-624-3199, extension 263.

Sincerely,

STEVE BROWN
Program Analyst
Certificate Section

SCB:tcb

cc: DARRYL J. ANDERSON, CWRE #5



App: 613313

USER-ID 28794

Oregon Water Resources Department
October 1999 through September 2000
Annual Water Use - Monthly Quantities Form



36504

36505 IR

Facility <input type="checkbox"/> POD-ID <input type="checkbox"/>	Well #1 IR G 11880	Well #2 not drilled			
October - 1999					
November - 1999					
December - 1999					
January - 2000					
February - 2000					
March - 2000					
April - 2000					
May - 2000					
June - 2000					
July - 2000	66.3 ACFT				
August - 2000	137.0 ACFT				
September - 2000	88.4 ACFT				
TOTAL *					

RECEIVED

JAN 29 2001

WATER RESOURCES DEPT.
SALEM, OREGON

* Describe the units of measure as G (gallons), KG (thousand gallons), MG (million gallons), CF (cubic feet), MCF (million cubic feet), or AF (acre-feet)

Describe method of measuring the water used: determined by previous pump. If use is irrigation, total number acres irrigated 314.37

I certify this information is true and accurate to the best of my knowledge.
est. 1000 gpm test

[Signature]
Signature

mgr
Title

Jack Sparrow / Sparrow Livestock
Orens Valley Ranch
Reporting Entity


1/16/01
Date

Derek Herndon

Name - Please Print

Please complete and mail to: Water Resources Department; Water Use Reporting Program;
158 12th Street NE; Salem, OR 97310-0210

MAP TO ACCOMPANY APPLICATION TO APPROPRIATE GROUND WATER TOWNSHIP 38 SOUTH, RANGE 17 EAST, WILLAMETTE MERIDIAN, LAKE COUNTY OREGON



LEGEND


- SECTION LINE
- 1/4 SECTION LINE
- 1/16 SECTION LINE
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.

NOTE: PREPARATION OF THIS MAP IS FOR IDENTIFYING PROPOSED WATER RIGHTS ONLY. IT HAS NO INTENT TO PROVIDE LOCATIONS OR DIMENSIONS OF PROPERTY BOUNDRIES.

THE WATER FROM THE WELLS WILL BE DISCHARGED INTO DRAINAGES AND CHANELED THROUGH EXISTING DITCHES ONTO THE AREAS SHOWN.



Application No. **G-13313**
Permit No. **G-11880**



PREPARED FOR:
DREWS VALLEY RANCH
JACK SPARROWK
P.O. BOX 657
CLEMENTS, CA. 95227

PREPARED BY:
ANDERSON ENGINEERING AND SURVEYING
618 SOUTH FIRST STREET
P.O. BOX 28
LAKEVIEW, OREGON 97630
(503) 947-4407 FAX 947-2321

Rx'd 3/5/93 OWRD

MAP TO ACCOMPANY APPLICATION TO APPROPRIATE GROUND WATER TOWNSHIP 38 SOUTH, RANGE 17 EAST, WILLAMETTE MERIDIAN, LAKE COUNTY OREGON



LEGEND


- SECTION LINE
- 1/4 SECTION LINE
- 1/16 SECTION LINE
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.
- PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.

NOTE: PREPARATION OF THIS MAP IS FOR IDENTIFYING PROPOSED WATER RIGHTS ONLY. IT HAS NO INTENT TO PROVIDE LOCATIONS OR DIMENSIONS OF PROPERTY BOUNDARIES.

THE WATER FROM THE WELLS WILL BE DISCHARGED INTO DRAINAGES AND CHANELED THROUGH EXISTING DITCHES ONTO THE AREAS SHOWN.



Application No. 613313
Permit No. 611880




PREPARED FOR:
DREWS VALLEY RANCH
JACK SPARROWK
P.O. BOX 657
CLEMENTS, CA. 95227

PREPARED BY:
ANDERSON ENGINEERING AND SURVEYING
618 SOUTH FIRST STREET
P.O. BOX 28
LAKEVIEW, OREGON 97630
(503) 947-4407 FAX 947-2321


T.38S.R.16&17E.W.M.

R.17E.



○ SUPPLEMENTAL
 ○ PRIMARY

R.16E.



FINAL PROOF SURVEY
 UNDER

Application No. 32630 Permit No. 25738

IN NAME OF

DREWS VALLEY RANCH

Surveyed AUG. 5-7, 1970, by R. MUCKEN

No out card

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

SPARROWK LIVESTOCK
TOM AZEVEDO
PO BOX 657
CLEMENTS CA 98227

4a. Article Number

P-56644

4b. Service Type

- | | |
|---|---|
| <input type="checkbox"/> Registered | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail | <input type="checkbox"/> Insured |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD |

7. Date of Delivery

5. Received By: (Print Name)

ROBERTA RAINE S

6. Signature: (Addressee or Agent)

Roberta Raine S

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.


UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

WATER RESOURCES DEPT
158 12TH ST NE
SALEM OR 97310





Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

September 22, 1998

SPARROWK LIVESTOCK
TOM AZEVEDO
PO BOX 657
CLEMETS CA 98227

REFERENCE: File G-13313

This letter is in regard to your water use Permit. As we pointed out to you in our previous letter, your claim of beneficial use must be received in this office by **October 1, 1998**.

Oregon Administrative Rule 690-14-190 states: "The claim of beneficial use shall be submitted to the Department within one year after the use was reported..as being complete...Failure to comply with this section shall cause the Director to initiate permit cancellation proceedings as provided by ORS 537.260."

The "claim" consists of a site report and map of the developed use prepared by a Certified Water Rights Examiner, which accompany a request from the permittee for issuance of a certificate of water right.

You are hereby notified that unless your claim is received on or before **October 1, 1998**, your permit will be canceled without further notice.

If you have any questions, please contact the Water Rights Section.

Sincerely,

DALLAS MILLER
Water Rights Specialist

DM;jh

cc: Watermaster
CWRE

CERTIFIED - RETURN RECEIPT REQUESTED



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

June 1, 1998

SPARROWK LIVESTOCK
TOM AZEVEDO
PO BOX 657
CLEMENTS CA 98227

REFERENCE: File G-13313

We have received your notice that complete application of water has been made under Permit G-11880.

In order to obtain a certificate of water right, you are required by law to hire a Certified Water Right Examiner (CWRE) to conduct the final proof survey of the completed use. This must be done within one year after the use is reported as being complete or within one year after the beneficial use date allowed in the permit, whichever occurs first. Accordingly, the map and claim of beneficial use must be received in this office on or before **October 1, 1998**. A list of Certified Examiners is enclosed for your information.

The Department requires that the CWRE has a copy of the permit or transfer order to compile the claim of beneficial use. All permit conditions need to be addressed in the claim and map you submit.

Upon receipt of the map and claim of beneficial use, the information will be reviewed and a brief field inspection may be conducted by a representative of this office. Following that, a proposed certificate of water right will be mailed to you for review.

In addition, before the Water Right Certificate is issued, you are required to submit a well pump test. This test must be done according to the instructions in the brochure. Forms and brochures are available upon request.

In the meantime, the permit you hold is valid evidence of your right to use the water.

If you have any questions, please contact the Water Rights Section at 378-3739, or toll-free within Oregon 1-800-624-3199.

Sincerely,

DALLAS MILLER
Natural Resource Specialist 2

DM:jh

enclosure

cc: Dennis Glender, Watermaster
Daryl Anderson, CWRE

SPARROWK

L I V E S T O C K

RECEIVED

MAY 26 1998

WATER RESOURCES DEPT.
SALEM, OREGON

May 21, 1998

Dallas Miller
Oregon Water Resources Department
Commerce building
158 12th Street NE
Salem, OR 97310-0210

Re: File G13313
Sparrowk Livestock


Dear Mr. Miller;

I have received your letter dated May 13, 1998 and apparently I made an error on the Form C that was filed April 21, 1998.

The water was actually put to beneficial use during the summer of 1997, thereby making full application of the water by October 1, 1997. Therefore, the corrected date on the Form C should have been October 1, 1997.

If you need further information or if you have any questions, please call.

Sincerely,



Tom Azevedo
Controller

APR 23 1998

WATER RESOURCES DEPT.
OREGON

Form C (690-9-77)

IMPORTANT—This form is a notice to the Water Resources Director that permittee is ready to make final proof to the extent to which the water has actually been applied to the intended use under the terms of the permit. Permittee is cautioned that Certificate of Water Right will be issued based on the extent of the quantity and use as determined by the final proof inspection and survey which will be made in response to the filing of this Form C.

NOTE: In the case of an irrigation permit, this Form C should not be mailed to the Water Resources Department until all of the land described in the permit, which it is intended to irrigate under this permit at any time, has actually been irrigated.

Fill out, detach and mail to the Water Resources Department, Salem, OR 97310, when all of the water has been applied.

Application No.

NOTICE OF COMPLETE APPLICATION OF WATER TO A BENEFICIAL USE

I, JACK SPARROW K, the holder of Permit No. G-13313

to appropriate the public waters of the state of Oregon, completely applied the waters to a beneficial use in accordance with the terms of said permit, on the 1ST day of APRIL, 1998.

Remarks: PROJECT IS COMPLETE

IN WITNESS WHEREOF, I have hereunto set my hand this day of, 19.....

[Handwritten signature]
(Signature of Applicant)

P.O. Box 657, Clements, CA 95227
MAIN OFFICE ADDRESS (Address)

Form B (690-9-77)

Application No.

NOTICE OF COMPLETION OF CONSTRUCTION

I,, the holder of Permit No.

to appropriate the public waters of the state of Oregon, completed the construction of the works described therein on the day of, 19.....

Remarks:

If the works have less capacity than described in the permit, or you have definitely abandoned part of the proposed development, you should so state in order that our records may not be unnecessarily encumbered.

IN WITNESS WHEREOF, I have hereunto set my hand this day of, 19.....

.....
(Signature of Applicant)

Dallas
He's late
.....
(Address) truction work is completed.

Fill out, detach and mail to the Water Resources Department

Form A (690-9-77)

Application No.

NOTICE OF BEGINNING

I,, the holder of Permit No.

to appropriate the public waters of the state of Oregon,, construction of the works described therein on the day of, 19.....

Remarks:

The appropriator must state the manner of beginning of construction, the amount of work completed and the type of equipment acquired for the water system up to the date of this statement, and any additional information which shows a substantial beginning of construction as authorized by your permit.

IN WITNESS WHEREOF, I have hereunto set my hand this day of, 19.....

.....
(Signature of Applicant)

.....
(Address)

Fill out, detach and mail to the Water Resources Department, Salem, OR 97310, when construction work is begun.

APR 23 1998

WATER RESOURCES DEPT. OREGON

Form C (690-9-77)

IMPORTANT—This form is a notice to the Water Resources Director that permittee is ready to make final proof to the extent to which the water has actually been applied to the intended use under the terms of the permit. Permittee is cautioned that Certificate of Water Right will be issued based on the extent of the quantity and use as determined by the final proof inspection and survey which will be made in response to the filing of this Form C.

NOTE: In the case of an irrigation permit, this Form C should not be mailed to the Water Resources Department until all of the land described in the permit, which it is intended to irrigate under this permit at any time, has actually been irrigated.

Fill out, detach and mail to the Water Resources Department, Salem, OR 97310, when all of the water has been applied.

Application No.

NOTICE OF COMPLETE APPLICATION OF WATER TO A BENEFICIAL USE

I, JACK SPARROW K, the holder of Permit No. G13313

to appropriate the public waters of the state of Oregon, completely applied the waters to a beneficial use in accordance with the terms of said permit, on the 1ST day of APRIL, 1998.

Remarks: PROJECT IS COMPLETE

IN WITNESS WHEREOF, I have hereunto set my hand this day of, 19.....

[Handwritten signature]

(Signature of Applicant)

P.O. Box 657, Clements, CA 95227
MAIN OFFICE ADDRESS

(Address)

Form B (690-9-77)

Application No.

NOTICE OF COMPLETION OF CONSTRUCTION

I,, the holder of Permit No.

to appropriate the public waters of the state of Oregon, completed the construction of the works described therein on the day of, 19.....

Remarks:

If the works have less capacity than described in the permit, or you have definitely abandoned part of the proposed develop-

ment, you should so state in order that our records may not be unnecessarily encumbered.

IN WITNESS WHEREOF, I have hereunto set my hand this day of, 19.....

(Signature of Applicant)

(Address)

Fill out, detach and mail to the Water Resources Department, Salem, OR 97310, when construction work is completed.

Form A (690-9-77)

Application No.

NOTICE OF BEGINNING OF CONSTRUCTION

I,, the holder of Permit No.

to appropriate the public waters of the state of Oregon, began the actual construction of the works described therein on the day of, 19.....

Remarks:

The appropriator must state the manner of beginning of construction, the amount of work completed and the type of equipment acquired for the water system up to the date of this statement, and any additional information which shows a substantial beginning of construction as authorized by your permit.

IN WITNESS WHEREOF, I have hereunto set my hand this day of, 19.....

(Signature of Applicant)

(Address)

Fill out, detach and mail to the Water Resources Department, Salem, OR 97310, when construction work is begun.



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

May 13, 1998

JACK SPARROWK
PO BOX 657
CLEMENTS, CA 98227

REFERENCE: File G 13313

Dear Mr. Sparrowk:

We received your Notice of Complete Application of Water, which states you finished applying water on 4/1/98. The problem is your permit G 11880 only allowed until 10/1/97 to apply the water. If you did make full application of water by 10/1/97, please let me know. Otherwise to include the land watered after 10/1/97 you will need to request an extension of time.

Enclosed is an extension of time form. If you have questions please contact me at the address below or phone (503)378-3739 ext. 272.

Sincerely,

Dallas Miller
Water Rights Specialist

cc: Watermaster, District 12, Daryl Anderson, CWRE

RECEIVED

APR 21 1998

WATER RESOURCES DEPT.
SALEM, OREGON

SPARROW

L I V E S T O C K

April 21, 1998

Oregon Water Resources Department
158 12th Street NE
Salem, Oregon 97310-0210
Dallas Miller

Re: Permit # G-13313


Dear Mr. Miller;

Enclosed is our Form C "Notice of Complete Application of Water to a Beneficial Use", as completed for our project in Lakeview, Oregon.

We have been working with Darryl Anderson of Anderson Engineering regarding this project; should you have any questions please contact him at (541) 947-4407.

If you need additional information from us, please call.

Sincerely,



Tom Azevedo
Controller



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

October 16, 1997

JACK SPARROWK
PO BOX 657
CLEMETS CA 98227

REFERENCE: File G-13312

The date for the complete application of water to a beneficial use for your water use Permit was October 1, 1997. To date we have not received notice that your project was completed.

If the project was completed, you should promptly submit the notice of complete application of water. If you were unable to complete the project within the time allowed, you may wish to request an extension of the time limits. Forms will be furnished upon request.

In order to obtain a certificate of water right, you are required by law to hire a certified water right examiner to conduct the final proof survey of the completed use. This must be done within one year after the use is reported as being complete or within one year after the beneficial use date allowed in the permit, whichever occurs first. Accordingly, the map and claim of beneficial use must be received in this office on or before **October 1, 1998**. A list of certified water right examiners is enclosed for your information.

Upon receipt of the map and claim of beneficial use, the information will be reviewed and a brief field inspection may be conducted by a representative of this office. Following that, a proposed certificate of water right will be mailed to you for review.

If you are no longer interested in the project, please let us know. We will provide forms for you to authorize the cancellation of the permit.

If you have any questions, please contact me at extension 272, at 503-378-3739, or toll-free within Oregon 1-800-624-3199.

Sincerely,

DALLAS S. MILLER
Water Rights Specialist

DSM:jh

enclosure

cc: Watermaster
CWRE

PUBLIC INTEREST REVIEW

The proposed water use described in Application #G-13313 has been evaluated according to the public interest standards set out in ORS 537.170 and OAR 690-11-195.

The Application requested the use of 8.025 CFS from TWO WELLS tributary to the DREWS CREEK for the purpose(s) of 134.22 ACRES IRRIGATION AND 507.74 ACRES SUPPLEMENTAL IRRIGATION. The Technical Review Report limits the proposed use to 4/1 THROUGH 9/30.

The proposed use described in Application #G-13313 is not within a category required to be submitted to the Commission.

The Director of the Water Resources Department has evaluated the Application for the proposed water use and made the following public interest determination.

TECHNICAL REVIEW

Water use Application #G-13313 received a Satisfactory Report of Technical Review.

The Technical Review revealed that the proposed water use:

- a)-is not prohibited by statute or scenic waterway criteria;
- b)-is a classified use under the applicable basin program or an application for the use has been filed under ORS 536.295 and OAR 690 Division 82;
- c)-is consistent with conditions previously imposed by the Commission on appropriations from the same source;
- d)-will not conflict with (an) existing water right(s);
- e)-is supported by an available source of water.

**PUBLIC INTEREST REVIEW
CHECKLIST**

The Director of the Water Resources Department has evaluated the proposed water use, as described in Application #G-13313, in light of current and planned uses and reasonably anticipated future demands for water from the water source as established in the record.

The evaluation has recognized known beneficial uses of water, including but not limited to the categories described in OAR 690-11-195(3)(a)-(d).

The Director has reviewed the elements of the proposed water use and has based the public interest determination on evidence in the record which included the following:

I. Existing claims to water from the same source.

- ✓ There are no conflicts with existing claims to water from the same source as is documented in the Report of Technical Review.

Comment: PERMIT CONDITIONED TO AVOID CONFLICT.

II. Land use matters.

- ✓ The local government where the proposed water use is located has acknowledged receipt of the Land Use Information Form and has filed no objections to the proposed appropriation.
- ✓ Public notice of the proposed water use was sent to all local governments which have requested such notice and none of those local governments have filed objections to the proposed water use.
- ✓ There is nothing in the record to indicate the proposed water use is incompatible with Statewide Planning Goals or local comprehensive plans.
- ✓ If local government approval has not been granted, there is nothing in the record to indicate conditions cannot be placed on the proposed water use to require local land use approval prior to initiation of the use.
- ✓ An applicant for municipal water use has submitted information showing the proposed water use is compatible with comprehensive plan policies concerning urban services, urban growth boundaries, and Public Facilities Plans.

III. Identified environmental concerns.

- ✓ The proposed water use does not appropriate water from any water body listed to receive Total Maximum Daily Loads and therefore, the water body has not been defined as water quality limited according to Section 303(d)(1) of the federal Clean Water Act according to the information supplied by the Oregon Department of Environmental Quality.

IV. The character and extent of other natural resources which are present in the water source basin.

- ✓ The Oregon Department of Fish and Wildlife (ODFW) has been notified of the proposed water use and has made no objections regarding fish and other aquatic and wildlife species and populations.

- ✓ There are no listed threatened or endangered species in the water source according to the information supplied by the Oregon Department of Fish and Wildlife.

V. Riparian characteristics.

- ✓ There is nothing in the record to indicate the proposed use is likely to be detrimental to the riparian characteristics of the water source. This riparian review is not applicable to groundwater sources.

VI. Recreational use and potential of the water source and its basin area.

- ✓ There is nothing in the record to indicate a conflict with known or reasonably anticipated recreational use.

VII. Agricultural potential of the area.

- ✓ There is nothing in the record to indicate the proposed water use will conflict with known or reasonably anticipated agricultural practices.

VIII. Designated historic, cultural, or natural resource protection areas.

- ✓ There is nothing in the record to indicate any conflict with any known or reasonably anticipated historic, cultural, or natural resource designations.

IX. Identified health or safety requirements.

- ✓ There nothing in the record to indicate any identified health and safety requirements.

**PUBLIC INTEREST REVIEW
FINDINGS AND CONCLUSIONS**

This public interest determination has considered the following standards as set out in ORS 537.170(5):

- a) The conservation of the highest use of the water for all purposes, including irrigation, domestic use, municipal water supply, power development, public recreation, protection of commercial and game fishing and wildlife, fire protection, mining, industrial purposes, navigation, scenic attraction or any other beneficial use to which the water may be applied for which it may have a special value to the public.
- b) The maximum economic development of the waters involved.
- c) The control of the waters of this state for all beneficial purposes, including drainage, sanitation and flood control.
- d) The amount of waters available for appropriation for beneficial use.
- e) The prevention of wasteful, uneconomic, impracticable or unreasonable use of the waters involved.
- f) All vested and inchoate rights to the waters of this state or to the use of the waters of this state, and the means necessary to protect such rights.
- g) The state water resources policy formulated under ORS 536.295 to 536.350 and 537.505 to 537.525.


The Director of the Water Resources Department, pursuant to OAR 690-11-185(4), has considered the facts set forth in the Application and its supporting data, the Director's Report of Technical Review and any objections which met the requirements of OAR 690-11-170(1).

The Director of the Water Resources Department has evaluated the proposed water use with respect to the information in the record of the Department and has made the following public interest determination.

The Director has determined that the proposed water use described in Application #G-13313:

_____ WILL IMPAIR OR BE DETRIMENTAL TO THE PUBLIC INTEREST and therefore, the Director hereby proposes rejection of the application and shall schedule a contested case hearing.

WILL NOT IMPAIR OR BE DETRIMENTAL TO THE PUBLIC INTEREST and therefore, the Director shall issue a water use permit with appropriate conditions.



A. Reed Marbut, Administrator
Water Rights/Adjudication Division

Dated : 11/30/54

SPARROWK

L I V E S T O C K

December 13, 1993


Oregon Dept. of Water Resources
3850 Portland Rd. NE
Salem, OR 97310

Reference: File G 13313

Gentlemen:

As per question #7 (unanswered) as to ownership of land, Jack Sparrowk does own all lands, including point of diversion and place of use as seen in the bargain sale deed submitted 3/5/93.

Sincerely,



Darrel Sweet
Business Manager
Sparrowk Livestock

DS/lg

RECEIVED
DEC 20 1993
WATER RESOURCE DEPT.
SALEM, OREGON



TECHNICAL REVIEW CHECKLIST

FORM-71393

- (1) Application: G-13313
- (2) Review Date: 9-9-93 11-16-93

S Indicates information was completed or adequately addressed.
 U Indicates information is needed, or incomplete, or inadequately addressed
 N/A Indicates Not Applicable

SUMMARY QUEST # 7	
<u>S</u>	Completeness <u>NEED REC. FEES</u>
<u>S</u>	Land Use
<u>S</u>	GW Interference (if potential interference with surface water, see results of water availability analysis)
<u>S</u>	Conflicts
<u>S</u>	Water Availability

(3) S The applicant has certified that the information provided in the application is an accurate representation of the proposed use and is true and correct to the best of their knowledge.

(4) N/A No oath is required because application was filed before June 5, 1992.

(5) U Application fees:

Examination fee:	\$ 200.00	
Recording fee:	\$1364.00	
TOTAL REQUIRED	\$1564.00	
TOTAL SUBMITTED	\$ 200.00	
AMOUNT DUE prior to issuance of permit	\$1364.00	10-100 682+264 1364
AMOUNT OVERPAID		
refund due applicant	\$ _____	

(6) S Proposed dates of beginning and completion of construction, and complete application of water.

(7) S MAP: Prepared by a CWRE
 Exempt under OAR 690-11-150(3)
 A map or drawing included (non-CWRE)
 No map or drawing in file

- (8) N/A A CWRE map is not required for applications filed before November 9, 1987.
- (9) S A written copy of the legal description of the property on which the water is to be used.
- (10) N/A A copy of written authorization, contract or easement permitting access to the land or reservoir not owned by the applicant.
- (11) S The proposed use is not restricted or prohibited by statute.
- (12) S The source of water is not withdrawn from appropriation by order of the State Engineer or Water Resources Commission, or legislatively withdrawn under ORS Chapter 538.
- (13) S IRREGIGATION use(s) is/are classified uses(s) under the GOOSE & SUMMER LAKES Basin Program, OAR 690 - 513 0.30 (2)
- (14) DS The application, map and supporting data are complete and free of defects.

Land Use Compatibility:

- (15) As expressed by the Planning Department of LAKE COUNTY
- (16) S The land uses to be served by proposed water uses (including proposed construction) are allowed or are not regulated by the local comprehensive plan (ordinance section 201).
- (17) N/A The land uses to be served by proposed water uses (including proposed construction) involve discretionary land use approvals which have been obtained.
- (18) N/A The local government was notified, and sent no comment pursuant to the rules at the time; land use was presumed in compliance per such statement printed on the application.

For ground water applications:

- (20) S A copy of the constructor's log, if available, for any well already constructed, or required information regarding actual or anticipated construction.
- (21) S The report from groundwater section has been received.

For reservoir applications:

- (22) N/A Plans, specifications and supporting information for the dam and impoundment area.

TO: Water Rights Section

June 14, 1993

FROM: Groundwater/Hydrology Section Karl C. Wozniak
Reviewer's Name

SUBJECT: Application G- 13313

1. PER THE _____ Basin rules, one or more of the proposed POA's is/is not within _____ feet/mile of a surface water source (_____) and taps a groundwater source hydraulically connected to the surface water.

2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed groundwater use
 - a. _____ will, or _____ have the potential for substantial interference with the nearest surface water
 - b. _____ will not _____ source, namely Drews Creek; or
 - c. will, if properly conditioned, adequately protect the surface water from interference:
 - i. _____ The permit should contain condition #(s) 4 I;
 - ii. _____ The permit should contain special condition(s) as indicated in "Remarks" below;
 - iii. _____ The permit should be conditioned as indicated in item 4 below; or
 - d. _____ will, with well reconstruction, adequately protect the surface water from substantial interference.

3. BASED UPON available data, I have determined that groundwater for the proposed use
 - a. will, or _____ likely be available in the amounts requested without injury to prior rights and/or
 - b. _____ will not _____ within the capacity of the resource; or
 - c. _____ can, if properly conditioned, avoid injury to existing rights or to the groundwater resource;
 - i. _____ The permit should contain condition #(s) _____;
 - ii. _____ The permit should contain special condition(s) as indicated in "Remarks" below;
 - iii. _____ The permit should be conditioned as indicated in item 4 below.

4.
 - a. _____ THE PERMIT should allow groundwater production from no deeper than _____ ft. below land surface;
 - b. _____ The permit should allow groundwater production from no shallower than _____ ft. below land surface;
 - c. _____ The permit should allow groundwater production only from the _____ groundwater reservoir between approximately _____ ft. and _____ ft. below land surface;
 - d. _____ Well reconstruction is necessary to accomplish one or more of the above conditions.
 - e. _____ One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: _____

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.)

5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon:
- a. ___ review of the well log;
 - b. ___ field inspection by _____;
 - c. ___ report of CWRE _____;
 - d. ___ other: (specify) _____
6. THE WELL construction deficiency:
- a. ___ constitutes a health threat under Division 200 rules;
 - b. ___ commingles water from more than one groundwater reservoir;
 - c. ___ permits the loss of artesian head;
 - d. ___ permits the de-watering of one or more groundwater reservoirs;
 - e. ___ other: (specify) _____
7. THE WELL construction deficiency is described as follows: _____
8. THE WELL a. ___ was, or constructed according to the standards in effect at the time of
b. ___ was not original construction or most recent modification.
c. ___ I don't know if it met standards at the time of construction.

RECOMMENDATION:

- A. ___ I recommend including the following condition in the permit:
"No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department."
- B. ___ I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department.
- C. ___ REFER this review to Enforcement Section for concurrence.

THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit.

_____, 1993.

(Signature)

I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons: _____

_____, 1993.

(Signature)

Water Right Conditions Tracking Slip

Groundwater/Hydrology Section

FILE ## G - 13313

ROUTED TO: Tom Shook

TOWNSHIP/

38S/17E-16

RANGE-SECTION: " - 28

APPLICATION ACCEPTED? []yes []no
CONDITIONS ATTACHED? []yes []no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: Karl Wozniak

The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

8-13313 RECEIVED

State Well No. 385/17E-1600

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

APR 30 1979 (Please type or print)

STATE OF OREGON

(Please type or print)

State Permit No.

WATER RESOURCES DEPT.

(Do not write above this line)

MAR 7 5 1979 SE SW 76 385 17E

(1) OWNER:

Name JACK SPARROWK Address DREWS VALLEY LAKEVIEW, OREGON 97630

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Driven [] Cable [] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

CASING INSTALLED:

14" Diam. from 0 ft. to 41.5 ft. Gage 250

PERFORATIONS:

Perforated? [X] Yes [] No.

Type of perforator used FACTORY-CUT Size of perforations 1/8, 3/16 in. by 3 in. 2,080 perforations from 115 ft. to 375 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [X] Yes [] No If yes, by whom? Contractor Yield: 1,000 gal./min. with 108 ft. drawdown after 25 hrs. 900 " 84 " 25 " 800 " 77 " 25 " Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water 58 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement-Bentonite Slurry Well sealed from land surface to 20 ft. Diameter of well bore to bottom of seal 24 in. Diameter of well bore below seal 20 in. Number of sacks of cement used in well seal 21 sacks Number of sacks of bentonite used in well seal 3 sacks Brand name of bentonite Baroid Quick-Gel Number of pounds of bentonite per 100 gallons of water 15 lbs./100 gals. Was a drive shoe used? [] Yes [X] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [X] No Type of water depth of strata Method of sealing strata off Was well gravel packed? [X] Yes [] No Size of gravel: 1/2 to 1/4" Gravel placed from 20 ft. to 407 ft.

(10) LOCATION OF WELL:

County LAKE SALEM, OREGON Driller's well number AR-543-78 1/4 1/4 Section T. R. W.M.

Bearing and distance from section or subdivision corner

SEE ATTACHED DOCUMENT

(11) WATER LEVEL: Completed well.

Depth at which water was first found 115 ft Static level 47 ft. below land surface. Date 11/1/78 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 8 Inch

Depth drilled 860 ft. Depth of completed well 860 ft

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated. with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Soil Zone (Adobe & Sm. Bould), Basalt Boulders (Cemented), Obsidian Boulders (Cemented), Silicate Bonded Sedimentary Rock (Very Hard), Faulted, Angular Basalt (Pink), H2O Aquifer 30 G.P.M., Fractured Basalt With Cinders, Silicate-Cemented Quartz With Loose, Fine White Sand, H2O Zone 300-400 G.P.M., Fractured Obsidian Cemented With Silicate, H2O Zone 500-600 G.P.M., Obsidian (solid), Silicate-Cemented Obsidian, H2O Zone 150-200 G.P.M., Basalt, Fractured, Red, Basalt, Fractured, Brown.

Work started 9/20/1978 Completed 11/1/1978

Date well drilling machine moved off of well 10/16/1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Gary Stokslery Date 11/1/1978 (Drilling Machine Operator)

Drilling Machine Operator's License No. 801

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name RAPID WATER WELL DRILLING COMPANY (Person, firm or corporation) (Type or print)

Address 545 NORTH G ST., Lakeview, Oregon

[Signed] Gary Stokslery (Water Well Contractor)

Contractor's License No. 652 Date 11/1/1978

Application No. G-13313



State of Oregon
WATER RESOURCES DEPARTMENT

Application for a Permit to Appropriate Ground Water

Applicant(s) Jack Sparrowk
(Please print or type - use dark ink)

Mailing Address: P.O. Box 657

Clements CA 95227
City State Zip Daytime Phone No.

I (We) make application for a permit to appropriate the following described ground waters of the State of Oregon:

- THE DEVELOPMENT** (number of wells, tile lines, infiltration galleries, etc.): _____
 one existing well _____
 one proposed well _____

If development is less than one mile from a natural stream, give the following:

Distance from development to stream: 3,300 ft.

Elevation difference between streambed and development: 50 ft.

NOTE: Wells must be constructed according to standards set by the department for the construction and maintenance of water wells. If the well is already constructed, please enclose a copy of the well driller's log with this application, and skip to Section 2 below.

See Well Log for existing well
Proposed

Diameter of well: 8 inch Depth in feet: 800 ft.±

Type and size of well casing: 14 inch diameter No. of feet: 400 ft.±

Estimated depth to water: 100 ft. ±

Type of access port or measuring device: Slant tube

Wells to be drilled by: Not Determined

Address: _____

If the water well is flowing artesian, describe your water control and conservation works: _____

As per Water Resources requirements

- TOTAL AMOUNT OF WATER** to be applied to beneficial use: 8.025 CFS / 1 cubic feet per second, OR _____ gallons per minute. If water is to be used from more than one ground water source, give the quantity of water from each: _____

Primary - 134.22 Acres = 1.678

Supplemental - 507.74 Acres = 6.347

3. **INTENDED USE(s) OF WATER:** Irrigation

If for more than one use, give the quantity of water from each source for each use;

Well #1 Primary CFS = 1.560 Supplement CFS = 2.649 Well #2 Primary CFS = 0.118 Supplement CFS = 3.698

If for DOMESTIC use, state the number of households to be supplied; _____

If for MUNICIPAL OR QUASI-MUNICIPAL use, state the present population to be served, and an estimate of the future requirements; (List population projections, water needs, anticipated areas to be provided water.)

If for MINING use, state the nature (gold, silver, etc.) of the mines to be served; _____

If for IRRIGATION, or other land area use, state the TOTAL number of acres to be developed under each use;

	Primary	- 134.22 Acres
Irrigation	Supplement-	507.74 Acres
Other (describe)		_____

4. **DESCRIPTION OF WATER DELIVERY SYSTEM:** *Include dimensions and type of construction of diversion works, length and dimensions of supply ditches or pipelines, size and type of pump and motor. If for irrigation, describe the type of system (i.e., flood, wheel line, hand line, drip, other).*

Flood Irrigation: The water from the wells will be discharged into drainages and channelled through existing ditches onto the area.

5. **PROJECT SCHEDULE:** *(List month and year)*

Proposed date construction work will begin 6/93
Proposed date construction work will be completed 6/93
Proposed date water use will be completed 9/94

NOTE: A map prepared by a Certified Water Right Examiner (CWRE) and a complete legal description of the subject property are required under ORS 537.140 and OAR 690 as a part of your application. The legal description may be copied from your deed, title insurance policy, or land sales contract.

FOR WATER RESOURCES DEPARTMENT USE ONLY

Dear Applicant:

I certify that I have examined the foregoing application, together with the accompanying information, and am returning it to you for:

In order to retain its tentative priority, this application must be returned with the requested corrections or additions on or before:

_____, 19____.

WITNESS my hand this _____ day of _____, 19____.

Water Resources Director

By: _____

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 5th day of March, 19 93, at 8:00 o'clock, A M.

APPLICATION NO: G-13313

Application No. G13313
Permit No. G11880

RECEIVED

MAR - 5 1993

30000

79

WATER RESOURCES DEPT.
BARGAIN AND SALE ~~ACT~~ OREGON

KNOW ALL MEN BY THESE PRESENTS: That we Louis P. Marsh and Pete W. Marsh, for and in consideration of the sum of \$87,804.43 and other valuable consideration, have bargained and sold and by these presents do bargain, sell and convey unto Jack Sparrowk, the following described real property situated within Lake County, State of Oregon, to-wit:

Parcel No. 1

Township 37 South, Range 16 East of the Willamette Meridian.

Section 34: S $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, and that part of the E $\frac{1}{2}$ NW $\frac{1}{4}$ described as:

Beginning at a point on the West line of the E $\frac{1}{2}$ NW $\frac{1}{4}$ of Section 34, Township 37 South, Range 16 East of the Willamette Meridian, where the North line of the Klamath Falls-Lakeview Highway intersects the West line of said E $\frac{1}{2}$ NW $\frac{1}{4}$, thence in a Southeasterly direction along the Northerly line of said Highway 1920 feet to a point where said Northerly line intersects the East line of said E $\frac{1}{2}$ NW $\frac{1}{4}$ of Section 34, thence Northerly along the East line of said E $\frac{1}{2}$ NW $\frac{1}{4}$, 1549 feet, more or less, to the Southeast corner of the N $\frac{1}{2}$ S $\frac{1}{2}$ N $\frac{1}{2}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ of said Section 34; thence Westerly along the South line of the N $\frac{1}{2}$ S $\frac{1}{2}$ N $\frac{1}{2}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ of said Section 34 to the Southwest corner thereof; thence South 175 feet, more or less, to the point of beginning.

Township 38 South, Range 16 East of the Willamette Meridian,

Section 1: NW $\frac{1}{4}$ SW $\frac{1}{4}$.
Section 2: W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$.
Section 10: S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$.

Township 38 South, Range 17 East of the Willamette Meridian,

Section 16: S $\frac{1}{2}$ SW $\frac{1}{4}$.
Section 17: All of Section.
Section 18: SE $\frac{1}{4}$.
Section 19: E $\frac{1}{2}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$.
Section 20: All of Section.
Section 21: That part of the SW $\frac{1}{4}$ of said Section 21 described as:

80

RECEIVED

MAR - 5 1993

WATER RESOURCES DEPT.
SALEM, OREGON

Beginning at the Northwest corner of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 21, Township 38 South, Range 17 E.W.M., thence East along the North line of said NW $\frac{1}{4}$ SW $\frac{1}{4}$ to a point where said line intersects the Westerly right of way line of the Klamath Falls-Lakeview Highway, thence Southeasterly along said right of way line to a point where said highway intersects the North line of the S $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ of said Section 21; thence East to the Northeast corner of the S $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ of said Section 21; thence South to the Southeast corner of the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of said Section 21; thence West along the South line of said Section 21 to the Southwest corner thereof; thence North along the West line of said Section 21 to the point of beginning.

- Section 27: SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$.
- Section 28: All of Section.
- Section 29: All of Section.
- Section 30: E $\frac{1}{2}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$.
- Section 32: N $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, W $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$.
- Section 33: NW $\frac{1}{4}$ NW $\frac{1}{4}$.

Parcel No. 2

Township 38 South, Range 17 East of the Willamette Meridian

- Section 21: NW $\frac{1}{4}$ NW $\frac{1}{4}$.
- Section 27: SW $\frac{1}{4}$ SW $\frac{1}{4}$.

Parcel No. 3

Township 38 South, Range 17 East of the Willamette Meridian

- Section 32: SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$.

Parcel No. 4

Township 39 South, Range 16 East of the Willamette Meridian

- Section 23: SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$.
- Section 24: S $\frac{1}{2}$ SW $\frac{1}{4}$.
- Section 25: E $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$.
- Section 26: NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$.
- Section 35: N $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$.
- Section 36: All of Section.

Township 39 South, Range 17 East of the Willamette Meridian

- Section 30: Lots 2, 3 and 4
- Section 31: Lots 1, 2, 3 and 4.

Parcel No. 5

Township 39 South, Range 16 East of the Willamette Meridian

- Section 25: W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$.

RECEIVED

MAR - 5 1993

81

WATER RESOURCES DEPT.
SALEM, OREGON

Parcel No. 6

Township 38 South, Range 17 East of the Willamette Meridian

Section 21: $S\frac{1}{2}NW\frac{1}{4}$, $SW\frac{1}{4}SE\frac{1}{4}$, and that part of the $S\frac{1}{2}NE\frac{1}{4}SW\frac{1}{4}$, $NW\frac{1}{4}SW\frac{1}{4}$ and $N\frac{1}{2}SE\frac{1}{4}SW\frac{1}{4}$ lying North of the Lakeview-Klamath Falls Highway as the same now exists.

Section 22: $NW\frac{1}{4}$, $S\frac{1}{2}$.

Section 27: $SE\frac{1}{4}NW\frac{1}{4}$, $E\frac{1}{2}SW\frac{1}{4}$, $E\frac{1}{2}SE\frac{1}{4}$, $SW\frac{1}{4}SE\frac{1}{4}$.

Section 33: $NE\frac{1}{4}$, $E\frac{1}{2}NW\frac{1}{4}$, $SW\frac{1}{4}NW\frac{1}{4}$, $S\frac{1}{2}$.

Section 34: All of Section.

Section 35: $S\frac{1}{2}SW\frac{1}{4}$, $S\frac{1}{2}SE\frac{1}{4}$.

Section 36: $NW\frac{1}{4}$, Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 11.

Township 38 $\frac{1}{2}$ South, Range 17 East of the Willamette Meridian

Section 2: Lots 1, 2, 3 and 4.

Section 3: Lot 1.

Section 4: Lots 2, 3 and 4.

Township 38 South, Range 18 East of the Willamette Meridian

Section 31: $E\frac{1}{2}NW\frac{1}{4}$, Lots 1, 2 and 3, $NE\frac{1}{4}SW\frac{1}{4}$.

Township 39 South, Range 17 East of the Willamette Meridian

Section 2: $E\frac{1}{2}$, $NW\frac{1}{4}$, $S\frac{1}{2}S\frac{1}{2}NW\frac{1}{4}SW\frac{1}{4}$.

Section 3: $NE\frac{1}{4}NE\frac{1}{4}$.

Section 4: $W\frac{1}{2}E\frac{1}{2}$, $W\frac{1}{2}$.

Section 9: $N\frac{1}{2}SW\frac{1}{4}NE\frac{1}{4}$, $W\frac{1}{2}NW\frac{1}{4}$, $S\frac{1}{2}SE\frac{1}{4}NW\frac{1}{4}$, $S\frac{1}{2}NE\frac{1}{4}SW\frac{1}{4}$, $NW\frac{1}{4}SW\frac{1}{4}$.

Parcel No. 7

Township 37 South, Range 17 East of the Willamette Meridian

Section 15: $NW\frac{1}{4}SE\frac{1}{4}$.

Township 38 South, Range 17 East of the Willamette Meridian

Section 11: $NW\frac{1}{4}NW\frac{1}{4}$.

Section 25: Lots 1 and 2.

Township 39 South, Range 17 East of the Willamette Meridian

Section 5: $N\frac{1}{2}SE\frac{1}{4}NE\frac{1}{4}$.

TO HAVE AND TO HOLD the above granted premises unto the grantee and unto his heirs and assigns forever.

The grantee, by accepting this deed of conveyance, does hereby assume all of the obligations set forth in said contract dated June 9, 1975, executed by and between West Coast Ranches Oreg., LTD, Lakeview, Oregon, a limited partnership, as seller and the grantors herein as buyers, and covenant to save the grantors herein harmless thereon.

IN WITNESS WHEREOF we have hereunto set our hands and seals this 3rd day of January, 1977.

Louis P. Marsh (SEAL)
Pete W. Marsh (SEAL)

STATE OF OREGON }
County of Lake } ss.

On this 3rd day of January, 1977, before me personally appeared the within named Louis P. Marsh, and he did then and there acknowledge that he executed the foregoing instrument.



J. E. Cooper
Notary Public for Oregon
My Commission Expires Jan 22, 1977

STATE OF OREGON }
County of Lake } ss.

On this 3rd day of January, 1977, before me personally appeared the within named Pete W. Marsh and he did then and there acknowledge that he executed the foregoing instrument.



J. E. Cooper
Notary Public for Oregon
My Commission Expires 1-22-77















State of Oregon }
County of Lake } ss.

I hereby certify that the within instrument was received and filed for record on the 23rd day of June 1978 at 11:44 o'clock A.M. and recorded on Page 79 in Book 177 Record of Deeds of said County

Jerry E. Hammett
County Clerk
By _____ Deputy



DELEGATION
TWSP 38 SOUTH
 RANGE 17 EAST

-   - PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
-   - PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
-   - PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
-   - PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #1, WATER TO BE USED TO FLOOD IRRIGATE.
-   - PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.
-   - PROPOSED ACREAGE FOR PRIMARY WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.
-   - PROPOSED ACREAGE FOR SUPPLEMENTAL WATER RIGHT TO USE GROUND WATER FROM WELL #2, WATER TO BE USED TO FLOOD IRRIGATE.

9 | 10
 16 | 15

DRAINAGE

HOWAR

EXISTING WELL #1, 3524' WEST AND
 AND 1257' NORTH OF THE SE
 CORNER OF SECTION 16.
 WELL TEST IN 1978, YIELD:
 1000 GPM, 108 FT DRAWDOWN,
 AFTER 25 HRS: WELL DEPTH= 860'


16 | 15
 21 | 22

DREWS CREEK

HOUSES AND BARN

DRAINAGE

Application No. G73513
 Permit No. G411880



PROPOSED POSITION
 WELL #2, 1772 W
 1752 SOUTH OF
 CORNER OF SECT

21 | 21
 28 | 2

30 | 29
 31 | 32

29 | 28
 32 | 33

28 | 2
 33 | 3

DREWS CREEK

G411880
 8/2/78

TOWNSHIP 38 S. RANGE 17 E. W.M. SECTION 17

NE				NW				SW				SE				APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
								25° 14' 40"	37° 5'			18° 09'				Goose Lake		5178
								15° 9'	40° 6'							32630	25738	38105
																G-13313		
																63° 0'		
ROAD WATER																		
																G-13462		

60

TOWNSHIP 38 S. RANGE 17 E. W.M. SECTION 20

NE				NW				SW				SE				APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
18° 40'	40' 18'	40'						40'	28° 18'			6° 18'	40'		8° 2'			5178
				40'	36'													5181
																37° 19'		5183
				0° 5'	7° 40'	33'	26'	26° 15'		6° 10'	31° 8'	37° 27'				32630	25738	38105
																2° 35'		38105
9° 2'												18° 0'				G-13313		
18° 40'	39° 18'	18° 22'				16° 1'						12° 2'	10° 23'	9° 5'		G-13313		
ROAD WATER																G-13462		
																73476		

OR

OR

TOWNSHIP 38 S. RANGE 17 E. W.M. SECTION 21

NE				NW				SW				SE				APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
ACREAGE IN LOT OR LEGAL SUBDIVISION AS SHOWN ON GOVERNMENT PLAT, IF OTHER THAN 40 ACRES																		
																32630	25738	38105
																G-9254	G-8601	CANCELED
																58914	44474	
																G-9383	G-8776	CANCELED
																59558	44718	CANCELED
																G-13313		
																G-13313		
ROAD WATER																		
																73476		
																G-13462		

OR

TOWNSHIP 38 S. RANGE 17 E. W.M. SECTION 28

NE				NW				SW				SE				APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
				21° 28'	39° 24'	8° 9'	96'	23° 6'	12° 8'			10° 18'	3'			Goose Lake		5183
				22° 8'	0° 6'	96'	149'	16° 12'	27° 15'									5183
				3° 0'	17° 16'			32° 0° 5'										5183
				15° 35'	40° 16'	23° 40'	40° 40'					10'				SUPPL		
																32630	25738	38105
																G-13313		
				23° 40'	35° 24'	32° 40'	26° 9'	40° 7° 16'				7° 16'				SUPPL		
ROAD WATER																		
																73476		
																G-13462		

OR

TOWNSHIP 38 S. RANGE 17 E. W.M. SECTION 29

NE				NW				SW				SE				APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
40'	32° 38'	40'						25° 21° 8'	37° 40'	40'	40'	40'	40'	40'	40'	Goose Lake		5178
40° 32° 38'	40° 32° 38'	40° 32° 38'	40° 32° 38'					25° 16°		90° 40° 40° 40° 40°						32630	25738	38105
																32630	25738	38105
																G-13313		
ROAD WATER																		
																G-13462		
																73476		

STATE OF OREGON

COUNTY OF LAKE

CERTIFICATE OF WATER RIGHT

This is to Certify, That **HOWARD CATTLE COMPANY**
of **Lakeview**, State of **Oregon** **97630** has a right to the use of
the waters of **streams named below;**

for the purpose of **the irrigation of 975.9 acres.**

and that said right has been confirmed by decree of the Circuit Court of the State of Oregon for
Lake County, and the said decree entered of record at Salem, in the Order
Record of the STATE ENGINEER, in Volume **7**, at page **233**; that the priority
of the right thereby confirmed dates from **the dates as listed below;**

that the amount of water to which such right is entitled, for the purposes aforesaid, is limited to an
amount actually beneficially used for said purposes, and shall not exceed **Three-fourths acre foot**
per acre during any 30-day period prior to June 1st, and **one-half acre foot per**
acre during any 30-day period after June 1st, of each year; and **Two and one-half**
acre feet per acre during any irrigation season; to be diverted under a head of
not to exceed **one-fortieth of a second foot per acre.**

A description of the lands irrigated under such right, and to which the water is appurtenant
(or, if for other purposes, the place where such water is put to beneficial use), is as follows:

Date of Priority	No. acres	Ditch	Stream	Description
1874	835.7	Tulloch	Drews Nos. 1, 2 Creek	2.5 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$ 14.2 acres in NW $\frac{1}{4}$ SW $\frac{1}{4}$ (For lands in E $\frac{1}{2}$ Sec. 29 T. 38 S. R. 17 E.) 40 acres in SW $\frac{1}{4}$ SW $\frac{1}{4}$ 37.5 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$ 18.5 acres in SW $\frac{1}{4}$ SE $\frac{1}{4}$
1880		Howard Creek	Smith Creek & Howard Creek	.9 acres in SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 17, (For lands in Secs. 17 & 20, T. 38 S. R. 17 E.) 18.9 acres in NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 17, 40 acres in NW $\frac{1}{4}$ NE $\frac{1}{4}$ 40 acres in SW $\frac{1}{4}$ NE $\frac{1}{4}$ 18 acres in SE $\frac{1}{4}$ NE $\frac{1}{4}$
1887		Howard- Newell	Drews Creek	40 acres in NE $\frac{1}{4}$ NW $\frac{1}{4}$ 40 acres in SE $\frac{1}{4}$ NW $\frac{1}{4}$ (For lands in Sections 17 & 20, T. 38 S. R. 17 E.) 28.8 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$ 1.8 acres in NW $\frac{1}{4}$ SW $\frac{1}{4}$ 6 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$
1887		Dams	Unnamed Creek in SW $\frac{1}{4}$ Sec. 17 T. 38 S. R. 17 E.	18 acres in NE $\frac{1}{4}$ SE $\frac{1}{4}$ 40 acres in NW $\frac{1}{4}$ SE $\frac{1}{4}$ (For lands in SW $\frac{1}{4}$ Sec. 17, T. 38 S. R. 17 E.) 8.2 acres in SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 20, 40 acres in NE $\frac{1}{4}$ NE $\frac{1}{4}$ 32.5 acres in NW $\frac{1}{4}$ NE $\frac{1}{4}$ 38.1 acres in SW $\frac{1}{4}$ NE $\frac{1}{4}$
1888		Dams	Fork of Drews Creek in Sec. 29 T. 38 S. R. 17 E.	40 acres in SE $\frac{1}{4}$ NE $\frac{1}{4}$ 2.5 acres in SE $\frac{1}{4}$ NW $\frac{1}{4}$ 21.3 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$ (For lands in E $\frac{1}{2}$ and SW $\frac{1}{4}$ of Section 29 T. 38 S. R. 17 E.) 8.5 acres in NW $\frac{1}{4}$ SW $\frac{1}{4}$ 37.5 acres in SW SW $\frac{1}{4}$ 40 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$ 40 acres in NE $\frac{1}{4}$ SE $\frac{1}{4}$ 40 acres in NW $\frac{1}{4}$ SE $\frac{1}{4}$
1888		Dams in Sec. 29 T. 38 S. R. 17 S.	Stephen- son Creek	40 acres in SW $\frac{1}{4}$ SE $\frac{1}{4}$ 40 acres in SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 29, (For lands in SW $\frac{1}{4}$ and W $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 29 T. 38 S. R. 17 E.) T. 38 S. R. 17 E. W. M.

The lands upon which Howard Cattle Company, a corporation is entitled to the use of the waters of Drews Creek with date of relative priority of appropriation as of the year 1874, are as follows:

(a) That part of the east half of section 29, in township 38 south, range 17 east of Willamette Meridian lying north and east of the present main channel of Drews Creek; said lands being entitled to the use of a sufficient quantity of said waters, through what is called Tullock Ditch, entirely to irrigate the same, with date of priority as of the year 1874.

(b) All that part of said Howard Cattle Company's lands in the east half of the southeast quarter and the southeast quarter of the northeast quarter of Section 29, in township 38 south, range 17 east of the Willamette Meridian lying south and west of the present main channel of Drews Creek, and below the point of diversion of the ditch called Tullock Ditch No. 2, which point of diversion is on Drews Creek, near the center of the Northeast quarter of the northeast quarter of said section 29; said lands being entitled only to the use of a sufficient quantity of said waters, through said Tullock Ditch No. 2 partially to irrigate the same, with date of priority as of the year 1874, the remainder of the waters necessary to the complete irrigation thereof being derived through a fork of Drews Creek with date of priority of appropriation as of the year 1888.

Date of Priority	No. acres	Ditch	Stream	Description
1892	142.2	Dams	Quartz Creek & Angel-Camp Creek	5.8 acres in SW $\frac{1}{4}$ NE $\frac{1}{4}$ 2.4 acres in NE $\frac{1}{4}$ NW $\frac{1}{4}$ 7.8 acres in SE $\frac{1}{4}$ NW $\frac{1}{4}$ 21.6 acres in NE $\frac{1}{4}$ SE $\frac{1}{4}$ 6 acres in NW $\frac{1}{4}$ SE $\frac{1}{4}$
(NOTE: NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 1, T. 38 S.R. 16E. irrigated from both Creeks, remainder from Quartz Creek)				Section 34, T. 37 S. R. 16 E. W. M. 31 acres in NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 1, 16.6 acres in NW $\frac{1}{4}$ NE $\frac{1}{4}$ 5.4 acres in SW $\frac{1}{4}$ NE $\frac{1}{4}$ 26.2 acres in SE $\frac{1}{4}$ NE $\frac{1}{4}$ 11.3 acres in NE $\frac{1}{4}$ NW $\frac{1}{4}$ 6.6 acres in NW $\frac{1}{4}$ NW $\frac{1}{4}$ 1.5 acres in NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 2, T. 38 S. R. 16 E. W. M.

And said rights shall be subject to all other conditions and limitations contained in said decree.

The right to the use of the water for irrigation purposes is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer,

affixed this 10th day
of October, 1924.

RHEA LUPER,

State Engineer.

STATE OF OREGON

COUNTY OF LAKE

CERTIFICATE OF WATER RIGHT

This is to Certify, That A. M. AND EDITH SMITH AND
 Arthur E. and Otha D. Perkins of Haines, Oregon.
 of Lakeview, State of Oregon 97630 has a right to the use of
 the waters of Drews, Smith and Howard Creeks;

for the purpose of irrigation and stock use;

and that said right has been confirmed by decree of the Circuit Court of the State of Oregon for
 Lake County, and the said decree entered of record at Salem, in the Order
 Record of the STATE ENGINEER, in Volume 7, at page 233; that the priority
 of the right thereby confirmed dates from the dates as listed below;

that the amount of water to which such right is entitled, for the purposes aforesaid, is limited to an
 amount actually beneficially used for said purposes and shall not exceed Three-fourths acre foot
 per acre during any 30-day period prior to June 1st, and one-half acre foot per acre
 during any 30-day period after June 1st, of each year; and two and one-half acre feet
 during any irrigation season; to be diverted under a head of not to exceed one-fortieth
 of a second foot per acre.

A description of the lands irrigated under such right, and to which the water is appurtenant
 (or, if for other purposes, the place where such water is put to beneficial use), is as follows:

Date of Priority	No. acres	Ditch	Stream	Description
1874	128.74	Middle	Drews Creek	28.8 acres in NW $\frac{1}{4}$ NW $\frac{1}{4}$ 39.34 acres in SW $\frac{1}{4}$ NW $\frac{1}{4}$ 8 acres in SE $\frac{1}{4}$ NW $\frac{1}{4}$ 9.6 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$ 23.4 acres in NW $\frac{1}{4}$ SW $\frac{1}{4}$ 6.8 acres in SW $\frac{1}{4}$ SW $\frac{1}{4}$ 12.8 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28, T. 38 S. R. 17 E. W. M.
1874	73.51	Tullock	Drews Creek	2.1 acres in NE $\frac{1}{4}$ NW $\frac{1}{4}$ 8.2 acres in NW $\frac{1}{4}$ NW $\frac{1}{4}$.06 acres in SW $\frac{1}{4}$ NW $\frac{1}{4}$ 9.6 acres in SE $\frac{1}{4}$ NW $\frac{1}{4}$ 14.4 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$ 27.15 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$ 12 acres in SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 28, T. 38 S. R. 17 E. W. M.
1874	50.4	Lower Tullock	Drews Creek	0.6 acres in SW $\frac{1}{4}$ NW $\frac{1}{4}$ 16.6 acres in NW $\frac{1}{4}$ SW $\frac{1}{4}$ 32.2 acres in SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 28, T. 38 S. R. 17 E. W. M.
April 2, 1879	89.75	Smith Creek	Smith Creek or Howard Creek	22.1 acres in NE $\frac{1}{4}$ NW $\frac{1}{4}$ 3 acres in NW $\frac{1}{4}$ NW $\frac{1}{4}$ 17.1 acres in SE $\frac{1}{4}$ NW $\frac{1}{4}$ 16 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$.05 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$ 10.5 acres in NW $\frac{1}{4}$ SE $\frac{1}{4}$ 18 acres in SW $\frac{1}{4}$ SE $\frac{1}{4}$ 3 acres in SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 28, T. 38 S. R. 17 E. W. M.

Date of Priority	No. acres	Ditch	Stream	Description
1900	20	Natural flooding	Drews Creek	20 acres in NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33, T. 38 S. R. 17 E. W. M.
1900	56.5	Natural flooding	Drews Creek & Howard Creek	37.5 acres in SW $\frac{1}{4}$ SE $\frac{1}{4}$ & 19 acres in SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 20, T. 38 S. R. 17 E. W. M.

And said rights shall be subject to all other conditions and limitations contained in said decree.

The right to the use of the water for irrigation purposes is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer,

affixed this 13th day
of October, 1924.

RHEA LUPER,

State Engineer.

Recorded in State Record of Water Right Certificates, Volume 6, page 5183.

Land Use Information Form: Water Right Transfers, Use of Conserved Water, Exchanges

This information is needed to determine compatibility with local comprehensive plans as required by ORS 197.180. The Water Resources Department will use this and other information to evaluate the request for water use. DO NOT FILL OUT THIS FORM IF: 1) water is to be diverted, conveyed, and/or used only on federal lands; or 2) you are applying for a water right transfer involving: a) a change in the place of use with no structural changes, and b) irrigation uses located in irrigation districts or exclusive farm use zones.

RECEIVED

MAR - 5 1993

Applicant's Name: Jack Sparrowk
 Address: P.O. Box 657
 City: Clements State: CA Zip: 95227
 Phone: WRD Application No.:

WATER RESOURCES DEPT
 SALEM, OREGON

Please provide information as requested below for all tax lots on or through which water will be diverted or used. (Attach extra sheets as necessary.) Applicants for municipal use may substitute existing and proposed service area boundaries for the tax lot information requested below.

Tax Lot or Local I.D.#	Plan Designation/Zoning (e.g. Rural Residential/RR-5)	Check All That Apply		
		Water Diverted	Water Conveyed	Water Used
38-17-500	A-1 Exclusive Agriculture	X	X	X
38-17-700	A-1 Exclusive Agriculture	X	X	X

The following section must be completed by all local planning departments responsible for the property(ies) listed above. Please ask the Department for extra forms, as needed.

For Local Government Use Only

Local government planning officials are to complete the remainder of this form and return it to the applicant for inclusion in the application.

a) Check the appropriate box below and provide requested information.

Land uses to be served by proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): 2.01. Go to section b) on reverse side.

Land uses to be served by proposed water uses (including proposed construction) involve discretionary land use approvals as listed in the table below. **Note: Please attach documentation of applicable local land use approvals which have already been obtained. (Record of Action plus any accompanying findings is sufficient.)**

Type of Land Use Approvals Needed (e.g.: plan amendments, rezones, conditional use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Please check the box that applies:		
		Already Obtained	Already Denied	Being Pursued Satisfactorily

Description of Water Use

Note to Applicant: This sheet will provide local planning staff with a basic description of your proposed water use. Please fill out this sheet before bringing the attached land use form to your local planning office. It will help local planning offices complete your land use information form quickly.

Note to Local Planning Officials: Please initial this sheet. Do not separate it from the land use information form. If needed, please make a separate copy for your records.

Applicant Name: Jack Sparrowk
 Address: P.O. Box 657
Clements, CA 95227
 Phone: _____

RECEIVED

MAR - 5 1993

WATER RESOURCES DEPT.
 SALEM, OREGON

Please indicate what you will use the water for. Check all boxes that apply and fill in the blanks with key characteristics of the project

- Irrigation (crop type, golf course, nursery or greenhouse): Hay, Pasture
- Livestock (type of livestock, feedlot, slaughterhouse): _____
- Residential (# units, single or multi-family, # lots if partition or subdivision): _____
- Commercial (i.e., retail, office, restaurant, gas station, hotel, service, etc.): _____
- Industrial (i.e., factory, pulp mill, research and development, processing, etc.): _____
- Institutional (i.e., school, library, etc.): _____
- Mining (aggregate, metal, open pit, placer, etc.): _____
- Recreation (park, campsite, pond, etc.): _____
- Fish and Wildlife (pond, hatchery, etc.): _____
- Hydropower (dam, reservoir, power generating or transmitting facilities): _____
- Other (Name and list key characteristics): _____

Indicate sources for the proposed water use below:	Indicate the estimated quantity of water the use will require.
<input type="checkbox"/> Surface Water Name sources: _____ _____ _____	<u>8.025</u> Cubic feet per second. _____ Gallons per minute: + _____ Acre-Feet
<input type="checkbox"/> Reservoir or pond	
<input checked="" type="checkbox"/> Ground Water	

RECEIVED

APR 28 1993

WATER RESOURCES DEPT
SALEM, OREGON

COMMENT FORM

Please list below the Application Number of the water use application(s) that are of interest to you. When the technical is completed a report of the technical review of these applications will be delivered to you.

Application #s G 13313, _____, _____, _____, _____

Send to: Barbara Machado
% Fremont National Forest
524 North G. Street
Lakeview OR 97630

Please include specific comments or concerns. Use additional sheets if necessary.

The Fremont National Forest is interested in ground water in the Goose Lake Basin.

Also the location could be wrong for the second well.

Return to:
Oregon Water Resources Department
3850 Portland Road N.E.
Salem, Oregon 97310

This Comment corresponds to the MAR/17/1993 Public Notice.

G13313
Jack Sparrowk
PO Box 657
Clements, CA 95227

G13313
Jack Sparrowk
PO Box 657
Clements, CA 95227

G13313
Jack Sparrowk
PO Box 657
Clements, CA 95227

G13313
Jack Sparrowk
PO Box 657
Clements, CA 95227

G13313
Jack Sparrowk
PO Box 657
Clements, CA 95227

G13313
Jack Sparrowk
PO Box 657
Clements, CA 95227

F-PO

Application No. **G13313**
Permit No. **G11880**

Name ... JACK SPARROWK
PO BOX 657
Address CLEMENTS, CA 98227

Assigned

Address

Beginning construction ... DEC 6 1995

Completion of construction ... OCT 1 1996

Extended to

Complete application of water ... OCT 1 1999

Extended to

Water Right Application Fee; Drews Valley Ranch
Job # 93010

3/3/93 \$200.00

RECEIVED

MAR - 5 1993

WATER RESOURCES DEPT.
SALEM, OREGON

STATE OF OREGON
WATER RESOURCES DEPARTMENT

RECEIPT # **97624**

3850 PORTLAND ROAD NE
 SALEM, OR 97310
 378-8455/378-8130 (FAX)

RECEIVED FROM: Spacemk Livestock
 BY: _____

APPLICATION	6-13313
PERMIT	
TRANSFER	

CASH: CHECK: # 904038 OTHER: (IDENTIFY)

TOTAL REC'D \$ 200.00

01-00-0 WRD MISC CASH ACCT

842.010	ADJUDICATIONS	\$
831.087	PUBLICATIONS/MAPS	\$
830.650	PARKING FEES Name/month	\$
_____	OTHER: (IDENTIFY)	\$

REDUCTION OF EXPENSE

_____	CASH ACCT.	\$
_____	VOUCHER #	

03-00-0 WRD OPERATING ACCT

MISCELLANEOUS:

840.001	COPY FEES	\$
850.200	RESEARCH FEES	\$
880.109	MISC REVENUE: (IDENTIFY)	\$
520.000	OTHER (P-6): (IDENTIFY)	\$

WATER RIGHTS:

842.001	SURFACE WATER	\$	842.002	\$
842.003	GROUND WATER	\$ <u>200.00</u>	842.004	\$ -0-
842.005	TRANSFER	\$	842.006	\$

WELL CONSTRUCTION

842.022	WELL DRILL CONSTRUCTOR	\$	842.023	\$
842.016	WELL DRILL OPERATOR	\$	842.019	\$
_____	LANDOWNER'S PERMIT	\$	842.024	\$

06-00-0 WELL CONST START FEE

842.013	WELL CONST START FEE	\$	CARD #	
_____	MONITORING WELLS	\$	CARD #	

45-00-0 LOTTERY PROCEEDS

864.000	LOTTERY PROCEEDS	\$
---------	------------------	----

07-00-0 HYDRO ACTIVITY

842.011	POWER LICENSE FEE(FW/WRD)	LIC NUMBER	\$
842.115	HYDRO LICENSE FEE(FW/WRD)		\$

_____ HYDRO APPLICATION _____ \$

RECEIPT #

97624

DATED:

3/5/93

BY:

C. Richards

STATE OF OREGON
WATER RESOURCES DEPARTMENT

RECEIPT # **108183**

3850 PORTLAND ROAD NE
 SALEM, OR 97310
 378-8455/378-8130 (FAX)

RECEIVED FROM: Sprinkler
 BY: _____

APPLICATION	2113313
PERMIT	
TRANSFER	

CASH: CHECK: # 11-1133 OTHER: (IDENTIFY)

TOTAL REC'D \$ 194.00

01-00-0 WRD MISC CASH ACCT

842.010	ADJUDICATIONS	\$
831.087	PUBLICATIONS/MAPS	\$
830.650	PARKING FEES Name/month	\$
_____	OTHER: (IDENTIFY)	\$

REDUCTION OF EXPENSE

_____	CASH ACCT.	\$
_____	COST CENTER AND OBJECT CLASS	_____
_____	VOUCHER #	_____

03-00-0 WRD OPERATING ACCT

MISCELLANEOUS:			
840.001	COPY FEES	\$	
850.200	RESEARCH FEES	\$	
880.109	MISC REVENUE: (IDENTIFY)	\$	
520.000	OTHER (P-6) (IDENTIFY)	\$	
WATER RIGHTS:			
842.001	SURFACE WATER	\$	842.002
842.003	GROUND WATER	\$	842.004
842.005	TRANSFER	\$	842.006
WELL CONSTRUCTION			
842.022	WELL DRILL CONSTRUCTOR	\$	842.023
_____	LANDOWNER'S PERMIT	\$	842.024
_____	OTHER (IDENTIFY)	\$	

EXAM FEE
\$
\$
\$
EXAM FEE
\$

RECORD FEE
\$
\$ <u>194.00</u>
\$
LICENSE FEE
\$
\$

06-00-0 WELL CONST START FEE

842.013	WELL CONST START FEE	\$	CARD #	
_____	MONITORING WELLS	\$	CARD #	

45-00-0 LOTTERY PROCEEDS

864.000	LOTTERY PROCEEDS	\$
---------	------------------	----

07-00-0 HYDRO ACTIVITY

842.011	POWER LICENSE FEE(FW/WRD)	LIC NUMBER	\$
842.115	HYDRO LICENSE FEE(FW/WRD)		\$
_____	HYDRO APPLICATION		\$

RECEIPT # **108183**

DATED: 12-7-93 BY: K. J. ...

23091

Disp. # 23091 issued on: 12/15/93

Paid to: OREGON WATER RESOURCES DEPT.

DESCRIPTION	AMOUNT
50414 REFERENCE: FILE G 13313;D.V.	1364.00
Total This Check:	1364.00

RECEIVED

DEC 20 1993

WATER RESOURCES DEPT.
SALEM, OREGON

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **113036**

INVOICE # _____

RECEIVED FROM: Washington Federal
BY: _____

APPLICATION	
PERMIT	
TRANSFER	<u>T-11817</u>

CASH: CHECK:# 1035445277 OTHER: (IDENTIFY)

TOTAL REC'D \$ 85.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES		\$
OTHER: (IDENTIFY)		\$
0243 I/S Lease	0244 Muni Water Mgmt. Plan	0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS		
0407 COPY & TAPE FEES <u>4/6/11</u>		\$
0410 RESEARCH FEES		\$
0408 MISC REVENUE: (IDENTIFY) <u>Assignment</u>		\$ <u>85.00</u>
TC162 DEPOSIT LIAB. (IDENTIFY)		\$
0240 EXTENSION OF TIME		\$
WATER RIGHTS:		
0201 SURFACE WATER	EXAM FEE	RECORD FEE
0203 GROUND WATER	\$	0202 \$
0205 TRANSFER	\$	0204 \$
WELL CONSTRUCTION		
0218 WELL DRILL CONSTRUCTOR	EXAM FEE	LICENSE FEE
LANDOWNER'S PERMIT	\$	0219 \$
OTHER (IDENTIFY)		0220 \$

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST. START FEE	\$	CARD #
0210 MONITORING WELLS	\$	CARD #
OTHER (IDENTIFY)		

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)		\$
0231 HYDRO LICENSE FEE (FW/WRD)		\$
HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION _____ \$ _____

RECEIPT: **113036** DATED: 8-11-14 BY: [Signature]