

**CLAIM OF
BENEFICIAL USE
for Ground Water Permits
claiming 0.1 cfs or less**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

**A fee of \$345 must accompany this form for permits
with priority dates of July 9, 1987, or later.**

Enter the date the priority date of the permit:

3-21-2019

Received by OWRD

JUN 15 2026

Salem, OR

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. Begin each new claim by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

AS OF APRIL 1, 2026: For groundwater permits with priority dates on or after December 20, 1988, the Claim of Beneficial Use shall either provide documentation that the pump test or exemption request as required under OAR 690-217 has been **submitted** for each well or **include** the required pump test or exemption request for each well with the claim. **Claims that do not meet this requirement will not be accepted.**

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a Reimbursement Authority program that allows it to enter into a voluntary agreement with an applicant for expedited services. Applicants interested in an estimate of the cost and timeline for expedited processing must submit a Reimbursement Authority Estimate Application and required fee. For the form and additional information on this program see: <https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

1. File Information:

APPLICATION #	PERMIT # (IF APPLICABLE)	PERMIT AMENDMENT # (IF APPLICABLE)
G-18804	G-18512	

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME Kim A. Garcia/Arturo Garcia		PHONE NO. (650) 339-2743	ADDITIONAL CONTACT NO.
ADDRESS 12020 Waldo Hills Dr. SE			
CITY Salem	STATE OR	ZIP 97317	E-MAIL LGE.kgarcia@gmail.com

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each*** permit holder of record must sign this form.

3. Permit holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD Kim A. Garcia/Arturo Garcia			Received by OWRD JUN 15 2026
ADDRESS 12020 Waldo Hills Dr. SE			
CITY Salem	STATE OR	ZIP 97317	Salem, OR

ADDITIONAL PERMIT HOLDER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection:

5-2-2026

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Kim A. Garcia	5-2-2026	owner
Arturo Garcia	5-2-2026	owner

6. County:

Marion

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



Received by OWRD
JUN 15 2026
Salem, OR

CWRE NAME Galen McGill		PHONE NO. 503-409-8797	ADDITIONAL CONTACT NO. 503-931-0210
ADDRESS 15333 Pletzer Rd SE			
CITY Turner	STATE OR	ZIP 97392	E-MAIL galen@mcgillwaterrights.com

Permit Holder's of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
<i>Kim Garcia</i>	<i>Kim Garcia</i>	<i>Owner</i>	<i>6/10/26</i>
<i>Arturo Garcia</i>	<i>Arturo Garcia</i>	<i>Owner</i>	<i>6/10/26</i>

JUN 15 2026

SECTION 3

CLAIM DESCRIPTION

Salem, OR

1. Point(s) of Appropriation (POA):

POA NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
Well 1	MARI 8604/MARI 69256	L-132674

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Developed use(s), period of use, and rate for each use:

POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
Well 1	Irrigation & Domestic	Hazelnuts, figs, persimmons, lavender, and vegetables	March 1 – October 31	0.018 cfs
Total Quantity of Water Used				0.018 cfs

3. Provide a general narrative description of the distribution works. This description must trace the water system from each point of appropriation to the place of use:

Water is pumped from the well by a 1.5 HP submersible pump and delivered to the POU through 1.5" and 1" PVC mainline. Irrigation is primarily through drip emitters, but impact sprinklers are utilized for irrigation of vegetables.

Reminder: The map associated with this claim must identify the location of the point(s) of appropriation, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

4. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below.

YES NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

5. Claim Summary:

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
Well 1	0.018	0.062 cfs	*	Irrigation & domestic	19.0	19.0

*System not running at time of site inspection.

JUN 15 2026

Salem, OR

SECTION 4 SYSTEM DESCRIPTION

Are there multiple POAs?

YES NO

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Well 1

A. Place of Use

Attach Claim of Beneficial Use map.

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation or nursery use, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

3/4" PVC measuring tube on east edge of well cap.

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY
*						

*See attached well logs MARI 8604 and MARI 69256

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

N/A

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)?

YES NO

D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES NO

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Franklin Electric	20SD1S4-PE	9387210NB	Submersible	Not accessible	1.25"

3. Motor Information:

MANUFACTURER	HORSEPOWER
Franklin Electric	1.5 HP

4. Theoretical Pump Capacity – Pump at Well:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO GROUND SURFACE (THE DEPTH TO WATER FROM THE GROUND SURFACE MEASURED AT THE WELL DURING PUMPING)	LIFT TO PLACE OF USE (THE LIFT FROM THE GROUND SURFACE AT THE WELL TO THE PLACE OF USE)	TOTAL PUMP OUTPUT (IN CFS)
1.5	60	23'	-6' avg	0.062 cfs

Reminder: For pump calculations use the reference information at the end of this document.

5. Provide pump calculations:

$$Q = (1.5 * 7.04) / (152.4' + 23' - 6') = 0.062 \text{ cfs}$$

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
*			

*System not running at time of site inspection.

7. Theoretical Pump Capacity – Pump at Sump:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO GROUND SURFACE (THE LIFT FROM THE WATER SURFACE TO THE PUMP)	LIFT TO PLACE OF USE (THE LIFT FROM THE PUMP TO THE PLACE OF USE)	TOTAL PUMP OUTPUT (IN CFS)
N/A				

Reminder: For pump calculations use the reference information at the end of this document.

Received by OWRD

JUN 15 2026

Salem, OR

JUN 15 2026

8. Provide pump calculations:

N/A

Salem, OR

9. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A			

10. Is the distribution system piped?YES NO**11. Mainline Information:**

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
1.5"	600'	PVC	Buried
1"	560'	PVC	Buried

12. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
N/A			

13. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
5/32" impact	35	4.1	4	2	0.018 cfs

Reminder: For sprinkler output determination use the reference information at the end of this document.

14. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
0.5 GPH	35	0.0083	3942	528	0.0098 cfs

15. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
N/A					

16. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
N/A				

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)?

YES NO

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

H. Additional notes or comments related to the system:

No additional notes.

Received by OWRD
JUN 15 2026
Salem, OR

Received by OWRD
JUN 15 2026
Salem, OR

SECTION 5 CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or extension final order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	12-11-2020		
BEGIN CONSTRUCTION (A)	12-11-2025	June 2020	Reseal well casing
COMPLETE CONSTRUCTION (B)	N/A	N/A	N/A
COMPLETE APPLICATION OF WATER (C)	12-11-2025	May 2024	Completed irrigation of acres being claimed.

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES NO

3. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement? YES NO

b. What month was the initial measurement to be taken in?

March

c. Was the measurement submitted to the Department? YES NO

d. If the initial measurement was not submitted, provide that measurement now, if available:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT
N/A			

4. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements? YES NO

b. Provide the month, or months, in which the static water level measurement(s) were to be made:

March

c. Were the static water level measurements taken in the month(s) required? YES NO

d. If "YES", were those measurements submitted to the Department? YES NO

e. If the annual measurements were not submitted, provide the measurements now:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT
N/A			

5. Pump Test:

a. Is a pump test required?

YES NO

Ground water permits with priority dates on or after December 20, 1988, the Claim of Beneficial Use shall either provide documentation that the pump test or exemption request, as required under OAR 690-217, has been submitted for each well or include the required pump test or exemption request for each well with the claim (this includes an exemption request for sump wells).

For additional information regarding pump tests see:

<https://www.oregon.gov/OWRD/programs/GWWL/GW/Pages/PumpTestProgram.aspx>

If "NO", items b through e relating to this section may be deleted.

b. Has the pump test/exemption been previously submitted to the Department?

YES NO*

c. Is the pump test/exemption attached to this claim?

YES** NO*

**As of April 1, 2026: a pump test or exemption request must be submitted prior to or at time of the claim report (ORS 690-014-0100(H)). If "NO", the claim is incomplete and will be returned.*

***See attached pump test unreasonable burden exemption request form.*

d. Has the pump test been approved by the Department?

YES NO**

e. Has a pump test exemption been approved by the Department?

YES NO**

***The Claim will not be reviewed until a pump test or exemption has been approved by the Department.*

6. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

YES NO

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of appropriation.

b. Has a meter been installed?

YES NO

c. Meter Information

POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Well 1	Netafim	0109099 5099709 88	working	01300490	May 2020

7. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department?

YES NO

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted?

YES NO

If the reports have not been submitted, attach a copy of the reports if available.

8. Other conditions required by permit, permit amendment final order, or extension final order:

- a. Were there special well construction standards? **YES** **NO**
- b. Was submittal of a ground water monitoring plan required? **YES** **NO**
- c. Was a Well Identification Number (Well ID tag) assigned and attached to the well? **YES** **NO**

WELL ID #	DATE ATTACHED TO WELL
L-132674	5-19-2020

- d. Other conditions? **YES** **NO**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

Well ID tag attached to well casing.

SECTION 6
ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Well logs (4 pages)	Original MARI 8604, Alteration MARI 69256
Photos (x8)	Photos taken at 5-7-2026 site inspection.
Pump test form (1 page)	Unreasonable burden exemption request.

Received by OWRD
JUN 15 2026
Salem, OR

SECTION 7

CLAIM OF BENEFICIAL USE MAP

In order to properly examine your claim, the Department must have an accurate map that meets the criteria described in OAR 690-014-0170 and OAR 690-305-0010, which are provided below for your convenience:

OAR 690-014-0170 Minimum Requirements for Maps for Permit or Transfer Final Order Claims of Beneficial Use

- Received by OWRD
JUN 15 2026
Salem, OR
- (1) Maps submitted by a CWRE as part of the Claim of Beneficial Use shall meet the standards in OAR chapter 690, division 305. In addition, the map shall meet the following criteria:
 - (a) Horizontal accuracy is required only to ten feet for the purpose of locating and quantifying water rights. Maps shall be developed from any standard survey method. Traverse closures are not required.
 - (b) Maps shall clearly designate the place of use and point of diversion or appropriation for each source and use.
 - (c) The map shall indicate by description, in relation to the point of diversion or appropriation, the location of any fish screens, by-pass devices, and measuring devices required by the permit or transfer final order.
 - (d) The following statement shall be placed on the map: "This map is not intended to provide legal dimensions or locations of property ownership lines."
 - (2) A CWRE may make a written request to the Director for a waiver of one or more mapping standards. The Director will determine whether the waiver shall be allowed and will respond to such requests in writing.

OAR 690-305-0010 General Map Criteria

Each map submitted to the Department shall meet the following general criteria in addition to any specific criteria identified in the rules for the relevant water right transaction:

- (1) Drawing
 - (a) The map shall be drafted on paper or polyester film with ink or otherwise printed in an indelible form with sufficient clarity so as to be easily reproduced or scanned. Maps may be submitted electronically in portable document format (pdf) and must be prepared consistent with, and include the same information as, a paper map.
 - (b) The preferred paper size is 8.5 inches by 11 inches and should be no larger than 30 inches by 30 inches. A map greater than 30 inches by 30 inches may be submitted if the Department grants, by mail or electronic means, advance approval of the larger size.
 - (c) Beginning April 1, 2029, regardless of whether the map is submitted electronically, on paper, or on polyester film, for any map that OAR chapter 690 requires be prepared by a Certified Water Right Examiner, a digital file containing the coordinate system and geospatial features of the map as specified by the Department shall be submitted in addition to the map, unless

Received by OWRD
JUN 15 2026
Salem, OR

the Department provides a waiver. The digital file shall be submitted as a shapefile or other approved format in a manner required by the Department.

- (d) A platted and recorded subdivision map, deed description survey map, or county assessor map may be submitted as the application map if all of the required information included in sections (2) and (3) of this rule is clearly shown.
 - (e) An aerial image may be provided in addition to the map to aid the Department in understanding the proposal.
 - (f) The map submitted under subsection (a) shall be the official record of the water right. An aerial image or digital file shall not be the official record of the water right.
- (2) Scale
- (a) The map shall be drawn to a standard, even-numbered scale and one-inch shall not exceed 1320 feet.
 - (b) The map scale may exceed 1320 feet per inch if the Department grants, by mail or electronic means, advance approval of the requested scale.
 - (c) Notwithstanding subsection (a) and (b), for maps identifying the location of a municipal use place of use, one-inch can exceed 1320 feet; provided that the scale is sufficient to identify the quarter-quarters involved in the place of use.
- (3) Features: Features shall be clearly identified and labeled. Unless otherwise indicated in rule, the following features must be included in each map submitted to the Department:
- (a) Mapping scale.
 - (b) North directional symbol.
 - (c) Legend.
 - (d) General location of main canals, ditches, flumes, pipelines, pumps, or other water delivery features used to transport water from the point(s) of diversion or appropriation to the place use and to include the delivery features at the place of use.
 - (e) Other topographical features such as rivers, creeks, streams, lakes, reservoirs, ponds, roads, or railroads that may be helpful to clarify and identify the location of points of diversion, wells, dams, and places of use.
 - (f) Location and flow direction of the water way if the source is surface water. If multiple water ways exist in the area of the proposed diversion and use, the map must identify the location and flow direction of the additional water ways.
 - (g) Township, range, section, quarter-quarter, and tax lot(s), donation land claims, or government lots where water will be or has been diverted, conveyed, and used. If the map is for municipal use the map:
 - (A) Must identify but does not need to label the quarter-quarters,
 - (B) Does not need to identify or label tax lots, donation land claims, or government lots.
 - (h) Location of each proposed or developed diversion point, well (point of appropriation), or dam by reference to a recognized public land survey corner. For a reservoir without a dam, the center of the reservoir shall be referenced to a recognized public land survey corner.

- (A) The locations shall be shown by distance and bearing, or by coordinates (distance north or south and distance east or west from the corner). In addition, they shall also include latitude and longitude as established by a global positioning system.
- (B) Latitude and longitude coordinates shall be expressed as degrees-decimal with five or more digits after the decimal (e.g., 42.537649). The datum used to establish the coordinates shall be indicated on the map. Examples of datums include NAD 83, NAD 27 and WGS84.
- (i) Location of the proposed or developed place of use by township, range, section, and nearest quarter-quarter section.
 - (A) For irrigation or nursery use, the map shall additionally indicate the place of use in each quarter-quarter of a section by shading or hatchuring and indicate the number of acres in each quarter-quarter section, donation land claim, government lot, or other recognized public land survey lines.
 - (B) For places of use that are limited to a point, such as a stock watering tank, the location may also be identified by distance and bearing, or by coordinates (distance north or south and distance east or west from the corner). In addition, they shall include latitude and longitude as established by a global positioning system.
 - (C) Latitude and longitude coordinates shall be expressed as degrees-decimal with five or more digits after the decimal (e.g., 42.537649). The datum used to establish the coordinates shall be indicated on the map. Examples of datums include NAD 83, NAD 27 and WGS84.
 - (D) Where more than one point of diversion or well is included, the map must clearly identify the place(s) of use served by each point of diversion or well.
- (j) If for a supplemental irrigation application or claim of beneficial use, the location and water right reference number of the underlying primary right, registration or claim.
- (k) Any other information the Department requests and considers necessary to evaluate the water right transaction.

Received by OWRD
JUN 15 2026
Salem, OR

BP*45856-119

MARI 8604

WELL IDENTIFICATION FORM

Owner's Well Number: _____

CURRENT WELL OWNER:

Phone 585-0052

Name: ROBERT INMANN

Mailing Address: 12020 WALDO HILL DR.

City: SALEM State: OR Zip: 97301

If a well report is available for this well, please attach a copy of it to this form and return. It is not necessary for you to complete the remainder of the form if the well report is attached. If well report is not available, please complete the remainder of the form to the best of your ability.

WELL LOCATION:

County: MAHON Latitude: _____ Longitude: _____

Township: 05 N or S, Range: 1W E or W Section: 4 1/4 1/4

Tax Lot Number: 1600

Street Address of Well (if different from above): SAME

WELL INFORMATION:

Start Card Number: _____ Approx. Construction Date: _____

Well Constructor: _____

Name of Owner at Time of Construction: _____

Well Depth (in feet): _____ Static Water Level (in feet): _____

Diameter of Exposed Well Casing (in inches): _____

Does this well have a formal water right associated with it? Yes: _____ No: _____ If yes:

Application #: _____ Permit #: _____ Certificate #: _____

Please Return Completed Form to:

Oregon Water Resources Department
158 12th Street NE
Salem, OR 97310

(Office use only)

Well Identification Number: 22988

RECEIVED

JAN - 9 1998

WATER RESOURCES DEPARTMENT
SALEM, OREGON


OWRD Staff Notes:

**L 22988 LOST! New ID placed
by driller at alt: L 132674**

Received by OWRD

JUN 15 2026


Salem, OR



Received by OWRD

JUN 15 2026

Salem, OR



Received by OWRD
JUN 15 2026
Salem, OR



Received by OWRD

JUN 15 2020

Salem, OR



Received by OWRD

JUN 15 2026

Salem, OR



Received by OWRD

JUN 15 2026

Salem, OR



OREGON
WATER RESOURCES DEPT
WELL #
L132674
DO NOT REMOVE LABEL

Received by OWRD
JUN 15 2025
Salem, OR

Received by OWRD

JUN 15 2026

Salem, OR

Received by OWRD

JUN 15 2026

Salem, OR





SubDrive CONNECT



Franklin Electric

Received by OWRD
JUN 15 2026
Salem, OR

SubDrive

Submersible Pump

PUMP MODEL/MODELE DE POMPE **20SD1S4-PE**

ORDER NO./NO. DE COMMANDE **93872010NB**

20GPM, 7STG, STAINLESS 1HP, PUMP END

INSTALLATION
DATE

DATE
CODE **18L22**

WELL DEPTH

PUMP SET DEPTH

DISPLAY LABEL PROMINENTLY ON THE FUSE DISCONNECT BOX.
AFFICHER L'ÉTIQUETTE APOSE SUR LA BOÎTE DE DISJONCTEUR DE FUSIBLES



Franklin Electric

WARNING

AVOID SERIOUS OR FATAL SHOCK BY
DISCONNECTING POWER BEFORE WORKING
ON OR AROUND THIS WATER SYSTEM.
HAVE WORK PERFORMED BY TECHNICALLY
QUALIFIED PERSONNEL COMPLYING WITH
ALL GROUNDING AND CODE REQUIREMENTS.

THIS LABEL IDENTIFIES THE FRANKLIN
SUBMERSIBLE MOTOR USED IN THE WELL.
PLEASE DISPLAY PROMINENTLY. A SUGGESTED
LOCATION IS THE DISCONNECT BOX.

MODEL **2345149203G** HP **1.5 KW 1.1** PH **3**
VOLTS **230** RPM **3450** HZ **60**
AMP **5.0** S.F. MAX. AMP **5.9**
SF **1.3** KVA CODE **K** CONT. DUTY



Franklin Electric

www.franklin-electric.com

SD15

OREGON



Received by OWRD

JUN 15 2026

Salem, OR

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Kim & Arturo Garcia 12020
Waldo Hills Dr. SE Salem, OR 97317

Transaction Type: COPY

Fees Received: \$ 345.00

☐ Cash

☒ Check:

Check No. 2635

Name(s) on Check: Will McGill Surveying LLC

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,

OWRD Customer Service Staff

Submission received by: Sarah Benham
(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (application/other document) in the top drawer of filing cabinet.