

**Application for
Extension of Time
for a Water Right Permit
(NON-Municipal/ NON-Quasi-
Municipal/ NON-Domestic)**

OREGON Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD
WATER RESOURCES
DEPARTMENT

Received

JUN 24 2026

Criteria for a Permit Extension of Time **OWRD**

The Department can accept requests for an extension of time on permits to (1) complete construction, and/or to (2) apply water to beneficial use. (The request cannot be approved for more than two years from the date of the extension.)

In order to approve a permit extension request the Department must be able to find:

1) Construction has begun:

A. For Groundwater Permits

Construction of the well(s), *authorized by the permit*, began within 5 years of the date the permit was issued.

B. For Surface Water or Reservoir Permits

Construction of the water system began within 5 years of the date the permit was issued.

The Department will also confirm that:

- 2) If required, a fish screen, fish passage or fish by-pass device was installed before or prior to diversion of any water. An exception to the need to confirm installation prior to diversion of any water would be a waiver submitted to the Department from ODFW stating that a fish screen, fish passage or fish by-pass device was not required, provided your permit allows for a waiver.**

If you have questions, please call the Department at (503)-986-0900 and ask to speak with a permit extension specialist.

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT
***A separate extension application must be submitted for each permit as per
OAR 690-315-0020(2).***

Received
JUN 24 2026
OWRD

I, Garden of Weeden Farms, LLC

NAME OF PERMIT HOLDER [OAR 690-315-0020(1) and (3)(a)]

1178 Saratoga Way
ADDRESS

Grants Pass
CITY

OR
STATE

97526
ZIP

9185333755
PHONE

relmburg@brodrellc.com
E-MAIL ADDRESS

the permit holder of: Application Number G-18458

Permit Number G-18402
[OAR 690-315-0020(3)(b)]

do hereby request that the date by which the water development will be completed and water put to full beneficial use, which time now expires on Month: 7 Day: 14 Year: 2026, be extended to Month: 7 Day: 14 Year: 2028, ****extension of time may be approved for no more than two years from the date the final order is issued**** [Section 27, Chapter 282, Oregon Laws 2025]

I am the permit holder, and may apply for an extension of time under this permit. I understand that false or misleading statements in this extension application are grounds for OWRD to suspend processing of the request and/or reason to deny the extension.

Robert Elmburg

Signature

6/18/2026

Date

Robert Elmburg

Printed Name

Owner

Title

The agent below is authorized to represent the applicant in all matters relating to THIS application.

Permit Holder Initials

Authorized Agent (Print Agent Name)

Agent contact

Before submitting your Application for Extension of Time, make sure the following items are included:

Received

JUN 24 2026

OWRD

- This completed Application for Extension of Time.
- Statutory fee of \$1,170
- Signature page (Second page of this Application for Extension of Time).
- Letter granting an agent authority to act on behalf of the permit holder (*if applicable*)
- All supporting documentation and/or evidence referenced in the Application for Extension of Time. (ODFW Fish screen approval or waiver, contract for stored water, etc)

MAIL COMPLETED APPLICATION

along with the Supporting documents and/ or evidence and correct fee to:

Water Resources Department
Attn: Water Right Permit Extensions
725 Summer Street NE, Suite A
Salem, Oregon 97301

GENERAL TIPS:

- Permit holders of **municipal, quasi-municipal, or domestic water use permits DO NOT use this form**. The correct form is APPLICATION FOR EXTENSION OF TIME FOR MUNICIPAL AND QUASI-MUNICIPAL WATER USE PERMITS.
- Request the amount of time necessary, not to exceed two years, to complete construction of the water project and/or to use the permitted quantity of water under the terms and conditions of your permit. Should this request be approved, it will be the final extension of time authorized. ORS 537.230 & 630 [Section 27, Chapter 282, Oregon Laws 2025]
- A separate APPLICATION FOR EXTENSION OF TIME must be submitted for each permit. OAR 690-315-0020(2).
- Permit extensions are evaluated under OAR Chapter 690, Division 315. These rules may be viewed at the State of Oregon, Secretary of State Website. To be granted an extension of time, the Department must make four specific findings; 1) the application is complete, 2) construction of the water system began within the time specified in the permit and applicable statute, 3) there is good cause, and 4) the project can be completed within the time being requested. If the Department cannot make all four findings, the extension of time cannot be approved.
- You may provide OWRD with any additional information or evidence that will aid us in making our decision. Please note that OWRD may require other information that is necessary to evaluate the application. OAR 690-315-0020(3)(n).
- After careful review of the Application for Extension of Time, you may contact OWRD at (503) 986-0900, to ask questions and request assistance from a Permit Extensions Specialist in the Water Rights Services Division.

- An Application for an Extension of Time will be reviewed for completeness. A response is required for each item contained in the application. OWRD will return any incomplete or deficient applications to the applicant. OAR 690-315-0040(1)(a).

Received
JUN 24 2026

OWRD

Reference Materials Needed to Complete this Application:

- **The water right permit.** If needed, a copy of the water right permit can be downloaded from the Department's Website, or, a copy of the permit may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).
- **Previous Applications and Orders.** Copies of previous applications and orders that may inform the completion of the Application for Extension of Time, if available, may be downloaded from the Department's Website. **NOTE: If the document requested is not available on the Department's website, you may submit a Public Record Request to obtain any additional information available in the file.**
- **Documentation which demonstrates compliance with permit conditions** (for example, well construction logs; static water level measurement reports; annual water use reports; ODFW fish screen certification; a plan to monitor the effect of water use on ground water aquifers utilized under the permit; etc.).

Questions to complete this application for an Extension of Time

Please see the instruction sheet to help you answer these items.

1. **Beginning Construction within required deadlines.** OAR 690-315-0020(3)(d)

For Groundwater Permits

Has construction of the point of appropriation (well) authorized under this permit begun?

☒ Yes ☐ No

Date construction began Month: 6 **Day:** 11 **Year:** 1977

Details of construction and attach documentation: Well drilling report attached. Drilled the Jose 7156.

Application #: G-18458

Permit #: G-18402

For Surface/Reservoir Permit

NA

Has construction of the water system begun? ☐ Yes ☐ No

Date construction began Month: **Day:** **Year:**

Details of construction and attach documentation: Not Applicable

OAR 690-315-0020(3)(A)(e)(A)

2a. Permits typically contain standard or special conditions that must be fully satisfied to lawfully develop and use permitted water. Review the permit subject to this extension to identify which of the conditions listed in the 2nd column are contained within it. Using the extra row labeled "other" to specify any other additional conditions included in the permit, or specified in a final order approving a permit amendment or prior extension of time. In the 1st column check the box for each condition (row) identified as relevant. In the 3rd column check "Yes" if you have completed or met the permit condition. Check "No" if the condition is not yet satisfied. In the 4th column, give the date when the condition was satisfied or will be satisfied. Attach any pertinent documentation. Note: a pump test condition does not need to be addressed here however; you must submit the results of the test to the Department for approval prior to certification.

CHART-A

Permit Conditions in this Permit		Have Completed or Met?	Date satisfied/ or will be satisfied
Checkbox	Ground water Check those included on this permit		
☒	Installation of a meter/totalizing flow meter	☒ Yes ☐ No	
☒	Submittal of annual water usage report	☒ Yes ☐ No	See attached
☐	Submittal of static water level measurements in the month required	☐ Yes ☒ No	March of 2027
☐		☐ Yes ☐ No	
☐	Special well construction standards	☐ Yes ☐ No	
☐	Submittal of a monitoring plan	☐ Yes ☐ No	
☐	Well ID tag assigned and installed: Application Included	☒ Yes ☐ No	Application Attached
☐	Other (Specify):	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	
Surface Water or Reservoir			
☐	Installation of a meter/ totalizing flow meter	☐ Yes ☐ No	
☐	Submittal of annual water use report	☐ Yes ☐ No	
☐	Installation of a fish screen	☐ Yes ☐ No	
☐	Installation of a fish by-pass device	☐ Yes ☐ No	
☐	Installation of a fish passage	☐ Yes ☐ No	
☐	Installation of an outlet gate/pipe/ conduit	☐ Yes ☐ No	
☐	Submittal of a letter from ODFW that fish screen, fish by-pass device, and or fish passage is not required	☐ Yes ☐ No	
☐	Submit as-built plans and specification	☐ Yes ☐ No	
☐	Submittal of a letter from an engineer prior to storage	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	

☐	Other (Specify):	☐ Yes ☐ No	
--------------------------	------------------	--	--

2b. If you have identified that you have NOT complied with Permit conditions, explain the reasons why and indicate a date certain, when you will be in compliance.

The property has been under contract for sale and we were not aware of the static water level measurement requirements and annual water usage report. Annual water usage reports have been submitted to olcc.

[OAR 690-315-0020(3)(e)]

3. Provide evidence of physical work made toward completion of the water system, and of progress made toward making beneficial use of water within the permitted time period (CHART-B); and if applicable, within the time period of the most recent extension granted (CHART-C). CHART-B (below) must be completed for all Application for Extension of Time requests. Use chronological order. Itemize each work item, and do not combine multiple work actions in one area. (Planning, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, surveying, clearing land, or planting crops is not considered work in the development of the water system. Work accomplished under other water rights may not be considered work under this permit.)

Received
JUN 24 2026
OWRD

CHART-B

DATE	WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED <i>List any work done before the permit was issued – eg. well drilled.</i>	COST*
6/13/1977	Drill Cost of a 200 foot well.	\$7,500.00
	Ancillary Pump equipment and components	\$6,000.00
DATE	WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER <i>List work/actions done during the permitted time period.</i>	COST*
	Date the permit was signed - find date above signature on last page of permit.	
2017	Irrigation piping and hoses around property	\$15,000
	Upon our purchase of the property in 2017 we added irrigation piping around the property	
	Date the permit specified complete application of water to the use shall be made- all permits contain this date.	
DATE	WORK ACCOMPLISHED AFTER the date the permit specified complete application of water and prior to any previous extension order <i>COMPLETE ONLY IF THIS IS YOUR 1st APPLICATION FOR AN EXTENSION OF TIME: List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.</i>	COST*
Total Cost for Chart-B		\$28,500

* If exact cost is not known, you must provide your best estimate.

Received
JUN 24 2026
OWRD

Received
JUN 24 2026
OWRD

4. If this is not your 1st Application for Extension of Time request, fill out CHART-C below in addition to CHART-B above. *Use chronological order.*

CHART-C

DATE	WORK ACCOMPLISHED DURING THE LAST EXTENSION PERIOD <i>List all work done during the last authorized extension period.</i>	COST*
	"Extended From" date for complete application of water used in the most recent Final Order on Extension of Time.	
	NA	
	"Extended To" date for complete application of water resulting from the most recent Final Order on Extension of Time.	
DATE	WORK ACCOMPLISHED AFTER THE LAST EXTENSION PERIOD EXPIRED <i>List all work done after the last authorized date for complete application of water up to the date of this Application for Extension of Time.</i>	COST*
Total Cost of Chart-C		

* If exact cost is not known, you must provide your best estimate. [OAR 690-315-0020(3)(f)]

5. Cost of project to date: \$28,500
(The total combined cost from CHART-B and CHART-C) [OAR 690-315-0020(f)]

[OAR 690-315-0020(3)(e)(B)]

Provide evidence of the maximum rate (or duty, if applicable) of water diverted for beneficial use under this permit made to date.

TIP: Report the rate used to date. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.

6. For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):

TIP: Report the rate in the same units of measurement as specified in the permit.

Maximum rate used to date = _____ cfs (cubic feet per second) or,

Maximum rate used to date = ¹⁶_____ gpm (gallons per minute) or,

Maximum volume of stored water used to date = _____ AF or,

Maximum volume stored annually to date = _____ AF

7. For Ground Water Permit Extensions (e.g. G-XXXX):

TIP: Include information from ALL wells that pertain to this permit, including drilled wells not currently used.

CHART-D

Well # as identified on Permit	Water User's Well #	Has this well been drilled?	IF DRILLED					
			Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	Is the actual drilled location authorized on this permit or on a permit amendment?	Maximum instantaneous rate used to date from this well - under this permit only (CFS or GPM)	Is this well authorized or utilized under any OTHER water rights?	If yes, provide the Permit, Certificate, or Transfer No.
#1	#1	Yes ☒ No ☐	Jose7156	0	Yes ☒ No ☐	16 GPM	Yes ☐ No ☒	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☒		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	- -

Total instantaneous rate from all wells utilized under this permit

Received
JUN 24 2026
OWRD

8. Has a Permit Amendment Application been filed? Yes ☒ No ☐
If yes, identify Transfer No. T-_____

[OAR 690-315-0020(3)(e)(C)]

9. **For Irrigation and Nursery Use Permits Extensions**

Provide the total number of acres irrigated to date under this permit.

a) Total acres irrigated to date: .45

b) List by year, the number of acres irrigated each year since permit issuance.

Year	Acres	Year	Acres	Year	Acres
2020	.45	2024	.45		
2021	.45	2025	.45		
2022	.45	2026	.45		
2023	.45				

c) Provide a copy of the application map identifying the acres irrigated.

d) Please specify the number of acres irrigated by each Point of Diversion/Point of Appropriation (POD/POA).
See Attached

(POD/POA)#1 Acres .45

(POD/POA) # _____ Acres _____

(POD/POA) # _____ Acres _____

(POD/POA) # _____ Acres _____

[OAR 690-315-0020(3)(i)(j)]

10. In the chart below provide a summary of your future plans and schedule to complete the construction of the water system, and/or apply water to full beneficial use under the terms and conditions of the permit.

CHART-E

APPROXIMATE DATE RANGE (projected)	WORK OR ACTION TO BE ACCOMPLISHED (projected)	ESTIMATED COST (projected)
3/1/2027	Need a static Reading Each March starting March 2027	\$1,500
	All infrastructure is currently in Place	
	(Or after we meet the Static Water Meter Process	
Year: 2027	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
Total Cost		\$1,500

[OAR 690-315-0020(3)(g)]

11. Estimated remaining cost to complete the project: \$1,500

(The total cost from CHART-E)

Received

JUN 24 2026

OWRD

[OAR 690-315-0020(3)(j)]

12. Provide a summary of your plan to complete construction, meeting all permit conditions and apply the water to beneficial use: *(List all tasks or steps needed to complete the project, the date when each task will be completed, and the cost associated with each task; attach additional pages if necessary.)* We need to perform a static reading each March for the next 7 years, starting March 2027.

[OAR 690-315-0020(3)(k)]

13. Justify the time requested to complete the project and/or apply the water to full beneficial use. *(Include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested.)*

We would like to request time to complete the annual Static readings each March.

[OAR 690-315--0020(3)(l)]

14a. Will a denial of the extension result in undue hardship? *(Describe the hardship and the effects.)* Yes. A loss of the well would make the farm uneconomical to operate. To truck water in would not be economical to operate the farm.

14b. Are there any other reasonable alternatives that exist for meeting your water use needs? *(Explain in detail, consider other potential sources of water, and describe their feasibility)* To purchase or Truck water in is too Expensive and would make the farm uneconomical to operate.

Received
JUN 24 2026
OWRD

[OAR 690-315-0020(3)(h)]

15. Was the delay in the timely completion of this water development project and/or timely application of water to full beneficial use caused by any additional government requirements, other than the conditions contained within the permit, which significantly delayed the completion and perfection of this right? (Explain in detail, including how much time did this delay the project; list dates.) The farm has been under contract for sale the two different parties over the last two years. We also had a change in management and we missed or unaware of the these requirements.

[OAR 690-315-0020(3)(h)]

16. Describe any unforeseen events which contributed to the delay of completion of this project that you had no control over. (Explain in detail what the unforeseen events were (i.e. health issues, natural disaster) and how much time was spent addressing the unforeseen events. Delays caused by business decisions are not considered unforeseen events) The farm has been for sale and under contract twice in the last two years. We have had change in management and also put the farm ON HOLD with the OLCCC.

[OAR 690-315-0020(3)(h)]

17. Describe an additional reasons why the construction was not completed, and/or water was not beneficially used within permit time limits. (Provide supporting information for the reason(s) that best fits your circumstances.)

As the farm was on HOLD with the OLCC pending the close of the sale of the property, we missed The static reading requirements.

[OAR 690-315-0020(3)(m)(n)]

18. Provide any other information you wish OWRD to consider while evaluating your Application for Extension of Time.

The farm is under contract and expected to sell to new owners in June of 2026. New owners plan on operating the farm, hiring new employees and use the well.

[OAR 690-315-0040(2)(f)]

19. Will the income or use of the water project provide a fair and reasonable return on your investment? (Explain in detail) Yes. Operating the well will provide irrigation for the new owners.

[OAR 690-315-0040(4)(d)]

20. Describe in detail if there are other economic interest, beyond those of the permit holder, which are dependent upon the completion of this project. (Who will be effected and how?) The well is very important for the operation of the farm, the new ownership of the farm, and current and new employees that plan on being hired.

**GARDEN OF WIJEDEN FARMS, LLC
1178 SARATOGA WAY
GRANTS PASS, OR 97526**

June 18, 2026

Water Resources Department
Attn: Water Right Permit Extensions
725 Summer Street NE, Suite A
Salem, OR 97301

Received
JUN 24 2026
OWRD

To Whom It May Concern:

Attached are the Application for an Extension and an Application for a Well ID Number. Thank you for the help you provided in assisting me with the applications. Also, attached is a check in the amount of \$1,170.00.

If there is anything I missed or filled out incorrectly, please do not hesitate to contact me. Thank you very much.


Sincerely,



Robert Elmburg
Owner
918-533-3755
relmburg@brodrellc.com

Received
JUN 24 2017
OWRD

T35S R6W Southeast Section 34



East corner Section 34

1 inch = 660 feet

The well is located approximately 210 ft west
and 525 ft south from the east corner of
Section 34, according to the landowner.

RECEIVED BY OWRD

FEB 17 2017

SALEM, OR

G-18458