

Form B

Application No. U - 529

NOTICE OF COMPLETION OF CONSTRUCTION

I, The Pines - Gladys L. Rogers owner, the holder of Permit No. U - 480
to appropriate the public waters of the state of Oregon, completed the construction of the works described
therein on the 18th day of March, 1953.

Remarks: Artesian well with our capacity over top
If the works have less capacity than described in the permit, or you have definitely abandoned part of the proposed development, you

should so state in order that our records may not be unnecessarily encumbered.

IN WITNESS WHEREOF, I have hereunto set my hand this 19th day of March, 1953
Gladys L. Rogers Box 359, The Dalles, Oregon
(Signature of Applicant) (Address)

Fill out, detach, and mail to the State Engineer, Salem, Oregon, when construction work is completed.

Form A

Application No. U - 529

NOTICE OF BEGINNING OF CONSTRUCTION

I, The Pines - Gladys L. Rogers Owner, the holder of Permit No. U - 480
to appropriate the public waters of the state of Oregon, began the actual construction of the works described
therein on the 15th day of December, 1952.

Remarks: Darin Wilson started and completed well
The appropriator should state the manner of beginning construction work, number of men employed, the amount of work completed

up to the date of this statement, and any additional information which may tend to show the beginning of work in good faith.

IN WITNESS WHEREOF, I have hereunto set my hand this 18th day of March, 1953
Gladys L. Rogers Box 359, The Dalles, Ore.
(Signature of Applicant) (Address)

State Printing Dept. 41547

Fill out, detach, and mail to the State Engineer, Salem, Oregon, when construction work is begun.

Form C

IMPORTANT—This form is a notice to the State Engineer that permittee is ready to make final proof to the extent to which the water has actually been applied to the intended use under the terms of the permit. Permittee is cautioned that Certificate of Water Right will be issued based on the extent of the quantity and use as determined by the final proof inspection and survey which will be made in response to the filing of this Form C.

NOTE: In the case of an irrigation permit, this Form C should not be mailed to the State Engineer until all of the land described in the permit, which it is intended to irrigate under this permit at any time, has actually been irrigated.
Fill out, detach and mail to the State Engineer, Salem, Oregon, when all of the water has been applied.

Application No. U - 529

NOTICE OF COMPLETE APPLICATION OF WATER TO A BENEFICIAL USE

I, Gladys L. Rogers, the holder of Permit No. U - 480
to appropriate the public waters of the state of Oregon, completely applied the waters to a beneficial use in
accordance with the terms of said permit, on the 1 day of Nov., 1953.

Remarks:

IN WITNESS WHEREOF, I have hereunto set my hand this 23 day of Mar., 1954
Gladys L. Rogers Box 2 (Box 359) The Dalles, Ore.
(Signature of Applicant) (Address)

APR 3 1956 FORM 125 WELL

APR 3 1956 FORM 125 WELL



Oregon

Tina Kotek, Governor

APP: U-529

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

www.oregon.gov/owrd

March 3, 2025

A & L Vineyard Enterprises LLC
PO BOX 274
Bingen, WA 98605

Reference: File T-13081

We have received your application for extension of the time limit to make complete application of water under T-13081. We also have your check in the amount of \$780.00. A copy of receipt number 144469 is enclosed.

The application indicates reasonable diligence toward completion of the proposed project. **The time limit to make complete application of water is extended to October 1, 2029.** The order approving the extension was entered February 28, 2025, at Vol:134, Page:2.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed may be lost.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the extension final order, whichever occurs first.

If you have any questions, please contact the Ann Reece at 503-979-3214.

Sincerely,

David V. Jones Jr

Water Right Services Support

Transfers and Conservation Section

cc: Robert L. Wood, Watermaster Dist. #3 (via email)
Larry M. Toll, Agent
Wasco County, Local Government

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE STATE OF OREGON**

In the Matter of Application for Extension	)	FINAL ORDER APPROVING AN EXTENSION
of Time for Transfer Application T-13081,	)	OF TIME FOR A PERMANENT TRANSFER
Wasco County	)	

Applicant

A & L Vineyard Enterprises, LLC;
ABN Windhorse Vineyard
12119 Stratford Dr., Suite B
Clive, IA 50325

Authority

Oregon Administrative Rules (OAR) 690-380-5140(2) authorizes the Department to grant an extension of time to complete a transfer.

OAR 690-380-6020 establishes an application process and criteria for the review of extensions of time to complete a transfer as authorized by a final order issued under OAR Division 380.

OAR 690-380-6020 (3) establishes that extensions are granted for one year, from October 1 to October 1 of each year. Extensions may be granted for longer time if the applicant can justify the need for a longer period of time by submission of pertinent evidence.

Findings of Fact

1. On December 27, 2024, the Department received an application for extension of time for Transfer Application T-13081.
2. On March 25, 2020, the Department signed an order, which was mailed on March 26, 2020, approving Transfer Application T-13081 to change place of use and add additional points of appropriation. The order was recorded in Special Order Volume 116, Pages 329-335. The order set a transfer completion date of October 1, 2024.
3. Since the approval of the transfer, the applicant has installed flow meters, made approved changes to most of the place of use, and has started to irrigate the acres that have been completed.

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

4. To fully complete the change, the applicant needs to complete the changes to the entirety of the approved place of use, install irrigation lines, connect to the existing water delivery system, irrigate the full place of use, and make full beneficial use of the water.
5. The applicant has requested that the time for completion of beneficial use be extended to October 1, 2029. Consistent with OAR 690-380-6020, the applicant provided sufficient justification in the extension application to grant an extension for more than one year. The Department will extend the transfer completion date to October 1, 2029.


Conclusions of Law

Pursuant to OAR 690-380-6020, the Director of the Water Resources Department concludes the applicant has shown reasonable diligence to complete the transfer within the time period established by the order approving Transfer Application T-13081.

Now, therefore, it is ORDERED:

The time for completion of the changes authorized by Transfer Application T-13081 shall be extended to **October 1, 2029**.

Signed at Salem, Oregon on FEB 28 2025.



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

Mailing date: MAR 03 2025



Oregon

Kate Brown, Governor

U-529
Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

March 25, 2020

A & L VINEYARD ENTERPRISES LLC

PO BOX 274

BINGEN, WA 98605

REFERENCE: Transfer Application T-13081

Enclosed is a copy of the final order approving your water right transfer application.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed only upon a showing that diligent effort has been made to complete the actual change(s) within the time allowed.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the transfer final order, whichever occurs first.

If you have any questions related to the approval of this transfer, you may contact your caseworker, Kelly Starnes, by telephone at (503) 986-0886 or by e-mail at Patrick.K.Starnes@oregon.gov.

Sincerely,

Julie C. Baustian

Water Right Services Support

Transfers and Conservation Section

cc: Robert L. Wood, Watermaster Dist. #3 (via email)

Wasco County

Larry M. Toll, Agent

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application	)	FINAL ORDER APPROVING
T-13081, Wasco County	)	CHANGES IN PLACE OF USE AND
	)	ADDITIONAL POINTS OF
	)	APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

A & L VINEYARD ENTERPRISES, LLC
5450 MILL CREEK RD.
THE DALLES, OR 97058

Agent

TENNESON ENGINEERING CORP.
ATTN: LARRY TOLL
3775 CRATES WAY
THE DALLES, OR 97058

Findings of Fact

1. On December 26, 2018, A & L Vineyard Enterprises, LLC, filed an application to change the place of use and add additional points of appropriation under Certificates 88292 and 88293. The Department assigned the application number T-13081.
2. On November 20, 2018, Temporary Transfer T-13003 was approved. The temporary transfer proposed a temporary change in place of use under Certificates 88292 and 88293 for a period of four years.
3. Notice of the application for transfer was published on January 1, 2019, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
4. On June 24, 2019, the agent for the applicant submitted a new revised map and associated revised Table 1 of the application for both water rights.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

5. On July 1, 2019, the Department sent out a draft of the Preliminary Determination and set forth a deadline of July 31, 2019, for the applicant to respond. On July 19, 2019, the agent for the applicant requested additional time for completion of the transfer to be extended to October 1, 2024, to guarantee adequate time to complete the project. The Department approved the additional time for completion of the transfer to be extended to October 1, 2024, to make full beneficial use of water under the terms and conditions of this transfer.
6. On January 28, 2020, the Department issued a Preliminary Determination proposing to approve Transfer T-13081 and mailed a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on January 28, 2020, and in the Dalles Chronicle newspaper on February 1 and 8, 2020 pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
8. The portion of the primary right and its layered supplemental water right to be transferred is as follows:

Certificate: 88292 in the name of LONNIE WRIGHT (perfected under Permit U-480)
Use: IRRIGATION of 15.2 ACRES
Priority Date: SEPTEMBER 29, 1952
Rate: 0.1177 CUBIC FOOT PER SECOND
Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: TWO WELLS within the MILL CREEK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q - Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL; WASC 2598 - 940 FEET SOUTH AND 1205 FEET WEST FROM THE NE CORNER OF DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL; WASC 51130 - 815 FEET SOUTH AND 685 FEET WEST FROM THE NE CORNER OF DLC 44

Certificate: 88293 in the name of LONNIE WRIGHT (perfected under Permit U-558)
Use: SUPPLEMENTAL IRRIGATION of 15.2 ACRES
Priority Date: JUNE 4, 1953
Rate: 0.0725 CUBIC FOOT PER SECOND
Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: TWO WELLS within the MILL CREEK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q - Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL; WASC 2598 - 940 FEET SOUTH AND 1205 FEET WEST FROM THE NE CORNER OF DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL; WASC 51130 - 815 FEET SOUTH AND 685 FEET WEST FROM THE NE CORNER OF DLC 44

Authorized Places of Use:

Twp	Rng	Mer	Sec	Q - Q	GLot	DLC	Acres	
							Cert# 88292 (IR)	Cert# 88293 (IS)
1 N	13 E	WM	18	NE SW		44	2.1	2.1
1 N	13 E	WM	18	NW SW		44	12.2	12.2
1 N	13 E	WM	18	SW SW	5		0.9	0.9
Total							15.2	15.2

9. Transfer Application T-13081 proposes to change the place of use of the above described rights to a combination of micro-irrigated strips within a larger land parcel. The acreages below represent the proposed irrigated area:

Twp	Rng	Mer	Sec	Q - Q	Acres	
					Cert# 88292 (IR)	Cert# 88293 (IS)
1 N	12 E	WM	24	NW NE	0.2	0.2
1 N	12 E	WM	24	SW NE	5.9	5.9
1 N	12 E	WM	24	SE NE	0.5	0.5
1 N	12 E	WM	24	NE NW	2.7	2.7
1 N	12 E	WM	24	NW NW	0.4	0.4
1 N	12 E	WM	24	NE SE	0.6	0.6
1 N	12 E	WM	24	NW SE	4.9	4.9
Total					15.2	15.2

10. Transfer Application T-13081 also proposes to add an additional point of appropriation to the above described rights southwest approximately 4450 feet from the Old Well and approximately 4950 feet from the New Well to:

Twp	Rng	Mer	Sec	Q - Q	DLC	Measured Distances
1 N	12 E	WM	24	NE NW	44	VINEYARD WELL - 365 FEET SOUTH AND 75 FEET WEST FROM THE N¼ CORNER OF SECTION 24

11. The applicant completed two temporary transfers (T-11823, and T-13003) proposing micro-irrigation. The applicant demonstrated during irrigation seasons of 2015 to 2018, their ability to irrigate only the crop rows without encroaching into the dry row areas located in between the crop rows. The Watermaster stated that the applicant submitted data satisfactorily demonstrating they could dry up the rows located in between the crop rows. Therefore, the Department accepts this permanent transfer application proposing a change in place of use for micro-irrigation and makes a positive finding that no injury or enlargement would occur as a result of this transfer.
12. Temporary transfer T-13003 must expire or be terminated by order of the Department prior to approval of this transfer application.

7. Water use measurement conditions:

The water user shall install and maintain a water flow and soil moisture monitoring system.


- a) Before water use may begin under this order, the water user shall install a series of totalizing flow meters for the points of appropriation and the lands to be irrigated under this application, or, with prior approval of the Director, another suitable measuring device at each point of appropriation.
- b) The water user shall maintain the meters or measuring devices in good working order.
- c) The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- d) The water user shall install and maintain valves and in-line flow meters or other suitable devices for controlling, measuring and recording the quantity of water diverted. In-line flow meters shall be installed at each well and each field control manifold serving the drip irrigated areas. The type and plans of the valves and measuring devices must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
- e) The water user shall operate and maintain the valves and measuring devices, as needed. The Watermaster may monitor the system and accuracy of the measuring devices, as needed.
- f) Flow meter readings shall be collected at a minimum of weekly intervals until one week past the end of the irrigation season. Flow meter data collected from the monitoring system shall be reported to the Watermaster within 3 days of the data collection date, as approved by the Watermaster. The Watermaster can approve less frequent reporting intervals if the project demonstrates, to the satisfaction of the Department, compliance with all conditions.
- g) The monitoring system shall include Gro-Point Sensors or a similar monitoring system capable of accuracy that is equivalent to or superior to the level of accuracy provided by the Gro-Point system. The type of system and installation plans must be approved by the Watermaster prior to installation.
- h) The soil moisture monitoring system may include up to ten paired sites and three control sites located adjacent to the planted area, such that the control sites share similar soil type, aspect and light conditions as the monitoring sites in the planted area. Each paired site shall consist of a pair of access tubes located within the dry non-irrigated strip between irrigated strips. Each access tube should be placed so that the outer edge of the probe's zone of influence will be within 2 inches of the edge of the irrigated strip. Additional soil moisture monitoring stations shall be installed as required by the Watermaster where conditions dictate more monitoring stations are required to effectively determine irrigation is occurring only where there is an appurtenant water right. The monitoring program, including both the number and location of the monitoring sites, shall be approved by the Watermaster prior to installation. The Watermaster can approve fewer soil moisture monitoring sites if the data collected is

sufficient, to the satisfaction of the Department, for verifying there is no injury or enlargement.

- i) Soil moisture content shall be monitored continuously or collected at a minimum of weekly intervals until one week past the end of the irrigation season. Soil moisture data collected from the monitoring system shall be reported to the Watermaster in summary format including equipment used and monitoring data listed by station and measurement field, as approved by the Watermaster.
 - j) Soil moisture reports shall be made during the first week prior to the irrigation season and once per week during the first three weeks of the irrigation season. Unless otherwise required by the Watermaster, soil moisture data collected shall be reported to the Watermaster within 3 days of the data collection date. Reporting requirements may be modified, as dictated by the Watermaster or upon written request from the water user subject to approval of the Watermaster. However, review of the monitoring program can occur at any time with a formal request from the water user or the Watermaster. Modification to the monitoring program may occur at any time as deemed necessary and/or appropriate by the Watermaster.
 - k) Upon reasonable notice the water user shall provide the Watermaster access to metering equipment and moisture monitoring stations as well as access to monitoring data and flow data, including access to real time data on an internal web site or computer.
 - l) The water user shall promptly inform the Watermaster of any situation that result in the application of water to any land without a water right, including but not limited to the areas between crop rows. The water user shall also inform the Watermaster of the course of action taken by the water user to correct the problem and prevent the future occurrence of similar events.
8. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2024**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
9. After satisfactory proof of beneficial use is received, new certificates confirming the rights transferred will be issued.

10. Temporary transfer T-13003 is hereby terminated and no longer of any force or effect.

Dated at Salem, Oregon this MAR 25 2020,

A handwritten signature in black ink, appearing to read "Lisa J. Jaramillo", is written over the printed name and title.

Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

Mailing date: _____

STATE OF OREGON
COUNTY OF WASCO
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

LONNIE WRIGHT
5450 MILL CREEK RD
THE DALLES, OR 97058

confirms the right to use the waters of TWO WELLS, within the MILL CREEK BASIN for SUPPLEMENTAL RRIGATION of 112.7 ACRES.

This right was perfected under Permit U-558. The date of priority is JUNE 4, 1953. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.5375 CUBIC FOOT PER SECOND or its equivalent in case of rotation, measured at the points of appropriation.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q - Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL; WASC 2598 - 940 FEET SOUTH AND 1205 FEET WEST FROM THE NE CORNER OF DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL; WASC 51130 - 815 FEET SOUTH AND 685 FEET WEST FROM THE NE CORNER OF DLC 44

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

SUPPLEMENTAL IRRIGATION							
Twp	Rng	Mer	Sec	Q - Q	GLot	DLC	Acres
1 N	12 E	WM	13	SE NE		44	6.0
1 N	12 E	WM	13	NE SE		44	8.4
1 N	12 E	WM	13	SE SE			20.6
1 N	13 E	WM	18	SW NW		44	26.8
1 N	13 E	WM	18	SE NW		44	0.3
1 N	13 E	WM	18	NE SW	3		21.3
1 N	13 E	WM	18	SW SW		44	15.4
1 N	13 E	WM	18	SW SW	5		0.1
1 N	13 E	WM	18	SE SW	4		13.8
						Total	112.7

Measurement, recording and reporting condition:

- The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation.


Water shall be acquired from the same aquifer (water source) as the original point of appropriation, WASC 2598.

This certificate describes that portion of water right Certificate 88293, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered MAR 25 2020, approving Transfer Application T-13081.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed MAR 25 2020.

A handwritten signature in black ink, appearing to read "Lisa J. Jaramillo", is written over a horizontal line.

Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

STATE OF OREGON
COUNTY OF WASCO
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

LONNIE WRIGHT
5450 MILL CREEK RD
THE DALLES, OR 97058

confirms the right to use the waters of TWO WELLS, within the MILL CREEK BASIN for IRRIGATION of 112.7 ACRES.

This right was perfected under Permit U-480. The date of priority is SEPTEMBER 29, 1952. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.8723 CUBIC FOOT PER SECOND or its equivalent in case of rotation, measured at the points of appropriation.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q - Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL; WASC 2598 - 940 FEET SOUTH AND 1205 FEET WEST FROM THE NE CORNER OF DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL; WASC 51130 - 815 FEET SOUTH AND 685 FEET WEST FROM THE NE CORNER OF DLC 44

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

IRRIGATION							
Twp	Rng	Mer	Sec	Q - Q	GLot	DLC	Acres
1 N	12 E	WM	13	SE NE		44	6.0
1 N	12 E	WM	13	NE SE		44	8.4
1 N	12 E	WM	13	SE SE			20.6
1 N	13 E	WM	18	SW NW		44	26.8
1 N	13 E	WM	18	SE NW		44	0.3
1 N	13 E	WM	18	NE SW	3		21.3
1 N	13 E	WM	18	SW SW		44	15.4
1 N	13 E	WM	18	SW SW	5		0.1
1 N	13 E	WM	18	SE SW	4		13.8
Total							112.7

The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation.


Water shall be acquired from the same aquifer (water source) as the original point of appropriation, WASC 2598.

This certificate describes that portion of water right Certificate 88292, State Record of Water Right Certificate ~~MAR 25 2020~~ modified by the provisions of an order of the Water Resources Director entered _____, approving Transfer Application T-13081.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed _____ ~~MAR 25 2020~~ _____.



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department



Oregon

Kate Brown, Governor

November 20, 2018

Water Resources Department

North Mall Office Building
725 Summer St NE, Suite A
Salem, OR 97301
Phone (503) 986-0900
Fax (503) 986-0904
www.Oregon.gov/OWRD

LONNIE WRIGHT
5450 MILL CREEK RD
THE DALLES, OR 97058

REFERENCE: Temporary Transfer Application T-13003

Enclosed is a copy of the final order approving your TEMPORARY water right transfer application.

The temporary change shall be effective at the **beginning of the irrigation season**. The use shall revert to the original authorized place of use at the **end of the 2022 irrigation season**.

If you have any questions related to the approval of this temporary transfer, you may contact your caseworker, Arla Davis, by telephone at (503) 986-0806 or by e-mail at Arla.L.Davis@oregon.gov.

Sincerely,

Stacy H. Phillips
Water Rights Services Support
Transfers and Conservation Section

cc: Robert L. Wood, Watermaster Dist. # 3 (via email)
Larry Toll, Agent
Wasco County

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application	)	FINAL ORDER APPROVING A
T-13003, Wasco County	)	TEMPORARY CHANGE IN PLACE OF
	)	USE

Authority

Oregon Revised Statute (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to temporarily transfer the place of use and, if necessary to convey the water to the temporary place of use, the point of appropriation authorized under an existing water right. Oregon Administrative Rule (OAR) Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

LONNIE WRIGHT
5450 MILL CREEK RD
THE DALLES, OR 97058

Findings of Fact

1. On August 13, 2018, LONNIE WRIGHT filed an application to temporarily change the place of use under Certificates 88292 and 88293 for a period of 4 years. The Department assigned the application number T-13003.
2. Notice of the application for transfer was published on August 21, 2018, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. The portion of the first right to be transferred is as follows:

Certificate: 88292 in the name of LONNIE WRIGHT (perfected under Permit U-480)
Use: IRRIGATION of 15.2 ACRES
Priority Date: SEPTEMBER 29, 1952
Rate: 0.12 CUBIC FOOT PER SECOND
Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year, and shall be further limited to a diversion of not to exceed 0.12 CFS.
Source: TWO WELLS within the MILL CREEK BASIN

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL (WASC 2598): 940 FEET SOUTH AND 1205 FEET WEST FROM THE NE CORNER OF DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL: 815 FEET SOUTH AND 685 FEET WEST FROM THE NE CORNER OF DLC 44

Authorized Place of Use:

IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	NE SW		44	2.1
1 N	13 E	WM	18	NW SW		44	12.2
1 N	13 E	WM	18	SW SW	5		0.9
Total							15.2

4. Temporary Transfer Application T-13003 proposes to temporarily change the place of use of the right to a combination of irrigated and non-irrigated strips within a larger land parcel. The acreage below represents the proposed irrigated area:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
1 N	12 E	WM	24	NW NE	0.2
1 N	12 E	WM	24	SW NE	3.8
1 N	12 E	WM	24	SW NE	2.1
1 N	12 E	WM	24	SE NE	0.5
1 N	12 E	WM	24	NE NW	1.2
1 N	12 E	WM	24	NE NW	1.5
1 N	12 E	WM	24	NW NW	0.4
1 N	12 E	WM	24	NE SE	0.6
1 N	12 E	WM	24	NW SE	3.7
1 N	12 E	WM	24	NW SE	1.2
Total					15.2

5. The portion of the second right to be transferred is as follows:

Certificate: 88293 in the name of LONNIE WRIGHT (perfected under Permit U-558)

Use: SUPPLEMENTAL IRRIGATION of 15.2 ACRES

Priority Date: JUNE 4, 1953

Rate: 0.07 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: TWO WELLS within the MILL CREEK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL (WASC 2598): 940 FEET SOUTH AND 1205 FEET WEST FROM THE NE CORNER OF DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL: 815 FEET SOUTH AND 685 FEET WEST FROM THE NE CORNER OF DLC 44

Authorized Place of Use:

SUPPLEMENTAL IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	NE SW		44	2.1
1 N	13 E	WM	18	NW SW		44	12.2
1 N	13 E	WM	18	SW SW	5		0.9
Total							15.2

6. Temporary Transfer Application T-13003 proposes to temporarily change the place of use of the right to a combination of irrigated and non-irrigated strips within a larger land parcel. The acreage below represents the proposed irrigated area:

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
1 N	12 E	WM	24	NW NE	0.2
1 N	12 E	WM	24	SW NE	3.8
1 N	12 E	WM	24	SW NE	2.1
1 N	12 E	WM	24	SE NE	0.5
1 N	12 E	WM	24	NE NW	1.2
1 N	12 E	WM	24	NE NW	1.5
1 N	12 E	WM	24	NW NW	0.4
1 N	12 E	WM	24	NE SE	0.6
1 N	12 E	WM	24	NW SE	3.7
1 N	12 E	WM	24	NW SE	1.2
Total					15.2

Temporary Transfer Review Criteria

- Water has been used within the last five years according to the terms and conditions of the rights. There is no evidence available that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
- A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights are present.
- Due to the complexity of the layout of the fields to be irrigated, the proposed change in place of use could result in enlargement of the rights if the application of water extends beyond the proposed place of use. Absent soil moisture monitoring, it would be impossible to determine whether enlargement was occurring.
- Adherence to the water flow measurement and soil moisture monitoring conditions listed below would provide the tools necessary to determine that enlargement is not occurring.

11. The proposed change, as conditioned, would not result in enlargement of the rights.
12. The proposed change would not result in injury to other water rights. This finding is made through an abbreviated review recognizing that the transfer may be revoked under ORS 540.523(5) if the Department later finds that the transfer is causing injury to any existing water right.

Conclusions of Law

The temporary change in place of use proposed in Temporary Transfer Application T-13003 is consistent with the requirements of ORS 540.523 and OAR 690-380-8000.

Now, therefore, it is ORDERED:


1. The temporary change in place of use proposed in Temporary Transfer Application T-13003 is approved.
2. The former place of use **shall not** be irrigated as part of these water rights during the 2019, 2020, 2021, and 2022 irrigation seasons.
3. The use shall revert to the authorized place of use at the end of the 2022 irrigation season.
4. The approval of this temporary transfer may be revoked or modified if the Department finds the change causes injury to any existing water right.
5. A subsequent application for permanent transfer of Certificates 88292 and 88293 shall be subject to a full and complete review to determine consistency with the requirements of OAR Chapter 690, Division 380. Approval of this temporary transfer does not establish a precedent for approval of a subsequent application filed for a permanent transfer.
6. The use of water at the temporary place of use authorized by this transfer shall be in accordance with the terms and conditions of Certificates 88292 and 88293.
7. The time during which water is used under this approved temporary transfer does not apply toward a finding of forfeiture under ORS 540.610.
8. The water user shall install and maintain a water flow and soil moisture monitoring system.
 - a) Before water use may begin under this order, the water user shall install a series of totalizing flow meters for the points of appropriation and the lands to be irrigated under this application, or, with prior approval of the Director, another suitable measuring device at each point of appropriation.
 - b) The water user shall maintain the meters or measuring devices in good working order.
 - c) The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
 - d) The water user shall install and maintain valves and in-line flow meters or other suitable devices for controlling, measuring and recording the quantity of water diverted. In-line

flow meters shall be installed at each well and each field control manifold serving the drip irrigated areas. The type and plans of the valves and measuring devices must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

- e) The water user shall operate and maintain the valves and measuring devices, as needed. The Watermaster may monitor the system and accuracy of the measuring devices, as needed.
- f) Flow meter readings shall be collected at a minimum of weekly intervals until one week past the end of the irrigation season. Flow meter data collected from the monitoring system shall be reported to the Watermaster within 3 days of the data collection date, as approved by the Watermaster.
- g) The monitoring system shall include Gro-Point Sensors or a similar monitoring system capable of accuracy that is equivalent to or superior to the level of accuracy provided by the Gro-Point system. The type of system and installation plans must be approved by the Watermaster prior to installation.
- h) The soil moisture monitoring system may include up to ten paired sites and three control sites located adjacent to the planted area, such that the control sites share similar soil type, aspect and light conditions as the monitoring sites in the planted area. Each paired site shall consist of a pair of access tubes located within the dry non-irrigated strip between irrigated strips. Each access tube should be placed so that the outer edge of the probe's zone of influence will be within 2 inches of the edge of the irrigated strip. Additional soil moisture monitoring stations shall be installed as required by the Watermaster where conditions dictate more monitoring stations are required to effectively determine irrigation is occurring only where there is an appurtenant water right. The monitoring program, including both the number and location of the monitoring sites, shall be approved by the Watermaster prior to installation.
- i) Soil moisture content shall be monitored continuously or collected at a minimum of weekly intervals until one week past the end of the irrigation season. Soil moisture data collected from the monitoring system shall be reported to the Watermaster in summary format including equipment used and monitoring data listed by station and measurement field, as approved by the Watermaster.
- j) Soil moisture reports shall be made during the first week prior to the irrigation season and once per week during the first three weeks of the irrigation season. Unless otherwise required by the Watermaster, soil moisture data collected shall be reported to the Watermaster within 3 days of the data collection date. Reporting requirements may be modified, as dictated by the Watermaster or upon written request from the water user subject to approval of the Watermaster. However, review of the monitoring program can occur at any time with a formal request from the water user or the Watermaster. Modification to the monitoring program may occur at any time as deemed necessary and/or appropriate by the Watermaster.

- k) Upon reasonable notice the water user shall provide the Watermaster access to metering equipment and moisture monitoring stations as well as access to monitoring data and flow data, including access to real time data on an internal web site or computer.
 - l) The water user shall promptly inform the Watermaster of any situation that result in the application of water to any land without a water right, including but not limited to the areas between crop rows. The water user shall also inform the Watermaster of the course of action taken by the water user to correct the problem and prevent the future occurrence of similar events.
 - m) If water is applied to lands without water rights, including but not limited to, the area between the crop rows, the Watermaster may regulate the water use until the soil moisture and flow data demonstrate that the areas without water rights are no longer receiving water.
 - n) If, at any time the Watermaster determines that the water user has not taken all necessary precautions to ensure that areas without appurtenant water rights, including areas between crop rows, are not receiving water this temporary transfer may be terminated. If this transfer is terminated, the water rights subject to this transfer will revert to their original place of use.
9. The use of the remaining water rights described by Certificates 88292 and 88293 shall continue to be in accordance with the terms and conditions of Certificates 88292 and 88293.

Dated at Salem, Oregon this NOV 20 2018



Dwight French, Water Right Services Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

Mailing Date: NOV 21 2018



Oregon

John A. Kitzhaber, MD, Governor

U529

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone (503) 986-0900

Fax (503) 986-0904

www.wrd.state.or.us

July 29, 2014

LONNIE WRIGHT
5450 MILL CREEK RD
THE DALLES, OR 97058

REFERENCE: Temporary Transfer Application T-11823

Enclosed is a copy of the final order approving your TEMPORARY water right transfer application.

The temporary change shall be effective at the **beginning of the irrigation season**. The use shall revert to the original authorized place of use at the **end of the 2018 irrigation season**.

If you have any questions related to the approval of this temporary transfer, you may contact your caseworker by telephone at (503) 986-0890 or by e-mail at Sarah.A.Henderson@wrds.state.or.us.

Sincerely,

Codi Holmes
Water Rights Services Support
Transfers and Conservation Section

cc: Robert L. Wood, Watermaster Dist. # 3 (via email)
Larry Toll, Agent

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application	)	FINAL ORDER APPROVING A
T-11823, Wasco County	)	TEMPORARY CHANGE IN PLACE OF
	)	USE

Authority

ORS 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to temporarily transfer the place of use and, if necessary to convey the water to the temporary place of use, the point of appropriation authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

LONNIE WRIGHT
5450 MILL CREEK RD
THE DALLES, OR 97058

Findings of Fact

1. On June 2, 2014, LONNIE WRIGHT filed an application to temporarily change the place of use under Certificates 88292 and 88293 for a period of 4 years. The Department assigned the application number T-11823.
2. Notice of the application for transfer was published on June 10, 2014, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. The portion of the first right to be transferred is as follows:

Certificate:	88292 in the name of LONNIE WRIGHT (perfected under Permit U-480)
Use:	IRRIGATION of 15.2 ACRES
Priority Date:	SEPTEMBER 29, 1952
Rate:	0.12 CUBIC FOOT PER SECOND
Limit/Duty:	The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year, and shall be further limited to a diversion of not to exceed 0.12 CFS.

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Source: TWO WELLS within the MILL CREEK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL (WASC 2598): 940 FEET SOUTH AND 1205 FEET WEST FROM THE NE CORNER OF DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL: 815 FEET SOUTH AND 685 FEET WEST FROM THE NE CORNER OF DLC 44

Authorized Place of Use:

IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	NE SW		44	2.1
1 N	13 E	WM	18	NW SW		44	12.2
1 N	13 E	WM	18	SW SW	5		0.9

4. Temporary Transfer Application T-11823 proposes to temporarily change the place of use of the right to a combination of irrigated and non-irrigated strips within a larger land parcel. The acreage below represents the proposed irrigated area:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
1 N	12 E	WM	24	NW NE	0.1
1 N	12 E	WM	24	SW NE	7.4
1 N	12 E	WM	24	SE NE	0.9
1 N	12 E	WM	24	NE NW	2.0
1 N	12 E	WM	24	SE NW	0.1
1 N	12 E	WM	24	NE SE	0.4
1 N	12 E	WM	24	NW SE	4.3

5. The portion of the second right to be transferred is as follows:

Certificate: 88293 in the name of LONNIE WRIGHT (perfected under Permit U-558)

Use: SUPPLEMENTAL IRRIGATION of 15.2 ACRES

Priority Date: JUNE 4, 1953

Rate: 0.07 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: TWO WELLS within the MILL CREEK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL (WASC 2598): 940 FEET SOUTH AND 1205 FEET WEST FROM THE NE CORNER OF DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL: 815 FEET SOUTH AND 685 FEET WEST FROM THE NE CORNER OF DLC 44

Authorized Place of Use:

SUPPLEMENTAL IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	NE SW		44	2.1
1 N	13 E	WM	18	NW SW		44	12.2
1 N	13 E	WM	18	SW SW	5		0.9

6. Temporary Transfer Application T-11823 proposes to temporarily change the place of use of the right to a combination of irrigated and non-irrigated strips within a larger land parcel. The acreage below represents the proposed irrigated area:

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
1 N	12 E	WM	24	NW NE	0.1
1 N	12 E	WM	24	SW NE	7.4
1 N	12 E	WM	24	SE NE	0.9
1 N	12 E	WM	24	NE NW	2.0
1 N	12 E	WM	24	SE NW	0.1
1 N	12 E	WM	24	NE SE	0.4
1 N	12 E	WM	24	NW SE	4.3

Temporary Transfer Review Criteria

- Water has been used within the last five years according to the terms and conditions of the rights. There is no evidence available that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
- A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights are present.
- Due to the complexity of the layout of the fields to be irrigated, the proposed change in place of use could result in enlargement of the rights if the application of water extends beyond the proposed place of use. Absent soil moisture monitoring, it would be impossible to determine whether enlargement was occurring.
- Adherence to the water flow measurement and soil moisture monitoring conditions listed below would provide the tools necessary to determine that enlargement is not occurring.
- The proposed change, as conditioned, would not result in enlargement of the rights.

12. The proposed change, as conditioned would not result in injury to other water rights. This finding is made through an abbreviated review recognizing that the transfer may be revoked under ORS 540.523(5) if the Department later finds that the transfer is causing injury to any existing water right.

Conclusions of Law

The temporary change in place of use proposed in Temporary Transfer Application T-11823 is consistent with the requirements of ORS 540.523 and OAR 690-380-8000.

Now, therefore, it is ORDERED:


1. The temporary change in place of use proposed in Temporary Transfer Application T-11823 is approved.
2. The water user shall install and maintain a water flow and soil moisture monitoring system.
 - a) Before water use may begin under this order, the water user shall install a series of totalizing flow meters for the points of appropriation and the lands to be irrigated under this application, or, with prior approval of the Director, another suitable measuring device at each point of appropriation.
 - b) The water user shall maintain the meters or measuring devices in good working order.
 - c) The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
 - d) The water user shall install and maintain valves and in-line flow meters or other suitable devices for controlling, measuring and recording the quantity of water diverted. In-line flow meters shall be installed at each well and each field control manifold serving the drip irrigated areas. The type and plans of the valves and measuring devices must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
 - e) The water user shall operate and maintain the valves and measuring devices, as needed. The Watermaster may monitor the system and accuracy of the measuring devices, as needed.
 - f) Flow meter readings shall be collected at a minimum of weekly intervals until one week past the end of the irrigation season. Flow meter data collected from the monitoring system shall be reported to the Watermaster within 3 days of the data collection date, as approved by the Watermaster.
 - g) The monitoring system shall include Gro-Point Sensors or a similar monitoring system capable of accuracy that is equivalent to or superior to the level of accuracy provided by the Gro-Point system. The type of system and installation plans must be approved by the Watermaster prior to installation.

- h) The soil moisture monitoring system may include up to ten paired sites and three control sites located adjacent to the planted area, such that the control sites share similar soil type, aspect and light conditions as the monitoring sites in the planted area. Each paired site shall consist of a pair of access tubes located within the dry non-irrigated strip between irrigated strips. Each access tube should be placed so that the outer edge of the probe's zone of influence will be within 2 inches of the edge of the irrigated strip. Additional soil moisture monitoring stations shall be installed as required by the Watermaster where conditions dictate more monitoring stations are required to effectively determine irrigation is occurring only where there is an appurtenant water right. The monitoring program, including both the number and location of the monitoring sites, shall be approved by the Watermaster prior to installation.
- i) Soil moisture content shall be monitored continuously or collected at a minimum of weekly intervals until one week past the end of the irrigation season. Soil moisture data collected from the monitoring system shall be reported to the Watermaster in summary format including equipment used and monitoring data listed by station and measurement field, as approved by the Watermaster.
- j) Soil moisture reports shall be made during the first week prior to the irrigation season and once per week during the first three weeks of the irrigation season. Unless otherwise required by the Watermaster, soil moisture data collected shall be reported to the Watermaster within 3 days of the data collection date. Reporting requirements may be modified, as dictated by the Watermaster or upon written request from the water user subject to approval of the Watermaster. However, review of the monitoring program can occur at any time with a formal request from the water user or the Watermaster. Modification to the monitoring program may occur at any time as deemed necessary and/or appropriate by the Watermaster.
- k) Upon reasonable notice the water user shall provide the Watermaster access to metering equipment and moisture monitoring stations as well as access to monitoring data and flow data, including access to real time data on an internal web site or computer.
- l) The water user shall promptly inform the Watermaster of any situation that result in the application of water to any land without a water right, including but not limited to the areas between crop rows. The water user shall also inform the Watermaster of the course of action taken by the water user to correct the problem and prevent the future occurrence of similar events.
- m) If water is applied to lands without water rights, including but not limited to, the area between the crop rows, the Watermaster may regulate the water use until the soil moisture and flow data demonstrate that the areas without water rights are no longer receiving water.
- n) If, at any time the Watermaster determines that the water user has not taken all necessary precautions to ensure that areas without appurtenant water rights, including areas between crop rows, are not receiving water this temporary transfer may be

terminated. If this transfer is terminated, the water rights subject to this transfer will revert to their original place of use.

3. The former place of use **shall not** be irrigated as part of these water rights during the 2015, 2016, 2017, and 2018 irrigation seasons.
4. The use shall revert to the authorized place of use at the end of the 2018 irrigation season.
5. The approval of this temporary transfer may be revoked or modified if the Department finds the change causes injury to any existing water right.
6. A subsequent application for permanent transfer of Certificates 88292 and 88293 shall be subject to a full and complete review to determine consistency with the requirements of OAR Chapter 690, Division 380. Approval of this temporary transfer does not establish a precedent for approval of a subsequent application filed for a permanent transfer.
7. The use of water at the temporary place of use authorized by this transfer shall be in accordance with the terms and conditions of Certificates 88292 and 88293 and any related decree.
8. The time during which water is used under this approved temporary transfer does not apply toward a finding of forfeiture under ORS 540.610.
9. The use of the remaining water rights described by Certificates 88292 and 88293 shall continue to be in accordance with the terms and conditions of Certificates 88292 and 88293.

Dated at Salem, Oregon this 25 day of July, 2014.


Dwight French, Water Right Services Division Administrator, for
Director, Oregon Water Resources Department

Mailing Date: JUL 30 2014

U-529

STATE OF OREGON

COUNTY OF WASCO

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

LONNIE WRIGHT
5450 MILL CREEK RD
THE DALLES OR 97058

confirms the right to use the waters of TWO WELLS, within the MILL CREEK BASIN for IRRIGATION of 127.9 ACRES.

This right was perfected under permit U-480. The date of priority is SEPTEMBER 29, 1952. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.99 CUBIC FOOT PER SECOND (CFS), or its equivalent in case of rotation, measured at the point of appropriation.

The points of appropriation are located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 N	13 E	WM	18	NW SW	44	OLD WELL; WASC 2598 - 940 FEET SOUTH AND 1205 FEET WEST FROM NE CORNER, DLC 44
1 N	13 E	WM	18	NW SW	44	NEW WELL - 815 FEET SOUTH AND 685 FEET WEST FROM NE CORNER, DLC 44

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year, and shall be further limited to a diversion of not to exceed 0.99 CFS.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	12 E	WM	13	SE NE		44	6.0
1 N	12 E	WM	13	NE SE		44	8.4
1 N	12 E	WM	13	SE SE			20.6
1 N	13 E	WM	18	SW NW		44	26.8
1 N	13 E	WM	18	SE NW		44	0.3
1 N	13 E	WM	18	NE SW		44	2.1
1 N	13 E	WM	18	NE SW	3		21.3

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	NW SW		44	27.6
1 N	13 E	WM	18	SW SW	5		1.0
1 N	13 E	WM	18	SE SW	4		13.8

Measurement, recording and reporting conditions:

- A. The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation.

Water shall be acquired from the same aquifer (water source) as the original point of appropriation, WASC 2598.

The quantity of water diverted at the additional point of appropriation (well), together with the quantity of diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available from the original point of appropriation.

The right to the use of the water for the above purpose is restricted to beneficial use on place of use described.

This certificate is issued to confirm an ADDITIONAL POINT OF APPROPRIATION approved by an order of the Water Resources Director entered January 29, 2008, at Special Order Volume 74, Page 99, approving Transfer Application 10218, and together with Certificate 83854, supersedes Certificate 22885, State Record of Water Right Certificates.

Issued MAY 15 2013



Dwight W. French
Administrator, Water Right Services, for
Phillip C. Ward, Director

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application	)	FINAL ORDER APPROVING A
T-10511, Wasco County	)	TEMPORARY CHANGE IN PLACE OF
	)	USE

Authority

ORS 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to temporarily transfer the place of use and, if necessary, to convey the water to the temporary place of use, the point of appropriation authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

LONNIE WRIGHT
5450 MILL CREEK RD.
THE DALLES, OR 97058

Agent

TENNESON ENGINEERING CORP.
ATTN – LARRY TOLL
409 LINCOLN ST.
THE DALLES, OR 97058

Findings of Fact

Background

1. On December 21, 2007, Lonnie Wright filed an application to temporarily change the place of use under Certificates 22885 and 22893 for a period of three years. The Department assigned the application number T-10511.

2. The portion of the first right to be transferred is as follows:

Certificate: 22885 in the name of THE PINES (GLADYS L. ROGERS) (perfected under Permit U-480)

Use: IRRIGATION of 15 ACRES

Priority Date: SEPTEMBER 29, 1952

Rate: 0.12 CUBIC FOOT PER SECOND (CFS)

Limit/Duty: ONE-EIGHTIETH cfs per acre, not to exceed 3 acre-feet per acre during the irrigation season of each year

Source: THE PINES WELL

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Authorized Point of Diversion:

Twp	Rng	Mer	Sec	Q-Q	DLC
1 N	13 E	WM	18	NW SW	Mespelie DLC #44

Authorized Place of Use:

IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	NE SW		Mespelie DLC #44	2.1
1 N	13 E	WM	18	NW SW		Mespelie DLC #44	12.2
1 N	13 E	WM	18	SW SW	5		0.7

3. Transfer Application T-10511 proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
1 N	12 E	WM	24	SW NE	10.0
1 N	12 E	WM	24	NE NW	5.0

4. The portion of the second right to be transferred is as follows:

Certificate: 22893 in the name of THE PINES (GLADYS L. ROGERS) (perfected under Permit U-558)

Use: SUPPLEMENTAL IRRIGATION of 15 ACRES

Priority Date: JUNE 4, 1953

Rate: 0.07 CUBIC FOOT PER SECOND (CFS)

Limit/Duty: ONE-EIGHTIETH cfs per acre, not to exceed 3 acre-feet per acre during the irrigation season of each year

Source: THE PINES WELL

Authorized Point of Diversion:

Twp	Rng	Mer	Sec	Q-Q	DLC
1 N	13 E	WM	18	NW SW	Mespelie DLC #44

Authorized Place of Use:

SUPPLEMENTAL IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	NE SW		Mespelie DLC #44	2.1
1 N	13 E	WM	18	NW SW		Mespelie DLC #44	12.2
1 N	13 E	WM	18	SW SW	5		0.7

5. Transfer Application T-10511 proposes to change the place of use of the right to:

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
1 N	12 E	WM	24	SW NE	10.0
1 N	12 E	WM	24	NE NW	5.0

6. Notice of the application for temporary transfer was published on January 8, 2008, pursuant to ORS 540.520 and OAR 690-380-4000. No comments were filed in response to the notice.

7. Water has been used within the last five years according to the terms and conditions of the rights, and there is no information in the record that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
8. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights are present.
9. The proposed change would not result in enlargement of the rights.
10. The proposed change would not result in injury to other water rights. This finding is made through an abbreviated review recognizing that the transfer may be revoked under ORS 540.523(6) if the Department later finds that the transfer is causing injury to any existing water right.

Conclusions of Law


The temporary changes in place of use proposed in Transfer Application T-10511 are consistent with the requirements of ORS 540.523 and OAR 690-380-8000.

Now, therefore, it is ORDERED:

1. The changes in place of use proposed in Transfer Application T-10511 are approved.
2. The former place of use **shall not** be irrigated as part of these water rights during the 2008, 2009 and 2010 irrigation seasons.
3. The use shall revert to the authorized place of use at the end of the 2010 irrigation season.
4. The approval of this temporary transfer may be revoked or modified if the Department finds the change causes injury to any existing water right.
5. A subsequent application for permanent transfer of Certificates 22885 and 22893 shall be subject to a full and complete review to determine consistency with the requirements of OAR Chapter 690, Division 380. Approval of this temporary transfer does not establish a precedent for approval of a subsequent application filed for a permanent transfer.
6. The use of water at the temporary place of use authorized by this transfer shall be in accordance with the terms and conditions of Certificates 22885 and 22893.
7. The time during which water is used under this approved temporary transfer does not apply toward a finding of forfeiture under ORS 540.610.
8. When required by the Department, the water user shall install an in-line flow meter or other suitable device for measuring and recording the quantity of water used. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

9. The use of the remaining water right described by Certificates 22885 and 22893 shall continue to be in accordance with the terms and conditions of Certificates 22885 and 22893.

Dated at Salem, Oregon this 15th day of February, 2008.



pc Phillip C. Ward, Director

Mailing Date: FEB 20 2008



Oregon

Theodore R. Kulongoski, Governor

U-529

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

January 31, 2008

LONNIE WRIGHT
5450 MILL CREEK RD
THE DALLES OR 97058

Reference: Transfer 10218

Enclosed is a copy of the order approving your water right transfer application.

A time to complete the transfer is given the order. **YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT.** The water right for any portion of the authorized change in use or change in place of use **NOT** carried out within the time allowed will be lost.

An extension of the time limit can be allowed only upon a showing that diligent effort has been made to complete the actual change within the time allowed.

You have the requirement to hire a Certified Water Right Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this department within one year of the date you completed the change or within one year of the completion date authorized in the transfer, whichever occurs first.

Sincerely,

for Susan Douthit
Transfer Specialist

SD:lp

cc: Watermaster # 3
CWRE #132
Benjamin & Susan Synon
Bill Tenneson
Scott Tenneson

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application	)	FINAL ORDER APPROVING AN
T-10218, Wasco County	)	ADDITIONAL POINT OF
	)	APPROPRIATION

Authority

ORS 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

Lonnie Wright
5450 Mill Creek Road
The Dalles, OR 97058

Findings of Fact

Background

1. On July 24, 2006, Lonnie Wright, filed an application requesting to add an additional point of appropriation under Certificates 22885 and 22893. The Department assigned the application number T-10218.
2. Lonnie Wright filed the application on behalf of several land owners, all receiving water from the existing well and the new proposed well, located on his property. The other landowners are as follows:

T1N R13E Sec. 18 TL 1000	Bill Tenneson	Scott Tenneson
	5299 Mill Creek Rd.	4800 Mill Creek Rd.
	The Dalles, OR 97058	The Dalles, OR 97058
T1N R12E Sec. 13 TL 1902	Benjamin and Susan Synon	
	5020 Mill Creek Rd.	
	The Dalles, OR 97058	
3. The first right to be transferred is as follows:

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Certificate: 22885 in the name of THE PINES (GLADYS L. ROGERS) (perfected under Permit U-480)

Use: IRRIGATION OF 127.9 ACRES

Priority Date: September 29, 1952

Limit/Duty: ONE-EIGHTIETH of ONE CUBIC FOOT PER SECOND per acre, not to exceed 3.0 acre-feet per acre irrigated during the irrigation season of each year

Rate: 0.99 CUBIC FOOT PER SECOND (CFS)

Source: THE PINES WELL, within the MILL CREEK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Gov't Lot / DLC	Q - Q	Survey Coordinates
1N	13 E	WM	18	DLC 44	NW SW	not specified on Certificate

4. The second right to be transferred is as follows:

Certificate: 22893 in the name of THE PINES (GLADYS L. ROGERS) (perfected under Permit U-558 / deficiency of rate to Certificate 22885)

Use: SUPPLEMENTAL IRRIGATION OF 127.9 ACRES

Priority Date: June 4, 1953

Limit/Duty: ONE-EIGHTIETH of ONE CUBIC FOOT PER SECOND per acre, not to exceed 3.0 acre-feet per acre irrigated during the irrigation season of each year

Rate: 0.61 CUBIC FOOT PER SECOND (CFS)

Source: THE PINES WELL, within the MILL CREEK BASIN

Authorized Point of Appropriation: (SAME WELL AS ABOVE)

Twp	Rng	Mer	Sec	Gov't Lot / DLC	Q - Q	Survey Coordinates
1N	13 E	WM	18	DLC 44	NW SW	not specified on Certificate

Authorized Place of Use:

PLACE OF USE - CERTIFICATES 22885 (IR) & 22893 (IS)							
Twp	Rng	Mer	Sec	Gov't Lot / DLC	Q - Q	TL #	Acres
1 N	12 E	WM	13	DLC 44	SE NE	1100	6.0
1 N	12 E	WM	13	DLC 44	NE SE	1100	8.4
1 N	12 E	WM	13	--	SE SE	1902	20.6
1 N	13 E	WM	18	DLC 44	SW NW	1100	26.8
1 N	13 E	WM	18	DLC 44	SE NW	1100	0.3
1 N	13 E	WM	18	DLC 44	NE SW	1100	2.1
1 N	13 E	WM	18	LOT 3	NE SW	1000	21.3
1 N	13 E	WM	18	DLC 44	SW SW	1100	27.6
1 N	13 E	WM	18	LOT 5	SW SW	1100	1.0
1 N	13 E	WM	18	LOT 4	SE SW	1000	13.8
TOTAL:							127.9

5. Application T-10218 proposes to add an additional point of appropriation to the above described water rights approximately 400 feet east located:

Proposed Point of Appropriation:

Twp	Rng	Mer	Sec	Gov't Lot / DLC	Q - Q	Survey Coordinates
1 N	13 E	WM	18	DLC 44	NW SW	755 Feet South and 743 Feet West from the NE Corner of DLC 44

6. The proposed point of appropriation is an existing well (WASC 51130). The well develops the same source of water as the well at the currently authorized point of appropriation (WASC 2598).
7. Notice of the application for transfer was published on August 22, 2006, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
8. On September 24, 2007, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-10218 to the applicants. The draft Preliminary Determination requested written authorization from the affected landowners involved, allowing Mr. Lonnie Wright to file on their behalf. The draft Preliminary Determination also requested a report of land ownership and lien information report from each of the landowners. The cover letter set forth a deadline of October 24, 2007, for the applicants to respond. Larry Toll, CWRE and the applicants' agent, responded, that all the landowners described above agree with the findings and conditions of the draft Preliminary Determination and wish for the Department to proceed with issuance of a Preliminary Determination. Also, on October 24, 2007, the Department received the reports of ownership prepared by a title company which demonstrate that the applicants are authorized to pursue the transfer.
9. On December 13, 2007, the Department issued a Preliminary Determination proposing to approve Transfer Application T-10218 and mailed a copy to the applicants. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on December 18, 2007, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
10. Water has been used within the last five years according to the terms and conditions of the rights, and there is no information in the record that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
11. A well, pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights were present within the five-year period prior to submittal of Application T-10218.
12. The proposed change would not result in enlargement of the rights.
13. The proposed change would not result in injury to other water rights.


Conclusions of Law

The change requesting to add an additional point of appropriation proposed in Transfer Application T-10218 are consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

1. The change to include an additional point of appropriation proposed in application T-10218 is approved.
2. Water right Certificates 22885 and 22893 are cancelled. New certificates will be issued to describe those portions of the rights not affected by this transfer.
3. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificates 22885 and 22893 and any related decree.
4. Water shall be acquired from the same aquifer (water source) as the original point of appropriation, WASC 2598.
5. The quantity of water diverted at the additional point of appropriation, together with that diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.
6. Prior to diverting water, the water user shall install an in-line flow meter or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department. The water user shall maintain and operate the measuring device as required by the Department.
7. The approved changes shall be completed and full beneficial use of the water shall be made on or before October 1, 2009. A Claim of Beneficial Use prepared by a Certified Water Rights Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
8. When satisfactory proof of the completed change is received, new certificates confirming the rights transferred will be issued.

Dated at Salem, Oregon this 29th day of January, 2008.


Phillip C. Ward, Director

Mailing date: FEB 01 2008

STATE OF OREGON

COUNTY OF WASCO

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

THE PINES (GLADYS L. ROGERS)
BOX 359
THE DALLES, OR 97058

confirms the right to use the waters of THE PINES WELL, within the MILL CREEK BASIN for SUPPLEMENTAL IRRIGATION of 1.60 ACRES.

This right was perfected under Permit U-558. The date of priority is JUNE 4, 1953. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.0077 CUBIC FOOT PER SECOND or its equivalent in case of rotation, measured at the well.

The well is located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC
1 N	13 E	WM	18	NW SW	44

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer. The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.


A description of the place of use to which this right is appurtenant is as follows:

IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	SW NW		44	0.10
1 N	13 E	WM	18	SE NW		44	1.30
1 N	13 E	WM	18	SE NW	2		0.20

This certificate describes that portion of the water right confirmed by Certificate 22893, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered January 29, 2008, approving Transfer Application T-10218.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

WITNESS the signature of the Water Resources Director, affixed January 29, 2008.


Phillip C. Ward, Director

STATE OF OREGON
COUNTY OF WASCO
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

THE PINES (GLADYS L. ROGERS)
BOX 359
THE DALLES, OR 97058

confirms the right to use the waters of THE PINES WELL, within the MILL CREEK BASIN for IRRIGATION of 1.60 ACRES.

This right was perfected under Permit U-480. The date of priority is SEPTEMBER 29, 1952. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.0124 CUBIC FOOT PER SECOND or its equivalent in case of rotation, measured at the well.

The well is located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC
1 N	13 E	WM	18	NW SW	44

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer. The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

A description of the place of use to which this right is appurtenant is as follows:

IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres
1 N	13 E	WM	18	SW NW		44	0.10
1 N	13 E	WM	18	SE NW		44	1.30
1 N	13 E	WM	18	SE NW	2		0.20


This certificate describes that portion of the water right confirmed by Certificate 22885, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered January 29, 2008, approving Transfer Application T-10218.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

WITNESS the signature of the Water Resources Director, affixed January 29, 2008.


Phillip C. Ward, Director

T.1N.R.12&13E.WM



FINAL PROOF SURVEY

UNDER

Application No. 25300 Permit No. 25300

IN NAME OF

Bruce B. Hull

The Pines (Gladys L. Rogers.)

Surveyed June 10 1954, by T. Jones



22885

Permit No. U-480Application No. U-529County Wasco

Proof of Appropriation of Water

1. Name The Pines (Gladys L. Rogers) 2. Address Box 359, The Dalles, Oregon3. Source of supply The Pines WellTributary of Mill Creek4. Amount of water 1.0 c.f.s. 5. Priority date Sept. 29, 1952
November 28, 1953

Irrigation -- 1/80th -- or its equivalent for each acre irrigated and shall
 6. Use be further limited to a diversion of not to exceed 3 acre feet per acre for
each acre irrigated during the irrigation season of each year, and shall be still
further limited to a diversion of not to exceed 1.0 c.f.s.; provided further that
the amount of water allowed herein together with the amount secured under any other
right existing for the same lands shall not exceed the limitation allowed herein,

within Mespelie Cl. 44

 7. Location of point of diversion NW 1/4 SW 1/4 as projected / Sec. 18 Tp. 1 N Rg. 13 E, W. M.
 (Legal Subdivision)

8. The description of land given below corresponds to that shown in the permit covering land to be irrigated, or, if for other purposes, the place of use.

Township		Range	Section	Legal Subdivision	No. Acres Actually Irrigated
Willamette Meridian					
1 N	12 E	13	SE $\frac{1}{4}$ NE $\frac{1}{4}$ as projected within Mespelie Cl. 44	6.0 ✓	
			NE $\frac{1}{4}$ SE $\frac{1}{4}$ as projected within Mespelie Cl. 44	8.4 ✓	
	13 E	18	SE$\frac{1}{4}$ SE$\frac{1}{4}$ as projected within Mespelie Cl. 44	20.6 ✓	
SW$\frac{1}{4}$ NW$\frac{1}{4}$ as projected within Mespelie Cl. 44			26.9 ✓		
SE $\frac{1}{4}$ NW $\frac{1}{4}$ as projected within Mespelie Cl. 44			1.6 ✓		
SE $\frac{1}{4}$ NW $\frac{1}{4}$ (Lot 2)			21.3 0.2 T.P.		
NE $\frac{1}{4}$ SW $\frac{1}{4}$ as projected within Mespelie Cl. 44			2.1 ✓		
NE $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 3)			21.3 ✓		
			NW $\frac{1}{4}$ SW $\frac{1}{4}$ as projected within Mespelie Cl. 44	27.6 ✓	
			SW $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 5)	1.0 ✓	
			SE $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 4)	13.8 ✓	
					<u>129.50</u>

Land on which water is to be used is part of the property described as follows:

DESCRIPTION OF WORKS

9. (a) If a dam has been constructed, give description: Height, ft.; length on top, ft.; length on bottom, ft.; material used and character of construction,
.....
- (b) Give description of headgate: Width, ft.; depth, ft.; material used and character of construction,
.....
- (c) Size of canal: Width on top (at waterline), ft.; width on bottom, ft.; depth of water, ft.; grade, ft. fall per 1,000 ft. Actual capacity, sec.-ft.
Give general description:
.....
- (d) Pipe line: Description of intake,
.....
Length of pipe, ft.; size at intake, in.; size at ft. from intake, in.; size at place of use, in. Difference in elevation between intake and place of use, ft.
Is grade uniform? Actual capacity of pipe line, sec.-ft.
Give general description:
(Material: Steel, wrought, cast iron, wood stave, etc.)
.....
- (e) Pumping plant: Give size and type of pump,
Suction lift, ft.; discharge lift, ft. Type of motor used
Horsepower rating, H. P. Actual capacity of pump, sec.-ft.
10. During what months is water beneficially used?
11. State character of soil
Kind of crops raised
12. Does the accompanying map, filed with your application, show correctly the point of diversion, area of land irrigated, or place of use?
13. If not, wherein is such map in error?
.....
14. Domestic use: Give number of families actually using water at this time
15. If for power, mining, municipal, manufacturing, storage or any other purpose than irrigation, give extent and method of such use
.....

AFFIDAVIT OF APPROPRIATOR

STATE OF OREGON,

County of

} ss.

I, being first duly sworn,
depose and say that I have read the above and foregoing proof of appropriation of water; that I know
the contents thereof, and that the facts therein stated are true.

IN WITNESS WHEREOF, I have hereunto set my hand this 21st day
of May, 1955

The Times
Gladys L. Rogers

Subscribed and sworn to before me this day of, 19.....

Notary Public for Oregon

[Notarial Seal]

My commission expires

AFFIDAVIT OF WITNESSES

STATE OF OREGON,

County of

} ss.

We,, and

of, being first duly sworn, depose and say that
we are well acquainted with the facts and conditions set forth in the foregoing statement relative to
proof of appropriation of water under Permit No., that we and each of us have been over and
upon each tract described in said proof, and from such personal inspection have knowledge that all
necessary ditches, dams and other diversion and distributing works have been constructed, and water
used as stated therein; that we have carefully read such proof of appropriation, and that each and every
statement contained therein is true to the best of our knowledge and belief.

Subscribed and sworn to before me this day of, 19.....

Notary Public for Oregon

[Notarial Seal]

My commission expires

REPORT OF PERSON MAKING INSPECTION

(For use by Representative of State Engineer)

I, Trevor Jones, do hereby certify that I have made an inspection of the works described herein and in Permit No. U-480, on the 11th day of June, 1954, and found the foregoing statements and descriptions of works to be accurate. In my opinion the appropriation has been completed to the extent of 1.0 c.f.s.
(Quantity of water in second-feet or acre-feet)
and I recommend the issuance of water right certificate for this amount.

NOTICE TO INSPECTORS

If conditions do not justify the above report by you, please return the proof without your signature, with a full report by letter.

Trevor Jones

(Name)

Field Engineer

(Title)

Permit No. U-480Application No. 529
4610County Wasco**Preliminary Data for Proof of Appropriation of Water**

1. Name The Pines (Gladys L. Rogers) 2. Address Box 359, the Dalles Or
3. Source of supply the pines well
- Tributary of Mill Cr.
4. Amount of water 1.0 5. Priority date Nov. 28, '53
6. Use for ~~irrigation~~ 1/80-3 - for limit 12 ft
supply
7. Location of point of diversion NW 1/4 Sec 18 (Legal Subdivision) Cl 44 Sec. 18 Tp. 1N Rg. 13E, W.M.
8. The description of land given below corresponds to that shown in the permit covering land to be irrigated, or, if for other purposes, the place of use.

R	Sec	40		allowed
1N	12E	13	SE ⁴ NE ⁴ as projected within Mespolic Cl 44	60
			NE ⁴ SE ⁴	89
			SE ⁴ SE ⁴	20E
13E	18		SW ⁴ NW ⁴	26E
			SE ⁴ NW ⁴	1E
			SE ⁴ NW ⁴ (Lot 2)	21E 0.2
			NW ⁴ SW ⁴ as projected within Mespolic Cl 44	21
			NE ⁴ SW ⁴ (Lot 3)	21E
			NW ⁴ SW ⁴ as projected within Mespolic Cl 44	27E
			SW ⁴ SW ⁴ (Lot 5)	10
			SE ⁴ SW ⁴ (Lot 4)	13E
				129 50

Land on which water is to be used is part of the property described by appropriator as follows:

Description of works:

Description of works:

(Quantity of water in second-feet or acre-feet)

If conditions do not justify the above report by you, please return this form without your signature, with a full report by letter.

.....
(Title)

STATE ENGINEER'S RECEIPT

STATE OF OREGON

Salem, Ore., May 31 1955 File No. U-529
Per. 22877

Received from Gladys L. Rogers

\$ 2.00 Cash ☐ M.O. ☐ Check ☒

Examination fee \$ _____ Recording fee \$ _____

Extension of time fee \$ _____

Blueprinting fee \$ _____

Copying fee \$ _____

Certification fee \$ _____

Mis'c. Recording fee \$ _____

Protest fee \$ _____

Transfer - Examination \$ _____

Recording fee \$ _____

Publication of notice \$ _____

Quadrangle account \$ _____

Adjudication fees \$ _____

Annual license fee \$ _____

Penalty \$ _____

Certificate Recording fee \$ 1.00

All other _____

\$ _____

Hydroelectric Comm. fees:

Filing fee \$ _____

Investigation fee \$ _____

License fee \$ _____

Misc'l. \$ _____

State Reclamation Comm. fees:

Proof and entry \$ _____

Other _____

\$ _____

STATE ENGINEER

By E. L. Hansen

No. 03909


ARTESIAN WELLS IN THE MILL CREEK VALLEY
WASCO COUNTY, OREGON

An investigation of the three lower artesian wells in the Mill Creek Valley was made on March 26, 1957, to determine whether there has been any noticeable interference between the Kortge well (1N/12-13Q(1)) and the Santoz well (1N/12-14R(1)) or The Pines well (1N/13-18M(1)).


Mr. Julius Santoz informed us that he hasn't been able to detect the slightest amount of interference between the Kortge well and his well. Mr. Emery Thompson, Manager of The Pines farm also reported that he has been unable to detect any interference between the Kortge well and The Pines well. As there has been no noticeable decline in artesian head in the aquifer or aquifers since the artesian wells were constructed, and as there has been no noticeable interference between these wells, there appears to be no justification from a hydrologic standpoint in withholding action on the Kortge application.

From an examination of the well records it is probable that all three wells are deriving at least part of their water from the same aquifer. The amount of interference that does occur between these wells is believed to be small. Interference is dependent upon the aquifer properties, well spacing, and the amount of water withdrawn.

Before any additional permits are issued for wells in the immediate area of these three wells, it is recommended that an aquifer test be made to determine the aquifer properties so that the effect of additional developments can be predicted.

By 
Jack E. Sceva, Geologist

Geological Map
Sheet, Oregon



Artesian wells in the Will Creek valley, Harney County, Oregon

RECEIVED
MAY 5 1955
STATE ENGINEER
SALEM, OREGON

Septamint 2610
Application No. U 529
Permit No. U 480
Well No. _____

ANNUAL REPORT ON WELLS

(A separate report for each well shall be submitted annually
to the State Engineer, see ORS 537.560)

Date of Report Apr 20 - 55

1. Have any changes in the depth, size, or other characteristics of this well been made during the past year? If so, explain: None
2. Have any changes been made in the size or type of pump or motor? If so, explain: None
3. Present depth of well: 433 ft. Present diameter: 8 inches.
4. Water level when first pumping operations were started during past year: Artesian feet from ground surface.
5. Capacity of present pump 750 gallons per minute.
6. What was maximum quantity pumped at any time during past season? 700 gal gallons per minute.
7. How much was water surface lowered by such pumping? Artesian in what length of time? _____ hours _____ minutes.
8. Have you noticed a difference in elevation of water surface in well at different times during the season? no Explain: Artesian
9. Have you noticed a difference in elevation of water surface in well at different seasons? no Explain: Artesian
10. In your opinion is the level of water in this well affected by other pumping operations in your vicinity? no Explain: Presum ho
11. How many acres were irrigated from this well this past season? Approx 166
12. What date did pumping begin? March 20 Cease? Oct 1/31
13. Total number of hours pump was operated 800
14. Quantity of water pumped 35000000 gallons or _____ acre feet.
15. Was water level in well lower at end of pumping season than at beginning? no if so, how much? _____ feet.
16. What was the cost of pumping per acre irrigated \$.50
17. Do you consider use of water from this source profitable? yes
18. Will you operate this system during next season? yes

Report made by

E C Thompson
(sign here)

File #
U-529

RECEIVED
MAY 8 1963
STATE ENGINEER
SALEM, OREGON

The Dalles, Oregon

May 7th., 1963

State Engineer's Office

Salem, Oregon

Dear Sirs:

Attention Jack Sceva

Pertaining to The Pines Well, Gladys L. Rogers
owner: Recently we sent in card stating that we were
deeping well to regain lost flow.

By return mail we received from your office
application forms for permit and bulletin of rules and
regulations. We find nothing in rules or regulations
pertaining to deepening well to regain lost flow and
therefore assume it is unnecessary to file for permit
unless we hear otherwise from your office.

Yours truly,

The Pines
E. E. Thompson

U-529
U-610
22174

May 20, 1955

Miss Gladys L. Rogers
The Pines
Box 329
The Dalles, Oregon

Dear Miss Rogers:

Enclosed you will find final proof of appropriation forms under Permit Numbers U-480 and U-558.

These proofs should be completed by dating and signing them on the third page. Since the survey was made by a representative of this office it is not necessary that your signature be made before a notary public, nor that signatures of witnesses be affixed to the proofs. The forms should be returned to this office accompanied with the statutory certificate recording fee in the amount of \$2.

With regard to Permit No. 17462, the field engineer reports that the ranch operator stated that water was not being used from the stream, therefore, no proof has been made for this permit. Since it appears that use from the stream is abandoned it will be appreciated if you will clear our records by dating, signing and returning the enclosed cancellation form.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Chris L. Wheeler, Assistant

RDB:eh
enc. 3

April 14, 1954

The Pines
• Gladys L. Rogers, Owner
• P. O. Box 359
• The Dalles, Oregon

• Dear Madam:

This will acknowledge receipt of your notice to the effect that complete application of water has been made under Permit No. U-480 and U-558.

Pursuant to your notice and in line with the general practice of this office, a survey will be made at a later date for the purpose of checking the acreage actually irrigated. After this survey, proof may be made and certificate issued covering the lands which the survey shows to have been irrigated, and any lands described in the permit that have not been irrigated will be automatically eliminated from the water right.

In the meantime, the permits which you hold will be valid evidence of the water right.

Very truly yours,

Chas. E. Stricklin

CHAS. E. STRICKLIN
State Engineer

RECEIVED
MAR 3 1954
STATE ENGINEER
SALEM, OREGON

ANNUAL REPORT ON WELLS

Application No. U -529
Permit No. U _____
Well No. _____

(A separate report for each well shall be submitted annually
to the State Engineer, see ORS 537.560)

Date of Report Feb 10-54

1. Have any changes in the depth, size, or other characteristics of this well been made during the past year? If so, explain: None
2. Have any changes been made in the size or type of pump or motor? If so, explain: None
3. Present depth of well: 433 ft. Present diameter: 8 inches.
4. Water level when first pumping operations were started during past year: Artesian feet from ground surface.
5. Capacity of present pump 750 gallons per minute.
6. What was maximum quantity pumped at any time during past season? 600 gal per min gallons per minute.
7. How much was water surface lowered by such pumping? Artesian in what length of time? — hours — minutes.
8. Have you noticed a difference in elevation of water surface in well at different times during the season? no Explain: Artesian
9. Have you noticed a difference in elevation of water surface in well at different seasons? no Explain: Artesian
10. In your opinion is the level of water in this well affected by other pumping operations in your vicinity? no Explain: There are no other wells very close
11. How many acres were irrigated from this well this past season? 166
12. What date did pumping begin? April 1-53 Cease? Nov 1-53
13. Total number of hours pump was operated 1000
14. Quantity of water pumped 40,000,000 gallons or — acre feet.
15. Was water level in well lower at end of pumping season than at beginning? no if so, how much? — feet.
16. What was the cost of pumping per acre irrigated \$ 50
17. Do you consider use of water from this source profitable? yes
18. Will you operate this system during next season? yes

This report is just a little difficult as we have an artesian well with 128' per sq in. to do not use the pump on considerable acreage

Report made by

E.C. Thompson
(sign here)

January 27, 1954

Gladys L. Rogers
The Pines
Box 359
The Dalles, Oregon

Dear Madam:

A form is enclosed for your convenience in submitting a report for the year of 1953 under your Permit No. U-480 as provided by law. This permit grants a right to the use of 1.0 second-foot of water from a well for irrigation of 145.25 acres and supplemental irrigation of 21.6 acres.

Kindly fill out this blank and return it to this office.

Yours very truly,

Chas. E. Stricklin

CHAS. E. STRICKLIN
State Engineer

Enclosure

Form #125

U-529
U-610

June 15, 1953

Cavin and Cavin
Attorneys at Law
U.S. National Bank Building
The Dalles, Oregon

Dear Miss Cavin:

Pursuant to your request in your letter of June 9, enclosed is a copy of the Rules and Regulations of the State Engineer.

Regarding Application No. U-529 which was subsequently approved by issuance of Permit No. U-480, please be advised that it will not be necessary for you to make any corrections or amendments relative to the date for complete application of the water since the permit, as provided by law, sets this date as on or before October 1, 1955.

Very truly yours,

CHAS. E. STRICKLIN
State Engineer

By
Chris L. Wheeler, Assistant

CLW:eh
enc.

GAVIN & GAVIN

ATTORNEYS-AT-LAW

UNITED STATES NATIONAL BANK BUILDING

THE DALLES, OREGON

June 9, 1953

Chas. E. Stricklin
State Engineer
Water Resources Department
Salem, Oregon

RECEIVED
JUN 15 1953
STATE ENGINEER
SALEM, OREGON

Dear Sir:

Re: U-610

I acknowledge the letter of Mr. Wheeler received today inclosing a receipt for the permit for The Pines for 1.8 second feet of water as a supplemental application.

I note that you referred me to page 16 of the Rules and Regulations for the procedure for filing a protest. I do not have a copy of the Rules and Regulations and would appreciate if you would send me one.

I thank you for your courtesy when we called at the office and for your information in the letter.

I remember that when we were in your office, Mr. Thompson called my attention to a clerical error in the application for The Pines for the permit which was filed in September, 1952. As I recall, the answer to Question 13 which asked when the full application of the water would be made was reported as July 1, 1953. Mr. Thompson told me that was an error and should have read July 1, 1954. I do not know whether that was corrected while we were in the office, but if it has not been corrected, perhaps we should file an amended application to make the correction for this report on the full application of the water. If necessary, send me the blanks for making the amended application.

Yours truly

C. L. Gavin

CIG:ld
cc: Gladys L. Rogers

RECEIVED
MAY 18 1953

STATE ENGINEER
SALEM, OREGON

Application No. U 529
Permit No. U 480
Well No. _____

REPORT ON COMPLETION OF WELL

(Note: This report should be submitted to the State Engineer, Salem, Oregon, as soon as possible after the well is completed. If more than one well is covered by this permit, a separate report shall be filed for each)

Date of Report March 12, 1953

1. Location of well: approx. center of D.R. #44 of Section 18 Twp. 1N Rge. 13E, W. M.
2. Name of nearest natural surface stream Mill Creek
3. Distance from well to that stream: 130 feet.
4. If the well is less than 1300 feet from a natural surface stream, give the difference in elevation between the ground surface at the well and the lowest point in stream channel: 15 feet.
5. Date of beginning drilling or digging December 15, 1952
6. Date well was completed March 11, 1953

7. LOG OF MATERIALS ENCOUNTERED

Character of Material	Depth at which encountered	Thickness of stratum
① Gravel, Boulders	At surface	36 ft.
② Sandstone & Blue clay	36 ft.	162 ft.
③ Blue Basalt	198 ft.	37 ft.
④ Black Basalt & Clay	235 ft.	31 ft.
⑤ Grey Basalt	266 ft.	21 ft.
⑥ Black Basalt, water bearing	287 ft.	24 ft.
⑦ Grey Basalt	311 ft.	11 ft.
⑧ Black Basalt, water bearing	322 ft.	108 ft.
⑨ Grey Basalt	430 ft.	3 ft.

Remarks: _____

WELL INFORMATION

8. Diameter of well 8 inches. Depth of well 433 feet.
9. Depth at which water was first encountered 302 feet.
10. Water level when completed: Artesian feet below ground surface.
11. Additional information regarding well; such as soil conditions, quick sand, caves, obstructions, rock, etc.: ① old stream bed, ② Dalles Formation, ③ Dense Basalt, Angled ⑤ Dense Basalt, ⑥ water bearing, Artesian Flow around 5 g.p.m. ⑦ Dense Basalt, ⑧ water bearing, Flow increased to 440 g.p.m. - Pressure confined 128 lbs.

RECEIVED
18 1953
ENGINEER
OREGON

39 Test made by Worthington Gammon 3" High Turbine Meter

40. Pounds pressure	Gals per min.	Time
over the top, free flow	440 gsl.	
32 lbs.	375 "	59"
45 lbs.	300 "	55"
13 "	300 "	45"

?
4

Pressure rise off the well,

6 min.	20 lb
9 "	40 "
11 "	60 "
13 1/2 "	80 "
15 1/2 "	100 "
19 "	120 "
23 "	128 "
all night	130 "

ENGINEER
OREGON

CAPACITY TEST

36. Date of test: March 12, 1953 37. Temperature of water 73°F. or ____°C.
38. Motor speed during test: _____ ✓
39. Test made by (weir, tank or other means): _____

[illegible]

* Difference in elevation between water level in well and outlet of pump test line.

* Distance from ground level to water surface in well.

- Distance water level is lowered during time interval.

+ Hour and minute at which observation was made.

41. Installation will work efficiently under normal head of ✓ ft.
42. Water is discharged into: 6 inch main line
43. Was water lowered to pump intake by test? ✓
44. Remarks: Due to fact it is an artesian well, we are enclosing duplicate sheet for questions 39 and 40.

GENERAL INFORMATION

45. Name of contractor or other party who drilled or dug well: Darin Wilburn Address: The Dalles, Oregon
46. Pump and motor were installed by: ✓ Address: _____
47. Capacity test was made by: Darin Wilburn, Dan Bailey, F.C. Thompson Address: The Dalles, Oregon
48. General remarks: _____

March 30, 1953

Gladys L. Rogers
Box 359
The Dalles, Oregon

Re: Application No. U-529

Dear Madam:

This will acknowledge receipt of Forms A and B, being notices of the beginning of construction and completion of construction under Permit No. U-480.

These reports have been filed with other matter pertaining to the water right, and the permit is in good standing until October 1, 1955, when under its terms, all the water which it is intended to use at any time should be used to the full extent intended.

Very truly yours,

Chas. E. Stricklin

CHAS. E. STRICKLIN
State Engineer

Form 127

vc

RECEIVED
FEB 8 1953
STATE ENGINEER
SALEM, OREGON

ANNUAL REPORT ON WELLS

Application No. U-480
Permit No. U
Well No.

(A separate report for each well shall be submitted annually
to the State Engineer, see Section 116-448, C. C. L. A.)

Date of Report

1. Have any changes in the depth, size, or other characteristics of this well been made during the past year? If so, explain:
2. Have any changes been made in the size or type of pump or motor? If so, explain:
3. Present depth of well: ft. Present diameter: inches.
4. Water level when first pumping operations were started during past year: feet from ground surface.
5. Capacity of present pump gallons per minute.
6. What was maximum quantity pumped at any time during past season? gallons per minute.
7. How much was water surface lowered by such pumping? in what length of time? hours minutes.
8. Have you noticed a difference in elevation of water surface in well at different times during the season? Explain:
9. Have you noticed a difference in elevation of water surface in well at different seasons? Explain:
10. In your opinion is the level of water in this well affected by other pumping operations in your vicinity? Explain:
11. How many acres were irrigated from this well this past season?
12. What date did pumping begin? . Cease?
13. Total number of hours pump was operated
14. Quantity of water pumped gallons or acre feet.
15. Was water level in well lower at end of pumping season than at beginning? if so, how much? feet.
16. What was the cost of pumping per acre irrigated \$.
17. Do you consider use of water from this source profitable?
18. Will you operate this system during next season?

Report made by (sign here)



STATE OF OREGON

STATE ENGINEER
WATER RESOURCES DEPARTMENT
SALEM

REFER TO U-529
FILE NO.

January 22, 1953

•The Pines
c/o Gladys L. Rogers
Box #359, The Dalles, Oregon

•Gentlemen:

A form is enclosed for your convenience in submitting a report for the year of 1952 under your Permit No. U-480 as provided by law. This permit grants a right to the use of 1.0 second-foot of water from a well for the irrigation of 145.25 acres and supplemental irrigation of 21.6 acres.

Kindly fill out this blank and return it to this office.

Yours very truly

Chas. E. Stricklin

CHAS. E. STRICKLIN
State Engineer

RECEIVED
FEB 2 1953
STATE ENGINEER
SALEM, OREGON

Form #125
dmg

1-28-53

The well is not finished yet so I would not be able to fill out enclosed form.

*The Pines
by E C Thompson*

January 22, 1953

The Pines
c/o Gladys L. Rogers
Box #359, The Dalles, Oregon

Gentlemen:

A form is enclosed for your convenience in submitting a report for the year of 1952 under your Permit No. U-480 as provided by law. This permit grants a right to the use of 1.0 second-foot of water from a well for the irrigation of 145.25 acres and supplemental irrigation of 21.6 acres.

Kindly fill out this blank and return it to this office.

Yours very truly

Chas. E. Stricklin

CHAS. E. STRICKLIN
State Engineer

Form #125

ang

U-529

November 28, 1952

The Pines
Gladys L. Rogers
Box 539
The Dalles, Oregon

Dear Madam:

U-529, Permit No. U-480, with blueprint.

October 27, 1952

The Pines
Box 359
The Dalles, Oregon

Attention: Mrs. Gladys L. Rogers, Owner

Dear Madam:

This will acknowledge receipt of your application for a permit to appropriate 1 cubic foot of water per second from a well for irrigation, together with remittance in the amount of \$28.35, for which our receipt No. 713 is enclosed.

The application, which has been checked over, filed, and given No. U-529, appears to be in satisfactory form.

Very truly yours,

CHAS. E. STRICKLIN
State Engineer

By
Chris L. Wheeler, Assistant

CLW:mb

Enc.

WATER RESOURCES DEPARTMENT

STATE OF OREGON
ROGER WILHELM, WATERMASTER
DISTRICT No. 23
THE DALLES, OREGON

RECEIVED
OCT 6 1952
STATE ENGINEER
SALEM, OREGON


October 1, 1952.

Mr. Ed K. Humphrey
Assistant State Engineer,
Salem, Oregon.

Dear Mr. Humphrey:

In regard to your letter of September 28, regarding a contemplated well, in NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 8, T. 1 N., R. 13 E.W.M., on land owned by Miss Gladys Rogers. Had this been in Section 8, it would be in the near vicinity of three other wells. But I could find no record of land owned by Miss Rogers in that Section, but all of her land holdings being in Section 18, T. 1 N., R. 13 E., and Sec. 13, T. 1 N., R. 12 E. W. M. It appears that there is a typographical error so I telephoned her and was assured that it is Section 18, instead of 8.

This being the location, it will be approximately one and one half miles from the three wells mentioned, in a southwesterly direction and at least two miles northeasterly from one other well; hence I feel safe in stating that this proposed well will not have any effect upon any other well. I am well acquainted with this Mill Creek area and there is very much evidence of underground water, along that valley.

Very truly yours,

Roger Wilhelm

September 25, 1952

The Pines
The Dalles, Oregon

Attention: Gladys L. Rogers

Dear Madam:

This will acknowledge receipt of your application for a permit to appropriate underground water for the irrigation of 166.88 acres, together with accompanying map.

If you wish to authorize us to complete Item 3 of your application by specifying the number of acres to be irrigated in each 40-acre tract as projected to agree with your map, and if you will submit the statutory fees in the amount of \$28.85, your application can be filed as provided by law.

Very truly yours,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:fw

cracker box

THE PINES DAIRY

MILL CREEK ROAD
P.O. Box 359
ROUTE 211 BOX 94

PRODUCERS AND DISTRIBUTORS OF
RAW AND PASTEURIZED MILK AND CREAM
THE DALLES, OREGON

RECEIVED
SEP 29 1952
STATE ENGINEER
SALEM, OREGON

State Engineers Office,
Water Resources Board,
Salem, Oregon.

Attention Ed K. Humphrey, Asst. Eng.

Dear Sirs:

In reply to your letter of September 25th., regarding my application for a permit to drill a well for irrigation water you are hereby authorized to complete Item 8 of the application by specifying the number of acres to be irrigated and I regret that I did not complete it according to your requirements.

Also herewith enclosed is check for \$28.85 for fees as requested.

May I state at this time that reason for this application is that the present rights we enjoy do not give us sufficient water at the time we need it and the water derived through this permit will be used in conjunction with our present rights.

Also may I inquire as to whether or not we will be restricted by any other prior application of anyone in this area?

Thanking you in advance for this information,
I am

Yours very truly,

(Miss) Gladys L. Rogers

September 28, 1952

Mr. Roger Wilhelm
Watermaster, District No. 23
Court House
The Dalles, Oregon

Dear Mr. Wilhelm:

Mrs. Gladys L. Rogers contemplates the drilling of a 400-foot 8-inch well on the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 8, Township 1 N., Range 13 E.

If you have any information relative to wells in the vicinity which may be effected by pumping from such a well as the one described above, we will very greatly appreciate receiving such information.

Very truly yours,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:fw

*

3 5.0 0
2 0.0 0
2 3.6 0
1 0.2 0
1 4.9 0
2 4.2 0
5.4 0
3 3.5 5

1 6 6.8 5 *

3 5.0 0
2 0.0 0
2 3.6 0
1 0.2 0
1 4.9 0
2 4.2 0
5.4 0
3 3.5 5

1 6 6.8 5 *

3 5.0 0
8 8.2 5
2 0.0 0
2 3.6 0

1 6 6.8 5 *

*

*

35.00

88.25

20.00

23.60

166.85 *

35.00

88.25

20.00

23.60

166.85 *

145.25

21.60