

**CLAIM OF
BENEFICIAL USE
for Transfer New or Additional
POA Only**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$345 must accompany this form for transfers where the application was submitted on July 9, 1987, or later.

Enter the date the transfer application was submitted:

December 18, 2024

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a Reimbursement Authority program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

**SECTION 1
GENERAL INFORMATION**

Received by OWRD

JUL 22 2026

Type of Authorized Change

Salem, OR

This Claim is being submitted for a transfer where the only authorized change was a change in point(s) of appropriation or additional point(s) of appropriation, or a combination of both.

YES

If additional changes were authorized, you will need to select a different form.

1. File Information

APPLICATION #

T-14580

Revised 7/1/2025

Transfer POA Only - Page 1 of 14

WR

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME Jensen Family LLC		PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS 5287 Bluegrass Lane			
CITY Silverton	STATE OR	ZIP 97381	E-MAIL

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. ***Each transfer holder of record must sign this form.***

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD Jensen Family LLC c/o Mark Tribbett			
ADDRESS 5289 Bluegrass Lane			
CITY Silverton	STATE OR	ZIP 97381	

4. Date of Site Inspection:**July 1, 2026****5. Person(s) interviewed and description of their association with the project:**

NAME	DATE	ASSOCIATION WITH THE PROJECT
Mark Tribbett	July 1, 2026	President

6. County**Marion County****7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):**

OWNER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

Received by OWRD
JUL 22 2026
Salem, OR

SECTION 2
SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.

Seal and Signature



CWRE NAME Doann Hamilton		PHONE NO. (503) 349-6946 cell	ADDITIONAL CONTACT NO. 503-931-0210
ADDRESS 15333 Pletzer Rd. SE			
CITY Turner	STATE OR	ZIP 97392	E-MAIL Doann@McGillWaterRights.com

Received by OWRD
JUL 22 2026
Salem, OR

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
<i>Mark H. Tribbett</i>	MARK H. TRIBBETT	President Jensen Farming, LLC	7.20.26

SECTION 3 CLAIM DESCRIPTION

Note: The Claim only needs to describe the new or additional point(s) of appropriation. This Claim does not need to provide information for the original point(s) of appropriation unless the original point of appropriation is either a new or additional point of appropriation on another right involved in this transfer.

1. New or additional point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)	SOURCE (IF LISTED IN TRANSFER FINAL ORDER)
Well 2	MARI 71998	L-156274	A Well a tributary of Little Pudding River
GR-859 Well	MARI 4749	NA	A Well a tributary of Little Pudding River

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

If well logs are available, items A and B below can be deleted

Received by OWRD
JUL 22 2026
Salem, OR

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final?

YES

If yes, describe below.

(e.g. "The order allowed three new/additional points of appropriation. The water user only developed one of the points.")

1. The authorized Well 3 has not been constructed and is, therefore, not included in this Claim of Beneficial Use.

2. Cert 42225 Well (MARI 6493) latitude and longitude is more accurately describe from what is on WRIS as:

44.994511, -122.893767, WGS 84

3. Claim Summary:

NEW OR ADDITIONAL POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
Well 2		1.48 cfs	Not measured
GR-859 Well		1.16 cfs	0.81 (cfs not running at full capacity)
Total:	0.53 cfs		

SECTION 4a of 4b

SYSTEM DESCRIPTION

Are there multiple new or additional Points of Appropriation (POA)?

YES

If "YES" you will need to copy and complete a separate Section 4.

POA Name or Number this section describes (only needed if there is more than one):

Well 2

A. POA System Information

Provide the following information concerning the point of appropriation. Information provided must describe the equipment used to appropriate water from the point of appropriation.

1. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Wolf	7MH5V	260000133	Submersible	7 inch	6 inch

2. Motor Information:

MANUFACTURER	HORSEPOWER
Hitachi	60 Hp

Received by OWRD

JUL 22 2026

Salem, OR

3. Theoretical Pump Capacity – Pump at Well:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO GROUND SURFACE (THE DEPTH TO WATER FROM THE GROUND SURFACE MEASURED AT THE WELL DURING PUMPING)	LIFT TO PLACE OF USE (THE LIFT FROM THE GROUND SURFACE AT THE WELL TO THE PLACE OF USE)	TOTAL PUMP OUTPUT (IN CFS)
60 Hp	60-95 variable speed drive	133.0 feet (from pump test recorded on well log)	0 feet	1.13 to 1.48 cfs

Reminder: For pump calculations use the reference information at the end of this document.

4. Provide pump calculations:

PSI 60	Q Pump = $\frac{(60 \text{ Hp}) \times 7.04 \text{ ft}^4/\text{sec Hp}}{(133 \text{ ft lift} + 152.4 \text{ ft pressure head})}$ = 1.48 cfs
PSI 95	Q Pump = $\frac{(60 \text{ Hp}) \times 7.04 \text{ ft}^4/\text{sec Hp}}{(133 \text{ ft lift} + 241.3 \text{ ft pressure head})}$ = 1.13 cfs

5. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
Not running during site walk			

6. Theoretical Pump Capacity – Pump at Sump:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO GROUND SURFACE (THE LIFT FROM THE WATER SURFACE TO THE PUMP)	LIFT TO PLACE OF USE (THE LIFT FROM THE PUMP TO THE PLACE OF USE)	TOTAL PUMP OUTPUT (IN CFS)
NA				

Reminder: For pump calculations use the reference information at the end of this document.

7. Provide pump calculations:

NA

8. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
NA			

9. Additional notes or comments related to the system:

NA

Received by OWRD

JUL 22 2026

Salem, OR

B. Groundwater Source Information (Well and Sump)

1. Is the appropriation from a dug well (sump)?

NO

If "NO", items 4 through 6 relating to this section may be deleted.

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

2. If the appropriation involves a **SUMP**, provide the following information for each **SUMP**:

LENGTH	WIDTH	AVERAGE DIAMETER	MAXIMUM DEPTH	SURFACE AREA (IN ACRES)	VOLUME IN CUBIC FEET OR ACRE FEET
NA					

3. If the sump is curbed constructed with watertight surface curbing, describe the curbing:

CURBING MATERIAL (CONCRETE, CONCRETE TILES, OR STEEL)	IF CONCRETE, PROVIDE THE THICKNESS OF THE WALL
NA	

C. Additional notes or comments related to the system:

Well 2 has an access port after removing the ½ inch PVC vent tube through the vent/access port of the sanitary seal on the south side of the well casing.

Well 2 also supplies GR-2579

Well 2 will also supply pending:
T-14581 GR modification of GR-859

SECTION 4b of 4b

SYSTEM DESCRIPTION

Are there multiple new or additional Points of Appropriation (POA)?

YES

If "YES" you will need to copy and complete a separate Section 4.

POA Name or Number this section describes (only needed if there is more than one):

GR-859 well

Received by OWRD

JUL 22 2026

Salem, OR

A. POA System Information

Provide the following information concerning the point of appropriation. Information provided must describe the equipment used to appropriate water from the point of appropriation.

1. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Jacuzzi Bros Inc.	40HS10B8	WEC 834	Turbine	Unknown	6 inch

2. Motor Information:

MANUFACTURER	HORSEPOWER
Smith Corporation	40 Hp

3. Theoretical Pump Capacity – Pump at Well:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO GROUND SURFACE (THE DEPTH TO WATER FROM THE GROUND SURFACE MEASURED AT THE WELL DURING PUMPING)	LIFT TO PLACE OF USE (THE LIFT FROM THE GROUND SURFACE AT THE WELL TO THE PLACE OF USE)	TOTAL PUMP OUTPUT (IN CFS)
40 Hp	60 psi	90.0 feet (from pump test recorded on well log)	0 feet	1.16 cfs

Reminder: For pump calculations use the reference information at the end of this document.

4. Provide pump calculations:

$$Q \text{ Pump} = \frac{(40 \text{ Hp}) \times (7.04 \text{ ft}^4/\text{sec Hp})}{(90 \text{ ft lift} + 152.4 \text{ ft pressure head})} = 1.16 \text{ cfs}$$

5. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
11,674,040 gallons	11,675,490 gallons	4 min	0.81 (cfs not running at full capacity)

6. Theoretical Pump Capacity – Pump at Sump:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO GROUND SURFACE (THE LIFT FROM THE WATER SURFACE TO THE PUMP)	LIFT TO PLACE OF USE (THE LIFT FROM THE PUMP TO THE PLACE OF USE)	TOTAL PUMP OUTPUT (IN CFS)
NA				

Reminder: For pump calculations use the reference information at the end of this document.

7. Provide pump calculations:

NA

8. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
NA			

9. Additional notes or comments related to the system:

NA

B. Groundwater Source Information (Well and Sump)

Received by OWRD

JUL 22 2026

Salem, OR

1. Is the appropriation from a dug well (sump)?

NO

If "NO", items 4 through 6 relating to this section may be deleted.

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

2. If the appropriation involves a **SUMP**, provide the following information for each **SUMP**:

LENGTH	WIDTH	AVERAGE DIAMETER	MAXIMUM DEPTH	SURFACE AREA (IN ACRES)	VOLUME IN CUBIC FEET OR ACRE FEET
NA					

3. If the sump is curbed constructed with watertight surface curbing, describe the curbing:

CURBING MATERIAL (CONCRETE, CONCRETE TILES, OR STEEL)	IF CONCRETE, PROVIDE THE THICKNESS OF THE WALL
NA	

C. Additional notes or comments related to the system:

GR-859 well will also supply pending:
T-14581 GR modification of GR-859

SECTION 5 CONDITIONS

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE NEW AND/OR ADDITIONAL POA(S) WERE READY FOR USE *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	July 7, 2025	
COMPLETENESS DATE FROM ORDER (C)	October 1, 2026	June 2026

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

Received by OWRD

2. Is there an extension final order(s)?

JUL 22 2026

NO

If "NO", you may delete the following table.

3. Measurement Conditions:

Salem, OR

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device?

YES
new and existing

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of appropriation.

b. Has a meter been installed?

YES

c. Meter Information

POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Certificate 42225 Well	Netafim	25-150092818	Working	8930900 gallons (July 1, 2026)	June 2026
Well 2	Netafim	250817683	Working	2,996,208 gallons (July 1, 2026)	June 2026
GR-859 Well	Netafim	25-150092814	Working	11,675,490 gallons (July 1, 2026)	June 2026

If a meter has been installed, items d through f relating to this section may be deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

NO

5. Other conditions required by the transfer final order or extension final order:

a. Were there special well construction standards?

NO

b. Was submittal of a ground water monitoring plan required?

NO

c. Other conditions?

YES

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

c) Condition:

Water shall be acquired from the same aquifer (water source) as the original point of appropriation.

Compliance:

Certificate 42225 Well (MARI 6493) develops water within the alluvial aquifer through perforations in the casing within the depth intervals of 105 to 152, 163 to 167 and 175 to 182 feet with in layers of sand and conglomerates.

Well 2 (MARI 71998) develops water within the alluvial aquifer through perforations in the casing within the depth intervals of 141 to 204 and 214 to 249 feet with in layers of sand nd gravels.

GR-859 Well (MARI 4749) develops water within the alluvial aquifer through perforations in layers of gravel.

It appears this well obtains water from the alluvial aquifer; therefore, this condition has been met.

Received by OWRD

SECTION 6

ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Claim of Beneficial Use Map	Claim of Beneficial Use Map, modified Certificate 42225
State Water Well Report – MARI 71998	Well log and driller's notes for MARI 71998 – Well 2
State Water Well Report – MARI 4749	Well log and driller's notes for MARI 4749 – GR-859 Well
BLM Cadastral Map	BLM Cadastral Map T. 6S. R. 2W. showing DLC and Government Lot locations
BLM Cadastral Map	BLM Cadastral Map T. 7S. R. 2W. showing DLC and Government Lot locations.

SECTION 7

CLAIM OF BENEFICIAL USE MAP

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for additional points of appropriation, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

In order to properly examine your claim, the Department must have an accurate map that meets the criteria described in OAR 690-014-0170 and OAR 690-305-0010, which are provided below for your convenience:

OAR 690-014-0170 Minimum Requirements for Maps for Permit or Transfer Final Order Claims of Beneficial Use

- (1) Maps submitted by a CWRE as part of the Claim of Beneficial Use shall meet the standards in OAR chapter 690, division 305. In addition, the map shall meet the following criteria:
 - (a) Horizontal accuracy is required only to ten feet for the purpose of locating and quantifying water rights. Maps shall be developed from any standard survey method. Traverse closures are not required.
 - (b) Maps shall clearly designate the place of use and point of diversion or appropriation for each source and use.
 - (c) The map shall indicate by description, in relation to the point of diversion or appropriation, the location of any fish screens, by-pass devices, and measuring devices required by the permit or transfer final order.
 - (d) The following statement shall be placed on the map: "This map is not intended to provide legal dimensions or locations of property ownership lines."
- (2) A CWRE may make a written request to the Director for a waiver of one or more mapping standards. The Director will determine whether the waiver shall be allowed and will respond to such requests in writing.

Received by OWRD

OAR 690-305-0010 General Map Criteria

Each map submitted to the Department shall meet the following general criteria in addition to any specific criteria identified in the rules for the relevant water right transaction:

- (1) Drawing
 - (a) The map shall be drafted on paper or polyester film with ink or otherwise printed in an indelible form with sufficient clarity so as to be easily reproduced or scanned. Maps may be submitted electronically in portable document format (pdf) and must be prepared consistent with, and include the same information as, a paper map.
 - (b) The preferred paper size is 8.5 inches by 11 inches and should be no larger than 30 inches by 30 inches. A map greater than 30 inches by 30 inches may be submitted if the Department grants, by mail or electronic means, advance approval of the larger size.
 - (c) Beginning April 1, 2029, regardless of whether the map is submitted electronically, on paper, or on polyester film, for any map that OAR chapter 690 requires be prepared by a Certified Water Right Examiner, a digital file containing the coordinate system and geospatial features of the map as specified by the Department shall be submitted in addition to the map, unless the Department provides a waiver. The digital file shall be submitted as a shapefile or other approved format in a manner required by the Department.
 - (d) A platted and recorded subdivision map, deed description survey map, or county assessor map may be submitted as the application map if all of the required information included in sections (2) and (3) of this rule is clearly shown.
 - (e) An aerial image may be provided in addition to the map to aid the Department in understanding the proposal.
 - (f) The map submitted under subsection (a) shall be the official record of the water right. An aerial image or digital file shall not be the official record of the water right.
- (2) Scale
 - (a) The map shall be drawn to a standard, even-numbered scale and one-inch shall not exceed 1320 feet.
 - (b) The map scale may exceed 1320 feet per inch if the Department grants, by mail or electronic means, advance approval of the requested scale.
 - (c) Notwithstanding subsection (a) and (b), for maps identifying the location of a municipal use place of use, one-inch can exceed 1320 feet; provided that the scale is sufficient to identify the quarter-quarters involved in the place of use.
- (3) Features: Features shall be clearly identified and labeled. Unless otherwise indicated in rule, the following features must be included in each map submitted to the Department:
 - (a) Mapping scale.
 - (b) North directional symbol.
 - (c) Legend.

Received by OWRD
JUL 22 2026
Salem, OR

- (d) General location of main canals, ditches, flumes, pipelines, pumps, or other water delivery features used to transport water from the point(s) of diversion or appropriation to the place use and to include the delivery features at the place of use.
- (e) Other topographical features such as rivers, creeks, streams, lakes, reservoirs, ponds, roads, or railroads that may be helpful to clarify and identify the location of points of diversion, wells, dams, and places of use.
- (f) Location and flow direction of the water way if the source is surface water. If multiple water ways exist in the area of the proposed diversion and use, the map must identify the location and flow direction of the additional water ways.
- (g) Township, range, section, quarter-quarter, and tax lot(s), donation land claims, or government lots where water will be or has been diverted, conveyed, and used. If the map is for municipal use the map:
 - (A) Must identify but does not need to label the quarter-quarters,
 - (B) Does not need to identify or label tax lots, donation land claims, or government lots.
- (h) Location of each proposed or developed diversion point, well (point of appropriation), or dam by reference to a recognized public land survey corner. For a reservoir without a dam, the center of the reservoir shall be referenced to a recognized public land survey corner.
 - (A) The locations shall be shown by distance and bearing, or by coordinates (distance north or south and distance east or west from the corner). In addition, they shall also include latitude and longitude as established by a global positioning system.
 - (B) Latitude and longitude coordinates shall be expressed as degrees-decimal with five or more digits after the decimal (e.g., 42.53764^o). The datum used to establish the coordinates shall be indicated on the map. Examples of datums include NAD 83, NAD 27 and WGS84.
- (i) Location of the proposed or developed place of use by township, range, section, and nearest quarter-quarter section.
 - (A) For irrigation or nursery use, the map shall additionally indicate the place of use in each quarter-quarter of a section by shading or hatchuring and indicate the number of acres in each quarter-quarter section, donation land claim, government lot, or other recognized public land survey lines.
 - (B) For places of use that are limited to a point, such as a stock watering tank, the location may also be identified by distance and bearing, or by coordinates (distance north or south and distance east or west from the corner). In addition, they shall include latitude and longitude as established by a global positioning system.
 - (C) Latitude and longitude coordinates shall be expressed as degrees-decimal with five or more digits after the decimal (e.g., 42.53764^o). The datum used to establish the coordinates shall be indicated on the map. Examples of datums include NAD 83, NAD 27 and WGS84.
 - (D) Where more than one point of diversion or well is included, the map must clearly identify the place(s) of use served by each point of diversion or well.

Received by OWRD


- (j) If for a supplemental irrigation application or claim of beneficial use, the location and water right reference number of the underlying primary right, registration or claim.
- (k) Any other information the Department requests and considers necessary to evaluate the water right transaction.

Received by OWRD

JUL 22 2026

Salem, OR

West. Willamette Meridian.



Received by OWRD

JUL 22 2026

Salem, OR

I Certify this to be
 a true and correct
 copy of the original
 file in this office
 U.S. Surveyor General
 Portland, Oregon.
 Dec. 7, 1918.
 Surveyor General

Areas in Acres

Public Land

Indian Reservation

Indian Allotments

Mineral Claims


Water Surface

Total Area

0 10 20 40

Scale 40 Chains to an

Mean Magnetic Declination
 Wesley Shannon



STATE OF OREGON
WATER SUPPLY WELL REPORT

MARI 71998

WELL I.D. LABEL# 156274

Page 1 of 3

START CARD # 1079929

ORIGINAL LOG #

1/26/2026

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

(1) LAND OWNER

Owner Well I.D. _____
First Name MARK Last Name TRIBBETT
Company JB INSTANT LAWN INC
Address 5287 BLUE GRASS LANE NE
City SILVERTON State OR Zip 97381

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion
☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd
Material From To Amt sacks/lbs
Seal: _____

(3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other

(4) PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Community
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☐ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTION

Depth of Completed Well 259.00 ft. Special Standard ☐ (Attach copy)

BORE HOLE				SEAL			
Dia	From	To	Material	From	To	Amt	sacks/lbs
16	0	60	Bentonite	0	0.5	0.5	S
12	60	264			Calculated	0.5	
			Cement	0.5	54	31	S
					Calculated	23	

Seal placement method: ☐ A ☐ B ☒ C ☐ D ☐ E ☒ Other: PLACED DRY

Backfill placed from 54 ft. to 60 ft. Material SAND

Filter pack from 103 ft. to 259 ft. Material CSS Size 6/9 & 8/

Explosives used: ☐ Type _____ Amount _____

Seal Placement Begin Date 12/23/2025 Begin Time 08 30

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount _____ Actual Amount _____

(6) CASING/LINER

C/L	Dia	+	From	To	Gauge	Mat. Type	Wld	Thrd	Shoe Location
C	12	X	1.5	141	0.375	ST	X		OUT. 264
L	10		100	141	0.250	ST	X		
L	8		204	214	0.250	ST	X		
L	8		249	259	0.250	ST	X		

Temp casing ☒ Yes Dia 16 From + ☒ 1 To 52

(7) PERFORATIONS/SCREENS

Perforations Method _____

Screens Type V-Wire Material Stainless Steel

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scr/slot width	Slot length	# of slots	Tele/ Pipe size
Screen	Liner	8	141	204	.065			Pipe Size
Screen	Liner	8	214	249	.045			Pipe Size

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)
Pump	500	73	140	4

Temperature 56 °F Lab analysis ☐ Yes By _____

Water quality concerns? ☐ Yes (describe below) TDS amount 138 ppm

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County MARION Twp 6.00 S N/S Range 2.00 W E/W WM

Sec 35 SE 1/4 of the SE 1/4 Tax Lot 1100

Tax Map Number _____ Lot _____

Lat _____ " or 44.99885000 DMS or DD

Long _____ " or -122.89003000 DMS or DD

☒ Street address of well ☐ Nearest address

5287 BLUE GRASS LANE NE, SILVERTON, OR 97381

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+ SWL(ft)
Existing Well / Pre-Alteration			
Completed Well	1/5/2026		60

Flowing Artesian? ☐ Dry Hole? ☐

WATER BEARING ZONES

Depth water was first found 79.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

10/14/2025	79	119	500		60
10/15/2025	119	139	500		60
10/16/2025	139	159	500		60
10/19/2025	159	179	500		60
10/20/2025	179	199	500		60

(11) WELL LOG

Ground Elevation 212.98 FT

Material	From	To
Topsoil	0	1.5
Clay Brown	1.5	32
Clay Grey Dense	32	44
Soft Brown Siltstone	44	62
Clay Brown Granular	62	79
Sand & Gravel Brown	79	132
Gravel with Sand Grey Course	132	144
Gravel with Sand Brown	144	191
Gravel with Sand Grey Medium Loose	191	203
Clay Grey	203	213
Sand Grey Fine	213	224
Sand Grey Fine	224	236
Sand Course Small Gravel Wood with Clay	236	248
Clay Grey	248	264

JUL 22 2026

Salem, OR

Construction

Begin Date 10/10/2025 Begin Time 11 30 End Date 1/5/2026

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number _____ Date _____

Signed _____

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1487 Date 1/26/2026

Signed DANIEL STADELI (E-filed)

Drilling Company: Westerberg Drilling, Inc.

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

New exempt use wells must be submitted with a map and recording fee.

**WATER SUPPLY WELL REPORT -
continuation page**

MARI 71998

WELL I.D. LABEL# L156274

START CARD # 1079929

ORIGINAL LOG #

1/26/2026

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
								
								
								
								
Material		From	To		Amt	sacks/lbs		

(5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL			Amt	sacks/ lbs
Dia	From	To	Material	From	To		
					Calculated		
					Calculated		
					Calculated		
					Calculated		

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

[illegible]

(7) PERFORATIONS/SCREENS

[illegible]

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

[illegible]

(11) WELL LOG

[illegible]

Received by OWRD

JUL 22 2026

Salem, OR

Name of person(s) who assisted with construction and Trainee License # / Helper #

Assistant Name	Type	#
JAMES BURCH	HELPER WATER	8889013

Comments/Remarks

12" Drive shoe cut off @ 264 ft. 10" Flush drive shoe on top of 10" riser
pipe @ 100 ft. 8" x 10" Weld busing @ 141'. Bottom plate welded on tail
pipe @ 259 ft. Pea gravel back fill - 259 ft - 264 ft

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

MARI 71998

1/26/2026

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301

(503)986-0900



LOCATION OF WELL

Latitude: 44.99885000 Datum: WGS84

Longitude: -122.89003000

Township/Range/Section/Quarter-Quarter Section:

WM6.00S2.00W35SESE

Address of Well:

5287 BLUE GRASS LANE NE, SILVERTON, OR 97381

Well Label: 156274

Printed: January 21, 2026

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



STATE ENGINEER
Salem, Oregon

4749
MAR 1954
Well Record

STATE WELL NO. 6/2W-35 Q
COUNTY Marion
APPLICATION NO. GR-859

OWNER: Donald D. Kuenzi


MAILING
ADDRESS: Route 2, Box 537

LOCATION OF WELL: Owner's No.

CITY AND
STATE: Salem

SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 35 T. 6 N. S. R. 2 E. W., W.M.

Bearing and distance from section or subdivision
corner 2640' W & 17' N Sec. 35



Altitude at well 195'

TYPE OF WELL: Drilled Date Constructed June, 1954

Depth drilled 147 Depth cased 147

Section 35

CASING RECORD:

10-inch 0 to 147 feet

FINISH:

10-inch perforations per foot - $\frac{1}{4}$ " x 3"

AQUIFERS:

WATER LEVEL:

25

PUMPING EQUIPMENT: Type Jacuzzi Turbine H.P. 40 Elec.
Capacity 600 G.P.M.

WELL TESTS:

Drawdown 65' ft. after hours 600 G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER Irrigation Temp. °F. 19

SOURCE OF INFORMATION Registration Statement GR-832

DRILLER or DIGGER Rudolph Stadeli- Route 2, Silverton, Oregon

ADDITIONAL DATA:

Log ☒ Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

Received by OWRD
JUL 22 2026
Salem, OR

State Well No. 6/2W-35 Q
County Marion
Application No. GR-859

Owner: Donald D. Kuenzi Owner's No. _____
Driller: Rudolph Stadeli Date Drilled June, 1954

[illegible]

Received by OWRD	
JUL 22 2026	
Salem, OR	

OREGON



Received by OWRD

JUL 22 2026

Salem, OR

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address:

Jensen Family LLC
5287 Bluegrass Ln, Silverton OR 97381

Transaction Type:

Claim

Fees Received: \$

345.00

☐ Cash

☒ Check:

Check No.

2670

Name(s) on Check:

Will McGill Surveying

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,

OWRD Customer Service Staff

Submission received by:

Conie Lornen

(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (application/other document) in the top drawer of filing cabinet.