

Leon Lynch

Certificate No. _____

COBU MAP # 942

SP*70900-119

6/13 2:33 called Nesika; left
message to return call -CS

6/13 2:50 - LEON called from Nesika;
Brian Flavin, CWRE, is
working on it; hopes to get
back to us next week

BRIAN-
FLAVIN

7/15 8:50 - LEON CALLED; WILL GET ON FLAVIN
7/15 FLAVIN CALLED; SENDING INFO

copy of land use
contact county
copy of application
copy of application
map

Email Sent to
enforcement

GW

WR

Weishee

NWR

Fiscal

IS

sub~~poena~~
Daoust

BRYAN FLAVIN CWRE#366
32053 SAWAW VALLEY RD
GRO BEACH OR 97444
541-247-6485

LEON Lynch
541-247-2614



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building
725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

www.oregon.gov/owrd

July 21, 2023

Nesika Beach – Ophir Water District
c/o Melvin Trover
PO Box 39
Ophir, OR 97464

Reference: Application G-14016, Permit G-13613

Dear Applicant,

The Department received an Application for Extension of Time on July 20, 2023, requesting to extend the date to apply water to full beneficial use under the terms and conditions of the permit to October 1, 2033.

Upon reviewing the application, the Department has considered the application incomplete. Oregon Administrative Rule 690-315-0040(1)(a) requires the Department to return any incomplete Enclosed is the original application you submitted along with a copy which has been mark in highlighter to indicate the items which need to be completed. Please complete the items requested and return the application to the Department so we may consider your request.

Additionally, a quick review of the application and the Permit file, there are a number of discrepancies with the information being provided. Please review the items below, and address these in the update Application.

1) The Extension Application identifies CURR 51203 (Well ID L74199 as the well being used under the permit. A review of the permit file, including the previous extension application submitted August 15, 2007, indicates that the well authorized for use under the permit is CURR 217 (no associated Well ID). Please provide information on water used from the authorized well.

2) The permit file includes a Claim of Beneficial Use Report, submitted October 1, 2015, which describes a maximum rate of use from CURR 51203 of 0.5 cfs. The rate is identified as being spit between this permit and Certificate 37549, which confirms the use of 0.20 cfs of water, leaving 0.30 cfs being claimed under Permit G-13613. The Extension Application submitted on August 15, 2007, identifies a total appropriation of 0.366 cfs under permit G-13613 from Well CURR 217. The Extension Application submitted on July 20, 2023, identifies the maximum rate of appropriation as 0.11 cfs. Please provide clarification of the maximum rate used by October 1, 2015, from CURR 217.


3) Chart-I of the Application for Extension of Time submitted July 20, 2023, is not properly completed. Included in the returned application are new Chart-I pages, which have the appropriate dates defining the different timelines work accomplished needs to be report in. Please complete this new Chart-I, identifying what work was accomplished between the dates listed.

4) Permit G-13613 authorized the use of up to 0.5 cfs of water. According to the demand projections, it is anticipated that a maximum demand of 0.43 cfs by 2043. The Application is requesting to October 1, 2033, to complete the development of the water use authorized under the permit. Based on this, it does not appear that complete application of water authorized under the permit will be accomplished by October 1, 2033. Oregon Administrative Rule 690-315-0040(1)(c), requires the Department to find that the project can be completed within the time requested in the Extension Application. Please update the date the extension is being requested to allow sufficient time to develop the full rate authorized under the permit, or request a reduction in the rate authorized by the permit to what can be developed by October 1, 2033. If you update the requested extended date, and that date is beyond October 1, 2065, please provide the additional information required under item 10-B of the Application.

Based on the preliminary review, please be aware that prior to issuing order on the extension of time, the Claim of Beneficial Use Report, submitted October 1, 2015, will need to be withdrawn.

If you have any other questions please contact me at 503-979-3213.

Sincerely,



Jeffrey D. Pierceall
Extension Specialist
Water Rights Division

TO: Water Rights Section

Oct 10, 1997

FROM: Groundwater/Hydrology Section D. Woodcock
Reviewer's Name

SUBJECT: Application G- 14016

GROUNDWATER/SURFACE WATER CONSIDERATIONS

1. PER THE Basin rules, one or more of the proposed POA's is/is not within feet/mile of a surface water source () and taps a groundwater source hydraulically connected to the surface water.
2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed groundwater use
a. ☒ will, or have the potential for substantial interference with the nearest
b. will not surface water source, namely Rogue R.; or
c. will if properly conditioned, adequately protect the surface water from interference:
i. The permit should contain condition #(s) ;
ii. The permit should contain special condition(s) as indicated in "Remarks" below;
iii. The permit should be conditioned as indicated in item 4 below; or
d. will, with well reconstruction, adequately protect the surface from substantial interference.

GROUNDWATER AVAILABILITY CONSIDERATIONS

3. BASED UPON available data, I have determined that groundwater for the proposed use
a. will, or likely be available in the amounts requested without injury to prior rights
b. will not and/or within the capacity of the resource; or
c. ☒ will if properly conditioned, avoid injury to existing rights or to the groundwater resource:
i. ☒ The permit should contain condition #(s) 7B;
ii. The permit should contain special condition(s) as indicated in "Remarks" below;
iii. The permit should be conditioned as indicated in item 4 below; or
4. a. THE PERMIT should allow groundwater production from no deeper than ft. below land surface;
b. The permit should allow groundwater production from no shallower than ft. below land surface;
c. The permit should allow groundwater production only from the groundwater reservoir between approximately ft. and ft. below land surface;
d. Well reconstruction is necessary to accomplish one or more of the above conditions.
e. One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: _____

(Well Construction Considerations on Reverse Side)

G-14016

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.)

5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon:
- a. ☐ review of the well log;
 - b. ☐ field inspection by _____;
 - c. ☐ report of CWRE _____;
 - d. ☐ other: (specify) _____
6. THE WELL construction deficiency:
- a. ☐ constitutes a health threat under Division 200 rules;
 - b. ☐ commingles water from more than one groundwater reservoir;
 - c. ☐ permits the loss of artesian head;
 - d. ☐ permits the de-watering of one or more groundwater reservoirs;
 - e. ☐ other: (specify) _____
7. THE WELL construction deficiency is described as follows: _____
8. THE WELL
- a. ☐ was, or constructed according to the standards in effect at the time of
 - b. ☐ was not original construction or most recent modification.
 - c. ☐ I don't know if it met standards at the time of construction.

RECOMMENDATION:

- A. ☐ I recommend including the following condition in the permit:
"No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department."
- B. ☐ I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department.
- C. ☐ REFER this review to Enforcement Section for concurrence.

THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit
_____, 199____.
(Signature)

I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons: _____

_____, 199____.
(Signature)

MEMO

OCT 10, 1997

FROM GW: D. Woodcock
(Reviewer's Name)

SUBJECT Scenic Waterway Interference Evaluation

☒ Yes

The source of appropriation is within or above a Scenic Waterway.

☐ No☒ Yes

Use the Scenic Waterway condition (Condition 7J).

☐ No

PREPONDERANCE OF EVIDENCE FINDING: (Check box only if statement is true)

☒

At this time the Department is unable to find that there is a preponderance of evidence that the proposed use of ground water will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife.

Municipal non-seasonal use. No generally accepted hydrogeologic method.

FLOW REDUCTION: (To be filled out only if Preponderance of Evidence box is not checked)

Exercise of this permit is calculated to reduce monthly flows in _____ Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

[illegible]

Water Right Conditions
Tracking Slip

Groundwater/Hydrology Section

FILE # 6 14016

ROUTED TO: WATER RIGHTS

TOWNSHIP/

RANGE-SECTION: 36S/14W-9

CONDITIONS ATTACHED? ☒ yes ☐ no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: D. Woodcock

*** OREGON WATER RESOURCES DEPARTMENT ***

7/15/1997

Select by application G 14016

Name: NESIKA BEACH WATER DISTRICT; OPHIR WATER DISTRICT
 32892 NESIKA RD
 GOLD BEACH, OR 97444

County : CURRY
 Status : NON-CANCELLED
 Certificate type:
 Certificate date: 3/29/1995

Application: G 14016
 Permit : 0
 Certificate: 0
 Supercedes certificate:

Related documents: APP-G3788, PERMIT-G3571, CERT 37549

Remarks :

Sources : A WELL IN ROGUE RIVER BASIN

Purposes: QUASI-MUNICIPAL.

Rates : 0.5 CUBIC FOOT PER SECOND

Priority:

Source	Use	P/S	Priority	Quantity	Location	LOT/DLC	Status
A WELL > ROGUE R	QM	P	3/29/1995	0.5000CFS	35 S 14 W 9 SESE		V

Legal description: 512 FEET NORTH & 2538 FEET EAST FROM SW CORNER, SECTION 9

Points of appropriations:	Use	P/S	Location	DLC/LOT	Acres	Status
=====						
	QM	P	35 S 14 W 8 NWNE			V
	QM	P	35 S 14 W 8 SWNE			V
	QM	P	35 S 14 W 8 SENE			V
	QM	P	35 S 14 W 8 NESW			V
	QM	P	35 S 14 W 8 SESW			V
	QM	P	35 S 14 W 8 NWSE			V
	QM	P	35 S 14 W 8 SWSE			V
	QM	P	35 S 14 W 17 NENW			V
	QM	P	35 S 14 W 17 NWNW			V
	QM	P	35 S 14 W 17 SWNW			V
	QM	P	35 S 14 W 17 SENW			V
	QM	P	35 S 14 W 17 NWSW			V
	QM	P	35 S 14 W 17 SWSW			V
	QM	P	35 S 14 W 19 NENE			V
	QM	P	35 S 14 W 19 NESE			V
	QM	P	35 S 14 W 19 SWSE			V
	QM	P	35 S 14 W 19 SESE			V

Points of appropriations:	Use	P/S	Location	DLC/LOT	Acres	Status
	QM	P	35 S 14 W 20 NWNW			V
	QM	P	35 S 14 W 20 SWNW			V
	QM	P	35 S 14 W 20 NWSW			V
	QM	P	35 S 14 W 20 SWSW			V
	QM	P	35 S 14 W 30 NENE			V
	QM	P	35 S 14 W 30 NWNE			V
	QM	P	35 S 14 W 30 SWNE			V
	QM	P	35 S 14 W 30 SENW			V
	QM	P	35 S 14 W 30 NESW			V
	QM	P	35 S 14 W 30 NWSE			V
	QM	P	35 S 14 W 30 SWSE			V
	QM	P	36 S 14 W 5 NESW			V
	QM	P	36 S 14 W 5 SWSW			V
						V Continuing: G 14016
=====						
	QM	P	36 S 14 W 5 NWSE			V
	QM	P	36 S 14 W 6 NWNW			V
	QM	P	36 S 14 W 6 SWNW			V
	QM	P	36 S 14 W 6 NWSW			V
	QM	P	36 S 14 W 6 SWSW			V
	QM	P	36 S 14 W 7 NWNW			V
	QM	P	36 S 14 W 8 NENE			V
	QM	P	36 S 14 W 8 NWNE			V
	QM	P	36 S 14 W 8 SWNE			V
	QM	P	36 S 14 W 8 SENE			V
	QM	P	36 S 14 W 8 NENW			V
	QM	P	36 S 14 W 8 NESE			V
	QM	P	36 S 14 W 8 NWSE			V
	QM	P	36 S 14 W 9 SWNW			V
	QM	P	36 S 14 W 9 SENW			V
	QM	P	36 S 14 W 9 NESW			V
	QM	P	36 S 14 W 9 NWSW			V
	QM	P	36 S 14 W 9 NESE			V
	QM	P	36 S 14 W 9 NWSE			V
	QM	P	36 S 15 W 12 NENE			V
	QM	P	36 S 15 W 12 NWNE			V
	QM	P	36 S 15 W 12 SWNE			V
	QM	P	36 S 15 W 12 SENE			V
	QM	P	36 S 15 W 12 NESE			V
	QM	P	36 S 15 W 12 SESE			V

WATER RESOURCES DEPARTMENT MEMORANDUM

TO: Ground Water/Hydrology
 FROM: Doug Woodcock
 SUBJECT: Groundwater Application G- 14016

Date 10-9-97

SIGNAL BUTTES QHAD

Applicant(s) seek _____ gpm (0.5 cfs) from ONE wells in the ROGUE basin

Applicants Name: NESIKA BEACH W.D. _____ sub basin
 Proposed Use: QUASI-MUNICIPAL _____ sub basin

(INFILTRATION GALLERY)
 Well _____ WRD# _____ T 36 R 14W S 9 QQ SESE County CHERRY

Legal Description S1/2 N. & 2538 E. of S1/4 SEC 9

Well is @ EDGE ft from OF ROGUE RIVER (river/stream)

Well is _____ ft from _____ (river/stream)

Well Elevation _____ ft River/Stream elevation _____ ft.

Well Elevation - River/Stream elevation _____ ft.

Well depth 40 ft SWL _____ ft on _____

Sealed to _____ ft Depth first water found _____ ft

Cased to _____ ft Perforations/screens _____ ft

Lined to _____ ft Perforations/screens _____ ft

Well test and types _____

(Confined/Semi-confined/Unconfined) Direct hydraulic connection? YES / NO

Potential to cause substantial interference? YES

Well _____ WRD# _____ T _____ R _____ S _____ QQ _____ County _____

Legal Description _____

Well is _____ ft from _____ (river/stream)

Well is _____ ft from _____ (river/stream)

Well Elevation _____ ft River/Stream elevation _____ ft.

Well Elevation - River/Stream elevation _____ ft.

Well depth _____ ft SWL _____ ft on _____

Sealed to _____ ft Depth first water found _____ ft

Cased to _____ ft Perforations/screens _____ ft

Lined to _____ ft Perforations/screens _____ ft


Well test and types _____

(Confined/Semi-confined/Unconfined) Direct hydraulic connection? YES / NO

Potential to cause substantial interference? _____


Comments: WATER IS DEVELOPED FROM A FORTY FOOT DEEP INFILTRATION
GALLERY LOCATED IN A GRAVEL BAR ON THE ROGUE RIVER. GROUND
WATER IS UNCONFINED AND IN HYDRAULIC CONNECTION WITH
THE RIVER.

References Used: _____



Wells in the vicinity of application G 14016

- | | | | | |
|---|---|---|---|---|
|  | Application well(s) in this 1/4-1/4 section | • Well(s) identified in this 1/4-1/4 section from OWRD's well log database within 1 mi. radius of application well(s) | ○ Conditioned, permitted well(s) in this 1/4-1/4 section within 5 mi. radius of application well(s) |  Critical GW Area |
|  | Well(s) identified in this section from OWRD's well log database within 1 mi. radius of application well(s) | ⊗ Permitted well(s) in this 1/4-1/4 section within 1 mi. radius of application well(s) | ▲ OWRD Observation well and well-id within 5 mi. radius of application well(s) |  Regulated GW Area |



WELLS WITHIN 1 MILE OF G 14016
DO 36
MU 4

PERMITTED WELLS WITHIN 1 MILE OF APPLICATION G 14016

\$RECNO	APPLICATION	PERMIT	LOC-QQ	USE	RATE	DIV-UNITS
1	G 3788	G 3571	36.00S14.00W 9SESE	DO	0.2000	C
2	G 2061	G 1920	36.00S14.00W16NWNE	MU	1.0000	C
3	G 460	G 422	36.00S14.00W16NENE	IM	0.5000	C

NO CONDITIONED WELLS WITHIN 1 MILE OF APPLICATION G 14016

APPLICATION G 14016 FALLS WITHIN THESE QUAD(S)

SIGNAL BUTTES

CLARK Gerry E

From: CLARK Gerry E
Sent: Friday, September 25, 2015 9:50 AM
To: 'Walter White'
Subject: RE: Permit G-13613 Mapping Standards Waiver Request

Walter,

Your request for a waiver is approved as requested.

I will place a copy of this waiver approval in the file, but please also attach a copy to your Claim.

Let me know if you have any additional questions. Have a great weekend!

Gerry

Gerry Clark
Water Right Services Division
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301

Phone: [503-986-0811](tel:503-986-0811)

From: Walter White [<mailto:wwhite@shn-engr.com>]
Sent: Friday, September 25, 2015 9:47 AM
To: 'Gerry Clark'
Subject: RE: Permit G-13613 Mapping Standards Waiver Request

Gerry

I am requesting a waiver to the Mapping Standards for a claim of beneficial use application I am working on for Nesika Beach Ophir Water District.

The Mapping Standards I am requesting a waiver for are:

Scale- Requesting waiver for and 11x17 size sheet at 1"=3000'. This scale will allow me to show the entire district and places of use on one sheet.

Tax Lot Boundaries and Numbers- Requesting waiver to not include this requirement to allow for a more legible map product.

Thank you for your consideration.

Walter White, PLS
Senior Surveyor



SHN Engineers & Geologists

275 Market Avenue, Coos Bay, OR 97420
T: (541)266-9890 | C: (541)290-7571
wwhite@shn-engr.com
<http://www.shn-engr.com/>

SHN CONSULTING ENGINEERS & GEOLOGISTS, INC. 812 W. WABASH, EUREKA, CA 95501

104054

9/28/15

615003

\$175.00

RECEIVED

OCT 01 2015

OWRD

Water Right Conditions
Tracking Slip

Groundwater/Hydrology Section

FILE ## 6 14016

ROUTED TO: WATER RIGHTS

TOWNSHIP/

RANGE-SECTION: 36S/14W-9

CONDITIONS ATTACHED? ☒ Yes ☐ No

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: D. Woodcock

MEMO

OCT 10, 1997

FROM GW: D. Woodcock
(Reviewer's Name)

SUBJECT Scenic Waterway Interference Evaluation

☒ Yes

The source of appropriation is within or above a Scenic Waterway.

☐ No☒ Yes

Use the Scenic Waterway condition (Condition 7J).

☐ No

PREPONDERANCE OF EVIDENCE FINDING: (Check box only if state

☒

At this time the Department is unable to find that there is a preponderance of evidence that the proposed use of ground will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife.

Municipal non-seasonal use. No generally accepted hydrogeologic method.

FLOW REDUCTION: (To be filled out only if Preponderance of Evidence box is not checked)

Exercise of this permit is calculated to reduce monthly flows in _____ Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

[illegible]

MEMO

OCT 10, 1997

FROM GW: D. Woodcock
(Reviewer's Name)

☒ Yes☐ No☒ Yes☐ No☒

MUNICIPAL NON-SEASONAL USE. NO GENERALLY
ACCEPTED HYDROGEOLOGIC METHOD.

Exercise of this permit is calculated to reduce monthly flows in _____ Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

[illegible]

TO: Water Rights Section

Oct 10, 1997

FROM: Groundwater/Hydrology Section D. Woodcock
Reviewer's Name

SUBJECT: Application G- 14016

GROUNDWATER/SURFACE WATER CONSIDERATIONS

1. PER THE Basin rules, one or more of the proposed POA's is/is not within feet/mile of a surface water source () and taps a groundwater source hydraulically connected to the surface water.
2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed groundwater use
- a. ☒ will, or have the potential for substantial interference with the nearest
 - b. ☐ will not surface water source, namely Rogue R.; or
 - c. ☐ will if properly conditioned, adequately protect the surface water from interference:
 - i. ☐ The permit should contain condition #(s) ;
 - ii. ☐ The permit should contain special condition(s) as indicated in "Remarks" below;
 - iii. ☐ The permit should be conditioned as indicated in item 4 below; or
 - d. ☐ will, with well reconstruction, adequately protect the surface from substantial interference.

GROUNDWATER AVAILABILITY CONSIDERATIONS

3. BASED UPON available data, I have determined that groundwater for the proposed use
- a. ☐ will, or likely be available in the amounts requested without injury to prior rights
 - b. ☐ will not and/or within the capacity of the resource; or
 - c. ☒ will if properly conditioned, avoid injury to existing rights or to the groundwater resource:
 - i. ☒ The permit should contain condition #(s) 7B;
 - ii. ☐ The permit should contain special condition(s) as indicated in "Remarks" below;
 - iii. ☐ The permit should be conditioned as indicated in item 4 below; or
- 4.
- a. ☐ THE PERMIT should allow groundwater production from no deeper than ft. below land surface;
 - b. ☐ The permit should allow groundwater production from no shallower than ft. below land surface;
 - c. ☐ The permit should allow groundwater production only from the groundwater reservoir between approximately ft. and ft. below land surface;
 - d. ☐ Well reconstruction is necessary to accomplish one or more of the above conditions.
 - e. ☐ One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: _____

(Well Construction Considerations on Reverse Side)

Permit Extension Ground Water Review

Date: July 1, 2003

To: Fred Lissner, Ground Water Section Manager

From: Lisa Juul, Permit Extension Review

Subject: Ground Water Review Needed for File #G-14016 / Permit #G-13613

The above referenced permit is currently being reviewed for an extension of time. Before I can determine whether or not an extension of time should be granted, however, a Ground Water review for this file is necessary due to the following:

NOTE: Original Division 9 review completed by: Doug Woodcock

- ☐ No Division 9 Ground Water Review Done.... *please see below*
- ☐ Located within a **Critical** Ground Water Area
- ☐ Located within a Ground Water **Limited** Area
- ☐ Located within a Ground Water **Study** Area
- ☐ 5-Year Limited Permit

☒ Other: Please See Below

For Ground Water / Hydrology Staff Use: DEW 7.10.03

☐-YES ☒-NO

Please complete a Div. 9 and Scenic Waterway (SWW) Review for this file. Due to the early priority date associated with this permit, no prior Div. 9 or SWW review was ever done.

Please answer the following questions. If necessary, attach an additional sheet.

1. Should any additional conditions be added to this permit? No
2. Should the extension of time request be further conditioned or **DENIED** due to ground water supply concerns? No
3. Should the Department establish a new reference level for water level declines due to the failure of permittee to submit annual measurements? No
4. Other issues or concerns? _____

Application # G-14016
Date Received 10/1/2015
CWRE Name Walter White
File Marked yes
Oversized Map # 942
Reviewer C.U.

Transfer # _____

Claim Logged yes

Map Review:

- ☒ Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b))
- ☒ Application & permit #; or transfer # (OAR 690-014-0100(1))
- ☒ Disclaimer (OAR 690-014-0170(5))
- ☒ North arrow (OAR 690-310-0050(2)(c))
- ☒ CWRE stamp and signature (OAR 690-014 & 310-0050)
- ☒ Appropriate scale (1" = 1320', 1" = 400', or the original full-size scale of the county assessor map) (014 & 310)
- ☒ Township, range, section, and tax lot numbers (OAR 690-310-0050(4))
- ☐ Source illustrated if surface water (OAR 690-014-0170(3))
- ☐ Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050)
- ☐ Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050)
- ☐ Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050)
- ☐ Description of the location, in relation to the point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices required (OAR 690-014-0170(4))
- ☐ Place of use (1/4 1/4, or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dwelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010)

Report Review:

- ☒ On form or format provided by the Department (OAR 690-014-0100(1))
- ☒ Application & permit #; or transfer # (OAR 690-014)
- ☒ Ownership information (OAR 690-014)
- ☒ Date of survey (OAR 690-014)
- ☒ Person interviewed (OAR 690-014)
- ☒ County (OAR 690-014)
- ☐ Description of conveyances system (from POD to POL) (OAR 690-014-0100)
- ☐ Source(s) of water (OAR 690-014-0100)
- ☐ Place of use location (OAR 690-014-0100)
- ☐ Type of use (OAR 690-014-0100)
- ☐ Extent of use (OAR 690-014-0100)
- ☐ Rate and Duty (OAR 690-014-0100)
- ☐ Diversion rate for each use (OAR 690-014-0100)
- ☐ Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100)
- ☐ System capacity (OAR 690-014-0100)
 - ☐ Calculated capacity of system (required)
 - ☐ Measured amount of use (optional)
- ☐ Permit Transfer Final Order Conditions (OAR 690-014-0100)
 - ☐ Time limits
 - ☐ Initial water level measurements
 - ☐ Annual static water level measurements
 - ☐ Measurement, recording, and reporting
 - ☐ Meter/measuring device
 - ☐ Water use reporting
 - ☐ Fish screening and/or by-pass
 - ☐ Pump test (ground water)
 - ☐ Other conditions
- ☒ CWRE stamp and signature (OAR 690-014-0100)
- ☒ Signature(s) of permittee of transfer holder (OAR 690-014-0100)

DEF = deficient

N/A = Not Applicable

S:\groups\wr\certs Resource Center Forms_Checklists_Mailing Instructions\COBU Checklist 11-20-2012.rtf

____ Map and COBU reviewed
____ Conflict check Any Conflicts? _____
____ Check for ownership

Check Area of Interest ☐ YES ☐ NO

Identified Party _____

Staff Recommendations:

____ Proof to the Satisfaction has been established to the full extent as described in the permit or transfer order.

____ Proof to the Satisfaction has been not been established to the full extent as described in the permit or transfer order and the right should be limited as follows: _____

____ Proof to the Satisfaction has not been established for the following reasons: _____

____ **Proposed Actions:**
Send letter requesting the following items/information: _____
Send letter recommending extension to cure deficiencies: _____

Can certificate be processed further?

____ Yes

If "Yes":

____ Proposed
____ Final

Certificate # _____

Mailing list:

Proposed:

Final:

**CLAIM OF
BENEFICIAL USE
for Permits claiming more
than 0.1 cfs and All Transfers**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

**A fee of \$175 must accompany this form for permits
with priority dates after July 8, 1987.**

**A fee of \$175 must accompany this form for any Transfer final orders
including a water right with a priority date of July 9, 1987, or later.**

**Example – A transfer involves 5 rights and one of the rights
has a priority date of July 9, 1987, or later, the fee is required.**

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
http://www.oregon.gov/owrd/pages/wr/cwre_info.aspx

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see
http://www.oregon.gov/owrd/pages/mgmt_reimbursement_authority.aspx

**SECTION 1
GENERAL INFORMATION**

1. File Information

APPLICATION # (G, R, S or T)	PERMIT # (IF APPLICABLE)	PERMIT AMENDMENT # (IF APPLICABLE)
G-14016	G-13613	

RECEIVED
OCT 01 2015
OWRD

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME NESIKA BEACH OPHIR WATER DISTRICT		PHONE NO. 541-247-2614	ADDITIONAL CONTACT NO.
ADDRESS PO BOX 39			
CITY OPHIR	STATE OR	ZIP 97464	E-MAIL NBOWD.MANAGER@FRONTIER.COM

If the current property owner is not the permit or transfer holder of record, it is recommended that an assignment be filed with the Department. **Each** permit or transfer holder of record must sign this form.

3. Permit or transfer holder of record (this may, or may not, be the current property owner)

PERMIT OR TRANSFER HOLDER OF RECORD NESIKA BEACH OPHIR WATER DISTRICT		
ADDRESS PO BOX 39		
CITY OPHIR	STATE OR	ZIP 97464

ADDITIONAL PERMIT OR TRANSFER HOLDER OF RECORD		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection: **July 17, 2015**

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Mike Mezsaros	July 17, 2015	District Manager

6. County: **Curry**

7. If any property described in the place of use of the permit or transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(4)):

OWNER OF RECORD		
ADDRESS		
CITY	STATE	ZIP


Add additional tables for owners of record as needed

RECEIVED
OCT 01 2015
OWRD

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME <i>Walter White</i>	PHONE NO. <i>541-266-9890</i>	ADDITIONAL CONTACT NO.
ADDRESS <i>275 Market Ave</i>		
CITY <i>Coxs Bay</i>	STATE <i>OR</i>	ZIP <i>97420</i>
E-MAIL <i>wwhite@shn-engr.com</i>		

Permit or Transfer Holder's of Record Signature or Acknowledgement

Each permit or transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
<i>Michael Meszans</i>	MICHAEL MESZANS	DISTRICT MANAGER	7/17/15

RECEIVED
 OCT 01 2015
 OWRD

SECTION 3 CLAIM DESCRIPTION

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
POD1	CURR 51203, CURR 51351	L-74199
TEST WELL	CURR 51158	L-71991

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
POD1	Rogue River Basin	

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
POD1	Quasi- municipal	Na	Year round	*0.5 CFS (Actual Rate)
*Rate includes average of 4 measurements for both Permits G-3571 and G-13613 at peak pump hours.				
Total Quantity of Water Used				

4. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of diversion or appropriation to the place of use:

From POD1 a 6" ductile iron pipe to pump house where pH and Chlorine adjustments are made. 8" ductile iron leaves pump house to valve cluster where distribution main line of 12" HDPE pipe disperses to users in the district. 12" HDPE pipe runs along North Bank Rogue River Rd to the intersection of Edson Creek Rd and then changes between 12" C900, 12" ACP, 8" ACP, and 6" ACP. From the main line 2" PVC laterals to users. The distribution system includes 9 storage tanks.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

5. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below. YES NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

6. Claim Summary:

RECEIVED
OCT 01 2015
OWRD

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
POD1	0.5 CFS	0.62 CFS	2,600 Gal	Q-MUNI.	NA	NA

RECEIVED
OCT 01 2015
OWRD

SECTION 4

SYSTEM DESCRIPTION

Are there multiple PODs or POAs?

YES NO

If "YES" you will need to copy and complete Sections 4B through 4G for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

A. Place of Use

1. Is the right for municipal use?

YES NO

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
*Preferred Pump	8FP350D40 0-6	80-12H100	SUBMERSIBLE	4"	6"

*Pump information is for a new pump to be installed. Intake size and discharge size are the same dimensions as the pump that is currently in service.

3. Motor Information

MANUFACTURER	HORSEPOWER
FRANKLIN ELECTRIC	30

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *If a WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
30	120	17.5	200' (Average)	0.62

5. Provide pump calculations:

See attached.

RECEIVED
OCT 01 2015
OWRD

6. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
72,865,400	72,868,000	2:00 MIN	2.9

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
12"	4.5 MILES	HDPE/ C900	BURIED
8"	2-3 MILES	ACP	BURIED
8"	5 MILES	C900	BURIED
6"	UNKOWN	ACP	BURIED

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
2"	2' TO 500' PER USER	PVC	BURIED

12. Additional notes or comments related to the system:

System includes 6 booster pump stations throughout the service area.

C. Groundwater Source Information (Well and Sump)

1. Is the appropriation from ground water (well or sump)?

YES NO

If "NO", items 2 through 8 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

24"x24" Hatch Type Opening

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY
12	70	120	1-07-2005	2-27-2006	NBOWD	Bandon Well
10	50	120	1-07-2005	1-07-2005	NBOWD	WWC#1411

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

See attached well logs.

5. Is the appropriation from a dug well (sump)?

YES NO

RECEIVED

OCT 01 2015

OWRD

D. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)

YES NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank

YES NO

Bulge in System / Reservoir

YES NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
Adams Road- Welded Steel	200,000	Above
Horizon Drive A- Glass Fused Bolted Steel	209,000	Above
Horizon Drive Upper- Welded Steel	5,000	Below
Starkweather Drive- Welded Steel	15,000	Below
Miller Lane- Concrete	1,000	Above
Indian Hills Lower- Glass Fused Bolted Steel	50,000	Above
Indian Hills Upper- Glass Fused Bolted Steel	83,000	Above
Indian Hills #3- Bolted Steel	32,000	Above
Menasha(Edson Cr.)- Glass Fused Bolted Steel	320,000	Above

E. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

2. Complete the table:

PIPE SIZE	PIPE TYPE	"C" FACTOR	AMOUNT OF FALL	LENGTH OF PIPE	SLOPE	COMPUTED RATE OF WATER FLOW (IN CFS)
12"	HDPE/C900	Varies	-	-	-	-
8"	ACP/ C900	Varies	-	-	-	-
6"	ACP	Varies	-	-	-	-

3. Provide calculations:

See actual measurements.

RECEIVED

OCT 01 2015

OWRD

4. If an actual measurement was taken, provide the following:

DATE OF MEASUREMENT	WHO MADE THE MEASUREMENT	MEASUREMENT METHOD	MEASURED QUANTITY OF WATER (IN CFS)
1/30/14	Mike Mezsaros	Rockwell Meter	0.2
2/3/2014	Mike Mezsaros	Rockwell Meter	0.3
1/30/2014	Mike Mezsaros	Rockwell Meter	2.6
11/2/2013	Mike Mezsaros	Rockwell Meter	2.7
11/2/2014	Mike Mezsaros	Rockwell Meter	2.2
11/7/2013	Mike Mezsaros	Rockwell Meter	0.9
2/3/2014	Mike Mezsaros	Rockwell Meter	2.7
7/26/2005	Mike Mezsaros	Rockwell Meter	4.2

Attach measurement notes.

F. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? YES NO

G. Reservoir

1. Does the claim involve a reservoir modified through a transfer? YES NO

Reminder: Complete this section if the reservoir right has been modified through the transfer process. If the claim is for a permitted reservoir use the Claim of Beneficial Use form for reservoirs.

SECTION 5 CONDITIONS

All conditions contained in the permit, permit amendment, transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits, transfer final orders, and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit, extension or transfer final order:

	DATE FROM PERMIT OR TRANSFER	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	3-22-99		
BEGIN CONSTRUCTION (A)	June 8, 1999	1-04-2005	Began new well drilling
COMPLETE CONSTRUCTION (B)	Not Specified	1-07-2005	Finished casing new well and testing.
COMPLETE APPLICATION OF WATER (C)			

* MUST BE WITHIN PERIOD BETWEEN PERMIT, TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

RECEIVED
OCT 01 2015
OWRD

YES NO

If "NO", you may delete item 3 in this section.

3. If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO
93	518	October 1, 2015

4. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement? YES NO

5. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements? YES NO

6. Pump Test (Required for most ground water permits prior to issuance of a certificate)

a. Did the permit require the submittal of a pump test? YES NO

If "NO", items 6b through 6e relating to this section may be deleted.

b. Has the pump test been previously submitted to the Department? YES NO

c. Is the pump test attached to this claim? YES NO

d. Has the pump test been approved by the Department? YES NO

e. Has a pump test exemption been approved by the Department? YES NO

** Claims will not be reviewed until a pump test or exemption has been approved by the Department

7. Measurement Conditions:

a. Does the permit, permit amendment, transfer final order, or any extension final order require the installation of a meter or approved measuring device? YES NO

If "NO", items 7b through 7f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed? YES NO

c. Meter Information

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POD1	McCrometer Inc	06-103	Working	72,868,000	11/2/2005

8. Recording and reporting conditions

a. Is the water user required to report the water use to the Department? YES NO

If "NO", item 8b relating to this section may be deleted.

b. Have the reports been submitted? YES NO

METHOD OF SUBMITTING REPORT (PAPER OR ELECTRONIC)	WATER USER REPORTING ID
PAPER	1486

RECEIVED

OCT 01 2015

OWRD

If the reports have not been submitted, attach a copy of the reports if available.

9. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? YES NO

10. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? YES NO

11. Other conditions required by permit, permit amendment final order, extension final order, or transfer final order:

- a. Were there special well construction standards? YES NO
- b. Was submittal of a ground water monitoring plan required? YES NO
- c. Was the water user required to restore the riparian area if it was disturbed? YES NO
- d. Was a fishway required? YES NO
- e. Was submittal of a letter from an engineer required prior to storage of water? YES NO
- f. Was submittal of a water management and conservation plan required? YES NO
- g. Other conditions? YES NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

District's Water Management and Conservation Plan was submitted and approved in Special Order Volume 93 Page 520. See attached.

SECTION 6 ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Well Logs	Well ID #71991(Test Well), and #74199
Final Order	Water Management and Conservation Plan Approval Vol. 93 Pg 518
Pump Calculations	Pump Capacity Calculation Sheet
Final Order	Extension of Time Dated October 27, 2007
Order	Water Management and Conservation Plan Vol. 53 Pg. 1156
Permit	Water Rights Permit G-13613
Exemption Request	Exemption Request to 690-217-0015
Water Use Report	Report for G-13613 from 1989-2014
Map Standard Waiver(eMail)	Approved waiver to Map Standards
COBU Map	11x17 Map at 1"=3000'
Various Flow Measuremens	Various measurements from within NBOWD District.

RECEIVED
OCT 01 2015
OWRD

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

Survey based on Curry County GIS. Terrestrial Survey methods were used to located the well head and infrastructure to Section Lines in T.36S., R.14W., Section 9.

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- ☒ Map on polyester film
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map) **Approved Waiver Scale of 1"=3000'.**
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- ☒ If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- ☒ Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- ☒ Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- ☒ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers **Approved Waiver not to include Tax Lots.**
- ☒ Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number
- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature

RECEIVED

OCT 01 2015

OWRD

CURR 51203
CURR 51203

main well
copy

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

(WELL I.D.)# L 74199
(START CARD) # 171895

Instructions for completing this report are on the last page of this form.

(1) OWNER: Well Number **4012**
Name **Nesika Beach Water District**
Address **32892 Nesika Rd.**
City **Gold Beach** State **Oregon** Zip **97444**
(2) TYPE OF WORK
☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment
(3) DRILL METHOD:
☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other

(4) PROPOSED USE:
☐ Domestic ☒ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:
Special Construction approval ☐ Yes ☒ No Depth of Completed Well **120** ft.
Explosives used ☐ Yes ☒ No Type _____ Amount _____

HOLE			SEAL				
Diameter	From	To	Material	From	To	Sacks or pounds	
16	0	20	Cement	2	20	22 sacks	
			Bentonite	0	20	1 sack	
	95	sacks	Bentonite	out	side	of seal	
13	0	120					

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☒ Other **Poured dry**
Backfill placed from _____ ft. to _____ ft. Material _____
Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:
Diameter From To Gauge Steel Plastic Welded Threaded
Casing 12 +2 70 250 ☒ ☐ ☒ ☐
10 110 120 250 ☒ ☐ ☒ ☐
Liner: ☐ ☐ ☐ ☐

Final location of shoe(s)
(7) PERFORATIONS/SCREENS:
☐ Perforations Method _____
☒ Screens Type **Johnson** Material **Stainless**
From To Slot size Number Diameter Tele/pipe size Casing Liner
70 110 .05 _____ 12T ☒

* (8) WELL TESTS: Minimum testing time is 1 hour
☐ Pump ☐ Bailor ☒ Air ☐ Flowing
Yield gal/min Drawdown Drill stem at Time
1500 6 110 1 hr.
Temperature of water **52** Depth Artesian Flow Found _____
Was a water analysis done? ☐ Yes By whom _____
Did any strata contain water not suitable for drinking? ☐ Yes ☐ No
| Salty | Muddy | Odor | | Colored | | Other |
Depth of strata: _____

(9) LOCATION OF WELL by legal description:
County **Curry** Latitude _____ Longitude _____
Township **36** S Range **14** W WM
Section **9** NE 1/4 NW 1/4
Tax Lot **1000** Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) **North Bank Rogue**
Gold Beach, Oregon

(10) STATIC WATER LEVEL:
14 ft. below land surface. Date **1-07-2005**
Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found **14**

From	To	Estimated Flow Rate	SWL
14	120	2000 +	14

(12) WELL LOG:

Ground Elevation _____

Material	From	To	SWL
Sandy Loam	0	6	
Cemented Gravel	6	18	
Brown Sand	18	22	
Sand & Gravel	22	54	
Sand w/Brown Clay w/Some Gravel	54	74	
Sand & Gravels	74	120	

JONES DRILLING CO., INC.
29400 SANTIAM HWY.
LEBANON, OR 97355
541-367-2560 541-451-2686
1-800-915-8388

Date started **1-04-2005** Completed **1-07-2005**

(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed **K. A. D. M.** WWC Number **1411**
Date **1-12-2005**

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed **Bret Jones** WWC Number **1684**
Date **1-12-2005**

ORIGINAL & FIRST COPY-WATER RESOURCES DEPT. SALEM, OREGON
SECOND COPY-CONSTRUCTOR
THIRD COPY-CUSTOMER

RECEIVED
OCT 01 2015
OWRD

STATE OF OREGON
WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

Amended

WELL I.D. # L 74199

START CARD # 175984 *

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER Well Number _____
 Name Nesika Beach Water District
 Address 32892 Nesika Rd.
 City Gold Beach State Oregon Zip 97444

(2) TYPE OF WORK
☐ New Well ☐ Deepening ☒ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:
☐ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other _____

(4) PROPOSED USE:
☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other _____

(5) BORE HOLE CONSTRUCTION:
 Special Construction approval ☐ Yes ☐ No Depth of Completed Well _____ ft.
 Explosives used ☐ Yes ☐ No Type _____ Amount _____

HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or pounds

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E
☐ Other _____

Backfill placed from _____ ft. to _____ ft. Material _____
 Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:					☐	☐	☐	☐
					☐	☐	☐	☐

Drive Shoe used ☐ Inside ☐ Outside ☐ None
 Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:
☐ Perforations Method _____
☐ Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
						☐	☐
						☐	☐
						☐	☐
						☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour

	Pump	Bailer	Air	Flowing
	Yield gal/min	Drawdown	Drill stem at	Artesian

Temperature of water _____ Depth Artesian Flow Found _____
 Was a water analysis done? ☐ Yes By whom _____
 Did any strata contain water not suitable for intended use? ☐ Too little
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____
 Depth of strata: _____

(9) LOCATION OF WELL by legal description:
 County Curry Latitude _____ Longitude _____
 Township 36 S N or S Range 14 W E or W WM
 Section 9 ne 1/4 nw 1/4
 Tax Lot 1000 Lot _____ Block _____ Subdivision _____
 Street Address of Well (or nearest address) North Bank Rogue
Gold Beach, Oregon

(10) STATIC WATER LEVEL:
 _____ ft. below land surface. Date _____
 Artesian pressure _____ lb. per square inch Date _____

(11) WATER BEARING ZONES:

From	To	Estimated Flow Rate	SWL

(12) WELL LOG:
 Ground Elevation _____

Material	From	To	SWL
2/22/06			
Cut off casing at			
13' below ground level			
and welded on 14' pittles unit.			
Pitless			
2/27/06			
Used 24 bags bentonite			
to reseal well from 15'			
to ground level.			

RECEIVED

OCT 01 2015

OWRD

RECEIVED

MAY 17 2006

WATER RESOURCES DEPT
SALEM, OREGON

Date started 2/22/06 Completed 2/27/06

(unbonded) Water Well Constructor Certification:
 I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed _____ WWC Number _____
 Date _____

(bonded) Water Well Constructor Certification:
 I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed _____ WWC Number 709
 Date 5/15/06

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER _____ Well Number _____
Name Nesika Beach Water District
Address 32892 Nesika Road
City Gold Beach State Or Zip 97444

(2) TYPE OF WORK
☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:
☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other _____

(4) PROPOSED USE:
☐ Domestic ☒ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other _____

(5) BORE HOLE CONSTRUCTION:
Special Construction approval ☐ Yes ☒ No Depth of Completed Well 120 ft.
Expenses ☐ Yes ☒ No Type _____ Amount _____

HOLE			SEAL			Sacks or pounds
Diameter	From	To	Material	From	To	
10"	0	25	Bentonite	0	25	23
6"	25	120				

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E
☒ Other Poured dry
Backfill placed from _____ ft. to _____ ft. Material _____
Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:		Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	6"	0	120	.280	☒	☐	☒	☐	☐
					☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐
Liner:					☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐

Drive Shoe used ☐ Inside ☐ Outside ☒ None
Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:

☒ Perforations Method Air Perforator

☐ Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
60'	100'	6"	1 row	1/8"		☒	☐
						☐	☐
						☐	☐
						☐	☐

* (8) WELL TESTS: Minimum testing time is 1 hour
☐ Pump ☐ Bailer ☒ Air ☐ Flowing
Yield gal/min _____ Drawdown _____ Drill stem at _____ Time _____
250+ _____ 120' _____ 1 hr.

Temperature of water 50 Depth Artesian Flow Found _____
Was a water analysis done? ☐ Yes By whom _____
Did any strata contain water not suitable for intended use? ☐ Too little
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____
Depth of strata _____

(9) LOCATION OF WELL by legal description:
County Curry Latitude _____ Longitude _____
Township 36S N or S Range 14W E or W WM
Section 09 A 1/4 B 1/4
Tax Lot 1000 Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) North Bank Rogue
Gold Beach, Oregon

(10) STATIC WATER LEVEL:
17 ft. below land surface. Date 10/5/04
Artesian pressure _____ lb. per square inch Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found 35'

From	To	Estimated Flow Rate	SWL
35	36	250+	17

(12) WELL LOG:

Ground Elevation _____

Material	From	To	SWL
Sandy Soil	0	2	
Sand & Gravel	2	52	
Black sand	52	55	
Sand & Gravel & brown clay	55	120	17

RECEIVED
OCT 07 2004
WATER RESOURCES DEPT
SALEM, OREGON
RECEIVED
OCT 01 2015
OWRD
NOV 08 2004
WATER RESOURCES DEPT
SALEM, OREGON

Date started 10/5/04 Completed 10/5/04

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number _____
Signed _____ Date _____

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 709
Signed _____ Date 10/6/04

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of the Proposed Water)
Management and Conservation Plan for)
Nesika Beach-Ophir Water District,)
Curry County)

FINAL ORDER APPROVING A
WATER MANAGEMENT AND
CONSERVATION PLAN

RECEIVED
OCT 01 2015
OWRD

Authority

OAR Chapter 690, Division 086, establishes the process and criteria for approving water management and conservation plans required under the conditions of permits, permit extensions and other orders of the Department. An approved water management plan may authorize the diversion and use of water under a permit extended pursuant to OAR Chapter 690, Division 315.

Findings of Fact

1. The Nesika Beach-Ophir Water District (District) submitted a Water Management and Conservation Plan (plan) to the Department on September 21, 2012. The required statutory fee for review of the plan was received by the Department on October 25, 2012. The plan was required by a condition set forth under the City's previously approved plan (Sp. Or. Vol. 57, Pg. 126) issued on February 25, 2003, and by a condition set forth in the final order issued on October 25, 2007, approving an extension of time for Permit G-13613.
2. The final order issued on October 25, 2007, approving the extension of time for Permit G-13613 established a condition (i.e., "Development Limitations") that limits the rate of water that may be appropriated at this time under Permit G-13613 to no more than 0.366 cfs of water (out of the permitted 0.5 cfs of water).
3. The Department published notice of receipt of the plan on October 31, 2012, as required under OAR Chapter 690, Division 086. No comments were received.
4. The Department provided written comments on the plan to the District on August 16, 2013. In response, the District submitted a revised plan to the Department on April 7, 2014, as well as an addendum to the revised plan on September 19, 2014.
5. The Department reviewed the revised plan and finds that while the District has implemented several water conservation measures (i.e., *a fully metered system, annual water audits, a meter testing and maintenance program, a rate structure that includes a base rate and a volumetric charge based upon the amount of water metered at each service connection, and offering public education materials aimed at encouraging efficient water use and the use of low water use landscaping*); it does not currently have a leak detection program in place, and its system-wide water loss averaged 43 percent between July 2009 and June 2011.

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

6. The revised plan includes a proposed schedule to implement a leak detection program (which includes a leak repair element) within the year 2014 to aid in reducing its system-wide water losses to a more acceptable range.
7. The revised plan identifies ground water (i.e., wells) and Greggs Creek as the authorized sources of the District's water rights and water use permits; however, the District has chosen not to pursue development and perfection of its Greggs Creek water use permit (Permit S-53985).
8. The revised plan accurately and completely describes that the authorized wells are not located within the designated boundaries of any designated critical ground water area. It also accurately and completely describes the federally- and/or state-listed fish species that occur in Greggs Creek, namely Chinook salmon, Coho salmon, steelhead, Western Brook lamprey and Pacific lamprey. Furthermore, it identifies that Greggs Creek is not listed by the Oregon Department of Environmental Quality as being a water quality limited source.
9. The water curtailment element included in the revised plan satisfactorily promotes water curtailment practices and includes a list of three stages of alert with concurrent curtailment actions.
10. The revised plan demonstrates an anticipated need for 1.28 cfs of water to meet the District's overall peak water demands for the next 20 years. These projections are reasonable and consistent with the District's land use plan.
11. The diversion of water under Permit G-13613 will be increased during the next 20 years and is consistent with OAR 690-086-0130(7), as follows:
 - a. As evidenced by the District's currently implemented conservation measures and the proposed schedule for implementing a leak detection program (as described in Findings of Fact #5 and #6 above), the final revised plan includes a schedule for the continuation and implementation of water conservation measures that would provide water at a cost that is equal to or lower than the cost of other identified sources;
 - b. Interconnection with the District's neighboring water supplier (namely, the City of Gold Beach) would require considerable capital investment and lengthy permitting requirements to construct an intertie that includes a river crossing pipeline under the riverbed of the Rogue River. In addition to these costs, the District would be charged a one-time system development charge as well as monthly water use charges. Because of these reasons, therefore, increased diversion of water under Permit G-13613, together with water savings resulting from the District's soon-to-be implemented leak detection and repair program, are the most feasible and appropriate water supply alternatives available to the District at this time; and
 - c. The District is not currently required to take any mitigation actions under state or federal law related to further development of the water use authorized under Permit G-13613.
12. The Department finds that the proposed work plan schedule described in Finding of Fact #6 to complete the additional work is reasonable and appropriate, and that the proposed work plan schedule should be incorporated into the final order approving the District's revised plan.

RECEIVED

OCT 01 2015

OWRD

13. In accordance with OAR 690-086-0900(3), the revised plan is generally consistent with the relevant requirements under OAR 690-086-0125, and includes a scheduled work plan (as described in Finding of Fact #6 above) for completion of additional work necessary to satisfy the requirements of OAR 690-086 within five years.
14. As set forth under OAR 690-086-0900(4), any plan approval that contains a requirement for completion of additional work under OAR 690-086-0900(3) shall preclude additional diversion of water under an extended permit beyond the need quantified for the next two years.
15. The District's addendum to the revised plan submitted on September 19, 2014, indicates that the currently authorized quantity of water of 0.366 cfs under Permit G-13613 (as described in Finding of Fact #2), along with 0.2 cfs of water available under Certificate 37549, will be adequate to meet the District's peak water needs for the next 2 years. The Department finds that this quantity of water is reasonable and necessary for the District.

Conclusions of Law

The Water Management and Conservation Plan, with the inclusion of the work plan, submitted by the Nesika Beach-Ophir Water District is consistent with the criteria in OAR Chapter 690, Division 086.

Now, therefore, it is ORDERED:

1. **Duration of WMCP Approval:**

Nesika Beach-Ophir Water District's Water Management and Conservation Plan is approved and shall remain in effect until September 22, 2019, unless this approval is rescinded pursuant to OAR 690-086-0920.

2. **Work Plan Requirements:**

To complete additional work necessary to satisfy all of the requirements of OAR 690-086, the Nesika Beach-Ophir Water District shall accomplish and complete the following activities, as scheduled below:

a. **By the end of Year 2014:**

- Develop a regularly scheduled and systematic leak detection program for the District's transmission and distribution system.

3. **Development Limitations:**

The limitation of the diversion of water under Permit G-13613 established by the extension of time approved on October 25, 2007, remains unchanged. Subject to other limitations or conditions of the permit, Nesika Beach-Ophir Water District is authorized to divert up to 0.366 cfs under Permit G-13613.


4. **WMCP Update Schedule:**

Nesika Beach-Ophir Water District shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 within 5 years and no later than March 22, 2019.

RECEIVED
OCT 01 2015
OWRD

5. The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve Nesika Beach-Ophir Water District from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.

Dated at Salem, Oregon this 22 day of September, 2014.



Dwight French
Water Right Services Division Administrator, for
Director
Oregon Water Resources Department

Mailing date: SEP 23 2014

RECEIVED
OCT 01 2015
OWRD

Pump Capacity Calculation Sheet

using Department designed formula:

$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 30
Efficiency = 6.61
Lift = 17.5
PSI = 120

Results Calculated

$(hp)(\text{efficiency}) = 198.3$
Head based on psi = 304.8
Total dynamic head = 322.3
(head + lift)

Pump Capacity = 0.62 feet per second

RECEIVED
OCT 01 2015
OWRD

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number G-14016

Final Order
Extension of Time for Permit Number G-13613

Appeal Rights

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

The Department issued Permit G-13613 on March 22, 1999. The permit called for complete application of water to beneficial use by October 1, 2002. On June 23, 2003, Nesika Beach Water District and Ophir Water District submitted an application to the Department for an extension of time for Permit G-13613. In accordance with OAR 690-315-0050(2), on August 28, 2007, the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2015. The protest period closed October 12, 2007, in accordance with OAR 690-315-0060(1). No protest was filed.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, the permit may be extended subject to the following conditions:

CONDITIONS

1. **Development Limitations**

Diversion of any water beyond 0.366 cfs under Permit G-13613 shall only be authorized upon issuance of a final order approving a WMCP under OAR Chapter 690, Division 86. The required WMCP shall be submitted to the Department within 3 years of an approved extension application. Use of water under Permit G-13613 must be consistent with this and subsequent WMCP's approved under OAR Chapter 690, Division 86 on file with the Department.


The deadline established in this PFO for submittal of a WMCP shall not relieve a permit holder of any existing or future requirement for submittal of a WMCP at an earlier date as established through other orders of the Department. A WMCP submitted to meet the requirements of this order may also meet the WMCP submittal requirements of other Department orders

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0080(3).

Order

The extension of time for Application G-14016, Permit G-13613, therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use is extended to October 1, 2015.

DATED: October 25, 2007



Dwight French, Administrator of
Water Rights and Adjudications

for
Phillip C. Ward, Director

If you have any questions about statements contained in this document, please contact Kim R. French at (503) 986-0813.

If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900.

BEFORE THE WATER RESOURCES DIRECTOR OF OREGON

MARION COUNTY

IN THE MATTER OF REQUIREMENT TO)
SUBMIT A WATER MANAGEMENT AND) ORDER
CONSERVATION PLAN)


History

On January 5, 1996, the Department received application G-14016 from NESIKA BEACH WATER DISTRICT and OPHIR WATER DISTRICT for a water use permit. On March 22, 1999, permit G-13613 was issued. The permit included the following condition regarding a Water Management and Conservation Plan:

The Department has determined a Water Management and Conservation Plan may be required for this application under OAR 690 Division 86.

Consistent with the permit condition above the Department has determined that a plan is now required. Therefore, it is **ORDERED** that the permittee shall submit a Water Management and Conservation Plan, consistent with OAR Chapter 690, Division 86, within **2 years** of the date of this order, unless the Director approves an extension of this timeline.

DATED August 19, 1999


Martha O. Pagel
Director

Appeal Rights

Under the provisions of ORS 183.484, the applicant may appeal this order by filing a petition for review in the Circuit Court for Marion County or the circuit court for the county in which the applicant resides or has a principal business office. The petition for review must be filed within 60 days after the date this order is served.

RECEIVED
OCT 01 2015
OWRD

STATE OF OREGON

COUNTY OF CURRY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

NESIKA BEACH WATER DISTRICT AND OPHIR WATER DISTRICT
32892 NESIKA ROAD
GOLD BEACH, OREGON 97444

(503) 247-2614

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14016

SOURCE OF WATER: A WELL IN ROGUE RIVER BASIN

PURPOSE OR USE: QUASI-MUNICIPAL

MAXIMUM RATE: 0.5 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: JANUARY 5, 1996

POINT OF DIVERSION LOCATION: SE 1/4 SE 1/4, SECTION 9, T36S, R14W, W.M.;
512 FEET NORTH & 2538 FEET EAST FROM S1/4 CORNER, SECTION 9

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NW 1/4 NE 1/4 ✓
SW 1/4 NE 1/4 ✓
SE 1/4 NE 1/4 ✓
NE 1/4 SW 1/4 ✓
SE 1/4 SW 1/4 ✓
NW 1/4 SE 1/4 ✓
SW 1/4 SE 1/4 ✓

SECTION 8

NW 1/4 ✓
NW 1/4 SW 1/4 ✓
SW 1/4 SW 1/4 ✓

SECTION 17

NE 1/4 NE 1/4 ✓
SE 1/4 NE 1/4 ✓
NE 1/4 SE 1/4 ✓

RECEIVED

OCT 01 2015

OWRD

Application G-14016 Water Resources Department

PERMIT G-13613

SW 1/4 SE 1/4 ✓
SE 1/4 SE 1/4 ✓
SECTION 19

NW 1/4 NW 1/4 ✓
SW 1/4 NW 1/4 ✓
NW 1/4 SW 1/4 ✓
SW 1/4 SW 1/4 ✓
SECTION 20

NE 1/4 NE 1/4 ✓
NW 1/4 NE 1/4 ✓
SW 1/4 NE 1/4 ✓
SE 1/4 NW 1/4 ✓
NE 1/4 SW 1/4 ✓
SE 1/4 SW 1/4 ✓
NW 1/4 SE 1/4 ✓
SW 1/4 SE 1/4 ✓
SECTION 30

SW 1/4 NE 1/4 ✓
NW 1/4 ✓
NE 1/4 SW 1/4 ✓
NW 1/4 SW 1/4 ✓
SE 1/4 SW 1/4 ✓
SECTION 31

TOWNSHIP 35 SOUTH, RANGE 14 WEST, W.M.

SE 1/4 NE 1/4 ✓
NE 1/4 SE 1/4 ✓
SE 1/4 SE 1/4 ✓
SECTION 36

TOWNSHIP 35 SOUTH, RANGE 15 WEST, W.M.

NE 1/4 SW 1/4 ✓
SW 1/4 SW 1/4 ✓
NW 1/4 SE 1/4 ✓
SECTION 5

NW 1/4 NW 1/4 ✓
SW 1/4 NW 1/4 ✓
NW 1/4 SW 1/4 ✓
SW 1/4 SW 1/4 ✓
SE 1/4 SE 1/4 ✓
SECTION 6

Application G-14016 Water Resources Department

PERMIT G-13613

RECEIVED
OCT 01 2015
OWRD

NW 1/4 NW 1/4 ✓
SECTION 7

NE 1/4 ✓
NE 1/4 NW 1/4 ✓
NW 1/4 NW 1/4 ✓
SE 1/4 NW 1/4 ✓
NE 1/4 SW 1/4 ✓
SE 1/4 SW 1/4 ✓
SE 1/4 ✓
SECTION 8

SW 1/4 NW 1/4 ✓
SE 1/4 NW 1/4 ✓
SW 1/4 ✓
SE 1/4 ✓
SECTION 9

NE 1/4 NW 1/4 ✓
SECTION 16

NW 1/4 NE 1/4 ✓
SW 1/4 NE 1/4 ✓
NW 1/4 SE 1/4 ✓
SECTION 17

TOWNSHIP 36 SOUTH, RANGE 14 WEST, W.M.

NE 1/4 ✓
SE 1/4 ✓
SECTION 12

TOWNSHIP 36 SOUTH, RANGE 15 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, a totalizing flow meter must be installed at each diversion point. The totalizing flow meter must be installed and maintained as identified in OAR 690-507-645. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

Application G-14016 Water Resources Department

PERMIT G-13613

RECEIVED
OCT 01 2015
OWRD

- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The Department has determined a Water Management and Conservation Plan may be required for this application under OAR 690 Division 86.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

Application G-14016 Water Resources Department

PERMIT G-13613

RECEIVED
OCT 01 2015
OWRD


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin by June 8, 1999. Complete application of water to the use shall be made on or before October 1, 2002. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued March 22, 1999



Martha O. Pagel, Director
Water Resources Department

Application G-14016
Basin 17
RWK

Water Resources Department
Volume 3 EUCHRE CR & MISC
MGMT.CODES 7BG 7BR

PERMIT G-13613
District 19

RECEIVED
OCT 01 2015
OWRD

WATER FILING APPLICATION for NESIKA BEACH WATER DISTRICT & OPHIR WATER DISTRICT

LOCATED in T 35 S, R 14 W and T 36 S, R 14 W, W.M.
CURRY COUNTY, OREGON

SCALE: 2" = 1 MILE FEBRUARY 1995

RECEIVED

SEP - 8 1997

WATER RESOURCES DEPT.
SALEM, OREGON

Application No. G14016
Permit No. G13613

THE PREPARATION OF THIS MAP WAS FOR THE PURPOSE OF IDENTIFYING
THE LOCATION OF THE PROPOSED WATER RIGHT AND HAS NO INTENT TO
PROVIDE DIMENSIONS OR LOCATION OF PROPERTY LINES.



INDICATES:

PERMIT # G3571
APPLICATION # G 3788
CERTIFICATE # 37549




INDICATES:

BOUNDARIES OF
EXPANDED USES

RECEIVED

OCT 01 2015

OWRD





CONSULTING ENGINEERS & GEOLOGISTS, INC.

275 Market Avenue • Coos Bay, Oregon 97420-2228 • Phone: 541/266-9890 • FAX: 541/266-9496 • shninfo@shn-engr.com

Reference: 615003

September 25, 2015

Mr. Gerry Clark
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

Subject: Request for Exemption to 690-217-0015; Pump Test Requirement Before Issuance of a Certificate of Water Right - Pertaining to Permit G-13613.

Dear Mr. Clark:

SHN Consulting Engineers & Geologists, Inc. (SHN) is requesting an exemption to 690-217-0015 requiring a pump test prior to certificate of water right on behalf of Nesika Beach-Ophir Water District (NBOWD). SHN is currently working on a Claim of Beneficial Use Application for NBOWD.

As stated in 690-217-0015 a pump test is required before issuance of a Certificate of Water Right. To perform the required test as specified in the pump test requirements, an interruption of 16 hours during pre-pumping phase and an additional 4 hours during the post-pumping phase would negatively impact service to District users. Due to the negative impact to District users, NBOWD is asking for an exemption to the Pump Test Requirement.

Please contact me at 541-266-9890 if you have any questions.

Regards,

SHN Consulting Engineers & Geologists, Inc.

Walter White, PLS
Senior Surveyor

SKD:dkl

RECEIVED

OCT 01 2015

OWRD

USE

Water Use Report Based on Water Right

 ☒ excel
 ☐ text

Permit: G 13613 *

NESIKA BEACH OPHIR WATER DISTRICT PO BOX 39 OPHIR, OR 97464

Records per page: 100

Water Year*	Report ID	Facility	Acre-feet (AF) of Water Used												Total Water Used	Irrigated Acres
			Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep		
2014	12887	A WELL (CURR 217)	10.28	9.13	11.76	10.36	8.51	12.06	10.32	10.63	11.27	15.01	16.05	13.93	139.31	
2013	12887	A WELL (CURR 217)	14.91	11.20	10.84	12.64	11.11	12.06	14.69	12.94	11.27	16.49	13.63	13.19	154.96	
2008	12887	A WELL (CURR 217)	11.80	12.06	10.93	11.93	9.61	10.93	11.66	13.19	15.42	20.11	16.99	15.80	160.42	
2006	12887	A WELL (CURR 217)	9.37	9.35	9.26	9.94	8.36	9.76	9.57	12.28	12.22	12.22	17.69	13.52	133.52	
2005	12887	A WELL (CURR 217)	9.34	8.54	8.84	7.93	7.29	8.74	8.56	9.48	13.63	14.85	14.99	11.91	124.10	
2004	12887	A WELL (CURR 217)	12.51	11.65	10.42	10.66	10.03	11.24	11.82	13.54	14.54	15.92	15.08	11.04	148.47	
2003	12887	A WELL (CURR 217)	19.39	10.97	9.75	9.57	8.25	9.23	9.64	11.21	17.69	21.06	17.54	14.00	158.31	
2002	12887	A WELL (CURR 217)	12.84	10.81	12.01	12.05	11.34	11.46	12.64	14.43	15.32	18.20	20.79	17.53	169.43	
2001	12887	A WELL (CURR 217)	14.46	11.64	12.41	12.30	12.28	10.72	12.29	12.06	14.71	17.00	17.89	17.22	164.98	
2000	12887	A WELL (CURR 217)	13.52	10.90	10.58	10.85	9.95	9.19	11.54	10.79	14.34	21.97	22.03	21.72	167.38	
1999	12887	A WELL (CURR 217)	13.47	10.41	10.77	12.43	12.96	10.50	10.88	9.96	16.69	19.98	16.64	14.66	159.36	
1998	12887	A WELL (CURR 217)	11.36	10.58	10.55	12.84	11.11	10.22	11.61	13.54	13.79	21.54	21.03	20.56	168.73	
1997	12887	A WELL (CURR 217)	15.19	17.74	14.16	15.63	12.84	9.82	11.84	13.83	17.82	19.25	21.71	14.16	183.98	
1996	12887	A WELL (CURR 217)	10.16	9.53	10.71	8.91	10.30	9.67	8.36	8.90	14.42	17.24	22.66	16.45	147.30	
1995	12887	A WELL (CURR 217)	13.65	16.97	12.90	11.57	12.08	8.58	8.11	9.03	12.14	17.07	20.17	15.12	157.41	
1994	12887	A WELL (CURR 217)	12.32	10.23	9.77	11.37	8.09	7.75	9.70	8.96	71.73	19.20	20.00	21.08	210.20	
1993	12887	A WELL (CURR 217)	11.96	8.60	9.73	9.41	8.03	6.28	8.37	8.04	10.84	17.88	14.90	14.85	128.90	
1992	12887	A WELL (CURR 217)	12.32	7.13	8.19	9.81	10.43	7.71	7.39	11.26	14.18	12.85	16.92	11.79	129.98	
1991	12887	A WELL (CURR 217)	8.43	7.65	9.51	7.40	5.54	6.59	7.63	5.67	11.33	14.19	15.30	11.05	110.30	
1990	12887	A WELL (CURR 217)	7.29	6.84	6.64	6.33	7.81	5.18	7.51	8.62	8.85	11.60	13.25	10.04	99.97	
1989	12887	A WELL (CURR 217)	6.06	5.08	5.04	5.87	6.50	5.35	7.16	6.69	10.42	11.72	14.27	10.39	94.56	

*The water year is named for the calendar year in which it ends. Example: the 2014 water year begins Oct. 1, 2013 and ends Sep. 30, 2014.

- Water use is reported by point of diversion (POD), rather than by water right.
- If a POD is shared with multiple water rights, it is not feasible to separate out the amount used under the water right being queried from water used by other rights using this same POD.

RECEIVED
OCT 01 2015
OWRD

Walter White

From: CLARK Gerry E [gerald.e.clark@state.or.us]
Sent: Friday, September 25, 2015 9:50 AM
To: Walter White
Subject: RE: Permit G-13613 Mapping Standards Waiver Request

Walter,

Your request for a waiver is approved as requested.

I will place a copy of this waiver approval in the file, but please also attach a copy to your Claim.

Let me know if you have any additional questions. Have a great weekend!

Gerry

Gerry Clark
Water Right Services Division
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301

Phone: 503-986-0811

From: Walter White [mailto:wwhite@shn-engr.com]
Sent: Friday, September 25, 2015 9:47 AM
To: 'Gerry Clark'
Subject: RE: Permit G-13613 Mapping Standards Waiver Request

Gerry

I am requesting a waiver to the Mapping Standards for a claim of beneficial use application I am working on for Nesika Beach Ophir Water District.

The Mapping Standards I am requesting a waiver for are:

Scale- Requesting waiver for and 11x17 size sheet at 1"=3000'. This scale will allow me to show the entire district and places of use on one sheet.

Tax Lot Boundaries and Numbers- Requesting waiver to not include this requirement to allow for a more legible map product.

Thank you for your consideration.

Walter White, PLS
Senior Surveyor



SHN Engineers & Geologists
275 Market Avenue, Coos Bay, OR 97420
T: (541)266-9890 | C: (541)290-7571

RECEIVED
OCT 01 2015
OWRD

NBOWD - Pressure and flow data
various points in system

	Pressure in PSI	Flow in GPM	Date recorded	Flow in CFS
	<i>Standard Gauge</i>	<i>Rockwell meter</i>		
	<i>0-200psi</i>	<i>Model# W-350</i>		
		3" 125-W		
End of Chantrelle - 2" blow-off on 2" pvc line	56	86	1/30/2014	0.2
End of Greggs Creek - 2" blow-off on 3" pvc line	78	121.55	2/3/2014	0.3
End of Ophir Rd - Hydrant 6" off of 8" C900	115	1180	1/30/2014	2.6
North Bank Rd Hydrant - 6" off of 12' HDPE	110	1200	11/2/2013	2.7
Nesika Rd Hydrant - 6" off of 6" ACP	82	1000	11/2/2014	2.2
Hillside Acres Rd - 4" ACP	65	400	11/7/2013	0.9
Ophir Rd at Greggs Creek Rd - 6" off of 8" C900	98	1200	2/3/2014	2.7
Indian Hills Near pump #2 - 6" C-900	61	1885	7/26/2005	4.2

RECEIVED
OCT 01 2015
OWRD

942

EXPLANATION

- PLACE OF USE
- SECTION LINES
- WATER MAIN LINE 12", 8", & 6"
- 6" WATER
- 4" WATER
- 3" WATER
- 2" WATER

- WELL HEAD (POD1)
- L1 GOVERNMENT LOT
- MS MINERAL SURVEY
- DLC DONATION LAND CLAIM
- STORAGE TANK

THIS MAP IS NOT INTENDED TO PROVIDE LEGAL DIMENSIONS OR LOCATIONS OF PROPERTY OWNERSHIP LINES.





EXPIRES: 6/30/16



NBOWD
Claim of Beneficial Use
Current/Counter OR

Application No. G-14016
Permit No. G-13613
SHN 615003



WELL (POD1)
BEARS SOUTH 05°51'01" WEST
A DISTANCE OF 844.82' FROM
THE NE CORNER OF
GOVERNMENT LOT 1, SECTION 9

RECEIVED
OCT 01 2015
OWRD



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

October 5, 2015

Nesika Beach Ophir Water Dist.
PO Box 39
Ophir OR 97464

On October 1, 2015, the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file(s):

Application G-14016 Permit G-13613

The COBU included a report and map. In the future the Department will review your submittal. At that time we will review these items and provide a final certificate, proposed certificate, or a request for additional information.

If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml

Customer Service phone: (503) 986-0801

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Cc: file
Walter White, CWRE



CONSULTING ENGINEERS & GEOLOGISTS, INC.

275 Market Avenue • Coos Bay, Oregon 97420-2228 • Phone: 541/266-9890 • FAX: 541/266-9496 • shninfo@shn-engr.com

Reference: 615003

September 30, 2015

Mr. Gerry Clark
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

Subject: Claim of Beneficial Use - Permit G-13613.

Dear Mr. Clark:

Please find enclosed Claim of Beneficial Use application for Permit G-13613 (Nesika Beach-Ophir Water District) and check number 104054 in the amount of \$175.00 for application fees.

Please contact me at 541-266-9890 if you have any questions.

Regards,

SHN Consulting Engineers & Geologists, Inc.

Walter White PLS
Senior Surveyor

SKD:dkl

Enclosure: Claim of Beneficial Use application
Check no. 10454

RECEIVED

OCT 01 2015

OWRD

WATER FILING APPLICATION for NESIKA BEACH WATER DISTRICT & OPHIR WATER DISTRICT

LOCATED in T 35 S, R 14 W and T 36 S, R 14 W, W.M.
CURRY COUNTY, OREGON

SCALE: 2" = 1 MILE FEBRUARY 1995

RECEIVED

SEP - 8 1997

WATER RESOURCES DEPT.
SALEM, OREGON

Application No. G14016
Permit No. G13613

THE PREPARATION OF THIS MAP WAS FOR THE PURPOSE OF IDENTIFYING
THE LOCATION OF THE PROPOSED WATER RIGHT AND HAS NO INTENT TO
PROVIDE DIMENSIONS OR LOCATION OF PROPERTY LINES.




INDICATES:

PERMIT # G3571
APPLICATION # G 3788
CERTIFICATE # 37549



INDICATES:

BOUNDARIES OF
EXPANDED USES




Page 2

PACIFIC

NESIKA
BEACH

HUBBARD
MOUND

OTTER
POINT



"EXHIBIT A"

WATER FILING APPLICATION for NESIKA BEACH WATER DISTRICT & OPHIR WATER DISTRICT

LOCATED in T 35 S, R 14 W and T 36 S, R 14 W, W.M.
CURRY COUNTY, OREGON

SCALE: 2" = 1 MILE FEBRUARY 1995

RECEIVED

SEP - 8 1997

WATER RESOURCES DEPT.
SALEM, OREGON

Application No. *G14016*
Permit No.

THE PREPARATION OF THIS MAP WAS FOR THE PURPOSE OF IDENTIFYING
THE LOCATION OF THE PROPOSED WATER RIGHT AND HAS NO INTENT TO
PROVIDE DIMENSIONS OR LOCATION OF PROPERTY LINES.




INDICATES:

PERMIT # G3571
APPLICATION # G 3788
CERTIFICATE # 37549



INDICATES:

BOUNDARIES OF
EXPANDED USES



P A C




H.J. NEWHOUSE - LAND SURVEYING
P.O. BOX 360
WEDDERBURN, OREGON 97491
(503) 247-6923
R.L.S. # 402
C.W.R.E. # 095

WEDDERBURN

HUBBARD
MOUND

OTTER
POINT



"EXHIBIT B"

WATER FILING APPLICATION for NESIKA BEACH WATER DISTRICT & OPHIR WATER DISTRICT

LOCATED in T 35 S, R 14 W and T 36 S, R 14 W, W.M.
CURRY COUNTY, OREGON

SCAL **RECEIVED** FEBRUARY 1995

SEP - 8 1997

WATER RESOURCES DEPT.
SALEM, OREGON

THE PREPARATION OF THIS MAP WAS FOR THE PURPOSE OF IDENTIFYING
THE LOCATION OF THE PROPOSED WATER RIGHT AND HAS NO INTENT TO
PROVIDE DIMENSIONS OR LOCATION OF PROPERTY LINES.

Application No. *C-14016*
Permit No.

- "A" EXISTING 32,000 gal.
STEEL TANK
- "B" PROPOSED 32,000 gal.
STEEL TANK
- "C" EXISTING 200,000 gal.
STEEL TANK
- "D" EXISTING 200,000 gal.
STEEL TANK
- "E" EXISTING CONSTANT
PRESSURE PUMP STATION
- "F" PROPOSED DUPLEX
BOOSTER PUMP STATION
- "G" EXISTING BOOSTER
PUMP STATION
- "H" EXISTING 1,500 gal.
CONCRETE TANK
- "I" EXISTING BOOSTER
PUMP STATION
- "J" EXISTING BOOSTER
PUMP STATION
- "K" EXISTING 18,000 gal.
STEEL TANK

N
E
A
S
H
O
C
E
A
N



P A C I

BEACH

HUBBARD
MOUND

OTTER
POINT


WEDDERBURN

GOLD BEACH

NOTE:
ALL PIPELINES ARE LOCATED WITHIN ROAD WAYS,
EXCEPT THAT PORTION OF THE 4" LINE LOCATED IN
SECTION 12, T36S, R15W.



H.J. NEWHOUSE - LAND SURVEYING
P.O. BOX 360
WEDDERBURN, OREGON 97491
(503) 247-6923
R.L.S. # 402
C.W.R.E. # 095



App G-14016 Permit G-13613 Today's Date 5-15-06

Name Nesika Beach - ophir water District

Date of Plan Dec 2000

next plan due 2-28-08

~~They will send a letter to Debbie Colbert
requesting renewal date to coincide
with 3 yrs after extension.~~

Water Management and Conservation Plan

on file in field
services

STATE OF OREGON

COUNTY OF CURRY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

NESIKA BEACH WATER DISTRICT AND OPHIR WATER DISTRICT
32892 NESIKA ROAD
GOLD BEACH, OREGON 97444

(503) 247-2614

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14016

SOURCE OF WATER: A WELL IN ROGUE RIVER BASIN

PURPOSE OR USE: QUASI-MUNICIPAL

MAXIMUM RATE: 0.5 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: JANUARY 5, 1996

POINT OF DIVERSION LOCATION: SE 1/4 SE 1/4, SECTION 9, T36S, R14W, W.M.;
512 FEET NORTH & 2538 FEET EAST FROM S1/4 CORNER, SECTION 9

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NW 1/4 NE 1/4
SW 1/4 NE 1/4
SE 1/4 NE 1/4
NE 1/4 SW 1/4
SE 1/4 SW 1/4
NW 1/4 SE 1/4
SW 1/4 SE 1/4

SECTION 8

NW 1/4
NW 1/4 SW 1/4
SW 1/4 SW 1/4

SECTION 17

NE 1/4 NE 1/4
SE 1/4 NE 1/4
NE 1/4 SE 1/4

SW 1/4 SE 1/4
SE 1/4 SE 1/4
SECTION 19

NW 1/4 NW 1/4
SW 1/4 NW 1/4
NW 1/4 SW 1/4
SW 1/4 SW 1/4
SECTION 20

NE 1/4 NE 1/4
NW 1/4 NE 1/4
SW 1/4 NE 1/4
SE 1/4 NW 1/4
NE 1/4 SW 1/4
SE 1/4 SW 1/4
NW 1/4 SE 1/4
SW 1/4 SE 1/4
SECTION 30

SW 1/4 NE 1/4
NW 1/4
NE 1/4 SW 1/4
NW 1/4 SW 1/4
SE 1/4 SW 1/4
SECTION 31

TOWNSHIP 35 SOUTH, RANGE 14 WEST, W.M.

SE 1/4 NE 1/4
NE 1/4 SE 1/4
SE 1/4 SE 1/4
SECTION 36

TOWNSHIP 35 SOUTH, RANGE 15 WEST, W.M.

NE 1/4 SW 1/4
SW 1/4 SW 1/4
NW 1/4 SE 1/4
SECTION 5

NW 1/4 NW 1/4
SW 1/4 NW 1/4
NW 1/4 SW 1/4
SW 1/4 SW 1/4
SE 1/4 SE 1/4
SECTION 6

NW 1/4 NW 1/4
SECTION 7

NE 1/4
NE 1/4 NW 1/4
NW 1/4 NW 1/4
SE 1/4 NW 1/4
NE 1/4 SW 1/4
SE 1/4 SW 1/4
SE 1/4
SECTION 8

SW 1/4 NW 1/4
SE 1/4 NW 1/4
SW 1/4
SE 1/4
SECTION 9

NE 1/4 NW 1/4
SECTION 16

NW 1/4 NE 1/4
SW 1/4 NE 1/4
NW 1/4 SE 1/4
SECTION 17

TOWNSHIP 36 SOUTH, RANGE 14 WEST, W.M.

NE 1/4
SE 1/4
SECTION 12

TOWNSHIP 36 SOUTH, RANGE 15 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, a totalizing flow meter must be installed at each diversion point. The totalizing flow meter must be installed and maintained as identified in OAR 690-507-645. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The Department has determined a Water Management and Conservation Plan may be required for this application under OAR 690 Division 86.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin by June 8, 1999. Complete application of water to the use shall be made on or before October 1, 2002. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued March 22, 1999



Martha O. Pagel, Director
Water Resources Department



Application G-14016
Basin 17
RWK

Water Resources Department
Volume 3 EUCHRE CR & MISC
MGMT.CODES 7BG 7BR

PERMIT G-13613
District 19

Mailing List for Permit Copies

Application#G-14016 Mailing List Print Date March 8, 1999

Original mailed to (when permit issued, include copy of permit map):

Applicant: NESIKA BEACH WATER DISTRICT AND OPHIR WATER DISTRICT, 32892
NESIKA ROAD, GOLD BEACH, OREGON 97444

Copies Mailed
By: <u>HW</u>
(SUPPORT STAFF)
on <u>3/22/99</u>
(DATE)

For Permit only - Permit Copies sent to (Remember to reduce copy margins):

1. WRD - File # G-14016
2. WRD - Ken Stahr
3. WRD - Data Center
4. WRD - NWR (Gloria)
5. WRD - Watermaster District #:19 (w/copy of permit map)
6. WRD - Regional Manager: SWR
7. WRD - RMD (Rachel) (For permits with Water Management Plan only)

CASEWORKER: RWK

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number G-14016

Final Order
Extension of Time for Permit Number G-13613

Appeal Rights

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

The Department issued Permit G-13613 on March 22, 1999. The permit called for complete application of water to beneficial use by October 1, 2002. On June 23, 2003, Nesika Beach Water District and Ophir Water District submitted an application to the Department for an extension of time for Permit G-13613. In accordance with OAR 690-315-0050(2), on August 28, 2007, the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2015. The protest period closed October 12, 2007, in accordance with OAR 690-315-0060(1). No protest was filed.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, the permit may be extended subject to the following conditions:

CONDITIONS

1. **Development Limitations**

Diversion of any water beyond 0.366 cfs under Permit G-13613 shall only be authorized upon issuance of a final order approving a WMCP under OAR Chapter 690, Division 86. The required WMCP shall be submitted to the Department within 3 years of an approved extension application. Use of water under Permit G-13613 must be consistent with this and subsequent WMCP's approved under OAR Chapter 690, Division 86 on file with the Department.


The deadline established in this PFO for submittal of a WMCP shall not relieve a permit holder of any existing or future requirement for submittal of a WMCP at an earlier date as established through other orders of the Department. A WMCP submitted to meet the requirements of this order may also meet the WMCP submittal requirements of other Department orders

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0080(3).

Order

The extension of time for Application G-14016, Permit G-13613, therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use is extended to October 1, 2015.

DATED: October 25, 2007

A handwritten signature in black ink, appearing to read "Dwight French", is written over the printed name and title.

Dwight French, Administrator of
Water Rights and Adjudications
for
Phillip C. Ward, Director

If you have any questions about statements contained in this document, please contact Kim R. French at (503) 986-0813.

If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900.

Mailing List for Extension FO Copies

Note: Include a copy of the "Important Notice" document along with the original copy of the Final Order being sent to the permit holder.

FO Date: October 25, 2007

**Application G-14016
Permit G-13613**

Original mailed to permit holder:

Nesika Beach Water District and Ophir Water District
Attn: Alan Wagner
PO Box 39
Ophir, OR 97464-0039

Copies sent to:

1. WRD - App. File G-14016/ Permit G-13613
2. WRD - Watermaster District 19, Mitch Lewis
3. WRD - SW Regional Manager - Bruce Sund
4. WRD - Sarah Henderson, Technical Services (for QM requiring Division 86 plan)
5. WRD - Support Staff, Salem...*Permit record update*

Fee paid as specified under ORS 536.050 to receive copy:

6. None

Receiving via e-mail (10 AM day of signature date)

7. None

CASEWORKER: KRF

Copies Mailed
By: <u>MS</u> (SUPPORT STAFF)
on: <u>10/25/07</u> (DATE)

**Oregon Water Resources Department
Water Rights Division**

Application for Extension of Time

In the Matter of the Application for an Extension of Time)
for Permit G-13613, Water Right Application G-14016,)
in the name of Nesika Beach Water District and)
Ophir Water District)

PROPOSED FINAL ORDER

Permit Information

Application File G-14016 / Permit G-13613
Basin 15 – Rogue Basin / Watermaster District 19
Date of Priority: January 5, 1996

Authorized Use of Water

Source of Water: A Well in the Rogue River Basin
Purpose or Use: Quasi-Municipal
Maximum Rate: 0.5 Cubic Feet per Second (cfs)

**This Extension of Time request is being processed in accordance with Oregon
Administrative Rule Chapter 690, Division 315.**

Please read this Proposed Final Order in its entirety.

This Proposed Final Order applies only to Permit G-13613, water right Application G-14016.
A copy of Permit G-13613 is enclosed as Attachment 1.

Summary of Proposed Final Order for Extension of Time

The Department proposes to:

- grant an extension of time to apply water to full beneficial use from October 1, 2002 to October 1, 2015.

ACRONYM QUICK REFERENCE

Department – Oregon Department of Water Resources
District – Nesika Beach Water District and Ophir Water District
ODFW – Oregon Department of Fish and Wildlife
PFO – Proposed Final Order
WMCP – Water Management and Conservation Plan

Units of Measure

cfs – cubic feet per second
gpm – gallons per minute
mgd – million gallons per day

AUTHORITY

Generally, see ORS 537.630 and OAR Chapter 690 Division 315.

ORS 537.630(2) provides in pertinent part that the Oregon Water Resources Department (Department) may, for good cause shown, shall order and allow an extension of time, for the completion of the well or other means of developing and securing the ground water or for complete application of water to beneficial use. In determining the extension, the department shall give due weight to the considerations described under ORS 539.010 (5) and to whether other governmental requirements relating to the project have significantly delayed completion of construction or perfection of the right.

ORS 539.010(5) provides in pertinent part that the Water Resources Director, for good cause shown, may extend the time within which the full amount of the water appropriated shall be applied to a beneficial use. This statute instructs the Director to consider: the cost of the appropriation and application of the water to a beneficial purpose; the good faith of the appropriator; the market for water or power to be supplied; the present demands therefore; and the income or use that may be required to provide fair and reasonable returns upon the investment.

OAR 690-315-0080 provides in pertinent part that the Department shall make findings to determine if an extension of time for municipal and/or quasi-municipal water use permit holders may be approved to complete construction and/or apply water to full beneficial use.

FINDINGS OF FACT

Background

1. Permit G-13613 was granted by the Department on March 22, 1999. The permit authorizes the use of up to 0.5 cfs of water from one well within the Rogue River Basin, for quasi-municipal use. It specified that complete application of water was to be made on or before October 1, 2002.
2. Due to an ongoing permit extension rulemaking, the Department placed all pending Applications for Extension of Time for municipal and quasi-municipal permits on hold and did not require municipal and quasi-municipal water use permit holders to submit Applications for Extension of Time until the new rules were adopted.
3. Municipal and quasi-municipal water use permit extension rules OAR 690-315-0070 through 690-315-0100 became effective on November 1, 2002, were amended, filed with the Secretary of State, and became effective on November 22, 2005.
4. Nesika Beach Water District and Ophir Water District (District), submitted an "Application for Extension of Time" to the Department on June 23, 2003 requesting the time in which to apply water to full beneficial use under the terms of Permit G-13613 be extended from October 1, 2002 to October 1, 2008. This is the first extension of time request for Permit G-13613.
5. Notification of the District's Application for Extension of Time for Permit G-13613 was published in the Department's Public Notice dated July 1, 2003. No public comments were received regarding the extension application.
6. On May 3, 2006, April 6, 2007 and July 20, 2007, the District submitted additional information to supplement their Application for Extension of Time. The April 6, 2007 amendment requested the extended time to apply water to full beneficial use under the terms of Permit G-13613 be changed from October 1, 2008 to October 1, 2015.

Review Criteria for Municipal and Quasi-Municipal Water Use Permits [OAR 690-315-0080(1)]

The time limits to complete construction and/or apply water to full beneficial use may be extended if the Department finds that the permit holder has met the requirements set forth under OAR 690-315-0080. This determination shall consider the applicable requirements of ORS 537.230¹, 537.248², 537.630³ and/or 539.010(5)⁴

Complete Extension of Time Application [OAR 690-315-0080(1)(a)]

7. On June 23, 2003, the Department received a complete Application for Extension of Time and the fee required by ORS 536.050 from the permit holder.

Start of Construction [OAR 690-315-0080(1)(b)]

8. Actual construction of the well began March 8, 1967, which was within the time specified in the

¹ ORS 537.230 applies to surface water permits only.

² ORS 537.248 applies to reservoir permits only.

³ ORS 537.630 applies to ground water permits only.

⁴ ORS 537.010(5) applies to surface water and ground water permits.

permit.

Duration of Extension [OAR 690-315-0080(1)(c)(d)]

Under OAR 690-315-0080(1)(c),(d), in order to approve an extension of time for municipal and quasi-municipal water use permits the Department must find that the time requested is reasonable and the applicant can complete the project within the time requested.

9. The remaining work to be accomplished under Permit G-13613 consists of (1) applying for a permit amendment to change the permitted point of appropriation to a new well, (2) installing transmission pipelines from the new well to the system, (3) source treatment, (4) transmission line replacement, and (5) completing construction of the water system and applying water to full beneficial use.
10. As of June 23, 2003, the permit holder has appropriated the total of the 0.5 cfs of water allowed under Permit G-13613 for quasi-municipal purposes. There is no undeveloped portion of Permit G-13613.
11. In addition to the 0.5 cfs of water allowed under Permit G-13613, the District holds the following quasi-municipal rights:
 - Certificate 37549 for 0.2 cfs of water from one well (the same well authorized under Permit G-13613) within the Rogue River Basin;
 - Permit S-53985 for 1.0 cfs of water from Greggs Creek, tributary of the Pacific Ocean; and
 - Permit G-15728 for 1.0 cfs of water from a well in Greggs Creek Basin.

The District's certificate and permit water rights total 1.7 cfs of ground water and 1.0 cfs of live flow (surface) water.

12. In 2007, the District utilized a peak day demand total of 0.7 cfs of water, being 0.2 cfs from the well authorized under Permit G-3571 and 0.5 cfs from the same well authorized under Permit G-13613 to meet its present demand for water. The District utilized water authorized under Permit G-1527 and S-53985 for redundancy purposes. The District has not yet made beneficial use of 2.0 cfs of water, being 1.0 cfs authorized under Permit S-53985 and 1.0 cfs of water authorized under Permit G-15728.
13. In 2000, the District served 1,433 residential users. The District expects to serve 2,232 residential users by the year 2015, a population growth rate of approximately 3 percent per year.
14. The District's projected peak demand is 0.94 cfs of water by the year 2015.
15. Full development of Permit G-13613 is needed to meet the present and future water demands of the District.
16. Given the amount of development left to occur, the Department has determined that the District's request to have until October 1, 2015 to apply water to full beneficial use under the terms of Permit G-13613 is both reasonable and necessary.

Good Cause [OAR 690-315-0080(1)(e) and (3)(a-g)and (4)]

The Department's determination of good cause shall consider the requirements set forth under OAR 690-315-0080(3).

Reasonable Diligence and Good Faith of the Appropriator [OAR 690-315-0080(3)(a),(c) and (4)]

Reasonable diligence and good faith of the appropriator must be demonstrated during the permit period or prior extension period as a part of evaluating good cause in determining whether or not to grant an extension. In determining the reasonable diligence and good faith of a municipal or quasi-municipal water use permit holder, the Department shall consider activities associated with the development of the right including, but not limited to, the items set forth under OAR 690-315-0080(4) and shall evaluate how well the applicant met the conditions of the permit or conditions of a prior extension period.

17. Prior to the issuance of Permit G-13613 on March 22, 1999, the District constructed the well.
18. Work was accomplished (specified in the Application for Extension of Time) during the original development time frame under Permit G-13613.
19. Since October 1, 2002, the District has accomplished the following:
 - the Water Management and Conservation Plan was approved by the Department;
 - a Water Investigation and Source Water Supply Study was completed.
20. As of July 11, 2003, the permit holder has invested \$72,500, which is approximately 4 percent of the total projected cost for complete development of this project. The District anticipates an additional \$1,700,951 is needed for the completion of this project.
21. Since the issuance of Permit G-13613 on March 22, 1999, the total of the 0.50 cfs allowed has been appropriated from the well for beneficial quasi-municipal purposes under the terms of this permit.
22. The Department has considered the District's compliance with conditions, and did not identify any concerns.

Financial Investment and Cost to Appropriate and Apply Water to a Beneficial Purpose

[OAR 690-315-0080(3)(b)]

23. As of July 11, 2003, the permit holder has invested \$72,500, which is approximately 4 percent of the total projected cost for complete development of this project. The District anticipates an additional \$1,700,951 is needed for the completion of this project.

The Market and Present Demands for Water [OAR 690-315-0080(3)(d) and (5)(a-f)]

For municipal or quasi-municipal water use permits issued after November 2, 1998, in making a determination of good cause pursuant to 690-315-0080(3)(d), the Department shall also consider, but is not limited to, the factors in 690-315-0080(5)(a-f).

24. The amount of water available to satisfy other affected water rights and scenic waterway flows; special water use designations established since permit issuance, including but not limited to state scenic waterways, federal wild and scenic rivers, serious water management problem areas or water quality limited sources established under 33 U.S.C. 1313(d); or the habitat needs of sensitive, threatened or endangered species, in consultation with the Oregon Department of Fish and Wildlife [OAR 690-315-0080(5)(a-c)].
 - a. The amount of water available to satisfy other affected water rights and scenic waterway flows was determined at the time of issuance of Permit G-13613; furthermore, water availability for other affected water rights and scenic waterway flows after the permit was issued is determined at such time that such application for a new water right is

submitted. The point of appropriation for Permit G-13613, located within the Rogue River Basin, is not located within a limited or critical ground water area. Rogue River is located within a state scenic waterway, but not above a federal scenic waterway. It is located within an area ranked "low" for stream flow restoration needs as determined by the Department in consultation with the Oregon Department of Fish and Wildlife, and is located within a Sensitive, Threatened or Endangered Fish Species Area as identified by the Department in consultation with Oregon Department of Fish and Wildlife. Rogue River is not listed by the Department of Environmental Quality as a water quality limited stream.

25. Economic investment in the project to date [OAR 690-315-0080(5)(d)].

- a. As of July 11, 2003, the permit holder has invested \$72,500, which is approximately 4 percent of the total projected cost for complete development of this project. The District anticipates an additional \$1,700,951 is needed for the completion of this project.

26. Other economic interests dependent on completion of the project [OAR 690-315-0080(5)(e)].

- a. None have been identified.

27. Other factors relevant to the determination of the market and present demand for water and power [OAR 690-315-0080(5)(f)].

- a. As described in Findings 10 through 15, above, the District has indicated, and the Department finds, that the District must rely on full development of its current ground water rights within the Rogue River Basin.
- b. The District projects a population increase of approximately 3 percent per year over a fifteen year period, being 2000 to 2015.
- c. Given the current water supply situation of the District, as well as current and expected demands, there is a market and present demand for the water to be supplied under Permit G-13613.

Fair Return Upon Investment [OAR 690-315-0080(3)(e)]

- 28. Use and income from the permitted water development project would result in reasonable returns upon the investment made in the project to date.

Other Governmental Requirements [OAR 690-315-0080(3)(f)]

- 29. Delays caused by any other governmental requirements in the development of this project have not been identified.

Events which Delayed Development under the Permit [OAR 690-315-0080(3)(g)]

- 30. Delay of development under Permit G-13613 was due, in part, to the size and scope of the quasi-municipal water system, which was designed to be phased in over a period of years; population and service growth losses, including a school closure, which reduced water demands to a level that did not require application to full beneficial use of the permit; problems with the current well that impacted well production; and the successful implementation of water conservation measures, including reducing system losses and increasing system efficiencies.

CONCLUSIONS OF LAW


1. The District is entitled to apply for an extension of time to completely apply water to the full beneficial use pursuant to ORS 537.630(2).
2. The District has submitted a complete extension application form and the fee specified under ORS 536.050(1)(k), as required by OAR 690-315-0080(1)(a).
3. The District demonstrated that actual construction on the project began within the time specified in the permit, as required by OAR 690-315-0080(1)(b).
4. The time requested to apply water to full beneficial use is reasonable, as required by OAR 690-315-0080(1)(c).
5. Completion of full application of water to beneficial use can be completed by October 1, 2015⁵ pursuant to OAR 690-315-0080(1)(d).
6. The Department has considered the reasonable diligence and good faith of the appropriator, the cost to appropriate and apply water to a beneficial purpose, the market and present demands for water to be supplied, the financial investment made and the fair return upon the investment, the requirements of other governmental agencies, and unforeseen events over which the water right permit holder had no control, and the Department has determined that the District has shown good cause for an extension of time to complete construction of the water system and to apply the water to full beneficial use pursuant to OAR 690-315-0080(1)(e).

Proposed Order

Based upon the foregoing Findings of Fact and Conclusions of Law, the Department proposes to issue an order to:

extend the time to apply the water to beneficial use under Permit G-13613 from October 1, 2002 to October 1, 2015.

DATED: August 28, 2007


Dwight French
Administrator
Water Rights and Adjudications Division

If you have any questions, please check the information box on the last page for the appropriate names and phone numbers.

⁵ Pursuant to ORS 537.630(4), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and the claim of beneficial use.

Proposed Final Order Hearing Rights

1. Under the provisions of OAR 690-315-0100(1) and 690-315-0060, the applicant or any other person adversely affected or aggrieved by the proposed final order may protest and request a contested case hearing on the proposed final order. Your request for contested case hearing must be in writing and must be received by the Water Resources Department no later than **October 12, 2007** being 45 days from the date of publication of the proposed final order in the Department's weekly public notice.
2. A written request for contested case hearing shall include:
 - a. The name, address and telephone number of the petitioner;
 - b. A description of the petitioner's interest in the proposed final order and if the protestant claims to represent the public interest, a precise statement of the public interest represented;
 - c. A detailed description of how the action proposed in the proposed final order would adversely affect or aggrieve the petitioner's interest;
 - d. A detailed description of how the final order is in error or deficient and how to correct the alleged error or deficiency;
 - e. Any citation of legal authority supporting the petitioner, if known;
 - f. Proof of service of the protest upon the water right permit holder, if petitioner is other than the water right permit holder; and
 - g. The protest fee required under ORS 536.050, if petitioner is other than the water right permit holder.
3. Within 60 days after the close of the period for requesting a contested case hearing, the Director shall:
 - a. Issue a final order on the extension request; or
 - b. Schedule a contested case hearing if a request for contested case hearing has been submitted, and:
 - 1) Upon review of the issues, the Director finds there are significant disputes related to the proposed agency action; or
 - 2) The applicant submits a written request for a contested case hearing within 30 days after the close of the period for submitting protests.

-
- If you have any questions about statements contained in this document, please contact Kim R. French at 503-986-0813.
 - If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Dwight French at 503-986-0819.
 - If you have any questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0801.
 - Address any correspondence to: Water Rights and Adjudications Division
725 Summer St NE, Suite A
 - Fax: 503-986-0901 Salem, OR 97301-1266
-

Mailing List for Extension PFO Copies

PFO Date: August 28, 2007

Permit G-13613

Application G-14016

Original mailed to Applicant:

Nesika Beach Water District and Ophir Water District
Attn: Allan Wagner
PO Box 39
Ophir, Oregon 97464-0039

Copies Mailed
By: <u>CS</u>
(SUPPORT STAFF)
on: <u>8/28/07</u>
(DATE)

Copies sent to:

1. WRD - Appl. File G- 14016 / Permit G-13613
2. WRD - Watermaster District 19 – Mitch Lewis, Coquille

Fee paid as specified under ORS 536.050 to receive copy:

3. None

Receiving via e-mail (10 AM Tuesday of signature date)

4. None
5. Notification only: WRD – Salem Opeifa and Gerry Clark (if Reimbursement Authority)
Done by CS Date 8/28/07

CASEWORKER: KRF

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

158 12TH ST. N.E.
SALEM, OR 97301-4172
378-8455 / 378-8130 (FAX)

RECEIPT # **60792**

INVOICE # _____

RECEIVED FROM: Nesika Beach
BY: OPHIR Water Dist.

APPLICATION	<u>G14016</u>
PERMIT	
TRANSFER	

CASH: ☐ CHECK:# 1615 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 100.00

0401 TREASURY 0417 WRD MISC CASH ACCT

0407	COPIES	\$
	OTHER: (IDENTIFY)	\$
	OTHER: (IDENTIFY)	\$

0427 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES	\$
0410	RESEARCH FEES	\$
0408	MISC REVENUE: (IDENTIFY)	\$
TC162	DEPOSIT LIAB. (IDENTIFY)	\$
0240	EXTENSION OF TIME	\$ <u>100.00</u>

WATER RIGHTS:

0201	SURFACE WATER	\$	0202	\$
0203	GROUND WATER	\$	0204	\$
0205	TRANSFER	\$		

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	\$	0219	\$
	LANDOWNER'S PERMIT	\$	0220	\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD #	
0210	MONITORING WELLS	\$	CARD #	
	OTHER (IDENTIFY)			

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)	\$
0231	HYDRO LICENSE FEE (FW/WRD)	\$
	HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND	TITLE	
OBJ. CODE	VENDOR #	
DESCRIPTION		\$

RECEIPT: **60792**

DATED: 6/23/03 BY: Connie Vance

*this document is complete
- see copy rec'd 7/10/03.*

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

APPLICATION FOR EXTENSION OF TIME

for Quasi-Municipal and Municipal Water Use Permits

TO THE WATER RESOURCES DIRECTOR OF OREGON

I, NESIKA BEACH WATER DIST; OPHIR WATER DIST. ALAN WAGONER
NAME OF ENTITY NAME OF CONTACT

32892 Nesika Rd. Gold Beach OR 97944 (541) 247-2614
ADDRESS CITY STATE ZIP PHONE

owner of record, or duly authorized agent, of Application No. 614016, Permit No. 613613,
do hereby request that the time in which to:

- • complete the construction of diversion/appropriation works and/or purchase and installation of the equipment necessary to the use of water, which time now expires on October 1, _____, be extended to October 1, _____,

and/or the time in which to:

- • accomplish beneficial use of water to the full extent under the terms of the permit, which time now expires on October 1, 2003, be extended to October 1, 2008.

NOTE:

Permit extensions for Quasi-Municipal and Municipal permits are evaluated under OAR Chapter 690, Division 315. Except under limited circumstances, upon issuance of an order approving an extension, you will be required to submit within 3 years a Water Management and Conservation Plan (WMCP) under OAR Chapter 690, Division 86. Diversion of water beyond the maximum rate currently diverted under the permit shall only be authorized upon approval of your WMCP. The rules may be viewed at: "www.wrd.state.or.us/law/oar1999.shtml"

Attached are instructions to assist you in completing the information on the permit extension application form. Oregon Water Law and Administrative Rules require this information to be considered by the Water Resources Department when reviewing a Quasi-Municipal or Municipal water use permit extension application. For each permit, a separate extension application must be submitted. All items must be addressed or the application may be returned. Please feel free to provide the Department with any additional information or evidence that will aid us in making our decision. Please use additional sheets of paper as needed to fully respond to the questions.

After reviewing the application form and the instruction sheet, if you have any questions, you may contact the Department at (503) 378-3739, and request assistance from the Water Rights Division, permit extensions personnel.

In order for the Department to evaluate your extension of time request for a Quasi-Municipal or Municipal water use permit, please provide the following:

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

1. The appropriate fee, as specified under ORS 536.050.
2. For Quasi-Municipal water use permits, evidence of the actions taken to begin actual construction on the project, if required under the applicable statute.
3. Evidence of actions taken to develop the right within the permitted time period and/or time period of the previous extension.
4. Evidence of compliance with conditions contained in the permit and any previous extension(s). If any of the conditions have not been satisfied, please explain the reason(s) why.
5. Evidence of the maximum rate of water diverted to date, if any, for Quasi-Municipal or Municipal purposes.
6. An estimate of the population served under this permit and a description of the methodology(ies) used to make this estimate.
7. A description of the financial expenditures made toward completion of the water development.
8. An estimate of the cost necessary to complete the water development.
9. A summary of any events that delayed completion of the water development or application of water to full beneficial use, including other governmental requirements, if any, relating to the project that have significantly delayed completion of construction or perfection of the right.
10. An estimated demand projection and a description of the methodology(ies) used for the subject water right permit, considering the other water rights and contracts held by the municipal or quasi-municipal water use permit holder, and a date by which the water development is anticipated to be completed and water put to full beneficial use.

Extension requests for greater than 50 years must include documentation that the demand projection is consistent with the amount and types of lands and uses proposed to be served by the permit holder.


RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

11. A summary of the plan and schedule to complete construction and/or perfect the water right.
12. Justification for the time requested to complete the project and/or apply the water to full beneficial use.
13. Any other information you wish the Department to consider while evaluating the extension of time application.

I am the permittee, or have authorization from the permittee, to apply for an extension of time under this permit. I certify that the information I have provided in this application is true and correct to the best of my knowledge.


Signature

6-20-03
Date

MAIL COMPLETED APPLICATION and STATUTORY FEE (under ORS 536.050) TO:

WATER RIGHT PERMIT EXTENSIONS
WATER RESOURCES DEPARTMENT
158 - 12th STREET NE
SALEM, OREGON 97301-4172

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

1. Fee, as specified under ORS 536.050

Enclosed

2. Evidence of actions taken to begin actual construction on the project

Permit G-13613 was acquired to supplement the maximum rate allowed at an existing well site associated with Certificate 37549 (.2 cfs).

With the exception of anticipated growth expansions and upgrades, the storage and distribution system is in place and operational.

In 2001 the District replaced the 20 HP submersible pump with a 30 HP submersible pump to increase well production capacity and total dynamic head.

3. Evidence of actions taken to develop the right within the permitted time period

The Dyer Partnership, Engineers and Planner, Inc. completed a water system master plan, in December 2000.

The District has initiated an improved flow-monitoring program, which has included:

In June 2001, the District modified the master meter at the well by installing flow-straightening vanes to improve meter accuracy.

In 2001/2002, meters were installed on all un-metered customers

In 2002, the District adopted a 12-year meter replacement program to maintain quality service monitoring.

The District has an approved a water management and water conservation plan.

A Water Resource Investigation and Source Water Supply Study was completed in April 2003.

4. Evidence of compliance with conditions (time sensitive) contained in the permit.

"Before water use may begin under this permit, a totalizing flow meter must be installed at each diversion point."

A totalizing flow meter is in place at the diversion point, within the well house.

"Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resourced Department."

Pump test was performed when the well was constructed in 1967. Data from the pump test is included on the well log.

"Actual construction of the well shall begin by June 8, 1999."

Original well constructed in 1967

Well pump replaced (increased capacity) 2001

"Complete application of water to the use shall be made on or before October 1, 2002."

Application of water to the use occurred immediately upon receipt of Permit.

Application to full extent has not yet occurred.

"Within one year after complete application of the water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE)."

N/A

5. Evidence of maximum rate of water diverted to date.

To date the maximum amount of water diverted has been .54 cfs, (see attached well log).

6. Estimate of population served.

The 2000 Water Master Plan projected a 2003 population equivalent of 1,565 associated with 652 Equivalent Dwelling Units. Those figures were based upon a 3% growth rate (see attached). As of May 2003, the District has 557 service connections consisting of the following:

User	No. of Accounts	Use (gpd) per account	No. of EDUs
SF Residential	458	136	458
Commercial	32	384	90
Inactive	67	N/A	N/A
TOTALS	557		548

Using the same methodology as the Master Plan, the equivalent population served is estimated at 1265.

7. Financial expenditures made toward completion of water development.

TASK	ESTIMATED COST
Water Master Plan	\$20,000
Well pump replacement	\$15,000
Meter installation/replacement	\$20,000
Water Resource Investigation	\$17,500

RECEIVED
JUN 23 2003
WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED
JUN 23 2003
WATER RESOURCES DEPT.
SALEM, OREGON

8. An estimate of the cost necessary to complete development.

TASK	ESTIMATED COST
Update Master Plan and CIP based upon Water Resource Investigation	\$15,000
Renovation of existing well site for well head protection and capacity improvements	\$190,000
Source Treatment	\$625,000
Transmission line replacement (capacity increase)	\$870,951

9. Summary of events that delayed completion of the water development or application of water to full beneficial use.

Three specific events have delay completion of the water development or application of water to full beneficial use:

1. Population and service growth losses have occurred (school closure) reducing water demands to a level which has not required application to full beneficial use within the specific time frame outlined in the permit, and:
2. Problems have been identified with the existing well site as explained in the attached draft Water Resource Investigation report. Because it is projected that District growth will exceed the current water right limit some time shortly after the year 2005, other water rights need to be obtained and developed, in conjunction with existing water rights, to service future growth. In order for the District to address growth in an efficient and economic manner, a more specific development plan is needed in addition to the current Master Plan.
3. Water conservation measures have reduced water usage through reducing losses and improving system efficiencies.

The District is progressing with addressing growth issues through:

- Contracting with a consulting firm to prepare a Master Plan update
- Applying to the Department of Agriculture, Rural Utilities Services for project funding/financing
- Submitting application for additional surface and groundwater rights

10. Estimated demand projection and date by which the water is anticipated to put to full beneficial use.

It is anticipated growth demand along with performing the tasks outlined above and performing construction of identified improvements could take up to five years. Full beneficial use of the water is likely to occur by October 2008.

11. Summary of plan and schedule to perfect the water right.

TASK	ESTIMATED COMPLETION DATE
Master Plan Update	September 2003
Acquire Federal Funding/Financing for Proposed Improvements	January 2004
New Water Source Development	May 2004
Engineering Design with Plans and Specifications for improvement projects	June 2004
Bid and contract for projects	July 2004
Construction of improvements	January 2005
Population/Service growth to full use	October 2007
Submit a claim of beneficial use, which includes a map and report, prepared by a CWRE.	October 2008

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

11. Summary of plan and schedule to perfect the water right.

TASK	ESTIMATED COMPLETION DATE
Master Plan Update	September 2003
Acquire Federal Funding/Financing for Proposed Improvements	January 2004
New Water Source Development	May 2004
Engineering Design with Plans and Specifications for improvement projects	June 2004
Bid and contract for projects	July 2004
Construction of improvements	January 2005
Population/Service growth to full use	October 2007
Submit a claim of beneficial use, which includes a map and report, prepared by a CWRE.	October 2008

RECEIVED
JUN 23 2003
WATER RESOURCES DEPT.
SALEM, OREGON

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

CURR 660217

RECEIVED WATER WELL REPORT

JUN 20 1967 STATE OF OREGON (Please type or print)

G-3788

State Well No. 36/146-9

State Permit No.

(1) OWNER:

Name Nesika Beach Water District
Address Gold Beach
Oregon

(2) LOCATION OF WELL:

County Curry Driller's well number
1/4 Section 10 T. 36 S. R. 14 W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Rehabilitation ☐ Abandon ☐
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☒ Irrigation ☐ Test Well ☐ Other ☐
(5) TYPE OF WELL:
Rotary ☐ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(6) CASING INSTALLED:

Threaded ☐ Welded ☒
10" Diam. from 0 ft. to 24 ft. Gage 273
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? ☐ Yes ☒ No

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed? ☒ Yes ☐ No

Manufacturer's Name Johnson
Material Stainless Model No.
Diam. 8" Slot size 80 Set from 24 ft. to 29 ft.
Diam. 8" Slot size 125 Set from 29 ft. to 39 ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Cement
Depth of seal 18 ft. Was a packer used?
Diameter of well bore to bottom of seal 16 in.
Were any loose strata cemented off? ☐ Yes ☐ No Depth
Was a drive shoe used? ☒ Yes ☐ No
Was well gravel packed? ☐ Yes ☐ No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? ☐ Yes ☐ No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 9'-6" ft. below land surface Date 4/14/67
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? Carter's

Yield: 560 gal./min. with 1 ft. drawdown after 24

Baller test gal./min. with ft. drawdown after

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made? ☐ Yes ☐

(12) WELL LOG: Diameter of well below casing 8"

Depth drilled 43 ft. Depth of completed well 43

Formation: Describe by color, character, size of material and structure, a show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Fine Sand	0	12
Sand, Heavy with Silt	12	1
Coarse Sand, Gravel (1" dia)	14	24
Gravel, Sand, Cobbles (3" Dia.)	24	40
Gravel - Cobbles (4" Dia.)	40	4

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

Work started March 8 1967 Completed March 31, 1967

Date well drilling machine moved off of well March 31, 1967

(13) PUMP:

Manufacturer's Name Layne Bowler

Type: Submersible H.P. 20

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME CARTER'S DRILLING & PUMP SERVICE
(Person, firm or corporation) (Type or print)

Address 325 S 2nd St. Springfield, Oregon 97132

Drilling Machine Operator's License No. 148

[Signed] (Water Well Contractor)

Contractor's License No. 126 Date 5/12/1967

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

APPLICATION FOR EXTENSION OF TIME

for Quasi-Municipal and Municipal Water Use Permits

TO THE WATER RESOURCES DIRECTOR OF OREGON

I, NESIKA BEACH WATER DIST; OPHIR WATER DIST. ALAN WAGONER
NAME OF ENTITY NAME OF CONTACT
 * NEW → PO BOX 39, OPHIR, OR 97464-0039
32892 Nesika Rd. Gold Beach OR 97444 (541) 247-2614
ADDRESS CITY STATE ZIP PHONE

owner of record, or duly authorized agent, of Application No. 614016, Permit No. 613613,
 do hereby request that the time in which to:

- complete the construction of diversion/appropriation works and/or purchase and installation of the equipment necessary to the use of water, which time now expires on October 1, _____, be extended to October 1, _____,

and/or the time in which to:

- accomplish beneficial use of water to the full extent under the terms of the permit, which time now expires on October 1, 2003, be extended to October 1, 2008.

2015 * SEE LETTER
 rec'd 4-6-07

NOTE:

Permit extensions for Quasi-Municipal and Municipal permits are evaluated under OAR Chapter 690, Division 315. Except under limited circumstances, upon issuance of an order approving an extension, you will be required to submit within 3 years a Water Management and Conservation Plan (WMCP) under OAR Chapter 690, Division 86. Diversion of water beyond the maximum rate currently diverted under the permit shall only be authorized upon approval of your WMCP. The rules may be viewed at: "www.wrd.state.or.us/law/oar1999.shtml"

Attached are instructions to assist you in completing the information on the permit extension application form. Oregon Water Law and Administrative Rules require this information to be considered by the Water Resources Department when reviewing a Quasi-Municipal or Municipal water use permit extension application. For each permit, a separate extension application must be submitted. All items must be addressed or the application may be returned. Please feel free to provide the Department with any additional information or evidence that will aid us in making our decision. Please use additional sheets of paper as needed to fully respond to the questions.

After reviewing the application form and the instruction sheet, if you have any questions, you may contact the Department at (503) 378-3739, and request assistance from the Water Rights Division, permit extensions personnel.

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

In order for the Department to evaluate your extension of time request for a Quasi-Municipal or Municipal water use permit, please provide the following:

1. The appropriate fee, as specified under ORS 536.050.
2. For Quasi-Municipal water use permits, evidence of the actions taken to begin actual construction on the project, if required under the applicable statute.
3. Evidence of actions taken to develop the right within the permitted time period and/or time period of the previous extension.
4. Evidence of compliance with conditions contained in the permit and any previous extension(s). If any of the conditions have not been satisfied, please explain the reason(s) why.
5. Evidence of the maximum rate of water diverted to date, if any, for Quasi-Municipal or Municipal purposes.
6. An estimate of the population served under this permit and a description of the methodology(ies) used to make this estimate.
7. A description of the financial expenditures made toward completion of the water development.
8. An estimate of the cost necessary to complete the water development.
9. A summary of any events that delayed completion of the water development or application of water to full beneficial use, including other governmental requirements, if any, relating to the project that have significantly delayed completion of construction or perfection of the right.
10. An estimated demand projection and a description of the methodology(ies) used for the subject water right permit, considering the other water rights and contracts held by the municipal or quasi-municipal water use permit holder, and a date by which the water development is anticipated to be completed and water put to full beneficial use.

Extension requests for greater than 50 years must include documentation that the demand projection is consistent with the amount and types of lands and uses proposed to be served by the permit holder.

Page 2 of 3

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

11. A summary of the plan and schedule to complete construction and/or perfect the water right.
12. Justification for the time requested to complete the project and/or apply the water to full beneficial use.
13. Any other information you wish the Department to consider while evaluating the extension of time application.

I am the permittee, or have authorization from the permittee, to apply for an extension of time under this permit. I certify that the information I have provided in this application is true and correct to the best of my knowledge.

Allen Wagner
Signature

6-20-03
Date

MAIL COMPLETED APPLICATION and STATUTORY FEE (under ORS 536.050) TO:

WATER RIGHT PERMIT EXTENSIONS
WATER RESOURCES DEPARTMENT
158 - 12th STREET NE
SALEM, OREGON 97301-4172

revised: December 12, 2002

Page 3 of 3

RECEIVED

JUL 1 1 2003

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

1. Fee, as specified under ORS 536.050

Enclosed

2. Evidence of actions taken to begin actual construction on the project

Permit G-13613 was acquired to supplement the maximum rate allowed at an existing well site associated with Certificate 37549 (.2 cfs).

With the exception of anticipated growth expansions and upgrades, the storage and distribution system is in place and operational.

In 2001 the District replaced the 20 HP submersible pump with a 30 HP submersible pump to increase well production capacity and total dynamic head.

3. Evidence of actions taken to develop the right within the permitted time period

The Dyer Partnership, Engineers and Planner, Inc. completed a water system master plan, in December 2000.

The District has initiated an improved flow-monitoring program, which has included:

In June 2001, the District modified the master meter at the well by installing flow-straightening vanes to improve meter accuracy.

In 2001/2002, meters were installed on all un-metered customers

In 2002, the District adopted a 12-year meter replacement program to maintain quality service monitoring.

The District has an approved a water management and water conservation plan.

A Water Resource Investigation and Source Water Supply Study was completed in April 2003.

4. Evidence of compliance with conditions (time sensitive) contained in the permit.

"Before water use may begin under this permit, a totalizing flow meter must be installed at each diversion point."

A totalizing flow meter is in place at the diversion point, within the well house.

"Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resourced Department."

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

Pump test was performed when the well was constructed in 1967. Data from the pump test is included on the well log.

"Actual construction of the well shall begin by June 8, 1999."

Original well constructed in 1967

Well pump replaced (increased capacity) 2001

"Complete application of water to the use shall be made on or before October 1, 2002."

Application of water to the use occurred immediately upon receipt of Permit.

Application to full extent has not yet occurred.

"Within one year after complete application of the water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE)."

N/A

5. Evidence of maximum rate of water diverted to date.

To date the maximum amount of water diverted has been .54 cfs, (see attached well log).

6. Estimate of population served.

The 2000 Water Master Plan projected a 2003 population equivalent of 1,565 associated with 652 Equivalent Dwelling Units. Those figures were based upon a 3% growth rate (see attached). As of May 2003, the District has 557 service connections consisting of the following:

User	No. of Accounts	Use (gpd) per account	No. of EDUs
SF Residential	458	136	458
Commercial	32	384	90
Inactive	67	N/A	N/A
TOTALS	557		548

Using the same methodology as the Master Plan, the equivalent population served is estimated at 1265.

7. Financial expenditures made toward completion of water development.

TASK	ESTIMATED COST
Water Master Plan	\$20,000
Well pump replacement	\$15,000
Meter installation/replacement	\$20,000
Water Resource Investigation	\$17,500

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

8. An estimate of the cost necessary to complete development.

TASK	ESTIMATED COST
Update Master Plan and CIP based upon Water Resource Investigation	\$15,000
Renovation of existing well site for well head protection and capacity improvements	\$190,000
Source Treatment	\$625,000
Transmission line replacement (capacity increase)	\$870,951

see #11 for dates

9. Summary of events that delayed completion of the water development or application of water to full beneficial use.

Three specific events have delay completion of the water development or application of water to full beneficial use:

1. Population and service growth losses have occurred (school closure) reducing water demands to a level which has not required application to full beneficial use within the specific time frame outlined in the permit, and:
2. Problems have been identified with the existing well site as explained in the attached draft Water Resource Investigation report. Because it is projected that District growth will exceed the current water right limit some time shortly after the year 2005, other water rights need to be obtained and developed, in conjunction with existing water rights, to service future growth. In order for the District to address growth in an efficient and economic manner, a more specific development plan is needed in addition to the current Master Plan.
3. Water conservation measures have reduced water usage through reducing losses and improving system efficiencies.

The District is progressing with addressing growth issues through:

- Contracting with a consulting firm to prepare a Master Plan update
- Applying to the Department of Agriculture, Rural Utilities Services for project funding/financing
- Submitting application for additional surface and groundwater rights

10. Estimated demand projection and date by which the water is anticipated to put to full beneficial use.

It is anticipated growth demand along with performing the tasks outlined above and performing construction of identified improvements could take up to five years. Full beneficial use of the water is likely to occur by October 2008.

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

11. Summary of plan and schedule to perfect the water right.

TASK	ESTIMATED COMPLETION DATE
Master Plan Update	September 2003
Acquire Federal Funding/Financing for Proposed Improvements	January 2004
New Water Source Development	May 2004
Engineering Design with Plans and Specifications for improvement projects	June 2004
Bid and contract for projects	July 2004
Construction of improvements	January 2005
Population/Service growth to full use	October 2007
Submit a claim of beneficial use, which includes a map and report, prepared by a CWRE.	October 2008

RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

12. Justification for the time requested to complete the project and/or apply the water to full beneficial use.

No additional service growth losses or additional significant conservation efficiencies are anticipated in the future. Using current water use and equivalent population figures, population growth (at the rate projected by the Water Master Plan) indicates application of water to full beneficial use in five years. Servicing that population is predicated on the planning, financing and installation of the necessary improvements outlined in the response to Item #11.

13. Other information.

N/A

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date of well completion.

CURR 000217

RECEIVED

JUN 20 1967

STATE OF OREGON
(Please type or print)

G-3788

State Well No. 36/146-9

State Permit No.

(1) OWNER:

Name Nesika Beach Water District
Address Gold Beach
Oregon

(2) LOCATION OF WELL:

County Curry Driller's well number
1/4 Section 10 T. 36 S. R. 14 W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☒ Rotary ☐ Driven ☐
Irrigation ☐ Test Well ☐ Other ☐ Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(5) TYPE OF WELL:

(6) CASING INSTALLED: Threaded ☐ Welded ☒
10" Diam. from 0 ft. to 24 ft. Gage 273
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? ☐ Yes ☒ No

Type of perforator used

Size of perforations	In. by	In.
perforations from	ft. to	ft.
perforations from	ft. to	ft.
perforations from	ft. to	ft.
perforations from	ft. to	ft.

(8) SCREENS:

Well screen installed? ☒ Yes ☐ No

Manufacturer's Name Johnson
Stainless Model No.
Diam. 8" Slot size 80 Set from 24 ft. to 29 ft.
Diam. 8" Slot size 125 Set from 29 ft. to 39 ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Cement
Depth of seal 18 ft. Was a packer used?
Diameter of well bore to bottom of seal 16 in.
Were any loose strata cemented off? ☐ Yes ☐ No Depth
Was a drive shoe used? ☒ Yes ☐ No
Was well gravel packed? ☐ Yes ☐ No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? ☐ Yes ☐ No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 9'-6" ft. below land surface Date 4/14/67
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? Carter's
Yield: 560 gal./min. with 1 ft. drawdown after 24

Ball test gal./min. with ft. drawdown after
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? ☐ Yes ☐

(12) WELL LOG: Diameter of well below casing 8"
Depth drilled 43 ft. Depth of completed well 43

Formation: Describe by color, character, size of material and structure, show thickness of aquifers and the kind and nature of the material in stratum penetrated, with at least one entry for each change of form

MATERIAL	FROM	TO
Fine Sand	0	12
Sand, Heavy with Silt	12	1
Coarse Sand, Gravel (1" dia)	14	24
Gravel, Sand, Cobbles (3" Dia.)	24	40
Gravel - Cobbles (4" Dia.)	40	4

RECEIVED

RECEIVED

JUN 23 2003

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

WATER RESOURCES DEPT.
SALEM, OREGON

Work started March 8 1967 Completed March 31, 1967
Date well drilling machine moved off of well March 31, 1967

(13) PUMP:

Manufacturer's Name Layne Bowler
Type: Submersible H.P. 20

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report true to the best of my knowledge and belief.

NAME CARTER'S DRILLING & PUMP SERVICE
(Person, firm or corporation) (Type or print)
Address 325 S 2nd St. Springfield, Oregon 97132

Drilling Machine Operator's License No. 148

[Signed] (Water Well Contractor)

Contractor's License No. 126 Date 5/12/

Nesika Beach-Ophir Water District

32892 Nesika Road
Gold Beach, Oregon 97444
Phone (541) 247-2614 Fax (541) 247-9684
E-mail nbwd@harborside.com

July 10, 2003

WATER RESOURCES DEPARTMENT

Attn: Lisa J. Juul
COMMERCE BUILDING
158 12TH STREET NE
SALEM, OR 97301-4172


RE. Extension file# G-14016 (Permit# G-13613)

Dear Lisa:

Enclosed you will find the additional information requested next to the last page.

Please feel free to call me if you need anything. Phone (541-247-2614)
Fax (541-247-9684)

Sincerely,



Allan Wagner
Nesika Beach-Ophir Water District Manager

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

**WATER RESOURCES DEPARTMENT
REIMBURSEMENT AUTHORITY ESTIMATE APPLICATION**

House Bill 2551 (2003 Oregon Laws) authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement. The voluntary agreement can be entered into with any person requesting services and agreeing to pay the Department's costs of providing the service.

The Department has established a pool of qualified contractors to perform expedited services for water right transfers, water right permits extensions, and water right certificates.

The purpose of this application is to obtain an estimate from the next qualified contractor in the appropriate pool. There is a non-refundable application fee of \$125.00 per request. The contractor will provide an estimate of the cost and of the time required to process and develop a recommendation on the request of a: (check one):

<u>REQUEST</u>	<u>TYPE</u>	<u>FILE NUMBER</u>
☐	Transfer Application	_____
☐	Certificate Request	_____
☒	Extension of Time Request	<u>G-14016</u>

<u>Applicant Information</u>		<u>Applicant's Representative/Contact</u>
Name: (Please Print)	<u>Nesika Beach - Ophir Water District</u>	<u>Allan Wagner</u>
Address:	<u>P.O. Box 39,</u>	..
	<u>Ophir, OR 97464</u>	..
Email Address	<u>nbwd@harborside.com</u>	..
Phone:	<u>(541) 247-2614</u>	..

RECEIVED

MAY 09 2007

WATER RESOURCES DEPT
SALEM, OREGON

I understand the following:

- There is a non-refundable application fee of \$125.00 per request.
- That upon receipt of my non-refundable application fee in the amount of **\$ 125.00**, OWRD will assign my request to the next contractor in the pool of contractors performing expedited services.
- That this fee covers the copying, the mailing cost, as well as the cost for the contractor to evaluate and provide the estimate for processing of the request.
- That OWRD will provide all pertinent information to the assigned contractor within one (1) business day.
- That OWRD will, within fourteen (14) days, notify me in writing of the estimates of costs and time frame for the expedited service.
- That upon receiving the estimates I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- An incomplete or inaccurate application may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.

I certify that I am the (check one) ☐ Applicant ☒ Applicant's Representative ☐ Other (Please specify) _____

Signature: Allan Wagner Name: Allan Wagner

OWRD USE ONLY

Contractor Assigned: <u>PBS</u>	Total Amount Paid: \$ <u>125.00</u>
OWRD Approval:	

49 copies
C.U. 5/11/2007

NESIKA BEACH – OPHIR WATER DISTRICT

32892 Nesika Road
Gold Beach, OR 97444

Water Resources Permit Extensions

Water Resources Department

Salem, Oregon 97301-4172

Date: March 23, 2007

Re: Extension to Extension Dated June 23, 2003

Application No. G14016, Permit No. G13613

I, Allan Wagner, District Manager of the Nesika Beach – Ophir Water District, being the duly authorized agent, hereby request an extension to the submitted Extension Request, Department receive stamped June 23, 2003 (“C” date October 1, 2003).

We request extension from October 1, 2008 to October 1, 2015. The District is prepared to complete the final proof survey and report, however the Department has yet to process our 2003 extension request and in discussion with Jerry Clark there is no current valid “C” date to prove upon. Jerry suggested we extend the extension by way of this letter.

In addition we are submitting a new Limited License Request (under separate application), as our current license expires May 1, 2007.

Please expedite our original permit extension request, as we can then follow with the final transfer and proof report and get to final certification.

Respectfully



Allan Wagner
District Manager

RECEIVED

Note: See Original Extension Request cover page – attached FYI.

APR 06 2007

**WATER RESOURCES DEPT
SALEM, OREGON**



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

April 9, 2007

Nesika Beach – Ophir Water District
Attn: Allan Wagner – District Manager
32892 Nesika Road
Gold Beach, OR 97444

Re: Extension of Time Application for G-14016

Dear Mr. Wagner,

We received the amendment to your Extension of Time Application requesting to extend your previously requested date of 2008 to 2015. We will gladly extend that date for you.

Regretfully, we are behind in the processing of our extension applications, however if you wish to expedite your application, you can do so through Reimbursement Authority. Additional information and an application for Reimbursement Authority are enclosed for your review.

If you wish to choose this option, please complete the application and return to us with the appropriate fee (\$125.00) and we will forward your application for processing.

Thank you for your patience. Please feel free to contact me if you have any further questions.

Regards,

Kim R. French
Permit Extension Specialist

Enclosures



RECEIVED

JUN 23 2003

WATER RESOURCES DEPT.
SALEM, OREGON

APPLICATION FOR EXTENSION OF TIME

for Quasi-Municipal and Municipal Water Use Permits

TO THE WATER RESOURCES DIRECTOR OF OREGON

I. NESIKA BEACH WATER DIST; OPHIR WATER DIST. ALAN WAGONER
NAME OF ENTITY NAME OF CONTACT

32892 Nesika Rd. GOLD BEACH OR 97994 (541) 247-2619
ADDRESS CITY STATE ZIP PHONE

owner of record, or duly authorized agent, of Application No. 614016, Permit No. 618613,
do hereby request that the time in which to:

- complete the construction of diversion/appropriation works and/or purchase and installation of the equipment necessary to the use of water, which time now expires on October 1, _____, be extended to October 1, _____,

and/or the time in which to:

- accomplish beneficial use of water to the full extent under the terms of the permit, which time now expires on October 1, 2003, be extended to October 1, 2008.

4/6/07

2015
per letter dtd 3/23/07

NOTE:

Permit extensions for Quasi-Municipal and Municipal permits are evaluated under OAR Chapter 690, Division 315. Except under limited circumstances, upon issuance of an order approving an extension, you will be required to submit within 3 years a Water Management and Conservation Plan (WMCP) under OAR Chapter 690, Division 86. Diversion of water beyond the maximum rate currently diverted under the permit shall only be authorized upon approval of your WMCP. The rules may be viewed at: "www.wrd.state.or.us/law/nar/999.shtml"

Attached are instructions to assist you in completing the information on the permit extension application form. Oregon Water Law and Administrative Rules require this information to be considered by the Water Resources Department when reviewing a Quasi-Municipal or Municipal water use permit extension application. For each permit, a separate extension application must be submitted. All items must be addressed or the application may be returned. Please feel free to provide the Department with any additional information or evidence that will aid us in making our decision. Please use additional sheets of paper as needed to fully respond to the questions.

After reviewing the application form and the instruction sheet, if you have any questions, you may contact the Department at (503) 378-3739, and request assistance from the Water Rights Division, permit extensions personnel.

Page 1 of 3

RECEIVED

APR 06 2007

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED

JUL 11 2003

WATER RESOURCES DEPT.
SALEM, OREGON

01/05/2005 14:03 5412669495

SHN ENGR

PAGE 02

**CONSULTING ENGINEERS & GEOLOGISTS, INC.**305 N. 4th Street - Coos Bay, OR 97420-2210 • Tel 541/266-9800 • Fax 541/266-0400 • info@shn-coosbay.com

Reference: 002601.000

January 5, 2005

Ms. Lisa J. Jul
Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem Oregon 97301-1271

**SUBJECT: PENDING APPLICATION FOR EXTENSION OF TIME
WATER RIGHTS APPLICATION #G-14016 (PERMIT #G-137613)**

Dear Lisa:

On behalf of the Nesika Beach / Ophir Water District (NBOWD) SHN is responding to your letter of December 27, 2004 regarding the application for an extension of time to accomplish beneficial use of water to the full extent under the terms of permit G-137613. In your letter you asked for additional information on several of the responses in the original submission. The required information follows including attachments as referenced in the text of the responses.

Question 5. Document evidence of the maximum instantaneous rate of water diverted to the date of this application, for beneficial Quasi Municipal or Municipal purposes

The withdrawal rate from the existing well is limited to 254 gpm (0.57 cfs) by the capacity of the well pumps. Of this withdrawal rate 0.2 cfs is withdrawn under permit G 3571 and the remaining 0.37 cfs is withdrawn under permit G-13614. Instantaneous withdrawal rate from the well before October 2002 did not exceed 246 gpm. Verification of the instantaneous pumping rate is provided in the pump logs for 2002 included as Attachment T. All of the water withdrawn was used for quasi-municipal purposes.

The maximum pumping rate since that time was 254 gpm in April 2004 following installation of new well pumps.

6. Provide an estimate of the population served under this permit and a description of the methodology used to make this estimate.

Section 2.2 of the Nesika Beach / Ophir Water District Water Master Plan which was referenced in the original submission is included as Attachment 2. In addition, the answer to this question has been amended to include the most recent population estimates as summarized in the following table.

T:\2002\002601 Nesika-Ophir\1b\NBOWD-WRD Ext App Add.doc

RECEIVED

Page 1 of 3

APR 06 2007

WATER RESOURCES DEPT
SALEM, OREGON



Oregon

Theodore R. Kulongoski, Governor

Water Resources DepartmentCommerce Building
158 12th Street NE
Salem, OR 97301-4172
503-378-3739
FAX 503-378-8130**DEAR EXTENSION APPLICANT**

The Water Rights Section has received your application for an extension of time for PERMIT # G-13613 FILE # G-14016. Your application will be reviewed in the near future. Following the review, you will receive a Proposed Final Order either approving or rejecting the extension. A 45 day protest period begins upon issuance of the Proposed Final Order. After the protest period, a Final Order is issued.

If you have questions, please phone our Water Rights Information Group at (503) 378-8455, extension 201. For general information, our Department Internet home page is accessible at www.wrd.state.or.us.

RECEIVED

APR 06 2007

WATER RESOURCES DEPT
SALEM, OREGON

STANDARD FORM LIKELY SEND IN
RESPONSE TO INITIAL APPLICATION.

UNKNOWN DATE?

BEFORE OR AFTER EXTENSION
RESPONSE TO LETTER 1/5/05

Water Rights Information Query Results

	Contacts	Application	Permit	Certificate	Claim	Decree	Transfers	Status
Select	NESIKA BEACH OPHIR WATER DISTRICT ▷ 32892 NESIKA RD GOLD BEACH, OR 97444	A WELL IN ROGUE RIVER BASIN G14016 Qm	G13613					NC
				0.5 CFS				0.5
Select	NESIKA BEACH WATER DISTRICT ▷ RT 1 BOX 114 A GOLD BEACH, OR 97444	A WELL IN ROGUE RIVER BASIN G3788 GD	G3571	37549				NC
				.20 CFS				0.2
Select	NESIKA BEACH OPHIR WATER DISTRICT ▷ 32892 NESIKA RD GOLD BEACH, OR 97444	GREGGS CREEK S85514 Qm	S53985					NC
				1.0 CFS				0
Select	NESIKA BEACH OPHIR WATER DISTRICT ▷ 32892 NESIKA RD GOLD BEACH, OR 97444	A WELL IN GREGGS CREEK BASIN G15960	G15728					NC
				1.0 CFS				0
Select	AGENT: ▷ NESIKA BEACH OPHIR WATER DISTRICT 32892 NESIKA RD GOLD BEACH, OR 97444 DOING BUSINESS AS: ▷ NESIKA BEACH OPHIR WATER DISTRICT ALLEN WAGNER 32892 NESIKA RD GOLD BEACH, OR 97444	LL1045						NC

[Help understanding and working with the Water Rights Information System](#)

Download: [Point of diversion data](#), [Place of use data](#), [Stakeholder data](#)

[Return to WRIS Query](#)

EW = 1.7 CFS

SW = 1.0 CFS



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

July 20, 2007

Faxed to (541) 247-9684

Allan Wagner
Neskia Beach Ophir Water District
32892 Nesika Road
Gold Beach, OR 97444

RE: Extension of Time for Water Rights Permits G-13613

Mr Wagner,

The following page is the inventory of water rights held by Nesika Beach Water District. In order to complete your Extension of Time for Permit G-13613, we need updated information on these water rights. **The most important information that we need is the rate (in cfs or gpm) of water that you are using from each source.**

Also, we would like updated information on your current peak rate (also in cfs or gpm). The information that was supplied is a few years old and it is to your advantage for the Department to process your extension request with the most updated information that you can give us.

Please complete this form and fax back to me at (503) 986-0901. **You can add the peak rate information at the bottom of the form, if that is convenient for you.**

Please feel free to contact me at (503) 986-0813 if you have any questions.

Regards,

Kim French
Extensions Specialist
Water Resources Department

Attachment to follow

Nesika Beach Ophir Water District
INVENTORY OF EXISTING WATER RIGHTS
(certificates, permits, transfers, or new applications)

Attachment "A"

Ground Water

Application/Permit Number	Certificate Number	Source	Use	Priority Date	Authorized Amount of Water	Max Amount of Beneficial Water Use	*Use Limitations
★ G-14016/G-13613	N/A	WELL-ROGUE	Quasi-Municipal			.5 310gpm	
G-15960/G-15728	N/A	GREGGS	Quasi-Municipal			0	
★ G-3788/G-3571	37549	ROGUE	Domestic			0.2	

★ Same well

.7
316 PPAK
10/1/08

Surface Water

Application/Permit Number	Certificate Number	Source	Use	Priority Date	Authorized Amount of Water	Max Amount of Beneficial Water Use	*Use Limitations
S-85514/S-53985	N/A	GREGGS	Quasi-Municipal	11/16/1973		0	

Pending Applications

Application Number	Proposed Source	Proposed Use	Priority Date	Proposed Amount of Water	*Use Limitations
LL-1045	A Well	Quasi-Municipal			

* If a particular water right certificate, permit, or transfer is not being utilized to meet current demands or its use is limited, please explain why.

NESIKA BEACH - OPHIR WATER DISTRICT

32892 Nesika Road
Gold Beach OR 97444Phone (541)-247-2614
Fax (541)-247-9684

Fax Transmittal

To: Tom Hoshall 541-469-5329
Fax #: 541-469-0768
From: Allan Wagner
Subject: H2O Rights
Date: 4-28-06
Pages: 9 (including this cover sheet)
Comments:

Tom, this is all I could find in my
files that may be applicable.

Thanks Allan

ANN, S, CURE 2727, WOULD LIKE YOU TO REVIEW THE
FILE. CC. COPY OF LETTER RESPODING TO LISA JUL'S
DEC. 27, 2004 LETTER.

WE HOPE TO GET THIS FILING CURRENT IN
ORDER TO FILE A POA TRANSFER AND A
FINAL PROOF. S.'s ALSO WORKING WITH JERRY
SAUTER ON A NEW LIMITED LICENSE TO PROVIDE
THE TIME NEEDED TO COMPLETE TRANSFER AND
PROOF. THANKS FOR YOUR HELP
Tom

RECEIVED

MAY 03 2006

WATER RESOURCES DEPT
SALEM, OREGON



CONSULTING ENGINEERS & GEOLOGISTS, INC.

305 N. 4th Street - Coos Bay, OR 97420-2219 • Tel: 541/266-9800 • Fax: 541/266-9496 • Info@shn-coosbay.com

Reference: 002601.000

January 5, 2005

Ms. Lisa J. Jul
Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem Oregon 97301-1271

**SUBJECT: PENDING APPLICATION FOR EXTENSION OF TIME
WATER RIGHTS APPLICATION #G-14016 (PERMIT #G-137613)**

Dear Lisa:

On behalf of the Nesika Beach / Ophir Water District (NBOWD) SHN is responding to your letter of December 27, 2004 regarding the application for an extension of time to accomplish beneficial use of water to the full extent under the terms of permit G-137613. In your letter you asked for additional information on several of the responses in the original submission. The required information follows including attachments as referenced in the text of the responses.

Question 5. Document evidence of the maximum instantaneous rate of water diverted to the date of this application, for beneficial Quasi Municipal or Municipal purposes

The withdrawal rate from the existing well is limited to 254 gpm (0.57 cfs) by the capacity of the well pumps. Of this withdrawal rate 0.2 cfs is withdrawn under permit G-3571 and the remaining 0.37 cfs is withdrawn under permit G-13614. Instantaneous withdrawal rate from the well before October 2002 did not exceed 246 gpm. Verification of the instantaneous pumping rate is provided in the pump logs for 2002 included as Attachment 1. All of the water withdrawn was used for quasi-municipal purposes.

The maximum pumping rate since that time was 254 gpm in April 2004 following installation of new well pumps.

6. Provide an estimate of the population served under this permit and a description of the methodology used to make this estimate.

Section 2.2 of the Nesika Beach / Ophir Water District Water Master Plan which was referenced in the original submission is included as Attachment 2. In addition, the answer to this question has been amended to include the most recent population estimates as summarized in the following table.

2-5

RECEIVED

MAY 03 2006

WATER RESOURCES DEPT
SALEM, OREGON

Attachment 1
Pump logs
2002

Attach 3
Water
Source
Investigh

Estimate of Population Served 2003/2004						
	2003	2004	2003		2004	
	Active Accounts		EDUs	Equ. Pop ¹	EDUs	Equ. Pop ¹
SF Residential	465	465	455		465	
Commercial	32	32	90		90	
Totals	490	497	548	1315	555	1332
1. Based on 2.4 persons / EDU Curry County Comprehensive Plan, WMP Section 2.2						

9. List and describe all events that delayed completion of the water development or application of water to full beneficial use.

A copy of the sections in the Water Source Investigation (SHN, May 2003) referenced in the extension application regarding problems that have been identified with the existing well site is included as Attachment 3.

In addition to the three events listed in the original extension application, full development of the water right allowed under this permit requires the completion of a replacement well at the Rogue River site. Currently, the withdrawal rate from the existing well is limited by the capacity of the well pumps to approximately 0.56 cfs (250 gpm). Full development of permit #G-13614 requires a pumping capacity of 0.7 cfs, with 0.2 cfs withdrawn under permit G-3571 and the remaining 0.5 cfs under G-13614.

Drilling of a replacement well is scheduled for completion in 2005. Following completion of drilling, Permit #G-13614 will need to be amended to reflect the new location before a claim of beneficial use showing complete application of water to the proposed use can be submitted. The extension will need to be of sufficient duration for the amendment to be processed.

10. Estimated demand projection and date by which the water is anticipated to put to full beneficial use.

The NBOWD obtains its water from a well on the Rogue River that currently serves as the sole source of water for the NBOWD. The District has water rights for a total of 0.7 (including the allowable use of 0.5 cfs under permit G-13613) but the capacity of the existing well is limited to 0.56 cfs. Current expansion plans for the District's supply, schedule replacement of the well in year 2005 and upgrading pumping capacity to the full 0.7 cfs beneficial use by year 2006.

Current Peak Water Demands

Current peak water demands are based upon the percapita demands developed in Section 5 of the Water Master Plan, included as attachment 4. Average day demand (ADD) is equivalent to an annual average, maximum month demand (MMD) is the seasonal peak demand and maximum day demand (MDD) is a daily maximum. The required withdrawal rate is based upon delivering the MDD in 24-hour periods. Current demands are presented in the following table based on the actual number of active accounts in 2003, and 2004.

RECEIVED

MAY 03 2006

WATER RESOURCES DEPT
SALEM, OREGON

Current Demand						
			ADD	MMD	MDD	Instantaneous Withdrawal
			gpcd	gpcd	gpcd	Total G-13613
			109	167	271	cfs cfs
Year	EDU	Pop.	gpd	gpd	gpd	
2003	548	1,315	143,357	219,638	356,419	0.55 0.35
2004	555	1,332	145,188	222,444	360,972	0.56 0.36

Population Projections

Population projections are based upon a 3% growth over the 20-year planning period as summarized in the following table. It is estimated that the District will serve 1078 EDUs in 2020.

Population Projections		
Year	EDU	Population
2000	597	1,433
2005	692	1,661
2010	802	1,926
2020	1078	2,588

The current service population is less than that predicted for the year 2005 because the growth rate over the last five years has been less than 3%, the District has limited new connections due to water supply concerns and there are also a large number of inactive accounts that are not included in the estimate of current users. Although growth rates and the number of active accounts may be highly variable in the short term, an average growth rate of 3% over the 20-year planning period has been selected by the District Board as the basis for projecting water demands.

Inventory of Water Rights

The NBOWD currently has a certificated water right for 0.2 cfs under permit G-3571, in addition to the 0.5 cfs allowed by permit G-13613. Both permits allow for withdrawal from the same well, located on the north bank of the Rogue River at approximately River Mile 5.

Nesika Beach / Ophir Water District Existing Water Rights and Permits							
Application /Permit Number	Certificate Number	Source ¹	Use	Priority Date	Authorized Amount of Water	Max Amt Beneficial Use	Limitations
G3788/G3571	37549	Rogue R. Well	Group Domestic		0.2 cfs	0.2 cfs	None
		Rogue R. Well	Quasi/Municipal		0.5cfs	0.5cfs	Well Capacity

¹ Well location: Township 36 S Range 14 W, Section 9 SE22

RECEIVED

MAY 03 2006

WATER RESOURCES DEPT
SALEM, OREGON

The priority date of the certificated permit precedes that of permit G-13613 and it is assumed that the 0.2 cfs allowed under the first permit will be used prior to utilizing the 0.5 cfs. Projected demands are shown in the table above. This increase in growth rate after 2005 reflects the pent-up demand caused by an existing moratorium on connections. The moratorium will no longer be necessary following construction of the replacement well because the replacement well will provide an immediate increase in available water supply.

Projected Demands							
Year	EDU	gpcd Pop.	ADD 109 gpd	MMD 167 gpd	MDD 271 gpd	Instantaneous Rate ¹	
						Total	G-13613
						cfs	cfs
2003	548	1,315	143,357	219,638	336,419	0.61	0.41
2004	555	1,332	145,188	222,444	360,972	0.62	0.42
2005	578	1,388	151,329	231,853	376,241	0.65	0.45
2006	603	1,447	157,731	241,661	392,156	0.67	0.47
2007	628	1,508	164,403	251,883	408,744	0.70	0.50
2010	712	1,708	186,160	285,218	462,839	0.80	0.60
2020	1077	2,585	281,718	431,623	700,418	1.20	1.00
2050	1452	3,484	379,713	581,762	944,058	1.62	1.42
1. The instantaneous rate is estimated as the required pumping rate to deliver MDD in 24 hrs assuming pump at 90% capacity 2. Demand for water used under permit G-13613 is equal instantaneous rate over 24 hours minus the 0.2 cfs allowed by G-3571. 3. Assuming an overall growth rate from 2000-2020 of 3% the growth rate from 2005 to 2020 is estimated to be 6.7%.							

Beneficial use to the full extent of the permit is defined as a minimum 4-hour period of beneficial water use at the permitted rate. The replacement well to be constructed in 2005 will have a capacity of 0.7 cfs, equal to combined amount of water allowed under permits G-3571 and G-13613. At 0.7 cfs the new well pump will need to pump 8 hours to produce the estimated average day demand of 151,329 gallons and since the maximum instantaneous rate will be supplied for a period greater than 4 hours, the District will be able to claim full development of permit G-13613 once the new well is completed.

RECEIVED

MAY 03 2006

WATER RESOURCES DEPT
SALEM, OREGON

It is our understanding that prior to perfecting the water right it will be necessary to obtain an amendment to the permit specifying the exact location of the replacement well. Allowing additional time for the processing of the permit amendment and preparing the claim of beneficial use, full development of the water right for permit G-13613 is likely to occur by October 2006.

Best regards,

SHN CONSULTING ENGINEERS & GEOLOGISTS, INC.

Steven K. Donovan, P.E.

Project Manager

cc: Allan Wagner - Nesika Beach-Ophir Water District

RECEIVED

MAY 03 2006

WATER RESOURCES DEPT
SALEM, OREGON



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97301-4172
503-378-3739
FAX 503-378-8130

DEAR EXTENSION APPLICANT

The Water Rights Section has received your application for an extension of time for **PERMIT # 6-13613 FILE # 6-14016**. Your application will be reviewed in the near future. Following the review, you will receive a Proposed Final Order either approving or rejecting the extension. A 45 day protest period begins upon issuance of the Proposed Final Order. After the protest period, a Final Order is issued.

If you have questions, please phone our Water Rights Information Group at (503) 378-8455, extension 201. For general information, our Department Internet home page is accessible at www.wrd.state.or.us.

RECEIVED

MAY 03 2006

WATER RESOURCES DEPT
SALEM, OREGON

UNKNOWN DATE ?

BEFORE OR AFTER EXTENSION
RESPONSE TO LETTER 1/5/05

Application # G-14016 / Permit # G-13613

Route Slip ... Extension of Time

per Division 315 Rules... (Extensions received on July 1, 2001 or after)

♦ WRIG...

Money Received: \$100.⁰⁰ on 6-23-03

♦ Lisa Juul...

Extension Completeness: Cert letter sent 6-27-03

(If NOT complete, send certified letter requesting add'l information.)

If Extension Appl complete and \$100 fee submitted, route to...

♦ Jonnine Fuss...

Initial 30-day Public Notice: 7/1/03 A

Update Extension Database: 7/1/03 A

Files back to filing cabinets: Back to Lisa

At the close of the Initial 30-day Comment Period...

♦ Lisa Juul...

Pull files for Ext PFO review: _____

Extension PFO completed: _____

Once Extension PFO signed by Dwight French...

♦ Jonnine Fuss...

Prepare Ext PFO for mailing to applicant: _____

Mail to those who commented and paid copy fee: _____

Include Ext PFO on weekly Public Notice: _____

Within 60 days after the close of the 45-day PFO Protest Period...

(PFO Protest Period ends 45 days from PFO sign date)...

♦ Lisa Juul...

Issue an Extension FO: _____

Appl # G-14016 / Permit # G-13613

Municipal/Quasi-Municipal Permit Extension Application



Published on the Department's Public Notice, dated: _____

7/1/03

After published on the Public Notice, please.....

☐ Enter/Update the date published on the public notice in the "PNotice Date" field in the "cdatewext.DB" database

☐ Verify the "Ext Filed" field in the "cdatewext.DB" database is accurate.

The "filed" date for this extension should be: _____

6-23-03

☐ Return File to Lisa

Municipal or Quasi-Municipal

EXTENSION REVIEW CHECKLIST for PFO... per Div. 315 Rules

Application #: G-14016 / Permit #: G-13613

Permittee's Name: Nesika Beach Water Dist; Attn: Alan Wagoner

Permittee's Mailing Address: 32892 Nesika Road, Gold Beach, OR 97444

POD Location: Township 36-S Range 14-W Section 9 $\frac{1}{4}$ $\frac{1}{4}$ SE SE

Stream Basin: 15-Rogue County: Curry

WM# 19 Match Lewis - SW Region

1. Has the applicant completely filled out the updated Extension Application form? Yes / No Yes \$100.00 - Yes
***If "No"..... has certified request for the new extension form been sent? Yes / No No

2. Shortcomings of Extension Request..... based upon review of updated extension form Yes / No No
*** (NOTE: Any missing Extension information that is needed before an Extension PFO can be completed???)

Need to answer
Ques 12 & 13.

3. Date Permit was issued: 3-22-99 (priority = 1-5-96)

4. Source: One Well in the Rogue River Basin

5. Use: Quasi-Municipal

6. "Q": 0.5 cfs

7. Original "B" Date: _____ Original "C" Date: 10-1-2002

8. Conditions of Permit: Orig. "A" Date: 6-8-99

- Before Water Use Begins → a totalizing flow meter must be installed at each diversion point
- must meet general well construction standards.

\$ per Order signed on 8-19-99; - submitted 12/29/2000

Must submit a Div 86 WMCP to WRD by August 19, 2001.

9. Extension request received: 6-23-03 Request Number (... 1st 2nd 3rd): 1st

10. Last Authorized "B" Date: _____ Last Authorized "C" Date: 10-1-02

11. Proposed "B" Date: _____ Proposed C Date: 10-1-2008

updated per letter to
3/23/07 kg

✓ 12. Amount Invested to date: \$72,500.⁰⁰ Estimated Total Cost: \$1,773,451.⁰⁰
(***Estimated Remaining Cost: \$1,700,951.⁰⁰)

___ 13. The water project development made to date has been accomplished in accordance with the terms and conditions contained in the permit. Yes / No ***If "No"..... What permit terms and/or conditions have not been met?

___ 14. Work on the water development project completed to date includes: _____

___ 15. The work remaining to be completed consists of: _____

___ 16. Progress in perfecting the permit is being held up by: _____

___ 17. Has the applicant pursued perfection of the right in good faith and with reasonable diligence? Yes / No

___ 18. Determination of the market and the present demand for water or power to be supplied: review under 690-315-0040(4)

___ 19. Based on the written record, can the Department make a finding of "Good Cause" to approve the extension request?

Yes... "Good Cause" can be found. → Approval of Extension Request

No ... "Good Cause" cannot be found. → Denial of Extension Request

___ 20. Conditions to be included on Extension PFO: _____

Extension "PFO" Dates

Checklist Last Revised: 1 / 31 / 2003

Mailing / Issuance Date: _____ Reviewer's Name: _____

Protest Deadline Date: _____ Date: _____



Oregon

Theodore R. Kulongoski, Governor

CERTIFIED MAIL
Return Receipt Requested

June 27, 2003

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97301-4172
503-378-3739
FAX 503-378-8130

Nesika Beach Water District
Attn: Allan Wagoner
32892 Nesika Road
Gold Beach, OR 97444

REFERENCE: File #G-14016 (Permit #G-13613)

Dear Mr. Wagoner:

The Department is currently in the process of evaluating your request for an extension on the above referenced permit. However, based upon continued review, the Department has determined that additional information is necessary in order to evaluate your extension request. The following information must be received:


1. Please answer Question #12 of the "Application for Extension of Time for Quasi-Municipal and Municipal Water Use Permits." You must provide justification for the time requested to complete the project and/or apply the water to full beneficial use.
2. Please address Question #13 of the "Application for Extension of Time for Quasi-Municipal and Municipal Water Use Permits." If you do not have other information to provide under this item, please indicate "N/A".

Please submit this information by **Monday, July 28, 2003**. Failure to submit the requested information by this deadline may result in the proposed rejection of your extension request.

If you need to request additional information, a written request must be received by the Department above. The Department will respond to your request as soon as possible. Your request may be granted.

If you should have any questions about the materials listed above, you may contact me at the following:

Sincerely,


Lisa J. Juul
Water Rights Specialist

cc: Appl #G-14016 (Permit
Mitch Lewis, Watermas

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.


1. Article Addressed to:

G-14016
NESIKA BEACH WATER DIST
ATTN: ALLAN WAGONER
32892 NESIKA RD
GOLD BEACH, OR 97444

2. Article Number
(Transfer from service label)

PS Form 3811, August 2001

COMPLETE THIS SECTION ON DELIVERY

A. Signature
☒ X  ☐ Agent
☒ Addressee
B. Received by (Printed Name)
Allan Wagoner
C. Date of Delivery
7/1/03
D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☒ No

3. Service Type
☒ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.
4. Restricted Delivery? (Extra Fee) ☐ Yes

Domestic Return Receipt

2ACPRI-03-P-4081



Oregon

Theodore R. Kulongoski, Governor

CERTIFIED MAIL
Return Receipt Requested

June 27, 2003

File # G-14016
Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97301-4172
503-378-3739
FAX 503-378-8130

Nesika Beach Water District
Attn: Allan Wagoner
32892 Nesika Road
Gold Beach, OR 97444

REFERENCE: File #G-14016 (Permit #G-13613)

Dear Mr. Wagoner:

The Department is currently in the process of evaluating your request for an extension on the above referenced permit. However, based upon continued review, the Department has determined that additional information is necessary in order to evaluate your extension request. The following information must be received:


1. **Please answer Question #12 of the "Application for Extension of Time for Quasi-Municipal and Municipal Water Use Permits."** You must provide justification for the time requested to complete the project and/or apply the water to full beneficial use.
2. **Please address Question #13 of the "Application for Extension of Time for Quasi-Municipal and Municipal Water Use Permits."** If you do not have other information to provide under this item, please indicate "N/A".

Please submit this information by **Monday, July 28, 2003**. Failure to submit the requested information by this deadline **may** result in the proposed rejection of your extension request.

If you need to request additional time to submit the information requested above, a written request must be received in the Salem office of the Department by the deadline above. The Department will evaluate timely requests and determine whether or not the request may be granted.

If you should have any questions concerning your extension request or the required materials listed above, you may contact me at (503) 378-8455, extension 272.

Sincerely,



Lisa J. Juul
Water Rights Specialist

cc: Appl #G-14016 (Permit #G-13613)
Mitch Lewis, Watermaster District #19

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

- Sender: Please print your name, address, and ZIP+4 in this box •



WATER RESOURCES DEPT.
158 12TH ST NE
SALEM OR 97301

RECEIVED

JUL 02 2003

WATER RESOURCES DEPT
SALEM, OREGON





Oregon

Theodore R. Kulongoski, Governor

CERTIFIED MAIL

Return Receipt Requested

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A

Salem, OR 97301-1271

503-986-0900

FAX 503-986-0904

December 27, 2004

Nesika Beach Water District
and Ophir Water District
ATTN: Alan Wagoner
32892 Nesika Road
Gold Beach OR 97444

REFERENCE: Pending Application for Extension of Time
Water Right Application #G-14016 (Permit #G-13613)

Dear Quasi-Municipal Water Right Permit Holder:

The Department is currently evaluating your request for an extension of time on the above referenced quasi-municipal water use permit. We have determined that your extension application does not provide sufficient detail necessary to fully evaluate your request. The information and materials that need clarification are listed below and must be submitted before evaluation can continue.

NOTE: *If you make reference to other documents, reports and/or plans, you must provide copies with your responses and make specific references to the pages, tables and/or charts.*

Copies of your pending application received June 23, 2003, and your original application for reference.

Question #5 - OAR 690-315-0
rate of water diverted to the da
Municipal purposes.

Your response to this question
the attached well log. Permit #
amount of water used for qua

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

G-14016
NESIKA BEACH WATER DISTRICT
And OPHIR WATER DISTRICT
ATTN: ALAN WAGONER
32892 NESIKA RD
GOLD BEACH OR 97444

2. Article Number
(Transfer from service label)

COMPLETE THIS SECTION ON DELIVERY

A. Signature
X *Alan Wagoner* ☐ Agent
☐ Addressee

B. Received by (Printed Name)
Alan Wagoner C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type
☒ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes

7004 1160 0000 3333 3383



Oregon

Theodore R. Kulongoski, Governor

CERTIFIED MAIL
Return Receipt Requested

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

December 27, 2004

Nesika Beach Water District
and Ophir Water District
ATTN: Alan Wagoner
32892 Nesika Road
Gold Beach OR 97444

REFERENCE: Pending Application for Extension of Time
Water Right Application #G-14016 (Permit #G-13613)

Dear Quasi-Municipal Water Right Permit Holder:

The Department is currently evaluating your request for an extension of time on the above referenced quasi-municipal water use permit. We have determined that your extension application does not provide sufficient detail necessary to fully evaluate your request. The information and materials that need clarification are listed below and must be submitted before evaluation can continue.

NOTE: *If you make reference to other documents, reports and/or plans, you must provide copies with your responses and make specific references to the pages, tables and/or charts.*

Copies of your pending application received June 23, 2003, and your original permit are enclosed for reference.

Question #5 - OAR 690-315-0070(3)(f): *Document evidence of the maximum instantaneous rate of water diverted to the date of this application, if any, for beneficial Quasi-Municipal or Municipal purposes.*

Your response to this question in your extension application refers 0.54 cfs of water diverted per the attached well log. Permit #G-13613 authorizes use of 0.5 cfs. **Please clarify the actual amount of water used for quasi-municipal purposes rather than the capacity of the well**

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10


• Sender: Please print your name, address, and ZIP+4 in this box •

RECEIVED

DEC 30 2004

**WATER RESOURCES DEPT
SALEM, OREGON**

WATER RESOURCES DEPARTMENT
725 SUMMER STREET NE SUITE A
SALEM OR 97301-1271



and pump. Of the 0.5 cfs allowed under this permit, how much was used by October 1, 2002? What (if any) quantity was used since that date? If the full amount of authorized water was used by October 1, 2002, and all conditions of the permit were met, an extension of time may not be necessary for Permit #G-13613.

Identify the maximum *instantaneous* rate of water diverted by the date of this application for the beneficial use authorized under the permit and state the maximum rate of water use allowed under your permit. The maximum instantaneous rate should be indicated by using the unit specified in the water use permit, such as cubic feet per second, gallons per minute, or acre-feet. Do not provide daily, monthly or annual water use totals.

Documentary evidence substantiating the maximum instantaneous rate of water diversion may include, but is not limited to: meter records; business records; and/or a sworn affidavit. *The maximum instantaneous rate should be based upon at least a continuous 4-hour period of beneficial water use.*

Question #6 - OAR 690-315-0070(3)(g): *Provide an estimate of the population served under this permit and a description of the methodology(ies) used to make this estimate.*

Your response to this question in your extension application refers to an attachment which was not provided. **Please submit a copy of the attachment to which you referred.** We note that Section 2.2 of your Master Plan provides information on historic and projected population.

Question #9 - OAR 690-315-0070(3)(j): *List and describe all events that delayed completion of the water development or application of water to full beneficial use, including other governmental requirements (if any), relating to the project that have significantly delayed completion of construction or perfection of the right.*

Your response to this question in your extension application refers to an "attached draft Water Resource Investigation report" that was not provided. **Please submit a copy of the attachment to which you referred.**

Question #10 - OAR 690-315-0070(3)(k): *Provide an estimated demand projection and a description of the methodology(ies) used for the subject water right permit, considering the other water rights and contracts held by the municipal or quasi-municipal water use permit holder, and a date by which the water development is anticipated to be completed and water put to full beneficial use.*

Prepare a qualitative analysis indicating the date by which you anticipate to fully develop the water right permit being extended (i.e., the date requested in your extension

application). In developing your estimated demand projections for the permit being extended, you should describe the following:

- 1) Current Peak Water Demands - **Please provide this information.**
Describe the current demands for water. Indicate annual average, peak season, and peak day water demand figures.
- 2) Projected Population - This information was provided sufficiently in Section 2.2 of your Water System Master Plan.
- 3) Potential Growth - This information was provided sufficiently in Section 2.3 of your Water System Master Plan and your responses to questions #11-12.
- 4) Inventory of Water Rights Held - **Please provide this information which is not clearly stated in your extension application. See enclosed Attachment "A" to assist you in providing a list of all water rights held by Nesika Beach Water District and Ophir Water District.**

List all water rights held. The Department's website (www.wrd.state.or.us) may be a helpful source for compiling this information.

Indicate which water rights are used to meet current water demands. Additionally, describe the manner in which the subject permit, other water rights and/or any water supply contracts you may hold are utilized to meet these present water needs. Identify any water rights not currently utilized, or used only in a limited capacity, and explain the reason(s) why. Describe any factors affecting use of the water rights, such as: system redundancy; emergency back-up water supply; climate patterns resulting in seasonal unavailability or high turbidity issues; reliability or quality of existing water supplies; and/or agreements to supply water to other entities.

Describe how the subject permit, other water rights and/or any water supply contracts you may hold are planned or expected to be used to meet anticipated future water needs.


Please submit this information to the Department by **March 28, 2005**. If you cannot provide the requested information by this deadline, you must notify the Department in writing, explaining the reason(s) why, and indicate a date certain by which you anticipate the requested information can be supplied.

If the Department has not received the requested information by **March 28, 2005**, and has not received written notification explaining why the deadline for submittal cannot be met, the

Department **will** return your "Application for Extension of Time for Quasi-Municipal and Municipal Water Use Permits" as incomplete and refund all fees paid toward the extension of time request.

If you have any questions concerning your extension request or completion of the required materials, please contact me at (503) 986-0808. Thank you for your cooperation and attention to this matter.

Sincerely,



Lisa J. Juul
Water Rights Specialist

Enclosures: Copy of pending Application for Extension of Time received June 23, 2003
 Copy of Permit #G-13613
 Sample copy of "Attachment A"

cc: Appl #G-14016 (Permit #G-13613)
 Mitch Lewis, Watermaster District #19

S:\groups\wr\extensions\Municipal\muni_ext_add'l info letters\g14016_Nesika Beach-Ophir WD.wpd

Water Rights Information Query Results

Owner/Contact	Application	Permit	Certificate	Decree	Claim	Transf
NESIKA BEACH WATER DISTRICT RT 1 BOX 114 A GOLD BEACH OR 97444 (details) <i>update ✓</i> <i>bb</i>	G3788	G3571	37549	512' N (.2 cfs)	2538' E ok + yes	
NESIKA BEACH OPHIR WATER DISTRICT 32892 NESIKA RD GOLD BEACH OR 97444 (details)	G14016	G13613	(37) Q	512' N + .5 cfs	5238' E C-date 10-1-02	
NESIKA BEACH OPHIR WATER DISTRICT 32892 NESIKA RD GOLD BEACH OR 97444 (details)	G15960	G15728	1.0 C-date 2008	560' N +	1835 E	
NESIKA BEACH OPHIR WATER DISTRICT 32892 NESIKA RD GOLD BEACH OR 97444 (details)	S85514	S53985	C-date 2008 1.0	560' N + 1.0 cfs	51035 C-date	

Page: 1

[Download Place of Use Data, Point of Diversion Data, or Owner Data](#)
[Definition of codes and abbreviations](#)
[Return to the Water Right Information search screen](#)

© 22 to now

Application # G-14016 / Permit # G-13613

Permit Holder: Neskika Beach Water District

Use interactive mapping to check: Stream Basin #15, Rogue Watermaster Distr #19, Mitch Lewis
Add this information to the Checklist for PFO

Place a (✓) in the box if the item is satisfied	Division 315 - Municipal/Quasi-Municipal Extension of Time - Completeness Checklist OAR 690-315-0070(3)
X	1. [OAR 690-315-0070(3)] The appropriate extension of time fee (as specified in ORS 536.050). \$100 - applications received by September 30, 2003 - rec'd 6/23/03, \$100, receipt 60792 \$250 - applications received on or after October 1, 2003
X	* [OAR 690-315-0070(3)(a)] The name and mailing address of the water right permit holder(s);
X	* [OAR 690-315-0070(3)(b)] The application number and the permit number for which an extension is requested; - from 2002, not 2003
X	2. [OAR 690-315-0070(3)(c)] For quasi-municipal water use permit holders, evidence of the actions taken to begin actual construction on the project, as defined in 690-315-0020(3)(d), if required under the applicable statute; NOTE: ORS 537.230(1) [1997 edition] only exempts surface water municipal use permits from the "A" Date requirement. If you are reviewing a <u>ground water</u> municipal use permit, they must provide evidence that the "A" Date has been met. • "Actual construction" means physical work performed towards completion of the water system, which demonstrates both the present good faith of the water right permit holder and the water right permit holder's intention to complete the project with reasonable diligence; • "Actual construction" <u>does not</u> include planning a diversion system, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, or surveying. "A" date 6/8/99 Met? YES This permit supplements existing well site under Cert 37549. Existing and operational storage and distribution system. See #4 "original well constructed in 1967) "B" date - none "C" date - 10/1/02 (Munis issued after 11/2/98 will need to be reviewed under 690-315-0040(4) on Checklist)
X	3. [OAR 690-315-0070(3)(d)] - This is extension request # 1 _____ Evidence of actions taken to develop the right within the <u>original permitted time period</u> from March 22, 1999 to October 1, 2002. 12/2000 - Water System Master Plan completed by Dyer Partnership 6/2001 - improvement to meter accuracy 2001-2002, meters installed on all un-metered customers 2001 - pump replaced to increase production and total dynamic head. 2002 - adoption of 12 year meter replacement program 2/25/03 - Water Management and Conservation Plan approved - see Plan in Field Services file 4/2003 - Water Investigation and Source Water Supply Study completed
X	4. [OAR 690-315-0070(3)(e)] Evidence of compliance with conditions contained in the permit and any previous extension(s) or the reason the condition was not satisfied; - before use, totalizing meter at each diversion point - done, per application - pump test prior to certificate - done 1967, see data from well log - submit WMCP by 8/19/01 (Per Special Order Vol 53, p 1156 of 8/19/99) - approved by order 2/25/03, <i>submitted 12/29/2000</i>
NEED	5. [OAR 690-315-0070(3)(f)] Evidence of the maximum INSTANTANEOUS rate of diversion, if any, made to date; maximum diverted .54 cfs, - Applicant needs to clarify actual water used for Q-M purposes, not just capacity of well and pump. Of the .5 cfs allowed under this permit, how much was used by 10/1/02? What quantity was used since that date? If full amount is used, and all conditions of the permit were met, a time extension may not be necessary.

↓
.37

↓
.348

**Division 315 - Municipal/Quasi-Municipal
Extension of Time - Completeness Checklist
OAR 690-315-0070(3)**

Place a (✓) in the box if the item is satisfied	
NEED	6. [OAR 690-315-0070(3)(g)] An estimate of the population served and a description of the methodology(ies) used to make the estimate; 557 service connections (population estimated at 1265) in 2003 Applicant referenced <u>an attachment</u> , needs to provide. Also, see Master Plan 2.2 Population. <u>1332</u>
X	7. [OAR 690-315-0070(3)(h)] A description of financial expenditures made toward completion of the water development; Dates are not supplied, but this is first extension and dates are shown in #3
X	8. [OAR 690-315-0070(3)(i)] An estimate of the cost to complete the water development; See dates in #11
NEED	9. [OAR 690-315-0070(3)(j)] A summary of any events that delayed completion of the water development or application of water to full beneficial use, including other governmental requirements, if any, relating to the project that have significantly delayed completion of construction or perfection of the right; - Slow growth of population has reduced water demand. - Refers to Draft Water Resource Investigation Report - not attached or in file - Applicant needs to provide - Successful water conservation measure has reduced use <u>need attachment 3</u>
NEED	10. [OAR 690-315-0070(3)(k)] An estimated demand projection and a description of the methodology(ies) used for the subject water right permit, considering the other water rights held by the municipal or quasi-municipal water use permit holder, and a date by which the water development is anticipated to be completed and water put to full beneficial use. 1) Current Peak Water Demands -Applicant needs to clarify. <u>56 cfs</u> 2) Projected Population - See Master Plan 2.2 Population 3) Potential Growth Rate of Service Area - #11 says "Population/Service growth to full use in October, 2007" - also, see Justification in #12, and Master Plan 2.3 Land Use. 4) Inventory of Water Rights Held - Applicant needs to supply "Attachment A" for other rights (see Query). <u>not all rights listed.</u>
X	11. [OAR 690-315-0070(3)(l)] A summary of the applicant's plan and schedule to complete construction and/or perfect the water right; Sufficient detail provided.
X	12. [OAR 690-315-0070(3)(m)] Justification for the time requested to complete the project and/or apply the water to full beneficial use;
--	13. [OAR 690-315-0070(3)(n)] Any other information the applicant determines is relevant to evaluate the application in accordance with applicable statutes and rules;
--	* [OAR 690-315-0070(3)(o)] Any other information required by the Department that is necessary to evaluate the application in accordance with applicable statutory requirements.
X	* Signature(s) of the water right permit holder(s). Alan Wagner ^o

C:\My Documents\Muni completeness check\gl4016nesikaBeachWD.wpd

Name of Reviewer: LLJ/jd Date: 12/20/04

Kim French

From: Allan Wagner [nbwd@harborside.com]
Sent: Tuesday, August 28, 2007 7:57 AM
To: Kim French
Subject: Fw: peak Rate

we are trying again.

----- Original Message -----

From: Allan Wagner
To: Kim R french@wrd.state.or.us.com
Sent: Friday, August 17, 2007 2:01 PM
Subject: peak Rate

Regarding permit #G13613 and certificate 37549, The District completed improvements to the Rogue well pumping system in August-06 Since that time our peak instantanious rate is 314GPM. Thank you for your attention on this matter
sincerely Allan wagner NBOWD Manager

8/28/2007

Final Deliverables Cover Sheet
for
Permit Extension of Time Applications

Application #: G-14016 Permit #: G-13613

*PBS Project # B0332.020
Task 2*

Name of Permit Holder: Nesika Beach and Ophir Water District

The following items are enclosed:

- ☒ The completed Extension of Time Completeness Checklist;
- ☒ The completed Extension of Time Proposed Final Order Checklist;
- ☒ All background information and notes used to make the extension determination;
- ☒ A hard copy of the Extension of Time documents:
 - a. Letter(s) requesting additional/missing information *(if applicable)*
 - b. Proposed Final Order and Mailing List
 - c. Final Order and Mailing List
- ☒ An electronic copy of the Extension of Time documents*
 - a. Letter(s) requesting additional/missing information *(if applicable)*
 - b. Proposed Final Order and Mailing List
 - c. Final Order and Mailing List

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
SALEM OREGON**

} emailed 8/11/07

***NOTE:** WRD will only accept electronic copies in the following programs:
a. WordPerfect, or
b. MS Word - "rich text" format only

For WRD use only:

WRD approval by: _____ Date: _____

☒ Signature of Contractor: *Terry Sprecher* Date: *8/13/07*
Terry Sprecher, PBS Engineering and Environmental

Terry Sprecher

From: Terry Sprecher
Sent: Saturday, August 11, 2007 10:48 AM
To: 'Kim French'
Subject: RE: Reimbursement Authority Extension Request; Nesika Beach/Ophir Water District; Permit G-13613; PBS # 80332.000, Task 2
Attachments: permit.g13613.DRAFT.PFO.doc; permit.g13613.FO_approval.div 315 muni.wpd

Kim,

Attached is the draft PFO and draft FO for this project.

It likely needs some fine tuning, particularly with respect to this newly-submitted information. I am still a bit unclear as to how all their water rights fit together, and am not at all sure what the Limited License is for. I used the current peak rate contained in their application materials, rather than the 0.7 cfs noted in your email below, since the other peak rate was more clearly spelled out.

Let me know if you need any more done for this project. Thank you.

Terry A. Sprecher, RG, CWRE
Bend Operations Manager/Senior Geologist
 terry@pbsenv.com
 541.388.9290, X222

PBS Engineering + Environmental
Engineering | Natural Resources | Environmental | Health and Safety
 www.pbsenv.com
 390 NE Emerson Avenue, Suite C, Bend, OR 97701
 ph: 541.388.9290 fax: 541.382.5116

From: Kim French [mailto:frenchkr@wrdd.state.or.us]
Sent: Friday, July 20, 2007 2:01 PM
To: Terry Sprecher
Subject: RE: Reimbursement Authority Extension Request; Nesika Beach/Ophir Water District; Permit G-13613; PBS # 80332.000, Task 2

Hi Terry,

It didn't take as long as I thought it would to get this info. Here you go...

They have used 0.5 cfs from the well under Permit G-13613 and 0.2 cfs from the well under Permit G-3571 (Certificate 37549). They have not used water from the well under Permit G-15728 or from surface water Permit S-53985. Those will be used for redundancy.

Their current peak rate is 0.7 cfs.

Let me know if you need anything else!

Thanks,

Kim French
 Permit Extensions Specialist

8/11/2007

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
 SALEM, OREGON**

Water Resources Department
(503) 986-0813
Fax: (503) 986-0901
Kim.R.French@wrд.state.or.us

From: Terry Sprecher [mailto:terry_sprecher@pbsenv.com]
Sent: Friday, June 29, 2007 11:54 AM
To: Kim French
Subject: RE: Reimbursement Authority Extension Request; Nesika Beach/Ophir Water District; Permit G-13613; PBS # 80332.000, Task 2

Kim,

attached is the completeness checklist (2 pages) and the PFO checklist for the Nesika Beach/Ophir Water District file.

Thank you.

Terry A. Sprecher, RG, CWRE
Bend Operations Manager/Senior Geologist
terry@pbsenv.com
541.388.9290

PBS Engineering and Environmental
Engineering | Natural Resources | Environmental | Health and Safety
www.pbsenv.com
390 NE Emerson Avenue, Suite C, Bend, OR 97701
ph: 541.388.9290 fax: 541.382.5116

DISCLAIMER:

This message and any attachments are considered privileged and confidential and are intended for the sole use of the individual or entity to whom the message is addressed. If you have received this message in error, please immediately advise the sender and permanently delete the message and any attachments.

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
SALEM OREGON**

8/11/2007

Application # G-14016 / Permit # G-13613

Permit Holder: Neskika Beach Water District

Use interactive mapping to check: Stream Basin #15, Rogue

Watermaster Distr #19, Mitch Lewis

Add this information to the Checklist for PFO

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

**Division 315 - Municipal/Quasi-Municipal
Extension of Time - Completeness Checklist
OAR 690-315-0070(3)**

Place a (✓)
in the box
if the item
is satisfied

X ✓	1. [OAR 690-315-0070(3)] The appropriate extension of time fee (as specified in ORS 536.050). \$100 - applications received by September 30, 2003 - rec'd 6/23/03, \$100, receipt 60792 \$250 - applications received on or after October 1, 2003
X ✓	* [OAR 690-315-0070(3)(a)] The name and mailing address of the water right permit holder(s);
X ✓	* [OAR 690-315-0070(3)(b)] The application number and the permit number for which an extension is requested; - from 2002, not 2003
X ✓	2. [OAR 690-315-0070(3)(c)] For quasi-municipal water use permit holders, evidence of the actions taken to begin actual construction on the project, as defined in 690-315-0020(3)(d), if required under the applicable statute; NOTE: ORS 537.230(1) [1997 edition] only exempts surface water municipal use permits from the "A" Date requirement. If you are reviewing a ground water municipal use permit, they must provide evidence that the "A" Date has been met. • "Actual construction" means physical work performed towards completion of the water system, which demonstrates both the present good faith of the water right permit holder and the water right permit holder's intention to complete the project with reasonable diligence; • "Actual construction" does not include planning a diversion system, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, or surveying. "A" date 6/8/99 Met? YES This permit supplements existing well site under Cert 37549. Existing and operational storage and distribution system. See #4 "original well constructed in 1967) "B" date - none "C" date - 10/1/02 (Munis issued after 11/2/98 will need to be reviewed under 690-315-0040(4) on Checklist)
X ✓	3. [OAR 690-315-0070(3)(d)] - This is extension request # <u>1</u> Evidence of actions taken to develop the right within the <u>original permitted time period</u> from March 22, 1999 to October 1, 2002. ✓ 12/2000 - Water System Master Plan completed by Dyer Partnership ✓ 6/2001 - improvement to meter accuracy ✓ 2001-2002, meters installed on all un-metered customers ✓ 2001 - pump replaced to increase production and total dynamic head. ✓ 2002 - adoption of 12 year meter replacement program ✓ 2/25/03 - Water Management and Conservation Plan approved - see Plan in Field Services file ✓ 4/2003 - Water Investigation and Source Water Supply Study completed <i>after 10/1/02</i>
X ✓	4. [OAR 690-315-0070(3)(e)] Evidence of compliance with conditions contained in the permit and any previous extension(s) or the reason the condition was not satisfied; ✓ - before use, totalizing meter at each diversion point - done, per application ✓ - pump test prior to certificate - done 1967, see data from well log <i>may need new pump test</i> - submit WMCP by 8/19/01 (Per Special Order Vol 53, p 1156 of 8/19/99) - approved by order 2/25/03 <i>submitted 12/29/2000</i>
NEED ✓ <i>11/5/05 letter</i>	5. [OAR 690-315-0070(3)(f)] Evidence of the maximum INSTANTANEOUS rate of diversion, if any, made to date; maximum diverted .54 cfs, - Applicant needs to clarify actual water used for Q-M purposes, not just capacity of well and pump. Of the .5 cfs allowed under this permit, how much was used by 10/1/02? What quantity was used since that date? If full amount is used, and all conditions of the permit were met, a time extension may not be necessary. <i>received 5/3/06</i> <i>2700 0.366 cfs</i> <i>Need attachment 1</i> <i>1348</i>

Place a (✓)
in the box
if the item
is satisfied

Division 315 - Municipal/Quasi-Municipal
Extension of Time - Completeness Checklist
OAR 690-315-0070(3)

NEED ✓ received 5/3/06	6. [OAR 690-315-0070(3)(g)] An estimate of the population served and a description of the methodology(ies) used to make the estimate; 557 service connections (population estimated at 1265) in 2003 Applicant referenced an attachment, needs to provide. Also, see Master Plan 2.2 Population. <i>555 2200 1332 } 2004</i>
X ✓	7. [OAR 690-315-0070(3)(h)] A description of financial expenditures made toward completion of the water development; Dates are not supplied, but this is first extension and dates are shown in #3 <i>total = \$72,500</i>
X ✓	8. [OAR 690-315-0070(3)(i)] An estimate of the cost to complete the water development; See dates in #11 <i>total \$1,700,957</i>
NEED ✓ except for attachment	9. [OAR 690-315-0070(3)(j)] A summary of any events that delayed completion of the water development or application of water to full beneficial use, including other governmental requirements, if any, relating to the project that have significantly delayed completion of construction or perfection of the right; - Slow growth of population has reduced water demand. - Refers to Draft Water Resource Investigation Report - not attached or in file - Applicant needs to provide - Successful water conservation measure has reduced use <i>need attachment 3 - still missing</i>
NEED ✓ except as formal Attachment A	10. [OAR 690-315-0070(3)(k)] An estimated demand projection and a description of the methodology(ies) used for the subject water right permit, considering the other water rights held by the municipal or quasi-municipal water use permit holder, and a date by which the water development is anticipated to be completed and water put to full beneficial use. 1) Current Peak Water Demands - Applicant needs to clarify. <i>.56 cfs - 2004</i> 2) Projected Population - See Master Plan 2.2 Population 3) Potential Growth Rate of Service Area - #11 says "Population/Service growth to full use in October, 2007" - also, see Justification in #12, and Master Plan 2.3 Land Use. <i>not all rights listed - still</i> 4) Inventory of Water Rights Held - Applicant needs to supply "Attachment A" for other rights (see Query).
X ✓	11. [OAR 690-315-0070(3)(l)] A summary of the applicant's plan and schedule to complete construction and/or perfect the water right; Sufficient detail provided. <i>see 7/20/07</i>
X ✓	12. [OAR 690-315-0070(3)(m)] Justification for the time requested to complete the project and/or apply the water to full beneficial use; <i>email from Kim</i>
-- ✓	13. [OAR 690-315-0070(3)(n)] Any other information the applicant determines is relevant to evaluate the application in accordance with applicable statutes and rules; <i>none provided</i>
--	* [OAR 690-315-0070(3)(o)] Any other information required by the Department that is necessary to evaluate the application in accordance with applicable statutory requirements.
X ✓	* Signature(s) of the water right permit holder(s). Alan Wagner ⁰

C:\My Documents\Muni completeness check\14016nesikaBeachWD.wpd

Name of Reviewer: LLL/jd Date: 12/20/04

Terry Sprecher

6/28/07

Terry Sprecher

8/10/07

RECEIVED
AUG 15 2007
WATER RESOURCES DEPT
SALEM, OREGON

Municipal or Quasi-Municipal

Extension PFO Checklist for Water Use Permits

issued after November 2, 1998

(OAR 690-315-0010 through OAR 690-315-0060)

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

Application: G - 14016 Permit: G - 13613

Permittee's Name: Nesika Beach Water District and Ophir Beach Water District

Permittee's Mailing Address: PO Box 39, Ophir, OR 97464

POD Location: Township 36 S Range 14W Section 9 1/4 SE SE

Drainage Basin: Rogue River (15) County: Curry Watermaster District: #19, Mitch Lewis, SW Region

Date Permit was issued: March 22, 1999 Priority Date: January 5, 1996 Date of PN: July 1, 2003

Source: A Well in Rogue River Basin

Use: Quasi-Municipal

"Q": 0.5 cfs

Orig "A" Date: June 8, 1999 Orig "B" Date: None Orig "C" Date: October 1, 2002

Extension request received: June 23, 2003; additional on May 3, 2006 Last Authorized "B" Date: None Last Authorized "C" Date: October 1, 2002

Request Number (...1st 2nd, 3rd): 1st Proposed "B" Date: None Proposed C Date: October 1, 2015

Conditions of Permit:

Condition Met?	Condition Not Met?	Permit Condition
Yes		Before water use may begin under this permit, a totalizing flow meter must be installed at each diversion point. ... The permittee shall maintain the meter ... in good working order
Yes		The Dept has determined a WMCP may be required. Special order Vol 53, p 1156 required plan be submitted by 8/19/01
	No	Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test....
Yes		"A" date satisfied?

Factors to consider in determining "Reasonable Diligence" [OAR 690-315-0040(3)]:

Yes No

☒ ☐ Construction was completed within the time allowed in the permit or previous extension

☒ ☐ Beneficial use made of the water during the permit or previous extension time limits

- Permit holder has beneficially used 0.366 cfs/gpm/af of the total permitted quantity of water on acres

☒ ☐ Water right permit holder conformed with the permit or previous extension conditions; and

☒ ☐ Financial investments were made toward developing the beneficial water use.

- Permit holder has invested approximately 4 % of the total estimated cost to complete the project.

• Amount Invested to date: \$ 72,500 Estimated Remaining Cost: \$ \$1,700,951

Application G - 14016 Permit G - 13613 Township 36 S Range 14 W Section 9

- Note: Permit holder's list of financial expenditures to date does not include cost of drilling well, installing pump, constructing pump house (if present), connecting well to system, etc. Thus, the amount invested to date and the percentage are skewed on the low side.

Has the applicant pursued perfection of the right in good faith and with reasonable diligence? Yes ☒ No ☐

Determination of the market and the present demand for water or power to be supplied:

Ground Water Permits: Identify the closest surface water or localized water basin. Rogue River

Is it located...

Surface Water Permits: Is the POD located...

Yes ☐ No ☐

☒ ☐ within or above a state scenic waterway? Source: OWRD "Areas Above State Scenic Waterways" Map

☐ ☒ within a stream segment designated as a federal wild and scenic river? Source: www.rivers.gov/wildriverslist.html#or

☐ ☒ within a critical or limited Ground Water Area? Name of area _____

☐ ☒ in a waterbody listed on the DEQ Section 303(d) List of Water Quality Limited Areas? Date added to list _____

☒ ☐ within a sensitive, threatened or endangered species area source: "gisdata/dev/projects/salmon/div33map.aml"

☒ ☐ within an area ranking low / medium / high (circle one) for stream flow restoration needs Source: OWRD "Streamflow Restoration Maps (by region)"

Based on the written record, can the Department make a finding of "Good Cause" to approve the extension request?

Yes... "Good Cause" can be found. ☒ Approval of Extension Request

No ... "Good Cause" cannot be found. ☐ Denial of Extension Request

Conditions to be included in Extension PFO (if applicable)? Yes ☒ No ☐

(NOTE: Check the file record for documentation to add a condition(s) at the extension stage.)

☒ Max "Q" Development Limitations and Div. 856 Water Management and Conservation Plan

☐ Other: No

Footnote regarding Claim of Beneficial Use. Choose the appropriate language below and insert as a footnote in the PFO:

☐ **COBU Requirement - Surface/Ground Water - on or prior to July 9, 1987**

"For permits applied for or received on or before July 9, 1987, upon complete development of the permit, you must notify the Department that the work has been completed and either: (1) Hire a water right examiner certified under ORS 537.798 to conduct a survey, the original to be submitted as required by the Water Resources Department, for issuance of a water right certificate; or (2) Continue to appropriate water under the water right permit until the Water Resources Department conducts a survey and issues a water right certificate under ORS 537.250 or 537.625."

☐ **COBU Requirement - Surface Water - post July 9, 1987**

"Pursuant to ORS 537.230(3), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and the claim of beneficial use."

☒ **COBU Requirement - Ground Water - post July 9, 1987**

"Pursuant to ORS 537.630(3), upon the completion of beneficial use of water allowed under the permit, the permittee shall hire a certified water rights examiner to survey the appropriation. Within one year after the complete application of water to a beneficial use (or by the date allowed for the complete application of water to a beneficial use), the permittee shall submit a map of the survey and the claim of beneficial use."

NOTES:

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

Extension "PFO" Dates

Mailing / Issuance Date: _____ Protest Deadline Date: _____

Reviewer's Name: _____ Date: _____

Terry Sprecher

From: Kim French [frenchkr@wrđ.state.or.us]
Sent: Friday, July 20, 2007 2:01 PM
To: Terry Sprecher
Subject: RE: Reimbursement Authority Extension Request; Nesika Beach/Ophir Water District; Permit G-13613; PBS # 80332.000, Task 2

HI Terry,

It didn't take as long as I thought it would to get this info. Here you go...

They have used 0.5 cfs from the well under Permit G-13613 and 0.2 cfs from the well under Permit G-3571 (Certificate 37549). They have not used water from the well under Permit G-15728 or from surface water Permit S-53985. Those will be used for redundancy.

Their current peak rate is 0.7 cfs.

Let me know if you need anything else!

Thanks,

Kim French

Permit Extensions Specialist
Water Resources Department
(503) 986-0813
Fax: (503) 986-0901
Kim.R.French@wrđ.state.or.us

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

From: Terry Sprecher [mailto:terry_sprecher@pbsenv.com]
Sent: Friday, July 20, 2007 10:18 AM
To: Kim French
Subject: RE: Reimbursement Authority Extension Request; Nesika Beach/Ophir Water District; Permit G-13613; PBS # 80332.000, Task 2

Thanks, Kim. No worries - I currently have more than enough to do.

Have a nice weekend.

Terry S

From: Kim French [mailto:frenchkr@wrđ.state.or.us]
Sent: Friday, July 20, 2007 9:54 AM
To: Terry Sprecher
Subject: RE: Reimbursement Authority Extension Request; Nesika Beach/Ophir Water District; Permit G-13613; PBS # 80332.000, Task 2

Hi Terry,

Sorry it's taken me so long to do anything with this. I kind of lost track of it. I faxed them an inventory list to complete and asked about the peak rate.

I will let you know when I get a response.

8/10/2007

Water Rights Information Query Results

	Contacts	Application	Permit	Certificate	Claim	Decree	Transfers	Status	
Select	NESIKA BEACH OPHIR WATER DISTRICT ▷ 32892 NESIKA RD GOLD BEACH, OR 97444	G14016	G13613					NC	subject file
Select	NESIKA BEACH WATER DISTRICT ▷ RT 1 BOX 114 A GOLD BEACH, OR 97444	G3788	G3571	37549				NC	discussed in extension app
Select	NESIKA BEACH OPHIR WATER DISTRICT ▷ 32892 NESIKA RD GOLD BEACH, OR 97444	S85514	S53985					NC	
Select	NESIKA BEACH OPHIR WATER DISTRICT ▷ 32892 NESIKA RD GOLD BEACH, OR 97444	G15960	G15718					CN	
Select	NESIKA BEACH OPHIR WATER DISTRICT ▷ 32892 NESIKA RD GOLD BEACH, OR 97444	G15960	G15728		0.6 cfs 8/8/06 stop up to 1.0 cfs 12 year			NC	
Select	AGENT: ▷ NESIKA BEACH OPHIR WATER DISTRICT 32892 NESIKA RD GOLD BEACH, OR 97444 DOING BUSINESS AS: NESIKA BEACH OPHIR WATER DISTRICT ▷ ALLEN WAGNER 32892 NESIKA RD GOLD BEACH, OR 97444	LL1045						NC	mentioned

[Help understanding and working with the Water Rights Information System](#)

Download: [Point of diversion data](#), [Place of use data](#), [Stakeholder data](#)

[Return to WRIS Query](#)

RECEIVED
AUG 15 2007
WATER RESOURCES DEPT
SALEM OREGON

Terry Sprecher

From: Terry Sprecher
Sent: Friday, June 29, 2007 11:07 AM
To: 'Kim French'
Cc: 'Gerry Clark'
Subject: Reimbursement Authority Extension Request; Nesika Beach/Ophir Water District; Permit G-13613; PBS # 80332.000, Task 2
Attachments: DRAFT.additional info ltr.permitg.13613.wpd

Kim,

The Nesika Beach/Ophir Water District Extension Request for Permit G-13613 appears to be incomplete (or at least my copies of the file materials is incomplete). Which is hard to believe, because the Dept. has already asked for the missing information once, and the District provided a lengthy response.

I tried to prepare a draft PFO, in order to send all the deliverables today, but found that insufficient information is available to write the section about peak demands and how the District uses water from its various certificates/permits.

Attached is a draft deficiency letter. If you wish to see any other deliverables at this stage, please let me know.

Thank you.

Terry A. Sprecher, RG, CWRE
Bend Operations Manager/Senior Geologist
terry@pbsenv.com
541.388.9290

PBS Engineering and Environmental
Engineering | Natural Resources | Environmental | Health and Safety
www.pbsenv.com
390 NE Emerson Avenue, Suite C, Bend, OR 97701
ph: 541.388.9290 fax: 541.382.5116

RECEIVED

AUG 15 2007

WATER RESOURCES DEPT
SALEM OREGON

6/29/2007

Template for Additional Information Request Letters

Date, 2007

Nesika Beach Water District and Ophir Beach Water District
PO Box 39
Ophir, Oregon 97464
Attn: Allan Wagner

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

REFERENCE: Application # G-14016 (Permit # G-13613)

Dear Quasi-Municipal Water Right Permit Holder:

The Department is currently in the process of evaluating your request for an extension of time on the above referenced quasi-municipal water use permit under the Reimbursement Authority Process. This review revealed that your extension application does not provide sufficient detail necessary to fully evaluate your request. Therefore, in accordance with OAR 690-315-0080(1)(a), the following information and materials needing clarification are listed below and must be submitted to the Department before evaluation may continue:

1. The May 3, 2006 response to Question #5 (OAR 690-315-0070(3)) referred to Attachment 1, which were reportedly pump logs that verified the instantaneous pumping rate. Attachment 1 was not included in the document and needs to be forwarded to the Department.
2. The May 3, 2006 response to Question #9 (OAR 690-315-0070(3)(i)) referred to Attachment 3, which was reportedly a portion of a "Water Resource Investigation" report that identified problems with the existing well. Attachment 3 was not included in the document and needs to be forwarded to the Department.
3. Regarding Question #10 (OAR 690-315-0070(3)(k)): The Department requested (December 27, 2004 letter) that an "Attachment A" form, providing an inventory of all water rights held by Nesika Beach Water District and Ophir Water District be provided. The December 27, 2004 letter also requested the following information:
 - ▶ "Indicate which water rights are used to meet current water demands."
 - ▶ "Additionally, describe the manner in which the subject permit, other water rights and/or any water supply contracts you may hold are utilized to meet these present water needs. Identify any water rights not currently utilized, or used only in a limited capacity, and explain the reason(s) why. Describe any factors affecting use of the water rights, such as: system redundancy; emergency back-up water supply; climate patterns resulting in seasonal unavailability or high turbidity issues; reliability or quality of existing water supplies; and/or agreements to supply water to other entities."
 - ▶ "Describe how the subject permit, other water rights and/or any water supply contracts you may hold are planned or expected to be used to meet anticipated future water needs."

This information was not included in the May 3, 2006 response and needs to be forwarded to the Department.

NOTE: If you make reference to other documents, reports and/or plans, you must provide copies with your responses and make specific references to the pages, tables and/or charts. Copies of your pending extension application received June 23, 2003, May 3, 2006, and April 6, 2007, the Department's December 27, 2004 request for additional information, and your original permit are enclosed for reference.

Please submit this information by **August **, 2007**. Failure to submit the requested information by this deadline **may** result in the proposed rejection of your extension request.

If you need to request additional time to submit the information requested above, a written request must be received in the Salem office of the Department by the deadline above. The Department will evaluate timely requests and determine whether or not the request may be granted.

If you should have any questions concerning your extension request or the required materials listed above, you may contact me at (503) 986-0819.

Sincerely,

Dwight French
Administrator
Water Rights and Adjudications Division

cc: Appl # G-14016 (Permit # G-13613)
Mitch Lewis, Watermaster District # 19

RECEIVED

AUG 15 2007

**WATER RESOURCES DEPT
SALEM, OREGON**