

**CLAIM OF
BENEFICIAL USE
for Transfer with Multiple
Changes – Surface Water**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$345 must accompany this form for transfers where the application was submitted on July 9, 1987, or later.

Enter the date the transfer application was submitted:

Transfer T-9310 was
submitted December 30,
2002; the \$345 fee is included

Received

AUG 17 2026

OWRD

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a Reimbursement Authority program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:
<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

Type of Authorized Change

This Claim is being submitted for a transfer involving multiple changes.

YES NO

Mark all that apply:

- | | |
|--|--|
| 1. ☒ Change in POD(s) or Additional POD(s) | 2. ☒ Change in Place of Use |
| 3. ☐ Change in Character of Use | 4. ☐ Change in Character of Use – Reservoir |

A separate section will be completed for each type of change authorized in the transfer final order.

1. File Information

APPLICATION #

T-9310

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME Oregon Department of Corrections ATN: Tracy Wilder		PHONE NO. 503-877-8229	ADDITIONAL CONTACT NO.
ADDRESS 3601 State Street			
CITY Salem	STATE OR	ZIP 97301	E-MAIL Tracy.L.Wilder@doc.state.or.us

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. ***Each transfer holder of record must sign this form.***

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD Oregon Department of Corrections		
ADDRESS 3601 State Street		
CITY Salem	STATE OR	ZIP 97301

4. Date of Site Inspection:

July 15, 2026

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Kirt Pfenning	July 15, 2026	Facility Maintenance Specialist

6. County:

Multnomah

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

Received
AUG 17 2026

SECTION 2
SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.




CWRE NAME Robyn Cook, GSI Water Solutions, Inc.		PHONE NO. 971-200-8505	ADDITIONAL CONTACT NO.
ADDRESS 650 NE Holladay Street, Suite 900			
CITY Portland	STATE OR	ZIP 97232	E-MAIL rcook@gsiws.com

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
 Tracy Wilder	Tracy Wilder	Facilities and Distribution Services Administrator	8/12/2026

SECTION 3

Changes Made

Note: The Claim only needs to describe the changes that were authorized in the transfer final order.

Change #1

New or Additional Point of Diversion

Change in POD(s) or Additional POD(s)

Did the transfer order authorize a change in the points of diversion or additional points of diversion? YES NO

If "NO", this Section can be deleted.

1. New or additional point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)	SOURCE
Diversion 1	Columbia Slough, Blue Lake, and all Drainage Water and Springs within the District

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final? YES NO

If yes, describe below.

(e.g. "The order allowed three new/additional points of diversion. The water user only developed one of the points.")

The map in Attachment D provides a more accurate location description for Diversion 1 than the description in the final order.

3. Claim Summary:

NEW OR ADDITIONAL POD NAME OR #	MAXIMUM RATE AUTHORIZED IN ORDER	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
Diversion 1	0.05 cfs	0.35 cfs	0.17 cfs

System Description

Are there multiple new or additional Points of Diversion (POD)? YES NO

If "YES" you will need to copy and complete Sections A, B, or C in this Section for each POD.

POD Name or Number this section describes (only needed if there is more than one):

Diversion 1

A. POD System Information

Provide the following information concerning the point of diversion. Information provided must describe the equipment used to appropriate water from the point of diversion.

1. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
PACO	10-15705	UF91B02455	Centrifugal	2-inch	1.5-inch

2. Motor Information

MANUFACTURER	HORSEPOWER
Baldor	10 HP

3. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
10 HP	70 psi	2 ft	7 ft	0.35 cfs

4. Provide pump calculations:

Pump Calculations are provided in Attachment B.

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
9349 gal	9574 gal	3.0 min	0.17 cfs

Reminder: For pump calculations use the reference information at the end of this document.

6. Additional notes or comments related to the system:

The water system components described in this COBU and observed during the July 15, 2026, site inspection were installed and used to put water to beneficial use prior to the October 1, 2021, completion date, or are equivalent to components installed and used prior to that date. The map in Attachment D provides a more accurate location description for Diversion 1 than the description in the final order.

B. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the diversion involve a gravity flow pipe? YES NO

If "NO", items 2 through 4 relating to this section may be deleted. Items 2 through 4 were deleted.

C. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Does the diversion involve a gravity flow ditch or canal? YES NO

If "NO", items 2 through 4 relating to this section may be deleted. Items 2 through 4 were deleted.

Change #2

Change in Place of Use

Did the transfer order authorize a change in the place of use?

YES NO

If "NO", this Section can be deleted.

1. Claim Summary – Authorized Use:

If Irrigation or Nursery Use:

THE # OF ACRES ALLOWED	THE # OF ACRES DEVELOPED
4.0	2.0

2. Variations:

Was the use developed differently from what was authorized by the transfer final order? YES NO

If yes, describe below.

(e.g. "The order authorized a change in place of use for 40 acres. The water user only developed 38 acres.")

The order authorized a change in place of use for 4.0 acres. The water user only developed 2.0 acres.

Received
AUG 17 2026

Change #3

Change in Character of Use

Did the transfer order authorize a change in character of use?

YES NO

If "NO", this Section can be deleted. This section was deleted.

Change #4

Change in Character of Use – Reservoir

Did the transfer order authorize a change in character of use for a reservoir?

YES NO

If "NO", this Section can be deleted. This section was deleted.

SECTION 4

CONDITIONS

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE AUTHORIZED CHANGES WERE COMPLETED *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	9/29/2003	
COMPLETENESS DATE FROM ORDER (C)	10/1/2004*	2020 irrigation season

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

*The transfer final order lists a completion date of October 1, 2004. The completion date was extended to October 1, 2021. The transfer final order and extension final order are provided in Attachment A.

2. Is there an extension final order(s)?

YES NO

If "NO", you may delete the following table.

If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO
117	63	10/1/2021

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device? YES NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed?

YES NO

c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Diversion 1	Sensus	102864120	Working	9349 gal	July 2026

If a meter has been installed, items d through f relating to this section may be deleted. Items d through f were deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department? YES NO*

*The transfer final order does not require the water user to report water use; however, as a government entity, the water user reports water use to OWRD.

If "NO", item b relating to this section may be deleted. Item b was deleted.

If the reports have not been submitted, attach a copy of the reports if available.

5. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? YES NO

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed? YES NO

c. When was the fish screening installed?

DATE	BY WHOM
2003	Water User

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

d. If the diversion **involves a pump** and the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:

- Has the self-certification form previously been submitted to the Department? NA YES NO*

***ODFW approval of the fish screen is provided in Attachment C.**

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>, complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not involve a pump** or the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? N/A

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices

- a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? YES NO

If "NO", items b and c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

- b. Have by-pass devices been installed? YES NO
- c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

DESCRIPTION (E.G. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM
No by-pass device is required. See ODFW letter provided in Attachment C.		

7. Other conditions required by the transfer final order or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? YES NO
- b. Was a fishway required? YES NO
- c. Other conditions? YES NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

7c. The quantity of water diverted at the new point of diversion, together with that diverted at the old point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.

The quantity of water diverted at the new diversion does not exceed the quantity diverted at the original point of diversion.

7c. Water shall be acquired from the same surface water source as the original point of diversion.
Water is acquired from the same surface water source as the original point of diversion.

7c. The former place of use shall no longer be irrigated as a part of this water right.
The former place of use is no longer irrigated.

SECTION 5
ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Attachment A	T-9310 Final Order and Extension Final Order
Attachment B	Pump Calculations
Attachment C	ODFW Fish Screen Approval Letter
Attachment D	Claim of Beneficial Use Map

Attachment A

T-9310 Final Order and Extension Final Order
Claim of Beneficial Use – Oregon Department of Corrections

Received

AUG 17 2026

OWRD

STATE OF OREGON

COUNTY OF MULTNOMAH

ORDER APPROVING A CHANGE IN PLACE OF USE
AND A CHANGE IN POINT OF DIVERSION

Pursuant to ORS 540.510 to 540.530, after notice was given and no objections were filed, and finding that no injury to existing water rights would result, this order approves, as conditioned or limited herein, TRANSFER 9310 submitted by

OREGON DEPARTMENT OF CORRECTIONS
COLUMBIA RIVER CORRECTIONAL INSTITUTE
ATTN: DALE ALSTROM, PHYSICAL PLANT MANAGER
9111 NE SUNDERLAND AVENUE
PORTLAND, OREGON 97211-1799.

The right to be modified, as evidenced by a portion of Certificate 79542, was perfected under Permit 14393 with a date of priority of MAY 18, 1939. The right allows the use of the COLUMBIA SLOUGH, BLUE LAKE, AND ALL DRAINAGE WATER AND SPRINGS WITHIN THE DISTRICT, tributaries of the COLUMBIA RIVER, for IRRIGATION OF 4.0 ACRES. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 0.05 cubic foot per second, if available at the authorized point of diversion: NW 1/4 NE 1/4, SECTION 12, T 1 N, R 1 E, W.M.; DIVERSION 8 - SOUTH 660 FEET AND EAST 845 FEET FROM THE NW CORNER OF SECTION 12, or its equivalent in case of rotation, measured at the point of diversion from the source.

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2).

Pursuant to ORS 536.075 and OAR 137-004-080 and OAR 690-01-005 you may either petition for judicial review or petition the Director for reconsideration of this order.

T-9310.PKS

Page 1 of 4 Special Order Volume 58, Page 131

Received
AUG 17 2026
OWRD

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second per acre or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre-feet for each acre irrigated during the irrigation season of each year.

The use shall conform to any reasonable rotation system ordered by the proper state officer.

The authorized place of use is located as follows:

NW¼ NE¼ 2.41 ACRES
SW¼ NE¼ 1.59 ACRES
SECTION 12

TOWNSHIP 1 NORTH, RANGE 1 EAST, W.M.

The right to use the water for the above purpose is restricted to beneficial use on the lands or place of use described and is subject to the existing minimum flow policies established by the Water Policy Review Board.

The applicant proposes to change the place of use to:

NW¼ NW¼ 4.00 ACRES
SECTION 12

TOWNSHIP 1 NORTH, RANGE 1 EAST, W.M.

The applicant proposes to change the point of diversion to:

NW¼ NW¼, SECTION 12, T 1 N, R 1 E, W.M.; DIVERSION 1 -
SOUTH 705 FEET AND WEST 2025 FEET FROM THE N¼ OF SECTION 12.

THESE CHANGES TO AN EXISTING WATER RIGHT MAY BE MADE PROVIDED THE FOLLOWING CONDITIONS ARE MET BY THE WATER USER:

1. The proposed changes shall be completed on or before October 1, 2004.
2. The quantity of water diverted at the new point of diversion, together with that diverted at the old point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.
3. The water user shall install and maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
4. Water shall be acquired from the same surface water source as the original point of diversion.
5. The former place of use shall no longer be irrigated as a part of this water right.
6. The water user shall install and maintain a fish screen or fish by-pass device. The type and plans of the screen or by-pass device must be approved by the Oregon Department of Fish and Wildlife prior to beginning of construction and shall be installed under the supervision of the Department of Fish and Wildlife.

The water user may participate in the Oregon Department of Fish and Wildlife's cost sharing program for installation of screening and by-pass devices in accordance with ORS 540.525.


Received

AUG 17 2026

OWRD

Certificate 79542 is cancelled. A new certificate will be issued to confirm that portion of the right NOT involved in this transfer. When satisfactory proof of the completed change is received, a new certificate confirming this water right will be issued.

WITNESS the signature of the Water Resources
Director, affixed SEP 29 2003.



Paul R. Cleary, Director

Received
AUG 17 2026
OWRD

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE STATE OF OREGON**

In the Matter of Application for Extension)
of Time for Transfer Application T-9310,)
Multnomah County)

FINAL ORDER APPROVING AN EXTENSION
OF TIME

Applicant

OREGON DEPARTMENT OF CORRECTIONS
ATTN: TRACY WILDER
3601 STATE STREET
SALEM, OR 97301

Authority

Oregon Administrative Rules (OAR) 690-380-5140(2) authorizes the Department to grant an extension of time to complete a transfer.

OAR 690-380-6020 establishes an application process and criteria for the review of extensions of time to complete a transfer as authorized by a final order issued under OAR Division 380.

OAR 690-380-6020 (3) establishes that extensions are granted for one year, from October 1 to October 1 of each year. Extensions may be granted for longer time if the applicant can justify the need for a longer period of time by submission of pertinent evidence.

Findings of Fact

1. On June 15, 2020, the Department received an application for extension of time for Transfer Application T-9310.
2. On September 29, 2003, the Department issued an order, which was recorded in Special Order Volume 58, Pages 131-134. The order set a transfer completion date of October 1, 2004.
3. Since the approval of the transfer, the applicant has installed a water intake at the new point of diversion, installed a fish screen approved by ODFW, and irrigated approximately 1.6 acres at the new place of use.

Received
AUG 17 2026

OWRD

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

4. To fully complete the change, the applicant needs to install an in-flow flow meter or other suitable measuring device and irrigate an additional 2.4 acres.
5. The applicant has requested that the time for completion of beneficial use be extended to October 1, 2020. Consistent with OAR 690-380-6020, the Department will extend the transfer completion date to October 1, 2021.

Conclusions of Law

Pursuant to OAR 690-380-6020, the Director of the Water Resources Department concludes the applicant has shown reasonable diligence to complete the transfer within the time period established by the order approving Transfer Application T-9310.

Now, therefore, it is ORDERED:

The time for completion of the changes authorized by Transfer Application T-9310 shall be extended to **October 1, 2021**.

Signed at Salem, Oregon on JUL 15 2020.



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

Mailing date: JUL 16 2020

Received
AUG 17 2026
OWRD

Attachment B

Pump Calculations

Claim of Beneficial Use – Oregon Department of Corrections

Received

AUG 17 2026

OWRD

Diversion 1

Pump Capacity Calculation Sheet

using Department designed formula:

$$(\text{hp})(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 10
Efficiency = 6.61
Lift = 9
PSI = 70.0

Results Calculated

(hp)(efficiency) = 66.1
Head based on psi = 177.8
Total dynamic head = 186.8
(head + lift)

Pump Capacity = 0.35 cubic feet per second

Received
AUG 17 2026
OWRD

Attachment C

ODFW Fish Screen Approval Letter

Claim of Beneficial Use – Oregon Department of Corrections

Received

AUG 17 2026

OWRD



Oregon
Kate Brown, Governor

Department of Fish and Wildlife

Fish Division
4034 Fairview Industrial Dr SE
Salem, OR 97302
503-947-6200
Fax: 503-947-6202
www.dfw.state.or.us

February 13, 2020

Chad Naugle
Oregon Department of Corrections
3601 State Street
Salem, OR 97301

Trevor Grandy
GSI Water Solutions
147 SW Shevlin Hixon Dr. #201
Bend, OR 97702



RE: Fish Screen Approval for Water Right Transfer T-9310

Mr. Naugle,

The Oregon Department of Fish and Wildlife (ODFW) has reviewed the fish screen associated with your point of diversion (POD) on Columbia Slough located in Clackamas County. This POD is associated with water right transfer T-93100, which allows for diversion of surface water at a rate of up to .05 cubic feet per second (CFS). After review of your fish screen, cylinder screen measuring .5 feet in diameter and .66 feet long (8 inches), ODFW concludes that the screen meets all applicable fish screening criteria for the allowed diversion rate of .05 CFS. A fish screening bypass is not required for this site.

The final order issued by the Oregon Water Resources Department required that the fish screen be approved by ODFW and in place prior to diversion of water, and be installed under ODFW supervision. The final order for the water right transfer was issued September 29, 2003. ODFW cannot confirm the date in which the fish screen was installed and we cannot confirm whether or not ODFW was on-site during installation, due to lack of documentation. That being said, it is ODFW's understanding that the fish screen was installed prior to the diversion of water, and met all relevant fish screening criteria at the time of installation. Therefore ODFW considers the provision for fish screening in water right transfer T-9310, to be met, so long as the fish screen continues to function as designed.

The approval of fish screening at this site is contingent on the following: the screen is installed and in place prior to the diversion of water at this POD, the screen is installed so that the entire effective screen area is submerged during operation, the screen is regularly inspected, cleaned, and maintained to ensure it remains in working order, and the screen is annually inspected when it is not in use. If inspection shows that the screen is no longer

Received
AUG 17 2026
OWRD

functioning, or it is observed that tears, holes, or gaps greater than 3/32 of an inch have formed, the screen shall be replaced with a new unit that meets or exceeds the existing screen's dimension s and specifications, as described in this letter.

Please retain this letter for your records, as this documents ODFW's approval of fish screening at this site. Thank you for your time and effort on this project. If you have any questions, please contact me at 503-947-6256.

Sincerely,

A handwritten signature in black ink, appearing to read "Ken Loffink". The signature is fluid and cursive, with the first name "Ken" and last name "Loffink" clearly distinguishable.

Ken Loffink
Statewide Fish Screening Coordinator

Received
AUG 17 2026
OWRD

Attachment D

Claim of Beneficial Use Map

Claim of Beneficial Use – Oregon Department of Corrections

Received

AUG 17 2026

OWRD



August 12, 2026

Jonnine Skaug
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271

RE: Claim of Beneficial Use for Transfer T-9310

Jonnine:

On behalf of the Oregon Department of Corrections, please find enclosed a Claim of Beneficial Use report for Transfer T-9310.

Please do not hesitate to contact me at 541-753-0933 with questions about the enclosed COBU.

Sincerely,

A handwritten signature in black ink that reads "Zach Westfall".

Zach Westfall
Water Resources Consultant

A handwritten signature in black ink that reads "Robyn Cook".

Robyn Cook, RG, PG, CWRE
Principal Hydrologist

Enclosures:
Claim of Beneficial Use for Transfer T-9310 and \$345 fee

Received
AUG 17 2026

OWRD