

**CLAIM OF
BENEFICIAL USE
for Surface Water Permits
claiming more than 0.1 cfs**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Received

AUG 20 2026

OWRD

**A fee of \$345 must accompany this form for permits
with priority dates of July 9, 1987, or later.**

Enter the date the priority date of the permit:

**April 26, 2021; the fee is
included**

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Go to "Resources for Water Right Examiners (CWRE)" Page

<https://www.oregon.gov/OWRD/programs/WaterRights/COBU/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a Reimbursement Authority program that allows it to enter into a voluntary agreement with an applicant for expedited services. Applicants interested in an estimate of the cost and timeline for expedited processing must submit a Reimbursement Authority Estimate Application and required fee. The form and additional information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

1. File Information:

APPLICATION # S-89100	PERMIT # S-55434	PERMIT AMENDMENT # N/A
---------------------------------	----------------------------	----------------------------------

2. Property Owner (current owner information):

OWRD

APPLICANT/BUSINESS NAME ABG OREGON VINEYARDS LLC		PHONE NO. 971-241-1834	ADDITIONAL CONTACT NO.
ADDRESS 600 UNIVERSITY ST SUITE 902			
CITY SEATTLE	STATE WA	ZIP 98101	E-MAIL

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each permit holder of record must sign this form.***

3. Permit or holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD ABG OREGON VINEYARDS LLC			
ADDRESS 600 UNIVERSITY ST SUITE 902			
CITY SEATTLE	STATE WA	ZIP 98101	

ADDITIONAL PERMIT HOLDER OF RECORD			
ADDRESS			
CITY	STATE	ZIP	

4. Date of Site Inspection:

June 24, 2026

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Mike McLaren	June 24, 2026	Head of Vineyards

6. County:

Yamhill

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A			
ADDRESS			
CITY	STATE	ZIP	

Add additional tables for owners of record as needed

SECTION 2
SIGNATURES

Received
AUG 20 2026
OWRD

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Robyn Cook		PHONE NO. 971-200-8505	ADDITIONAL CONTACT NO.
ADDRESS GSI Water Solutions, Inc., 650 NE Holladay Street, Suite 900			
CITY Portland	STATE OR	ZIP 97232	E-MAIL rcook@gsiws.com

Permit Holder(s) of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Brandon Ackley	President	8/5/26

Received

AUG 20 2026

SECTION 3 CLAIM DESCRIPTION

OWRD

1. Point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)
POD 1

2. Point of diversion source and tributary:

POD NAME OR NUMBER	SOURCE	TRIBUTARY
POD 1	Effie's Pond	Stag Hollow Creek

3. Developed use(s), period of use, and rate for each use:

POD NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
POD 1	Supplemental Irrigation	Wine Grapes	May – September*	5.49 AF*
Total Quantity of Water Used				5.49 AF*

*Permit S-55434 authorizes use of up to 9.11 AF for supplemental irrigation. The permit holder is ready, willing, and able to use the full 9.11 AF during the entire authorized season of use (March 1-September 30) and anticipates needing to do so when water is not available under their primary irrigation right (Permit G-18532).

4. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of diversion to the place of use:

Water from Effie's Pond is pumped using a centrifugal pump, conveyed through mainlines and lateral lines, and applied for irrigation using drip emitters.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

5. Variations:

Was the use developed differently from what was authorized by the permit, or permit amendment final order? If yes, describe below.

YES NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

N/A

6. Claim Summary:

POD NAME OR #	MAXIMUM VOLUME	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
POD 1	9.11 AF	0.43 cfs	0.24 cfs	Supplemental Irrigation	116.8 ac.	116.8 ac.

Received

AUG 20 2026

SECTION 4 SYSTEM DESCRIPTION

OWRD

Are there multiple PODs?

YES NO

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

POD 1

A. Place of Use

1. Is the right for municipal use?

YES NOIf "YES" the table below may be deleted. *The table was deleted.***B. Diversion and Delivery System Information**

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Berkeley	B2ZPL	001F200	Centrifugal	2.5 in	2.0 in

3. Motor Information:

MANUFACTURER	HORSEPOWER
Baldor	15 HP

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
15 HP	64 PSI	5 ft	64 ft	0.43 cfs

5. Provide pump calculations:

Pump calculations are provided in Attachment B.

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
458,672 gal	458,780 gal	1 min	0.24 cfs

Reminder: For pump calculations use the reference information at the end of this document.

Received

AUG 20 2026

YES NO

OWRD

7. Is the distribution system piped?*If "NO" items 8 through item 13 may be deleted.***8. Mainline Information:**

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
1.5 in	167 ft	PVC	Above
2.0 in	501 ft	PVC	Above
3.0 in	1,920 ft	PVC	Above
4.0 in	13,218 ft	PVC	Buried

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
0.5 in	720,000 ft	Polyethylene	Above

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
N/A					

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
0.5 in	60 PSI	0.0083 gpm	180,000	15,000	0.28 cfs

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
N/A					

13. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
N/A				

C. Storage**1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?**

YES NO

*If "NO", item 2 and 3 relating to this section may be deleted. Item 2 and 3 were deleted.***D. Gravity Flow Pipe**

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted. Items 2 through 4 were deleted.

Received

AUG 20 2026

OWRD

E. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted. Items 2 through 4 were deleted.

F. Additional notes or comments related to the system:

None.

SECTION 5 CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension of time:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	March 24, 2023		
BEGIN CONSTRUCTION (A)	March 24, 2028	April 2023	Constructed POD 1.
COMPLETE CONSTRUCTION (B)	March 24, 2028	September 2025	Drip installed on all acres.
COMPLETE APPLICATION OF WATER (C)	March 24, 2028	September 2025	Irrigated all acres.

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES NO

If "NO", items a and b relating to this section may be deleted. Items a and b were deleted.

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

YES NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed?

YES NO

c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POD 1	Netafin	190507043	Working	458,672 gal	April 2023

If a meter has been installed, items d through f relating to this section may be deleted. Items d through f were deleted.

4. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department? YES NO

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted? YES NO

If the reports have not been submitted, attach a copy of the reports if available.

5. Fish Screening:

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? YES NO

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed? YES NO*

**A fish screening and fish passage device exemption letter from ODFW is provided in Attachment C.*

c. When was the fish screening installed?

DATE	BY WHOM
N/A	

Reminder: If the permit was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

Received

AUG 20 2026

OWRD

d. If the diversion **involves a pump** and the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:

- Has the self-certification form previously been submitted to the Department? NA YES NO

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx> complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not involve a pump** or the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? NA YES NO

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices:

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion?

YES NO

If "NO", items b and c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Have by-pass devices been installed?

YES NO*

***A fish screening and fish passage device exemption letter from ODFW is provided in Attachment C.**

c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

DESCRIPTION (E.G. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM
N/A		

Received
AUG 20 2026
OWRD

7. Other conditions required by some permits, permit amendment final orders, or extension final orders:

- | | | |
|--|------------|------------------|
| a. Was the water user required to restore the riparian area if it was disturbed? | YES | <u>NO</u> |
| b. Was a fishway required? | YES | <u>NO</u> |
| c. Was submittal of a water management and conservation plan required? | YES | <u>NO</u> |
| d. Other conditions? | YES | <u>NO</u> |

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s) in the box below. If the condition required the approval of a plan, submit documentation that the plan was approved.

N/A

SECTION 6
ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Attachment A	Permit S-55434
Attachment B	Pump Calculations
Attachment C	ODFW Exemption Letter
Attachment D	Claim of Beneficial Use Map

Received

AUG 20 2026

OWRD

Received
AUG 20 2026
OWRD

Attachment A

Permit S-55434

Claim of Beneficial Use – ABG Oregon Vineyards, LLC

STATE OF OREGON

COUNTY OF YAMHILL

PERMIT TO APPROPRIATE THE PUBLIC WATERS

Received

AUG 20 2026

OWRD

THIS PERMIT IS HEREBY ISSUED TO:

ABG OREGON VINEYARDS, LLC
600 UNIVERSITY ST SUITE 902
SEATTLE WA 98101

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-89100

SOURCE OF WATER: EFFIE'S POND, CONSTRUCTED UNDER CERTIFICATE 96890, TRIBUTARY TO STAG
HOLLOW CREEK

MAXIMUM VOLUME: 9.11 ACRE-FEET

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 116.8 ACRES

PERIOD OF USE: MARCH 1 THROUGH SEPTEMBER 30

DATE OF PRIORITY: APRIL 26, 2021

AUTHORIZED POINT OF DIVERSION:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
2 S	4 W	WM	35	NE SW	2160 FEET NORTH AND 2190 FEET EAST FROM SW CORNER, SECTION 35

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to a diversion not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year. The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

AUTHORIZED PLACE OF USE:

Twp	Rng	Mer	Sec	Q-Q	Acres
2 S	4 W	WM	35	SW NE	21.4
2 S	4 W	WM	35	NE NW	4.1
2 S	4 W	WM	35	SW NW	0.4
2 S	4 W	WM	35	SE NW	16.4
2 S	4 W	WM	35	NE SW	34.9
2 S	4 W	WM	35	NW SW	4.8

Twp	Rng	Mer	Sec	Q-Q	Acres
2 S	4 W	WM	35	SW SW	8.1
2 S	4 W	WM	35	SE SW	4.3
2 S	4 W	WM	35	NW SE	11.2
2 S	4 W	WM	35	SW SE	7.5
3 S	4 W	WM	2	NW NE	3.7

PERMIT SPECIFIC CONDITIONS

1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
2. **Water Use Measurement, Recording, and Reporting:**
 - A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of diversion. The permittee shall maintain the device in good working order.
 - B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
 - C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
 - D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

3. Fish Screen/Passage:

The water user shall install, maintain, and operate fish screening and fish passage devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion, while passage devices provide adequate upstream and downstream passage for fish. The required screen and passage devices are to be in place and functional and approved in writing by ODFW prior to diversion of water. The water user may submit evidence in writing that ODFW has determined screens and/or passage devices are not necessary.

STANDARD CONDITIONS

1. Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.
2. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

3. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.
4. The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

DEVELOPMENT AND COMPLETION TIMELINE REQUIREMENTS

1. Construction of the water system shall begin within five years of the date of permit issuance. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the begin construction deadline is missed.
2. Complete application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.
3. Within one year after making complete application of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued **MAR 24 2023**



Katherine Ratcliffe
Water Right Section Manager, for
Douglas E. Woodcock, Acting Director
Oregon Water Resources Department

Received
AUG 20 2026
OWRD

Received
AUG 20 2026
OWRD

Attachment B

Pump Calculations

Claim of Beneficial Use – ABG Oregon Vineyards, LLC

Received
AUG 20 2026
OWRD

POD 1

Pump Capacity Calculation Sheet

using Department designed formula:

$(\text{hp})(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 15
Efficiency = 6.61
Lift = 69
PSI = 64.0

Results Calculated

$(\text{hp})(\text{efficiency}) = 99.15$
Head based on psi = 162.6
Total dynamic head = 231.6
(head + lift)

Pump Capacity = 0.43 cubic feet per second

Received

AUG 20 2026

OWRD

Attachment C

ODFW Exemption Letter

Claim of Beneficial Use – ABG Oregon Vineyards, LLC



Oregon

Tina Kotek., Governor

Received

AUG 20 2026

OWRD

Department of Fish and Wildlife

The Dalles Screen Shop

3561 Klindt Drive
The Dalles, OR 97058
(541) 296-8026
FAX (541) 296-7889
odfw.com

July 6, 2026

ABG Oregon Vineyards LLC
600 University St Suite 902
Seattle, WA 98101



RE: Fish Screen Condition for Permit S-55434

To whom it may concern,

The Oregon Department of Fish and Wildlife (OWRD) is submitting this letter regarding the fish screening and fish passage conditions contained in permit S-55434 in the name of ABG Oregon Vineyards LLC. The permit allows the water user to submit evidence in writing that ODFW has determined fish screens and/or passage devices are not necessary.

After inspection of the point of diversion (POD) at Effie's Pond 45.35229, -123.14342 constructed under certificate 96890. The Oregon Department of Fish and Wildlife (ODFW) has determined that fish do not utilize this habitat in the off-channel pond. Therefore, screening and passage devices are not required.

Although ODFW has determined that fish screening and passage devices are not necessary for Permit S-55434, the permittee shall not stock fish in the associated pond without a fish transport permit approved by ODFW, Per ORS 498.222 and Oar 635-007-0600, all persons transporting fish in Oregon need to have a permit issued by the Oregon Department of Fish and Wildlife (ODFW).

Please contact me at 971-673-6044 if you need any additional information or have further questions.

Sincerely,

Kevin Stertz
District Fish Biologist, North Willamette Watershed District

CC: Katherine Nordholm, Fish Screens and Passage Coordinator, ODFW Salem
Danette Faucera, Water Policy Coordinator, ODFW Salem

Received

AUG 20 2026

OWRD

Attachment D

Claim of Beneficial Use Map

Claim of Beneficial Use – ABG Oregon Vineyards, LLC



Received
AUG 20 2026
OWRD

August 17, 2026

Jonnine Skaug
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271

RE: Claim of Beneficial Use for Permit S-55434 (Application S-89100)

Jonnine:

On behalf of ABG Oregon Vineyards LLC, please find enclosed a Claim of Beneficial Use report for Permit S-55434.

Please do not hesitate to contact me at 541-753-0933 with questions about the enclosed COBU.

Sincerely,

A handwritten signature in black ink that reads "Zach Westfall".

Zach Westfall
Water Resources Consultant

A handwritten signature in black ink that reads "Robyn Cook".

Robyn Cook, RG, PG, CWRE
Principal Hydrologist

Enclosures:
Claim of Beneficial Use for Permit S-55434 and \$345 fee