

Name JESSIE MARTIN
 By Box 211
 Address Christmas Valley,
Oregon 97638

Date filed Apr. 23, 1970
 Priority April 23, 1970
 Action suspended until OK out

Returned to applicant _____
 Date of approval July 2, 1971

CONSTRUCTION

Date for beginning July 2, 1972
 Date for completion October 1, 1972
 Extended to _____

Date for application of water October 1, 1973
 Extended to _____

PROSECUTION OF WORK

Form "A" filed _____
 Form "B" filed _____
 Form "C" filed August 15, 1972

FINAL PROOF

Blank mailed OCT 15 1974
 Proof received _____
 Date certificate issued DEC 20 1974

Application No. G G 5166
 Permit No. G G 4898
 Certificate No. 41331

Stream Index, Page No. 13-59
No log who-when?

FEES PAID

Date	Amount	Receipt No.
<u>4/23/70</u>	<u>20.00</u>	<u>18356</u>
<u>12-11-74</u>	<u>1.60</u> <u>\$1 Cert. Fee</u>	<u>44224</u>

FEES REFUNDED

Date	Amount	Check No.

ASSIGNMENTS

Date	To Whom	Address	Volume	Page

REMARKS

0.25 cfs from a well for irrigation of 20.0 acres.
JUL 31 1972 CARD FOR A

Form C

IMPORTANT—This form is a notice to the State Engineer that permittee is ready to make final proof to the extent to which the water has actually been applied to the intended use under the terms of the permit. Permittee is cautioned that Certificate of Water Right will be issued based on the extent of the quantity and use as determined by the final proof inspection and survey which will be made in response to the filing of this Form C.

NOTE: In the case of an irrigation permit, this Form C should not be mailed to the State Engineer until all of the land described in the permit, which it is intended to irrigate under this permit at any time, has actually been irrigated. Fill out, detach and mail to the State Engineer, Salem, Oregon 97310, when all of the water has been applied.

Application No. G-5166

NOTICE OF COMPLETE APPLICATION OF WATER TO A BENEFICIAL USE

I, Jessie Martin, the holder of Permit No. G-4898 to appropriate the public waters of the state of Oregon, completely applied the waters to a beneficial use in accordance with the terms of said permit, on the 15 day of May, 1971.

Remarks: It was in mint I would not grow again spring we are putting it in a flow but we had no luck with mint.

IN WITNESS WHEREOF, I have hereunto set my hand this 12 day of June, 1972
Jessie Martin (Signature of Applicant) Box 204 Christmas Valley (Address)
Ore.

PHONE CALL

FOR <u>FR1 01201</u>	DATE <u>5-4</u>	TIME <u>10</u> <u>AM</u>
M <u>R VERL</u>	<u>NOF2IGER</u>	
OF <u>NO NO NO</u>	<u>SNR</u>	☒ PHONED
PHONE ☐ FAX ☒ MOBILE	<u>(541)-576-2318</u>	
MESSAGE <u>XMAS VLT</u>	☒ PLEASE CALL	☐ RETURNED YOUR CALL
<u>WANT</u>	☐ WILL CALL AGAIN	☐ CAME TO SEE YOU
☒ SIGNED	☐ WANTS TO SEE YOU	

PHONE CALL

FOR <u>FR1 01201</u>	DATE <u>5-4</u>	TIME <u>1033</u> <u>AM</u>
M <u>"I"</u>	<u>ORL ME</u>	
OF <u>REPEAT ?</u>	☒ PHONED	☐ RETURNED YOUR CALL
PHONE ☐ FAX ☒ MOBILE	<u>541-576-2318</u>	
MESSAGE <u>G-5166</u>	☒ PLEASE CALL	☐ WILL CALL AGAIN
<u>CERT 41331</u>	☐ CAME TO SEE YOU	☐ WANTS TO SEE YOU
<u>XMAS VLT</u>		
☒ SIGNED	☐ WANTS TO SEE YOU	

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application	)	FINAL ORDER APPROVING A
T-14867, Lake County	)	TEMPORARY CHANGE IN PLACE OF
	)	USE AND POINT OF APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to temporarily transfer the place of use and, if necessary to convey the water to the temporary place of use, the point of appropriation authorized under an existing water right. Oregon Administrative Rule (OAR) Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

JOSEPH D. AND ALMA D. WORDEN
PO BOX 56
FORT ROCK, OR 97735

Findings of Fact

1. On May 21, 2026, Joseph D. and Alma D. Worden filed an application to temporarily change the place of use and change the point of appropriation to serve the proposed place of use under Certificate 41331 for a period of 5 years. The Department assigned the application number T-14867.

2. The right to be transferred is as follows:

Certificate: 41331 in the name of JESSIE MARTIN (perfected under Permit G-4898)
Use: IRRIGATION of 18.5 ACRES
Priority Date: APRIL 23, 1970
Rate: 0.23 CUBIC FOOT PER SECOND

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre feet per acre for each acre irrigated during the irrigation season of each year.

Source: A WELL a tributary of CHRISTMAS LAKE

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	17 E	WM	9	SE NE	690 FEET NORTH AND 20 FEET WEST FROM E1/4 CORNER, SECTION 9

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	17 E	WM	9	SE NE	18.5

3. Temporary Transfer Application T-14867 proposes to temporarily change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
26 S	14 E	WM	20	SW SW	8.1
26 S	14 E	WM	20	SE SW	10.4
Total					18.5

4. A change in point of appropriation is necessary to convey the water to the proposed temporary place of use. Temporary Transfer Application T-14867 proposes to move the authorized point of appropriation approximately 19.9 miles Northwest to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
26 S	14 E	WM	20	SW SW	WELL "ON" - 1190 FEET NORTH AND 1040 FEET EAST OF SW CORNER, SECTION 20

Temporary Transfer Review Criteria

- Water has been used within the last five years according to the terms and conditions of the right. There is no evidence available that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right are present.
- The proposed changes would prevent the lands from which the water right is removed during the period of the temporary transfer from receiving water under the transferred right, as required by ORS 540.523(7).

8. The proposed changes would not result in injury to other water rights. This finding is made through an abbreviated review recognizing that the transfer may be revoked under ORS 540.523(5) if the Department later finds that the transfer is causing injury to any existing water right.

Conclusions of Law

The temporary changes in place of use and point of appropriation to serve the temporary place of use proposed in Temporary Transfer Application T-14867 are consistent with the requirements of ORS 540.523 and OAR 690-380-8000.


Now, therefore, it is ORDERED:

1. The temporary change in place of use and change in point of appropriation to serve the temporary place of use proposed in Temporary Transfer Application T-14867 are approved.
2. The former place of use **shall not** be irrigated as part of this water right during the 2026, 2027, 2028, 2029 and 2030 irrigation seasons.
3. The use shall revert to the authorized place of use at the end of the 2030 irrigation season. The authorization to use the temporary point of appropriation shall be terminated concurrently.
4. The approval of this temporary transfer may be revoked or modified if the Department finds the changes cause injury to any existing water right.
5. The quantity of water diverted at the proposed temporary point of appropriation shall not exceed the quantity of water lawfully available at the original point of appropriation.
6. A subsequent application for permanent transfer of Certificate 41331 shall be subject to a full and complete review to determine consistency with the requirements of OAR Chapter 690, Division 380. Approval of this temporary transfer does not establish a precedent for approval of a subsequent application filed for a permanent transfer.
7. The use of water at the temporary place of use authorized by this transfer shall be in accordance with the terms and conditions of Certificate 41331.
8. The time during which water is used under this approved temporary transfer does not apply toward a finding of forfeiture under ORS 540.610.

9. Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Dated in Salem, Oregon on 6/29/2026

A handwritten signature in black ink, appearing to read 'Lisa J. Jaramillo', is written over a horizontal line.

Lisa J. Jaramillo, Transfer and Conservation Section Manager for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

Mailing Date: 6/30/2026

STATE OF OREGON
COUNTY OF LAKE
CERTIFICATE OF WATER RIGHT

This Is to Certify, That JESSIE MARTIN

of **Box 204, Christmas Valley**, State of **Oregon**, **97638**, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of a well

a tributary of **Christmas Lake** for the purpose of **irrigation of 18.5 acres**

under Permit No. **G-4898** of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from **April 23, 1970**

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed **0.23 cubic foot per second**

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the **SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 9, T. 27 S., R. 17 E., W. M., 690 feet North and 20 feet West from E $\frac{1}{4}$ Corner, Section 9.**

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to **one-eightieth** of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed **2 $\frac{1}{2}$ acre feet per acre** for each acre irrigated during the irrigation season of each year;

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

**18.5 acres SE $\frac{1}{4}$ NE $\frac{1}{4}$
Section 9
T. 27 S., R. 17 E., W. M.**

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this date. **December 20, 1974**

.....**Chris L. Wheeler**.....
State Engineer

Recorded in State Record of Water Right Certificates, Volume **33**, page **41331**

July 22, 1994

RUBEN STIRTON SR
PO BOX 223
CHRISTMAS VALLEY OR 97641

RE: USER-ID # 8906


With regard to the pump test requirements for the following well and its associated water right:

POD-ID	Well	Application	Permit	Certificate	Status
18816	A Well	G-5166	G-4858	41331	Approved

The Water Resources Department has reviewed and accepted the pump test results you submitted. The Department requires no further testing of this well at this time. However, you will be required to submit a static water level measurement of the well on the ten-year anniversary of the test you conducted.

We appreciate your cooperation in this program. If you have any questions, please contact Mike Zwart or Bill Ferber at the address below or by calling 378-8455.

Sincerely,



FRED LISSNER, Manager
Groundwater/Hydrology Section

cc: Water Rights Section

3458W



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

July 22, 1993

RUBIN E STIRTON SR
PO BOX 223
CHRISTMAS VALLEY OR 97641

RE: USER-ID # 8906

With regard to the pump test requirements for the following well and its associated water right:

POD-ID	Well	Application	Permit	Certificate	Status
18816	A Well	G-5166	G-4898	41331	Extended

The Water Resources Department has reviewed the pump test results you submitted and rejected the test because:

- [X] The discharge was not measured on the same day as the pump test was performed. Discharge measurements must be taken during the pumping phase of the test.
- [X] Water-level measurements were not collected at the specified time intervals during the pumping phase of the test. Please follow the schedule provided below:


For the first ten minutes of pumping, water level readings must be no more than two minutes apart.

From ten to thirty minutes of pumping, readings must be no more than five minutes apart.

From thirty minutes to four hours of pumping, readings must be no more than fifteen minutes apart.

- [X] Water-level measurements were not collected at the specified time intervals during the recovery phase of the test. Measurements must be taken after the pump has been turned off to determine how the water level "recovers" from pumping. Please follow the schedule provided below:

For the first ten minutes after pumping stops, water level readings must be no more than two minutes apart.



RUBIN E STIRTON SR
JULY 22, 1993
PAGE TWO

From ten to thirty minutes after pumping stops, readings must be no more than five minutes apart.

From thirty minutes to four hours after pumping stops, readings must be no more than fifteen minutes apart. (Or 90% recovery, whichever occurs first.)

The data from this test are not adequate to describe the characteristics of the aquifer serving this well. Please review the enclosed information regarding the purpose and requirements of the pump test. We are granting you a one year extension to allow you time to perform another test on this well. Your new due date is July 22, 1994.

We appreciate your cooperation in this program. If these instructions are unclear, please contact Mike Zwart at the address below or by calling 378-8455.

Sincerely,

Wendy Melgaard
for

FRED LISSNER, Manager
Groundwater/Hydrology Section

Enclosures

Pump Test Requirements For Ground Water Right Holders

Pump Test Form Cover Sheet

Pump Test Data Sheet

Copy of rejected test

cc: Water Rights Section

2785W

June 15, 1994

RUBEN STIRTON SR
PO BOX 223
CHRISTMAS VALLEY OR 97641

RE: USER-ID # 8906

With regard to the pump test requirements for the following well and its associated water right:

POD-ID	Well	Application	Permit	Certificate	Status
18816	A Well	G-5166	G-4898	41331	Pending

The Water Resources Department has reviewed the pump test results you submitted. To approve the pump test we need the following information:

☒ Recovery data.

Please fill in the highlighted information on your pump test and return it to the Water Resources Department within the next 30 days.

We appreciate your cooperation in this program. If you have any questions, please contact Mike Zwart or Bill Ferber at the address below or by calling 378-8455.

Sincerely,

FRED LISSNER, Manager
Groundwater/Hydrology Section

Enclosures

Pump Test Requirements For Ground Water Right Holders

Pump Test Form Cover Sheet

Pump Test Data Sheet

Copy of test

cc: Water Rights Section

3416W

May 21, 1993

RUBIN & MARY STIRTON
PO BOX 223
CHRISTMAS VALLEY OR 97641

RE: USER-ID # 8906

With regard to the pump test requirements for the following well and its associated water right:

POD-ID .	Well	Application	Permit	Certificate	Status
18816	A Well	G-5166	G-4898	41331	Extended

The Water Resources Department has reviewed the pump test results you submitted and rejected the test because:

- [X] Discharge was not measured at the specified time intervals during the pumping phase of the test.
- [X] Improper method of water level measurement.
- [X] Water-level measurements were not collected at the specified time intervals during the pumping phase of the test.
- [X] Water-level measurements were not collected at the specified time intervals during the recovery phase of the test. Measurements must be taken after the pump has been turned off to determine how the water level "recovers" from pumping.

The data from this test are not adequate to describe the characteristics of the aquifer serving this well. Please review the enclosed information regarding the purpose and requirements of the pump test. We are granting you a one year extension to allow you time to perform another test on this well. Your new due date is May 21, 1994.



3850 Portland Rd NE
Salem, OR 97310
(503) 378-3739
FAX (503) 378-8130

Rubin and Mary Stirton
May 21, 1993
Page two

We appreciate your cooperation in this program. If you have any questions, please contact Mike Zwart or Bill Ferber at the address below or by calling 378-8455.

Sincerely,

Wendy Molgaard
for

FRED LISSNER, Manager
Groundwater/Hydrology Section

Enclosures

Pump Test Requirements For Ground Water Right Holders

Pump Test Form Cover Sheet

Pump Test Data Sheet

Copy of rejected test

cc: Water Rights Section

2519W

November 15, 1991

Mary & Rubin Stirton, Sr.
PO Box 223
Christmas Valley OR 97641

USER-ID: 8906

WATER
RESOURCES
DEPARTMENT

Dear Stirtons,

Please accept our apologies for this very tardy response to your pump test submittal. With regard to the pump test requirements for the following well and its associated water right:

POD-ID	Well	Application	Permit	Certificate	Status
18816	A Well	G-5166	G-4898	41331	Extended

The Water Resources Department has reviewed the pump test results you submitted and rejected the test because:

- [x] water-level measurements were not collected at the specified time intervals during the pumping phase of the test.
- [x] water-level measurements were not collected at the specified time intervals during the recovery phase of the test. Measurements must be taken after the pump has been turned off to determine how the water level "recovers" from pumping.

The data from this test are not adequate to describe the characteristics of the aquifer serving this well. Please review the enclosed information regarding the purpose and requirements of the pump test and be sure to fill out the cover sheet completely, including location, pump type, pumping rate, and so on.

We are granting you a one year extension to allow you time to perform another test on this well. Your new due date is November 15, 1992.

We appreciate your cooperation in this program. If you have any questions, please contact Sam Allison or Bill Ferber at the address below or by calling 378-8455.

Sincerely,

Sam Allison

For

FRED LISSNER, Manager
Groundwater/Hydrology Section

Enclosures

Pump Test Requirements For Ground Water Right Holders

Pump Test Form Cover Sheet

Pump Test Data Sheet

Copy of rejected test

Water Rights



3850 Portland Rd NE
Salem, OR 97310
(503) 378-3739
FAX 378-8130

STATE OF OREGON
COUNTY OF LAKE
Proof of Appropriation of Water

RECEIVED

DEC 11 1974

STATE ENGINEER
SALEM, OREGON

JESSIE MARTIN

of **Box 204, Christmas Valley**, State of **Oregon**,
has applied beneficially the waters of
a well

a tributary of **Christmas Lake** for the purpose of
irrigation of 18.5 acres

under Permit No. **G-4898** of the State Engineer, and that the use of said waters has been
completed under the terms of said permit; that the priority of the
right dates from **April 23, 1970**

that the amount of water for the purposes aforesaid, has been actually beneficially used in the
amount of
0.23 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream.
The point of diversion is located in the **SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 9, T. 27 S., R. 17 E., W. M.,**
690 feet North and 20 feet West from E $\frac{1}{4}$ Corner, Section 9.

The amount of water used for irrigation, together with the amount secured under any other
right existing for the same lands, shall be limited to **one-eightieth** of one cubic foot per second
per acre, **or its equivalent for each acre irrigated and shall be further limited to**
a diversion of not to exceed 2 $\frac{1}{2}$ acre feet per acre for each acre irrigated during
the irrigation season of each year;

and shall
conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right, and to which such right is appurtenant, is
as follows:

18.5 acres SE $\frac{1}{4}$ NE $\frac{1}{4}$
Section 9
T. 27 S., R. 17 E., W. M.

I have read the above and foregoing proof of appropriation of water; I know the contents
thereof, and that the facts therein stated are true.


IN WITNESS WHEREOF, I have hereunto set my hand this 14 day of 12-10-74

19.....

Jessie Martin

Am sorry for this delay.

T. 27 S. R. 17 E. W.M.



WELL 690' N @ 20' W FROM E 1/4 COR. SEC. 9

FINAL PROOF SURVEY
UNDER

Application No. G-5/66 Permit No. G-4898
IN NAME OF

JESSIE MARTIN

Surveyed AUG 21 19 73, by R.G. MUCKEN

G-5166

December 3, 1974

Jessie Martin
Box 204
Christmas Valley, OR 97638

Dear Mr. Martin:

On October 15, 1974, we mailed you a copy of a proof of the certificate in connection with the incomplete water right represented by your permit numbered G-4898 granting a right to the use of 0.23 cubic foot per second of water from a well for the irrigation of 18.5 acres, together with the instructions that the statement at the bottom of the page be signed and the copy be returned to this office accompanied by the certificate recording fee in the amount of \$1.50.

To date this form has not been received nor has any correspondence regarding reasons for not returning it been received. Unless we receive the signed proof form and the certificate recording fee, or a request for additional time within thirty days from the date of this letter, we will be required to take steps toward the cancelation of this permit.

Very truly yours,

VESTAL R. GARNER
Assistant

VRG:tml

October 15, 1974

Jessie Martin
Box 204
Christman Valley, OR 97638

File No. G-5166


Dear Mr. Martin:

Enclosed is the final proof in connection with the incomplete water right represented by your permit number. G-4898.

The data contained in the proof, which is based on an inspection and survey of your project made by a representative of this department, defines the extent to which your water right has been completed within the terms of your permit. The proof should be dated and signed by you and returned to this office.

Upon receipt of the proof, properly executed and accompanied by the statutory recording fee of \$1.50, a certificate of water right will be issued confirming the right thereunder and, after being recorded in the county records, will be forwarded to you.

Very truly yours,



CHRIS L. WHEELER
State Engineer

Form 117

Enclosure

The enclosed map may be retained for your own records.

**STATE
ENGINEER**

WATER RESOURCES DEPARTMENT

1178 CHEMEKETA STREET N.E. • SALEM, OREGON • 97310 • Phone 378-3739
August 16, 1972

File No. G-5166

Jessie Martin
Christmas Valley
Oregon 97638

Dear Sir:


This will acknowledge receipt of your notice to the effect that complete application of water has been made under permit No. G-4898.

Pursuant to your report and in line with the general practice of this office, a survey will be made at a later date.

After this survey, proof may be made and certificate issued covering the actual use of water as found by the engineer. In case of irrigation, any lands described in the permit that have not been irrigated will be automatically eliminated from the water right.

In the meantime, the permit which you hold will be valid evidence of the water right in question so long as you continue to use the water.

Very truly yours,



CHRIS L. WHEELER
State Engineer

Form 128
gkd

August 10, 1972

G-5166

Jessie Martin
Box 204
Christmas Valley, OR 97638

Dear Mr. Martin:

Acknowledged is your letter of August 3, 1972. The card you recently received was a reminder card to remind you that the date of beginning of construction of your project was July 2, 1972. On or before this date you should have made a substantial beginning of construction on your project. A standard form is normally provided for your reporting in compliance with the terms of the permit.

Since your letter indicates that you had the pump in and the irrigation pipe purchased as of May, 1971, I will accept your letter as a notice of beginning and notice of completion of construction under the terms of your permit.

According to the terms of your permit complete application of water to its intended use shall be made on or before October 1, 1973. Enclosed is form C notice of complete application of water for your use in reporting the completion of your project.

I am returning your State Engineer's receipt number 18356 covering the statutory examination and recording fee for your original application. The receipt should be kept by you for your records. If I can be of further service to you please contact me.

Very truly yours,

VESTAL R. GARNER
Assistant

VRG:gkd
Enclosures

C

Aug-3-1972

Water Resources Dep.

RECEIVED
AUG 3 1972
STATE ENGINEER
SALEM, OREGON

OK
for B
"P"

Dear Sirs:-

I'm sorry you have not rec.
any papers from us. but Enclosed is all
the papers we have ever rec -

We have the jump in + Irrigation pipe
& has been completed since May of 71.

Please let us know of any thing
else we have to do.

We was under the Impression
the Miller sent in all forms when Well was
finished.

Resp.

Jessie Martin

Box 204

Christmas Valley.

Oregon

97638



STATE ENGINEER

WATER RESOURCES DEPARTMENT

516 PUBLIC SERVICE BUILDING • SALEM, OREGON • 97310 • Ph 364-2171

TOM McCALL
GOVERNOR

FILE NG-5166

CHRIS L. WHEELER
State Engineer

May 27, 1970

Jessie Martin
Christmas Valley
Oregon 97638

Dear Mr. Martin:

This will acknowledge your application for a permit to appropriate 250 gallons of water per minute from a well for the irrigation of 20 acres, a transparency map and fees of \$20.00 for which our receipt No. 18356 is enclosed.

The application, which has been filed and numbered G-5166, is in satisfactory form for approval by issuance of a permit.

Very truly yours,

Wayne J. Overcash
Assistant

WJO:reo
Enclosure

Over

August 2, 1971

Jessie Martin
Christmas Valley
Oregon 97638

G-5166

map.

G-5166, permit No. G-4898 with

G-5166

May 27, 1970

Jessie Martin
Christmas Valley
Oregon 97638

Dear Mr. Martin:

This will acknowledge your application for a permit to appropriate 250 gallons of water per minute from a well for the irrigation of 20 acres, a transparency map and fees of \$20.00 for which our receipt No. 18356 is enclosed.

The application, which has been filed and numbered G-5166, is in satisfactory form for approval by issuance of a permit.

Very truly yours,

Wayne J. Overcash
Assistant


WJO:reo
Enclosure

RECEIVED

APR 23 1970

STATE ENGINEER
SALEM, OREGON

13



RECEIVED

APR 23 1970


STATE ENGINEER
SALEM OREGON

SCALE 1" = 400'

C-5166

Application No.
Permit No. 64898

S.E. Section corner



RECEIVED

APR 23 1970

STATE ENGINEER
SALEM OREGON

SCALE 1" = 400'

G5166

Application No.

Permit No. G4898

S.E. Section corner

1973-14
8-21-73
R.G.M.

Application No. **G-5166** Certificate No.

Name

Jessie Martin

Address

Box 209 ✓
Christmas Valley, Oregon 97638 ✓

Source of water supply

A well (trib of Christmas Lake)

Use

Irrigation of 18⁵ Acres
680' N & 20' W from E 1/4 Cor. 589-2696

Point of diversion

~~1977 S. & 10 W. from NW cor. Sec. 9, being within~~
~~1/4 SE 1/4 NE 1/4, Sec. 9, T. 27 S., R. 17 E., W. M., county~~
~~of Lake~~

Number of acres

20

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE

[illegible]

Priority date

April 23, 1970

Amount of water

0.23 - ~~0.22~~ c.f.s.

Time limit to begin construction

July 2, 1972

Time limit to complete construction

~~10-2-72~~ extended to

extended to

Time limit to completely apply water

10-1-73 extended to

extended to

~~Remarks: This appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.~~

INFO: Mrs. Martin, by phone.

All the acc filed on it in. ~~The~~ Land has been leased
alfalfa on it now.

WELL - 8" CASING
PUMP } SAID 15 H.P. SUBM.
MOTOR }

PIPE - 660' - 4" ALUM
1000' - 3" ALUM
320' - 2" ALUM

HDS - 33 $\frac{5}{8}$ X 0 R.B. 30'S ALL MAX.

CROP - ALFALFA

LIFT - 0

TIE - E $\frac{1}{4}$ COR. SEC. 9, RD. P1.

8-21-73

F.E.

R.G. Muehlen

N.E. section corner

1977



20° 4.

E 1/2

S E 1/4

NE 1/4

SEC. 9

T.S. 27 S.

R. 17 E. W.M.



RECEIVED

APR 23 1970

STATE ENGINEER
SALEM OREGON

SCALE 1" = 400'

65166
Application No.
Permit No. 64
Q4898

S.E. Section corner