CLAIM OF BENEFICIAL USE for Reservoir Permits by CWRE's (not self-certified)

OREGON WATER RESOURCES DEPARTMENT
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of $345 must accompany this form for permits with priority dates of July 9, 1987, or later.

Enter the date the priority date of the permit:

June 4, 2021

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at: https://www.oregon.gov/OWRD/Forms/Pages/default.aspx

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-986-0900.

The Department has a Reimbursement Authority program that allows it to enter into a voluntary agreement with an applicant for expedited services. Applicants interested in an estimate of the cost and timeline for expedited processing must submit a Reimbursement Authority Estimate Application and required fee. The form and additional information on this program see: https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx

Received by OWRD
OCT 21 2026
Salem, OR

SECTION 1

GENERAL INFORMATION

1. File Information

APPLICATION #	PERMIT # (IF APPLICABLE)	PERMIT AMENDMENT # (IF APPLICABLE)
R-89116	R-15673	T-14610

2. Property Owner (current owner information)

Applicant/Business Name		Phone No.	Additional Contact No.
Terry and Annamarie Obrist		503-880-9172	
Address			
14200 S. Union Mills Rd			
City	State	Zip	E-Mail
Mulino	OR	97042	taco2209@aol.com

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each*** *permit holder of record must sign this form.*

3. Permit holder of record (this may, or may not, be the current property owner)

Permit Holder of Record		
Terry and Annamarie Obrist		
Address		
14200 S Union Mills Rd / PO Box 857		
City	State	Zip
Mulino	OR	97042

Additional Permit Holder of Record		
NA		
Address		
City	State	Zip

4. Date of Site Inspection:

June 1, 2026

5. Person(s) interviewed and description of their association with the project:

Name	Date	Association with the Project
Brooks Adcock	June 1, 2026	Previous Owner / Operator

6. County

Clackamas County

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

Owner of Record		
NA		
Address		
City	State	Zip

Add additional tables for owners of record as needed

Received by OWRD
OCT 21 2026
Salem, OR

SECTION 2

SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.

Seal and Signature

CWRE NAME		PHONE NO.	ADDITIONAL CONTACT NO.
Doann Hamilton		**(503) 349-6946 cell**	**503-931-0210**
ADDRESS **15333 Pletzer Rd. SE**			
CITY **Turner**	STATE **OR**	ZIP **97392**	E-MAIL **doann@mcgillwaterrights.com**

Received by OWRD
OCT 21 2026
Salem, OR

Permit Holder(s) of Record Signature or Acknowledgement

Each *permit or transfer holder of record must sign this form in the space provided below.*

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
Terry L Obrist	**Terry Obrist**	owner	10-13-26
Annamarie Obrist	**Annamarie Obrist**	owner/operator	10-13-26

Received by OWRD
OCT 21 2026
Salem, OR

SECTION 3

CLAIM DESCRIPTION

1. Reservoir source and, if from surface water, the tributary:

RESERVOIR NAME OR NUMBER	SOURCE	TRIBUTARY
River Bend Reservoir	**Molalla River**	**Willamette River**

2. Developed use(s), period of use, and acre foot (af) for each use:

RESERVOIR NAME OR NUMBER	USES	SEASON OR MONTHS WHEN WATER WAS APPROPRIATED FOR STORAGE	VOLUME STORED (AF)
River Bend Reservoir	**Multipurpose**	**December 1 through May 31 for POD1**	**1.5 AF**
		December 1 through April 30 for POD 2	
Total Quantity of Water Stored			**1.5 AF**

3. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion to the reservoir:

At the time of this site visit, only water collected from the roof drains have filled the pond and is being used to irrigate the place of use under Permit S-55451. This description is how the POD's are set up to be used when needed.

The reservoir is a 120' x 100' dug out section with no berm but lined on a 2:1 slope holding approximately 1.5 AF. The reservoir is created to have low point in the southwest corner where water can spill out when full.

The reservoir is currently filled by exempt water collected from the barn's roof drains and piped into the pond. A centrifugal pump is being used to pump water out of the reservoir for irrigation under Permit S-55451. If water is needed to be evacuated, water can be pumped out the reservoir using this same pump as an outlet pipe.

When water is needed to fill the pond, a 1 Hp centrifugal pump is used for both POD 1 and POD 2. The pump located on a pallet that can be moved from one POD to the other as needed. A portable 2 inch hose re-enforced polyethylene hose is connected to the pump with a Pump-Rite fish screen as it lies in the water channel. A portable 2 inch lay-flat hose is used to pump the water up from the POD's to the reservoir. POD 2 uses a generator to operate the pump while POD 1 is close enough to the shed where an extension cord can be used.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

4. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below. YES

(e.g. *"The permit allowed the development of three reservoirs. The permit holder only developed one of the reservoirs."* or *"The permit allowed for the storage of 9 acre feet of water. The reservoir was developed to hold 5.2 acre feet."*)

1. After field verifying, POD 1 is more correctly located at:
   - 1,220 feet south and 990 feet east from the NW corner, Section 28.
   - T.4S., R.2E., Section 28, NWNW, Lot 1.
   - 45.198222, -122.5753, WGS 84

2. After field verifying, POD 2 is more correctly located at:
   - 1,940 feet south and 1,120 feet east from the NW corner, Section 28.
   - T.4S., R.2E., Section 28, SWNW, Lot 2.
   - 45.196222, -122.574761, WGS 84

3. The center of the reservoir was not describe in Permit R-15673 but is located at:
   - 1,125 feet south and 1,125 feet east from the NW corner, Section 28.
   - T.4S., R.2E., Section 28, NWNW, Lot 1
   - Lat Long (45.198489, -122.574825, WGS 84)

5. Claim Summary:

Reservoir Name or #	Maximum Storage Authorized by Permit (AF)	Maximum Storage Developed (AF)
River Bend Reservoir	1.5 AF	1.5 AF

Received by OWRD
OCT 21 2026
Salem, OR

SECTION 4

SYSTEM DESCRIPTION

Are there multiple reservoirs? NO

If *"YES"* you will need to copy and complete Sections A through E for each reservoir.

Reservoir Name or Number this section describes (only needed if there is more than one):

River Bend Reservoir

A. Reservoir Location

1. Is the reservoir on-channel? NO

2. Provide dam outlet location and/or point of diversion(s).

POD	TWP	RNG	MER	SEC	QQ	GLOT	DLC	MEASURED DISTANCES	LATITUDE LONGITUDE
Center of Pond	4S	2E	WM	28	NWNW	Lot 1	NA	1,125 feet south and 1,125 feet east from the NW corner, Section 28	45.198489, -122.574825, WGS 84
POD 1	4S	2E	WM	28	NWNW	Lot 1	NA	1,220 feet south and 990 feet east from the NW corner, Section 28	45.198222, -122.5753, WGS 84
POD 2	4S	2E	WM	28	SWNW	Lot 2	NA	1,940 feet south and 1,120 feet east from the NW corner, Section 28	45.196222, -122.574761, WGS 84

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport the water from the point(s) of diversion to the reservoir.

1. Is a pump used? YES

If "NO" items 2 through item 5 may be deleted.

2. Pump Information

POD	MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)
POD 1 and POD 2 use the same pump, it is moved from place to place as needed				
POD 1 POD 2	Century	C48D63D72	06124J2	Centrifugal

Received by OWRD
OCT 21 2026
Salem, OR

3. Theoretical Pump Capacity

POD	Horsepower	Operating PSI	Lift from Source to Pump *If a well, the water level during pumping	Lift from Pump to Place of Use	Total Pump Output (in cfs)
POD 1	1 Hp	40 psi	45 feet	5 feet	0.04 cfs
POD 2			6 feet	45 feet	0.04 cfs

4. Provide pump calculations:

POD 1	Q Pump = $\frac{(1\ Hp) \times (6.61\ ft^4/sec\ Hp)}{(50\ ft\ lift + 101.6\ ft\ pressure\ head)}$ = 0.04 cfs
POD 2	Q Pump = $\frac{(1\ Hp) \times (6.61\ ft^4/sec\ Hp)}{(51\ ft\ lift + 101.6\ ft\ pressure\ head)}$ = 0.04 cfs

5. Measured Pump Capacity (using meter if meter was present and system was operating)

Initial Meter Reading	Ending Meter Reading	Duration of Time Observed	Total Pump Output (in cfs)
Not running during site visit			

Reminder: For pump calculations use the reference information at the end of this document.

6. Additional notes or comments related to the system:

Same pump is used for both POD's. There is a meter attached to the pump so the permit holder can verify the amount of river water being used verse the roof drain.

C. Gravity Flow Pipe

(The Department typically uses the Hazen-William's formula for a gravity flow pipe system)

1. Does the system involve a gravity flow pipe? NO

If "NO", items 2 through 4 relating to this section may be deleted.

D. Gravity Flow Canal or Ditch

(The Department typically uses Manning's formula for canals and ditches)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? NO

If "NO", items 2 through 4 relating to this section may be deleted.

E. Reservoir

1. Does the reservoir require the submittal of as-built plans and specifications? NO

*If "**YES**", answer item 2; items 3 through 8 relating to this section may be deleted.*
*If "**NO**", skip items 2; answer items 3 through 8.*

Received by OWRD
OCT 21 2026
Salem, OR

3. If the reservoir stores less than 9.2 acre-feet of water or if the dam is less than 10 feet in height, and as-built plans and specifications are not required, complete the table and items 4 through 8.

MAXIMUM DEPTH	AVERAGE DEPTH	SURFACE AREA (IN ACRES)	VOLUME (IN ACRE FEET)
14 feet	12 feet	0.125 acres	1.5 AF

4. Provide reservoir volume calculations:

Volume = (surface area in acres) x (average depth)

Volume = (0.125 Acres) x (12 feet) = 1.5 AF

5. Provide the following information concerning the physical characteristics of the dam:

CREST WIDTH (W)	DAM HEIGHT AT CENTERLINE (H)	DISTANCE FROM DOWNSTREAM TOP OF DAM TO DOWNSTREAM TOE (L)	DISTANCE FROM UPSTREAM TOP OF DAM TO UPSTREAM TOE (U)	WATER LEVEL AT INSPECTION	DOWN-STREAM SLOPE	UP-STREAM SLOPE
0 feet – dug out	0 feet– dug out	0 feet– dug out	26 feet – dug out	12 feet	0 feet	2:1

6. Provide a drawing showing the cross section of the dam at the maximum section indicating details and dimensions. The drawing should be drawn at a standard even scale.

See attach figure for cross-section

7. Describe the outlet works (size and type of the outlet conduit and location):

If water is needed to be removed from the pond, the surface water 2 Hp centrifugal pump will be used to pump water into the shed then attach a line to discharge the water onto the ground or near POD 1.

8. Describe the emergency spillway (dimensions and location):

BOTTOM WIDTH (W)	TOP WIDTH (L)	SPILLWAY DEPTH (H)
IF THE POND FILLS TO CAPACITY, THE WATER SPILLS OVER THE LOW POINT IN THE RESERVOIR AT THE SOUTHWEST CORNER ONTO THE GROUND AND TOWARD POD 1 LOCATION		

Received by OWRD
OCT 21 2026
Salem, OR

SECTION 5

CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates; the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or extension final order:

	Date from Permit	Date Accomplished*	Description of Actions Taken by Water User to Comply with the Time Limits
Issuance Date	**Permit R-15550 issued: February 3, 2023 Permit R-15673 issued: August 28, 2025**		
Begin construction (A)	**February 3, 2028**	**July 2024**	**Construction of the pond began**
Complete construction (B)	**NA**	**NA**	**NA**
Complete application of water (C)	**February 3, 2028**	**May 2026**	**Full storage of the pond was completed**

* must be within period between permit or any extension final order issuance and the date to completely apply water

2. Is there an extension final order(s)? **NO**

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device? **NO**

If "NO", items b through f relating to this section may be deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department? **NO**

If "NO", item b relating to this section may be deleted.

Received by OWRD
OCT 21 2026
Salem, OR

5. Outlet Pipe

a. Is the water user required to install a minimum 8"outlet pipe/conduit? **YES**

If "NO", items b through c relating to this section may be deleted.

b. Has the outlet pipe been installed? **NO**

If "YES", items c relating to this section may be deleted.

c. Does the water user have other means to evacuate the reservoir? **YES**

DESCRIBE HOW THE WATER USER PLANS TO EVACUATE THE RESERVOIR	HAS THIS PLAN BEEN APPROVED BY THE DEPARTMENT?	BY WHOM?
If water is needed to be removed from the pond, the surface water 2 Hp centrifugal pump will be used to pump water into the shed then attach a line to discharge the water onto the ground or near POD 1.	**YES**	**Amy Landvoigt, Watermaster September 28, 2026**

6. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? **YES**

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed? **YES**

c. When was the fish screening installed?

DATE	BY WHOM
November 2025	**Brooks Adcock**

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

d. If the diversion **involves a pump** *and* the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs):

Has the self-certification form previously been submitted to the Department? **NA**

- If not, go to https://www.oregon.gov/OWRD/Forms/Pages/default.aspx (search for ODFW Small Pump Screen Self Certification), complete and attach a copy of the self-certification form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

Received by OWRD
OCT 21 2026
Salem, OR

Received by OWRD
OCT 21 2026
Salem, OR

e. If the diversion does **not involve a pump** *or* the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? **YES**
- If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at https://www.oregon.gov/OWRD/Forms/Pages/default.aspx

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

7. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **NO**

- per ODFW letter dated November 26, 2025

If "NO", items b and c relating to this section may be deleted.

8. Other conditions required by permit, permit amendment final order, or extension final order

a. Was the water user required to restore the riparian area if it was disturbed? **YES**

b. Was a fishway required? **NO**

c. Was submittal of a letter from an engineer required prior to storage of water? **NO**

d. Was submittal of a water management and conservation plan required? **NO**

e. Other conditions? **YES**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

a) Condition – Riparian Area Restoration: Permit condition #5
If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

Compliance:
River Bend Reservoir was not constructed in channel and there for not disturbing any riparian area.

The 1 Hp centrifugal pump for both POD 1 and POD 2 is the same pump for both located on a pallet that can be moved from one POD to the other as needed. The pallet for POD 1 is located 40 feet above the river on a forested bank while the pallet for POD2 is located 10 feet above the river on a dirt and grass covered cleared out area at the end of the road down to the bank.

A 2 inch hose re-enforced polyethylene hose is connected to the pump and fishscreen as it lies in the water channel. A 2 inch lay-flat hose is used to pump the water up from the POD's to the reservoir.

e1) Condition – Agricultural Water Quality Management Area Rule: Permit condition #3

The permittee shall comply with basin-specific Agricultural Water Quality Management Area Rules described in Oregon Administrative Rules Chapter 610-095. The permittee shall protect riparian areas, allowing the site capable vegetation to establish and grow along streams, while providing the following functions: shade (on perennial and some intermittent streams), bank stability, and infiltration or filtration of overland runoff.

Compliance:
POD 1 is forested creating shade in the area. POD 2 is in a more open space with the bank covered with some grass.

e2) Condition - Fish screen /By-pass: Permit condition #4
The permittee shall install, maintain, and operate fish screening and by-pass devise consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional, and, and approved in writing by ODFW prior to diversion of any water. The permittee may submit evidence in writing that ODFW has determined screens and/or by-pass devices are not necessary

Compliance:
See letter dated November 26, 2025 from ODFW stating fish screen Pump-Rite M-L 65 screen rated at 65 gpm (0.14cfs) is approved and a by-pass devise is not required.

This fishscreen is attached to the pump and being used when needed.

e3) Condition – Water Quality: Permit condition #6
The use may be restricted if the quality of the source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality stands due to reduced flows.

Compliance:
Minimal disturbance to the stream is created when inserting the fishscreen when needed.

e4) Condition – Fish Stocking: Permit condition #7
Per ORS 498.222 and OAR 635-007-0600, all persons transporting fish in Oregon need to have a fish transport permit issued by the Oregon Department of Fish and Wildlife (ODFW). The permittee shall not stock fish in the reservoir without a fish transport permit issued by ODFW. As part of the permitting process, the permittee must also screen the inlet and outlet of their pond to ensure that fish cannot escape into public waters and/or to keep wild fish from entering the pond.

Received by OWRD
OCT 21 2026
Salem, OR

Compliance:
No fish have been stocked in River Bend Reservoir

e5) Condition – In-Water Works: Permit condition #8
Any in-water work related to construction, development, or maintenance of the proposed use shall be conducted during the preferred work period of July 15 through August 31, unless an alternate time period is approved by Oregon Department of Fish and Wildlife.

Compliance:
River Bend Reservoir is not in channel so no in water work was conducted in the construction of the reservoir.

If any additional brush needs removed from POD 1, the work will be done from July 15 through August 31 to have the area ready for use come the next December.

POD 2 is in a clear enough area – no additional work was needed to establish the access point.

e6) Condition – Off-Channel Water Releases: Permit condition #9
The permittee shall not release polluted water from this off-channel reservoir into waters of the state except when the release is directed by the State engineer to prevent dam failure.

Compliance:
The reservoir is located approximately ~170 feet from the bank. When the reservoir is full, water overflows the reservoir in the southwest corner onto the ground continuing to the river through heavy grass and brush before entering the river.

e7) Condition – Outlet pipe: Permit condition #10
The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, (with a minimum diameter of 8" for any in-channel reservoir).
This requirement may be waived if the Department determines other means have been provided to evacuate water when necessary.

Compliance:
Alternative method for outlet pipe to use the pump to evacuate the water if need, is approve by the watermaster Amy Landvoigt on September 28, 2026

e8) Condition – Live Flow: Permit condition #11
The permittee shall pass all live flow outside the storage season describe above.

Received by OWRD
OCT 21 2026
Salem, OR

Compliance:
The reservoir is located off- channel

e9) Condition – Out of reservoir use: Permit condition #12
This permit allows an annual appropriation (not to exceed the specified volume). This permit does not provide for the appropriation of water for out-of-reservoir uses, the maintenance of the water level or maintaining a suitable freshwater condition. If any water is to be used for out-of-reservoir purposes, a secondary water right is required. If any additional live flow is to be appropriated to maintain either the water level or suitable freshwater conditions, an additional water right is required.

Compliance:
At this time:

a. Application S-89343, Permit S-55451 has been issued July 7, 2023 to use the water for out-of-reservoir purposes.

At this time there is no additional reservoir permits for either

a. additional acre-feet to be stored over the 1.5 AF allowed
b. or for any additional storage period outside the December 1 through May 31 for POD 1 and December 1 through April 30 for POD 2 allowed in this permit

SECTION 6

ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Claim of Beneficial Use Map	Claim of Beneficial Use Map
BLM Cadastral Map	BLM Cadastral Map T. 4S. R. 2E. showing DLC and Government Lot locations
Letter from ODFW, November 26, 2025	Letter stating a fish screen Pump-Rite M-L 65 screen rated at 65 gpm (0.14cfs) is approved and a by-pass devise is not required.
Outlet alternative approval email dated September 28, 2026	Email from Watermaster Amy Landvoigt approving the alternative methods of evacuating the pond.

SECTION 7

CLAIM OF BENEFICIAL USE MAP

In order to properly examine your claim, the Department must have an accurate map that meets the criteria described in OAR 690-014-0170 and OAR 690-305-0010, which are provided below for your convenience:

OAR 690-014-0170 Minimum Requirements for Maps for Permit or Transfer Final Order Claims of Beneficial Use

(1) Maps submitted by a CWRE as part of the Claim of Beneficial Use shall meet the standards in OAR chapter 690, division 305. In addition, the map shall meet the following criteria:
  (a) Horizontal accuracy is required only to ten feet for the purpose of locating and quantifying water rights. Maps shall be developed from any standard survey method. Traverse closures are not required.
  (b) Maps shall clearly designate the place of use and point of diversion or appropriation for each source and use.
  (c) The map shall indicate by description, in relation to the point of diversion or appropriation, the location of any fish screens, by-pass devices, and measuring devices required by the permit or transfer final order.
  (d) The following statement shall be placed on the map: "This map is not intended to provide legal dimensions or locations of property ownership lines."

(2) A CWRE may make a written request to the Director for a waiver of one or more mapping standards. The Director will determine whether the waiver shall be allowed and will respond to such requests in writing.

OAR 690-305-0010 General Map Criteria

Received by OWRD
OCT 21 2026
Salem, OR

Each map submitted to the Department shall meet the following general criteria in addition to any specific criteria identified in the rules for the relevant water right transaction:

(1) Drawing

(a) The map shall be drafted on paper or polyester film with ink or otherwise printed in an indelible form with sufficient clarity so as to be easily reproduced or scanned. Maps may be submitted electronically in portable document format (pdf) and must be prepared consistent with, and include the same information as, a paper map.

(b) The preferred paper size is 8.5 inches by 11 inches and should be no larger than 30 inches by 30 inches. A map greater than 30 inches by 30 inches may be submitted if the Department grants, by mail or electronic means, advance approval of the larger size.

(c) Beginning April 1, 2029, regardless of whether the map is submitted electronically, on paper, or on polyester film, for any map that OAR chapter 690 requires be prepared by a Certified Water Right Examiner, a digital file containing the coordinate system and geospatial features of the map as specified by the Department shall be submitted in addition to the map, unless the Department provides a waiver. The digital file shall be submitted as a shapefile or other approved format in a manner required by the Department.

(d) A platted and recorded subdivision map, deed description survey map, or county assessor map may be submitted as the application map if all of the required information included in sections (2) and (3) of this rule is clearly shown.

(e) An aerial image may be provided in addition to the map to aid the Department in understanding the proposal.

(f) The map submitted under subsection (a) shall be the official record of the water right. An aerial image or digital file shall not be the official record of the water right.

(2) Scale

(a) The map shall be drawn to a standard, even-numbered scale and one-inch shall not exceed 1320 feet.

(b) The map scale may exceed 1320 feet per inch if the Department grants, by mail or electronic means, advance approval of the requested scale.

(c) Notwithstanding subsection (a) and (b), for maps identifying the location of a municipal use place of use, one-inch can exceed 1320 feet; provided that the scale is sufficient to identify the quarter-quarters involved in the place of use.

(3) Features: Features shall be clearly identified and labeled. Unless otherwise indicated in rule, the following features must be included in each map submitted to the Department:

Received by OWRD
OCT 21 2026
Salem, OR

(a) Mapping scale.

(b) North directional symbol.

(c) Legend.

(d) General location of main canals, ditches, flumes, pipelines, pumps, or other water delivery features used to transport water from the point(s) of diversion

or appropriation to the place use and to include the delivery features at the place of use.

(e) Other topographical features such as rivers, creeks, streams, lakes, reservoirs, ponds, roads, or railroads that may be helpful to clarify and identify the location of points of diversion, wells, dams, and places of use.

(f) Location and flow direction of the water way if the source is surface water. If multiple water ways exist in the area of the proposed diversion and use, the map must identify the location and flow direction of the additional water ways.

(g) Township, range, section, quarter-quarter, and tax lot(s), donation land claims, or government lots where water will be or has been diverted, conveyed, and used. If the map is for municipal use the map:

  (A) Must identify but does not need to label the quarter-quarters,

  (B) Does not need to identify or label tax lots, donation land claims, or government lots.

(h) Location of each proposed or developed diversion point, well (point of appropriation), or dam by reference to a recognized public land survey corner. For a reservoir without a dam, the center of the reservoir shall be referenced to a recognized public land survey corner.

  (A) The locations shall be shown by distance and bearing, or by coordinates (distance north or south and distance east or west from the corner). In addition, they shall also include latitude and longitude as established by a global positioning system.

  (B) Latitude and longitude coordinates shall be expressed as degrees-decimal with five or more digits after the decimal (e.g., 42.53764º). The datum used to establish the coordinates shall be indicated on the map. Examples of datums include NAD 83, NAD 27 and WGS84.

(i) Location of the proposed or developed place of use by township, range, section, and nearest quarter-quarter section.

  (A) For irrigation or nursery use, the map shall additionally indicate the place of use in each quarter-quarter of a section by shading or hatchuring and indicate the number of acres in each quarter-quarter section, donation land claim, government lot, or other recognized public land survey lines.

  (B) For places of use that are limited to a point, such as a stock watering tank, the location may also be identified by distance and bearing, or by coordinates (distance north or south and distance east or west from the corner). In addition, they shall include latitude and longitude as established by a global positioning system.

  (C) Latitude and longitude coordinates shall be expressed as degrees-decimal with five or more digits after the decimal (e.g., 42.53764º). The datum used to establish the coordinates shall be indicated on the map. Examples of datums include NAD 83, NAD 27 and WGS84.

  (D) Where more than one point of diversion or well is included, the map must clearly identify the place(s) of use served by each point of diversion or well.

Received by OWRD
OCT 21 2026
Salem, OR

(j) If for a supplemental irrigation application or claim of beneficial use, the location and water right reference number of the underlying primary right, registration or claim.

(k) Any other information the Department requests and considers necessary to evaluate the water right transaction.

Received by OWRD
OCT 21 2026
Salem, OR

Received by OWRD
OCT 21 2026
Salem, OR

T.4S. R.2E. Section 28, W.M.



Scale: 1" = 20'

CERTIFIED WATER RIGHT EXAMINER
85503
DOANN HAMILTON
MAY 10, 2012
STATE OF OREGON
EXPIRES: JUNE 30, 2027

N

This map was prepared for the purpose of identifying the location of a water right only and is not intended to provide legal dimensions or location of property ownership lines.

Reservoir Cross-Section Map
Application R-89116, Permit R-15673, PA T-14610

Terry and Annemarie Obrist
T.4S. R.2E. Section 28, W.M.

WILL MCGILL SURVEYING LLC

10/2026

ObristR-89116COBUMap.cdr



Received by OWRD
OCT 21 2026
Salem, OR

Oregon
Tina Kotek, Governor

Department of Fish and Wildlife
The Dalles Screen Shop
3561 Klindt Drive
The Dalles, OR 97058
(541) 296-8026
Fax (541) 296-7889
odfw.com

November 26, 2025

Attn. Brooks Adcock
Adcock Family Tree Farm
Po Box 857
Mulino, Or 97042

RE: Transfer T-14610, Permit S-55451

To whom it may concern,

This letter addresses the fish screening and fish passage requirements established by the Oregon Water Resources Department (OWRD) for Transfer T-14610 and Permit S-55451.

For Transfer T-14610, a Pump-Rite M-L 65 screen, rated at 65 gpm (0.14 cfs), will be used on a rotational basis between two points of diversion: POD 1 at 45.198353, -122.575581 and POD 2 at 45.196222, -122.574761 on the Molalla River, a tributary to the Willamette River. This is an end-of-pipe screen; therefore, a bypass device is not required. ODFW concludes that the screening requirement for T-14610 has been satisfied.

For Permit S-55451, water will be rediverted from River Bend Reservoir at 45.19901,-122.57480 an off-channel reservoir constructed under Permit R-15550. Because screening requirements have already been met under Transfer T-14610, additional screening is not required for S-55451.

The current point of diversion at River Bend Reservoir does not pose an artificial obstruction to fish passage. However, the permittee must maintain adequate passage for native and migratory fish at all times (ORS 509.610) and must not construct, operate, or maintain any dam or artificial obstruction to fish passage across waters of the state that are inhabited, or were historically inhabited, by native migratory fish (ORS 509.585).

If you have any questions regarding this letter, please contact me at 541-296-8026.

Sincerely,

Toby Schuyler 11/26/2025

NW Region Fish Screen and Passage Coordinator

CC: Bob Long CWM Consulting

Received by OWRD
OCT 21 2026
Salem, OR

Gmail

Doann Hamilton <doann@mcgillwaterrights.com>

App R-89116 outlet method

LANDVOIGT Amy J * WRD <Amy.J.LANDVOIGT@water.oregon.gov> Mon, Sep 28, 2026 at 11:44 AM
To: Doann Hamilton <doann@mcgillwaterrights.com>

Hi Doann,

That will be acceptable as an alternate means to evacuate water from the reservoir. Please let me know if you have any questions.

Thank you,

Amy Landvoigt

Oregon Water Resources Department

District 20 Watermaster

(503) 312-1743

10722 SE Hwy 212

Clackamas, OR 97015

OREGON WATER RESOURCES DEPARTMENT

From: Doann Hamilton <doann@mcgillwaterrights.com>
Sent: Sunday, September 20, 2026 10:58 AM
To: LANDVOIGT Amy J * WRD <Amy.J.LANDVOIGT@water.oregon.gov>
Subject: App R-89116 outlet method

Received by OWRD
OCT 21 2026
Salem, OR

OREGON

WATER RESOURCES DEPARTMENT

Received by OWRD
OCT 21 2026
Salem, OR

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Terry & Annamarie Obrist
14200 S. Union Mills Rd. Molino, OR 97047

Transaction Type: COBY

Fees Received: $ 345.00

☐ Cash ☒ Check: Check No. 2738

Name(s) on Check: Will McGill Surveying LLC

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,
OWRD Customer Service Staff

Submission received by: Sarah Benham
(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (*i.e., the application or other document*).
- Date-stamp all pages. (*NOTE: Do not stamp check.*)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "*RECEIVED OVER THE COUNTER*" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (*application/other document*) in the top drawer of filing cabinet.