

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy  
of this report are to be  
filed with the

**RECEIVED**  
WATER WELL REPORT  
APR 16 1973 STATE OF OREGON  
SALEM OREGON

**MULT**  
001542

State Well No. 1N/6E-12 <sup>SE? E-12</sup> <sup>dc</sup>  
State Permit No. \_\_\_\_\_

STATE ENGINEER, SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

(Please type or print)  
STATE ENGINEER  
(Do not write above this line)

**(1) OWNER:**

Name Oregon State Parks - Benson State Park  
Address 9009 E. Burnside St., Portland, Or. 97215

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:**

Rotary  Driven   
Cable  Jetted   
Dug  Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

**(5) CASING INSTALLED:**

Threaded  Welded   
8" Diam. from 0 ft. to 57 ft. Gage 0.279  
6" Diam. from 0 ft. to 176 ft. Gage 0.250  
" Diam. from ft. to ft. Gage

**(6) PERFORATIONS:**

Perforated?  Yes  No.

Type of perforator used \_\_\_\_\_

Size of perforations in. by in.  
\_\_\_\_\_ perforations from ft. to ft.  
\_\_\_\_\_ perforations from ft. to ft.  
\_\_\_\_\_ perforations from ft. to ft.

**(7) SCREENS:**

Well screen installed?  Yes  No

Manufacturer's Name Johnson  
Type 304 Stainless Steel Model No. \_\_\_\_\_  
Diam. 6 Slot size 60 Set from 179 ft. to 184 ft.  
Diam. 6 Slot size 35 Set from 174 ft. to 179 ft.

**(8) WELL TESTS:**

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No. If yes, by whom Steinman Bros  
60 gal./min. with 16 ft. drawdown after 3 hrs.  
120 " 47 " 6 "  
190 " 68 " 8 "

Baller test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 50 Depth artesian flow encountered \_\_\_\_\_ ft.

**(9) CONSTRUCTION:**

Well seal—Material used Cement grout  
Well sealed from land surface to \_\_\_\_\_ 31 ft.  
Diameter of well bore to bottom of seal \_\_\_\_\_ 12 in.  
Diameter of well bore below seal \_\_\_\_\_ 8 in.  
Number of sacks of cement used in well seal \_\_\_\_\_ 20 sacks  
Number of sacks of bentonite used in well seal \_\_\_\_\_ None sacks  
Brand name of bentonite \_\_\_\_\_  
Number of pounds of bentonite per 100 gallons of water \_\_\_\_\_ lbs./100 gals.  
Was a drive shoe used?  Yes  No. Plug \_\_\_\_\_ Size: location \_\_\_\_\_ ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_  
Was well gravel pecked?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(10) LOCATION OF WELL:**

County Multnomah Driller's well number 17-73  
SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  Section 12 T. 1N R. 6E W.M.  
Bearing and distance from section or subdivision corner \_\_\_\_\_

**(11) WATER LEVEL: Completed well.**

Depth at which water was first found 176 ft.  
Static level 21 ft. below land surface. Date 3/26/73  
Artesian pressure \_\_\_\_\_ lbs. per square inch. Date \_\_\_\_\_

**(12) WELL LOG:**

Diameter of well below casing 6"

Depth drilled 184 ft. Depth of completed well 184 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Sand, coarse, grey	0	2	
Sandy brown clay	2	16	
Broken rock, clay conglomerate	16	139	
Clay, blue	139	152	
Grey conglomerate	152	171	
Brown conglomerate	171	176	
Grey sand and gravel, fine	176	178	21
Brown sand and gravel, med.	178	184	21

**RECEIVED**

AUG 07 2007

WATER RESOURCES DEPT  
SALEM OREGON

Work started Feb. 13 1973 Completed Apr. 4 1973

Date well drilling machine moved off of well Apr. 4 1973

**Drilling Machine Operator's Certification:**

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

(Signed) Jack Duss Date Apr. 6 1973  
(Drilling Machine Operator)

Drilling Machine Operator's License No. 67

**Water Well Contractor's Certification:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Steinman Bros.  
(Person, firm or corporation) (Type or print)

Address 11912 S.E. Kellogg Ave., Milwaukie, Or. 97222

(Signed) Robert E. McConnell  
(Water Well Contractor)

Contractor's License No. I Date Apr. 9 1973

Return To: Columbia River Gorge  
National Scenic Area, USDA  
902 Wasco Ave. Suite 200  
Hood River, OR 97031

Attention: Allen Morrissette

Recorded in MULTNOMAH COUNTY, OREGON  
C. Swick, Deputy Clerk

B63 1 ATADS

Total : 21.00

2005-128558 07/13/2005 11:16:59am

PIU 7-13-05

STATE OF OREGON WELL INFORMATION FORM  
(FILE WITH COUNTY CLERK'S OFFICE)

Pursuant to ORS 537.788, owners of property on which a well is located shall, within 60 days following the construction of a new well or alteration of an existing well or upon property transfer, record the following information in the property deed records at the appropriate County Clerks Office. Either the deed recording number or legal description of the property may be used to identify the property.

Property Owner Name(s): Oregon Parks and Recreation Department

Mailing Address: 2501 SW First Avenue, Suite 100, Portland, OR 97201

Deed Recording Number (or legal description): T.1N., R.5E., Sec.12, SE 1/4

Well Identification Number(s): L41162 (Benson State Recreation Area)

**Limited Rights and Obligations:** Most uses of water in Oregon require a water right permit issued by the Oregon Water Resources Department. However, some uses of ground water are exempt from permitting requirements under Oregon Revised Statutes 537.545.

Whether or not a use of ground water is exempt from permitting requirements, a landowner is responsible for maintaining any well on the landowner's property in proper condition so that a well does not pose a health threat or health hazard, and does not contaminate or serve as a source of waste of the ground water resource by allowing loss of artesian pressure or commingling of aquifers.

Wells may be permanently abandoned by licensed and bonded well constructors or a bonded and permitted landowner.

Additional obligations of a landowner with regard to well maintenance and abandonment of wells can be found at Oregon Revised Statutes 537.747 to 537.795 and Oregon Administrative Rules Chapter 690, Division 200 to 240.

Signature of Property Owner(s): David Wright

State of Oregon, County of Marion

This instrument was acknowledged before me on June 20, 2005 by David Wright

(name of person(s) as Assistant Director type of authority - if applicable) of Oregon Parks & Recreation Dept.  
(name of party on behalf of whom instrument was executed - if applicable)

Before Me: Michael F. Zdroy Seal, if any:

Notary Public for Oregon

My commission expires July 31, 2006



Recording Office Use Only

RECEIVED

AUG 07 2007

WATER RESOURCES DEPT  
SALEM, OREGON

**STATE OF OREGON  
WATER SUPPLY WELL REPORT**  
(as required by ORS 537.765)

WELL I.D. # L 41162  
START CARD # W 160994

Instructions for completing this report are on the last page of this form.

(1) OWNER: Oregon State Parks Well Number \_\_\_\_\_

Name Oregon State Parks  
Address 902 Wasco Ave., Suite 200  
City Hood River State Or Zip 97031

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 84 ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE		SEAL				
Diameter	From To	Material	From To	Sacks or pounds		
16"	0 4'	Hole Plug	0 4'	13 sks		
existing			0 31	cement		

How was seal placed: Method  A  B  C  D  E  
 Other Placed Dry & Hydrated

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	8"	+ 1	3'	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS:

Perforations		Screens		Material		Casing		Liner	
From	To	Slot size	Number	Diameter	Tele/pipe size				
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

<input type="checkbox"/> Pump	<input type="checkbox"/> Bailer	<input type="checkbox"/> Air	<input type="checkbox"/> Flowing
Yield gal/min	Drawdown	Drill stem at	Artesian
			Time
			1 hr.

Temperature of water \_\_\_\_\_ Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:

County Multnomah Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 1 N N or S Range 5 E E or W. WM.  
Section 12 SW 1/4 SE 1/4  
Tax Lot \_\_\_\_\_ Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) Benson State Park  
I-84 East of Trout Dale, Or

(10) STATIC WATER LEVEL:  
22' ft. below land surface. Date 1-4-05  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
Depth at which water was first found \_\_\_\_\_

From	To	Estimated Flow Rate	SWL

(12) WELL LOG:  
Ground Elevation \_\_\_\_\_

Material	From	To	SWL
Pump was pulled, dug out			
around 8" 4 ft deep cut			
8" casing off 3 ft. below			
grade, cut 6" liner off			
at 3 ft. below grade.			
welded 4 ft. long 8" dia.			
spool type pitless adapter			
onto existing casing 1 ft.			
above ground level.			
Placed bentonite seal			
0 - 4 ft.			

Date started 1-4-05 Completed 1-5-05

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Terry Johnson WWC Number 321  
Signed \_\_\_\_\_ Date 1-21-05

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Ron Aspaas WWC Number 1445  
Signed \_\_\_\_\_ Date 1-21-05

